LOCAL GOVERNMENT BOARD.

MEDICAL DEPARTMENT LIBRARY.

No. _____ Room 109 11

Case N Shelf _____

22500992860

u

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 1. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, JAN. 8. [Price 1½*d.*

General Register Office, Somerset House,
January 10*th*, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·8 per 1000 of their aggregate population, which is estimated † at 16,713,617 persons in the middle of this year. In the preceding three weeks the rates had been 15·0, 15·4, and 16·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 20·4 in Nottingham, 21·1 in Rhondda, 21·3 in West Bromwich, 22·3 in Stockton on Tees, 22·9 in Huddersfield, 23·4 in Birkenhead, 23·5 in Warrington, and 25·4 in Hanley; from *measles*, 1·6 in Swansea and 1·7 in Birkenhead; and from *whooping-cough*, 1·7 in Plymouth. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2343 BIRTHS and 1331 DEATHS were registered. Allowing for increase of population, the births were 469 and the deaths 482 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15270—41.) Wt. 109—472. 700. 1/10. D & S. G. 31. Sch. 4 A

causes, which had been 14·3, 15·1, and 16·2 per 1000 in the preceding three weeks, fell last week to 14·2. The death-rate in the four weeks ended last Saturday averaged 15·0 per 1000, being 3·5 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1331 deaths included 11 from measles, 5 from scarlet fever, 9 from diphtheria, 29 from whooping-cough, 1 from enteric fever, 1 from ill-defined pyrexia, and 7 from diarrhœa; but not one death from small-pox or from typhus,: thus, to these diseases in the aggregate 63 deaths were referred, being 62 below the corrected average number in the first week of the preceding five years.

The deaths from *measles*, which had been 15, 14, and 8 in the preceding three weeks, were 11 last week, and were 37 below the corrected average; 3 deaths belonged to the Borough of Hackney, and 3 to Stepney. The deaths from *scarlet fever*, which had been 5, 6, and 8 in the preceding three weeks, were 5 last week, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 6, 9, and 9 in the preceding three weeks, were again 9 last week, and were 11 below the corrected average. The deaths from *whooping-cough*, which had been 24, 25, and 33 in the preceding three weeks, were 29 last week, and were 4 above the corrected average; 7 deaths belonged to Stepney, 5 to Deptford, and 3 each to Poplar and to Lambeth. One death from *enteric fever* was registered, as compared with 2, 2, and 0 in the preceding three weeks, the corrected average being 7. The deaths from *diarrhœa*, which had been 10, 9, and 8 in the preceding three weeks, were 7 last week, and were 9 below the corrected average. Of the 7 deaths from diarrhœa, 6 were those of children under 5 years of age; 4 other deaths at this age were certified as due to *enteritis*. The deaths attributed directly to *influenza* numbered 24, having been 16, 24, and 16 in the preceding three weeks.

Different forms of violence caused 56 deaths, concerning all of which inquests were held. Of these 56 deaths, 13 were cases of suicide, and 1 of homicide, while the remaining 42 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, seven to a conflagration, nine to burns or scalds, and five, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5 cases of small-pox, 2256 of scarlet fever, 908 of diphtheria, and 56 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 1, 1, and 1; of scarlet fever, 212 cases, against 254, 224, and 244; of diphtheria, 108 cases, against 99, 88, and 85; and of enteric fever, 11 cases, against 8, 8, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended January 1st 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3701 births and 1885 deaths were registered. Allowing for increase of population, these numbers are 732 and 686 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from measles, 2 from scarlet fever, 3 from diphtheria, and 3 from whooping-cough, were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·21 inches, and that of the Thermometer 43°·2, the latter being 5°·0 above the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 34 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 1·4 hours; the measured rainfall amounted to 0·05 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 8th January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 18th Dec., 1909.	25th Dec., 1909.	1st Jan., 1910.	8th Jan., 1910.	Rate from Diseases in Cols. 11-17 Week ended 8th January, 1910.	Registered during the Week ended 8th Jan., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,713,617**	**15·0**	**15·4**	**16·7**	**14·8**	**0·8**	**8662**	**4735**	**895**	**1638**	**–**	**36**	**33**	**44**	**77**	**16**	**36**	**172**	**404**	**1244**	**36**	**76 TOWNS.**
LONDON	4,872,702	14·3	15·1	16·2	14·2	0·7	2343	1331	219	493	–	11	5	9	29	2	7	56	149	528	–	LONDON.
† CROYDON	164,485	9·4	10·0	11·0	12·7	0·3	66	40	4	25	–	–	–	1	–	–	–	5	10	12	–	CROYDON.
† WILLESDEN ..	166,088	10·1	8·5	9·1	11·3	0·6	84	36	8	12	–	–	–	1	–	–	1	1	3	7	–	WILLESDEN.
† HORNSEY	98,561	12·0	7·6	8·2	7·4	–	25	14	5	4	–	–	–	–	–	–	–	–	1	–	–	HORNSEY.
† TOTTENHAM ..	132,803	11·7	12·1	13·7	10·2	–	74	26	5	11	–	–	–	–	–	–	–	–	3	3	–	TOTTENHAM.
† WEST HAM ..	328,585	11·0	12·5	13·0	9·2	1·0	183	58	14	14	–	–	–	2	2	–	2	3	5	12	–	WEST HAM.
† EAST HAM.. ..	156,208	11·2	9·8	8·0	6·3	0·3	79	19	6	8	–	–	–	–	–	–	1	–	–	1	–	EAST HAM.
† LEYTON	133,436	7·6	10·1	8·0	10·9	0·4	56	28	5	9	–	–	–	1	–	–	–	1	2	7	–	LEYTON.
† WALTHAMSTOW	141,748	12·2	9·9	12·2	13·6	0·7	72	37	10	12	–	–	–	1	1	–	–	1	3	6	–	WALTHAMSTOW.
HASTINGS	68,520	11·5	10·7	11·5	11·4	0·8	26	15	3	10	–	–	–	–	1	–	–	1	1	2	–	HASTINGS.
BRIGHTON	131,900	17·5	14·3	21·1	11·9	–	51	30	5	16	–	–	–	–	–	–	–	2	2	8	–	BRIGHTON.
PORTSMOUTH ..	217,989	13·4	10·9	15·3	11·2	0·5	135	47	12	11	–	1	1	–	–	–	–	2	5	9	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	10·8	20·2	10·1	10·6	–	25	15	2	7	–	–	–	–	–	–	–	–	1	3	–	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	13·0	13·4	13·4	13·1	0·8	56	32	5	15	–	–	–	1	–	–	1	2	2	9	–	SOUTHAMPTON.
READING	84,355	13·8	12·6	15·7	13·0	–	35	21	7	7	–	–	–	–	–	–	–	1	1	8	1	READING.
NORTHAMPTON ..	99,113	11·2	17·1	19·7	15·3	–	32	29	6	13	–	–	–	–	–	–	–	–	–	2	1	NORTHAMPTON.
IPSWICH	75,936	20·2	12·5	25·1	15·1	–	37	22	5	12	–	–	–	–	–	–	–	2	2	2	–	IPSWICH.
GREAT YARMOUTH	53,715	13·7	18·5	15·6	9·7	–	30	10	1	7	–	–	–	–	–	–	–	–	1	2	–	GREAT YARMOUTH.
NORWICH	125,446	16·8	19·3	10·9	8·7	–	50	21	5	9	–	–	–	–	–	–	–	–	2	1	1	NORWICH.
PLYMOUTH	126,266	17·6	16·8	19·7	19·0	2·5	59	46	10	18	–	–	–	–	4	–	2	2	3	5	–	PLYMOUTH.
DEVONPORT	84,695	11·3	9·4	14·4	12·9	0·6	40	21	5	8	–	–	–	–	–	–	1	1	2	1	–	DEVONPORT.
BRISTOL	382,550	11·9	14·8	14·5	11·3	0·7	179	83	17	26	–	2	–	1	1	–	1	3	8	22	–	BRISTOL.
HANLEY	69,672	24·2	29·5	25·8	25·4	3·0	32	34	13	8	–	–	–	2	–	–	2	1	4	3	–	HANLEY.
BURTON-ON-TRENT	54,977	10·5	10·5	13·4	10·4	–	23	11	2	6	–	–	–	–	–	–	–	–	–	–	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	105,962	17·9	15·0	14·5	10·3	0·5	45	21	5	6	–	1	–	–	–	–	–	–	–	2	–	WOLVERHAMPTON
WALSALL	101,035	11·5	13·1	20·5	11·9	0·5	50	23	3	8	–	1	–	–	–	–	–	–	1	5	–	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	11·1	11·9	4·5	6·5	0·7	27	9	2	4	–	–	–	–	1	–	–	–	–	1	1	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	17·8	17·8	13·3	21·3	0·7	42	29	9	11	–	–	1	–	–	–	–	1	2	4	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

ended Saturday, 8th January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 18th Dec., 1909.	25th Dec., 1909.	1st Jan., 1910.	8th Jan., 1910.	Rate from Diseases in Cols. 11–17. Week ended 8th January, 1910.	Registered during the Week ended 8th Jan. 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM† ..	570,113	16·0	15·8	15·0	17·4	1·4	293	190	39	63	-	-	2	2	7	2	2	10	12	46	5	BIRMINGHAM.†
KINGS NORTON ..	84,673	5·1	7·7	7·0	9·9	1·2	30	16	2	4	-	-	1	1	-	-	-	1	1	2	-	KINGS NORTON.
SMETHWICK	72,350	10·4	8·9	13·3	9·4	0·7	36	13	3	4	-	-	-	1	-	-	-	-	2	2	-	SMETHWICK.
ASTON MANOR ..	86,269	11·0	14·1	12·8	12·1	0·6	38	20	5	7	-	-	-	-	-	-	1	-	-	6	-	ASTON MANOR.
COVENTRY	81,449	17·6	15·6	16·9	8·3	-	47	13	2	8	-	-	-	-	-	-	-	-	-	2	1	COVENTRY.
LEICESTER	248,374	14·3	14·3	17·9	14·5	0·4	112	69	14	20	-	-	-	-	2	-	-	3	5	14	1	LEICESTER.
GRIMSBY	74,283	12·9	10·0	17·8	12·6	1·4	54	18	8	2	-	-	-	1	1	-	-	-	1	2	-	GRIMSBY.
NOTTINGHAM ..	266,471	18·4	17·2	21·2	20·4	1·2	159	104	21	39	-	-	1	2	1	1	1	5	8	22	1	NOTTINGHAM.
DERBY	131,256	11·7	11·3	21·4	17·5	1·2	54	44	4	26	-	-	-	2	1	-	-	1	6	11	-	DERBY.
STOCKPORT	105,087	19·6	19·1	21·1	12·9	0·5	59	26	4	9	-	-	-	1	-	-	-	1	2	7	-	STOCKPORT.
BIRKENHEAD ..	122,431	15·1	15·1	28·0	23·4	2·6	69	55	10	10	-	4	1	1	-	-	-	1	4	7	-	BIRKENHEAD.
WALLASEY	73,173	14·7	14·0	18·4	16·4	0·7	38	23	1	7	-	-	-	1	-	-	-	-	-	5	-	WALLASEY.
LIVERPOOL	767,606	17·8	18·7	21·4	19·0	1·1	454	280	49	82	-	1	6	1	4	2	2	8	21	105	5	LIVERPOOL.
BOOTLE	70,548	12·8	15·8	16·5	14·8	1·5	38	20	2	6	-	-	1	-	1	-	-	-	1	11	1	BOOTLE.
ST. HELENS	96,523	20·8	18·6	14·8	15·7	0·5	81	29	7	5	-	-	-	1	-	-	-	2	2	8	-	ST. HELENS.
WIGAN	91,732	15·5	27·0	19·6	19·3	0·6	66	34	9	9	-	-	-	-	-	-	1	2	3	5	-	WIGAN.
WARRINGTON ..	73,295	15·9	18·8	12·3	23·5	-	67	33	6	10	-	-	-	-	-	-	-	2	2	6	-	WARRINGTON.
BOLTON	190,315	18·9	14·7	16·7	14·5	0·5	79	53	2	24	-	-	-	-	-	1	1	-	6	10	-	BOLTON.
BURY	59,409	18·5	24·6	7·0	11·4	0·9	25	13	4	5	-	-	-	-	-	1	-	-	-	3	-	BURY.
MANCHESTER† ..	716,354	18·9	16·5	18·6	16·6	0·6	444	228	36	64	-	2	1	2	1	2	-	5	13	67	2	MANCHESTER.†
SALFORD	244,636	19·2	17·7	21·8	14·7	1·3	147	69	12	21	-	2	1	1	-	-	2	1	5	15	2	SALFORD.
OLDHAM	144,111	22·2	22·2	18·6	18·5	0·7	76	51	6	11	-	-	-	-	-	1	1	2	5	7	-	OLDHAM.
ROCHDALE	90,497	11·6	19·8	20·9	19·0	0·6	43	33	1	12	-	-	1	-	-	-	-	2	4	5	-	ROCHDALE.
BURNLEY	107,448	22·6	22·1	21·6	16·0	0·5	57	33	8	10	-	-	-	-	1	-	-	-	-	4	-	BURNLEY.
BLACKBURN	137,972	20·9	20·2	15·6	16·6	0·8	68	44	11	12	-	-	1	-	-	1	-	1	4	5	-	BLACKBURN.
PRESTON	119,253	17·2	19·8	17·6	18·4	-	52	42	5	14	-	-	-	-	-	-	-	2	2	7	1	PRESTON.
BARROW-IN-FURNESS.	63,689	13·2	14·1	27·3	16·4	0·8	36	20	7	5	-	-	-	-	1	-	-	1	1	2	1	BARROW-IN-FURNESS.

* See note † on first page of this return. † The figures for the year 1910 for Birmingham and Manchester relate to those towns as extended on 9th November, 1909.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 8th January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 18th Dec., 1909.	25th Dec., 1909.	1st Jan., 1910.	8th Jan., 1910.	Rate from Diseases in Cols 11–17. Week ended 8th January, 1910.	Registered during the Week ended 8th Jan. 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS,
Cols.	1.	2.	3.	4.	5	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	14·3	20·4	24·8	22·9	1·1	48	42	6	15	-	-	-	-	2	-	-	1	4	8	-	HUDDERSFIELD.
HALIFAX	112,818	17·7	17·7	23·3	12·9	-	36	28	3	9	-	-	-	-	-	-	-	-	-	8	-	HALIFAX.
BRADFORD	295,865	14·7	14·2	18·8	16·9	1·4	117	96	11	41	-	2	2	1	1	1	1	2	8	15	1	BRADFORD.
LEEDS	490,985	13·8	14·0	17·5	15·0	1·2	238	141	23	55	-	2	2	2	4	-	1	5	10	27	-	LEEDS.
SHEFFIELD	478,763	13·8	13·1	14·4	15·1	0·2	289	139	32	55	-	-	1	1	-	-	-	4	8	29	3	SHEFFIELD.
ROTHERHAM.. ..	66,414	14·4	18·4	21·6	17·3	-	48	22	7	5	-	-	-	-	-	-	-	1	1	1	-	ROTHERHAM.
YORK	88,159	8·4	12·6	17·4	10·1	-	49	17	1	9	-	-	-	-	-	-	-	1	2	4	-	YORK.
HULL	280,006	16·3	15·9	19·7	15·5	0·2	179	83	16	32	-	-	-	1	-	-	-	6	12	26	-	HULL.
MIDDLESBROUGH ..	107,014	16·3	25·8	22·3	17·1	0·5	79	35	8	7	-	-	-	-	-	-	1	4	6	4	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,680	14·6	11·7	13·7	22·3	1·9	26	23	5	5	-	1	-	-	1	-	-	1	1	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	81,814	9·2	11·8	12·4	15·3	0·6	39	24	4	6	-	-	-	-	1	-	-	3	3	9	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	20·6	18·6	23·2	16·5	2·3	89	51	13	15	-	2	-	1	3	1	-	-	-	9	1	SUNDERLAND.
SOUTH SHIELDS ..	119,737	16·4	13·7	13·7	10·5	0·9	64	24	4	10	-	-	1	-	1	-	-	1	2	4	-	SOUTH SHIELDS.
GATESHEAD	133,676	14·7	15·5	16 7	16·4	0·4	81	42	9	12	-	-	-	-	1	-	-	-	1	3	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	285,951	13·1	15·0	14·3	15·7	0·4	169	86	15	32	-	-	-	-	-	1	1	3	9	11	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	56,378	19·6	18·7	17·8	19·4	2·8	33	21	2	9	-	-	2	1	-	-	-	-	2	5	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	17·3	16·6	16·6	11·8	1·3	46	18	3	5	-	-	-	-	2	-	-	-	-	6	-	NEWPORT (MON.).
CARDIFF	199,189	11·5	15·2	17·6	11·3	0·5	76	43	14	11	-	-	1	1	-	-	-	2	5	8	-	CARDIFF.
RHONDDA	138,674	16·1	15·0	15·7	21·1	1·5	141	53	26	8	-	1	-	-	2	-	1	1	2	3	1	RHONDDA.
MERTHYR TYDFIL..	79,522	18·6	24·0	23·3	17·0	0·7	56	26	11	7	-	-	1	-	-	-	-	-	-	3	-	MERTHYR TYDFIL.
SWANSEA	98,817	29·2	29·2	20·7	19·5	2·6	81	37	11	11	-	3	-	-	-	-	2	2	5	7	-	SWANSEA.
GREATER LONDON	7,537,196	13·4	13·6	14·8	13·0	0·6	3701	1885	329	713	-	14	7	18	35	2	11	70	197	637	1	GREATER LONDON.
OUTER RING ..	2,664,494	11·7	10·7	12·2	10·8	0·5	1358	554	110	220	-	3	2	9	6	-	4	14	48	109	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	10·6	10·4	10·8	10·2	0·5	639	258	57	95	-	-	-	6	3	-	4	11	27	48	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	12·6	11·1	13·5	11·5	0·4	719	296	53	125	-	3	2	3	3	-	-	3	21	61	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	17·2	16·3	15·8	19·5	1·3	156	135	18	55	-	3	2	-	2	-	2	6	?	36	6	EDINBURGH.
GLASGOW	884,505	23·0	21·5	20·7	20·7	4·2	480	351	73	70	-	52	2	5	3	2	7	9	?	119	10	GLASGOW.
DUBLIN (Registration Area).†	402,928	19·4	19·6	25·9	21·1	1·2	236	163	30	45	-	2	-	1	3	1	2	3	4	64	3	DUBLIN (Registration Area).†
BELFAST†	391,167	23·9	19·4	25·9	19·7	2·3	278	148	36	38	-	-	-	1	12	2	2	3	6	32	2	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons not belonging to the Town.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIRST WEEK of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2792	2983	2949	2661	2862	2720	2788	2905	2843	2476	2812·1	2343
Males - - -	1400	1482	1496	1367	1471	1370	1424	1464	1414	1245	1416·5	1227
Females - -	1392	1501	1453	1294	1391	1350	1364	1441	1429	1231	1395·6	1116
TOTAL **Deaths** -	3266	1593	1810	1660	1731	1665	1756	2232	1526	1672	1812·6	1331
Males - - -	1542	801	920	805	861	863	885	1098	766	813	906·2	689
Females - -	1724	792	890	855	870	802	871	1134	760	859	906·4	642

* The numbers in this column are the average weekly numbers in the First week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1910. Jan. 1.	Jan. 8.	13 Weeks.
TOTAL **Births** -	2243	2221	2087	2361	2291	2173	2195	1933	2207	2105	1860	2182	2343	28201
TOTAL **Deaths** -	1114	1067	1107	1246	1284	1363	1442	1484	1540	1330	1399	1502	1331	17209
Ages at Death: Under 1 year -	276	266	260	277	264	269	276	214	247	241	234	247	219	3290
1—5 years -	98	98	100	82	105	109	130	120	115	95	107	114	126	1399
5—20 " -	54	62	49	67	65	85	59	63	70	61	61	86	63	845
20—40 " -	140	134	145	157	165	164	154	167	181	146	168	177	157	2055
40—60 " -	228	213	231	277	247	284	300	346	361	292	304	323	273	3679
60 yrs. & upwds.	318	294	322	386	438	452	523	574	566	495	525	555	493	5941
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	10	7	9	5	8	12	12	16	14	15	14	8	11	141
Scarlet Fever - -	10	3	5	6	8	3	7	11	4	5	6	8	5	81
Diphtheria - -	10	9	15	13	9	13	17	6	12	6	9	9	9	137
Whooping-cough -	9	8	7	12	16	20	25	23	18	24	25	33	29	249
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	7	5	3	7	2	1	2	5	1	2	2	–	1	38
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Diarrhœa, Dysentery	48	34	28	34	16	24	15	14	12	10	9	8	7	259
All above diseases -	94	66	67	77	59	73	78	75	61	62	65	66	63	906
Dis. of Resp. System	64	63	79	120	137	149	207	211	194	167	160	196	168	1915
Pneumonia - -	103	111	114	110	151	134	180	221	223	175	162	164	170	2018
Phthisis - - -	98	100	120	148	135	132	123	138	156	116	148	152	99	1665
Dis. of Circ. System -	151	158	170	175	166	199	203	202	219	201	208	231	199	2485
Violence - - -	47	43	31	45	59	51	61	58	49	49	60	58	56	667
Inquest Cases - -	109	106	102	119	135	134	153	144	151	151	158	174	149	1788
Deaths in Institutions	479	486	476	529	531	573	559	611	691	536	589	629	528	7267
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	56·4	55·7	41·9	47·1	42·3	38·7	37·0	44·6	38·6	38·4	39·0	44·4	43·2	43·6
Mean of Highest -	63·3	62·1	47·9	53·0	48·3	43·5	41·9	50·1	43·0	40·7	45·0	49·7	46·2	48·9
Mean of Lowest -	49·8	50·1	34·9	41·4	34·8	34·0	31·6	40·1	33·3	35·8	31·1	37·8	40·0	38·1
Mean Humidity of the Air.	84	88	86	90	82	85	86	85	91	89	84	87	94	87
Rain-fall (in inches) -	0·59	0·46	1·87	0·15	0·03	0·28	0·01	1·40	0·36	0·43	0·46	0·27	0·05	6·36
Registered Sunshine (in hours).	22·5	16·7	13·9	20·1	22·2	14·0	14·7	13·2	16·7	0·4	18·1	8·3	1·4	182·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	2	2	2	3	4	5	4	3	3	4	4	4	5	3
Scarlet Fever - -	2810	2799	2743	2716	2624	2306	2518	2488	2475	2403	2361	2362	2256	2551
Diphtheria - - -	955	991	961	1002	972	949	948	952	946	938	917	912	908	950
Typhus - - -	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Enteric Fever - -	85	87	79	82	79	74	71	67	70	67	68	62	56	73

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIRST Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 1st week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1812·6	1331	219	126	63	157	273	493
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	47·5	11	-	10	1	-	-	-
Scarlet Fever	9·6	5	-	4	1	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	32·2	24	-	1	-	2	6	15
Whooping-cough	24·8	29	7	22	-	-	-	-
Diphtheria	20·5	9	-	8	1	-	-	-
Cerebro-spinal Fever ..	0·4	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	1	-	1	-	-	-	-
Enteric Fever	7·2	1	-	-	1	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	5·1	1	-	1	-	-	-	-
Diarrhœa, Dysentery ..	10·4	6	4	1	-	-	1	-
Tetanus	0·2	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	0·2	-	-	-	-	-	-	-
Venereal Dis.	7·2	5	4	-	-	1	-	-
Puerperal Septicæmia ..	3·7	5	-	-	-	5	-	-
Puerperal Pyæmia.. .	0·6	-	-	-	-	-	-	-
Puerperal Fever	-	-	-	-	-	-	-	-
Infective Endocarditis ..	2·9	1	-	-	1	-	-	-
Pneumonia: Lobar ..	22·3	28	1	2	3	5	10	7
Pneumonia: Broncho ..	111·2	60	15	23	3	4	6	9
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	83·8	82	16	6	5	11	15	29
Erysipelas	3·3	2	2	-	-	-	-	-
Septicæmia (not Puerperal) ..	1·6	1	-	-	-	-	-	1
Pyæmia (not Puerperal)	1·0	1	-	-	-	-	1	-
Other Infective Processes	3·7	6	2	1	1	-	-	2
Tuberculous Phthisis ..	99·3	67	-	1	6	29	28	3
"*Phthisis*"	64·5	32	-	-	1	20	7	4
Tuberculous Meningitis ..	19·0	6	2	2	1	1	-	-
Tuberculous Peritonitis ..	6·6	8	3	2	-	-	-	3
Tabes Mesenterica	1·0	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	16·2	13	2	2	4	2	2	1
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	12·7	9	-	-	-	3	2	4
Rheumatic Fever	4·9	5	-	-	3	-	2	-
Gout	1·8	1	-	-	-	-	-	1
Carcinoma	55·9	60	-	-	-	3	27	30
Sarcoma	8·0	6	-	-	1	3	1	1
Cancer (undefined) ..	44·0	30	-	1	-	3	15	11
Diabetes Mellitus	10·6	11	-	-	-	1	3	7
Premature Birth	60·2	52	52	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 1st week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
Meningitis (not tuberc.)..	16·4	8	5	1	1	1	-	-
Gen. Par. of Insane, Insanity	18·2	17	-	1	-	3	6	7
Epilepsy	8·0	1	-	-	-	-	1	-
Convulsions	21·7	10	9	1	-	-	-	-
Locomotor Ataxy.. ..	2·3	1	-	-	-	-	1	-
Paraplegia, Dis. of Cord.	8·8	6	-	-	-	2	2	2
Nervous Sys., Other Dis.	22·5	27	1	-	-	1	9	16
Valv. Dis., Endocarditis..	65·5	58	-	-	8	8	16	26
Cereb. Hæm. Cereb. Emb.	46·1	38	-	-	-	-	7	31
Apoplexy, Hemiplegia ..	20·3	13	-	-	-	-	3	10
Aneurysm	6·3	3	-	-	-	1	1	1
Embolism, Thrombosis (not Cerebral) ..	1·0	1	-	-	-	-	-	1
Heart & Blood Ves., Other Dis... ..	105·9	86	-	-	2	4	23	57
Croup (not Spasm: nor Memb.)	0·6	-	-	-	-	-	-	-
Bronchitis	237·8	136	14	9	2	1	17	93
Emphysema, Asthma ..	11·5	6	-	-	-	-	4	2
Pleurisy	5·7	6	-	2	-	-	2	2
Respiratory Dis., Other..	16·6	20	4	1	1	2	1	11
Tonsillitis, Quinsy.. ..	0·4	1	-	1	-	-	-	-
Enteritis (not Epid.) ..	9·0	11	4	-	-	1	2	4
Gastro-enteritis	6·1	-	-	-	-	-	-	-
Peritonitis (not Puerp.) ..	2·7	5	1	-	-	4	-	-
Cirrhosis of Liver.. ..	14·1	6	-	-	-	1	3	2
Liver Dis., Other	3·9	5	-	1	-	-	3	1
Digestive Sys., Other Dis.	38·5	33	1	1	2	7	10	12
Acute Nephritis	8·4	8	-	-	1	5	-	2
Bright's Dis., Albuminuria	44·2	28	-	-	-	5	8	15
Urinary Sys., Other Dis.	11·3	11	-	-	-	-	2	9
Generative Organs Dis...	4·5	5	-	-	-	1	4	-
Childbirth (Accid. of) ..	3·7	1	-	-	-	1	-	-
Old Age	78·6	47	-	-	-	-	-	47
Other Diseases	90·6	98	63	14	5	1	10	5
ACCIDENT.								
By Railways	1·6	1	-	-	-	1	-	-
By Vehicles and Horses..	4·1	4	-	-	2	2	-	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	-	-	-	-	-	-	-
In Building Operations..	0·6	-	-	-	-	-	-	-
In Conflagrations	0·2	7	-	-	-	3	3	1
By Burns, Scalds, Explosions	13·9	9	-	3	4	-	1	1
By Drowning	4·1	1	-	-	-	-	1	-
By Suffocation in Bed ..	14·9	5	5	-	-	-	-	-
By Poisons or Poisonous Vapours	3·9	1	-	1	-	-	-	-
Other Deaths by Accident..	24·0	14	1	2	2	3	1	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	1	-	-	-	1	-	-
Suicide	8·4	13	-	-	-	5	6	2
Execution	0·2	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 8th January, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia†* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2343	1331	219	493	-	11	5	9	29	-	1	1	7	56	149	528	-
WEST DISTRICTS	805,311	342	210	31	89	-	1	3	2	1	-	1	-	1	6	17	83	-
NORTH DISTRICTS	1,055,908	461	277	51	108	-	3	-	1	3	-	-	1	1	12	27	103	-
CENTRAL DISTRICTS	209,465	101	74	16	18	-	-	-	-	3	-	-	-	-	5	12	36	-
EAST DISTRICTS	715,739	487	220	44	58	-	4	-	2	12	-	-	-	1	13	30	110	-
SOUTH DISTRICTS	1,749,844	952	507	77	205	-	3	2	4	10	-	-	-	3	20	63	153	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	43	-	15	-	-	-	-	-	-	-	-	1	-	-	43	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	32	12	3	6	-	-	-	-	-	-	-	-	-	-	-	1	-
Central Paddington *W,3H*	50,053	25	21	-	9	-	-	-	-	-	-	-	-	-	1	1	18	-
South Paddington	30,320	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	53	47	6	19	-	-	-	-	1	-	-	-	-	2	3	15	-
Brompton *2H*	48,591	10	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	38	11	1	7	-	-	-	-	-	-	-	-	-	-	1	6	-
South Hammersmith *w,2H* ..	63,047	24	24	5	9	-	-	-	-	-	-	-	-	-	1	2	9	-
North-west Fulham *W*	45,180	38	15	6	4	-	-	-	-	-	-	-	-	-	-	2	5	-
North-east Fulham *F*	46,405	21	18	4	6	-	-	3	2	-	-	1	-	-	-	-	6	-
South Fulham *W*	45,704	28	8	-	7	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	18	19	-	9	-	-	-	-	-	-	-	-	1	1	2	10	-
Chelsea South *W,2H*	31,328	7	4	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Mayfair and Knightsbridge	28,743	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	14	12	1	5	-	-	-	-	-	-	-	-	-	-	3	8	-
St. Margaret & St. John *6H*	43,698	15	9	4	-	-	-	-	-	-	-	-	-	-	1	2	4	-
St. James and St. Anne *W,6H* ..	33,081	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	9	10	-	4	-	-	-	-	-	-	-	-	-	-	1	6	-
St. Mary Marylebone *W,4H* ..	37,948	25	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone	39,536	17	11	5	2	-	-	-	-	1	-	-	-	-	-	1	-	-
St. John Marylebone *2H*	20,426	7	5	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Hampstead *W,F,6H*	81,942	28	21	3	8	-	-	-	1	-	-	-	-	-	1	1	10	-
West St. Pancras *2H*	60,562	25	10	3	1	-	-	-	-	-	-	-	-	-	3	4	3	-
South St. Pancras *w,10H*	55,707	25	17	2	1	-	-	-	-	-	-	-	-	-	2	3	16	-
East St. Pancras *W,H*	60,320	29	17	1	10	-	-	-	-	1	-	-	-	-	1	3	4	-
North St. Pancras *2W*	58,728	25	20	5	11	-	-	-	-	-	-	-	-	1	-	-	8	-
Hornsey *W*	31,995	22	21	3	14	-	-	-	-	-	-	-	1	-	-	-	15	-
Upper Holloway *2W,w,H*	33,978	19	20	3	1	-	-	-	-	1	-	-	-	-	-	3	15	-
Islington *W,w,H*	33,922	11	6	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Lower Holloway	41,424	29	5	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Clerkenwell	54,478	36	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	27	13	4	5	-	-	-	-	-	-	-	-	-	2	3	1	-
Shoreditch *2H*	63,797	24	13	3	7	-	-	-	-	-	-	-	-	-	-	-	1	-
Stoke Newington *H*	51,247	14	14	1	12	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	19	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	16	13	2	5	-	-	-	-	-	-	-	-	-	1	1	2	-
South-west Hackney *3H*	59,921	25	14	3	3	-	-	-	-	-	-	-	-	-	-	1	8	-
South-east Hackney *2W,H*	58,255	29	26	5	11	-	3	-	-	-	-	-	-	-	1	2	12	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, registered in each SUB-DISTRICT during the Week ended Saturday, 8th January, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	16	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Strand *W*,4*H*	21,674	2	10	2	3	-	-	-	-	-	-	-	-	-	-	-	7
Strand Union Workhouse, Edmonton	-	-	4	-	4	-	-	-	-	-	-	-	-	-	1	1	4
Holborn *W*,5*H*	29,612	10	14	5	2	-	-	-	-	2	-	-	-	-	-	2	6
Clerkenwell *H*	63,704	37	19	7	4	-	-	-	-	1	-	-	-	-	1	4	-
St. Luke 3*H*,*L*	36,116	32	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Botolph *H*	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	17	2	1	-	-	-	-	-	-	-	-	-	3	4	15
City of London Asylum, Stone	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	30	8	2	1	-	-	-	-	1	-	-	-	-	-	-	3
Shoreditch North-West *W*,*w*,*H* ..	36,127	29	20	4	7	-	-	-	-	-	-	-	-	-	-	3	14
Shoreditch North-East	36,148	24	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	42	26	2	7	-	1	-	-	1	-	-	-	-	-	3	15
Bethnal Green South-West *H* ..	64,542	44	15	8	2	-	-	-	-	-	-	-	-	-	3	5	2
Spitalfields..	27,969	16	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	24	37	6	2	-	1	-	-	-	-	-	-	1	6	7	35
Goodman's Fields	22,081	8	4	1	1	-	1	-	1	-	-	-	-	-	-	1	-
St. George and St. John 2*W* ..	49,068	44	10	-	5	-	-	-	-	1	-	-	-	-	2	4	5
Shadwell and Ratcliff *w*,*H* ..	25,568	17	13	7	1	-	-	-	-	-	-	-	-	-	-	1	7
Limehouse *W*	32,369	19	8	4	3	-	-	-	-	2	-	-	-	-	-	2	-
Mile End Old Town South-Western *H*	63,698	42	6	2	2	-	-	-	-	1	-	-	-	-	1	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	26	26	2	14	-	-	-	-	1	-	-	-	-	-	1	14
Bow	41,989	22	7	1	4	-	-	-	-	1	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	59	22	2	5	-	-	-	-	3	-	-	-	-	-	-	15
Poplar *W*,*w*	58,514	41	11	2	2	-	1	-	1	-	-	-	-	-	1	2	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th January, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	13	23	2	7	-	-	-	-	-	-	-	-	-	2	6	21	-
Kent-road	21,904	14	5	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	21	6	1	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Newington North	49,022	21	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Newington South *W*	72,841	46	18	3	5	-	-	-	-	-	-	-	-	1	1	3	1	-
St. Olave *2W*	9,817	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	62	20	5	4	-	-	-	-	1	-	-	-	1	1	3	-	-
Rotherhithe *W,F*	38,460	18	8	1	2	-	-	-	-	-	-	-	-	-	-	2	2	-
Waterloo *2H*	27,440	28	5	1	3	-	-	-	-	-	-	-	-	1	-	-	2	-
Lambeth Church *H*	27,440	15	13	2	2	-	-	-	-	-	-	-	-	-	1	2	9	-
Kennington *2W*	52,518	33	37	4	18	-	-	-	-	2	-	-	-	-	-	3	20	-
Stockwell *HF*	63,826	40	15	2	6	-	1	1	1	-	-	-	-	-	-	-	3	-
Brixton *H*	73,673	34	16	6	5	-	-	-	-	-	-	-	-	-	-	3	1	-
Norwood *2WH*	56,998	25	10	1	4	-	-	-	-	-	-	-	-	-	1	2	-	-
East Battersea *H*	72,203	37	17	2	10	-	1	-	-	-	-	-	-	-	3	7	-	-
North-west Battersea	49,656	23	12	2	4	-	1	-	-	-	-	-	-	-	-	1	-	-
South-west Battersea *2W,H* ..	47,048	14	34	3	10	-	-	-	-	-	-	-	-	-	7	9	20	-
Clapham *2H*	51,361	27	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	55	31	5	16	-	-	-	2	-	-	-	-	-	-	1	7	-
Springfield *2W,L*	27,959	22	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	28	8	-	3	-	-	-	-	-	-	-	-	-	1	4	-	-
Putney	24,139	9	6	-	4	-	-	-	-	1	-	-	-	-	-	1	-	-
Dulwich	13,359	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	16	21	3	12	-	-	-	-	-	-	-	-	-	-	-	12	-
Camberwell North *W,2L*	65,584	30	27	-	9	-	-	-	-	-	-	-	-	-	-	4	15	-
St. George	47,331	30	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	34	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	30	12	2	6	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford North	37,613	26	7	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	25	8	3	-	-	-	-	1	3	-	-	-	-	-	-	1	-
Deptford South	34,625	15	11	2	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	14	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	21	26	3	14	-	-	-	-	3	-	-	-	-	1	3	19	-
Eltham *w,H*	7,226	5	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Lee *w,H*	25,490	9	6	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *2W,w,F*	58,352	29	16	2	6	-	-	1	-	-	-	-	-	-	-	1	8	-
Sydenham *H*	43,653	19	11	-	6	-	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	6	6	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Woolwich *5H*	41,625	21	10	3	4	-	-	-	-	-	-	-	-	-	1	2	1	-
Plumstead West *W,H*	39,376	7	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	16	11	-	7	-	-	-	-	-	-	-	-	-	-	-	7	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
L. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L. A. B. Imbecile Asylums:—																		
Caterham	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
London County Lunatic Asylums:—																		
Banstead	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	8	-	3	-	-	-	-	-	-	-	-	1	-	-	8	-
Lane Hill	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Dartford Heath	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Banwell	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Claybury	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 8th January, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1358	554	110	220	-	3	2	9	6	-	4	14	48	109	1
30 : 1	Carshalton 2F,3H	12,228	32,997	18	7	1	3	-	-	-	-	-	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	6	1	4	-	-	-	-	-	-	-	-	1	2	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	9	1	-	-	-	-	-	-	-	-	-	-	1	-	-
2	South Croydon w,H ..	4,200	49,309	21	5	-	2	-	-	-	-	-	-	-	1	2	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	24	28	3	15	-	-	-	1	-	-	-	4	6	15	-
4	North Croydon H	2,644	41,698	21	10	1	8	-	-	-	-	-	-	-	-	1	-	-
*5	Penge w	770	22,465	8	5	1	2	-	-	-	-	-	-	-	-	1	-	-
6	Mitcham w	11,711	30,015	29	8	2	5	-	-	-	-	-	-	-	-	2	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	21	8	2	1	-	-	-	-	-	-	-	-	1	-	-
2	Kingston 2W,H	6,224	42,068	22	11	2	6	-	-	-	-	-	-	-	1	3	6	-
3	Surbiton F,H	3,046	15,017	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	11	4	1	1	-	-	-	-	-	-	-	-	-	1	-
5	Hampton H,F,L	4,564	23,456	13	6	1	2	-	-	-	-	1	-	-	-	-	1	-
40 : 1	Richmond W,H	2,491	31,672	13	6	-	3	-	-	-	-	-	-	-	-	-	2	-
2	Mortlake F	2,518	17,821	13	6	-	4	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	12	8	2	5	-	-	-	-	-	-	-	-	1	1	-
2	Beckenham H	7,825	28,497	11	5	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	4	3	1	2	-	-	-	-	-	-	-	-	1	2	-
4	Chislehurst 2H	7,335	16,446	7	4	1	2	-	-	-	-	-	-	-	-	-	1	-
42 : 1	Bexley w,F,H	8,678	21,151	16	6	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	17	8	3	1	-	-	1	-	-	-	-	-	1	1	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	16	3	-	1	-	-	-	-	1	..	-	-	-	1	-
2	Staines W,H	13,277	15,178	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	5	3	-	1	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge H	12,757	8,984	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	18	4	-	2	-	-	-	-	-	-	-	1	1	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	21	13	5	6	-	1	-	-	-	-	-	-	-	5	-
2	Twickenham F,2H	2,421	20,991	18	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	37	11	2	5	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	19	13	2	7	-	-	-	-	-	-	-	-	1	-	-
5	Acton w,F,3H	6,122	48,914	53	12	2	7	-	-	-	-	-	-	-	-	-	1	-
127A : 1	Harrow F,H	13,809	25,523	24	3	2	1	-	-	-	-	-	-	-	-	-	-	1
2	Edgware 2F,2H	6,994	4,521	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	14	9	1	6	-	-	-	-	-	-	-	-	1	3	-
127B : 1	Willesden W,F,2H	4,584	114,811	84	36	8	12	-	-	-	1	-	-	1	1	3	7	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	5	1	3	-	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,668	33,692	27	7	-	3	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	25	14	5	4	-	-	-	-	-	-	-	-	1	-	-
2	Wood Green H	1,625	34,293	16	7	-	4	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	29	9	-	3	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	45	16	4	6	-	-	-	-	-	-	-	-	3	2	-
5	Edmonton W,w,2F	7,491	61,892	52	23	6	8	-	-	-	-	-	-	-	-	3	6	-
6	Enfield 2W,F,H	12,601	42,738	37	9	3	-	-	1	1	-	1	-	-	-	-	3	-
7	Waltham Abbey F	11,017	6,549	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	8	2	-	2	-	-	-	-	-	-	-	1	1	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
186 : 1	Stratford H	1,091	52,974	28	10	2	2	-	-	-	1	-	-	-	-	-	-	-
2	Forest Gate	787	52,745	19	7	1	4	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	78	14	7	2	-	-	-	1	2	-	-	-	1	1	-
4	Canning Town H	1,556	70,718	58	16	4	2	-	-	-	-	-	-	2	2	3	-	-
5	South East Ham 2F ..	1,991	37,342	44	10	3	4	-	-	-	-	-	-	1	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	35	8	3	3	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	25	16	4	5	-	-	-	-	-	-	-	1	2	4	-
9	North Leyton 2W,w,F ..	1,963	48,445	31	28	2	10	-	-	-	1	-	-	-	1	1	19	-
10	Walthamstow 2H,L ..	6,504	108,929	78	33	9	13	-	-	-	1	1	-	-	1	3	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	34	23	6	9	-	1	-	1	-	-	-	-	-	2	-
3	Barking Town F	3,805	21,547	15	7	1	-	-	-	-	1	-	-	-	-	2	1	-
	London Fever Hospital, Islington.	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Belmont Workhouse, Sutton	—	—	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,872,702	January 8	2343	1331	14·2	-	11	5	9	29	2	7
CALCUTTA - -	1,009,008	December 11	-	621	32·0	2	-	-	-	2	110†	74‡
BOMBAY - -	982,000	" 14	492	556	29·6	6	-	-	-	1	49†	51‡
MADRAS - -	548,974	" 10	365	371	37·8	-	1	?	?	?	124	52
PARIS - - -	2,760,000	January 1	993	897	17·1	-	15	1	9	5	2	21
BRUSSELS - -	704,975	" 1	242	185	13·6	-	5	-	2	2	3	9
ANTWERP - -	314,135	" 1	125	90	14·9	?	?	?	?	?	?	?
AMSTERDAM -	565,553	December 25	267	170	15·6	-	3	-	-	2	1	1
COPENHAGEN -	451,000	January 1	266	105	12·1	-	-	2	1	1	-	2
STOCKHOLM -	339,582	December 25	143	87	13·3	-	2	-	2	1	-	2
CHRISTIANIA -	235,674	January 1	138	71	15·7	-	1	-	2	-	-	3
ST. PETERSBURG	1,573,000	December 25	951	655	21·7	10	19	15	15	15	4	64‡
MOSCOW - -	1,452,100	" 25	-	719	25·8	2	20	41	30	11	7	69‡
BERLIN - -	2,120,340	" 18	800	597	14·7	-	6	16	14	13	-	27
HAMBURG - -	872,252	January 1	-	281	16·8	-	8	-	11	1	-	18
BRESLAU - -	502,990	December 25	-	204	21·1	-	-	-	1	5	3	11
MUNICH - -	566,000	" 25	-	226	20·8	-	2	1	1	1	-	23
VIENNA - -	2,064,037	" 25	777	632	15·8	-	4	4	6	1	2	26
PRAGUE - -	485,057	January 1	205	170	17·9	-	3	1	2	-	1	8
BUDAPEST - -	823,215	" 1	-	-	-	-	-	-	-	-	-	-
TRIESTE - -	217,706	" 1	-	-	-	-	-	-	-	-	-	-
ROME - - -	574,666	October 9	237	162	14·7	-	1	-	1	1	7§	17
VENICE - -	179,286	November 13	79	71	20·7	-	1	-	-	1	1	7
BUCAREST - -	296,585	" 27	196	151	26·5	-	-	5	-	-	4	11
NEW YORK -	4,564,792	December 18	3043	1549	17·7	-	16	20	39	-	10	44
CHICAGO - -	2,224,490	" 18	-	615	14·4	-	3	8	11	2	6	41
PHILADELPHIA -	1,565,569	" 4	-	426	14·1	-	-	2	14	-	2	14
RIO DE JANEIRO	637,089	November 28	-	199	16·3	-	1	-	-	1	4†	?
CAIRO:—												
Egyptians -	669,617	December 9	582	394	30·6	-	1	-	25	?	7	65
Foreigners -	35,219	" 9	5	14	20·7	-	-	-	1	?	-	2
ALEXANDRIA:—												
Egyptians -	345,003	" 9	274	174	26·2	1	2	-	4	?	3	36
Foreigners -	46,118	" 9	36	16	18·0	-	-	-	-	?	1	3

* Excluding deaths from croup in the Indian Cities.
† Including 3 deaths from plague in Calcutta, 8 in Bombay, and 1 in Rio de Janeiro.
‡ Including 21 deaths from cholera in Calcutta, 1 in Bombay, 1 in St. Petersburg, and 15 in Moscow.
§ Including 3 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 8th January, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	55·3	36·7	43·1	0·05	BRADFORD - -	54·2	32·4	42·4	0·21
BRIGHTON - -	48·1	37·7	42·9	0·02	YORK - - -	55·0	33·0	42·9	0·01
PORTSMOUTH - -	52·0	38·0	43·7	0·03	HULL - - -	55·0	31·0	42·2	0·07
NORWICH - -	52·8	34·7	41·0	0·07	TYNEMOUTH - -	56·0	32·0	43·8	0·13
PLYMOUTH - -	51·4	41·1	45·5	0·05	CARDIFF - - -	49·4	35·6	42·4	0·34
BRISTOL - - -	50·2	35·7	42·5	0·18	EDINBURGH - -	55·1	39·1	45·5	0·23
BIRMINGHAM - -	53·1	32·4	41·0	0·11	GLASGOW - -	55·0	34·0	45·0	0·63
NOTTINGHAM - -	54·7	33·5	41·1	0·09	DUBLIN Phœnix Park	55·0	27·9	45·4	0·12
LIVERPOOL OBSERVATORY	54·0	32·0	42·6	0·11	DUBLIN Fitzwilliam Square†	56·4	34·4	47·2	0·10
MANCHESTER -	51·5	32·8	41·2	0·32					
BURNLEY - -	53·0	32·0	41·9	0·47					
HUDDERSFIELD -	53·3	30·0	42·4	0·26	BELFAST - - -	54·0	36·0	46·0	0·01

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 8th January, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surfaces 5 inches above the Ground.	Ozone.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 2	..	30·134	55·3	45·8	9·5	50·8	+12·4	49·2	1·6	3·8	0·2	95	55·1	44·2	44·05	SW. & SW.	SW. & WSW.	1·2	0·0	0·1	283	− 29	0·01	0·0
MONDAY - 3	In Eqr. Last Qr. Apogee	30·209	50·8	43·0	7·8	46·8	+ 8·5	44·0	2·8	4·4	1·9	90	50·6	37·2	44·18	SW. & WSW.	WSW. & SW.	1·7	0·0	0·1	297	− 13	0·00	0·0
TUESDAY - 4		30·289	45·2	39·1	6·1	42·5	+ 4·2	41·6	0·9	2·2	0·2	97	50·5	34·5	44·57	WSW. Variable & calm.	Calm, S. & SW.	0·6	0·0	0·0	127	−183	0·00	0·2
WEDNESDAY 5	..	30·269	42·0	39·0	3·0	41·0	+ 2·8	40·1	0·9	2·2	0·2	96	42·2	39·0	44·74	SW. & WSW.	Variable, calm & NE.	0·4	0·0	0·0	128	−186	0·00	0·8
THURSDAY - 6	..	30·272	41·3	36·7	4·6	38·9	+ 0·8	37·7	1·2	1·6	0·0	95	43·2	37·2	44·69	NE., calm & SE.	Calm, SE. & SSE.	0·2	0·0	0·0	79	−236	0·00	1·5
FRIDAY - 7	..	30·370	40·7	37·8	2·9	39·2	+ 1·2	37·4	1·8	2·5	0·0	94	43·0	37·8	44·62	S. & SSW.	SSW. & SW.	0·3	0·0	0·0	162	−150	0·00	4·5
SATURDAY - 8	..	29·956	47·8	38·4	9·4	43·2	+ 5·3	39·9	3·3	4·9	2·0	88	54·7	38·4	44·48	SW. & SSW.	SW. & SSW.	4·5	0·0	0·3	353	+ 46	0·04	5·0
MEANS - -		30·214	46·2	40·0	6·2	43·2	+ 5·0	41·4	1·8	3·1	0·6	94	48·5	38·3	44·48	SW.		..	..	..	Sum 1429	Sum −751	Sum 0·05	1·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	2	w. P. throughout.	0·9	7·9	Generally overcast and very mild; fine interval in afternoon; occasional misty rain in morning.
MONDAY -	3	w. P. throughout.	0·0	7·9	Mild; overcast till shortly before 4h. P.M.; very fine interval till 9h. P.M.; overcast afterwards.
TUESDAY -	4	w. P. throughout.	0·0	7·9	Overcast with slight exceptions; slight fog prevalent in afternoon.
WEDNESDAY	5	w. P. throughout.	0·0	7·9	Overcast and very dull; slight fog at times; damp.
THURSDAY -	6	w. P. throughout.	0·0	8·0	Overcast; dull and damp.
FRIDAY -	7	w. P. throughout.	0·0	8·0	Overcast.
SATURDAY -	8	w. P. generally; w. N. at 11h. P.M.	0·5	8·0	Overcast till 8h. 30m. A.M.; fine but cloudy till 1h. P.M.; overcast with slight exceptions afterwards; rain between 10h. 45m. and and 11h. 30m. P.M.
			Sum 1·4	Sum 55·6	
No. of Col. - -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·13 in. at the beginning of the week to 30·11 in. by 5h. A.M. on the 2nd; increased to 30·32 in. by 10h. A.M. on the 4th: decreased to 30·24 in. by 7h. A.M. on the 5th; increased to 30·42 in. by 11h. A.M. on the 7th; and decreased to 29·81 in. by midnight on the 8th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 1st January, 1910.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	4	3	-	-	-	-	2	-	-
Kensington	183,683	-	9	1	-	-	-	-	5	-	-
Hammersmith	125,704	-	7	-	-	-	-	-	2	-	-
Fulham	176,406	-	27	4	-	1	-	-	2	-	-
Chelsea	75,249	-	8	2	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	8	7	-	1	-	-	5	1	-
NORTH.											
St. Marylebone	126,027	-	5	1	-	-	-	-	1	-	-
Hampstead	94,185	-	1	2	-	-	-	-	-	-	-
St. Pancras	237,422	-	8	3	-	2	-	-	5	-	-
Islington	351,202	1	19	5	-	1	-	-	3	1	-
Stoke Newington	54,423	-	-	-	-	-	-	-	-	-	-
Hackney	237,601	-	13	5	-	-	-	-	4	-	-
CENTRAL.											
Holborn	53,802	-	1	-	-	-	-	-	-	-	-
Finsbury	95,289	-	2	2	-	1	-	-	5	1	-
City of London	18,193	-	-	-	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,802	-	6	4	-	3	-	-	6	-	-
Bethnal Green	131,316	-	5	5	-	1	-	-	2	-	-
Stepney	312,525	-	15	11	-	-	-	-	7	1	1
Poplar	171,965	-	4	2	-	-	-	-	3	-	-
SOUTH.											
Southwark	211,125	-	12	4	-	-	-	-	7	-	-
Bermondsey	127,569	-	17	3	-	1	-	-	1	-	2
Lambeth	324,188	-	39	12	-	1	-	-	6	-	2
Battersea	186,036	-	14	3	-	1	-	-	1	1	1
Wandsworth	297,646	-	19	5	-	-	-	-	3	-	-
Camberwell	283,022	-	10	7	-	1	-	-	3	2	-
Deptford	118,583	-	6	6	-	1	-	-	5	-	1
Greenwich	111,014	-	8	4	-	2	-	-	-	-	-
Lewisham	160,749	-	14	7	-	-	-	-	3	-	-
Woolwich	133,374	-	1	3	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	1	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	1	282	111	-	17	-	-	86	7	7
Ages 0-1		-	1	2	-	-	-	-	3	-	3
" 1-5		-	89	53	-	-	-	-	2	-	4
" 5-		-	124	34	-	2	-	-	-	-	-
" 10-		-	37	6	-	2	-	-	2	-	-
" 15-		-	10	6	-	1	-	-	3	-	-
" 20-		-	8	5	-	4	-	-	3	2	-
" 25-		1	9	3	-	3	-	-	18	4	-
" 35-		-	3	1	-	4	-	-	16	1	-
" 45-		-	-	1	-	-	-	-	18	-	-
" 55-		-	1	-	-	-	-	-	11	-	-
" 65 and upwards		-	-	-	-	1	-	-	10	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 1st JANUARY, 1910.

BOROUGHS.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	*Pyrexia** (origin uncertain).	Diarrhœa.	Phthisis.		
COUNTY OF LONDON -	16,271	1	136	86	131	239	-	36	-	304	1,619	3,256	116
West.													
PADDINGTON - - -	471	-	4	3	5	4	-	2	-	8	43	83	122
KENSINGTON - - -	561	-	4	2	1	3	-	-	-	7	38	101	138
HAMMERSMITH - -	430	-	1	1	5	2	-	2	-	10	33	104	153
FULHAM - - -	500	-	1	5	11	7	-	-	-	20	65	118	119
CHELSEA - - -	276	-	3	1	3	3	-	1	-	2	31	41	145
CITY OF WESTMINSTER -	539	-	-	3	4	-	-	4	-	4	52	68	112
North.													
ST. MARYLEBONE - -	452	-	-	1	3	10	-	-	-	7	50	71	70
HAMPSTEAD - - -	200	-	-	-	1	-	-	2	-	3	16	24	85
ST. PANCRAS - - -	839	-	1	3	2	8	-	3	-	8	102	153	125
ISLINGTON - - -	1,203	-	4	9	9	14	-	1	-	12	125	207	107
STOKE NEWINGTON - -	138	-	-	-	1	-	-	-	-	2	9	19	76
HACKNEY - - -	746	-	13	3	6	7	-	1	-	8	62	131	98
Central.													
HOLBORN - - -	192	-	-	-	2	1	-	-	-	2	24	22	66
FINSBURY - - -	425	-	4	3	2	3	-	2	-	18	55	96	114
CITY OF LONDON - -	87	-	2	-	-	3	-	1	-	1	10	8	148
East.													
SHOREDITCH - - -	490	-	5	1	6	11	-	-	-	20	43	125	159
BETHNAL GREEN - -	532	-	12	6	5	5	-	1	-	15	48	142	145
STEPNEY - - -	1,218	1	41	7	10	30	-	4	-	27	142	311	129
POPLAR - - -	652	-	19	2	3	31	-	2	-	21	50	168	137
South.													
SOUTHWARK - - -	850	-	2	3	7	15	-	2	-	18	93	179	130
BERMONDSEY - - -	546	-	1	5	-	7	-	-	-	18	59	129	130
LAMBETH - - -	1,062	-	2	6	13	12	-	2	-	11	126	202	102
BATTERSEA - - -	593	-	3	2	4	7	-	2	-	16	61	141	138
WANDSWORTH - -	820	-	4	1	4	12	-	1	-	9	69	140	84
CAMBERWELL - -	885	-	-	3	8	7	-	-	-	19	96	173	111
DEPTFORD - - -	405	-	7	2	4	16	-	2	-	5	38	88	119
GREENWICH - - -	345	-	3	2	3	11	-	1	-	5	24	70	120
LEWISHAM - - -	425	-	-	7	5	2	-	-	-	2	26	66	79
WOOLWICH - - -	389	-	-	5	4	8	-	-	-	6	29	76	102

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 607 London residents who died outside London in Metropolitan Workhouses, Hospitals, and Lunatic and Imbecile Asylums, have been similarly distributed. Of the deaths shown in Table 5 during the 13 weeks the previous residence was outside London in 734 cases and these have been excluded from this Table.

* Called "Simple Continued Fever" previous to 1901.

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 2. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, JAN. 15. [Price 1½*d*

General Register Office, Somerset House,
January 17th, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·9 per 1000 of their aggregate population, which is estimated † at 16,713,617 persons in the middle of this year. In the preceding three weeks the rates had been 15·4, 16·7, and 14·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 20·1 in York, 20·7 in Rhondda, 20·9 in Burnley, 21·3 in Birkenhead, 21·4 in Stockton on Tees, 21·6 in Swansea, 22·8 in Oldham and in Rotherham, and 26·1 in Ipswich; from *measles*, 2·6 in Birkenhead, 2·7 in Ipswich, and 2·9 in Burnley; and from *diphtheria*, 1·8 in Devonport. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2242 BIRTHS and 1367 DEATHS were registered. Allowing for increase of population, the births were 379 and the deaths 317 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15339—41.) Wt. 109—472. 700. 1/10. D & S. G. 31. Sch. 4 B

causes, which had been 15·1, 16·2, and 14·2 per 1000 in the preceding three weeks, was 14·6 last week. The death-rate in the four weeks ended last Saturday averaged 15·0 per 1000, being 3·4 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1367 deaths included 17 from measles, 2 from scarlet fever, 15 from diphtheria, 33 from whooping-cough, and 15 from diarrhœa; but not one death from small-pox, from typhus, from enteric fever, or from ill-defined pyrexia: thus, to these diseases in the aggregate 82 deaths were referred, being 35 below the corrected average number in the second week of the preceding five years.

The deaths from *measles*, which had been 14, 8, and 11 in the preceding three weeks, rose to 17 last week, but were 26 below the corrected average; 3 deaths belonged to the Borough of Chelsea. The deaths from *scarlet fever*, which had been 6, 8, and 5 in the preceding three weeks, fell to 2 last week, and were 11 below the corrected average. The deaths from *diphtheria*, which had been 9 in each of the preceding three weeks, rose to 15 last week, and were the same as the corrected average. The deaths from *whooping-cough*, which had been 25, 33, and 29 in the preceding three weeks, were 33 last week, and were 10 above the corrected average; 5 deaths belonged to Poplar, 5 to Greenwich, 4 to Stepney, and 3 each to Islington, Hackney, and Deptford. No death from *enteric fever* was registered last week, as compared with 2, 0, and 1 in the preceding three weeks, the corrected average being 7. The deaths from *diarrhœa*, which had been 9, 8, and 7 in the preceding three weeks, rose to 15 last week, the corrected average being 16. Of the 15 deaths from diarrhœa, 12 were those of children under 5 years of age; 4 other deaths at this age were certified as due to *enteritis*, and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 27, having been 24, 16, and 24 in the preceding three weeks.

Different forms of violence caused 48 deaths, concerning all but one of which inquests were held. Of these 48 deaths, 10 were cases of suicide, while the remaining 38 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, four to burns or scalds, six to drowning and three, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4 cases of small-pox, 2172 of scarlet fever, 899 of diphtheria, and 59 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 200 cases, against 224, 244, and 212; of diphtheria, 73 cases, against 88, 85, and 108; and of enteric fever, 12 cases, against 8, 9, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended January 8th 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3435 births and 1866 deaths were registered. Allowing for increase of population, these numbers are 682 and 541 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from measles, 4 from scarlet fever, 1 from diphtheria, 4 from whooping-cough, and 4 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·82 inches, and that of the Thermometer 43°·9, the latter being 6°·0 above the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 63 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 16·5 hours; the measured rainfall amounted to 0·30 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 15th January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 25th Dec., 1909.	1st Jan., 1910.	8th Jan., 1910.	15th Jan., 1910.	Rate from Diseases in Cols. 11–17 Week ended 15th January, 1910.	Registered during the Week ended 15th Jan., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,713,617**	**15·4**	**16·7**	**14·8**	**14·9**	**0·9**	**7941**	**4785**	**961**	**1624**	**–**	**61**	**24**	**60**	**79**	**18**	**46**	**164**	**379**	**1308**	**40**	**76 TOWNS.**
LONDON	4,872,702	15·1	16·2	14·2	14·6	0·9	2242	1367	259	481	–	17	2	15	33	–	15	48	135	571	1	LONDON.
† CROYDON	164,485	10·0	11·0	12·7	14·3	–	82	45	8	18	–	–	–	–	–	–	–	–	2	10	–	† CROYDON.
WILLESDEN ..	166,088	8·5	9·1	11·3	5·7	0·3	86	18	3	7	–	–	–	1	–	–	–	–	1	1	–	WILLESDEN.
HORNSEY	98,561	7·6	8·2	7·4	3·7	0·5	27	7	1	4	–	–	–	1	–	–	–	1	1	–	–	HORNSEY.
TOTTENHAM ..	132,803	12·1	13·7	10·2	9·4	–	70	24	4	9	–	–	–	–	–	–	–	–	1	3	–	TOTTENHAM.
WEST HAM ..	328,585	12·5	15·0	9·2	8·9	1·0	177	56	16	15	–	1	–	1	3	–	1	3	11	13	–	WEST HAM.
EAST HAM.. ..	156,208	9·8	8·0	6·3	9·7	–	55	29	6	12	–	–	–	–	–	–	–	1	1	4	–	EAST HAM.
LEYTON	133,436	10·1	8·0	10·9	8·6	0·8	58	22	4	11	–	–	2	–	–	–	–	–	2	6	–	LEYTON.
WALTHAMSTOW	141,748	9·9	12·2	13·6	10·3	–	66	28	6	7	–	–	–	–	–	–	–	–	3	8	–	WALTHAMSTOW.
HASTINGS	68,520	10·7	11·5	11·4	18·3	–	17	24	2	14	–	–	–	–	–	–	–	–	–	6	–	HASTINGS.
BRIGHTON	131,900	14·3	21·1	11·9	15·8	0·4	28	40	8	19	–	–	–	–	–	–	1	4	5	7	–	BRIGHTON.
PORTSMOUTH ..	217,989	10·9	15·3	11·2	15·8	0·7	110	66	12	21	–	–	–	1	–	2	–	3	8	21	–	PORTSMOUTH.
BOURNEMOUTH ..	73,947	20·2	10·1	10·6	12·0	0·7	26	17	2	9	–	–	–	1	–	–	–	1	1	4	–	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	13·4	13·4	13·1	11·1	1·6	63	27	4	11	–	–	–	1	1	–	2	1	3	11	–	SOUTHAMPTON.
READING	84,355	12·6	15·7	13·0	14·2	0·6	27	23	5	8	–	–	–	–	–	–	1	1	1	7	–	READING.
NORTHAMPTON ..	99,113	17·1	19·7	15·3	18·4	1·6	23	35	5	19	–	2	–	–	–	1	–	–	1	8	–	NORTHAMPTON.
IPSWICH	75,936	12·5	25·1	15·1	26·1	4·1	35	38	7	16	–	4	–	–	2	–	–	1	4	5	–	IPSWICH.
GREAT YARMOUTH	53,715	18·5	15·6	9·7	18·4	–	20	19	2	9	–	–	–	–	–	–	–	–	–	4	–	GREAT YARMOUTH.
NORWICH	125,446	19·3	10·9	8·7	11·6	0·4	51	28	6	15	–	–	–	–	–	–	1	–	1	6	–	NORWICH.
PLYMOUTH	126,266	16·8	19·7	19·0	18·2	1·2	38	44	4	20	–	–	–	–	3	–	–	1	4	3	–	PLYMOUTH.
DEVONPORT	84,695	9·4	14·4	12·9	11·1	1·8	32	18	1	6	–	–	–	3	–	–	–	2	2	2	–	DEVONPORT.
BRISTOL	382,550	14·8	14·5	11·3	13·2	0·5	146	97	13	38	–	2	1	1	–	–	–	2	7	25	–	BRISTOL.
HANLEY	69,672	29·5	25·8	25·4	19·5	2·2	31	26	5	7	–	–	–	2	1	–	–	2	3	1	1	HANLEY.
BURTON-ON-TRENT	54,977	10·5	13·4	10·4	15·2	0·9	15	16	1	8	–	–	–	–	1	–	–	–	–	4	1	BURTON-ON-TRENT.
WOLVERHAMPTON..	105,962	15·0	14·5	10·3	14·8	0·5	39	30	5	11	–	–	1	–	–	–	–	1	2	5	–	WOLVERHAMPTON
WALSALL	101,025	13·1	20·5	11·9	12·4	–	52	24	1	4	–	–	–	–	–	–	–	–	1	–	–	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	11·9	4·5	6·5	12·3	0·7	32	17	5	4	–	–	1	–	–	–	–	–	–	2	–	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	17·8	13·3	21·3	14·7	2·2	34	20	4	7	–	1	–	1	1	–	–	–	–	4	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 15th January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 25th Dec., 1909.	1st Jan., 1910.	8th Jan., 1910.	15th Jan., 1910.	Rate from Diseases in Cols. 11-17. Week ended 15th January, 1910.	Registered during the Week ended 15th Jan. 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM† ..	570,113	15·8	15·0	17·4	16·5	0·9	300	180	37	52	-	-	1	4	3	1	1	7	8	56	8	BIRMINGHAM.†
KINGS NORTON ..	84,673	7·7	7·0	9·9	7·4	1·8	31	12	-	2	-	-	-	2	1	-	-	1	2	2	-	KINGS NORTON.
SMETHWICK	72,350	8·9	13·3	9·4	10·1	0·7	38	14	3	3	-	-	-	-	-	-	1	-	-	2	-	SMETHWICK.
ASTON MANOR ..	86,269	14·1	12·8	12·1	15·7	1·8	42	26	10	6	-	-	1	-	2	-	-	-	3	3	-	ASTON MANOR.
COVENTRY	81,449	15·6	16·9	8·3	16·0	1·3	48	25	4	16	-	-	1	-	-	1	-	-	-	7	-	COVENTRY.
LEICESTER	248,374	14·3	17·9	14·5	14·1	0·8	74	67	15	22	-	-	1	-	3	-	-	3	4	9	-	LEICESTER.
GRIMSBY	74,283	10·0	17·8	12·6	11·2	-	44	16	2	6	-	-	-	-	-	-	-	-	-	1	1	GRIMSBY.
NOTTINGHAM ..	266,471	17·2	21·2	20·4	17·2	0·2	126	88	14	31	-	-	-	1	-	-	-	-	3	10	-	NOTTINGHAM.
DERBY	131,256	11·3	21·4	17·5	13·1	-	57	33	6	16	-	-	-	-	-	-	-	2	4	7	-	DERBY.
STOCKPORT	105,087	19·1	21·1	12·9	16·9	1·0	58	34	8	10	-	1	-	1	-	-	-	-	-	6	1	STOCKPORT.
BIRKENHEAD ..	122,431	15·1	28·0	23·4	21·3	3·8	76	50	6	18	-	6	1	-	-	1	1	2	4	8	-	BIRKENHEAD.
WALLASEY	73,173	14·0	18·4	16·4	16·4	1·4	33	23	4	4	-	2	-	-	-	-	-	-	1	3	-	WALLASEY.
LIVERPOOL	767,606	18·1	21·4	19·0	18·5	1·3	452	273	66	69	-	6	1	2	5	2	3	8	18	94	4	LIVERPOOL.
BOOTLE	70,548	15·8	16·5	14·8	16·3	0·7	37	22	4	5	-	-	1	-	-	-	-	2	2	5	-	BOOTLE.
ST. HELENS	96,523	18·6	14·8	15·7	16·7	0·5	64	31	8	9	-	-	1	-	-	-	-	2	2	7	1	ST. HELENS.
WIGAN	91,732	27·0	19·6	19·3	15·3	-	74	27	7	7	-	-	-	-	-	-	-	1	2	2	-	WIGAN.
WARRINGTON ..	73,295	18·8	12·3	23·5	8·5	0·7	37	12	4	3	-	-	-	1	-	-	-	2	2	4	-	WARRINGTON.
BOLTON	190,315	14·7	16·7	14·5	16·4	0·5	95	60	8	23	-	-	1	-	-	1	-	1	4	8	-	BOLTON.
BURY	59,409	24·6	7·0	11·4	17·6	-	23	20	4	10	-	-	-	-	-	-	-	1	1	5	1	BURY.
MANCHESTER† ..	716,354	16·5	18·6	16·6	17·0	1·1	369	233	51	67	-	5	3	2	1	-	4	13	28	71	1	MANCHESTER.†
SALFORD	244,636	17·7	21·8	14·7	16·2	1·3	143	76	14	25	-	3	-	2	-	-	1	5	7	16	-	SALFORD.
OLDHAM	144,111	22·2	18·6	18·5	22·8	2·2	61	63	10	19	-	1	-	1	-	2	2	2	3	17	-	OLDHAM.
ROCHDALE	90,497	19·8	20·9	19·0	11·5	0·6	31	20	5	9	-	-	-	-	1	-	-	-	-	3	-	ROCHDALE.
BURNLEY	107,448	22·1	21·6	16·0	20·9	3·9	52	43	8	9	-	6	1	-	1	-	-	2	2	13	-	BURNLEY.
BLACKBURN	137,972	20·2	15·6	16·6	14·4	-	64	38	10	9	-	-	-	-	-	-	-	-	2	4	-	BLACKBURN.
PRESTON	119,253	19·8	17·6	18·4	18·8	0·4	51	43	6	16	-	-	-	-	-	1	-	3	3	2	5	PRESTON.
BARROW-IN-FURNESS.	63,689	14·1	27·3	16·4	14·7	1·6	31	18	4	5	-	-	-	2	-	-	-	-	-	3	-	BARROW-IN-FURNESS.

* See note † on first page of this return. † The figures for the year 1910 for Birmingham and Manchester relate to those towns as extended on 9th November, 1909.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 15th January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 25th Dec., 1909.	1st Jan., 1910.	8th Jan., 1910.	15th Jan., 1910.	Rate from Diseases in Cols 11-17. Week ended 15th January, 1910.	Registered during the Week ended 15th Jan. 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	20·4	24·8	22·9	14·2	1·1	42	26	5	13	-	-	1	-	-	-	1	-	-	6	-	HUDDERSFIELD.
HALIFAX	112,818	17·7	23·3	12·9	14·3	0·9	34	31	3	15	-	-	-	2	-	-	-	2	4	7	1	HALIFAX.
BRADFORD	295,865	14·2	18·8	16·9	15·2	0·4	96	86	12	37	-	-	-	2	-	-	-	9	14	24	-	BRADFORD.
LEEDS	490,985	14·0	17·5	15·0	14·1	1·2	201	133	29	40	-	1	-	1	4	2	3	5	18	21	1	LEEDS.
SHEFFIELD	478,763	13·1	14·4	15·1	13·1	0·7	236	120	35	45	-	1	-	1	1	1	2	2	6	21	3	SHEFFIELD.
ROTHERHAM.. ..	66,414	18·4	21·6	17·3	22·8	-	43	29	8	10	-	-	-	-	-	-	-	-	-	7	-	ROTHERHAM.
YORK	88,159	12·6	17·4	10·1	20·1	0·6	41	34	8	18	-	-	-	-	-	1	-	1	1	6	-	YORK.
HULL	280,006	15·9	19·7	15·6	15·5	0·9	140	83	21	31	-	-	1	2	1	1	-	3	7	16	1	HULL.
MIDDLESBROUGH ..	107,014	25·8	22·3	17·1	14·6	1·5	69	30	5	7	-	-	-	2	1	-	-	1	1	8	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,680	11·7	13·7	22·3	21·4	1·0	33	22	6	8	-	1	-	-	-	-	-	-	-	2	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	81,814	11·8	12·4	15·3	14·0	0·6	38	22	4	5	-	-	-	-	1	-	-	-	-	4	1	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	18·6	23·2	16·5	13·8	0·3	89	58	11	20	-	-	-	-	1	-	-	3	3	12	3	SUNDERLAND.
SOUTH SHIELDS ..	119,737	13·7	13·7	10·5	13·9	0·4	70	32	8	8	-	-	-	-	-	-	1	-	1	8	2	SOUTH SHIELDS.
GATESHEAD	133,676	15·5	16·7	16·4	13·7	0·8	86	35	17	2	-	-	-	2	-	-	-	-	-	3	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	285,951	15·0	14·3	15·7	13·7	0·5	155	75	15	26	-	-	-	1	2	-	-	3	7	18	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	56,378	18·7	17·8	19·4	17·6	-	34	19	5	6	-	-	-	-	-	-	-	1	2	3	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	16·6	16·6	11·8	10·5	-	39	16	3	5	-	-	-	-	-	-	-	-	-	6	-	NEWPORT (MON.).
CARDIFF	199,189	15·2	17·6	11·3	15·4	1·0	87	59	13	22	-	-	1	-	1	1	1	1	3	12	-	CARDIFF.
RHONDDA	138,674	15·0	15·7	21·1	20·7	2·3	85	55	22	9	-	-	1	-	2	-	3	1	2	3	1	RHONDDA.
MERTHYR TYDFIL..	79,522	24·0	23·3	17·0	17·7	1·3	64	27	6	8	-	1	-	-	1	-	-	3	5	5	-	MERTHYR TYDFIL.
SWANSEA	98,817	29·2	20·7	19·5	21·6	2·1	66	41	8	8	-	-	-	1	2	-	1	-	-	7	-	SWANSEA.
GREATER LONDON	7,537,196	13·6	14·8	13·0	12·9	0·7	3435	1866	360	671	-	19	8	19	40	-	20	59	181	671	1	GREATER LONDON.
OUTER RING ..	2,664,494	10·7	12·2	10·8	9·8	0·5	1193	499	101	190	-	2	6	4	7	-	5	11	46	100	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	10·4	10·8	10·2	9·0	0·4	621	229	48	83	-	1	2	3	3	-	1	5	22	45	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	11·1	13·5	11·5	10·5	0·5	572	270	53	107	-	1	4	1	4	-	4	6	24	55	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	16·3	15·8	19·5	15·5	2·0	124	107‡	17	44	-	6	-	3	-	1	4	2	?	34	4	EDINBURGH.
GLASGOW	884,505	21·5	20·7	20·7	16·3	2·9	436	277‡	49	60	-	31	6	3	2	3	4	7	?	93	5	GLASGOW.
DUBLIN (Registration Area).†	402,928	19·6	25·9	21·1	22·1	1·3	243	171	44	57	-	-	-	-	5	1	4	4	2	53	8	DUBLIN (Registration Area).†
BELFAST†	391,167	19·4	25·9	19·7	22·7	1·7	192	170	48	40	-	-	-	-	13	-	-	8	13	29	1	BELFAST †

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SECOND Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2766	2466	2690	2349	2589	2553	2705	2593	2516	2434	2621·5	2242
Males - - -	1396	1259	1351	1147	1339	1277	1432	1288	1302	1235	1338·1	1138
Females - -	1370	1207	1339	1202	1250	1276	1273	1305	1214	1199	1283·4	1104
TOTAL **Deaths** -	2930	1750	1633	1545	1677	1424	1586	1946	1706	1563	1684·4	1367
Males - - -	1325	863	820	774	840	710	779	947	877	777	837·6	700
Females - -	1605	887	813	771	837	714	807	999	829	786	846·8	667

* The numbers in this column are the average weekly numbers in the Second week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1910. Jan. 1.	Jan. 8.	Jan. 15.	13 Weeks.
TOTAL **Births** -	2221	2087	2361	2291	2173	2195	1933	2207	2105	1860	2182	2343	2242	28200
TOTAL **Deaths** -	1067	1107	1246	1284	1363	1442	1484	1540	1330	1399	1502	1331	1367	17462
Ages at Death: Under 1 year -	266	260	277	264	269	276	214	247	241	234	247	219	259	3273
1—5 years -	98	100	82	105	109	130	120	115	95	107	114	126	113	1414
5—20 " -	62	49	67	65	85	59	63	70	61	61	86	63	59	850
20—40 " -	134	145	157	165	164	154	167	181	146	168	177	157	151	2066
40—60 " -	213	231	277	247	284	300	346	361	292	304	323	273	304	3755
60 yrs. & upwds.	294	322	586	438	452	523	574	566	495	525	555	493	481	6104
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	7	9	5	8	12	12	16	14	15	14	8	11	17	148
Scarlet Fever - -	3	5	6	8	3	7	11	4	5	6	8	5	2	73
Diphtheria - -	9	15	13	9	13	17	6	12	6	9	9	9	15	142
Whooping-cough -	8	7	12	16	20	25	23	18	24	25	33	29	33	273
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	3	7	2	1	2	5	1	2	2	-	1	-	31
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diarrhœa, Dysentery	34	28	34	16	24	15	14	12	10	9	8	7	15	226
All above diseases -	66	67	77	59	73	78	75	61	62	65	66	63	82	894
Dis. of Resp. System	63	79	120	137	149	207	211	194	167	160	196	168	141	1992
Pneumonia - -	111	114	110	151	134	180	221	223	175	162	164	170	144	2059
Phthisis - - -	100	120	148	135	132	123	138	156	116	148	152	99	114	1681
Dis. of Circ. System -	158	170	175	166	199	206	202	219	201	208	231	199	199	2533
Violence - - -	43	31	45	59	51	61	58	49	49	60	58	56	48	668
Inquest Cases - -	106	102	119	135	134	153	144	154	151	158	174	149	135	1814
Deaths in Institutions	486	476	529	531	573	559	611	691	536	589	629	528	571	7359
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	55·7	41·9	47·1	42·3	38·7	37·0	44·6	38·6	38·4	39·0	44·4	43·2	43·9	42·7
Mean of Highest -	62·1	47·9	53·0	48·8	43·5	41·9	50·1	43·0	40·7	45·0	49·7	46·2	48·2	47·7
Mean of Lowest -	50·1	34·9	41·4	34·8	34·0	31·6	40·1	33·3	35·8	31·1	37·8	40·0	39·3	37·2
Mean Humidity of the Air.	88	86	90	82	85	86	85	91	89	84	87	94	82	87
Rain-fall (in inches) -	0·46	1·87	0·15	0·03	0·28	0·01	1·40	0·36	0·43	0·46	0·27	0·05	0·30	6·07
Registered Sunshine (in hours).	16·7	13·9	20·1	22·2	14·0	14·7	13·2	16·7	0·4	18·1	8·3	1·4	16·5	176·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	2	2	3	4	5	4	3	3	4	4	4	5	4	4
Scarlet Fever - -	2799	2743	2716	2624	2606	2518	2488	2475	2403	2361	2362	2256	2172	2502
Diphtheria - - -	991	961	1002	972	949	948	952	946	938	917	912	908	899	946
Typhus - - -	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	87	79	82	79	74	71	67	70	67	68	62	56	59	71

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq , M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee. Tynemouth : and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SECOND Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 2nd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1684·4	1367	259	113	59	151	304	481
Small-pox*	0·2	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	43·4	17	2	13	1	1	–	–
Scarlet Fever	12·7	2	–	1	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	35·4	27	1	–	–	2	10	14
Whooping-cough	22·7	33	15	18	–	–	–	–
Diphtheria	15·4	15	–	10	5	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	6·6	–	–	–	–	–	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	6·1	6	3	1	2	–	–	–
Diarrhœa, Dysentery ..	10·2	9	8	–	–	–	–	1
Tetanus	0·4	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	7·2	2	1	–	–	–	1	–
Puerperal Septicæmia ..	3·5	3	–	–	–	3	–	–
Puerperal Pyæmia.. .	–	1	–	–	–	1	–	–
Puerperal Fever	1·2	–	–	–	–	–	–	–
Infective Endocarditis ..	3·5	3	1	–	–	1	1	–
Pneumonia: Lobar ..	21·5	13	–	–	1	2	5	5
Pneumonia: Broncho ..	104·0	66	22	25	1	1	3	14
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	76·4	65	5	7	1	10	20	22
Erysipelas	5·3	4	1	–	–	1	2	–
Septicæmia (not Puerperal) ..	1·0	1	–	–	–	1	–	–
Pyæmia (not Puerperal)	0·2	–	–	–	–	–	–	–
Other Infective Processes	4·3	4	1	–	–	–	1	2
Tuberculous Phthisis ..	91·7	82	1	4	4	31	34	8
"*Phthisis*"	58·2	32	–	–	1	15	15	1
Tuberculous Meningitis ..	19·7	15	5	5	5	–	–	–
Tuberculous Peritonitis ..	8·2	3	1	2	–	–	–	–
Tabes Mesenterica	1·8	1	1	–	–	–	–	–
Tuberculous Dis., Other ..	16·0	12	3	3	1	2	3	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	11·1	7	–	–	–	3	3	1
Rheumatic Fever	3·9	4	–	–	3	–	–	1
Gout	3·7	–	–	–	–	–	–	–
Carcinoma	58·6	67	–	–	–	4	33	30
Sarcoma	7·0	11	–	–	4	1	4	2
Cancer (undefined) ..	36·2	37	–	1	–	4	10	22
Diabetes Mellitus	9·4	6	–	–	–	1	4	1
Premature Birth	55·3	48	48	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 2nd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	12·1	8	3	1	1	–	2	1
Gen. Par. of Insane, Insanity	19·9	18	–	–	–	4	6	8
Epilepsy	6·8	7	–	–	–	3	3	1
Convulsions	14·9	18	17	1	–	–	–	–
Locomotor Ataxy.. ..	3·5	2	–	–	–	–	–	2
Paraplegia, Dis. of Cord.	7·2	7	–	–	–	–	6	1
Nervous Sys., Other Dis.	21·9	14	–	1	2	–	4	7
Valv. Dis., Endocarditis..	47·5	55	–	–	3	11	17	24
Cereb. Hæm. Cereb. Emb.	49·1	38	–	–	–	3	11	24
Apoplexy, Hemiplegia ..	16·6	8	–	–	–	–	1	7
Aneurysm	4·9	6	–	–	–	–	4	2
Embolism, Thrombosis (not Cerebral) ..	1·0	1	–	–	–	1	–	–
Heart & Blood Ves., Other Dis... ..	97·7	91	–	–	6	6	19	60
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–	–
Bronchitis	203·6	119	16	3	1	4	14	81
Emphysema, Asthma ..	9·0	8	–	1	–	1	2	4
Pleurisy	4·1	4	1	–	–	1	2	–
Respiratory Dis., Other..	15·6	10	2	–	–	2	2	4
Tonsillitis, Quinsy.. ..	1·0	1	–	–	1	–	–	–
Enteritis (not Epid.) ..	10·9	10	4	–	1	2	2	1
Gastro-enteritis	4·3	5	4	–	–	1	–	–
Peritonitis (not Puerp.) ..	1·8	2	–	–	–	1	1	–
Cirrhosis of Liver.. ..	12·3	8	–	–	–	–	4	4
Liver Dis., Other	4·9	2	–	–	–	1	–	1
Digestive Sys., Other Dis.	38·3	40	3	2	5	6	11	13
Acute Nephritis	9·6	9	–	–	1	1	3	4
Bright's Dis., Albuminuria	38·1	29	–	–	–	4	10	15
Urinary Sys., Other Dis.	10·6	9	1	–	–	–	–	8
Generative Organs Dis...	5·1	5	1	–	–	–	3	1
Childbirth (Accid. of) ..	4·1	2	–	–	–	2	–	–
Old Age	76·2	68	–	–	–	–	–	68
Other Diseases	100·7	119	83	10	3	7	11	5
ACCIDENT.								
By Railways	1·4	1	–	–	–	1	–	–
By Vehicles and Horses..	4·5	4	–	–	3	–	–	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–	–	–
In Building Operations..	0·4	1	–	–	–	–	1	–
In Conflagrations	1·0	1	–	–	–	1	–	–
By Burns, Scalds, Explosions	9·4	4	–	2	–	–	1	1
By Drowning	3·5	6	–	–	–	2	3	1
By Suffocation in Bed ..	11·9	3	3	–	–	–	–	–
By Poisons or Poisonous Vapours	2·9	4	–	1	1	–	2	–
Other Deaths by Accident..	22·5	14	2	1	1	–	6	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	–	–	–	–	–	–	–
Suicide	10·0	10	–	–	–	2	4	4
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th January, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia*† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2242	1367	259	481	-	17	2	15	33	-	-	-	15	48	135	571	1
WEST DISTRICTS	805,311	318	228	36	76	-	7	-	3	2	-	-	-	6	12	21	93	-
NORTH DISTRICTS	1,055,908	458	298	51	120	-	3	-	2	7	-	-	-	4	9	21	118	-
CENTRAL DISTRICTS	209,465	92	67	13	17	-	-	-	2	1	-	-	-	1	5	9	40	-
EAST DISTRICTS	715,739	469	222	55	65	-	3	-	-	9	-	-	-	2	8	36	108	-
SOUTH DISTRICTS	1,749,844	905	523	104	189	-	4	2	7	14	-	-	-	2	14	48	183	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	29	-	14	-	-	-	1	-	-	-	-	-	-	-	29	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	30	13	1	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Central Paddington *W,3H*	50,053	25	14	1	2	-	-	-	-	-	-	-	-	1	1	1	8	-
South Paddington	30,320	6	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	51	41	4	16	-	-	-	1	-	-	-	-	1	3	6	23	-
Brompton *2H*	48,591	10	7	-	5	-	-	-	-	-	-	-	-	-	-	-	1	-
North Hammersmith *2W,w,H* ..	49,192	33	20	3	5	-	2	-	-	-	-	-	-	1	1	2	3	-
South Hammersmith *w,2H* ..	63,047	26	18	4	10	-	-	-	-	-	-	-	-	-	1	2	2	-
North-west Fulham *W*	45,180	39	19	7	5	-	-	-	-	1	-	-	-	1	-	1	10	-
North-east Fulham *F*	46,405	17	9	3	2	-	1	-	2	-	-	-	-	-	1	1	3	-
South Fulham *W*	45,704	22	7	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	12	25	2	12	-	1	-	-	-	-	-	-	1	-	3	18	-
Chelsea South *W,2H*	31,328	11	9	2	1	-	2	-	-	-	-	-	-	-	1	1	2	-
Mayfair and Knightsbridge	28,743	7	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave *W,2H*	55,815	12	19	3	5	-	-	-	-	-	-	-	-	-	2	2	10	-
St. Margaret & St. John *6H*	43,698	10	15	2	3	-	-	-	-	-	-	-	-	1	-	-	10	-
St. James and St. Anne *W,6H* ..	33,081	7	4	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	12	16	1	5	-	-	-	-	1	-	-	-	-	1	2	8	-
St. Mary Marylebone *W,4H* ..	37,948	55	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone	39,536	15	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Hampstead *W,F,6H*	81,942	21	27	4	13	-	1	-	-	-	-	-	-	1	-	-	9	-
West St. Pancras *2H*	60,562	24	11	-	7	-	-	-	-	-	-	-	-	-	2	3	3	-
South St. Pancras *w,10H*	55,707	17	20	4	5	-	-	-	1	-	-	-	-	-	1	1	16	-
East St. Pancras *W,H*	60,320	35	26	6	9	-	-	-	-	1	-	-	-	-	1	4	9	-
North St. Pancras *2W*	58,728	24	20	2	12	-	-	-	-	-	-	-	-	1	-	-	9	-
Tufnell *W*	31,995	13	22	4	11	-	-	-	-	-	-	-	-	-	-	1	16	-
Upper Holloway *2W,w,H*	33,978	15	19	3	6	-	-	-	-	-	-	-	-	-	1	1	15	-
Tollington *W,w,H*	33,922	7	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	15	5	1	3	-	-	-	-	1	-	-	-	-	-	1	-	-
Barnsbury	54,478	25	6	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Islington South-east *F*	75,397	46	17	3	5	-	-	-	-	-	-	-	-	-	-	2	-	-
Highbury *2H*	63,797	19	12	6	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Stoke Newington *H*	51,247	14	10	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	17	15	-	10	-	-	-	-	-	-	-	-	-	-	1	-	-
Central Hackney *w,F*	50,536	26	9	2	1	-	1	-	-	2	-	-	-	-	-	-	4	-
South-west Hackney *3H*	59,921	22	15	3	5	-	1	-	-	-	-	-	-	1	2	2	6	-
South-east Hackney *2W,H*	58,255	31	31	5	10	-	-	-	1	1	-	-	-	-	1	2	19	-
Hackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and fro SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, & registered in each SUB-DISTRICT during the Week ended Saturday, 15th January, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	20	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Strand *W*,4*H*	21,674	1	10	1	-	-	-	-	-	-	-	-	-	-	-	1	9	
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Holborn *W*,5*H*	29,612	2	21	4	3	-	-	-	1	1	-	-	-	-	2	2	12	
Clerkenwell *H*	63,704	28	9	2	5	-	-	-	-	-	-	-	-	-	-	1	-	
St. Luke 3*H*,*L*	36,116	37	5	2	2	-	-	-	-	-	-	-	-	-	-	-	3	
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Botolph *H*	10,299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	17	3	3	-	-	-	1	-	-	-	-	1	3	5	13	
City of London Asylum, Stone	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	25	10	2	2	-	-	-	-	-	-	-	-	-	-	1	-	
Shoreditch North-West *W*,*w*,*H* ..	36,127	22	23	1	12	-	-	-	-	-	-	-	-	1	-	5	19	
Shoreditch North-East	36,148	14	6	2	2	-	1	-	-	-	-	-	-	-	1	3	-	
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	44	29	9	10	-	-	-	-	-	-	-	-	-	-	4	22	
Bethnal Green South-West *H* ..	64,542	34	7	2	2	-	-	-	-	-	-	-	-	-	1	1	-	
Spitalfields..	27,969	17	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mile End New Town *W*,*H*	28,718	24	34	4	5	-	-	-	-	-	-	-	-	-	1	2	31	
Goodman's Fields	22,081	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George and St. John 2*W* ..	49,068	33	13	4	4	-	-	-	-	-	-	-	-	1	1	2	5	
Shadwell and Ratcliff *w*,*H* ..	25,568	15	10	5	2	-	-	-	-	2	-	-	-	-	1	1	6	
Limehouse *W*	32,369	23	12	4	3	-	-	-	-	1	-	-	-	-	1	3	-	
Mile End Old Town South-Western *H*	63,698	72	9	4	2	-	-	-	-	1	-	-	-	-	-	2	-	
Mile End Old Town North-Eastern *W*,*w*	49,129	27	11	2	4	-	1	-	-	-	-	-	-	-	-	1	4	
Bow	41,989	30	9	3	1	-	-	-	-	-	-	-	-	-	1	3	-	
Bromley 3*w*,*H*	68,319	44	29	4	10	-	-	-	-	3	-	-	-	-	-	4	21	
Poplar *W*,*w*	58,514	37	18	7	6	-	1	-	-	2	-	-	-	-	1	4	-	
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th January, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	7	18	4	2	-	-	-	1	1	-	-	-	-	-	3	15	-
Kent-road	21,904	15	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	21	7	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Newington North	49,022	24	8	2	3	-	-	-	-	1	-	-	-	-	1	1	-	-
Newington South *W*	72,841	34	21	7	5	-	-	-	-	-	-	-	-	-	-	4	2	-
St. Olave *2W*	9,817	6	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Bermondsey *W*	82,483	61	9	4	3	-	-	-	-	-	-	-	-	-	1	3	-	-
Rotherhithe *W,F*	38,460	24	15	1	6	-	-	-	-	-	-	-	-	-	3	4	7	-
Waterloo *2H*	27,440	28	6	3	1	-	-	-	-	-	-	-	-	-	-	1	4	-
Lambeth Church *H*	27,440	18	22	4	1	-	-	-	-	-	-	-	-	1	-	1	19	-
Kennington *2W*	52,518	29	22	3	10	-	-	-	-	1	-	-	-	-	-	-	12	-
Stockwell *HF*	63,826	25	12	1	6	-	-	-	2	-	-	-	-	-	-	-	3	-
Brixton *H*	73,673	27	17	3	10	-	-	-	-	-	-	-	-	-	-	1	1	1
Norwood *2WH*	56,998	25	13	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	46	17	4	7	-	1	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea	49,656	26	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	16	22	2	8	-	-	-	-	-	-	-	-	-	1	1	14	-
Clapham *2H*	51,361	20	12	2	6	-	-	-	-	-	-	-	-	-	-	1	1	-
Streatham *W,2w,2F,2L*	88,019	60	36	5	17	-	-	1	2	-	-	-	-	1	2	5	13	-
Springfield *2W,L*	27,959	22	7	2	2	-	-	-	-	1	-	-	-	-	-	-	2	-
Southfields *H*	40,444	15	8	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Putney	24,139	6	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Dulwich	13,359	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	13	28	1	13	-	-	-	-	-	-	-	-	-	-	3	21	-
Camberwell North *W,2L*	65,584	27	29	6	9	-	-	-	-	-	-	-	-	-	1	2	16	-
St. George	47 331	40	12	6	2	-	-	-	-	-	-	-	-	-	-	3	-	-
Peckham North	48,913	31	11	4	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Peckham South *2W,w*	43,946	18	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	23	8	5	1	-	-	-	-	2	-	-	-	-	-	1	-	-
Deptford Central *F*	45,481	24	18	7	2	-	-	1	1	3	-	-	-	-	1	1	3	-
Deptford South	34,625	16	9	-	7	-	-	-	-	-	-	-	-	-	-	3	-	-
Greenwich West *H*	23,456	8	10	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	24	29	4	11	-	3	-	-	1	-	-	-	-	-	1	17	-
Eltham *w,H*	7,226	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	6	9	1	7	-	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *2W,w,F*	58,352	40	16	3	7	-	-	-	-	1	-	-	-	-	1	1	7	-
Sydenham *H*	43,653	16	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	3	9	2	3	-	-	-	1	-	-	-	-	-	-	-	3	-
Woolwich *5H*	41,625	19	11	1	2	-	-	-	-	1	-	-	-	-	1	3	1	-
Plumstead West *W,H*	39,376	24	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	5	18	-	12	-	-	-	-	-	-	-	-	-	1	1	15	-
Workhouses:—																		
Belmont Workhouse	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Lunatic Asylums:—																		
Banstead	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
Cane Hill	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Dartford Heath	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Claybury	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 15th January, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1193	499	101	190	-	2	6	4	7	-	5	11	46	100	-
30 : 1	Carshalton 2F,3H	12,228	32,997	9	6	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	4	4	1	3	-	-	-	-	-	-	-	-	-	2	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	4	6	2	2	-	-	-	-	1	-	-	-	-	3	-
38 : 1	Coulsdon	11,069	8,166	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	19	5	-	3	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	37	27	7	11	-	-	-	-	-	-	-	-	1	10	-
4	North Croydon H	2,614	41,698	26	14	1	4	-	-	-	-	-	-	-	-	1	1	-
5	Penge w	770	22,465	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	27	8	4	4	-	-	-	-	-	-	-	-	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	17	9	3	-	-	-	-	-	-	-	-	-	2	1	-
2	Kingston 2W,H	6,224	42,068	13	6	2	1	-	-	-	-	-	-	-	-	2	-	-
3	Surbiton F,H	3,046	15,017	7	8	1	3	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H ..	5,402	13,100	10	6	2	-	-	-	-	1	-	-	-	-	1	-	-
5	Hampton H,F,L	4,564	23,456	15	3	-	-	-	-	-	-	-	-	-	-	1	-	-
40 : 1	Richmond W,H	2,491	31,672	10	9	-	5	-	-	1	-	-	-	-	-	-	3	-
2	Mortlake F	2,518	17,821	12	2	-	2	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	11	5	-	3	-	-	1	-	-	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	6	6	-	2	-	-	-	-	-	-	-	-	1	1	-
3	Orpington, *part of** W,F ..	10,013	9,857	4	4	1	3	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst 2H	7,338	16,446	6	5	-	3	-	-	-	-	-	-	1	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	9	3	-	3	-	-	-	-	-	-	-	-	2	-	-
2	Erith F,H	3,854	25,296	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
124 : 1	Sunbury w	11,054	18,683	15	5	1	2	-	-	-	-	-	..	-	-	1	1	-
2	Staines W,H	13,277	15,178	3	8	5	1	-	-	-	-	1	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	8,035	13,661	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	17	6	2	1	-	-	-	-	-	-	-	1	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	22	12	2	5	-	-	-	-	-	-	-	-	-	3	-
2	Twickenham F,2H	2,421	26,991	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	34	19	6	6	-	-	-	-	-	-	-	2	3	-	-
4	Chiswick H	1,249	29,809	17	3	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	27	10	2	3	-	-	-	-	-	-	-	-	1	1	-
127A : 1	Harrow F,H	13,809	25,523	21	4	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	5	5	1	3	-	-	-	-	-	-	-	-	1	1	-
127B : 1	Willesden W,F,2H	4,384	114,811	86	18	3	7	-	-	-	1	-	-	-	-	1	1	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
2	Barnet W,2H	3,324	17,970	7	5	2	1	-	-	-	-	-	-	1	-	-	3	-
3	Finchley F,3H	4,638	33,692	20	8	-	7	-	-	-	-	-	-	-	-	1	1	-
129 : 1	Hornsey F,H	2,875	72,056	27	7	1	4	-	-	-	1	-	-	-	1	1	-	-
2	Wood Green H	1,625	34,233	23	8	1	5	-	-	-	-	-	-	-	-	2	-	-
3	West Tottenham	995	48,741	25	10	2	2	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	45	13	2	6	-	-	-	-	-	-	-	-	1	2	-
5	Edmonton W,w,2F	7,491	61,892	47	16	3	5	-	-	-	-	-	-	-	1	3	7	-
6	Enfield 2W,F,H	12,601	42,738	24	11	2	2	-	-	2	-	1	-	-	-	-	4	-
7	Waltham Abbey F	11,017	6,549	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-
8	Cheshunt F,H	8,479	12,292	8	2	1	-	-	1	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	31	13	6	3	-	-	-	-	-	-	1	-	3	1	-
2	Forest Gate	787	52,745	23	8	1	6	-	-	-	-	-	-	-	1	1	-	-
3	Plaistow F,2H	1,249	90,921	57	14	6	2	-	-	-	1	1	-	-	1	5	1	-
4	Canning Town H	1,556	70,718	66	10	2	1	-	1	-	-	1	-	-	1	2	-	-
5	South East Ham 2F ..	1,991	37,342	36	10	3	4	-	-	-	-	-	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	19	15	2	7	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	3	3	-	1	-	-	-	-	-	-	-	-	-	2	-
8	South Leyton 2W	631	50,467	19	10	1	6	-	-	-	-	-	-	-	-	1	-	-
9	North Leyton 2W,w,F ..	1,963	48,445	39	31	6	10	-	-	2	-	1	-	-	1	5	23	-
10	Walthamstow 2H,L ..	6,504	108,929	72	22	5	7	-	-	-	-	-	-	-	-	-	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	5	1	-	1	-	-	-	-	-	-	-	-	-	8	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	1	8	2	5	-	-	-	-	1	-	1	-	-	-	-
2	Ilford F,L	8,496	41,244	28	12	5	2	-	-	-	-	-	-	1	-	1	-	-
3	Barking Town F	3,805	21,547	18	3	-	1	-	-	-	-	-	-	-	-	-	1	-
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Central London Sick Asylum, Hendon.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	6	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	6	-	3	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,872,702	January 15	2242	1367	14·6	-	17	2	15	33	-	15
CALCUTTA - -	1,009,008	December 18	-	695	35·8	3	1	-	-	-	109†	95‡
BOMBAY - -	982,000	" 21	484	521	27·7	8	1	-	-	-	45†	45‡
MADRAS - -	548,974	" 17	-	-	-	-	-	?	?	?	-	-
PARIS - - -	2,760,000	January 8	939	925	17·5	1	13	1	3	4	7	21
BRUSSELS - -	704,975	" 8	227	201	14·8	-	5	-	1	-	2	9
ANTWERP - -	314,135	" 8	143	73	12·1	-	1	1	-	-	-	13
AMSTERDAM -	568,131	December 31¶	213	108	11·6	-	2	-	1	-	-	2
		January 8¶¶	286	165	13·3	-	10	1	4	-	1	5
COPENHAGEN -	451,000	" 8	251	118	13·6	-	-	3	-	1	-	1
STOCKHOLM -	339,582	" 1	207	100	15·3	-	4	2	5	-	-	3
CHRISTIANIA -	235,674	" 8	104	74	16·3	-	-	-	1	-	-	-
ST. PETERSBURG	1,573,000	" 1	489	746	24·7	15	33	22	10	8	4	81
MOSCOW - -	1,452,100	" 1	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,121,133	December 25	820	620	15·2	-	3	18	17	10	2	38
HAMBURG - -	895,804	January 8	-	252	14·6	-	12	5	10	3	1	20
BRESLAU - -	502,990	" 1	-	187	19·4	-	3	1	-	7	-	16
MUNICH - -	566,000	" 1	248	170	15·6	-	1	1	1	1	-	14
VIENNA - -	2,085,888	" 1	792	593	14·8	-	9	4	5	1	3	17
		" 8	740	614	15·3	-	7	5	3	4	2	35
PRAGUE - -	485,057	" 8	-	-	-	-	-	-	-	-	-	-
BUDAPEST - -	823,215	" 1	467	259	16·4	-	2	1	2	-	2	10
TRIESTE - -	217,706	" 1	-	-	-	-	-	-	-	-	-	-
ROME - - -	574,666	October 16	279	158	14·3	-	-	-	1	-	9	20
VENICE - -	179,286	November 20	85	65	18·9	-	-	-	3	-	1	3
BUCAREST - -	296,585	December 4	126	173	30·4	-	-	2	1	-	6	5
NEW YORK -	4,564,792	" 25	2373	1562	17·8	-	13	22	44	4	8	33
CHICAGO - -	2,224,490	" 25	-	628	14·7	-	4	11	12	4	-	38
PHILADELPHIA -	1,565,569	" 11	-	452	15·0	-	-	4	14	3	9	18
RIO DE JANEIRO	637,089	" 5	-	216	17·7	-	1	-	-	-	1	?
CAIRO:—												
Egyptians -	669,617	" 16	562	336	26·1	-	-	-	17	-	10†	50
Foreigners -	35,219	" 16	6	11	16·2	-	-	-	2	-	1	-
ALEXANDRIA:—												
Egyptians -	345,003	" 16	325	163	24·6	1	5	-	-	-	4	30
Foreigners -	46,118	" 16	15	24	27·1	-	-	-	1	-	-	1

* Excluding deaths from croup in the Indian Cities.
† Including 6 deaths from plague in Calcutta, 6 in Bombay, and 2 in Cairo (Egyptians).
‡ Including 24 deaths from cholera in Calcutta and 1 in Bombay.
§ Including 1 death from malarial fever.
¶ 6 days. ¶¶ 8 days.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 15th January, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	53·1	31·0	43·8	0·30	BRADFORD - -	51·6	25·0	39·9	2·43
BRIGHTON - -	49·1	31·9	43·2	0·77	YORK - - -	55·0	29·0	41·8	0·55
PORTSMOUTH - -	52·3	33·0	44·2	1·00	HULL - - -	51·0	30·0	41·9	0·31
NORWICH - -	53·2	29·3	42·0	0·41	TYNEMOUTH - -	55·0	28·0	40·1	0·62
PLYMOUTH - -	54·3	34·7	47·0	0·81	CARDIFF - - -	52·6	32·0	42·8	1·31
BRISTOL - - -	53·3	30·5	42·9	0·78	EDINBURGH - -	51·7	29·3	38·9	1·48
BIRMINGHAM - -	52·4	30·7	40·9	0·69	GLASGOW - -	53·0	26·8	39·3	1·60
NOTTINGHAM - -	53·2	30·1	41·2	0·54	DUBLIN Phœnix Park.	54·9	31·0	42·1	0·99
LIVERPOOL OBSERVATORY.	54·0	34·0	42·9	0·45	DUBLIN Fitzwilliam Square.†	56·2	32·6	43·7	0·78
MANCHESTER -	53·8	31·3	41·1	1·91					
BURNLEY - -	52·8	26·2	39·8	3·00					
HUDDERSFIELD -	52·3	29·0	40·9	2·24	BELFAST - - -	50·8	29·0	40·8	1·24

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisner in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 15th January, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 9	..	29·787	52·1	44·9	7·2	50·0	+12·1	45·9	4·1	5·2	0·0	86	54·9	38·0	44·40	SW. & SSW.	SW. & SSW.	9·0	0·0	0·9	596	+296	0·00	14·0
MONDAY - 10	Greatest Dec. S.	29·912	52·2	43·1	9·1	47·0	+ 9·1	41·7	5·3	9·2	4·0	82	74·9	35·4	44·60	SW. & WSW.	WSW., SSW. & SW.	8·6	0·0	0·7	543	+249	0·13	7·8
TUESDAY - 11	New	29·632	45·3	36 7	8·6	41·0	+ 3·1	34·2	6·8	10·1	3·3	77	66·0	31·8	44·97	SSW., SW. & WSW.	WSW., SW. & SSW.	11·0	0·0	1·0	629	+338	0·10	5·2
WEDNESDAY 12	..	29·460	40·0	33·2	6·8	36·5	− 1·4	29·1	7·4	10·1	4·4	74	57·0	28·0	44·91	WSW. & SW.	WNW, WSW. & NNW.	4·3	0·0	0·3	399	+106	0·00	0·0
THURSDAY - 13	..	30·027	44·2	31·0	13·2	37·5	− 0·5	32·5	5·0	7·6	2·6	82	48·0	24·1	44·51	WNW. & WSW.	WSW. & SW.	3·0	0·0	0·1	331	+ 33	0·01	1·5
FRIDAY - 14	..	29·894	53·1	44·2	8·9	49·4	+11·4	44·2	5·2	8·2	2·6	82	65·7	41·0	44·02	SW. & WSW.	W., WSW. & SW.	4·2	0·0	0·5	506	+201	0·02	4·5
SATURDAY - 15	..	30 041	50·5	42·3	8·2	46·1	+ 8·0	43·3	2·8	4·6	0·7	90	52·0	35·1	43·90	WSW. & W.	SW. & SSW.	6·7	0·0	0·4	402	+ 91	0·04	1·5
MEANS - -		29·822	48·2	39·3	8·9	43·9	+ 6·0	38·7	5·2	7·9	2·5	82	59·8	33·3	44·47	SW.		..	..	..	Sum 3406	Sum +1314	Sum 0·30	4·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 9	w. P. throughout.	0·0	8·1
MONDAY - 10	w. P. generally; v. P. and v. N. at 2h. P.M.	4·2	8·1
TUESDAY - 11	w. P. generally; occasional v. N.	4·7	8·1
WEDNESDAY 12	w. P. till 8h. A.M.; m. P. till 2h. P.M.; s. P. afterwards.	2·8	8·2
THURSDAY - 13	m. P. generally; w. P. after 9h. P.M.	2·9	8·2
FRIDAY - 14	w. P. throughout.	1·9	8·2
SATURDAY - 15	w. P. throughout.	0·0	8·2
		Sum 16·5	Sum 57·1
No. of Col. - -	27	28	29

GENERAL REMARKS.

Fine generally with occasional cloudy intervals in early morning; overcast with slight exceptions after 6h. A.M.; brisk wind prevalent after 9h. A.M.: very mild.

Overcast with occasional rain in morning and gusty wind till 4h. 30m. A.M.; fine but cloudy between 8h. A.M. and 2h. P.M.; very fine afterwards; sharp shower at and about 1h. 30m. P.M.; very mild.

Variable with occasional rain; gusty wind prevalent from 4h. A.M. till 3h. P.M. and again at and about 8h. P.M.

Nearly cloudless with hoar frost in morning; fine but cloudy between 6h. A.M. and 6h. P.M.; very fine at night with hoar frost.

Nearly cloudless till 0h. 30m. P.M.; increasing amount of cloud till 2h. P.M.; then overcast with occasional light showers; much hoar frost in morning.

Generally overcast till noon; fine and partially cloudy afterwards; rain between 2h. and 3h. A.M.; a very mild day.

Fine interval between 3h. and 10h. 30m. A.M.; otherwise generally overcast; frequent rain between 2h. and 5h. P.M.; brisk wind prevalent after 8h. P.M.; very mild.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·81 in. at the beginning of the week to 29·75 in. by midnight on the 9th; increased to 29·95 in. by 9h. P.M. on the 10th: decreased to 29·64 in. by 9h. A.M. on the 11th; increased to 29·73 in. by 2h. P.M. on the same day; decreased to 29·39 in. by 9h. A.M. on the 12th; increased to 30·06 in. by 4h. P.M. on the 13th; decreased to 29·84 in. by 8h. A.M. on the 14th; increased to 30·13 in. by 11h. A.M. on the 15th; and decreased to 29·87 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 8th January, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	2	8	-	-	-	-	5	-	-
Kensington	184,635	-	4	4	-	1	-	-	4	-	-
Hammersmith	127,413	-	12	3	-	-	-	-	1	-	-
Fulham	181,282	-	10	9	-	1	-	-	2	-	-
Chelsea	75,457	-	2	1	-	-	-	-	1	-	-
City of Westminster ..	167,233	-	11	3	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	1	1	-	1	-	-	4	-	-
Hampstead	95,729	-	-	-	-	-	-	-	1	-	-
St. Pancras	237,792	-	15	4	-	-	-	-	7	1	-
Islington	353,356	1	7	6	-	1	-	-	3	-	-
Stoke Newington	54,838	-	-	1	-	1	-	-	-	-	-
Hackney	239,979	-	12	6	-	1	-	-	1	-	-
CENTRAL.											
Holborn	53,142	-	2	1	-	-	-	-	4	-	-
Finsbury	94,578	-	3	1	-	-	-	-	5	-	-
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	5	4	-	2	-	-	2	-	-
Bethnal Green	131,579	-	-	2	-	2	-	-	3	2	-
Stepney	314,379	-	6	11	-	2	-	-	8	2	-
Poplar	172,432	1	7	5	-	-	-	-	5	-	-
SOUTH.											
Southwark	211,832	-	11	5	-	2	-	-	7	1	1
Bermondsey	127,238	-	7	4	-	-	-	-	2	-	-
Lambeth	327,074	-	20	9	-	-	-	-	5	-	-
Battersea	188,222	-	13	7	-	2	-	-	5	-	-
Wandsworth	305,838	-	7	5	-	-	-	-	1	1	-
Camberwell	286,058	-	14	6	-	1	-	-	8	-	-
Deptford	119,642	-	11	2	-	-	-	-	2	-	-
Greenwich	112,935	-	7	1	-	-	-	-	1	-	-
Lewisham	164,899	-	20	5	-	-	-	-	-	-	-
Woolwich	135,422	-	4	3	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	2	213	117	-	17	-	-	90	7	1
Ages 0-1		-	2	1	-	-	-	-	2	-	-
" 1-5		-	70	56	-	1	-	-	3	-	1
" 5-		-	75	38	-	1	-	-	5	-	-
" 10-		-	29	9	-	1	-	-	1	-	-
" 15-		-	11	1	-	2	-	-	5	-	-
" 20-		-	12	4	-	3	-	-	1	1	-
" 25-		1	7	7	-	6	-	-	18	5	-
" 35-		-	4	1	-	1	-	-	10	1	-
" 45-		-	1	-	-	1	-	-	16	-	-
" 55-		1	2	-	-	-	-	-	14	-	-
" 65 and upwards		-	-	-	-	1	-	-	15	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 3. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, JAN. 22. [Price 1½*d.*

General Register Office, Somerset House,
January 24th, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·8 per 1000 of their aggregate population, which is estimated † at 16,713,617 persons in the middle of this year. In the preceding three weeks the rates had been 16·7, 14·8, and 14·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·7 in Hull and in Merthyr Tydfil, 21·3 in Ipswich, 22·8 in Bury, 22·9 in Barrow in Furness and in Rhondda, and 23·7 in Swansea; from *measles*, 1·6 in Northampton, 2·1 in Swansea, and 3·4 in Ipswich; from *diphtheria*, 2·5 in Barrow in Furness; and from *whooping-cough*, 1·1 in Hull, 1·5 in Walthamstow, in Hastings, and in Bootle, and 1·9 in West Hartlepool. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2146 BIRTHS and 1351 DEATHS were registered. Allowing for increase of population, the births were 296 and the deaths 249 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15420—41.) Wt. 109—472. 700. 1/10. D & S. G. 31. Sch. 4 C

causes, which had been 16·2, 14·2, and 14·6 per 1000 in the preceding three weeks, was 14·5 last week. The death-rate in the four weeks ended last Saturday averaged 14·9 per 1000, being 3·0 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1351 deaths included 18 from measles, 13 from diphtheria, 30 from whooping-cough, 3 from enteric fever, and 10 from diarrhœa; but not one death from small-pox, from scarlet fever, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 74 deaths were referred, being 42 below the corrected average number in the third week of the preceding five years.

The deaths from *measles*, which had been 8, 11, and 17 in the preceding three weeks, were 18 last week, and were 26 below the corrected average; 4 deaths belonged to the Borough of Stepney, and 3 to Deptford. No death from *scarlet fever* was registered last week, the numbers in the preceding three weeks having been 8, 5, and 2, and the corrected average 14. The deaths from *diphtheria*, which had been 9, 9, and 15 in the preceding three weeks, were 13 last week, and were 3 below the corrected average; 3 deaths belonged to Southwark. The deaths from *whooping-cough*, which had been 33, 29, and 33 in the preceding three weeks, were 30 last week, and were 5 above the corrected average; 5 deaths belonged to Wandsworth, 4 to Poplar, and 3 each to Stepney and to Deptford. The deaths from *enteric fever* which had been 0, 1, and 0 in the preceding three weeks, were 3 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 8, 7, and 15 in the preceding three weeks, were 10 last week, and were 4 below the corrected average. Of the 10 deaths from diarrhœa, 7 were those of children under 5 years of age; 4 other deaths at this age were certified as due to *enteritis*, and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 35, having been 16, 24, and 27 in the preceding three weeks.

Different forms of violence caused 52 deaths, concerning all of which inquests were held. Of these 52 deaths, 3 were cases of suicide, while the remaining 49 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, two to conflagrations, seven to burns or scalds, five to drowning, and eight, of infants under one year of age, to suffocation in bed. Five deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 2069 of scarlet fever, 901 of diphtheria, and 60 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 204 cases, against 244, 212, and 200; of diphtheria, 115 cases, against 85, 108, and 73; and of enteric fever, 7 cases, against 9, 11, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended January 15th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3273 births and 1911 deaths were registered. Allowing for increase of population, these numbers are 554 and 381 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from measles, 4 from diphtheria, 1 from whooping-cough, 1 from "fever," and 3 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·52 inches, and that of the Thermometer 39°·6, the latter being 1°·0 above the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 34 per cent above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 10·8 hours; the measured rainfall amounted to 0·16 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 22nd January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 1st Jan., 1910.	8th Jan., 1910.	15th Jan., 1910.	22nd Jan., 1910.	Rate from Diseases in Cols. 11-17. Week ended 22nd January, 1910.	Registered during the Week ended 22nd Jan., 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,713,617**	**16·7**	**14·8**	**14·9**	**14·8**	**0·9**	**7554**	**4749**	**916**	**1598**	**-**	**58**	**31**	**44**	**98**	**15**	**32**	**183**	**412**	**1352**	**40**	**76 TOWNS.**
LONDON	4,872,702	16·2	14·2	14·6	14·5	0·8	2146	1351	223	489	-	18	-	13	30	3	10	52	152	599	2	LONDON.
† CROYDON	164,485	11·0	12·7	14·3	14·6	-	64	46	12	18	-	-	-	-	-	-	-	3	6	7	-	CROYDON.
† WILLESDEN ..	166,088	9·1	11·3	5·7	8·8	-	71	28	9	7	-	-	-	-	-	-	-	1	2	3	-	WILLESDEN.
† HORNSEY	98,561	8·2	7·4	3·7	8·5	1·1	26	16	2	8	-	-	1	-	-	-	1	1	1	2	-	HORNSEY.
† TOTTENHAM ..	132,803	13·7	10·2	9·4	11·0	1·2	68	28	5	9	-	1	1	-	1	-	-	2	4	10	-	TOTTENHAM.
† WEST HAM ..	328,585	13·0	9·2	8·9	11·1	1·3	151	70	15	17	-	3	1	-	2	1	1	2	4	16	-	WEST HAM.
† EAST HAM.. ..	156,208	8·0	6·3	9·7	10·7	-	46	32	5	12	-	-	-	-	-	-	-	2	5	4	-	EAST HAM.
† LEYTON	133,436	8·0	10·9	8·6	10·2	1·2	51	26	7	7	-	-	-	1	2	-	-	1	1	5	-	LEYTON.
† WALTHAMSTOW	141,748	12·2	13·6	10·3	11·4	1·5	45	31	4	9	-	-	-	-	4	-	-	2	3	10	-	WALTHAMSTOW.
HASTINGS	68,520	11·5	11·4	18·3	9·1	1·5	19	12	1	7	-	-	-	-	2	-	-	1	1	6	-	HASTINGS.
BRIGHTON	131,900	21·1	11·9	15·8	13·0	-	43	33	4	18	-	-	-	-	-	-	-	2	4	6	-	BRIGHTON.
PORTSMOUTH ..	217,989	15·3	11·2	15·8	11·7	0·5	98	49	8	16	-	-	2	-	-	-	-	2	3	13	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	10·1	10·6	12·0	13·4	0·7	21	19	2	10	-	-	-	1	-	-	-	-	-	8	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	13·4	13·1	11·1	12·3	-	46	30	7	14	-	-	-	-	-	-	-	1	2	9	-	SOUTHAMPTON.
READING	84,355	15·7	13·0	14·2	13·6	-	34	22	5	7	-	-	-	-	-	-	-	-	-	4	2	READING.
NORTHAMPTON ..	99,113	19·7	15·3	18·4	11·6	1·6	27	22	1	15	-	3	-	-	-	-	-	-	-	1	1	NORTHAMPTON.
IPSWICH	75,936	25·1	15·1	26·1	21·3	4·1	36	31	4	10	-	5	-	-	1	-	-	-	-	5	-	IPSWICH.
GREAT YARMOUTH	53,715	15·6	9·7	18·4	17·5	1·0	30	18	3	11	-	-	-	-	1	-	-	-	1	4	-	GREAT YARMOUTH.
NORWICH	125,446	10·9	8·7	11·6	12·5	0·8	40	30	7	12	-	-	-	1	-	-	1	-	3	9	1	NORWICH.
PLYMOUTH	126,266	19·7	19·0	18·2	16·5	-	48	40	3	24	-	-	-	-	-	-	-	2	3	4	-	PLYMOUTH.
DEVONPORT	84,695	14·4	12·9	11·1	11·7	1·2	49	19	3	6	-	-	-	-	-	2	-	-	1	3	-	DEVONPORT.
BRISTOL	382,550	14·5	11·3	13·2	12·9	1·1	132	95	19	47	-	4	-	1	2	-	1	2	6	26	-	BRISTOL.
HANLEY	69,672	25·8	25·4	19·5	17·2	2·2	39	23	10	3	-	-	-	2	1	-	-	-	1	3	1	HANLEY.
BURTON-ON-TRENT	54,977	13·4	10·4	15·2	13·3	0·9	17	14	-	8	-	-	-	-	1	-	-	1	2	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	105,962	14·5	10·3	14·8	15·7	-	41	32	5	13	-	-	-	-	-	-	-	-	2	5	-	WOLVERHAMPTON
WALSALL	101,025	20·5	11·9	12·4	14·5	1·0	51	28	2	9	-	-	-	-	1	-	1	1	4	2	-	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	4·5	6·5	12·3	10·1	0·7	28	14	3	2	-	-	1	-	-	-	-	1	2	1	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	13·3	21·3	14·7	11·7	2·9	38	16	4	5	-	2	-	1	1	-	-	1	1	2	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 22nd January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 1st Jan., 1910.	8th Jan., 1910.	15th Jan., 1910.	22nd Jan., 1910.	Rate from Diseases in Cols. 11–17. Week ended 22nd January, 1910.	Registered during the Week ended 22nd Jan. 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM† ..	570,113	15·0	17·4	16·5	16·7	0·7	297	183	36	56	–	–	3	1	2	–	2	7	12	53	7	BIRMINGHAM.†
KINGS NORTON ..	84,673	7·0	9·9	7·4	6·8	–	25	11	1	6	–	–	–	–	–	–	–	–	–	–	–	KINGS NORTON.
SMETHWICK	72,350	13·3	9·4	10·1	17·3	0·7	26	24	5	9	–	–	–	–	1	–	–	1	3	1	–	SMETHWICK.
ASTON MANOR ..	86,269	12·8	12·1	15·7	9·7	1·2	26	16	–	5	–	–	2	–	–	–	–	–	–	8	–	ASTON MANOR.
COVENTRY	81,449	16·9	8·3	16·0	15·4	0 6	29	24	6	9	–	–	–	–	1	–	–	1	1	–	–	COVENTRY.
LEICESTER	248,374	17·9	14·5	14·1	13·2	1·0	99	63	21	18	–	–	–	–	5	–	–	3	5	11	–	LEICESTER.
GRIMSBY	74,283	17·8	12·6	11·2	16·1	0·7	36	23	2	4	–	–	–	–	–	1	–	1	2	6	–	GRIMSBY.
NOTTINGHAM ..	266,471	21·2	20·4	17·2	18·4	0·6	137	94	19	39	–	–	1	–	1	–	1	3	12	21	–	NOTTINGHAM.
DERBY	131,256	21·4	17·5	13·1	10·3	–	67	26	3	12	–	–	–	–	–	–	–	2	6	5	–	DERBY.
STOCKPORT	105,087	21·1	12·9	16·9	14·9	1·0	56	30	6	5	–	1	–	1	–	–	–	2	5	7	–	STOCKPORT.
BIRKENHEAD ..	122,431	28·0	23·4	21·3	15·3	1·3	71	36	6	11	–	3	–	–	–	–	–	1	3	6	–	BIRKENHEAD.
WALLASEY	73,173	18·4	16·4	16·4	16·4	0·7	31	23	8	6	–	1	–	–	–	–	–	–	–	3	–	WALLASEY.
LIVERPOOL	767,606	21·4	19·0	18·5	18·7	1·8	454	276	61	75	–	3	6	6	7	2	2	13	19	96	8	LIVERPOOL.
BOOTLE	70,548	16·5	14·8	16·3	14·8	1·5	40	20	1	10	–	–	–	–	2	–	–	1	1	6	–	BOOTLE.
ST. HELENS	96,523	14·8	15·7	16·7	14·6	–	55	27	6	9	–	–	–	–	–	–	–	1	1	9	–	ST. HELENS.
WIGAN	91,732	19·6	19·3	15·3	15·9	–	45	28	6	9	–	–	–	–	–	–	–	–	–	3	–	WIGAN.
WARRINGTON ..	73,295	12·3	23·5	8·5	14·2	1·4	40	20	4	6	–	–	1	–	1	–	–	–	–	5	1	WARRINGTON.
BOLTON	190,315	16·7	14·5	16·4	15·9	0·8	91	58	11	19	–	–	2	1	–	–	–	1	3	8	–	BOLTON.
BURY	59,409	7·0	11·4	17·6	22·8	–	15	26	3	11	–	–	–	–	–	–	–	2	3	9	1	BURY.
MANCHESTER† ..	716,354	18·6	16·6	17·0	16·5	0·8	366	227	34	80	–	4	–	1	2	1	3	13	17	80	–	MANCHESTER.†
SALFORD	244,636	21·8	14·7	16·2	15·1	1·3	121	71	12	20	–	1	1	3	–	–	1	3	3	12	1	SALFORD.
OLDHAM	144,111	18·6	18·5	22·8	18·8	0·4	92	52	5	14	–	–	–	–	1	–	–	2	4	8	–	OLDHAM.
ROCHDALE	90,497	20·9	19·0	11·5	11 5	–	44	20	2	9	–	–	–	–	–	–	–	–	–	5	–	ROCHDALE.
BURNLEY	107,448	21·6	16·0	20·9	15·5	0·5	46	32	7	9	–	–	–	–	1	–	–	1	2	2	–	BURNLEY.
BLACKBURN	137,972	15·6	16·6	14·4	12·5	0·4	40	33	10	7	–	–	1	–	–	–	–	1	1	3	2	BLACKBURN.
PRESTON	119,253	17·6	18·4	18·8	18·4	0·4	41	42	5	11	–	–	–	–	1	–	–	–	1	10	1	PRESTON.
BARROW-IN-FURNESS.	63,689	27·3	16·4	14·7	22·9	3·3	23	28	12	4	–	–	–	3	–	–	1	–	–	1	2	BARROW-IN-FURNESS.

* See note † on first page of this return. † The figures for the year 1910 for Birmingham and Manchester relate to those towns as extended on 9th November, 1909.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 22nd January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 1st Jan., 1910.	8th Jan., 1910.	15th Jan., 1910.	22nd Jan., 1910.	Rate from Diseases in Cols 11-17. Week ended 22nd January, 1910.	Registered during the Week ended 22nd Jan. 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	24·8	22·9	14·7	19·1	–	35	35	1	13	–	–	–	–	–	–	–	–	2	2	–	HUDDERSFIELD.
HALIFAX	112,816	23·3	12·9	14·3	12·9	0·9	34	28	2	9	–	–	1	1	–	–	–	1	3	7	–	HALIFAX.
BRADFORD	295,865	18·8	16·9	15·2	17·4	1·1	112	99	19	41	–	1	1	2	1	1	–	5	13	19	–	BRADFORD.
LEEDS	490,985	17·5	15·0	14·1	14·8	0·7	208	139	18	52	–	1	2	1	2	–	1	7	15	25	–	LEEDS.
SHEFFIELD	478,763	14·4	15·1	13·1	16·6	0·9	243	152	40	41	–	–	3	1	2	–	2	6	11	29	1	SHEFFIELD.
ROTHERHAM.. ..	66,414	21·6	17·3	22·8	11·0	0·8	33	14	4	4	–	–	–	–	–	–	1	–	1	2	–	ROTHERHAM.
YORK	88,159	17·4	10·1	20·1	8·9	–	26	15	1	7	–	–	–	–	–	–	–	–	1	4	–	YORK.
HULL	280,006	19·7	15·6	15·5	19·7	1·3	139	106	29	33	–	–	–	1	6	–	–	4	11	28	–	HULL.
MIDDLESBROUGH ..	107,014	22·3	17·1	14·6	16·1	1·0	65	33	4	10	–	–	–	1	1	–	–	2	3	4	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,680	13·7	22·3	21·4	17·5	–	18	18	6	2	–	–	–	–	–	–	–	–	–	3	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	81,814	12·4	15·3	14·0	12·7	1·9	28	20	5	7	–	–	–	–	3	–	–	1	1	1	–	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	23·2	16·5	18·8	19·1	1·6	80	59	21	14	–	1	–	–	2	1	1	1	2	9	2	SUNDERLAND.
SOUTH SHIELDS ..	119,737	13·7	10·5	13·9	13·5	0·4	49	31	5	9	–	–	–	–	–	1	–	2	2	9	–	SOUTH SHIELDS.
GATESHEAD	133,676	16·7	16·4	13·7	10·9	0·8	56	28	12	3	–	–	–	–	1	–	1	–	–	6	5	GATESHEAD.
NEWCASTLE-ON-TYNE.	285,951	14·3	15·7	13·7	12·2	0·2	145	67	15	19	–	–	–	–	1	–	–	2	7	21	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	56,378	17·8	19·4	17·6	14·8	–	32	16	3	7	–	–	–	–	–	–	–	–	2	1	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	16·6	11·8	10·5	8·5	1·3	31	13	3	2	–	–	–	–	1	1	–	1	2	6	–	NEWPORT (MON.).
CARDIFF	199,189	17·6	11·3	15·4	13·6	0·5	79	52	11	16	–	–	1	1	–	–	–	4	7	10	–	CARDIFF.
RHONDDA	138,674	15·7	21·1	20·7	22·9	1·5	125	61	30	8	–	1	–	–	2	1	–	1	2	5	–	RHONDDA.
MERTHYR TYDFIL..	79,522	23·3	17·0	17·7	19·7	1·3	45	30	7	7	–	1	–	–	1	–	–	3	3	6	–	MERTHYR TYDFIL.
SWANSEA	98,817	20·7	19·5	21·6	23·7	3·2	53	45	15	8	–	4	–	–	1	–	1	4	6	8	–	SWANSEA.
GREATER LONDON	7,537,196	14·8	13·0	12·9	13·2	0·7	3273	1911	328	702	–	24	3	18	40	5	15	78	206	709	2	GREATER LONDON.
OUTER RING ..	2,664,494	12·2	10·8	9·8	11·0	0·6	1127	560	105	213	–	6	3	5	10	2	5	26	54	110	–	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	10·8	10·2	9·0	10·9	0·8	522	277	59	87	–	4	3	1	9	1	2	14	26	57	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	13·5	11·5	10·5	11·0	0·4	605	283	46	126	–	2	–	4	1	1	3	12	28	53	–	REMAINDER OF OUTER RING.
EDINBURGH	360,276	15·8	19·5	15·5	16·4	1·4	120	113	14	50	–	6	–	–	–	–	4	3	?	43	4	EDINBURGH.
GLASGOW	884,505	20·7	20·7	16·3	15·5	3·1	404	263	43	72	–	39	2	4	–	3	5	8	?	78	5	GLASGOW.
DUBLIN (Registration Area).†	402,928	25·9	21·1	22·1	22·5	1·4	197	174	34	49	–	–	–	3	4	–	4	1	3	70	13	DUBLIN (Registration Area).†
BELFAST†	391,167	25·9	19·7	22·7	16·7	1·9	180	125	29	27	–	–	–	1	13	–	–	5	5	28	6	BELFAST †

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRD Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2533	2693	2580	2593	2515	2408	2390	2454	2511	2162	2442·1	2146
Males - - -	1288	1334	1360	1353	1288	1222	1231	1246	1275	1111	1246·1	1063
Females - -	1245	1359	1220	1240	1227	1186	1159	1208	1236	1051	1196·0	1083
TOTAL **Deaths** -	2365	1666	1583	1848	1549	1492	1402	1679	1825	1414	1599·8	1351
Males - - -	1128	799	802	930	791	757	719	841	918	712	808·3	695
Females - -	1237	867	781	918	758	735	683	838	907	702	791·5	656

* The numbers in this column are the average weekly numbers in the Third week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1910. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	13 Weeks.
TOTAL **Births** -	2087	2361	2291	2173	2195	1933	2207	2105	1860	2182	2343	2242	2146	28125
TOTAL **Deaths** -	1107	1246	1284	1363	1442	1484	1540	1330	1399	1502	1331	1367	1351	17746
Ages at Death: Under 1 year -	260	277	264	269	276	214	247	241	234	247	219	259	223	3230
1—5 years -	100	82	105	109	130	120	115	95	107	114	126	113	106	1422
5—20 " -	49	67	65	85	59	63	70	61	61	86	63	59	71	859
20—40 " -	145	157	165	164	154	167	181	146	168	177	157	151	161	2093
40—60 " -	231	277	247	284	300	346	361	292	304	323	273	304	301	3843
60 yrs. & upwds.	322	386	438	452	523	574	566	495	525	555	493	481	489	6299
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	9	5	8	12	12	16	14	15	14	8	11	17	18	159
Scarlet Fever - -	5	6	8	3	7	11	4	5	6	8	5	2	-	70
Diphtheria - -	15	13	9	13	17	6	12	6	9	9	9	15	13	146
Whooping-cough -	7	12	16	20	25	23	18	24	25	33	29	33	30	295
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	7	2	1	2	5	1	2	2	-	1	-	3	29
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diarrhœa, Dysentery	28	34	16	24	15	14	12	10	9	8	7	15	10	202
All above diseases -	67	77	59	73	78	75	61	62	65	66	63	82	74	902
Dis. of Resp. System	79	120	137	149	207	211	194	167	160	196	168	141	152	2081
Pneumonia - -	114	110	151	134	180	221	223	175	162	164	170	144	139	2087
Phthisis - - -	120	148	135	132	123	138	156	116	143	152	99	114	140	1721
Dis. of Circ. System -	170	175	166	199	206	202	219	201	208	231	199	199	197	2572
Violence - - -	31	45	59	51	61	58	49	49	60	58	56	48	52	677
Inquest Cases - -	102	119	135	134	153	144	154	151	158	174	149	135	152	1860
Deaths in Institutions	476	529	531	573	559	611	691	586	589	629	528	571	590	7472
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	41·9	47·1	42·3	38·7	37·0	44·6	38·6	38·4	39·0	41·4	43·2	43·9	39·6	41·4
Mean of Highest -	47·9	53·0	48·8	43·5	41·9	50·1	43·0	40·7	45·0	49·7	46·2	48·2	43·2	46·2
Mean of Lowest -	34·9	41·4	34·8	34·0	31·6	40·1	33·3	35·8	31·1	37·8	40·0	39·3	35·6	36·1
Mean Humidity of the Air.	86	90	82	85	86	85	91	89	84	87	94	82	78	86
Rain-fall (in inches) -	1·87	0·15	0·03	0·28	0·01	1·40	0·36	0·43	0·46	0·27	0·05	0·30	0·16	5·77
Registered Sunshine (in hours).	13·9	20·1	22·2	14·0	14·7	13·2	16·7	0·4	18·1	8·3	1·4	16·5	10·8	170·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	2	3	4	5	4	3	3	4	4	4	5	4	3	4
Scarlet Fever - -	2743	2716	2624	2606	2518	2488	2475	2403	2361	2362	2256	2172	2069	2446
Diphtheria - - -	961	1002	972	949	948	952	946	938	917	912	908	899	901	939
Typhus - - -	1	1	1	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	79	82	79	74	71	67	70	67	68	62	56	59	60	69

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee. Tynemouth: and E. Walford, Esq., M.D., Cardiff.

Table 4. LONDON.—Deaths Registered in the Third Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 3rd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1599·8	1351	223	103	71	161	301	489
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	43·8	18	7	11	–	–	–	–
Scarlet Fever	13·5	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	28·3	35	1	–	–	1	7	26
Whooping-cough	24·8	30	14	15	1	–	–	–
Diphtheria	16·4	13	–	11	1	1	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·9	3	–	–	1	–	2	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	4·3	–	–	–	–	–	–	–
Diarrhœa, Dysentery ..	9·4	10	6	1	–	–	1	2
Tetanus	1·2	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	8·0	3	2	–	–	–	–	1
Puerperal Septicæmia ..	3·7	5	–	–	–	5	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·6	–	–	–	–	–	–	–
Infective Endocarditis ..	3·7	4	–	–	–	2	2	–
Pneumonia: Lobar ..	19·3	22	2	2	1	7	1	9
Pneumonia: Broncho ..	90·1	62	23	14	2	4	6	13
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	71·3	55	9	6	3	6	12	19
Erysipelas	3·7	1	–	–	–	–	–	1
Septicæmia (not Puerperal) ..	1·0	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	1·0	1	–	–	–	1	–	–
Other Infective Processes	5·3	5	1	–	1	–	1	2
Tuberculous Phthisis ..	99·5	96	–	2	8	36	39	11
"*Phthisis*"	50·4	44	–	–	5	18	17	4
Tuberculous Meningitis ..	16·0	16	2	7	5	2	–	–
Tuberculous Peritonitis ..	6·3	7	4	2	–	–	1	–
Tabes Mesenterica	1·8	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	14·7	17	1	6	–	5	3	2
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	10·2	7	–	–	–	1	4	2
Rheumatic Fever	4·9	3	–	–	1	1	–	1
Gout	2·0	–	–	–	–	–	–	–
Carcinoma	53·4	61	–	–	–	1	33	27
Sarcoma	5·9	9	–	1	–	1	5	2
Cancer (undefined) ..	32·2	36	–	–	–	4	14	18
Diabetes Mellitus	8·6	5	–	–	–	–	2	3
Premature Birth	51·0	36	36	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 3rd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	13·1	11	3	5	–	1	2	–
Gen. Par. of Insane, Insanity	19·9	15	–	–	–	7	5	3
Epilepsy	8·2	4	–	1	1	1	1	–
Convulsions	17·0	15	11	1	–	–	–	–
Locomotor Ataxy.. ..	3·9	2	–	–	–	–	2	–
Paraplegia, Dis. of Cord.	6·8	4	–	–	–	1	–	3
Nervous Sys., Other Dis.	22·1	14	–	–	4	1	3	6
Valv. Dis., Endocarditis..	50·0	53	–	–	9	8	15	21
Cereb. Hæm. Cereb. Emb.	48·3	46	–	–	1	2	12	31
Apoplexy, Hemiplegia ..	14·1	13	–	–	–	–	4	9
Aneurysm	4·5	4	–	–	–	1	2	1
Embolism, Thrombosis (not Cerebral) ..	0·8	–	–	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	98·1	81	–	–	5	7	20	51
Croup (not Spasm: nor Memb.)	0·6	–	–	–	–	–	–	–
Bronchitis	190·5	134	19	5	–	3	17	90
Emphysema, Asthma ..	8·6	6	–	–	–	1	2	3
Pleurisy	3·1	3	–	–	1	1	1	–
Respiratory Dis., Other..	13·3	9	2	2	–	–	–	5
Tonsillitis, Quinsy.. ..	0·8	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	6·8	8	4	–	–	1	2	1
Gastro-enteritis	6·6	4	3	1	–	–	–	–
Peritonitis (not Puerp.) ..	1·8	3	2	–	1	–	–	–
Cirrhosis of Liver.. ..	11·7	13	–	–	–	–	11	2
Liver Dis., Other	6·6	3	–	1	–	–	1	1
Digestive Sys., Other Dis.	39·9	41	4	2	7	6	12	10
Acute Nephritis	7·8	11	–	1	–	2	6	2
Bright's Dis., Albuminuria	36·2	40	–	–	–	2	15	23
Urinary Sys., Other Dis.	10·4	8	–	–	–	–	3	5
Generative Organs Dis...	4·5	6	–	–	–	3	2	1
Childbirth (Accid. of) ..	3·1	3	–	–	1	2	–	–
Old Age	72·5	63	–	–	–	–	–	63
Other Diseases	97·5	78	54	3	6	4	5	6
ACCIDENT.								
By Railways	0·8	–	–	–	–	–	–	–
By Vehicles and Horses..	6·1	7	–	–	4	2	1	–
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	–	–	–	–	–	–	–
In Building Operations..	0·2	–	–	–	–	–	–	–
In Conflagrations	1·0	2	–	1	–	–	–	1
By Burns, Scalds, Explosions	10·6	7	–	1	–	3	1	2
By Drowning	3·3	5	–	–	1	2	2	–
By Suffocation in Bed ..	9·8	8	8	–	–	–	–	–
By Poisons or Poisonous Vapours	2·3	3	–	–	1	–	1	1
Other Deaths by Accident..	15·4	17	2	4	2	3	3	3
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	–	–	–	–	–	–	–
Suicide	9·0	3	–	–	–	1	–	2
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 22nd January, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexiat (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2146	1351	223	489	-	18	-	13	30	-	3	-	10	52	152	599	2
WEST DISTRICTS	805,311	309	221	32	80	-	2	-	5	2	-	-	-	-	12	26	90	-
NORTH DISTRICTS	1,055,908	455	303	45	122	-	4	-	-	6	-	-	-	3	13	42	126	-
CENTRAL DISTRICTS	209,465	85	66	13	15	-	-	-	1	-	-	-	-	-	5	12	42	-
EAST DISTRICTS	715,739	441	261	58	81	-	7	-	1	8	-	1	-	3	12	34	131	-
SOUTH DISTRICTS	1,749,844	856	451	75	177	-	5	-	5	14	-	2	-	3	9	37	161	2
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	49	-	14	-	-	-	1	-	-	-	-	1	1	1	49	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	33	7	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	24	33	6	10	-	-	-	2	-	-	-	-	-	2	7	24	-
South Paddington	30,320	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	37	31	3	11	-	-	-	-	-	-	-	-	-	1	1	14	-
Brompton *2H*	48,591	6	8	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-
North Hammersmith *2W,w,H* ..	49,192	26	18	4	9	-	1	-	-	-	-	-	-	-	1	4	7	-
South Hammersmith *w,2H* ..	63,047	28	18	4	8	-	-	-	-	-	-	-	-	-	2	3	3	-
North-west Fulham *W*	45,180	37	13	4	5	-	-	-	-	-	-	-	-	-	-	1	3	-
North-east Fulham *F*	46,405	23	10	3	1	-	-	-	3	2	-	-	-	-	-	-	3	-
South Fulham *W*	45,704	21	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	13	25	-	11	-	1	-	-	-	-	-	-	-	1	2	18	-
Chelsea South *W,2H*	31,328	11	12	-	7	-	-	-	-	-	-	-	-	-	-	-	1	-
Mayfair and Knightsbridge	28,743	8	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	20	16	-	1	-	-	-	-	-	-	-	-	-	3	5	5	-
St. Margaret & St. John *6H*	43,698	13	11	2	1	-	-	-	-	-	-	-	-	-	2	2	9	-
St. James and St. Anne *W,6H* ..	33,081	6	3	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	12	15	1	5	-	-	-	-	-	-	-	-	-	-	2	10	-
St. Mary Marylebone *W 4H* ..	37,948	42	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone	39,536	26	6	3	1	-	-	-	-	1	-	-	-	-	1	2	-	-
St. John Marylebone *2H*	20,426	9	6	3	2	-	-	-	-	1	-	-	-	-	-	1	1	-
Hampstead *W,F,6H*	81,942	19	22	-	5	-	2	-	-	-	-	-	-	-	2	4	10	-
West St. Pancras *2H*	60,562	25	14	1	7	-	-	-	-	-	-	-	-	-	2	5	5	-
South St. Pancras *w,10H*	55,707	16	21	2	8	-	-	-	-	-	-	-	-	-	2	2	17	-
East St. Pancras *W,H*	60,320	35	23	1	11	-	-	-	-	-	-	-	-	1	-	1	14	-
North St. Pancras *2W*	58,728	20	18	1	6	-	-	-	-	-	-	-	-	-	-	1	5	-
Tufnell *W*	31,995	15	26	3	16	-	-	-	-	-	-	-	-	-	-	1	21	-
Upper Holloway *2W,w,H*	33,978	22	18	-	9	-	-	-	-	-	-	-	-	-	2	3	15	-
Tollington *W,w,H*	33,922	17	6	2	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Lower Holloway	41,424	18	11	3	3	-	-	-	-	1	-	-	-	-	-	1	-	-
Barnsbury	54,478	18	12	2	6	-	-	-	-	-	-	-	-	1	1	3	-	-
Islington South-east *F*	75,397	37	15	6	3	-	1	-	-	1	-	-	-	-	-	4	-	-
Highbury *2H*	63,797	16	12	2	4	-	-	-	-	-	-	-	-	-	-	1	1	-
Stoke Newington *H*	51,247	16	10	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	19	14	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	26	8	3	2	-	-	-	-	-	-	-	-	-	2	3	2	-
South-west Hackney *3H*	59,921	17	16	3	6	-	-	-	-	-	-	-	-	1	1	3	6	-
South-east Hackney *2W,H*	58,255	30	24	4	7	-	1	-	-	2	-	-	-	-	-	3	19	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd January, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	18	3	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Strand *W*,4*H*	21,674	1	10	-	2	-	-	-	-	-	-	-	-	-	-	1	8	-
Strand Union Workhouse, Edmonton	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn *W*,5*H*	29,612	11	15	3	1	-	-	-	1	-	-	-	-	-	-	-	14	-
Clerkenwell *H*	63,704	30	7	2	1	-	-	-	-	-	-	-	-	-	-	2	-	-
St. Luke 3*H*,*L*	36,116	20	7	5	1	-	-	-	-	-	-	-	-	-	1	2	2	-
Holborn Union Workhouse, Mitcham	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	3	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	16	3	5	-	-	-	-	-	-	-	-	-	3	6	10	-
City of London Asylum, Stone	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	19	13	1	6	-	-	-	-	-	-	-	-	-	-	-	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	30	30	4	19	-	-	-	-	-	-	-	-	-	2	2	26	-
Shoreditch North-East	36,148	24	6	2	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	32	29	7	9	-	1	-	-	1	-	-	-	-	1	4	18	-
Bethnal Green South-West *H* ..	64,542	48	12	4	2	-	-	-	-	-	-	-	-	1	1	2	-	-
Spitalfields..	27,969	10	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	22	38	7	6	-	1	-	-	-	-	-	-	2	2	4	37	-
Goodman's Fields	22,081	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	33	15	5	4	-	-	-	-	-	-	-	-	-	-	2	8	-
Shadwell and Ratcliff *w*,*H* ..	25,568	12	11	4	1	-	2	-	-	-	-	-	-	-	-	1	6	-
Limehouse *W*	32,369	20	8	4	-	-	-	-	-	2	-	-	-	-	-	1	-	-
Mile End Old Town South-Western *H*	63,698	59	9	4	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	39	24	2	9	-	-	-	-	-	-	-	-	-	1	6	13	-
Bow	41,989	16	7	3	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Bromley 3*w*,*H*	68,319	49	40	8	15	-	-	-	-	2	-	1	-	-	1	3	18	-
Poplar *W*,*w*	58,514	30	15	2	4	-	1	-	1	2	-	-	-	-	3	5	4	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd January, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	11	18	6	2	-	-	-	-	-	-	-	-	-	2	4	14	-
Kent-road	21,904	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	22	11	3	2	-	-	-	1	1	-	-	-	-	-	2	5	-
Newington North	49,022	22	9	2	1	-	-	-	-	-	-	-	-	2	-	1	-	-
Newington South *W*	72,841	32	21	5	10	-	-	-	-	1	-	-	-	-	1	3	5	-
St. Olave *2W*	9,817	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	51	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Rotherhithe *W,F*	38,460	30	23	3	7	-	-	-	-	1	-	-	-	-	-	3	17	-
Waterloo *2H*	27,440	26	7	2	3	-	-	-	-	-	-	-	-	-	-	2	1	-
Lambeth Church *H*	27,440	9	10	-	2	-	-	-	-	-	-	-	-	-	-	1	9	-
Kennington *2W*	52,518	36	18	1	12	-	-	-	-	-	-	-	-	-	-	-	14	-
Stockwell *HF*	63,826	34	12	1	5	-	-	-	2	-	-	-	-	1	-	1	3	-
Brixton *H*	73,673	28	12	2	5	-	-	-	-	-	-	-	-	-	-	1	-	1
Norwood *2WH*	56,998	17	7	-	6	-	-	-	-	-	-	-	-	-	-	1	-	-
East Battersea *H*	72,203	46	12	3	1	-	1	-	-	-	-	-	-	-	1	1	-	-
North-west Battersea	49,656	36	9	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	15	27	4	10	-	-	-	-	1	-	-	-	-	-	1	15	-
Clapham *2H*	51,361	22	8	1	4	-	-	-	-	-	-	-	-	-	-	1	1	1
Streatham *W,2w,2F,2L*	88,019	28	30	3	16	-	-	-	-	2	-	-	-	-	-	-	6	-
Springfield *2W,L*	27,959	17	5	-	3	-	-	-	-	-	-	1	-	-	1	2	-	-
Southfields *H*	40,444	28	8	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Putney	24,139	7	7	1	2	-	-	-	-	2	-	1	-	-	-	-	-	-
Dulwich	13,359	2	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Camberwell South *W,w*	40,206	19	25	3	8	-	-	-	-	-	-	-	-	-	-	-	20	-
Camberwell North *W,2L*	65,584	29	28	2	10	-	-	-	-	1	-	-	-	-	-	1	15	-
St. George	47 331	23	7	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Peckham North	48,913	29	10	1	6	-	-	-	-	-	-	-	-	-	-	1	-	-
Peckham South *2W,w*	43,946	20	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	15	9	3	1	-	2	-	-	2	-	-	-	-	-	1	-	-
Deptford Central *F*	45,481	23	11	4	3	-	1	-	-	1	-	-	-	-	-	1	1	-
Deptford South	34,625	13	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	8	5	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Greenwich East *2W,H*	43,859	17	18	3	12	-	-	-	-	1	-	-	-	-	2	2	11	-
Eltham *w,H*	7,226	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Lee *w,H*	25,490	9	5	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-
Lewisham *2W,w,F*	58,352	32	19	3	12	-	-	-	1	-	-	-	-	-	-	1	13	-
Sydenham *H*	43,653	17	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	9	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Woolwich *5H*	41,625	24	5	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	11	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	18	12	1	6	-	-	-	-	-	-	-	-	-	-	-	7	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Leavesden	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Lunatic Asylums:—																		
Banstead	—	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	7	-	2	-	-	-	-	-	-	-	-	1	-	-	7	-
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Colney Hatch	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Claybury	—	-	5	-	1	-	-	-	-	-	-	-	-	-	1	1	5	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 22nd January, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1127	560	105	213	-	6	3	5	10	2	5	26	54	110	-
30 : 1	Carshalton 2F,3H	12,228	32,997	16	11	1	7	-	-	-	-	-	-	-	1	1	2	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
38 : 1	Coulsdon	11,069	8,166	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	24	16	4	7	-	-	-	-	-	-	-	2	3	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	25	24	5	8	-	-	-	-	-	-	-	1	3	10	-
4	North Croydon H	2,644	41,698	15	10	3	5	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	31	11	2	3	-	-	-	-	-	-	-	3	5	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	18	12	3	3	-	-	-	-	-	1	-	-	-	1	-
2	Kingston 2W,H	6,224	42,068	26	14	3	6	-	-	-	-	-	-	-	-	-	2	-
3	Surbiton F,H	3,046	15,017	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	2	3	1	1	-	-	-	-	-	-	1	-	-	1	-
5	Hampton H,F,L	4,564	23,456	10	4	1	1	-	-	-	-	-	-	-	1	3	1	-
40 : 1	Richmond W,H	2,491	31,672	17	5	-	3	-	-	-	-	-	-	-	1	1	3	-
2	Mortlake F	2,518	17,821	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	10	7	1	3	-	-	-	-	-	-	-	-	1	-	-
2	Beckenham H	7,825	28,497	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	3	3	-	3	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst 2H	7,338	16,446	6	5	1	3	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	6	6	-	3	-	-	-	-	-	-	-	-	1	1	-
2	Erith F,H	3,854	25,296	8	2	-	-	-	-	-	1	-	-	-	-	-	1	-
3	Dartford W,F, *part of** ..	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
124 : 1	Sunbury w	11,054	18,683	8	4	1	1	-	-	-	-	-	-	-	-	1	-	-
2	Staines W,H	13,277	15,178	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	5	4	-	4	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H	12,757	8,984	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	12	20	4	8	-	2	-	-	-	-	-	-	2	8	-
2	Twickenham F,2H	2,421	26,991	13	4	3	-	-	-	-	1	-	-	-	-	-	1	-
3	Brentford 3F,2H	4,319	48,289	34	10	-	5	-	-	-	-	-	-	-	-	-	1	-
4	Chiswick H	1,249	29,809	17	9	1	6	-	-	-	1	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	52	8	1	4	-	-	-	-	-	-	-	1	1	1	-
127A : 1	Harrow F,H	13,809	25,523	15	4	-	1	-	-	-	-	-	-	-	-	1	-	-
2	Edgware 2F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	18	9	4	4	-	-	-	-	-	-	1	-	-	2	-
127B : 1	Willesden W,F,2H	4,884	114,811	71	28	9	7	-	-	-	-	-	-	-	1	2	3	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	15	2	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,838	33,692	26	10	1	4	-	-	-	-	-	-	-	2	2	1	-
129 : 1	Hornsey F,H	2,875	72,056	26	15	2	7	-	-	1	-	-	-	1	1	1	1	-
2	Wood Green H	1,625	34,233	12	5	-	3	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	32	7	1	3	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	36	16	4	4	-	1	-	-	1	-	-	2	4	5	-
5	Edmonton W,w,2F	7,491	61,892	61	24	2	10	-	-	-	-	-	-	1	-	2	9	-
6	Enfield 2W,F,H	12,651	42,738	20	15	3	8	-	-	-	1	1	-	-	-	1	3	-
7	Waltham Abbey F	11,017	6,549	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	23	10	2	3	-	-	-	-	-	-	-	3	3	2	-
2	Forest Gate	787	52,745	15	8	1	3	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	62	21	6	2	-	2	1	-	1	1	1	-	1	4	-
4	Canning Town H	1,556	70,718	51	21	5	4	-	1	-	-	1	-	-	-	1	-	-
5	South East Ham 2F ..	1,991	37,342	20	10	2	1	-	-	-	-	-	-	-	-	2	-	-
6	North East Ham w,H ..	1,333	58,666	26	19	3	9	-	-	-	-	-	-	-	2	3	1	-
7	Wanstead F	1,679	9,179	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	20	15	3	6	-	-	-	-	-	-	-	-	-	7	-
9	North Leyton 2W,w,F ..	1,963	48,445	31	32	6	9	-	-	-	1	2	-	-	1	1	19	-
10	Walthamstow 2H,L ..	6,504	108,929	50	25	5	8	-	-	-	-	4	-	-	3	4	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	4	4	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	27	15	3	7	-	-	-	-	-	-	-	1	3	2	-
3	Barking Town F	3,805	21,547	18	8	2	2	-	-	-	-	-	-	-	-	1	-	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Herts County Lunatic Asylum, Hill End.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious [illegible] the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,872,702	January 22	2146	1351	14·5	–	18	–	13	30	3	10
CALCUTTA - -	1,009,008	December 25	–	540	27·8	-	–	-	–	-	104†	74‡
BOMBAY - -	982,000	" 28	391	538	28·6	12	-	–	-	1	53†	59‡
MADRAS - -	548,974	" 17	354	346	35·3	–	2	?	?	?	120	45
PARIS - - -	2,760,000	January 15	901	912	17·3	–	9	1	6	2	3	20
BRUSSELS - -	704,975	" 15	251	171	12·6	-	1	–	3	-	1	6
ANTWERP - -	314,135	" 15	137	64	10·6	1	4	–	1	–	-	2
AMSTERDAM -	568,131	" 15	273	135	12·4	-	4	–	–	2	2	1
COPENHAGEN -	451,000	" 15	218	140	16·2	-	–	–	1	1	–	3
STOCKHOLM -	339,582	" 8	166	90	13·8	-	1	–	3	–	-	1
CHRISTIANIA -	235,674	" 15	116	64	14·1	-	–	–	1	1	–	1
ST. PETERSBURG	1,573,000	" 8	761	709	23·5	7	33	16	22	12	8	59
MOSCOW - -	1,452,100	" 1	–	726	26·1	5	21	51	21	7	11	50‡
		" 8	–	709	25·5	3	26	34	28	3	7	45‡
BERLIN - -	2,121,511	" 1	763	583	14·3	–	4	9	18	2	1	28
HAMBURG - -	895,804	" 15	–	257	14·9	-	12	3	12	2	-	19
BRESLAU - -	502,990	" 8	–	203	21·0	-	3	–	–	6	–	13
MUNICH - -	576,000	" 8	273	189	17·1	-	–	2	2	3	–	18
VIENNA - -	2,085,888	" 15	753	631	15·7	–	5	2	4	1	–	24
PRAGUE - -	485,057	" 8	–	–	-	-	–	–	–	–	–	-
BUDAPEST - -	833,703	" 8	442	285	19·0	–	2	5	1	3	2	5
TRIESTE - -	217,706	December 31¶	129	80	22·2	-	1	–	–	2	-	–
ROME - - -	574,666	October 23	224	152	13·8	-	–	–	–	1	6	22
		" 30	204	180	16·3	–	2	–	1	–	5§	17
VENICE - -	179,286	November 27	68	80	23·3	–	–	–	1	–	1	6
BUCAREST - -	296,585	December 11	166	162	28·5	–	–	4	–	–	6	7
NEW YORK -	4,564,792	January 1	3440	1562	17 8	–	15	28	43	5	9	27
CHICAGO - -	2,224,490	" 1	–	–	–	–	–	–	–	–	–	–
PHILADELPHIA -	1,565,569	December 18	–	–	–	–	–	–	–	–	–	–
RIO DE JANEIRO	637,089	" 12	–	253	20·7	–	–	–	–	1	1	?
CAIRO:— Egyptians -	669,617	" 23	541	351	27·3	–	1	–	12	–	5	59
Foreigners -	35,219	" 23	4	14	20·7	–	–	–	1	–	–	3
ALEXANDRIA:— Egyptians -	345,003	" 23	331	178	26·8	2	4	–	4	–	3†	33
Foreigners -	46,118	" 23	27	17	19·2	–	–	–	1	–	–	1

* Excluding deaths from croup in the Indian Cities.
† Including 9 deaths from plague in Calcutta, 5 in Bombay, and 1 in Alexandria (Egyptian).
‡ Including 21 deaths from cholera in Calcutta, 2 in Bombay, and 9 and 4 in Moscow
§ Including 2 deaths and 1 death from malarial fever.
¶ 6 days.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 22nd January, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	53·0	26·9	39·4	0·16	BRADFORD - -	51·2	24·8	35·6	0·77
BRIGHTON - -	49·5	27·7	41·0	0·50	YORK - - -	53·0	27·0	37·7	0·43
PORTSMOUTH - -	56·5	29·0	42·5	0·51	HULL - - -	53·0	26·0	37·4	0·21
NORWICH - -	53·0	28·8	38·6	0·39	TYNEMOUTH - -	52·0	23·0	36·2	0·09
PLYMOUTH - -	51·7	30·5	42·8	0·83	CARDIFF - - -	52·6	27·8	39·1	1·24
BRISTOL - - -	53·6	24·7	40·4	0·77	EDINBURGH - -	51·4	24·9	34·6	0·81
BIRMINGHAM - -	50·0	25·7	37·6	0·46	GLASGOW - -	51·8	22·8	35·4	0·75
NOTTINGHAM - -	52·9	25·8	37·7	0·24	DUBLIN: Phœnix Park	53·0	25·9	37·6	0·24
LIVERPOOL OBSERVATORY	51·0	29·0	39·5	0·44	DUBLIN: Fitzwilliam Square†	53·6	28·7	38·9	0·30
MANCHESTER -	49·3	23·9	36·4	0·88					
BURNLEY - -	48·3	20·5	35·2	0·82					
HUDDERSFIELD -	52·0	24·5	36·5	0·94	BELFAST - - -	53·0	29·0	38·5	1·14

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 22nd January, 1910.
[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 16	..	29·684	53·0	42·4	10·6	48·5	+10·2	44·1	4·4	7·1	3·3	85	60·8	38·0	44·10	SW.	SW. & WSW.	9·0	0·0	1·0	603	+289	0·05	5·7
MONDAY - 17	In Eqr. Perigee.	29·549	45·0	39·4	5·6	41·3	+ 2·8	36·6	4·7	7·8	4·2	83	57·9	33·4	44·40	SW.	WSW. & SW.	5·2	0·0	0·5	495	+182	0·04	6·0
TUESDAY - 18	First Qr.	29·268	47·0	39·7	7·3	44·2	+ 5·6	38·5	5·7	8·1	2·8	80	53·1	34·7	44·52	SW., WSW. & W.	WSW. & W.	5·7	0·0	0·6	522	+210	0·07	3·8
WEDNESDAY 19	..	29·321	44·0	37·8	6·2	41·0	+ 2·3	33·5	7·5	10·5	5·1	75	57·0	33·0	44·40	W. & WSW.	WSW. & SW.	4·5	0·0	0·5	512	+202	0·00	0·0
THURSDAY - 20	..	29·423	42·1	34·1	8·0	38·3	− 0·5	33·1	5·2	6·6	2·8	81	46·0	29·4	44·28	WSW. & SW.	W. & NW.	2·5	0·0	0·2	319	+ 10	0·00	0·0
FRIDAY - 21	..	29·601	36·6	28·9	7·7	33·0	− 5·8	26·7	6·3	8·1	2·3	77	44·8	21·0	43·92	NW., W. & NNW.	NNW., N. & calm.	1·0	0·0	0·0	169	−142	0·00	1·0
SATURDAY - 22	..	29·810	34·6	26·9	7·7	31·2	− 7·6	21·4	9·8	11·9	2·3	66	50·8	17·9	43·46	N. & NNW.	NNW. & NW.	3·2	0·0	0·3	304	− 11	0·00	0·0
MEANS - -		29·522	43·2	35·6	7·6	39·6	+ 1·0	33·4	6·2	8·6	3·3	78	52·9	29·6	44·15	WSW.&NNW.		..	..	..	Sum 2924	Sum + 740	Sum 0·16	2·4
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 16	w. P. generally; w. N. at 7h. P.M.	0·1	8·3
MONDAY - 17	w. P. generally; v. P. and v. N. between noon and 1h. P.M.	3·4	8·3
TUESDAY - 18	w. P. generally; occasional v. N.	0·0	8·4
WEDNESDAY 19	w. P. till 7h. A.M.; m. P. afterwards.	1·3	8·4
THURSDAY - 20	m. P. generally.	0·0	8·5
FRIDAY - 21	m. P. generally.	0·5	8·5
SATURDAY - 22	m. P. till 10h. A.M.; s. P. afterwards.	5·5	8·6
		Sum 10·8	Sum 59·0
No. of Col. - -	27	28	29

GENERAL REMARKS.

Generally overcast with occasional showers; very mild; gusty wind prevalent.

Fine generally till 8h. P.M.; then nearly overcast; cloudy interval with frequent rain between 10h. 30m. A.M. and 1h. 30m. P.M. Solar halo observed in afternoon and lunar halo in evening.

Overcast with slight exceptions; occasional rain; brisk wind prevalent between 7h. A.M. and noon.

Very cloudy in morning; fine with variable amounts of cloud between 7h. A.M. and 5h. P.M.; cloudless afterwards.

Cloudless with slight exceptions in early morning; generally overcast after 6h. A.M.; hoar frost in morning.

Fine with hoar frost in early morning; large amounts of light cloud prevalent till 6h. P.M.; foggy afterwards; much hoar frost at night.

Very fine with little cloud generally; hoar frost in morning and at night; hazy sky.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·87 in. at the beginning of the week to 29·62 in. by 4h. P.M. on the 16th; increased to 29·70 in. by 11h. P.M. on the same day; decreased to 29·50 in. by 1h. P.M. on the 17th; increased to 29·60 in. by 7h. P.M. on the same day; decreased to 29·17 in. by 9h. P.M. on the 18th; and increased generally to 29·93 in. by midnight on the 22nd.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 15th January, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	6	1	-	-	-	-	-	-	-
Kensington	184,635	-	5	5	-	-	-	-	2	-	-
Hammersmith	127,413	-	5	4	-	2	-	-	1	-	-
Fulham	181,282	-	11	5	-	-	-	-	2	1	-
Chelsea	75,457	-	3	-	-	-	-	-	-	1	-
City of Westminster ..	167,233	-	8	2	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	4	2	-	-	-	-	-	-	-
Hampstead	95,729	-	9	-	-	-	-	-	2	-	-
St. Pancras	237,792	-	14	2	-	-	-	-	1	-	-
Islington	353,356	-	4	4	-	4	-	-	3	-	-
Stoke Newington	54,838	-	-	-	-	-	-	-	-	-	-
Hackney	239,979	-	7	5	-	-	-	-	1	1	-
CENTRAL.											
Holborn	53,142	-	2	-	-	-	-	-	-	-	-
Finsbury	94,578	-	2	1	-	-	-	-	2	-	-
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	2	3	-	-	-	-	5	-	-
Bethnal Green	131,579	-	4	2	-	1	-	-	2	1	-
Stepney	314,379	-	9	4	-	1	-	-	4	-	-
Poplar	172,432	-	11	5	-	1	-	-	3	-	-
SOUTH.											
Southwark	211,832	-	9	5	-	1	-	-	6	-	-
Bermondsey	127,238	-	8	1	-	-	-	-	2	-	-
Lambeth	327,074	-	26	9	-	1	-	-	7	1	-
Battersea	188,222	-	8	7	-	1	-	-	2	-	-
Wandsworth	305,838	-	14	6	-	-	-	-	2	-	-
Camberwell	286,058	-	12	7	-	3	-	-	7	-	-
Deptford	119,642	-	9	-	-	-	-	-	5	-	-
Greenwich	112,935	-	3	5	-	-	-	-	1	-	-
Lewisham	164,899	-	10	6	-	-	-	-	2	-	-
Woolwich	135,422	-	10	1	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	215	92	-	15	-	-	64	5	-
Ages 0-1		-	1	1	-	-	-	-	1	-	-
" 1-5		-	54	36	-	1	-	-	-	-	-
" 5-		-	88	32	-	2	-	-	1	-	-
" 10-		-	32	9	-	1	-	-	4	-	-
" 15-		-	15	3	-	1	-	-	5	-	-
" 20-		-	9	6	-	1	-	-	2	-	-
" 25-		-	12	2	-	2	-	-	7	3	-
" 35-		-	3	2	-	5	-	-	14	2	-
" 45-		-	-	-	-	2	-	-	15	-	-
" 55-		-	1	1	-	-	-	-	9	-	-
" 65 and upwards		-	-	-	-	-	-	-	6	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 4. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, JAN. 29. [Price 1½*d*

General Register Office, Somerset House,
January 31st, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·3 per 1000 of their aggregate population, which is estimated † at 16,713,617 persons in the middle of this year. In the preceding three weeks the rates had been 14·8, 14·9, and 14·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 21·0 in Sunderland and in Merthyr Tydfil, 21·3 in Portsmouth, 21·7 in Halifax, 21·8 in Coventry, 22·2 in Rhondda, 22·4 in Liverpool, 22·8 in Wallasey, 23·1 in York, 23·5 in Newport (Mon.), 25·5 in Bury, and 26·9 in Hanley; from *measles*, 1·4 in Ipswich and in Wallasey, 1·6 in Northampton and in Swansea, and 1·7 in Birkenhead; from *diphtheria*, 1·4 in Halifax and 1·5 in Hanley; and from *whooping-cough*, 2·1 in Ipswich and in Warrington, 2·5 in Plymouth and in West Hartlepool, and 3·1 in Devonport. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2086 BIRTHS and 1468 DEATHS were registered. Allowing for increase of population, the births were 305 and the deaths 178 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15482—41.) Wt. 109—472. 700. 2/10. D & S. G. 31. Sch. 4 D

weeks of the previous five years. The annual death-rate from all causes, which had been 14·2, 14·6, and 14·5 per 1000 in the preceding three weeks, rose last week to 15·7. The death-rate in the four weeks ended last Saturday averaged 14·8 per 1000, being 3·4 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1468 deaths included 11 from measles, 10 from scarlet fever, 10 from diphtheria, 57 from whooping-cough, 3 from enteric fever, and 11 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 102 deaths were referred, being 18 below the corrected average number in the fourth week of the preceding five years.

The deaths from *measles*, which had been 11, 17, and 18 in the preceding three weeks, were 11 last week, and were 29 below the corrected average. The deaths from *scarlet fever*, which had been 5, 2, and 0 in the preceding three weeks, rose to 10 last week, the corrected average being 12. The deaths from *diphtheria*, which had been 9, 15, and 13 in the preceding three weeks, were 10 last week, and were 9 below the corrected average. The deaths from *whooping-cough*, which had been 29, 33, and 30 in the preceding three weeks, rose to 57 last week, and were 24 above the corrected average; 8 deaths belonged to the Borough of Stepney, 7 to Greenwich, 5 to Islington, and 4 each to Fulham, St. Marylebone, and Deptford. The deaths from *enteric fever* which had been 1, 0, and 3 in the preceding three weeks, were again 3 last week, and were the same as the corrected average. The deaths from *diarrhœa*, which had been 7, 15, and 10 in the preceding three weeks, were 11 last week, the corrected average being 13. Of the 11 deaths from diarrhœa, 8 were those of children under 5 years of age; 8 other deaths at this age were certified as due to *enteritis*, and 5 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 26, having been 24, 27, and 35 in the preceding three weeks.

Different forms of violence caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 8 were cases of suicide, while the remaining 50 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, eight to burns or scalds, five to drowning, and 13, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 1993 of scarlet fever, 896 of diphtheria, and 62 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 193 cases, against 212, 200, and 204; of diphtheria, 102 cases, against 108, 73, and 115; and of enteric fever, 8 cases, against 11, 12, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended January 22nd, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3235 births and 2093 deaths were registered. Allowing for increase of population, these numbers are 465 and 249 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from measles, 2 from scarlet fever, 3 from diphtheria, 8 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·04 inches, and that of the Thermometer 34°·2, the latter being 5°·1 below the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 18 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 19·5 hours; the measured rainfall amounted to 1·15 inches.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 29th January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 8th Jan., 1910.	15th Jan., 1910.	22nd Jan., 1910.	29th Jan., 1910.	Rate from Diseases in Cols. 11-17 Week ended 29th January, 1910.	Registered during the Week ended 29th Jan., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,713,617**	**14·8**	**14·9**	**14·8**	**16·3**	**1·1**	**7282**	**5213**	**1017**	**1794**	-	**52**	**36**	**51**	**165**	**17**	**40**	**180**	**409**	**1417**	**49**	**76 TOWNS.**
LONDON	4,872,702	14·2	14·6	14·5	15·7	1·1	2086	1468	267	526	-	11	10	10	57	3	11	58	148	605	3	LONDON.
† CROYDON	164,485	12·7	14·3	14·6	11·7	0·3	60	37	7	15	-	-	-	-	1	-	-	2	8	7	-	CROYDON.
† WILLESDEN ..	166,088	11·3	5·7	8·8	8·5	0·6	72	27	7	9	-	1	-	-	1	-	-	-	1	5	-	WILLESDEN.
† HORNSEY	98,561	7·4	3·7	8·5	5·3	0·5	26	10	1	6	-	-	-	-	-	-	1	-	1	-	-	HORNSEY.
† TOTTENHAM ..	132,803	10·2	9·4	11·0	12·6	1·2	73	32	7	11	-	1	-	-	2	-	-	3	5	6	-	TOTTENHAM.
† WEST HAM ..	328,585	9·2	8·9	11·1	14·0	1·3	177	88	17	31	-	6	-	1	1	-	-	1	3	21	-	WEST HAM.
† EAST HAM.. ..	156,208	6·3	9·7	10·7	10·0	0·3	47	30	9	13	-	-	-	-	1	-	-	1	1	7	-	EAST HAM.
† LEYTON	133,436	10·9	8·6	10·2	13·3	1·6	47	34	6	12	-	2	1	1	-	-	-	-	1	9	-	LEYTON.
† WALTHAMSTOW	141,748	13·6	10·3	11·4	11·8	1·5	49	32	9	12	-	-	-	-	4	-	-	-	4	9	-	WALTHAMSTOW.
HASTINGS	68,520	11·4	18·3	9·1	18·3	2·3	16	24	4	15	-	1	-	-	2	-	-	2	5	2	-	HASTINGS.
BRIGHTON	131,900	11·9	15·8	13·0	17·8	0·4	48	45	5	19	-	-	1	-	-	-	-	3	8	10	-	BRIGHTON.
PORTSMOUTH ..	217,989	11·2	15·8	11·7	21·3	1·4	107	89	14	32	-	-	2	-	1	2	1	4	8	17	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	10·6	12·0	13·4	16·2	1·4	17	23	3	10	-	-	-	1	-	-	1	-	1	1	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	13·1	11·1	12·3	9·0	1·2	49	22	4	7	-	-	-	1	1	-	1	1	1	9	-	SOUTHAMPTON.
READING	84,355	13·0	14·2	13·6	10·5	-	23	17	2	10	-	-	-	-	-	-	-	-	-	3	2	READING.
NORTHAMPTON ..	99,113	15·3	18·4	11·6	13·2	1·6	28	25	5	8	-	3	-	-	-	-	-	-	-	7	-	NORTHAMPTON.
IPSWICH	75,936	15·1	26·1	21·3	14·4	3·4	17	21	5	8	-	2	-	-	3	-	-	-	1	1	-	IPSWICH.
GREAT YARMOUTH	53,715	9·7	18·4	17·5	19·4	-	14	20	2	11	-	-	-	-	-	-	-	1	1	5	-	GREAT YARMOUTH.
NORWICH	125,446	8·7	11·6	12·5	16·6	0·8	45	40	6	22	-	-	-	-	1	-	1	-	1	6	-	NORWICH.
PLYMOUTH	126,266	19·0	18·2	16·5	18·6	2·9	47	45	6	17	-	-	-	-	6	-	1	-	1	9	-	PLYMOUTH.
DEVONPORT	84,695	12·9	11·1	11·7	17·2	3·1	34	28	10	8	-	-	-	-	5	-	-	3	3	2	-	DEVONPORT.
BRISTOL	382,550	11·3	13·2	12·9	12·8	0·7	150	94	14	37	-	3	-	1	-	-	1	1	3	26	-	BRISTOL.
HANLEY	69,672	25·4	19·5	17·2	26·9	2·2	27	36	14	7	-	-	-	2	-	-	1	1	2	3	-	HANLEY.
BURTON-ON-TRENT	54,977	10·4	15·2	13·3	13·3	-	15	14	2	3	-	-	-	-	-	-	-	-	-	4	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	105,962	10·3	14·8	15·7	12·3	0·5	29	25	5	10	-	-	-	-	1	-	-	1	1	8	-	WOLVERHAMPTON
WALSALL	101,035	11·9	12·4	14·5	14·5	1·0	51	28	7	10	-	-	-	-	-	-	2	4	6	5	-	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	6·5	12·3	10·1	10·8	-	27	15	-	11	-	-	-	-	-	-	-	-	-	2	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	21·3	14·7	11·7	15·4	1·5	48	21	6	8	-	1	-	-	-	-	1	-	1	4	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

ended Saturday, 29th January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 8th Jan., 1910.	15th Jan., 1910.	22nd Jan., 1910.	29th Jan., 1910.	Rate from Diseases in Cols. 11-17. Week ended 29th January, 1910.	Registered during the Week ended 29th Jan. 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM† ..	570,113	17·4	16·5	16·7	18·8	1·1	281	206	49	67	-	-	3	-	8	-	1	6	10	50	6	BIRMINGHAM.†
KINGS NORTON ..	84,673	9·9	7·4	6·8	10·5	-	31	17	1	8	-	-	-	-	-	-	-	1	1	1	-	KINGS NORTON.
SMETHWICK	72,350	9·4	10·1	17·3	18·0	0·7	53	25	8	3	-	-	-	-	1	-	-	1	1	-	-	SMETHWICK.
ASTON MANOR ..	86,269	12·1	15·7	9·7	15·7	2·4	45	26	8	3	-	-	-	1	3	-	-	-	-	2	2	ASTON MANOR.
COVENTRY	81,449	8·3	16·0	15·4	21·8	0·6	62	34	8	14	-	-	-	1	-	-	-	3	5	8	-	COVENTRY.
LEICESTER	248,374	14·5	14·1	13·2	16·6	1·0	93	79	20	25	-	-	1	1	3	-	-	1	4	14	1	LEICESTER.
GRIMSBY	74,283	12·6	11·2	16·1	12·6	-	42	18	3	7	-	-	-	-	-	-	-	-	1	1	-	GRIMSBY
NOTTINGHAM ..	266,471	20·4	17·2	18·4	14·9	0·6	117	76	14	27	-	-	-	2	-	-	1	1	4	17	-	NOTTINGHAM
DERBY	131,256	17·5	13·1	10·3	9·5	1·6	55	24	2	8	-	-	-	2	1	1	-	1	4	7	-	DERBY.
STOCKPORT	105,087	12·9	16·9	14·9	20·3	-	42	41	7	13	-	-	-	-	-	-	-	1	3	-	-	STOCKPORT.
BIRKENHEAD ..	122,431	23·4	21·3	15·3	19·6	3·4	68	46	11	15	-	4	-	-	2	-	2	1	2	11	-	BIRKENHEAD.
WALLASEY	73,173	16·4	16·4	16·4	22·8	2·9	31	32	4	12	-	2	-	1	-	1	-	1	4	2	-	WALLASEY.
LIVERPOOL	767,606	19·0	18·5	18·7	22·4	1·9	398	330	62	101	-	3	3	3	16	1	2	12	18	111	8	LIVERPOOL.
BOOTLE	70,548	14·8	16·3	14·8	11·8	-	22	16	5	6	-	-	-	-	-	-	-	1	1	6	-	BOOTLE.
ST. HELENS	96,523	15·7	16·7	14·6	15·1	0·5	71	28	5	10	-	-	-	-	1	-	-	1	1	5	-	ST. HELENS.
WIGAN	91,732	19·3	15·3	15·9	20·5	0·6	57	36	6	15	-	-	1	-	-	-	-	2	2	5	-	WIGAN.
WARRINGTON ..	73,295	23·5	8·5	14·2	18·5	2·1	40	26	6	7	-	-	-	-	3	-	-	3	3	3	1	WARRINGTON.
BOLTON	190,315	14·5	16·4	15·9	12·9	-	72	47	7	14	-	-	-	-	-	-	-	2	4	12	-	BOLTON.
BURY	59,409	11·4	17·6	22·8	25·5	-	10	29	2	12	-	-	-	-	-	-	-	1	1	12	-	BURY.
MANCHESTER† ..	716,354	16·6	17·0	16·5	19·7	1·2	358	271	50	82	-	-	1	2	9	2	2	17	29	83	2	MANCHESTER.†
SALFORD	244,636	14·7	16·2	15·1	18·3	1·1	109	86	13	33	-	1	-	1	2	-	1	2	6	20	1	SALFORD.
OLDHAM	144,111	18·5	22·8	18·8	19·9	1·4	65	55	5	21	-	-	-	-	1	1	2	-	1	9	-	OLDHAM.
ROCHDALE	90,497	19·0	11·5	11·5	19·6	-	29	34	5	15	-	-	-	-	-	-	-	2	2	4	1	ROCHDALE.
BURNLEY	107,448	16·0	20·9	15·5	16·5	1·9	50	34	9	7	-	2	2	-	-	-	-	2	3	6	1	BURNLEY.
BLACKBURN	137,972	16·6	14·4	12·5	15·1	0·4	41	40	3	15	-	-	-	1	-	-	-	3	4	6	2	BLACKBURN.
PRESTON	119,253	18·4	18·8	18·4	17·5	0·4	50	40	11	11	-	-	-	-	1	-	-	1	1	4	1	PRESTON.
BARROW-IN-FURNESS.	63,689	16·4	14·7	22·9	16·4	2·5	26	20	7	8	-	-	1	-	2	-	-	-	-	1	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

† The figures for the year 1910 for Birmingham and Manchester relate to those towns as extended on 9th November, 1909.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 29th January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 8th Jan., 1910.	15th Jan., 1910.	22nd Jan., 1910.	29th Jan., 1910.	Rate from Diseases in Cols 11-17. Week ended 29th January, 1910.	Registered during the Week ended 29th Jan. 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	22·9	14·7	19·1	18·5	1·6	34	34	4	12	-	-	2	-	1	-	-	-	3	9	-	HUDDERSFIELD.
HALIFAX	112,818	12·9	14·3	12·9	21·7	1·4	42	47	5	21	-	-	-	3	-	-	-	-	3	13	2	HALIFAX.
BRADFORD	295,865	16·9	15·2	17·4	15·0	0·7	83	85	14	27	-	1	-	2	1	-	-	1	8	16	1	BRADFORD.
LEEDS	490,985	15·0	14·0	14·8	15·6	1·0	165	147	23	49	-	1	1	3	4	-	-	3	12	33	-	LEEDS.
SHEFFIELD	478,763	15·1	13·1	16·6	14·0	0·3	220	129	30	39	-	-	1	2	-	-	-	5	10	31	4	SHEFFIELD.
ROTHERHAM.. ..	66,414	17·3	22·8	11·0	17·3	1·6	35	22	4	9	-	-	-	-	-	2	-	-	-	3	-	ROTHERHAM.
YORK	88,159	10·1	20·1	8·9	23·1	-	39	39	9	16	-	-	-	-	-	-	-	2	3	13	-	YORK.
HULL	280,006	15·6	15·5	19·7	15·5	0·7	129	83	15	28	-	1	1	-	2	-	-	-	1	11	4	HULL.
MIDDLESBROUGH ..	107,014	17·1	14·6	16·1	15·1	1·5	69	31	6	11	-	-	-	2	-	-	1	1	2	4	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,680	22·3	21·4	17·5	13·6	1·0	26	14	7	3	-	1	-	-	-	-	-	1	2	4	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	81,814	15·3	14·0	12·7	17·2	3·8	27	27	5	5	-	-	-	1	4	-	1	-	1	3	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	16·5	18·8	19·1	21·0	2·9	74	65	16	22	-	1	3	2	2	1	-	2	8	21	1	SUNDERLAND.
SOUTH SHIELDS ..	119,737	10·5	13·9	13·5	10·5	2·2	40	24	5	7	-	-	-	1	3	1	-	1	2	5	1	SOUTH SHIELDS.
GATESHEAD	133,676	16·4	13·7	10·9	17·2	0·8	58	44	15	10	-	-	-	-	2	-	-	-	-	6	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	285,951	15·7	13·7	12·2	14·2	0·5	110	78	16	23	-	-	1	-	-	1	1	4	7	15	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	56,378	19·4	17·6	14·8	16·6	1·8	42	18	5	4	-	-	-	1	-	-	1	-	-	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	11·8	10·5	8·5	23·5	2·6	56	36	9	9	-	-	-	1	2	1	-	2	6	12	-	NEWPORT (MON.).
CARDIFF	199,189	11·3	15·4	13·6	15·4	0·8	82	59	20	18	-	-	-	1	-	-	2	1	6	11	-	CARDIFF.
RHONDDA	138,674	21·1	20·7	22·9	22·2	1·1	100	59	18	12	-	1	1	-	-	-	1	4	4	5	-	RHONDDA.
MERTHYR TYDFIL..	79,522	17·0	17·7	19·7	21·0	1·3	51	32	8	12	-	-	-	-	2	-	-	1	1	4	-	MERTHYR TYDFIL.
SWANSEA	98,817	19·5	21·6	23·7	17·9	2·6	53	34	8	10	-	3	-	-	2	-	-	-	-	3	-	SWANSEA.
GREATER LONDON	7,537,196	13·0	12·9	13·2	14·5	1·0	3235	2093	387	778	-	24	13	15	75	3	14	77	195	726	4	GREATER LONDON.
OUTER RING ..	2,664,494	10·8	9·8	11·0	12·2	0·8	1149	625	120	252	-	13	3	5	18	-	3	19	47	121	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	10·2	9·0	10·9	11·4	0·9	551	290	63	109	-	10	1	2	10	-	1	7	24	64	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	11·5	10·5	11·0	13·0	0·7	598	335	57	143	-	3	2	3	8	-	2	12	23	57	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	19·5	15·5	16·4	15·9	2·5	119	110	19	33	-	8	1	1	1	-	6	2	?	41	4	EDINBURGH.
GLASGOW	884,505	20·7	16·3	15·5	19·2	3·5	385	326‡	68	73	-	44	3	3	2	2	5	12	?	99	9	GLASGOW.
DUBLIN (Registration Area).†	402,928	21·1	22·1	22·5	21·7	0·5	162	168	38	40	-	1	1	-	1	-	1	4	2	55	9	DUBLIN (Registration Area).†
BELFAST†	391,167	19·7	22·7	16·7	20·1	1·9	216	151	33	40	-	-	-	-	13	1	-	7	12	44	3	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FOURTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2634	2713	2467	2652	2434	2637	2451	2134	2344	2110	2391·1	2086
Males - - -	1329	1355	1247	1343	1236	1287	1243	1092	1182	1089	1206·8	1083
Females - -	1305	1358	1220	1309	1198	1350	1208	1042	1162	1021	1184·3	1003
TOTAL **Deaths** -	1950	1568	1571	1569	1734	1700	1384	1647	1651	1653	1645·5	1468
Males - - -	1009	777	808	801	853	857	715	864	862	866	852·8	733
Females - -	941	791	763	768	881	843	669	783	789	787	792·7	735

* The numbers in this column are the average weekly numbers in the Fourth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1910. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	13 Weeks.
TOTAL **Births** -	2361	2291	2173	2195	1933	2207	2105	1860	2182	2310	2242	2146	2036	28121
TOTAL **Deaths** -	1246	1284	1363	1442	1484	1540	1330	1399	1502	1331	1367	1351	1468	18107
Ages at Death: Under 1 year -	277	264	269	276	214	247	241	234	247	219	259	223	267	3237
1—5 years -	82	105	109	139	120	115	95	107	114	126	113	106	146	1468
5—20 " -	67	65	85	59	63	70	61	61	86	63	59	71	64	874
20—40 " -	157	165	164	154	167	181	146	168	177	157	151	161	156	2104
40—60 " -	277	247	284	300	346	361	292	304	323	273	304	301	309	3921
60 yrs. & upwds.	386	438	452	523	574	566	495	525	555	493	481	489	526	6503
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	5	8	12	12	16	14	15	14	8	11	17	18	11	161
Scarlet Fever - -	6	8	3	7	11	4	5	6	8	5	2	-	10	75
Diphtheria - -	13	9	13	17	6	12	6	9	9	9	15	13	10	141
Whooping-cough -	12	16	20	25	23	18	24	25	33	29	33	30	57	345
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	7	2	1	2	5	1	2	2	-	1	-	3	3	29
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhœa, Dysentery	34	16	24	15	14	12	10	9	8	7	15	10	11	185
All above diseases -	77	59	73	78	75	61	62	65	66	63	82	74	102	937
Dis. of Resp. System	120	137	149	207	211	194	167	160	196	168	141	152	178	2180
Pneumonia - -	110	151	134	180	221	223	175	162	164	170	144	139	144	2117
Phthisis - - -	148	135	132	123	138	156	116	148	152	99	114	140	141	1742
Dis. of Circ. System -	175	166	199	206	202	219	201	208	231	199	199	197	242	2644
Violence - - -	45	59	51	61	58	49	49	60	58	56	48	52	58	704
Inquest Cases - -	119	135	134	153	144	154	151	158	174	149	135	152	148	1906
Deaths in Institutions	529	531	573	559	611	691	586	589	629	528	571	599	605	7601
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	47·1	42·3	38·7	37·0	44·6	38·6	38·4	39·0	44·4	43·2	43·9	39·6	34·2	40·8
Mean of Highest -	53·0	48·8	43·5	41·9	50·1	43·0	40·7	45·0	49·7	46·2	48·2	43·2	39·4	45·6
Mean of Lowest -	41·4	34·8	34·0	31·6	40·1	33·3	35·3	31·1	37·8	40·0	39·3	35·6	28·4	35·6
Mean Humidity of the Air.	90	82	85	83	85	91	89	84	87	94	82	78	75	85
Rain-fall (in inches) -	0·15	0·03	0·28	0·01	1·40	0·36	0·43	0·46	0·27	0·05	0·30	0·16	1·15	5·05
Registered Sunshine (in hours).	20·1	22·2	14·0	14·7	13·2	16·7	0·4	18·1	8·3	1·4	16·5	10·8	19·5	175·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	3	4	5	4	3	3	4	4	4	5	4	3	2	4
Scarlet Fever - -	2716	2624	2606	2518	2488	2475	2403	2361	2362	2256	2172	2069	1993	2388
Diphtheria - - -	1002	972	949	948	952	946	938	917	912	908	899	901	896	934
Typhus - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	82	79	74	71	67	70	67	68	62	56	59	60	62	67

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FOURTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 4th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1645·5	1468	267	146	64	156	309	523
Small-pox*	0·2	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	39·7	11	2	8	1	–	–	–
Scarlet Fever	11·5	10	–	5	4	1	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	24·8	26	–	1	1	1	9	14
Whooping-cough	33·2	57	24	31	2	–	–	–
Diphtheria	19·3	10	1	7	2	–	–	–
Cerebro-spinal Fever ..	0·4	–	–	–	–			–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·3	3	–	–	–	1	2	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	2·3	1	1	–	–	–	–	–
Diarrhœa, Dysentery ..	10·6	10	6	1	–	–	1	2
Tetanus	0·6	1	–	–	–	–	–	1
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	8·2	4	3	–	–	–	1	–
Puerperal Septicæmia ..	2·3	–	–	–	–	–	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·6	–	–	–	–	–	–	–
Infective Endocarditis ..	1·6	–	–	–	–	–	–	–
Pneumonia: Lobar ..	21·1	18	–	1	–	6	5	6
Pneumonia: Broncho ..	82·3	64	18	26	1	3	7	9
Pneumonia: Epidemic ..	0·2	–	–	–	–	–	–	–
Pneumonia: Not defined	79·3	62	13	4	3	8	19	15
Erysipelas	4·1	–	–	–	–	–	–	–
Septicæmia (not Puerperal) ..	0·8	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	0·4	–	–	–	–	–	–	–
Other Infective Processes	7·6	1	1	–	–	–	–	–
Tuberculous Phthisis ..	112·0	108	1	3	3	46	41	14
"*Phthisis*"	59·2	33	–	–	2	15	12	4
Tuberculous Meningitis ..	22·1	15	5	8	1	1	–	–
Tuberculous Peritonitis ..	5·1	4	–	2	1	1	–	–
Tabes Mesenterica	1·8	2	1	1	–	–	–	–
Tuberculous Dis., Other ..	16·2	21	–	6	6	7	1	1
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	9·2	10	–	–	–	4	4	2
Rheumatic Fever	7·0	4	–	–	3	–	1	–
Gout	2·5	3	–	–	–	–	–	3
Carcinoma	56·7	59	–	–	1	2	29	27
Sarcoma	3·9	3	–	–	1	–	1	1
Cancer (undefined) ..	29·5	29	–	–	–	2	9	9
Diabetes Mellitus	9·8	8	–	–	–	1	3	4
Premature Birth	44·4	62	62	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 4th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
Meningitis (not tuberc.)..	10·6	12	5	3	3	1	–	–
Gen. Par. of Insane, Insanity	18·8	15	–	–	–	2	9	4
Epilepsy	5·5	11	–	–	2	3	5	1
Convulsions	15·8	8	7	1	–	–	–	–
Locomotor Ataxy.. ..	1·8	–	–	–	–	–	–	–
Paraplegia, Dis. of Cord.	5·1	4	1	–	–	1	1	1
Nervous Sys., Other Dis.	19·9	19	–	–	2	2	5	10
Valv. Dis., Endocarditis..	53·0	51	–	–	5	8	15	23
Cereb. Hæm. Cereb. Emb.	35·8	51	–	–	–	2	13	46
Apoplexy, Hemiplegia ..	17·8	11	–	–	–	–	2	9
Aneurysm	6·8	2	–	–	–	–	–	2
Embolism, Thrombosis (not Cerebral) ..	1·6	–	–	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	106·5	117	–	1	2	5	31	78
Croup (not Spasm: nor Memb.)	0·6	–	–	–	–	–	–	–
Bronchitis	216·3	155	22	14	–	1	21	97
Emphysema, Asthma ..	9·0	6	–	–	–	1	2	3
Pleurisy	5·3	4	1	1	–	–	1	1
Respiratory Dis., Other..	13·5	13	2	–	1	1	3	6
Tonsillitis, Quinsy.. ..	1·4	1	–	1	–	–	–	–
Enteritis (not Epid.) ..	6·8	12	5	3	–	4	–	–
Gastro-enteritis	4·1	6	3	2	–	–	1	–
Peritonitis (not Puerp.) ..	4·1	–	–	–	–	–	–	–
Cirrhosis of Liver.. ..	14·1	9	–	–	–	1	6	2
Liver Dis., Other	4·5	3	–	–	–	1	1	1
Digestive Sys., Other Dis.	37·9	33	2	2	3	7	7	12
Acute Nephritis	9·4	7	–	–	1	1	4	1
Bright's Dis., Albuminuria	38·3	39	–	–	2	2	20	15
Urinary Sys., Other Dis.	11·3	10	–	–	–	–	2	8
Generative Organs Dis...	4·7	3	–	–	–	–	3	–
Childbirth (Accid. of) ..	3·5	1	–	–	–	1	–	–
Old Age	69·8	77	–	–	–	–	–	77
Other Diseases	93·1	90	63	7	7	3	3	7
ACCIDENT.								
By Railways	1·0	4	–	–	–	2	1	1
By Vehicles and Horses..	5·9	4	–	–	2	–	1	1
In Ships, Boats, Docks, (exclusive of Drowning)	–	–	–	–	–	–	–	–
In Building Operations..	0·8	–	–	–	–	–	–	–
In Conflagrations	1·6	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	11·3	8	–	6	1	1	–	–
By Drowning	2·7	5	–	–	–	1	2	2
By Suffocation in Bed ..	10·9	13	13	–	–	–	–	–
By Poisons or Poisonous Vapours	2·5	2	–	–	–	1	1	–
Other Deaths by Accident..	19·5	14	5	1	–	1	1	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·2	–	–	–	–	–	–	–
Suicide	7·4	8	–	–	1	4	3	–
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th January, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiat* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death
LONDON	4,536,267	2086	1468	267	526	-	11	10	10	57	-	3	-	11	58	148	605	3
WEST DISTRICTS	805,311	308	270	53	104	-	4	1	-	8	-	1	-	3	6	16	117	-
NORTH DISTRICTS	1,055,908	472	313	55	106	-	2	3	2	10	-	1	-	4	17	37	116	-
CENTRAL DISTRICTS	209,465	96	73	9	17	-	-	-	2	5	-	-	-	-	4	13	43	2
EAST DISTRICTS	715,739	388	246	60	75	-	3	-	-	10	-	-	-	1	13	37	115	-
SOUTH DISTRICTS	1,749,844	822	518	90	212	-	2	5	5	24	-	1	-	2	18	45	166	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	48	-	12	-	-	1	1	-	-	-	-	1	-	-	48	-
WEST DISTRICTS.																		
orth Paddington *H*	63,603	24	14	6	5	-	1	-	-	-	-	-	-	-	1	2	1	-
entral Paddington *W,3H*	50,053	25	34	6	13	-	-	-	-	-	-	1	-	1	-	1	17	-
outh Paddington	30,320	4	6	2	3	-	-	-	-	-	-	-	-	-	-	2	-	-
ensington Town *2W,w,2H* ..	128,037	47	63	9	29	-	1	-	-	4	-	-	-	1	2	3	35	-
ompton *2H*	48,591	3	7	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-
orth Hammersmith *2W,w,H* ..	49,192	30	19	3	5	-	-	-	-	-	-	-	-	-	1	2	12	-
outh Hammersmith *w,2H* ..	63,047	27	18	3	7	-	-	-	-	-	-	-	-	-	-	-	8	-
orth-west Fulham *W*	45,180	39	23	6	9	-	1	-	-	-	-	-	-	1	-	1	12	-
orth-east Fulham *F*	46,405	22	13	4	3	-	-	1	-	4	-	-	-	-	-	-	1	-
outh Fulham *W*	45,704	21	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
helsea North *W,w,3H*	42,514	9	15	1	8	-	-	-	-	-	-	-	-	-	-	-	9	-
helsea South *W,2H*	31,328	14	11	3	5	-	-	-	-	-	-	-	-	-	-	1	4	-
ayfair and Knightsbridge	28,743	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
elgrave *W,2H*	55,815	20	12	3	5	-	-	-	-	-	-	-	-	-	1	1	5	-
. Margaret & St. John *6H*	43,698	9	20	6	3	-	1	-	-	-	-	-	-	-	1	1	9	-
. James and St. Anne *W,6H* ..	33,081	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
NORTH DISTRICTS.																		
l Souls Marylebone *7H*	35,391	14	9	2	1	-	-	-	1	-	-	-	-	-	1	1	4	-
. Mary Marylebone *W,4H* ..	37,948	57	8	2	3	-	-	-	-	1	-	-	-	-	-	-	4	-
ristchurch Marylebone	39,536	21	7	3	1	-	-	-	-	-	-	-	-	-	1	2	-	-
. John Marylebone *2H*	20,426	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ampstead *W,F,6H*	81,942	28	32	3	11	-	2	1	1	-	-	-	-	-	-	-	14	-
est St. Pancras *2H*	60,582	29	17	5	7	-	-	-	-	1	-	-	-	-	2	6	4	-
uth St. Pancras *w,10H*	55,707	16	23	3	4	-	-	-	-	-	-	-	-	-	4	5	15	-
st St. Pancras *W,H*	60,320	25	17	1	12	-	-	-	-	-	-	-	-	-	-	2	7	-
orth St. Pancras *2W*	58,728	19	20	1	7	-	-	-	-	-	-	-	-	-	1	3	8	-
ifnell *W*	31,995	14	23	2	7	-	-	-	-	-	-	-	-	1	-	1	16	-
pper Holloway *2W,w,H*	33,978	16	26	6	12	-	-	-	-	4	-	-	-	-	1	1	18	-
llington *W,w,H*	33,922	11	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
wer Holloway	41,424	21	11	3	4	-	-	-	-	-	-	-	-	-	-	1	-	-
rnsbury	54,478	29	10	1	4	-	-	1	-	1	-	-	-	-	1	4	-	-
ington South-east *F*	75,397	31	18	6	4	-	-	-	-	1	-	-	-	-	-	2	-	-
ghbury *2H*	63,797	20	13	4	6	-	-	-	-	-	-	-	-	1	2	3	-	-
oke Newington *H*	51,247	22	18	4	10	-	-	-	-	-	-	-	-	1	-	1	-	-
orth Hackney	50,398	24	7	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-
ntral Hackney *w,w,F*	50,536	16	8	1	1	-	-	1	-	-	-	1	-	-	-	-	3	-
uth-west Hackney *3H*	59,921	28	13	2	2	-	-	-	-	1	-	-	-	-	1	1	7	-
uth-east Hackney *2W,H*	58,255	29	28	6	7	-	-	-	-	1	-	-	-	1	2	2	16	-
ckney Union Workhouse, Brentood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, mely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts an that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-strict contains more than one institution of the same kind, the number is indicated by a figure prefixed to the ter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and f SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, registered in each SUB-DISTRICT during the Week ended Saturday, 29th January, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	8	5	-	1	-	-	-	-	2	-	-	-	-	-	1	2
Strand *W*,4*H*	21,674	8	7	-	-	-	-	-	-	-	-	-	-	-	-	-	6
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Holborn *W*,5*H*	29,612	13	22	5	2	-	-	-	1	3	-	-	-	-	1	3	17
Clerkenwell *H*	63,704	35	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-
St. Luke 3*H*,*L*	36,116	26	7	1	2	-	-	-	-	-	-	-	-	-	-	2	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	3	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	20	-	7	-	-	-	1	-	-	-	-	-	3	5	17
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	20	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	20	19	1	8	-	-	-	-	-	-	-	-	-	-	3	15
Shoreditch North-East	36,148	22	8	2	-	-	-	-	-	1	-	-	-	-	1	2	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	35	39	6	18	-	1	-	-	-	-	-	-	1	1	4	20
Bethnal Green South-West *H* ..	64,542	37	13	6	4	-	1	-	-	-	-	-	-	-	2	4	1
Spitalfields..	27,969	13	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	19	37	7	5	-	-	-	-	-	-	-	-	-	5	6	35
Goodman's Fields	22,081	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	25	13	-	4	-	-	-	-	-	-	-	-	-	-	2	4
Shadwell and Ratcliff *w*,*H* ..	25,568	15	9	6	-	-	-	-	-	2	-	-	-	-	-	1	6
Limehouse *W*	32,369	13	15	4	4	-	-	-	-	2	-	-	-	-	-	2	-
Mile End Old Town South-Western *H*	63,698	50	8	2	2	-	-	-	-	3	-	-	-	-	-	3	-
Mile End Old Town North-Eastern *W*,*w*	49,129	23	19	6	7	-	-	-	-	-	-	-	-	-	-	1	8
Bow	41,989	26	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	30	34	7	12	-	-	-	-	1	-	-	-	-	2	7	21
Poplar *W*,*w*	58,514	35	20	10	7	-	-	-	-	1	-	-	-	-	2	2	4
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th January, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	7	3	1	-	-	-	-	1	-	-	-	-	-	-	6	-
Kent-road	21,904	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	13	9	2	4	-	-	-	-	-	-	-	-	-	2	3	-	-
Newington North	49,022	17	13	3	4	-	-	-	-	1	-	-	-	-	3	7	-	-
Newington South *W*	72,841	40	18	1	6	-	-	-	-	-	-	-	-	-	-	4	3	-
St. Olave *2W*	9,817	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	45	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Rotherhithe *W,F*	38,460	21	12	2	4	-	-	-	-	-	-	-	-	-	-	1	8	-
Waterloo *2H*	27,440	30	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church *H*	27,440	9	16	2	7	-	-	-	-	-	-	-	-	-	-	2	9	-
Kennington *2W*	52,518	24	33	5	17	-	-	-	-	2	-	-	-	-	1	1	22	-
Stockwell *HF*	63,826	37	13	4	7	-	-	1	-	-	-	-	-	-	-	1	2	-
Brixton *H*	73,673	24	16	5	8	-	-	-	-	-	-	-	-	-	-	-	1	-
Norwood *2WH*	56,998	11	14	1	6	-	-	-	-	-	-	-	-	-	1	2	-	1
East Battersea *H*	72,203	35	9	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-
North-west Battersea	49,656	14	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	17	29	6	10	-	-	-	-	-	-	-	-	-	-	1	18	-
Clapham *2H*	51,361	30	6	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	43	37	3	20	-	-	-	1	1	-	-	-	-	1	2	10	-
Springfield *2W,L*	27,959	24	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	30	11	3	2	-	-	-	-	2	-	-	-	-	-	2	-	-
Putney	24,139	13	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	12	24	-	10	-	-	-	-	-	-	-	-	-	-	-	15	-
Camberwell North *W,2L*	65,584	21	37	7	12	-	-	-	-	2	-	-	-	1	1	2	15	-
St. George	47,331	23	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	29	11	3	6	-	-	-	-	-	-	-	-	-	1	2	-	-
Peckham South *2W,w*	43,946	16	4	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Deptford North	37,613	27	11	6	2	-	-	-	-	2	-	-	-	-	-	1	-	-
Deptford Central *F*	45,481	23	16	3	2	-	-	2	2	2	-	-	-	-	-	2	4	-
Deptford South	34,625	10	6	1	2	-	-	-	-	1	-	-	-	-	1	1	-	-
Greenwich West *H*	23,456	7	14	5	4	-	-	-	-	4	-	-	-	-	1	1	1	-
Greenwich East *2W,H*	43,859	19	25	2	11	-	2	-	-	2	-	-	-	-	1	1	19	-
Eltham *w,H*	7,226	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	8	8	1	5	-	-	-	-	1	-	-	-	-	-	1	-	-
Lewisham *2W,w,F*	58,352	39	33	3	17	-	-	1	2	-	-	-	-	-	2	2	17	-
Sydenham *H*	43,653	15	9	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	6	4	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-
Woolwich *5H*	41,625	23	14	3	5	-	-	-	-	1	-	-	-	-	1	2	2	-
Plumstead West *W,H*	39,376	12	10	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	14	14	1	9	-	-	-	-	1	-	-	-	-	2	3	10	-
Workhouses:—																		
Belmont Workhouse	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Darenth	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Leavesden	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Lunatic Asylums:—																		
Banstead	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-
Cane Hill	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
Colney Hatch	—	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-
Claybury	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 29th January, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1149	625	120	252	-	13	3	5	18	-	3	19	47	121	1
30 : 1	Carshalton 2F,3H	12,228	32,997	13	8	-	2	-	-	-	-	-	-	-	-	-	2	-
2	Epsom, part of* W,w,2F,H..	10,423	15,548	11	11	1	7	-	-	-	-	1	-	-	-	-	5	-
37 : 1	Godstone, part of* W,F,L ..	2,754	2,692	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-
38 : 1	Coulsdon	11,069	8,166	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	17	11	1	7	-	-	-	-	1	-	-	-	3	-	-
3	West Croydon 2W,F,H ..	2,168	42,888	26	20	2	7	-	-	-	-	-	-	-	2	5	7	-
4	North Croydon H	2,644	41,698	17	9	4	2	-	-	-	-	-	-	-	1	1	3	-
5	Penge w	770	22,465	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	27	13	1	5	-	1	-	-	1	-	-	-	2	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	25	12	2	3	-	-	-	-	-	-	-	-	-	1	-
2	Kingston 2W,H	6,224	42,088	20	20	2	14	-	-	-	-	1	-	-	-	1	8	-
3	Surbiton F,H	3,046	15,017	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	5,402	13,100	5	5	2	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	13	6	1	2	-	-	-	-	-	-	-	1	1	-	-
40 : 1	Richmond W,H	2,491	31,672	9	8	1	5	-	-	-	-	-	-	-	-	-	2	-
2	Mortlake F	2,518	17,821	12	5	-	3	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	10	11	2	4	-	-	1	-	1	-	-	1	1	3	-
2	Beckenham H	7,825	28,497	19	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, part of* W,F ..	10,113	9,857	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,335	16,446	2	5	-	4	-	-	-	-	-	-	-	-	1	-	-
42 : 1	Bexley w,F,H	8,678	21,151	7	9	2	4	-	-	-	-	-	-	-	-	-	1	-
2	Erith F,H	3,854	25,296	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of* ..	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
124 : 1	Sunbury w	11,054	18,683	12	5	2	1	-	-	-	-	1	..	-	-	-	-	-
2	Staines W,H	13,277	15,178	5	4	-	4	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	8,035	13,661	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	23	14	3	6	-	2	-	-	-	-	-	-	2	5	-
2	Twickenham F,2H	2,421	20,991	16	9	4	2	-	-	-	-	-	-	-	1	-	-	-
3	Brentford 3F,2H	4,319	48,289	36	10	-	8	-	-	-	1	-	-	-	-	-	1	-
4	Chiswick H	1,249	29,809	24	8	2	4	-	-	-	-	-	-	-	-	2	-	-
5	Acton w,F,3H	6,132	43,914	30	22	5	6	-	-	-	-	-	-	-	-	-	1	-
127A : 1	Harrow F,H	13,809	25,523	18	12	5	6	-	-	-	-	-	-	-	1	1	-	-
2	Edgware 2F,2H	6,394	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	19	9	1	4	-	-	-	-	-	-	-	-	1	2	-
127B : 1	Willesden W,F,2H	4,584	114,811	72	27	7	9	-	1	-	-	1	-	-	-	1	5	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	7	2	-	1	-	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,638	33,692	24	9	1	4	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	26	10	1	6	-	-	-	-	-	-	1	-	1	-	-
2	Wood Green H	1,625	34,233	20	9	1	6	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	29	11	4	6	-	-	-	-	-	-	-	-	2	-	-
4	East Tottenham 2H ..	2,019	53,962	44	21	4	4	-	1	-	-	2	-	-	4	4	6	-
5	Edmonton W,w,2F	7,491	61,892	41	22	3	12	-	-	-	2	-	-	2	1	2	8	-
6	Enfield 2W,F,H	12,601	42,738	27	7	3	2	-	-	-	-	-	-	-	2	2	1	-
7	Waltham Abbey F	11,017	6,549	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1
135 : 1	Hatfield, part of* W ..	3,305	664	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, part of* H ..	9,195	7,051	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford, part of* W,2F ..	138	2,122	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
186 : 1	Stratford H	1,091	52,974	27	11	2	5	-	-	-	-	-	-	-	-	1	-	-
2	Forest Gate	787	52,745	25	8	1	6	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	74	20	7	3	-	2	-	1	-	-	-	-	-	1	-
4	Canning Town H	1,556	70,718	51	29	7	6	-	4	-	-	1	-	-	1	2	-	-
5	South East Ham 2F ..	1,991	37,342	24	10	4	4	-	-	-	-	1	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	23	13	5	4	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	17	25	2	19	-	-	-	-	-	-	-	-	-	15	-
9	North Leyton 2W,w,F ..	1,963	48,445	30	42	6	13	-	2	1	1	2	-	-	1	2	27	-
10	Walthamstow 2H,L ..	6,504	108,929	54	25	7	8	-	-	-	-	2	-	-	-	4	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	12	4	-	2	-	-	-	-	1	-	-	-	-	1	-
2	Epping W,F, part of* ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, part of* W,2F ..	6,556	6,091	2	4	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	26	19	2	5	-	-	1	-	1	-	-	1	5	3	-
3	Barking Town F	3,805	21,547	13	10	6	-	-	-	-	-	-	-	-	1	1	-	-
	London Fever Hospital, Islington.	—	—	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,872,702	January 29	2086	1468	15·7	-	11	10	10	57	3	11
CALCUTTA - -	1,009,008	January 1	-	551	28·3	-	1	-	-	1	92†	86‡
BOMBAY - -	982,000	" 4	395	603	32·1	9	-	-	-	-	70†	49‡
MADRAS - -	548,974	December 24	370	343	35·0	1	-	?	?	?	110	30
PARIS - - -	2,760,000	January 22	-	-	-	-	-	-	-	-	-	-
BRUSSELS - -	704,975	" 22	235	196	14·5	-	2	-	1	-	1	7
ANTWERP - -	314,135	" 22	122	81	14·0	-	4	1	-	2	-	9
AMSTERDAM -	568,131	" 22	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	451,000	" 22	253	131	15·1	-	1	1	1	-	-	5
STOCKHOLM -	339,582	" 15	150	101	15·5	-	4	3	2	1	1	-
CHRISTIANIA -	235,674	" 22	110	67	14·8	-	-	-	1	1	-	1
ST. PETERSBURG	1,573,000	" 15	1270	800	26·5	1	31	18	12	2	18	69
MOSCOW - -	1,452,100	" 15	-	857	30·8	3	30	51	36	4	17	50‡
BERLIN - -	2,121,134	" 8	831	605	14·9	-	4	15	15	5	3	26
HAMBURG - -	895,804	" 22	-	234	13·6	-	6	2	4	3	1	11
BRESLAU - -	502,990	" 15	-	213	22·1	-	2	1	-	4	1	16
MUNICH - -	576,000	" 15	257	197	17·8	-	-	1	1	1	-	18
VIENNA - -	2,085,888	" 22	806	630	15·7	-	5	6	2	4	-	35
PRAGUE - -	494,531	" 8	180	165	17·3	-	-	2	2	1	1	13
		" 15	195	168	17·7	-	2	-	2	1	1	10
BUDAPEST - -	833,703	" 15	447	283	17·7	-	3	4	1	-	-	9
TRIESTE - -	217,706	" 7	-	-	-	-	-	-	-	-	-	-
ROME - - -	574,666	November 6	224	175	15·9	-	-	-	-	-	5	21
		" 13	244	183	16·6	-	-	-	1	-	8§	11
VENICE - -	179,286	December 4	60	66	19·2	-	-	-	2	-	-	4
BUCAREST - -	296,585	" 18	146	164	28·8	-	-	5	4	1	6	6
NEW YORK -	4,711,956	January 8	3639	1755	19·4	-	17	36	44	5	13	44
CHICAGO - -	2,282,927	" 8	-	671	15·3	-	3	12	23	2	2	37
PHILADELPHIA -	1,565,569	December 18	-	490	16·3	-	-	7	11	1	8	22
		" 25	-	556	18·5	-	-	10	21	1	8	19
RIO DE JANEIRO	637,089	" 19	-	214	17·5	-	2	-	-	3	1	?
CAIRO:—												
Egyptians -	669,617	" 31¶	658	397	27·0	-	-	-	11	?	6	65
Foreigners -	35,219	" 31¶	3	24	31·1	-	-	-	3	-	-	2
ALEXANDRIA:—												
Egyptians -	345,003	" 31¶	403	202	26·7	-	3	-	1	-	-	36
Foreigners -	46,118	" 31¶	9	21	20·8	-	-	-	3	-	3	2

* Excluding deaths from croup in the Indian Cities.
† Including 4 deaths from plague in Calcutta and 1 5 in Bombay.
‡ Including 12 deaths from cholera in Calcutta, 1 in Bombay, and 2 in Moscow.
§ Including 4 deaths from malarial fever.
¶ 8 days.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 29th January, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	44·9	20·3	33·9	1·15	BRADFORD - -	36·8	10·2	27·0	2·56
BRIGHTON - -	45·3	21·9	35·5	1·44	YORK - - -	38·0	12·0	28·9	1·03
PORTSMOUTH - -	46·2	21·5	35·9	1·53	HULL - - -	38·0	16·0	30·7	1·05
NORWICH - -	41·4	20·8	31·2	1·84	TYNEMOUTH - -	39·0	15·0	29·0	1·24
PLYMOUTH - -	47·6	26·3	39·1	1·81	CARDIFF - - -	45·5	18·0	34·2	1·46
BRISTOL - - -	45·0	11·1	32·7	1·01	EDINBURGH - -	35·9	16·6	26·8	0·22
BIRMINGHAM - -	39·9	19·0	32·0	0·96	GLASGOW - -	39·0	11·0	26·0	0·55
NOTTINGHAM - -	38·0	15·2	30·8	0·98	DUBLIN Phœnix Park.	45·7	17·9	32·5	1·69
LIVERPOOL OBSERVATORY	42·0	21·0	31·8	1·10	DUBLIN Fitzwilliam Square.†	46·3	24·1	34·6	1·82
MANCHESTER -	36·6	10·7	28·4	0·96					
BURNLEY - -	37·0	11·0	26 9	1·00					
HUDDERSFIELD -	39·0	12·2	28·9	1·42	BELFAST - - -	44·0	18·8	32·3	0·76

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 29th January, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 23	Greatest Dec. N.	29·622	42·7	29·4	13·3	35·7	− 3·2	34·9	0·8	3·4	0·0	97	39·0	25·1	43·02	W., S. & WSW.	SW., SSE. & SSW.	5·9	0·0	0·1	260	− 60	0·25	0·7
MONDAY - 24	..	28·534	42·2	34·1	8·1	38·6	− 0·3	34·4	4·2	7·1	0·7	85	59·0	32·0	42·30	SW., SSW. & WSW.	W., NW. & NNW.	5·9	0·0	0·4	448	+122	0·32	2·3
TUESDAY - 25	Full	28·976	36·9	26·5	10·4	32·1	− 7·0	21·9	10·2	13·3	7·8	64	57·1	21·6	42·10	NNW.	NNW. & NW.	11·5	0·0	1·2	545	+212	0·00	4·0
WEDNESDAY 26	..	29·029	33·0	23·8	9·2	28·6	−10·7	17·5	11·1	12·1	5·6	61	50·7	18·6	41·98	NNW. & N.	N. & NNW.	0·7	0·0	0·0	181	−158	0·00	0·0
THURSDAY - 27	..	29·252	35·1	20·3	14·8	28·5	−11·0	15·8	12·7	18·6	1·9	57	58·8	15·1	41·45	NNW., W. & SW.	SSW., S. & SSE.	4·5	0·0	0·1	248	− 96	0·01	6·7
FRIDAY - 28	..	28·652	44·9	32·6	12·3	39·7	+ 0·1	34·4	5·3	9·6	0·0	82	72·2	31·0	40·90	SSE., S. & SW.	SW., SSW. & WNW.	12·3	0·0	0·9	567	+219	0·57	6·3
SATURDAY - 29	..	29·242	41·0	32·3	8·7	36·1	− 3·6	29·6	6·5	10·1	3·8	77	66·8	28·7	40·60	W. & WSW.	WSW. & W.	7·0	0·0	0·6	544	+193	0·00	4·0
MEANS - -		29·043	39·4	28·4	11·0	34·2	− 5·1	26·9	7·3	10·6	2·8	75	57·7	24·6	41·76	SW. & NNW.		..	..	..	Sum 2793	Sum + 432	Sum 1·15	3·4
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 23	v. P. and v. N.	0·0	8·6
MONDAY - 24	w. P. with occasional v. N. till 11h. A.M.; m.P. generally afterwards with s.N. between 5h. and 7h. P.M.	0·2	8·7
TUESDAY - 25	w. P. generally till 6h. A.M.; m. P. till 9h. A.M.; s. P. afterwards; s. N. at 4h. A.M.	3·8	8·7
WEDNESDAY 26	s. P. throughout.	4·7	8·7
THURSDAY - 27	s.P. till 6h. P.M.; m.P. till 8h. P.M.; w.P. with occasional v.N. afterwards.	4·2	8·8
FRIDAY - 28	v. P. and v. N. till 10h. A.M.; w.P. till 3h. P.M.; m. P. generally with occasional v. N. afterwards.	3·9	8·9
SATURDAY - 29	w. P. till 7h. A.M.; m. P. afterwards.	2·7	8·9
		Sum 19·5	Sum 61·3
No. of Col. - -	27	28	29

GENERAL REMARKS.

Generally overcast and very dull; snow in early morning and frequent rain after 1h. P.M. accompanied by snow and sleet occasionally till 6h. P.M.

Generally overcast with occasional rain; snow and sleet between 7h. and 8h. P.M.; brisk wind after 8h. P.M.

Generally overcast in morning; fine with variable amounts of cloud till 4h. 30m. P.M.; very fine and nearly cloudless afterwards; strong gusty wind continuing till 4h. P.M.; hoar frost at night.

Very fine throughout; the amount of cloud was usually small; hoar frost in morning and again at night; very cold.

A cold day; very fine with small amounts of cloud till 4h. P.M.; cloudy till 5h. 30m. P.M.; overcast with frequent slight falls of snow afterwards; hoar frost in morning.

Overcast with snow followed by heavy rain and strong wind in morning; variable afterwards with occasional rain after 5h. P.M. and brisk wind after 10h. P.M.; frequent lightning in evening.

Fine and variably cloudy; hoar frost in morning. Partial solar halo with parhelion observed at 11h. A.M.; brisk wind in early morning.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·93 in. at the beginning of the week to 28·49 in. by 5h. P.M. on the 24th; increased to 29·28 in. by 2h. P.M. on the 27th; decreased to 28·61 in. by 9h. A.M. on the 28th; and increased generally to 29·50 in. by midnight on the 29th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 22nd January, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	7	3	-	1	-	-	4	-	-
Kensington	184,635	-	6	5	-	-	-	-	1	-	-
Hammersmith	127,413	-	8	2	-	-	-	-	1	-	-
Fulham	181,282	-	3	4	-	1	-	-	3	-	-
Chelsea	75,457	-	2	-	-	1	-	-	-	-	-
City of Westminster ..	167,233	-	5	6	-	1	-	-	-	-	-
NORTH.											
St. Marylebone	125,195	-	-	1	-	-	-	-	1	-	-
Hampstead	95,729	-	2	-	-	-	-	-	-	-	-
St. Pancras	237,792	-	15	7	-	-	-	-	5	-	1
Islington	353,356	-	16	8	-	-	-	-	7	1	-
Stoke Newington	54,838	-	7	1	-	-	-	-	-	-	-
Hackney	239,979	-	9	6	-	1	-	-	5	-	-
CENTRAL.											
Holborn	53,142	-	-	1	-	-	-	-	-	-	-
Finsbury	94,578	-	3	1	-	-	-	-	-	-	-
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	5	3	-	2	-	-	2	-	-
Bethnal Green	131,579	-	4	3	-	-	-	-	7	-	-
Stepney	314,379	-	11	13	-	-	-	-	9	-	-
Poplar	172,432	-	14	3	-	-	-	-	2	1	-
SOUTH.											
Southwark	211,832	-	7	3	-	-	-	-	2	-	-
Bermondsey	127,238	-	3	4	-	2	-	-	6	-	-
Lambeth	327,074	-	17	5	-	-	-	-	2	-	-
Battersea	188,222	-	12	7	-	-	-	-	3	-	-
Wandsworth	305,838	-	13	11	-	4	-	-	7	1	-
Camberwell	286,058	-	7	5	-	-	-	-	4	-	-
Deptford	119,642	-	7	1	-	-	-	-	3	-	-
Greenwich	112,935	-	3	2	-	1	-	-	7	-	-
Lewisham	164,899	-	16	6	-	1	-	-	-	-	-
Woolwich	135,422	-	10	2	-	-	-	-	3	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	212	113	-	15	-	-	84	3	1
Ages 0-1		-	3	6	-	-	-	-	4	-	-
„ 1-5		-	60	35	-	-	-	-	4	-	-
„ 5-		-	101	42	-	3	-	-	3	-	-
„ 10-		-	32	12	-	3	-	-	3	-	1
„ 15-		-	7	7	-	3	-	-	5	-	-
„ 20-		-	2	5	-	1	-	-	5	-	-
„ 25-		-	6	3	-	-	-	-	9	1	-
„ 35-		-	1	3	-	1	-	-	13	2	-
„ 45-		-	-	-	-	2	-	-	15	-	-
„ 55-		-	-	-	-	2	-	-	13	-	-
„ 65 and upwards		-	-	-	-	-	-	-	10	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of December, 1909, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 195 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	December, 1908.	December, 1909.	December, 1908.	December, 1909.
Total Supply - - -	1,086,221	1,096,985	212,965,706	213,504,192
New River - - - - - - -	214,415	216,159	41,266,273	41,596,084
Eastern - - - - - - -	243,643	246,370	40,759,451	42,167,871
Western { Chelsea, Grand Junction, West Middlesex } - -	222,499	224,283	52,738,512	53,546,670
Southern { Lambeth - - - Southwark and Vauxhall }	286,413	289,845	59,390,171	56,295,179
Kent - - - - - - - -	119,251	120,328	18,811,299	19,898,388

Note.—The Return for December, 1909, as compared with that for the corresponding month of 1908, shows an increase of 10,764 services, and of 538,486 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 5. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, FEB. 5. [Price 1½*d*.

General Register Office, Somerset House,
February 7th, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·0 per 1000 of their aggregate population, which is estimated † at 16,713,617 persons in the middle of this year. In the preceding three weeks the rates had been 14·9, 14·8, and 16·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 21·1 in Coventry and in Bury, 21·2 in Blackburn, 21·3 in Hastings and in Tynemouth, 21·4 in Stockton on Tees, 22·3 in Liverpool, 23·7 in Barrow in Furness and in Swansea, and 31·4 in Hanley; from *measles*, 1·6 in Swansea and 3·0 in Hastings; from *diphtheria*, 1·9 in West Hartlepool; and from *whooping-cough*, 2·2 in Smethwick, 2·3 in Hastings, 2·5 in Barrow in Furness, 2·8 in Burton upon Trent, 3·8 in West Hartlepool, and 3·9 in Newport (Mon.). No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2381 BIRTHS and 1607 DEATHS were registered. Allowing for increase of population, the births were 211 and the deaths 87 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15552—41.) Wt. 109—472. 700. 2/10. D & S. G. 31. Sch. 4 E

causes, which had been 14·6, 14·5, and 15·7 per 1000 in the preceding three weeks, rose last week to 17·2. The death-rate in the four weeks ended last Saturday averaged 15·5 per 1000, being 2·8 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1607 deaths included 17 from measles, 5 from scarlet fever, 16 from diphtheria, 57 from whooping-cough, 2 from enteric fever, and 14 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 111 deaths were referred, being 7 below the corrected average number in the fifth week of the preceding five years.

The deaths from *measles*, which had been 17, 18, and 11 in the preceding three weeks, were 17 last week, and were 13 below the corrected average; 3 deaths belonged to the Borough of Battersea. The deaths from *scarlet fever*, which had been 2, 0, and 10 in the preceding three weeks, were 5 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 15, 13, and 10 in the preceding three weeks, rose to 16 last week, but were 4 below the corrected average. The deaths from *whooping-cough*, which had been 33, 30, and 57 in the preceding three weeks, were again 57 last week, and were 18 above the corrected average; 11 deaths belonged to Stepney, 8 to Islington, 5 each to Poplar, Wandsworth, and Deptford, and 4 to Fulham. The deaths from *enteric fever* which had been 0, 3, and 3 in the preceding three weeks, were 2 last week, and were 3 below the corrected average. The deaths from *diarrhœa*, which had been 15, 10, and 11 in the preceding three weeks, were 14 last week, the corrected average being 15. Of the 14 deaths from diarrhœa, 11 were those of children under 5 years of age; 7 other deaths at this age were certified as due to *enteritis*, and 2 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 26, having been 27, 35, and 26 in the preceding three weeks.

Different forms of violence caused 41 deaths, concerning all of which inquests were held. Of these 41 deaths, 7 were cases of suicide, while the remaining 34 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, five to burns or scalds, and eight, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 1937 of scarlet fever, 936 of diphtheria, and 55 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 213 cases, against 200, 204, and 193; of diphtheria, 106 cases, against 73, 115, and 102; and of enteric fever, 3 cases, against 12, 7, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended January 29th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3723 births and 2307 deaths were registered. Allowing for increase of population, these numbers are 319 and 127 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from measles, 3 from scarlet fever, 2 from diphtheria, 7 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·57 inches, and that of the Thermometer 37°·4, the latter being 2°·2 below the week's average in the 65 years ended 1905. The general direction of the wind was Southerly, the horizontal movement of the air being 10 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 9·4 hours; the measured rainfall amounted to 0·09 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 5th February, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 15th Jan., 1910.	22nd Jan., 1910.	29th Jan., 1910.	5th Feb., 1910.	Rate from Diseases in Cols. 11–17 Week ended 5th February, 1910.	Registered during the Week ended 5th Feb., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	16,713,617	14·9	14·8	16·3	17·0	1·1	8420	5436	1073	1894	-	48	30	67	157	14	38	165	445	1472	49	76 TOWNS.
LONDON	4,872,702	14·6	14·5	15·7	17·2	1·2	2381	1607	283	579	-	17	5	16	57	2	14	41	158	675	1	LONDON.
† CROYDON	164,485	14·3	14·6	11·7	11·7	-	70	37	6	16	-	-	-	-	-	-	-	1	4	6	-	CROYDON.
† WILLESDEN ..	166,088	5·7	8·8	8·5	9·1	0·9	77	29	8	11	-	1	-	-	1	-	1	-	4	3	-	WILLESDEN.
† HORNSEY	98,561	3·7	8·5	5·3	11·1	-	36	21	2	9	-	-	-	-	-	-	-	-	1	2	1	HORNSEY.
† TOTTENHAM ..	132,803	9·4	11·0	12·6	13·3	1·2	79	34	11	12	-	-	-	-	2	-	1	1	4	4	-	TOTTENHAM.
† WEST HAM ..	328,585	8·9	11·1	14·0	14·0	1·3	182	88	20	27	-	-	-	1	7	-	-	6	14	26	-	WEST HAM.
† EAST HAM.. ..	156,208	9·7	10·7	10·0	6·0	-	60	18	5	5	-	-	-	-	-	-	-	-	2	3	-	EAST HAM.
† LEYTON	133,436	8·6	10·2	13·3	15·6	1·2	63	40	5	18	-	1	-	-	1	-	1	-	1	8	-	LEYTON.
† WALTHAMSTOW	141,748	10·3	11·4	11·8	15·1	1·5	88	41	14	15	-	1	-	-	2	-	1	-	1	9	-	WALTHAMSTOW.
HASTINGS	68,520	18·3	9·1	18·3	21·3	5·3	22	28	4	13	-	4	-	-	3	-	-	-	-	5	-	HASTINGS.
BRIGHTON	131,900	15·8	13·0	17·8	18·6	0·4	58	47	6	20	-	-	-	-	-	1	-	1	6	14	-	BRIGHTON.
PORTSMOUTH ..	217,989	15·8	11·7	21·3	15·8	1·7	115	66	14	26	-	-	1	4	2	-	-	2	5	16	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	12·0	13·4	16·2	10·6	-	26	15	1	5	-	-	-	-	-	-	-	-	-	3	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·1	12·3	9·0	11·9	0·4	59	29	1	16	-	-	-	1	-	-	-	1	2	8	-	SOUTHAMPTON.
READING	84,355	14·2	13·6	10·5	11·1	0·6	23	18	2	6	-	-	-	-	-	1	-	-	-	4	1	READING.
NORTHAMPTON ..	99,113	18·4	11·6	13·2	13·2	0·5	40	25	4	11	-	-	-	-	-	-	1	-	-	4	-	NORTHAMPTON.
IPSWICH	75,936	26·1	21·3	14·4	20·6	1·4	14	30	5	9	-	1	-	-	1	-	-	-	-	6	-	IPSWICH.
GREAT YARMOUTH	53,715	18·4	17·5	19·4	13·6	-	32	14	2	6	-	-	-	-	-	-	-	-	1	1	-	GREAT YARMOUTH.
NORWICH	125,446	11·6	12·5	16·6	18·3	0·4	59	44	7	20	-	-	-	1	-	-	-	-	3	7	-	NORWICH.
PLYMOUTH	126,266	18·2	16·5	18·6	16·5	1·7	45	40	6	21	-	-	-	-	3	1	-	1	4	3	-	PLYMOUTH.
DEVONPORT	84,695	11·1	11·7	17·2	16·6	1·2	48	27	4	9	-	-	1	-	1	-	-	-	-	3	-	DEVONPORT.
BRISTOL	382,550	13·2	12·9	12·8	14·3	0·7	136	105	17	44	-	-	1	2	-	-	2	2	9	20	1	BRISTOL.
HANLEY	69,672	19·5	17·2	26·9	31·4	3·0	49	42	9	13	-	-	-	2	1	1	-	1	3	7	1	HANLEY.
BURTON-ON-TRENT	54,977	15·2	13·3	13·3	12·3	2·8	19	13	3	2	-	-	-	-	3	-	-	-	1	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	105,962	14·8	15·7	12·3	14·8	-	49	30	6	14	-	-	-	-	-	-	-	-	1	5	-	WOLVERHAMPTON
WALSALL	101,035	12·4	14·5	14·5	15·0	0·5	54	29	8	11	-	-	-	1	-	-	-	2	5	2	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	12·3	10·1	10·8	11·5	0·7	37	16	4	8	-	-	-	-	1	-	-	-	3	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	14·7	11·7	15·4	14·7	1·5	45	20	3	6	-	2	-	-	-	-	-	-	-	4	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—70 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 5th February, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 15th Jan., 1910.	22nd Jan., 1910.	29th Jan., 1910.	5th Feb., 1910.	Rate from Diseases in Cols. 11-17. Week ended 5th February, 1910.	Registered during the Week ended 5th Feb. 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM† ..	570,113	16·5	16·7	18·8	18·4	1·4	267	201	44	63	-	-	1	1	9	1	3	12	13	47	7	BIRMINGHAM.†
KINGS NORTON ..	84,673	7·4	6·8	10·5	8·0	1·2	27	13	-	7	-	-	-	2	-	-	-	-	-	3	-	KINGS NORTON.
SMETHWICK	72,350	10·1	17·3	18·0	12·3	2·2	30	17	5	5	-	-	-	-	3	-	-	-	-	1	-	SMETHWICK.
ASTON MANOR ..	86,269	15·7	9·7	15·7	15·7	0·6	45	26	7	9	-	-	-	-	1	-	-	-	-	4	-	ASTON MANOR.
COVENTRY	81,449	16·0	15·4	21·8	21·1	1·9	59	33	12	10	-	-	2	-	-	-	1	1	1	3	-	COVENTRY.
LEICESTER	248,374	14·1	13·2	16·6	12·4	0·8	94	59	14	22	-	-	-	-	4	-	-	3	8	10	-	LEICESTER.
GRIMSBY	74,283	11·2	16·1	12·6	15·4	-	35	22	8	6	-	-	-	-	-	-	-	1	1	2	-	GRIMSBY
NOTTINGHAM ..	266,471	17·2	18·4	14·9	19·4	0·6	119	99	24	37	-	2	1	-	-	-	-	7	9	21	-	NOTTINGHAM
DERBY	131,256	13·1	10·3	9·5	13·5	0·8	44	34	6	13	-	-	-	-	2	-	-	4	10	7	-	DERBY.
STOCKPORT	105,087	16·9	14·9	20·3	19·8	2·0	55	40	7	10	-	1	2	-	-	-	1	-	2	8	-	STOCKPORT.
BIRKENHEAD ..	122,431	21·3	15·3	19·6	18·3	1·7	78	43	8	16	-	1	-	1	2	-	-	1	4	8	1	BIRKENHEAD.
WALLASEY	73,173	16·4	16·4	22·8	12·1	0·7	31	17	2	6	-	1	-	-	-	-	-	2	2	-	1	WALLASEY.
LIVERPOOL	767,606	18·5	18·7	22·4	22·3	1·6	431	328	69	106	-	7	2	3	11	1	-	11	22	106	11	LIVERPOOL.
BOOTLE	70,548	16·3	14·8	11·8	20·0	2·2	43	27	6	5	-	-	-	1	2	-	-	-	-	8	2	BOOTLE.
ST. HELENS	96,523	16·7	14·6	15·1	15·1	2·2	67	28	7	6	-	-	2	-	1	1	-	1	1	9	3	ST. HELENS.
WIGAN	91,732	15·3	15·9	20·5	19·3	0·6	61	34	7	11	-	-	-	1	-	-	-	6	6	7	-	WIGAN.
WARRINGTON ..	73,295	8·5	14·2	18·5	20·6	-	40	29	7	9	-	-	-	-	-	-	-	2	2	10	2	WARRINGTON.
BOLTON	190,315	16·4	15·9	12·9	14·0	0·8	78	51	9	25	-	-	1	2	-	-	-	1	7	9	-	BOLTON.
BURY	59,409	17·6	22·8	25·5	21·1	-	38	24	2	9	-	-	-	-	-	-	-	2	3	7	-	BURY.
MANCHESTER† ..	716,354	17·0	16·5	19·7	19·4	0·8	408	266	49	85	-	-	1	2	5	-	3	7	22	68	3	MANCHESTER.†
SALFORD	244,636	16·2	15·1	18·3	18·3	1·7	148	86	16	24	-	1	1	5	1	-	-	5	7	15	-	SALFORD.
OLDHAM	144,111	22·8	18·8	19·9	19·9	1·1	94	55	9	21	-	-	-	1	1	-	1	1	2	13	-	OLDHAM.
ROCHDALE	90,497	11·5	11·5	19·6	20·2	1·7	45	35	4	15	-	-	1	-	-	-	2	-	5	6	1	ROCHDALE.
BURNLEY	107,448	20·9	15·5	16·5	18·9	2·9	63	39	7	10	-	2	2	1	1	-	-	2	5	7	-	BURNLEY.
BLACKBURN	137,972	14·4	12·5	15·1	21·2	0·4	63	56	13	18	-	-	-	1	-	-	-	1	4	11	-	BLACKBURN.
PRESTON	119,253	18·8	18·4	17·5	19·7	0·9	49	45	8	14	-	-	-	1	1	-	-	-	-	8	2	PRESTON.
BARROW-IN-FURNESS.	63,689	14·7	22·9	16·4	23·7	3·3	30	29	12	7	-	-	-	1	3	-	-	-	-	2	1	BARROW-IN-FURNESS.

* See note † on first page of this return. † The figures for the year 1910 for Birmingham and Manchester relate to those towns as extended on 9th November, 1909.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 5th February. 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 15th Jan., 1910.	22nd Jan., 1910.	29th Jan., 1910.	5th Feb., 1910.	Rate from Diseases in Cols 11–17. Week ended 5th February, 1910.	Registered during the Week ended 5th Feb. 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	14·7	19·1	18·5	18·5	1·1	41	34	6	12	–	–	–	1	1	–	–	1	2	8	–	HUDDERSFIELD.
HALIFAX	112,818	14·3	12·9	21·7	17·6	1·4	39	38	6	15	–	–	1	2	–	–	–	2	4	10	1	HALIFAX.
BRADFORD	295,865	15·2	17·4	15·0	19·0	0·5	97	108	16	44	–	2	1	–	–	–	–	2	4	24	1	BRADFORD.
LEEDS	490,985	14·0	14·8	15·6	15·4	0·7	210	145	25	58	–	–	1	4	1	–	1	7	20	28	–	LEEDS.
SHEFFIELD	478,763	13·1	16·6	14·0	16·4	0·2	264	151	36	57	–	–	–	1	–	–	1	5	6	31	3	SHEFFIELD.
ROTHERHAM.. ..	66,414	22·8	11·0	17·3	14·1	1·6	44	18	7	5	–	–	1	–	–	–	1	2	2	4	1	ROTHERHAM.
YORK	88,159	20·1	8·9	23·1	18·3	–	41	31	4	15	–	–	–	–	–	–	–	–	1	6	–	YORK.
HULL	280,006	15·5	19·7	15·5	19·2	0·7	177	103	17	39	–	–	–	–	2	2	–	2	5	29	–	HULL.
MIDDLESBROUGH ..	107,014	14·6	16·1	15·1	17·1	–	70	35	12	8	–	–	–	–	–	–	–	–	2	3	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,680	21·4	17·5	13·6	21·4	1·0	32	22	3	11	–	–	–	1	–	–	–	–	1	1	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	81,814	14·0	12·7	17·2	17·8	5·7	36	28	7	1	–	–	–	3	6	–	–	–	2	4	–	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	18·8	19·1	21·0	17·5	0·6	76	54	11	13	–	–	–	–	2	–	–	4	5	10	1	SUNDERLAND.
SOUTH SHIELDS ..	119,737	13·9	13·5	10·5	16·1	2·2	69	37	9	9	–	–	–	–	4	1	–	–	2	9	–	SOUTH SHIELDS.
GATESHEAD	133,676	13·7	10·9	17·2	11·7	–	78	30	9	7	–	–	–	–	–	–	–	–	–	4	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	285,951	13·7	12·2	14·2	17·3	0·4	185	95	25	25	–	–	–	1	–	1	–	4	6	25	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	56,378	17·6	14·8	16·6	21·3	0·9	33	23	8	4	–	–	–	–	–	1	–	–	1	4	–	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	10·5	8·5	23·5	15·0	3·9	51	23	6	9	–	–	–	–	6	–	–	1	1	4	–	NEWPORT (MON.).
CARDIFF	199,189	15·4	13·6	15·4	13·9	1·0	96	53	9	17	–	1	1	1	1	–	–	2	5	10	–	CARDIFF.
RHONDDA	138,674	20·7	22·9	22·2	18·0	1·1	132	48	19	9	–	–	–	1	1	–	1	3	5	2	–	RHONDDA.
MERTHYR TYDFIL..	79,522	17·7	19·7	21·0	17·0	2·6	66	26	6	3	–	–	1	1	1	–	1	1	2	4	–	MERTHYR TYDFIL.
SWANSEA	98,817	21·6	23·7	17·9	23·7	2·1	75	45	10	12	–	3	–	–	–	–	1	–	1	4	–	SWANSEA.
GREATER LONDON	7,537,196	12·9	13·2	14·5	16·0	1·0	3723	2307	422	859	–	22	8	19	77	2	20	68	226	814	4	GREATER LONDON.
OUTER RING ..	2,664,494	9·8	11·0	12·2	13·7	0·7	1342	700	139	280	–	5	3	3	20	–	6	27	68	139	3	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	9·0	10·9	11·4	12·1	0·8	655	308	71	113	–	3	–	1	13	–	4	8	31	61	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	10·5	11·0	13·0	15·2	0·6	687	392	68	167	–	2	3	2	7	–	2	19	37	78	2	REMAINDER OF OUTER RING.
EDINBURGH	360,276	15·5	16·4	15·9	18·8	2·3	134	130‡	17	47	–	6	3	2	1	–	4	3	?	51	8	EDINBURGH.
GLASGOW	884,505	16·3	15·5	19·2	20·2	3·9	455	343	68	81	–	37	7	8	5	2	8	5	?	105	11	GLASGOW.
DUBLIN (Registration Area).†	402,928	22·1	22·5	21·7	29·8	1·0	252	230	53	70	–	–	–	2	2	–	4	5	4	81	13	DUBLIN (Registration Area).†
BELFAST†	391,167	22·7	16·7	20·1	22·0	2·8	214	165	28	47	–	–	–	–	19	–	2	2	4	45	2	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 1 death from Cerebro-spinal meningitis.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2498	2410	2448	2765	2748	2676	2508	2550	2481	2444	2592·4	2381
Males - - -	1263	1254	1203	1422	1397	1374	1273	1295	1249	1258	1320·7	1217
Females - -	1235	1156	1245	1343	1351	1302	1235	1255	1232	1186	1271·7	1164
TOTAL **Deaths** -	1722	1438	1652	1558	1554	1576	1339	1895	1584	1878	1694·0	1607
Males - - -	856	709	806	797	792	766	690	938	789	934	843·1	819
Females - -	866	729	846	761	762	810	649	957	795	944	850·9	788

* The numbers in this column are the average weekly numbers in the Fifth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1910. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	13 Weeks.
TOTAL **Births** -	2291	2173	2195	1933	2207	2105	1860	2182	2340	2242	2146	2086	2381	28141
TOTAL **Deaths** -	1284	1363	1442	1484	1540	1330	1399	1502	1331	1367	1351	1468	1607	18468
Ages at Death: Under 1 year -	264	269	276	214	247	241	234	247	219	259	223	267	283	3243
1—5 years -	105	109	130	120	115	95	107	114	126	113	106	146	142	1528
5—20 " -	65	85	59	63	70	61	61	86	63	59	71	64	77	884
20—40 " -	165	164	154	167	181	146	168	177	157	151	161	156	182	2129
40—60 " -	247	284	300	346	361	292	304	323	273	304	301	308	344	3987
60 yrs. & upwds.	438	452	523	574	566	495	525	555	493	481	489	527	579	6697
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	8	12	12	16	14	15	14	8	11	17	18	11	17	173
Scarlet Fever - -	8	3	7	11	4	5	6	8	5	2	-	10	5	74
Diphtheria - -	9	13	17	6	12	6	9	9	9	15	13	10	16	144
Whooping-cough -	16	20	25	23	18	24	25	33	29	33	30	57	57	390
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	1	2	5	1	2	2	-	1	-	3	3	2	24
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Diarrhœa, Dysentery	16	24	15	14	12	10	9	8	7	15	10	11	14	165
All above diseases -	59	73	78	75	61	62	65	66	63	82	74	102	111	971
Dis. of Resp. System	137	149	207	211	194	167	160	196	168	141	152	178	207	2267
Pneumonia - -	151	134	180	221	223	175	162	164	170	144	139	144	185	2192
Phthisis - - -	135	132	123	138	156	116	143	152	99	114	140	141	153	1747
Dis. of Circ. System -	166	199	206	202	219	201	208	231	199	199	197	242	235	2704
Violence - - -	59	51	61	58	49	49	60	58	56	48	52	58	41	700
Inquest Cases - -	135	134	153	144	154	151	158	174	149	135	152	148	158	1945
Deaths in Institutions	531	573	559	611	691	586	589	629	528	571	599	605	675	7747
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	42·3	38·7	37·0	44·6	38·6	38·4	39·0	44·4	43·2	43·9	39·6	34·2	37·4	40·1
Mean of Highest -	48·8	43·5	41·9	50·1	43·0	40·7	45·0	49·7	46·2	48·2	43·2	39·4	43·3	44·8
Mean of Lowest -	34·8	34·0	31·6	40·1	33·3	35·8	31·1	37·8	40·0	39·5	35·6	28·4	31·1	34·8
Mean Humidity of the Air.	82	85	86	85	91	89	84	87	94	82	78	75	88	85
Rain-fall (in inches) -	0·03	0·28	0·01	1·40	0·36	0·43	0·46	0·27	0·05	0·30	0·16	1·15	0·09	4·99
Registered Sunshine (in hours).	22·2	14·0	14·7	13·2	16·7	0·4	18·1	8·3	1·4	16·5	10·8	19·5	9·4	165·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	4	5	4	3	3	4	4	4	5	4	3	2	2	4
Scarlet Fever - -	2624	2606	2518	2488	2475	2403	2361	2362	2256	2172	2069	1993	1937	2328
Diphtheria - - -	972	949	948	952	946	938	917	912	908	899	901	896	936	929
Typhus - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	79	74	71	67	70	67	68	62	56	59	60	62	55	65

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq , M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 5th week of the 5 years 1905-1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES	1694·0	1607	283	142	77	182	344	579
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	29·7	17	3	14	-	-	-	-
Scarlet Fever	9·4	5	-	4	1	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	24·2	26	-	-	2	1	11	12
Whooping-cough	38·7	57	32	25	-	-	-	-
Diphtheria	20·3	16	1	7	8	-	-	-
Cerebro-spinal Fever ..	0·2	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	0·2	-	-	-	-	-	-	-
Enteric Fever	4·5	2	-	-	-	1	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	5·1	5	3	1	-	1	-	-
Diarrhœa, Dysentery ..	10·2	9	7	-	-	1	-	1
Tetanus	0·6	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	8·2	8	5	1	-	-	2	-
Puerperal Septicæmia ..	3·1	2	-	-	-	2	-	-
Puerperal Pyæmia.. .	-	-	-	-	-	-	-	-
Puerperal Fever	0·2	-	-	-	-	-	-	-
Infective Endocarditis ..	2·9	2	-	-	1	-	1	-
Pneumonia: Lobar ..	20·5	18	-	-	2	1	8	7
Pneumonia: Broncho ..	91·3	74	25	28	4	1	3	13
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	77·6	93	14	8	2	10	23	36
Erysipelas	3·1	2	-	-	-	1	1	-
Septicæmia (not Puerperal) ..	1·0	2	-	-	-	1	-	1
Pyæmia (not Puerperal)	1·0	1	-	-	-	1	-	-
Other Infective Processes	5·5	5	1	1	-	2	1	-
Tuberculous Phthisis ..	97·3	105	3	-	9	46	35	12
"*Phthisis*"	54·3	48	-	-	2	25	17	4
Tuberculous Meningitis ..	21·7	11	3	6	5	-	-	-
Tuberculous Peritonitis ..	10·0	8	1	3	3	1	-	-
Tabes Mesenterica	1·8	-	-	-	-	-	-	-
Tuberculous Dis., Other ..	17·8	22	1	4	9	6	-	2
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	9·0	3	-	-	-	1	1	1
Rheumatic Fever	5·9	3	-	-	1	1	1	-
Gout	1·8	1	-	-	-	-	-	1
Carcinoma	60·4	78	-	-	-	7	36	35
Sarcoma	4·5	7	-	1	-	2	2	2
Cancer (undefined) ..	39·5	32	-	-	-	2	15	15
Diabetes Mellitus	9·6	8	-	-	-	1	2	5
Premature Birth	46·1	51	51	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 5th week of the 5 years 1905-1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
Meningitis (not tuberc.)..	12·3	18	6	7	5	-	-	-
Gen. Par. of Insane, Insanity	18·2	25	-	-	-	4	12	9
Epilepsy	7·8	8	-	-	2	4	-	2
Convulsions	17·6	13	13	-	-	-	-	-
Locomotor Ataxy.. ..	0·4	2	-	-	-	1	-	1
Paraplegia, Dis. of Cord.	7·2	9	-	-	-	1	4	4
Nervous Sys., Other Dis.	17·4	19	1	1	1	3	3	10
Valv. Dis., Endocarditis..	53·4	67	-	-	6	4	23	34
Cereb. Hæm. Cereb. Emb.	41·6	46	2	-	-	-	8	36
Apoplexy, Hemiplegia ..	17·2	18	-	-	-	1	6	11
Aneurysm	4·9	4	-	-	-	1	1	2
Embolism, Thrombosis (not Cerebral) ..	1·0	1	-	-	-	-	1	-
Heart & Blood Ves., Other Dis... ..	110·2	99	-	-	2	9	26	62
Croup (not Spasm: nor Memb.)	0·6	-	-	-	-	-	-	-
Bronchitis	239·8	183	18	8	1	6	33	117
Emphysema, Asthma ..	13·3	3	-	-	-	-	-	3
Pleurisy	3·9	5	-	-	-	2	-	3
Respiratory Dis., Other..	15·6	16	6	2	1	2	2	3
Tonsillitis, Quinsy.. ..	0·4	3	-	2	-	-	1	-
Enteritis (not Epid.) ..	7·6	9	6	1	-	-	1	1
Gastro-enteritis	4·1	2	1	1	-	-	-	-
Peritonitis (not Puerp.) ..	3·5	1	-	-	-	1	-	-
Cirrhosis of Liver.. ..	12·5	11	-	-	-	-	9	2
Liver Dis., Other	5·5	5	-	-	-	2	-	3
Digestive Sys., Other Dis.	33·8	40	4	1	2	10	10	13
Acute Nephritis	9·6	8	-	1	-	2	3	2
Bright's Dis., Albuminuria	46·3	33	-	-	-	7	12	14
Urinary Sys., Other Dis.	13·1	12	-	-	1	-	5	6
Generative Organs Dis...	4·5	2	-	-	-	-	1	1
Childbirth (Accid. of) ..	4·5	3	-	-	-	2	1	-
Old Age	64·1	77	-	-	-	-	-	77
Other Diseases	102·2	100	67	10	5	-	10	8
ACCIDENT.								
By Railways	2·9	1	-	-	-	-	1	-
By Vehicles and Horses..	4·9	6	-	1	1	2	1	1
In Ships, Boats, Docks, (exclusive of Drowning)	-	1	-	-	-	-	1	-
In Building Operations..	-	1	-	-	-	-	1	-
In Conflagrations	1·2	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	12·5	5	-	2	1	-	-	2
By Drowning	3·3	1	-	-	-	1	-	-
By Suffocation in Bed ..	12·3	8	8	-	-	-	-	-
By Poisons or Poisonous Vapours	1·6	1	-	-	-	-	1	-
Other Deaths by Accident..	15·2	10	1	2	-	1	3	3
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·8	-	-	-	-	-	-	-
Suicide	7·0	7	-	-	-	1	4	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th February, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death
LONDON	4,536,267	2381	1607	283	579	-	17	5	16	57	-	2	-	14	41	158	675	1
WEST DISTRICTS	805,311	354	286	44	118	-	5	-	1	6	-	-	-	3	7	22	140	-
NORTH DISTRICTS	1,055,908	489	369	52	150	-	3	1	3	15	-	2	-	4	13	41	140	-
CENTRAL DISTRICTS	209,465	135	76	9	28	-	-	-	-	1	-	-	-	-	3	8	41	-
EAST DISTRICTS	715,739	459	256	61	76	-	5	-	4	18	-	-	-	3	5	25	134	-
SOUTH DISTRICTS	1,749,844	944	574	117	195	-	4	3	6	17	-	-	-	3	12	61	174	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	46	-	12	-	-	1	2	-	-	-	-	1	1	1	46	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	24	12	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Central Paddington *W,3H*	50,053	23	10	6	12	-	1	-	-	-	-	-	-	-	-	3	18	-
South Paddington	30,320	6	5	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Kensington Town *2W,w,2H* ..	128,037	51	55	6	24	-	1	-	-	1	-	-	-	-	-	1	31	-
Brompton *2H*	48,591	7	13	2	8	-	-	-	-	-	-	-	-	-	-	-	2	-
North Hammersmith *2W,w,H* ..	49,192	30	20	4	7	-	-	-	-	-	-	-	-	-	-	2	11	-
South Hammersmith *w,2H* ..	63,047	34	24	5	8	-	1	-	-	-	-	-	-	-	2	4	9	-
North-west Fulham *W*	45,180	32	14	4	5	-	-	-	-	1	-	-	-	1	1	2	9	-
North-east Fulham *F*	46,405	42	11	3	5	-	-	-	1	2	-	-	-	1	-	1	1	-
South Fulham *W*	45,704	25	8	1	5	-	-	-	-	1	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	16	42	1	23	-	-	-	-	-	-	-	-	-	1	2	34	-
Chelsea South *W,2H*	31,328	14	8	1	-	-	2	-	-	-	-	-	-	-	-	-	4	-
Mayfair and Knightsbridge	28,743	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	18	20	3	5	-	-	-	-	1	-	-	-	-	2	3	9	-
St. Margaret & St. John *6H*	43,698	15	15	3	5	-	-	-	-	-	-	-	-	-	-	1	10	-
St. James and St. Anne *W,6H* ..	33,081	11	6	2	1	-	-	-	-	-	-	-	-	1	1	1	2	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	9	16	1	4	-	-	-	-	-	-	-	-	-	-	2	11	-
St. Mary Marylebone *W,4H* ..	37,948	48	11	6	3	-	-	-	-	-	-	-	-	-	-	1	4	-
Christchurch Marylebone	39,536	24	12	3	4	-	1	-	-	1	-	-	-	-	1	3	-	-
St. John Marylebone *2H*	20,426	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Hampstead *W,F,6H*	81,942	20	29	3	10	-	1	1	1	-	-	-	-	-	-	1	11	-
West St. Pancras *2H*	60,562	29	13	-	8	-	-	-	-	-	-	-	-	-	1	2	2	-
South St. Pancras *w,10H*	55,707	16	24	4	7	-	-	-	1	1	-	-	-	-	2	4	13	-
East St. Pancras *W,H*	60,320	28	30	6	11	-	-	-	-	1	-	-	-	-	-	6	11	-
North St. Pancras *2W*	58,728	36	19	2	7	-	-	-	-	-	-	-	-	-	-	2	6	-
Clerkenwell *W*	31,995	8	29	1	20	-	-	-	-	2	-	-	-	-	-	-	23	-
Upper Holloway *2W,w,H*	33,978	18	37	5	14	-	-	-	-	3	-	1	-	-	3	3	24	-
Pollington *W,w,H*	33,922	20	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	20	6	2	1	-	-	-	-	1	-	-	-	1	2	3	-	-
Barnsbury	54,478	29	9	1	4	-	-	-	-	2	-	-	-	-	1	1	-	-
Islington South-east *F*	75,397	35	14	2	3	-	-	-	1	-	-	-	-	-	-	2	1	-
Highbury *2H*	63,797	21	18	3	9	-	-	-	-	2	-	-	-	-	1	2	2	-
Stoke Newington *H*	51,247	21	13	-	9	-	-	-	-	-	-	-	-	1	-	1	-	-
North Hackney	50,398	17	20	2	12	-	-	-	-	-	-	-	-	1	-	1	-	-
Central Hackney *2w,F*	50,536	23	12	2	3	-	-	-	-	1	-	1	-	-	-	-	6	-
South-west Hackney *3H*	59,921	32	17	2	6	-	-	-	-	-	-	-	-	1	1	3	6	-
South-east Hackney *2W,H*	58,255	27	30	5	12	-	1	-	-	1	-	-	-	-	1	4	18	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 5th February, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	25	13	3	6	-	-	-	-	-	-	-	-	-	-	2	3	-
Strand *W*,4*H*	21,674	2	10	-	2	-	-	-	-	-	-	-	-	-	-	-	9	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	21	14	3	4	-	-	-	-	-	-	-	-	-	-	-	7	-
Clerkenwell *H*	63,704	41	9	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
St. Luke 3*H*,*L*	36,116	40	5	-	4	-	-	-	-	-	-	-	-	-	-	2	-	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	4	3	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	19	3	4	-	-	-	-	-	-	-	-	-	2	2	19	-
City of London Asylum, Stone	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	22	7	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	18	26	2	14	-	-	-	-	-	-	-	-	1	1	6	21	-
Shoreditch North-East	36,148	26	6	2	2	-	-	-	-	-	-	-	-	1	1	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	50	41	12	14	-	1	-	1	2	-	-	-	-	-	3	31	-
Bethnal Green South-West *H* ..	64,542	49	5	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Spitalfields..	27,969	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	27	38	5	6	-	-	-	1	-	-	-	-	-	2	4	34	-
Goodman's Fields	22,081	7	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George and St. John 2*W* ..	49,068	32	8	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Shadwell and Ratcliff *w*,*H* ..	25,568	10	17	6	1	-	3	-	1	5	-	-	-	-	-	-	14	-
Limehouse *W*	32,369	29	11	6	1	-	1	-	-	4	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	51	12	3	2	-	-	-	-	1	-	-	-	-	1	1	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	35	23	7	11	-	-	-	-	1	-	-	-	-	-	1	11	-
Bow	41,989	18	7	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Bromley 3*w*,*H*	68,319	32	29	4	15	-	-	-	-	3	-	-	-	-	-	1	18	-
Poplar *W*,*w*	58,514	42	20	3	6	-	-	-	1	2	-	-	-	1	-	3	2	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th February, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	11	1	4	-	-	-	-	-	-	-	-	-	-	2	7	-
Kent-road	21,904	14	9	3	3	-	-	-	-	-	-	-	-	-	1	2	-	-
St. George the Martyr West *W,2H,L*	39,091	20	8	3	2	-	-	-	-	-	-	-	-	-	-	3	3	-
Newington North	49,022	29	15	1	4	-	-	-	-	-	-	-	-	-	-	2	-	-
Newington South *W*	72,841	39	17	6	6	-	-	-	-	1	-	-	-	-	-	3	5	1
St. Olave *2W*	9,817	8	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Bermondsey *W*	82,483	52	21	8	6	-	-	-	-	1	-	-	-	-	1	5	-	-
Rotherhithe *W,F*	38,460	21	17	6	3	-	-	-	-	-	-	-	-	-	-	-	8	-
Waterloo *2H*	27,440	31	7	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Lambeth Church *H*	27,440	16	24	2	1	-	-	-	-	-	-	-	-	-	2	5	17	-
Kennington *2W*	52,518	42	35	5	16	-	-	-	1	-	-	-	-	-	1	4	22	-
Stockwell *HF*	63,826	31	11	2	5	-	-	1	-	-	-	-	-	-	-	-	2	-
Brixton *H*	73,673	31	15	4	5	-	-	-	-	1	-	-	-	-	-	-	-	-
Norwood *2WH*	56,998	25	16	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	42	17	4	2	-	2	-	-	1	-	-	-	-	-	1	-	-
North-west Battersea	49,656	31	9	3	-	-	1	-	-	-	-	-	-	-	-	5	-	-
South-west Battersea *2W,H*	47,048	16	20	2	8	-	-	-	-	-	-	-	-	-	-	1	12	-
Clapham *2H*	51,361	20	12	3	4	-	-	-	-	-	-	-	-	-	1	2	3	-
Streatham *W,2w,2F,2L*	88,019	53	39	5	19	-	-	-	2	1	-	-	-	-	-	3	12	-
Springfield *2W,L*	27,959	14	7	3	1	-	-	-	-	3	-	-	-	-	-	-	-	-
Southfields *H*	40,444	30	8	5	3	-	-	-	-	1	-	-	-	-	-	2	-	-
Putney	24,139	9	5	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Dulwich	13,359	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	15	28	4	13	-	-	-	-	-	-	-	-	1	-	1	20	-
Camberwell North *W,2L*	65,581	32	34	7	12	-	-	-	-	-	-	-	-	-	-	2	17	-
St. George	47,331	28	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	25	7	2	2	-	-	-	-	-	-	-	-	-	2	2	-	-
Peckham South *2W,w*	43,946	13	11	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	23	10	4	1	-	-	-	-	3	-	-	-	-	1	1	-	-
Deptford Central *F*	45,481	26	12	3	4	-	-	2	-	3	-	-	-	-	-	1	3	-
Deptford South	34,625	8	14	1	8	-	-	-	-	-	-	-	-	-	-	3	-	-
Greenwich West *H*	23,456	11	11	1	3	-	-	-	2	1	-	-	-	-	1	1	-	-
Greenwich East *2W,H*	43,859	27	35	7	9	-	1	-	-	-	-	-	-	-	-	1	21	-
Eltham *w,H*	7,226	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	7	6	-	5	-	-	-	-	1	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	46	21	3	9	-	-	-	1	-	-	-	-	1	-	1	10	-
Sydenham *H*	43,653	20	9	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-
Charlton *F,2H*	21,134	10	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich *5H*	41,625	22	9	1	-	-	-	-	-	-	-	-	-	-	2	4	2	-
Plumstead West *W,H*	39,376	25	11	2	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	16	16	3	7	-	-	-	-	-	-	-	-	-	-	2	5	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
North-Eastern	—	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	5	-	2	-	-	-	-	-	-	-	-	-	1	1	5	-
London County Lunatic Asylums:—																		
Banstead	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	9	-	4	-	-	-	-	-	-	-	-	-	-	-	9	-
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Colney Hatch	—	-	7	-	1	-	-	-	-	-	-	-	-	1	-	-	7	-
Claybury	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boa Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATE POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 5th February, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
	LONDON—OUTER RING ..	368,603	2,045,135	1342	700	139	280	-	5	3	3	20	-	6	27	68	139	
30 : 1	Carshalton 2F,3H	12,228	32,997	16	8	2	1	-	-	1	1	-	-	-	-	-	3	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	15	8	4	2	-	-	1	-	-	-	-	-	-	2	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	3	1	1	-	-	-	-	-	-	-	1	1	2	-
38 : 1	Coulsdon	11,069	8,166	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	21	6	1	3	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	24	20	3	7	-	-	-	-	-	-	-	-	-	7	-
4	North Croydon H	2,644	41,698	25	12	2	7	-	-	-	-	-	-	-	1	4	-	-
5	Penge w	770	23,465	7	2	-	1	-	-	-	-	-	-	-	-	1	-	-
6	Mitcham w	11,711	30,015	43	18	5	4	-	-	-	-	1	-	-	-	2	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	29	16	2	3	-	-	-	-	1	-	1	-	-	-	-
2	Kingston 2W,H	6,224	42,068	29	20	-	8	-	-	-	-	-	-	-	1	4	10	-
3	Surbiton F,H	3,046	15,017	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	9	2	-	-	-	-	-	-	-	-	-	1	1	-	-
5	Hampton H,F,L	4,564	23,456	13	8	1	4	-	-	-	-	-	-	-	1	1	-	-
40 : 1	Richmond W,H	2,491	31,672	4	8	-	6	-	1	-	-	-	-	-	-	-	1	-
2	Mortlake F	2,518	17,821	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	13	10	2	5	-	-	-	-	-	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	14	11	2	5	-	-	-	-	-	-	-	1	1	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	19	14	2	9	-	-	-	-	-	-	-	1	1	10	-
4	Chislehurst 2H	7,333	16,446	14	10	3	5	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	17	6	1	5	-	-	-	-	-	-	-	-	1	-	-
2	Erith F,H	3,854	25,296	12	12	2	6	-	-	-	-	2	-	-	2	2	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	4	7	2	4	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	7	5	1	3	-	-	-	-	1	-	-	-	-	3	-
125 : 1	Hillingdon W,F,H	6,035	13,661	10	4	1	2	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge H	12,757	8,984	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	10	7	3	1	-	-	-	-	1	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	24	9	2	4	-	-	-	-	-	-	-	-	-	5	-
2	Twickenham F,2H	2,421	20,991	15	4	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	29	19	4	7	-	-	-	-	-	-	-	1	3	1	-
4	Chiswick H	1,249	29,809	15	7	1	4	-	-	-	-	-	-	-	-	1	-	-
5	Acton w,F,3H	6,132	48,914	46	16	4	6	-	-	-	-	-	-	-	-	1	1	-
127A: 1	Harrow F,H	13,809	25,523	15	10	3	2	-	-	-	-	-	-	-	1	2	1	-
2	Edgware 2F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	17	7	1	3	-	-	-	-	-	-	-	1	1	2	-
127B: 1	Willesden W,F,2H	4,384	114,811	77	29	8	11	-	1	-	-	1	-	1	-	4	3	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	4	2	1	-	-	-	-	-	-	-	-	1	1	-	-
2	Barnet W,2H	3,324	17,970	12	7	1	3	-	-	-	-	-	-	-	1	-	2	-
3	Finchley F,3H	4,668	33,692	15	12	1	5	-	-	-	-	-	-	1	1	3	-	-
129 : 1	Hornsey F,H	2,875	72,056	36	21	2	8	-	-	-	1	-	-	-	-	1	2	-
2	Wood Green H	1,625	34,233	17	9	-	7	-	-	-	-	-	-	-	1	1	-	-
3	West Tottenham	995	48,741	49	19	6	7	-	-	-	-	-	-	-	-	2	-	-
4	East Tottenham 2H ..	2,019	53,962	30	13	5	3	-	-	-	-	2	-	1	1	2	2	-
5	Edmonton W,w,2F	7,491	61,892	53	15	1	6	-	-	-	-	-	-	-	-	2	5	-
6	Enfield 2W,F,H	12,601	42,738	27	16	3	7	-	-	1	-	-	-	-	1	2	4	-
7	Waltham Abbey F	11,017	6,549	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	37	22	5	6	-	-	-	1	-	-	-	5	8	8	-
2	Forest Gate	787	52,745	29	12	4	4	-	-	-	-	1	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	66	23	6	5	-	-	-	-	4	-	-	1	2	-	-
4	Canning Town H	1,556	70,718	50	13	3	3	-	-	-	-	1	-	-	-	3	-	-
5	South East Ham 2F ..	1,991	37,342	31	8	1	3	-	-	-	-	-	-	-	-	2	-	-
6	North East Ham w,H ..	1,333	58,666	29	7	4	1	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,170	4	6	-	3	-	-	-	-	-	-	-	1	2	-	-
8	South Leyton 2W	631	50,467	25	25	2	13	-	-	-	-	-	-	-	-	1	10	-
9	North Leyton 2W,w,F ..	1,963	48,445	38	44	6	17	-	1	-	-	2	-	1	1	3	27	-
10	Walthamstow 2H,L ..	6,504	108,929	93	35	13	13	-	1	-	-	2	-	1	-	-	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	10	5	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	4	10	3	3	-	1	-	-	-	-	-	-	-	9	-
2	Ilford F,L	8,496	41,244	33	16	3	11	-	-	-	-	-	-	-	-	-	2	-
3	Barking Town F	3,805	21,547	22	12	2	4	-	-	-	-	1	-	-	1	2	-	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	4	-	3	-	-	-	-	-	-	-	-	-	4	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	3	-	3	-	-	-	-	-	-	-	-	-	3	-
	Herts County Lunatic Asylum, Hill End.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,872,702	February 5	2381	1607	17·2	-	17	5	16	57	2	14
CALCUTTA - -	1,009,008	January 8	-	517	26·6	-	1	-	-	1	77†	69‡
BOMBAY - -	982,000	" 11	388	533	28·3	8	1	-	-	-	59†	38
MADRAS - -	548,974	December 31	369	334	34·0	-	3	?	?	?	116	27
PARIS - - -	2,760,000	January 22	-	-	-	-	-	-	-	-	-	-
BRUSSELS - -	704,975	" 29	233	174	12·8	-	1	-	1	-	-	5
ANTWERP - -	314,135	" 29	118	75	14·1	-	-	1	2	1	-	2
AMSTERDAM -	568,131	" 22	289	149	13·7	-	4	-	2	4	-	1
COPENHAGEN -	451,000	" 29	236	128	14·8	-	1	4	-	2	-	-
STOCKHOLM -	339,582	" 22	142	93	14·2	-	3	-	1	3	-	2
CHRISTIANIA -	235,674	" 29	119	81	17·9	-	-	2	2	-	-	-
ST. PETERSBURG	1,620,000	" 22	1048	744	23·9	6	25	15	12	8	13	68
MOSCOW - -	1,452,100	" 22	-	759	27·3	2	27	27	24	3	11	43‡
BERLIN - -	2,121,037	" 15	850	590	14·5	-	2	9	20	9	-	26
HAMBURG - -	895,804	" 29	-	232	13·5	-	5	-	9	-	-	15
BRESLAU - -	502,990	" 22	219	168	17·4	-	4	-	3	1	-	9
MUNICH - -	576,000	" 22	-	194	17·5	-	1	-	2	-	-	16
VIENNA - -	2,085,888	" 29	-	-	-	-	-	-	-	-	-	-
PRAGUE - -	494,531	" 22	191	205	21·5	-	4	1	-	-	1	20
BUDAPEST - -	833,703	" 22	405	311	19·4	-	5	6	8	-	2	11
TRIESTE - -	218,727	" 8	121	103	24·5	-	2	-	1	2	1	1
		" 15	143	131	31·1	-	1	-	-	3	-	3
ROME - - -	574,666	November 20	233	219	19·9	-	-	1	1	1	6§	13
VENICE - -	179,286	December 11	59	81	23·6	-	1	-	3	-	2	6
BUCAREST - -	296,585	" 25	152	170	29·9	-	2	1	4	-	5	9
		January 1	135	132	23·2	-	1	2	1	-	3	5
NEW YORK -	4,711,956	" 15	2419	1603	17·7	-	13	33	47	2	9	36
CHICAGO - -	2,282,927	" 15	-	660	15·1	-	4	6	19	3	2	43
PHILADELPHIA -	1,565,569	" 1	-	503	16·7	-	-	9	16	-	3	21
RIO DE JANEIRO	637,089	December 26	-	236	19·3	-	1	-	1	1	1	?
CAIRO:—												
Egyptians -	616,183	January 7	545	370	31·2	1	1	-	14	?	8	51
Foreigners -	61,480	" 7	6	10	8·5	1	-	-	-	?	-	-
ALEXANDRIA:—												
Egyptians -	317,454	" 7	297	205	33·6	-	6	-	5	?	-	38
Foreigners -	67,966	" 7	7	19	14·5	-	-	-	2	-	-	2

* Excluding deaths from croup in the Indian Cities.
† Including 6 deaths from plague in Calcutta and 7 in Bombay.
‡ Including 15 deaths from cholera in Calcutta and 1 in Moscow.
§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 5th February, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	50·7	27·5	37·2	0·09	BRADFORD - -	51·4	23·4	36·3	0·74
BRIGHTON - -	45·5	27·9	38·2	0·49	YORK - - -	53·0	25·0	37·3	0·82
PORTSMOUTH - -	47·0	30·0	39·3	0·31	HULL - - -	51·0	27·0	36·8	0·41
DORWICH - -	52·0	25·5	35·3	0·20	TYNEMOUTH - -	54·0	24·0	36·7	0·38
PLYMOUTH - -	50·2	30·2	41·8	1·00	CARDIFF - - -	49·8	29·7	40·0	1·36
BRISTOL - - -	50·4	28·8	39·6	0·41	EDINBURGH - -	49·6	28·6	33·7	0·20
BIRMINGHAM - -	49·7	29·4	37·4	0·53	GLASGOW - -	51·5	26·0	39·5	0·34
NOTTINGHAM - -	52·2	24·2	36·5	0·37	DUBLIN Phœnix Park.	54·4	22·9	38·1	0·16
LIVERPOOL OBSERVATORY	55·0	34·0	39·7	0·49	DUBLIN Fitzwilliam Square.†	55·4	27·7	39·9	0·07
MANCHESTER -	49·8	16·3	36·6	1·10					
BURNLEY - -	51·2	13·0	35·1	1·08					
HUDDERSFIELD -	50·3	26·7	37·8	0·54	BELFAST - - -	52·5	28·8	37·0	0·64

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 5th February, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 30	In Equator	29·758	38·0	29·1	8·9	33·5	− 6·2	28·0	5·5	9·0	0·9	80	41·8	13·4	40·42	W., WSW. & SW.	WSW., W. & SW.	1·3	0·0	0·0	244	−107	0·00	0·0
MONDAY - 31	..	29·794	45·0	30·5	14·5	38·9	− 0·8	34·3	4·6	8·4	3·5	84	68·0	22·9	40·31	SW. & SSW.	SSW. & S.	3·0	0·0	0·1	302	− 42	0·00	1·3
FEBRUARY. TUESDAY - 1	Apogee	29·669	45·9	35·2	9·8	39·2	− 0·4	33·9	5·3	8·8	3·0	82	79·5	30·4	40·18	S.	S. & SSE.	2·6	0·0	0·3	338	+ 3	0·00	6·2
WEDNESDAY 2	Last Qr.	29·189	40·3	35·3	5·0	37·3	− 2·2	35·9	1·4	2·5	1·3	95	44·8	30·0	40·24	SSE.	SSE., SW. & S.	2·4	0·0	0·2	298	− 26	0·04	8·5
THURSDAY - 3	..	29·151	42·0	31·0	11·0	36·8	− 2·7	35·1	1·7	4·7	0·0	94	51·0	25·3	40·37	SSE., S. & SW.	WSW. & SW.	0·4	0·0	0·0	208	−103	0·02	0·0
FRIDAY - 4	..	29·603	42·0	29·1	12·9	35·6	− 3·9	31·0	4·6	8·5	1·8	84	59·0	22·4	40·41	SW. & WSW.	NNW., NW. & W.	1·6	0·0	0·1	221	− 82	0·01*	0·0
SATURDAY - 5	..	29·810	50·7	27·5	23·2	40·7	+ 1·1	40·5	0·2	3·3	0·0	99	50·5	20·8	40·37	SW. & SSW.	SSW.	4·4	0·0	0·4	429	+123	0·02	4·7
MEANS - -		29·568	43·3	31·1	12·2	37·4	− 2·2	34·1	3·3	6·5	1·5	88	56·4	23·6	40·33	S. & SW.		..	..	..	Sum 2040	Sum − 229	Sum 0·09	3·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

* Fog and Frost.

DATE. JANUARY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY -	30	m. P. till 9h. A.M.; s. P. afterwards.	1·8	9·0	Overcast till 2h. 30m. A.M.; very fine with small amounts of cloud generally afterwards; hoar frost in morning and at night.
MONDAY -	31	m. P. generally.	3·6	9·0	Very fine generally till 1h. P.M.; cloudy afterwards. Solar halo seen at intervals between 11h. A.M. and 4h. P.M.; hoar frost in morning.
FEBRUARY. TUESDAY -	1	w. P. till 10h. A.M.; m. P. generally afterwards.	2·6	9·1	Variably cloudy with fine intervals till 7h. 30m. P.M.; nearly overcast afterwards.
WEDNESDAY	2	w. P. and v. N. till 5h. P.M.; m. P. afterwards.	0·0	9·1	Overcast with frequent slight rain till 5h. 30m. P.M.; fine and partially cloudy afterwards; slight hoar frost at night.
THURSDAY -	3	w. P. till 11h. A.M.; m. P. afterwards.	0·0	9·2	Generally cloudy with occasional showers and dull gloomy intervals till 7h. P.M.; very fine afterwards with hoar frost and slight fog.
FRIDAY -	4	m. P. generally; a little s. P. towards midnight.	1·4	9·3	Fine and partially cloudy; fog and hoar frost in morning and again at night.
SATURDAY -	5	m. P. generally.	0·0	9·3	Sharp frost in early morning; becoming overcast by 8h. A.M. and remaining so throughout with temperature rising until midnight and frequent slight rain.
			Sum 9·4	Sum 64·0	
No. of Col. - -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·50 in. at the beginning of the week to 29·83 in. by 10h. P.M. on Jan. 30th; decreased to 29·08 in. by 7h. A.M. on Feb. 3rd; increased to 29·89 in. by 8h. A.M. on Feb. 5th; and decreased to 29·72 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 29th January, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	1	2	-	-	-	-	-	-	-
Kensington	184,635	-	8	4	-	-	-	-	5	-	-
Hammersmith	127,413	-	3	3	-	-	-	-	-	-	-
Fulham	181,282	-	8	3	-	-	-	-	2	1	1
Chelsea	75,457	-	3	3	-	-	-	-	1	-	-
City of Westminster ..	167,233	-	7	8	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	2	4	-	-	-	-	2	-	-
Hampstead	95,729	-	1	1	-	-	-	-	-	-	-
St. Pancras	237,792	-	13	7	-	-	-	-	2	-	-
Islington	353,356	-	22	7	-	-	-	-	5	1	-
Stoke Newington	54,838	-	-	1	-	-	-	-	1	-	-
Hackney	239,979	-	6	6	-	1	-	-	4	-	-
CENTRAL.											
Holborn	53,142	-	-	2	-	-	-	-	1	-	1
Finsbury	94,578	-	2	-	-	-	-	-	-	-	-
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	2	5	-	-	-	-	2	-	-
Bethnal Green	131,579	-	4	2	-	-	-	-	3	-	-
Stepney	314,379	-	4	14	-	3	-	-	2	-	-
Poplar	172,432	-	10	1	-	2	-	-	1	-	-
SOUTH.											
Southwark	211,832	-	8	4	-	1	-	-	1	-	-
Bermondsey	127,238	-	4	3	-	-	-	-	5	-	-
Lambeth	327,074	-	21	6	-	-	-	-	3	1	-
Battersea	188,222	-	12	9	-	1	-	-	2	-	-
Wandsworth	305,838	-	14	11	-	-	-	-	8	-	-
Camberwell	286,058	-	15	7	-	-	1	-	2	-	-
Deptford	119,642	-	8	1	-	-	-	-	3	-	-
Greenwich	112,935	-	3	4	-	-	-	-	2	-	-
Lewisham	164,899	-	21	7	-	1	-	-	-	-	-
Woolwich	135,422	-	7	4	-	-	-	-	3	-	-
Port of London	—	-	-	-	-	1	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	209	129	-	10	1	-	61	3	2
Ages 0–1		-	3	6	-	-	-	-	1	-	2
" 1–5		-	56	44	-	-	-	-	3	-	-
" 5–		-	90	50	-	1	-	-	1	-	-
" 10–		-	33	13	-	-	-	-	3	-	-
" 15–		-	11	2	-	1	-	-	4	-	-
" 20–		-	8	3	-	3	-	-	6	-	-
" 25–		-	6	8	-	2	1	-	10	3	-
" 35–		-	2	2	-	1	-	-	3	-	-
" 45–		-	-	1	-	1	-	-	12	-	-
" 55–		-	-	-	-	1	-	-	7	-	-
" 65 and upwards		-	-	-	-	-	-	-	11	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 6. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, FEB. 12. [Price 1½*d*.

General Register Office, Somerset House,
February 14th, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·6 per 1000 of their aggregate population, which is estimated † at 16,713,617 persons in the middle of this year. In the preceding three weeks the rates had been 14·8, 16·3, and 17·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 21·0 in Hanley, 21·3 in Oldham, 21·4 in Stockton on Tees, 21·5 in Liverpool, 22·8 in Stockport, 22·9 in Brighton, 23·7 in Swansea, 23·8 in Burnley, 24·6 in Devonport, and 26·5 in Rochdale; from *measles*, 1·6 in Swansea; from *scarlet fever*, 1·9 in Burnley; from *diphtheria*, 1·1 in Salford; and from *whooping-cough*, 2·2 in Walthamstow, 4·3 in Devonport, and 5·1 in West Hartlepool. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2375 BIRTHS and 1632 DEATHS were registered. Allowing for increase of population, the births were 193 and the deaths 19 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15612—41.) Wt. 109—472. 700. 2/10. D & S. G. 31. Sch. 4 F

causes, which had been 14·5, 15·7, and 17·2 per 1000 in the preceding three weeks, further rose last week to 17·5. The death-rate in the four weeks ended last Saturday averaged 16·2 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1632 deaths included 13 from measles, 6 from scarlet fever, 5 from diphtheria, 61 from whooping-cough, 3 from enteric fever, and 15 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 103 deaths were referred, being 18 below the corrected average number in the sixth week of the preceding five years.

The deaths from *measles*, which had been 18, 11, and 17 in the preceding three weeks, were 13 last week, and were 22 below the corrected average; 4 deaths belonged to the Borough of Paddington and 3 to Hammersmith. The deaths from *scarlet fever*, which had been 0, 10, and 5 in the preceding three weeks, were 6 last week, the corrected average being 10; 3 deaths belonged to Lambeth. The deaths from *diphtheria*, which had been 13, 10, and 16 in the preceding three weeks, fell to 5 last week, and were 13 below the corrected average. The deaths from *whooping-cough*, which had been 30, 57, and 57 in the preceding three weeks, further rose to 61 last week, and were 27 above the corrected average; 7 deaths belonged to Stepney, 6 each to Fulham and to Camberwell, 5 each to Islington and to Greenwich, 4 each to Bethnal Green and to Poplar, and 3 each to Holborn and to Lambeth. The deaths from *enteric fever* which had been 3, 3, and 2 in the preceding three weeks, were 3 last week, the corrected average also being 3. The deaths from *diarrhœa*, which had been 10, 11, and 14 in the preceding three weeks, were 15 last week, and were 5 below the corrected average. Of the 15 deaths from diarrhœa, 10 were those of children under 5 years of age, all being deaths of children under 2 years of age; 4 other deaths at these ages were certified as due to *enteritis*, and 1 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 45, having been 35, 26, and 26 in the preceding three weeks. The deaths of a compositor, aged 57 years, and of a painter, aged 40 years, were certified, after inquest, as due to chronic *lead-poisoning*.

Different forms of violence caused 56 deaths, concerning all but 1 of which inquests were held. Of these 56 deaths, 7 were cases of suicide, and 1 of homicide, while the remaining 48 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, five to conflagrations, six to burns or scalds, three to drowning, and eight, including six of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 1881 of scarlet fever, 908 of diphtheria, and 61 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 212 cases, against 204, 193, and 213; of diphtheria, 78 cases, against 115, 102, and 106; and of enteric fever, 14 cases, against 7, 8, and 3. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended February 5th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3700 births and 2255 deaths were registered. Allowing for increase of population, these numbers are 275 and 82 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from measles, 5 from diphtheria, 13 from whooping-cough, and 1 from enteric fever, were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·76 inches, and that of the Thermometer 42°·0, the latter being 2°·8 above the week's average in the 65 years ended 1905. The general direction of the wind was South Westerly, the horizontal movement of the air being 14 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 15·6 hours; the measured rainfall amounted to 0·38 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 12th February, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 22nd Jan., 1910.	29th Jan., 1910.	5th Feb., 1910.	12th Feb., 1910.	Rate from Diseases in Cols. 11-17 Week ended 12th February, 1910.	Registered during the Week ended 12th Feb., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,713,617**	**14·8**	**16·3**	**17·0**	**16·6**	**1·0**	**8416**	**5311**	**995**	**1874**	**-**	**41**	**31**	**40**	**162**	**12**	**45**	**185**	**420**	**1453**	**39**	**76 TOWNS.**
LONDON	4,872,702	14·5	15·7	17·2	17·5	1·1	2375	1632	259	625	-	13	6	5	61	3	15	56	163	660	-	LONDON.
† CROYDON	164,485	14·6	11·7	11·7	13·9	-	88	44	5	23	-	-	-	-	-	-	-	1	2	10	-	CROYDON.
WILLESDEN ..	166,088	8·8	8·5	9·1	7·5	0·3	64	24	3	9	-	1	-	-	-	-	-	-	1	6	1	WILLESDEN.
HORNSEY	98,561	8·5	5·3	11·1	9·0	-	33	17	4	3	-	-	-	-	-	-	-	-	-	1	-	HORNSEY.
TOTTENHAM ..	132,803	11·0	12·6	13·3	12·6	0·8	63	32	6	14	-	-	-	-	2	-	-	-	4	5	-	TOTTENHAM.
WEST HAM ..	328,585	11·1	14·0	14·0	15·6	1·0	188	98	22	34	-	1	-	-	3	-	2	3	6	27	-	WEST HAM.
EAST HAM.. ..	156,208	10·7	10·0	6·0	8·3	1·3	68	25	7	8	-	1	2	-	1	-	-	1	1	7	-	EAST HAM.
LEYTON	133,436	10·2	13·3	15·6	9·8	-	63	25	2	12	-	-	-	-	-	-	-	-	1	6	-	LEYTON.
WALTHAMSTOW	141,748	11·4	11·8	15·1	11·8	2·6	54	32	10	12	-	-	-	1	6	-	-	1	2	11	-	WALTHAMSTOW.
HASTINGS	68,520	9·1	18·3	21·3	19·8	2·3	12	26	1	16	-	2	-	1	-	-	-	1	3	4	-	HASTINGS.
BRIGHTON	131,900	13·0	17·8	18·6	22·9	0·4	52	58	9	29	-	-	-	-	1	-	-	-	-	16	-	BRIGHTON.
PORTSMOUTH ..	217,989	11·7	21·3	15·8	19·4	1·0	98	81	18	26	-	-	2	1	1	-	-	5	12	18	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	13·4	16·2	10·6	12·7	1·4	25	18	4	9	-	-	-	1	-	-	1	-	1	5	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	12·3	9·0	11·9	10·7	1·6	54	26	2	15	-	-	-	1	2	-	1	-	1	4	-	SOUTHAMPTON.
READING	84,355	13·6	10·5	11·1	12·4	0·6	31	20	3	13	-	-	1	-	-	-	-	-	-	5	1	READING.
NORTHAMPTON ..	99,113	11·6	13·2	13·2	14·2	1·1	36	27	12	6	-	-	-	-	-	-	2	1	2	2	1	NORTHAMPTON.
IPSWICH	75,936	21·3	14·4	20·6	15·8	2·7	35	23	1	10	-	2	-	-	2	-	-	-	-	4	-	IPSWICH.
GREAT YARMOUTH	53,715	17·5	19·4	13·6	18·4	-	20	19	1	11	-	-	-	-	-	-	-	1	1	3	-	GREAT YARMOUTH.
NORWICH	125,446	12·5	16·6	18·3	20·0	0·4	52	48	10	27	-	-	-	-	-	-	1	1	2	5	-	NORWICH.
PLYMOUTH	126,266	16·5	18·6	16·5	18·6	-	54	45	7	18	-	-	-	-	-	-	-	2	2	9	-	PLYMOUTH.
DEVONPORT	84,695	11·7	17·2	16·6	24·6	4·9	29	40	9	13	-	-	-	1	7	-	-	-	3	2	-	DEVONPORT.
BRISTOL	382,550	12·9	12·8	14·3	14·6	0·7	206	107	26	43	-	1	-	-	3	-	1	4	7	28	-	BRISTOL.
HANLEY	69,672	17·2	26·9	31·4	21·0	1·5	50	28	10	9	-	1	-	-	-	1	-	2	2	3	-	HANLEY.
BURTON-ON-TRENT	54,977	13·3	13·3	12·3	15·2	1·9	34	16	2	6	-	-	-	1	1	-	-	1	1	3	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	105,962	15·7	12·3	14·8	13·3	0·5	55	27	8	10	-	-	-	-	1	-	-	-	1	7	-	WOLVERHAMPTON
WALSALL	101,035	14·5	14·5	15·0	16·0	1·5	79	31	12	7	-	-	-	-	2	-	1	1	1	4	-	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	10·1	10·8	11·5	11·5	0·7	30	16	2	7	-	-	-	-	1	-	-	1	2	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	11·7	15·4	14·7	14·7	2·2	37	20	3	9	-	-	-	-	-	1	2	-	-	3	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

ended Saturday, 12th February, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 22nd Jan., 1910.	29th Jan., 1910.	5th Feb., 1910.	12th Feb., 1910.	Rate from Diseases in Cols. 11–17. Week ended 12th February, 1910.	Registered during the Week ended 12th Feb. 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM† ..	570,113	16·7	18·8	18·4	16·6	0·9	329	181	48	40	-	-	-	1	7	-	2	4	6	45	8	BIRMINGHAM.†
KINGS NORTON ..	84,673	6·8	10·5	8·0	13·5	0·6	51	22	3	9	-	-	1	-	-	-	-	-	1	2	-	KINGS NORTON.
SMETHWICK	72,350	17·3	18·0	12·3	10·8	1·4	54	15	3	6	-	-	-	-	2	-	-	-	-	1	-	SMETHWICK.
ASTON MANOR ..	86,269	9·7	15·7	15·7	15·1	2·4	36	25	6	8	-	-	-	-	3	-	1	1	4	2	-	ASTON MANOR.
COVENTRY	81,449	15·4	21·8	21·1	16·6	3·2	40	26	7	8	-	-	1	1	1	-	2	-	-	4	-	COVENTRY.
LEICESTER	248,374	13·2	16·6	12·4	14·3	0·6	97	68	13	28	-	-	-	-	2	1	-	1	2	17	-	LEICESTER.
GRIMSBY	74,283	16·1	12·6	15·4	14·0	-	38	20	3	6	-	-	-	-	-	-	-	-	2	2	-	GRIMSBY
NOTTINGHAM ..	266,471	18·4	14·9	19·4	16·0	0·8	131	82	20	30	-	1	1	1	-	-	1	2	5	22	-	NOTTINGHAM
DERBY	131,256	10·3	9·5	13·5	10·3	0·8	53	26	1	7	-	-	-	2	-	-	-	1	3	6	-	DERBY.
STOCKPORT	105,087	14·9	20·3	19·8	22·8	1·5	42	46	10	13	-	1	-	1	1	-	-	1	4	8	1	STOCKPORT.
BIRKENHEAD ..	122,431	15·3	19·6	18·3	20·9	1·3	79	49	4	15	-	-	-	1	2	-	-	1	4	9	2	BIRKENHEAD.
WALLASEY	73,173	16·4	22·8	12·1	12·1	2·1	28	17	-	9	-	2	-	-	-	1	-	-	1	2	-	WALLASEY.
LIVERPOOL	767,606	18·7	22·4	22·3	21·5	1·8	449	317	70	93	-	2	4	2	12	1	5	11	19	117	8	LIVERPOOL.
BOOTLE	70,548	14·8	11·8	20·0	18·5	-	54	25	5	7	-	-	-	-	-	-	-	1	1	3	-	BOOTLE.
ST. HELENS	96,523	14·6	15·1	15·1	17·8	2·7	44	33	5	7	-	-	1	1	2	-	1	2	2	10	1	ST. HELENS.
WIGAN	91,732	15·9	20·5	19·3	13·1	1·7	46	23	9	4	-	-	-	1	1	1	-	3	5	2	-	WIGAN.
WARRINGTON ..	73,295	14·2	18·5	20·6	15·7	-	41	22	6	4	-	-	-	-	-	-	-	1	1	4	-	WARRINGTON.
BOLTON	190,315	15·9	12·9	14·0	15·9	0·8	87	58	6	19	-	-	2	-	1	-	-	2	5	7	-	BOLTON.
BURY	59,409	22·8	25·5	21·1	15·8	-	33	18	5	5	-	-	-	-	-	-	-	-	-	2	-	BURY.
MANCHESTER† ..	716,354	16·5	19·7	19·4	17·3	0·7	410	238	44	80	-	3	1	3	2	-	-	10	16	69	1	MANCHESTER.†
SALFORD	244,636	15·1	18·3	18·3	17·9	1·1	143	84	15	28	-	-	-	5	-	-	-	1	4	30	-	SALFORD.
OLDHAM	144,111	18·8	19·9	19·9	21·3	1·1	68	59	10	21	-	-	-	-	3	-	-	2	4	6	-	OLDHAM.
ROCHDALE	90,497	11·5	19·6	20·2	26·5	0·6	51	46	10	16	-	-	-	-	1	-	-	-	2	6	1	ROCHDALE.
BURNLEY	107,448	15·5	16·5	18·9	23·8	3·4	57	49	4	12	-	2	4	-	-	-	1	1	2	12	1	BURNLEY.
BLACKBURN	137,972	12·5	15·1	21·2	15·5	-	61	41	7	15	-	-	-	-	-	-	-	4	4	3	-	BLACKBURN.
PRESTON	119,253	18·4	17·5	19·7	18·4	-	69	42	8	15	-	-	-	-	-	-	-	-	-	9	2	PRESTON.
BARROW-IN-FURNESS.	63,689	22·9	16·4	23·7	10·6	1·6	40	13	3	7	-	-	-	-	2	-	-	-	-	-	1	BARROW-IN-FURNESS.

* See note † on first page of this return.

† The figures for the year 1910 for Birmingham and Manchester relate to those towns as extended on 9th November, 1909.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 12th February, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 22nd Jan., 1910.	29th Jan., 1910.	5th Feb., 1910.	12th Feb., 1910.	Rate from Diseases in Cols 11-17. Week ended 12th February, 1910.	Registered during the Week ended 12th Feb. 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS,
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	19·3	18·7	18·7	19·3	1·7	58	35	6	14	-	-	-	-	1	1	1	3	3	9	-	HUDDERSFIELD.
HALIFAX	112,818	12·9	21·7	17·6	8·8	0·9	29	19	4	9	-	-	-	2	-	-	-	1	2	5	1	HALIFAX.
BRADFORD	295,865	17·4	15·0	19·0	15·0	0·5	104	85	12	35	-	2	-	1	-	-	-	3	8	17	-	BRADFORD.
LEEDS	490,985	14·8	15·6	15·4	14·4	0·3	216	136	23	41	-	-	-	-	2	1	-	4	18	25	-	LEEDS.
SHEFFIELD	478,763	16·6	14·0	16·4	14·4	0·5	263	132	18	36	-	1	2	1	-	1	-	7	10	42	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	11·0	17·3	14·1	14·1	-	42	18	4	4	-	-	-	-	-	-	-	-	1	1	-	ROTHERHAM.
YORK	88,159	8·9	23·1	18·3	13·0	-	37	22	1	11	-	-	-	-	-	-	-	1	5	7	-	YORK.
HULL	280,006	19·7	15·5	19·2	16·9	0·6	159	91	19	33	-	-	-	1	2	-	-	3	8	9	3	HULL.
MIDDLESBROUGH ..	107,014	16·1	15·1	17·1	14·6	1·0	67	30	7	8	-	-	-	-	-	-	2	1	2	10	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,680	17·5	13·6	21·4	21·4	-	39	22	6	4	-	-	-	-	-	-	-	1	1	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	81,814	12·7	17·2	17·8	15·9	5·1	35	25	5	6	-	-	-	-	8	-	-	1	1	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	19·1	21·0	17·5	19·7	0·3	69	61	10	25	-	-	-	-	-	-	1	2	3	12	2	SUNDERLAND.
SOUTH SHIELDS ..	119,737	13·5	10·5	16·1	13·9	0·9	67	32	9	5	-	-	1	-	1	-	-	5	5	5	-	SOUTH SHIELDS.
GATESHEAD	133,676	10·9	17·2	11·7	12·1	1·2	57	31	6	12	-	-	-	1	2	-	-	1	1	1	-	GATESHEAD.
NEWCASTLE-ON-TYNE.	285,951	12·2	14·2	17·3	16·6	1·1	162	91	20	30	-	-	-	2	3	-	1	6	13	11	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	56,378	14·8	16·6	21·3	19·4	-	44	21	2	9	-	-	-	-	-	-	-	1	2	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	8·5	23·5	15·0	17·0	2·0	52	26	5	10	-	1	-	-	2	-	-	2	2	8	-	NEWPORT (MON.).
CARDIFF	199,189	13·6	15·4	13·9	14·9	1·3	87	57	15	18	-	1	-	-	3	-	1	4	4	14	-	CARDIFF.
RHONDDA	138,674	22·9	22·2	18·0	20·7	0·4	116	55	19	9	-	-	1	-	-	-	-	1	2	3	1	RHONDDA.
MERTHYR TYDFIL..	79,522	19·7	21·0	17·0	17·7	0·7	46	27	6	7	-	-	1	-	-	-	-	5	6	6	-	MERTHYR TYDFIL.
SWANSEA	98,817	23·7	17·9	23·7	23·7	3·2	51	45	15	12	-	3	-	1	2	-	-	2	5	3	-	SWANSEA.
GREATER LONDON	7,537,196	13·2	14·5	16·0	15·6	1·0	3700	2255	368	877	-	17	8	11	86	4	17	77	206	795	2	GREATER LONDON.
OUTER RING ..	2,664,494	11·0	12·2	13·7	12·2	0·8	1325	623	109	252	-	4	2	6	25	1	2	21	43	135	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	10·9	11·4	12·1	11·7	0·8	621	297	59	115	-	3	2	1	12	-	2	6	17	73	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	11·0	13·0	15·2	12·7	0·8	704	326	50	137	-	1	-	5	13	1	-	15	26	62	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	16·4	15·9	18·8	15·2	2·0	132	105	14	38	-	9	-	3	-	-	2	1	?	47	3	EDINBURGH.
GLASGOW	884,505	15·5	19·2	20·2	17·9	3·6	459	304‡	55	76	-	43	3	4	5	2§	4	15	?	90	7	GLASGOW.
DUBLIN (Registration Area).†	402,928	22·5	21·7	29·8	26·4	1·6	220	204	37	78	-	-	-	2	4	-	6	1	2	78	3	DUBLIN (Registration Area).†
BELFAST†	391,167	16·7	20·1	22·0	22·9	2·3	213	172	37	46	-	-	2	-	15	-	-	2	7	49	1	BELFAST†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SIXTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2889	2687	2647	2696	2637	2722	2550	2356	2575	2335	2567·6	2375
Males - - -	1516	1366	1359	1332	1290	1334	1285	1203	1353	1197	1304·9	1205
Females - -	1373	1321	1288	1364	1347	1388	1265	1153	1222	1138	1262·7	1170
TOTAL **Deaths** -	1792	1668	1978	1504	1574	1580	1347	1858	1629	1646	1650·6	1632
Males - - -	905	843	1002	778	782	748	673	950	818	813	819·6	839
Females - -	887	825	976	726	792	832	674	908	811	833	831·0	793

* The numbers in this column are the average weekly numbers in the Sixth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1910. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	13 Weeks.
TOTAL **Births** -	2173	2195	1933	2207	2105	1860	2182	2340	2242	2146	2086	2381	2375	28225
TOTAL **Deaths** -	1363	1442	1484	1540	1330	1399	1502	1331	1367	1351	1468	1607	1632	18816
Ages at Death: Under 1 year -	269	276	214	247	241	234	247	219	259	223	267	283	259	3238
1—5 years -	109	130	120	115	95	107	114	126	113	106	146	142	161	1584
5—20 " -	85	59	63	70	61	61	86	63	59	71	64	77	80	899
20—40 " -	164	154	167	181	146	168	177	157	151	161	156	182	173	2137
40—60 " -	284	300	346	361	292	304	323	273	304	301	308	344	334	4074
60 yrs. & upwds.	452	523	574	566	495	525	555	493	481	489	527	579	625	6884
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	12	12	16	14	15	14	8	11	17	18	11	17	13	178
Scarlet Fever - -	3	7	11	4	5	6	8	5	2	–	10	5	6	72
Diphtheria - -	13	17	6	12	6	9	9	9	15	13	10	16	5	140
Whooping-cough -	20	25	23	18	24	25	33	29	33	30	57	57	61	435
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	1	2	5	1	2	2	–	1	–	3	3	2	3	25
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	1	–	–	–	–	–	1
Diarrhœa, Dysentery	24	15	14	12	10	9	8	7	15	10	11	14	15	164
All above diseases -	73	78	75	61	62	65	66	63	82	74	102	111	103	1015
Dis. of Resp. System	149	207	211	194	167	160	196	168	141	152	178	207	226	2356
Pneumonia - -	134	180	221	223	175	162	164	170	144	139	144	185	199	2240
Phthisis - - -	132	123	138	156	116	148	152	99	114	140	141	153	112	1724
Dis. of Circ. System -	199	206	202	219	201	208	231	199	199	197	242	235	227	2765
Violence - - -	51	61	58	49	49	60	58	56	48	52	58	41	56	697
Inquest Cases - -	134	153	144	154	151	158	174	149	135	152	148	158	163	1973
Deaths in Institutions	573	559	611	691	586	589	629	528	571	599	605	675	660	7876
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	38·7	37·0	44·6	38·6	38·4	39·0	44·4	43·2	43·9	39·6	34·2	37·4	42·0	40·1
Mean of Highest -	43·5	41·9	50·1	43·0	40·7	45·0	49·7	46·2	48·2	43·2	39·4	43·3	47·7	44·8
Mean of Lowest -	34·0	31·6	40·1	33·3	35·8	31·1	37·3	40·0	39·3	35·6	28·4	31·1	35·6	34·9
Mean Humidity of the Air.	85	86	85	91	89	84	87	94	82	78	75	88	86	85
Rain-fall (in inches) -	0·28	0·01	1·40	0·36	0·43	0·46	0·27	0·05	0·30	0·16	1·15	0·09	0·38	5·34
Registered Sunshine (in hours).	14·0	14·7	13·2	16·7	0·4	18·1	8·3	1·4	16·5	10·8	19·5	9·4	15·6	158·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	5	4	3	3	4	4	4	5	4	3	2	2	1	3
Scarlet Fever - -	2606	2518	2488	2475	2403	2361	2362	2256	2172	2069	1993	1937	1881	2271
Diphtheria - - -	949	948	952	946	938	917	912	908	899	901	896	936	908	924
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	74	71	67	70	67	68	62	56	59	60	62	55	61	64

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SIXTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 6th week of the 6 years 1905–1909.	1910—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1650·6	1632	259	161	80	173	334	625
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	0·2	-	-	-	-	-	-	-
Measles (Morbilli)	35·0	13	3	9	1	-	-	-
Scarlet Fever	10·4	6	-	5	1	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	28·1	45	2	1	-	5	9	28
Whooping-cough	34·0	61	22	39	-	-	-	-
Diphtheria	18·0	5	-	5	-	-	-	-
Cerebro-spinal Fever ..	-	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	3·3	3	-	-	-	2	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	5·5	2	-	-	-	2	-	-
Diarrhœa, Dysentery ..	14·7	13	8	2	-	1	-	2
Tetanus	1·2	1	-	1	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	5·9	5	3	-	-	-	-	2
Puerperal Septicæmia ..	4·1	4	-	-	-	4	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·4	-	-	-	-	-	-	-
Infective Endocarditis ..	2·3	3	-	-	2	1	-	-
Pneumonia: Lobar ..	21·7	25	2	5	-	7	5	6
Pneumonia: Broncho ..	85·0	94	25	34	8	1	9	17
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	89·1	80	9	7	4	11	17	32
Erysipelas	3·7	5	3	-	-	-	-	2
Septicæmia (not Puerperal) ..	1·4	2	-	-	1	-	-	1
Pyæmia (not Puerperal)	0·4	-	-	-	-	-	-	-
Other Infective Processes	5·9	2	-	-	-	2	-	-
Tuberculous Phthisis ..	94·8	82	-	2	4	40	31	5
"*Phthisis*"	53·7	30	-	-	1	14	11	4
Tuberculous Meningitis ..	19·5	18	6	9	2	1	-	-
Tuberculous Peritonitis ..	7·2	9	4	3	1	-	-	1
Tabes Mesenterica	3·7	1	-	1	-	-	-	-
Tuberculous Dis., Other ..	18·8	19	2	6	6	2	1	2
Scrofula..	0·2	-	-	-	-	-	-	-
Alcoholism	11·1	9	-	-	-	2	7	-
Rheumatic Fever	3·7	7	-	-	5	2	-	-
Gout	1·2	1	-	-	-	-	-	1
Carcinoma	58·4	77	-	-	-	2	33	42
Sarcoma	5·1	8	-	1	-	3	1	3
Cancer (undefined) ..	29·5	23	-	-	-	1	8	14
Diabetes Mellitus	9·0	13	-	-	-	4	2	7
Premature Birth	49·4	35	35	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 6th week of the 6 years 1905–1909.	1910—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·7	18	8	4	2	1	3	-
Gen. Par. of Insane, Insanity	16·0	18	-	-	-	6	6	6
Epilepsy	8·4	13	-	-	1	4	4	4
Convulsions	16·0	10	10	-	-	-	-	-
Locomotor Ataxy.. ..	2·3	1	-	-	-	-	1	-
Paraplegia, Dis. of Cord.	6·8	6	-	-	-	3	1	2
Nervous Sys., Other Dis.	21·1	22	-	1	2	3	7	9
Valv. Dis., Endocarditis..	58·6	56	-	-	6	8	12	30
Cereb. Hæm. Cereb. Emb.	43·6	45	-	-	1	1	9	34
Apoplexy, Hemiplegia ..	18·8	15	-	-	-	1	2	12
Aneurysm	7·2	9	-	-	-	2	5	2
Embolism, Thrombosis (not Cerebral) ..	1·6	1	-	-	-	-	1	-
Heart & Blood Ves., Other Dis... ..	103·0	101	-	-	7	7	33	54
Croup (not Spasm : nor Memb.)	0·4	-	-	-	-	-	-	-
Bronchitis	197·6	190	18	6	1	1	42	122
Emphysema, Asthma ..	7·6	9	-	-	1	-	3	5
Pleurisy	4·9	7	-	2	-	-	3	2
Respiratory Dis., Other..	11·5	20	3	-	2	-	5	10
Tonsillitis, Quinsy.. ..	1·8	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	10·6	9	4	-	-	1	2	2
Gastro-enteritis	4·9	1	1	-	-	-	-	-
Peritonitis (not Puerp.) ..	1·8	6	1	1	-	1	-	3
Cirrhosis of Liver.. ..	13·1	10	-	-	-	1	7	2
Liver Dis., Other	4·7	6	-	-	-	2	2	2
Digestive Sys., Other Dis.	36·0	44	7	3	8	7	10	9
Acute Nephritis	10·0	7	-	-	1	2	2	2
Bright's Dis., Albuminuria	45·7	43	1	-	1	3	16	22
Urinary Sys., Other Dis.	10·0	12	-	-	-	1	1	10
Generative Organs Dis...	5·5	2	-	-	-	-	1	1
Childbirth (Accid. of) ..	2·7	5	-	-	-	3	2	-
Old Age	72·7	91	-	-	-	-	-	91
Other Diseases	99·7	98	69	1	6	4	8	10
ACCIDENT.								
By Railways	1·2	-	-	-	-	-	-	-
By Vehicles and Horses..	4·1	6	-	2	2	-	1	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	-	-	-	-	-	-	-
In Building Operations..	0·4	-	-	-	-	-	-	-
In Conflagrations	-	5	1	4	-	-	-	-
By Burns, Scalds, Explosions	9·4	6	1	4	1	-	-	-
By Drowning	2·9	3	-	-	-	1	1	1
By Suffocation in Bed ..	9·8	8	6	2	-	-	-	-
By Poisons or Poisonous Vapours	2·3	1	-	-	-	1	-	-
Other Deaths by Accident..	16·8	19	5	1	1	2	3	7
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	1	-	-	1	-	-	-
Suicide	7·6	7	-	-	-	-	6	1
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th February, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2375	1632	259	625	-	13	6	5	61	3	15	112	56	163	660	-
WEST DISTRICTS	805,311	296	273	41	106	-	8	-	2	8	1	7	16	3	19	106	-
NORTH DISTRICTS	1,055,908	484	361	53	136	-	2	2	-	12	-	-	21	15	32	130	-
CENTRAL DISTRICTS	209,465	102	85	13	24	-	-	-	-	2	-	1	7	10	22	40	-
EAST DISTRICTS	715,739	499	277	64	84	-	1	-	1	17	-	3	19	13	42	151	-
SOUTH DISTRICTS	1,749,844	994	576	88	250	-	2	4	2	22	2	2	41	15	47	173	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	60	-	25	-	-	-	-	-	-	2	8	-	1	60	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	32	18	3	10	-	-	-	-	-	-	-	-	-	2	-	-
entral Paddington *W,3H*	50,053	25	26	5	7	-	4	-	-	-	-	-	1	-	2	12	-
outh Paddington	30,320	4	5	1	3	-	-	-	-	1	-	-	-	-	-	-	-
ensington Town *2W,w,2H* ..	128,037	43	60	6	30	-	-	-	-	-	-	-	6	1	3	30	-
rompton *2H*	48,591	7	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-
orth Hammersmith *2W,w,H* ..	49,192	23	10	2	4	-	3	-	-	-	-	1	-	-	-	1	-
outh Hammersmith *w,2H* ..	63,047	25	16	1	7	-	-	-	1	-	-	2	-	-	2	5	-
orth-west Fulham *W*	45,180	42	21	2	7	-	-	-	-	5	-	-	1	-	-	11	-
orth-east Fulham *F*	46,405	14	13	4	2	-	-	-	1	1	-	1	1	-	2	1	-
outh Fulham *W*	45,704	27	8	2	2	-	-	-	-	-	-	-	1	-	1	-	-
helsea North *W,w,3H*	42,514	7	21	-	9	-	-	-	-	1	-	-	1	1	3	15	-
helsea South *W,2H*	31,328	11	16	7	3	-	1	-	-	-	-	1	2	-	-	7	-
ayfair and Knightsbridge	28,743	6	5	2	1	-	-	-	-	-	-	-	1	-	2	-	-
elgrave *W,2H*	55,815	9	30	3	12	-	-	-	-	-	1	1	2	1	2	15	-
. Margaret & St. John *6H*	43,698	14	14	2	3	-	-	-	-	-	-	1	-	-	-	8	-
. James and St. Anne *W,6H* ..	33,081	7	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
ll Souls Marylebone *7H*	35,391	10	15	2	2	-	-	-	-	-	-	-	1	1	2	11	-
. Mary Marylebone *W,4H* ..	37,948	41	8	2	2	-	-	-	-	1	-	-	1	-	1	-	-
ristchurch Marylebone	39,536	18	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
. John Marylebone *2H*	20,426	1	8	-	6	-	-	-	-	-	-	-	-	-	-	2	-
ampstead *W,F,6H*	81,942	21	30	4	13	-	1	2	-	-	-	-	3	3	3	12	-
est St. Pancras *2H*	60,562	28	15	4	4	-	-	-	-	-	-	-	-	1	4	2	-
outh St. Pancras *w,10H*	55,707	24	20	2	6	-	-	-	-	-	-	-	1	1	1	11	-
ast St. Pancras *W,H*	60,320	40	25	4	8	-	-	-	-	1	-	-	1	2	4	9	-
orth St. Pancras *2W*	58,728	30	22	3	10	-	-	-	-	-	-	-	1	-	1	12	-
ufnell *W*	31,995	20	33	2	13	-	-	-	-	1	-	-	3	1	1	21	-
pper Holloway *2W,w,H*	33,978	17	23	3	8	-	-	-	-	3	-	-	1	-	-	16	-
ollington *W,w,H*	33,922	9	11	4	5	-	-	-	-	-	-	-	-	-	2	-	-
ower Holloway	41,424	20	6	1	3	-	-	-	-	1	-	-	-	-	-	-	-
arnsbury	54,478	30	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-
lington South-east *F*	75,397	33	12	3	4	-	-	-	-	-	-	-	-	-	1	-	-
ighbury *2H*	63,797	24	19	2	7	-	-	-	-	2	-	-	1	-	1	-	-
oke Newington *H*	51,247	17	10	-	8	-	-	-	-	-	-	-	-	-	1	-	-
orth Hackney	50,398	20	13	1	5	-	-	-	-	-	-	-	1	2	2	-	-
entral Hackney *2w,F*	50,536	24	22	3	11	-	-	-	-	-	-	-	-	4	7	4	-
outh-west Hackney *3H*	59,921	25	23	5	8	-	-	-	-	2	-	-	3	-	-	6	-
outh-east Hackney *2W,H*	58,255	32	31	5	8	-	1	-	-	1	-	-	4	-	1	24	-
ackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th February, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	16	9	2	3	-	-	-	-	-	-	-	2	-	2	5	-
Strand *W*,4*H*	21,674	2	11	1	3	-	-	-	-	-	-	-	-	1	2	8	-
Strand Union Workhouse, Edmonton	-	-	2	-	2	-	-	-	-	-	-	-	-	-	1	2	-
Holborn *W*,5*H*	29,612	11	16	3	3	-	-	-	-	1	-	-	-	1	5	7	-
Clerkenwell *H*	63,704	29	15	2	5	-	-	-	-	-	-	1	3	-	1	-	-
St. Luke 3*H*,*L*	36,116	43	8	2	2	-	-	-	-	-	-	-	1	-	2	2	-
Holborn Union Workhouse, Mitcham	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph *H*	10,299	1	4	-	2	-	-	-	-	1	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	-	18	3	2	-	-	-	-	-	-	-	1	8	9	14	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	28	8	1	3	-	-	-	-	-	-	-	-	-	1	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	28	38	3	16	-	-	-	-	-	-	-	6	2	5	31	-
Shoreditch North-East	36,148	32	5	2	2	-	-	-	-	-	-	-	-	1	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	46	33	11	10	-	-	-	1	2	-	-	2	-	1	22	-
Bethnal Green South-West *H* ..	64,542	46	9	3	2	-	-	-	-	2	-	-	-	-	2	-	-
Spitalfields..	27,969	13	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Mile End New Town *W*,*H*	28,718	30	43	4	8	-	1	-	-	-	-	1	3	3	4	39	-
Goodman's Fields	22,081	9	5	-	4	-	-	-	-	-	-	-	-	-	1	-	-
St. George and St. John 2*W* ..	49,068	38	13	2	5	-	-	-	-	-	-	-	1	-	1	7	-
Shadwell and Ratcliff *w*,*H* ..	25,568	25	17	7	1	-	-	-	-	5	-	1	-	1	2	14	-
Limehouse *W*	32,369	22	11	4	2	-	-	-	-	2	-	-	-	-	1	-	-
Mile End Old Town South-Western *H*	63,698	53	8	3	2	-	-	-	-	1	-	-	-	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	30	22	7	9	-	-	-	-	1	-	-	-	4	5	7	-
Bow	41,989	27	9	6	2	-	-	-	-	-	-	1	-	1	3	-	-
Bromley 3*w*,*H*	68,319	37	40	6	15	-	-	-	-	3	-	-	6	-	9	27	-
Poplar *W*,*w*	58,514	35	13	5	3	-	-	-	-	1	-	-	1	1	3	3	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th February, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	11	16	3	6	-	-	-	-	-	-	-	1	1	2	7	-
Kent-road	21,904	9	3	1	1	-	-	-	-	-	-	-	-		1	-	-
St. George the Martyr West *W,2H,L*	39,094	24	14	2	2	-	-	-	-	-	-	-	-	-	-	4	-
Newington North	49,022	36	5	2	2	-	-	-	-	-	-	-	-	-	1	-	-
Newington South *W*	72,841	35	23	2	17	-	-	-	-	-	-	-	2	1	2	10	-
St. Olave *2W*	9,817	6	3	1	1	-	-	-	-	-	-	-	-	1	1	1	-
Bermondsey *W*	82,483	67	12	3	4	-	-	-	-	-	-	-	1	1	2	-	-
Rotherhithe *W,F*	38,460	18	20	3	7	-	-	-	-	-	-	1	4	-	-	14	-
Waterloo *2H*	27,440	37	11	1	3	-	-	-	-	1	-	-	-	-	1	3	-
Lambeth Church *H*	27,440	20	23	5	6	-	-	-	-	-	-	-	2	-	1	12	-
Kennington *2W*	52,518	27	23	1	13	-	-	-	-	2	-	-	3	-	-	16	-
Stockwell *HF*	63,826	38	19	3	6	-	-	2	-	-	-	-	3	-	1	3	-
Brixton *H*	73,673	41	21	2	12	-	-	-	-	-	-	-	1	-	1	-	-
Norwood *2WH*	56,998	23	10	2	7	-	-	-	-	-	-	-	-	-	2	-	-
East Battersea *H*	72,203	40	12	2	4	-	-	-	-	-	-	-	1	-	1	-	-
North-west Battersea	49,656	34	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	10	23	3	11	-	-	-	-	2	-	-	3	1	2	9	-
Clapham *2H*	51,361	18	16	1	11	-	-	-	-	-	-	-	-	-	1	2	-
Streatham *W,2w,2F,2L*	88,019	64	26	4	16	-	-	1	-	-	-	-	1	1	1	6	-
Springfield *2W,L*	27,959	29	11	4	3	-	1	-	-	1	-	-	1	-	1	2	-
Southfields *H*	40,444	26	9	1	4	-	-	-	-	-	-	-	2	1	2	-	-
Putney	24,139	8	6	1	2	-	-	-	-	-	-	-	-	1	2	-	-
Dulwich	13,359	5	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	24	2	13	-	-	-	-	-	-	-	5	2	2	16	-
Camberwell North *W,2L*	65,584	29	52	11	16	-	-	-	-	5	-	-	3	1	6	20	-
St. George	47,331	33	10	3	5	-	-	-	-	1	-	-	-	-	1	-	-
Peckham North	48,913	31	13	3	6	-	-	-	-	-	-	-	1	-	2	-	-
Peckham South *2W,w*	43,946	20	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	28	13	4	5	-	-	-	-	3	-	-	1	1	2	-	-
Deptford Central *F*	45,481	29	17	3	6	-	-	1	1	1	1	-	-	1	2	3	-
Deptford South	34,625	11	12	2	6	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	12	10	-	2	-	-	-	-	1	-	-	-	1	1	4	-
Greenwich East *2W,H*	43,859	24	23	5	8	-	1	-	-	2	-	1	3	-	4	13	-
Eltham *w,H*	7,226	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	8	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	29	35	-	22	-	-	-	-	1	1	-	2	-	-	16	-
Sydenham *H*	43,653	22	9	1	5	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	4	4	-	1	-	-	-	1	1	-	-	-	-	-	2	-
Woolwich *5H*	41,625	29	9	1	1	-	-	-	-	-	-	-	1	1	2	1	-
Plumstead West *W,H*	39,376	15	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	21	13	-	5	-	-	-	-	-	-	-	-	-	-	9	-
Workhouses:—																	
Belmont Workhouse	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	2	-	1	-	-	-	-	-	-	-	2	-	-	2	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	7	-	4	-	-	-	-	-	-	2	1	-	-	7	-
Darenth	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Leavesden	—	-	7	-	3	-	-	-	-	-	-	-	1	-	-	7	-
London County Lunatic Asylums:—																	
Banstead	—	-	6	-	5	-	-	-	-	-	-	-	1	-	-	6	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	5	-	2	-	-	-	-	-	-	-	1	-	1	5	-
Hanwell	—	-	5	-	1	-	-	-	-	-	-	-	1	-	-	5	-
Colney Hatch	—	-	9	-	4	-	-	-	-	-	-	-	1	-	-	9	-
Claybury	—	-	7	-	1	-	-	-	-	-	-	-	-	-	-	7	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boar Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATE POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 12th February, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
	LONDON—OUTER RING ..	368,603	2,045,135	1325	623	109	252	-	4	2	6	25	1	2	21	43	135	2
30 : 1	Carshalton 2F,3H	12,228	32,997	19	5	-	4	-	-	-	-	-	-	-	-	-	1	-
2	Epsom, *part of** W,v,2F,H..	10,423	15,548	5	6	1	2	-	-	-	1	-	-	-	-	-	3	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	2	1	1	-	-	-	-	1	-	-	-	-	1	-
38 : 1	Coulsdon	11,069	8,166	3	8	-	-	-	-	-	-	-	-	-	7†	7†	-	-
2	South Croydon w,H ..	4,200	49,309	22	12	-	8	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	41	28	4	13	-	-	-	-	-	-	-	1	2	15	-
4	North Croydon H	2,644	41,698	25	9	1	4	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	35	8	2	2	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	27	12	2	4	-	-	-	-	-	-	-	-	1	-	-
2	Kingston 2W,H	6,224	42,068	23	21	4	9	-	-	-	-	-	1	-	-	3	8	-
3	Surbiton F,H	3,046	15,017	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	4	4	1	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	15	4	-	3	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	9	9	-	6	-	-	-	-	-	-	-	1	2	2	-
2	Mortlake F	2,518	17,821	16	2	1	1	-	-	-	-	-	-	-	1	1	-	-
41 : 1	Bromley F,3H	4,703	27,354	12	11	1	4	-	-	-	-	1	-	-	-	1	-	-
2	Beckenham H	7,825	28,497	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,333	16,446	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	11	5	1	1	-	-	-	-	-	-	-	1	1	-	-
2	Erith F,H	3,854	25,296	13	11	2	4	-	-	-	1	-	-	-	-	-	1	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	8	8	-	4	-	-	-	1	-	-	-	1	1	2	-
2	Uxbridge H	12,757	8,984	4	3	1	2	-	-	-	-	1	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	20	6	1	1	-	-	-	-	1	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	21	20	4	7	-	-	-	1	-	-	-	-	-	8	-
2	Twickenham F,2H	2,421	20,991	18	5	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	36	9	2	3	-	-	-	-	-	-	-	1	1	-	-
4	Chiswick H	1,249	29,809	20	6	1	2	-	-	-	-	-	-	-	-	1	-	-
5	Acton w,F,3H	6,132	48,914	41	14	2	5	-	-	-	-	-	-	-	-	1	1	-
127A : 1	Harrow F,H	13,809	25,523	17	2	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Edgware 2F,2H	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	19	8	1	4	-	-	-	-	2	-	-	-	-	2	-
127B : 1	Willesden W,F,2H	4,384	114,811	64	24	3	9	-	1	-	-	-	-	-	-	1	6	1
128 : 1	South Mimms 2F,H ..	17,755	7,308	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	6	9	1	6	-	-	-	-	-	-	-	-	1	1	-
3	Finchley F,3H	4,688	33,692	24	11	3	5	-	-	-	-	1	-	-	-	-	1	-
129 : 1	Hornsey F,H	2,875	72,056	33	16	4	3	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	14	7	2	1	-	-	-	-	-	-	-	1	3	-	-
3	West Tottenham	995	48,741	33	12	2	9	-	-	-	-	-	-	-	-	3	-	-
4	East Tottenham 2H ..	2,019	53,962	30	22	4	7	-	-	-	-	2	-	-	-	1	7	-
5	Edmonton W,w,2F	7,491	61,892	63	14	2	6	-	1	-	-	1	-	-	-	-	5	-
6	Enfield 2W,F,H	12,601	42,738	41	15	3	6	-	-	-	-	-	-	-	-	-	3	-
7	Waltham Abbey F	11,017	6,549	4	3	-	2	-	-	-	-	1	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	35	14	5	3	-	-	-	-	1	-	-	1	2	2	-
2	Forest Gate	787	52,745	24	12	3	5	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	69	30	8	14	-	-	-	-	1	-	-	1	1	1	-
4	Canning Town H	1,556	70,718	60	18	4	4	-	1	-	-	1	-	1	1	3	-	-
5	South East Ham 2F ..	1,991	37,342	32	12	4	2	-	1	2	-	-	-	-	-	-	2	-
6	North East Ham w,H ..	1,333	58,666	36	8	2	4	-	-	-	-	1	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	26	23	1	17	-	-	-	-	-	-	-	1	3	13	-
9	North Leyton 2W,w,F ..	1,963	48,445	37	41	5	13	-	-	-	-	1	-	1	1	1	32	-
10	Walthamstow 2H,L ..	6,504	108,929	61	21	9	4	-	-	-	1	5	-	-	-	-	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	8	4	-	3	-	-	-	-	-	-	-	-	-	1	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	2	3	1	1	-	-	-	-	1	-	-	1	1	2	-
2	Ilford F,L	8,496	41,244	36	21	3	9	-	-	-	1	1	-	-	-	-	-	1
3	Barking Town F	3,805	21,547	19	7	1	5	-	-	-	-	2	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	London County Lunatic Asylum (Horton Asylum), Epsom.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	London County Lunatic Asylum, Claybury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Metropolitan Imbecile Asylum, Darenth.	—	—	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
LONDON* - -	4,872,702	February 12	2375	1632	17·5	-	13	6	5	61	3	15
CALCUTTA - -	1,009,008	January 15	-	521‡	26·8	-	2	-	-	4	6	26
BOMBAY - -	982,000	" 18	392	593‡	31·5	17	4	-	-	-	1	28
MADRAS - -	548,974	" 7	357	394	40·2	1	2	?	?	?	123§	5
		" 14	258	351	35·8	-	2	?	?	?	119§	10
PARIS* - -	2,760,000	" 22	-	-	-	-	-	-	-	-	-	-
BRUSSELS* - -	704,975	February 5	249	219	16·2	-	5	1	2	4	-	12
ANTWERP* - -	314,135	" 5	147	71	11·8	-	-	1	-	1	-	4
AMSTERDAM* -	568,131	January 29	273	155	14·2	-	2	-	3	1	-	2
COPENHAGEN -	451,000	February 5	213	145	16·8	-	-	2	1	4	-	5
STOCKHOLM -	339,582	January 29	149	93	14·2	-	3	-	2	1	-	3
CHRISTIANIA -	235,674	February 5	115	71	15·7	-	-	-	-	1	-	-
ST. PETERSBURG	1,620,000	January 29	805	794	25·6	12	28	24	16	14	4	64
MOSCOW - -	1,452,100	" 29	-	731	26·2	7	24	30	25	8	5	38
BERLIN - -	2,122,813	" 22	789	557	13·7	-	4	7	27	5	1	20
HAMBURG - -	895,804	February 5	-	279	16·2	-	3	1	11	4	-	14
BRESLAU - -	502,990	January 29	-	175	18·1	-	-	1	2	8	2	6
MUNICH - -	576,000	" 29	-	181	16·3	-	1	1	1	2	-	13
VIENNA* - -	2,085,888	" 29	785	620	15·5	-	10	4	7	6	1	38
PRAGUE* - -	494,531	" 29	-	-	-	-	-	-	-	-	-	-
BUDAPEST* -	833,703	" 29	429	356	22·2	-	6	1	4	-	2	14
TRIESTE* - -	218,727	" 22	143	136	32·3	-	2	-	-	1	1	1
		" 29	139	105	25·0	-	2	-	-	1	-	3
ROME - - -	574,666	November 27	232	196	17·8	-	-	-	1	2	6	19
VENICE - -	179,236	December 18	61	86	25·0	-	1	-	-	-	-	3
BUCAREST - -	296,585	January 8	142	171	30·1	-	1	6	2	-	3	6
		" 15	135	153	26·9	-	1	1	6	-	2	4
NEW YORK* -	4,711,956	" 22	2450	1607	17·8	-	24	31	37	6	5	35
CHICAGO* - -	2,282,927	" 22	-	673	15·4	-	4	8	10	1	11	30
PHILADELPHIA*	1,565,569	" 8	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	637,089	" 2	-	255‡	19·4	-	1	-	-	3	1	?
CAIRO:—*												
Egyptians -	616,183	" 14	583	356	30·0	-	-	-	8	?	-	20
Foreigners -	61,480	" 14	8	23	19·5	-	-	-	-	?	2	-
ALEXANDRIA:—*												
Egyptians -	317,454	" 14	304	159	32·6	-	5	-	3	?	-	25
Foreigners -	67,966	" 14	7	22	16·8	-	-	-	-	?	1	-

* The deaths from diarrhœal diseases in these cities include those from enteritis and gastro-enteritis, and relate to children under two years of age.

† Excluding deaths from croup in the Indian Cities.

‡ Including 9 deaths from *plague* in Calcutta, 19 in Bombay, and 3 in Rio de Janeiro, and from *Asiatic cholera* 15 deaths in Calcutta and 2 in Bombay.

§ All forms of fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 12th February, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	54·0	28·6	41·7	0·38	BRADFORD - -	51·0	29·0	40·7	0·70
BRIGHTON - -	46·9	28·5	39·8	0·31	YORK - - -	53·6	30·0	42·3	0·21
PORTSMOUTH - -	51·0	30·5	42·9	0·21	HULL - - -	53·0	31·0	42·1	0·31
NORWICH - -	54·2	30·0	41·3	0·24	TYNEMOUTH - -	51·0	28·0	39·4	0·76
PLYMOUTH - -	53 0	34·9	45·4	0·60	CARDIFF - - -	49·3	32·2	42·2	0·99
BRISTOL - - -	50·0	32·0	43·1	0·55	EDINBURGH - -	49·7	25·8	39·3	0·66
BIRMINGHAM - -	53·5	29·8	41·3	0·18	GLASGOW - -	52·3	26·5	39·6	0·66
NOTTINGHAM - -	55·0	30·0	41·6	0·09	DUBLIN Phœnix Park.	54·1	29·9	43·7	0·26
LIVERPOOL OBSERVATORY.	53·0	33·0	43·2	0·29	DUBLIN Fitz-william Square.†	55·1	33·1	44·6	0·25
MANCHESTER -	51·6	27·8	40·9	0·86					
BURNLEY - -	50·8	26·0	39·9	1·42					
HUDDERSFIELD -	51·3	30·2	41·5	0·98	BELFAST - - -	55 0	30 5	44·0	0·69

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·4 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 12th February, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 6	..	29·669	53·2	49·4	3·8	51·1	+11·5	48·9	2·2	4·0	0·8	92	62·0	46·1	40·37	SSW. & SW.	SW., WSW. & SSW.	3·1	0·0	0·2	418	+112	0·11	3·5
MONDAY - 7	Greatest Dec. S.	29·334	54·0	44·0	10·0	49·9	+10·4	45·2	4·7	7·4	0·4	84	62·9	39·0	40·93	SW. & WSW.	WSW.	8·0	0·0	0·8	597	+282	0·10	4·8
TUESDAY - 8	..	29·426	44·9	34·9	10·0	39·6	+ 0·3	36·1	3·5	6·3	2·6	88	53·9	31·0	41·61	WSW., W. & WNW.	NNW.	4·3	0·0	0·4	392	+ 66	0·05	0·0
WEDNESDAY 9	..	30·137	41·2	28·6	12·6	34·1	- 5·0	30·2	3·9	9·3	0·9	86	68·5	21·3	42·00	NNW. & N.	NNE., calm & SW.	1·4	0·0	0·0	173	-159	0·00	0·0
THURSDAY - 10	New	30·030	46·0	28·6	17·4	39·8	+ 0·9	35·4	4·4	7·7	1·3	84	73·2	21·7	41·91	SSW. & SW.	SW. & SSW.	3·7	0·0	0·3	404	+ 69	0·05	9·2
FRIDAY - 11	..	29·830	50·0	34·7	15·3	41·3	+ 2·5	37·7	3·6	7·4	1·3	87	83·1	29·3	41·61	WSW. & SW.	WSW.	6·6	0·0	0·2	369	+ 36	0·06	0·8
SATURDAY - 12	Perigee	29·909	44·7	29·1	15·6	38·0	- 0·8	32·6	5·4	9·8	0·5	81	66·1	23·3	41·60	WSW. & SW.	W., SW. & SSW.	1·0	0·0	0·0	233	- 96	0·01	0·0
MEANS - -		29·762	47·7	35·6	12·1	42·0	+ 2·8	38·0	4·0	7·4	1·1	86	67·1	30·2	41·43	SW.		..	..	..	Sum 2586	Sum +310	Sum 0·38	2·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. FEBRUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 6	w. P. throughout.	0·0	9·4	Overcast and very mild; occasional rain; small range of temperature.
MONDAY - 7	w. P. throughout.	0·2	9·4	Very mild; overcast with occasional rain till 2h. P.M.; fine but cloudy afterwards; gusty wind prevalent between noon and 10h. 30m. P.M.
TUESDAY - 8	w. P. generally; w. N. between noon and 3h. P.M.	0·4	9·5	Very fine till 9h. A.M.: overcast with occasional rain till 6h. P.M.; generally cloudy afterwards.
WEDNESDAY 9	w. P. generally till 3h. P.M.; m. P. afterwards.	4·8	9·5	Very fine throughout; hoar frost in morning and again at night; slight fog prevalent after 5h. P.M.
THURSDAY - 10	w. P. throughout.	2·1	9·6	Cloudless with hoar frost in morning; fine with variable amounts of cloud between 6h. A.M. and noon; generally overcast afterwards with intermittent rain after 5h. P.M.
FRIDAY - 11	w. P. generally; v. N. between 2h. and 5h. P.M.	3·2	9·7	Very fine with occasional cloudy intervals till 1h. P.M.; cloudy and showery till 4h. 30m. P.M.; very fine afterwards and cloudless at night; slight hail at 4h. P.M.
SATURDAY - 12	w. P. till 8h. A.M.; m. P. till 7h. P.M.; w. P. afterwards.	4·9	9·7	Cloudless with hoar frost in morning; very fine with little cloud till noon; variably cloudy till evening; overcast with slight rain after 9h. P.M.
		Sum 15·6	Sum 66·8	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·72 in. at the beginning of the week to 29·22 in. by 5h. A.M. on the 8th; increased to 30·22 in. by 10h. P.M. on the 9th; decreased to 29·77 in. by 4h. P.M. on the 11th; and increased to 29·97 in. by midnight on the 12th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 5th February, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	5	5	-	-	-	-	1	-	-
Kensington	184,635	-	4	1	-	-	-	-	4	2	-
Hammersmith	127,413	-	9	4	-	-	-	-	-	-	-
Fulham	181,282	-	9	7	-	1	-	-	1	-	-
Chelsea	75,457	-	1	-	-	1	-	-	1	-	-
City of Westminster ..	167,233	-	8	5	-	-	-	-	3	-	1
NORTH.											
St. Marylebone	125,195	-	4	4	-	-	-	-	3	-	-
Hampstead	95,729	-	5	1	-	-	-	-	-	-	-
St. Pancras	237,792	-	21	7	-	1	-	-	3	1	-
Islington	353,356	-	13	5	-	1	-	-	6	-	-
Stoke Newington	54,838	-	2	1	-	-	-	-	2	-	-
Hackney	239,979	-	5	6	-	-	-	-	7	-	-
CENTRAL.											
Holborn	53,142	-	3	-	-	-	-	-	1	-	-
Finsbury	94,578	-	2	2	-	-	-	-	4	-	-
City of London	17,132	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	2	6	-	-	-	-	4	-	-
Bethnal Green	131,579	-	4	5	-	-	-	-	3	-	-
Stepney	314,379	-	6	4	-	1	-	-	10	-	1
Poplar	172,432	-	5	3	-	-	-	-	4	-	-
SOUTH.											
Southwark	211,832	-	6	6	-	-	-	-	1	-	-
Bermondsey	127,238	-	1	-	-	-	-	-	1	-	-
Lambeth	327,074	-	26	9	-	-	-	-	-	-	-
Battersea	188,222	-	14	6	-	1	-	-	4	-	-
Wandsworth	305,838	-	12	4	-	3	-	-	2	-	-
Camberwell	286,058	-	9	6	-	1	-	-	4	1	-
Deptford	119,642	-	2	2	-	1	-	-	2	-	-
Greenwich	112,935	-	2	4	-	-	-	-	4	-	-
Lewisham	164,899	-	20	7	-	-	-	-	1	-	-
Woolwich	135,422	-	6	8	-	-	-	-	3	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	207	118	-	11	-	-	79	4	2
Ages 0-1		-	1	5	-	-	-	-	6	-	1
„ 1-5		-	59	48	-	-	-	-	2	-	1
„ 5-		-	93	34	-	-	-	-	2	-	-
„ 10-		-	19	16	-	2	-	-	1	-	-
„ 15-		-	7	4	-	3	-	-	4	1	-
„ 20-		-	11	3	-	2	-	-	3	1	-
„ 25-		-	13	5	-	1	-	-	12	1	-
„ 35-		-	2	2	-	2	-	-	16	1	-
„ 45-		-	2	1	-	1	-	-	13	-	-
„ 55-		-	-	-	-	-	-	-	8	-	-
„ 65 and upwards		-	-	-	-	-	-	-	12	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40 Bacon Street, E

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 7. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, FEB. 19. [Price 1½*d.*

General Register Office, Somerset House,
February 21*st*, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·8 per 1000 of their aggregate population, which is estimated † at 16,713,617 persons in the middle of this year. In the preceding three weeks the rates had been 16·3, 17·0, and 16·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 21·1 in Liverpool, 21·8 in Burnley, 22·2 in Swansea, 22·8 in Hastings, and 23·9 in Birkenhead; from *measles*, 1·6 in Swansea, 3·4 in Ipswich, and 5·3 in Burnley; from *diphtheria*, 1·4 in Halifax; and from *whooping-cough*, 1·5 in Walthamstow and in Hastings, 1·6 in Gateshead, and 2·5 in West Hartlepool. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2325 BIRTHS and 1526 DEATHS were registered. Allowing for increase of population, the births were 196 and the deaths 180 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15695—41.) Wt. 109—472. 700. 2/10. D & S. G. 31. Sch. 4 G

causes, which had been 15·7, 17·2, and 17·5 per 1000 in the preceding three weeks, was 16·3 last week. The death-rate in the four weeks ended last Saturday averaged 16·7 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1526 deaths included 26 from measles, 8 from scarlet fever, 11 from diphtheria, 53 from whooping-cough, 2 from enteric fever, and 8 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 108 deaths were referred, being 17 below the corrected average number in the seventh week of the preceding five years.

The deaths from *measles*, which had been 11, 17, and 13 in the preceding three weeks, rose to 26 last week, but were 18 below the corrected average; 4 deaths belonged to the Borough of Paddington and 3 to Hammersmith. The deaths from *scarlet fever*, which had been 10, 5, and 6 in the preceding three weeks, were 8 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 10, 16, and 5 in the preceding three weeks, were 11 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 57, 57, and 61 in the preceding three weeks, fell to 53 last week, but were 15 above the corrected average; 7 deaths belonged to Islington, 4 each to St. Pancras, Hackney, Stepney, Battersea, Deptford, and Greenwich, and 3 each to Paddington and to Wandsworth. The deaths from *enteric fever* which had been 3, 2, and 3 in the preceding three weeks, were 2 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 11, 14, and 15 in the preceding three weeks, fell to 8 last week, and were 4 below the corrected average. Of the 8 deaths from diarrhœa, 5 were those of children under 5 years of age, 4 being deaths of children under 2 years of age; 3 other deaths under 2 years of age were certified as due to *enteritis*, and 6 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 41, having been 26, 26, and 45 in the preceding three weeks. The death of a painter, aged 37 years, was certified, after inquest, as due to chronic *lead-poisoning*.

Different forms of violence caused 62 deaths, concerning all of which inquests were held. Of these 62 deaths, 14 were cases of suicide, and 1 of homicide, while the remaining 47 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, six to burns or scalds, three to drowning, and nine, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 1784 of scarlet fever, 903 of diphtheria, and 66 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 215 cases, against 193, 213, and 212; of diphtheria, 109 cases, against 102, 106, and 78; and of enteric fever, 11 cases, against 8, 3, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended February 12th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3638 births and 2145 deaths were registered. Allowing for increase of population, these numbers are 307 and 280 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from measles, 3 from scarlet fever, 1 from diphtheria, 4 from whooping-cough, 3 from enteric fever, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·33 inches, and that of the Thermometer 44°·7, the latter being 5°·3 above the week's average in the 65 years ended 1905. The general direction of the wind was Southerly, the horizontal movement of the air being 59 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 23·7 hours; the measured rainfall amounted to 0·69 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 19th February, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 29th Jan., 1910.	5th Feb., 1910.	12th Feb., 1910.	19th Feb., 1910.	Rate from Diseases in Cols. 11–17 Week ended 19th February, 1910.	Registered during the Week ended 19th Feb., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS‡	**16,713,617**	**16·3**	**17·0**	**16·6**	**15·8**	**1·0**	**8284**	**5055**	**996**	**1804**	**-**	**71**	**22**	**47**	**135**	**18**	**35**	**170**	**410**	**1337**	**38**	**76 TOWNS‡**
LONDON	4,872,702	15·7	17·2	17·5	16·3	1·2	2325	1526	241	585	-	26	8	11	53	2	8	62	173	607	-	LONDON.
† CROYDON	164,485	11·7	11·7	13·9	11·1	-	92	35	8	16	-	-	-	-	-	-	-	4	5	5	-	CROYDON.
† WILLESDEN ..	166,088	8·5	9·1	7·5	9·7	0·9	70	31	4	10	-	1	-	-	2	-	-	-	2	6	1	WILLESDEN.
† HORNSEY	98,561	5·3	11·1	9·0	7·4	-	18	14	-	11	-	-	-	-	-	-	-	-	-	1	-	HORNSEY.
† TOTTENHAM ..	132,803	12·6	13·3	12·6	10·2	0·4	88	26	7	9	-	-	-	-	-	1	-	-	2	8	-	TOTTENHAM.
† WEST HAM ..	328,585	14·0	14·0	15·6	14·6	1·1	180	92	21	27	-	-	1	1	4	-	1	4	7	27	-	WEST HAM.
† EAST HAM.. ..	156,208	10·0	6·0	8·3	13·4	1·0	71	40	14	10	-	-	-	1	2	-	-	-	3	4	-	EAST HAM.
† LEYTON	133,436	13·3	15·6	9·8	10·9	0·8	66	28	3	10	-	1	-	-	1	-	-	-	-	3	-	LEYTON.
† WALTHAMSTOW	141,748	11·8	15·1	11·8	12·1	1·8	55	33	9	11	-	-	-	-	4	-	1	-	1	7	-	WALTHAMSTOW.
HASTINGS	68,520	18·3	21·3	19·8	22·8	1·5	17	30	1	19	-	-	-	-	2	-	-	1	1	2	-	HASTINGS.
BRIGHTON	131,900	17·8	18·6	22·9	15·8	-	47	40	7	18	-	-	-	-	-	-	-	-	2	12	-	BRIGHTON.
PORTSMOUTH ..	217,989	21·3	15·8	19·4	15·1	1·9	111	63	12	25	-	-	-	3	3	2	-	2	3	17	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	16·2	10·6	12·7	15·5	0·7	30	22	5	14	-	-	-	-	1	-	-	-	1	6	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	9·0	11·9	10·7	18·0	1·2	66	44	9	19	-	-	-	2	-	-	1	1	3	15	-	SOUTHAMPTON.
READING	84,355	10·5	11·1	12·4	10·5	1·2	34	17	2	7	-	-	-	-	-	1	1	-	-	6	-	READING.
NORTHAMPTON ..	99,113	13·2	13·2	14·2	14·7	1·6	48	28	5	10	-	2	-	-	1	-	-	1	1	6	1	NORTHAMPTON.
IPSWICH	75,936	14·4	20·6	15·8	18·5	3·4	38	27	5	12	-	5	-	-	-	-	-	1	1	3	-	IPSWICH.
GREAT YARMOUTH	53,715	19·4	13·6	18·4	16·5	-	22	17	4	8	-	-	-	-	-	-	-	-	2	5	-	GREAT YARMOUTH.
NORWICH	125,446	16·6	18·3	20·0	13·3	-	76	32	5	16	-	-	-	-	-	-	-	1	2	6	-	NORWICH.
PLYMOUTH	126,266	18·6	16·5	18·6	16·1	0·8	49	39	5	17	-	-	-	-	2	-	-	3	6	3	-	PLYMOUTH.
DEVONPORT	84,695	17·2	16·6	24·6	19·1	-	37	31	6	17	-	-	-	-	-	-	-	2	5	3	-	DEVONPORT.
BRISTOL	382,550	12·8	14·3	14·6	12·8	-	159	94	16	44	-	-	-	-	-	-	-	2	3	18	-	BRISTOL.
HANLEY	69,672	26·9	31·4	21·0	20·2	3·0	46	27	6	7	-	1	-	1	-	1	1	-	3	4	-	HANLEY.
BURTON-ON-TRENT	54,977	13·3	12·3	15·2	15·2	-	20	16	1	4	-	-	-	-	-	-	-	-	-	5	1	BURTON-ON-TRENT.
WOLVERHAMPTON..	105,962	12·3	14·8	13·3	16·2	0·5	52	33	10	10	-	-	-	-	1	-	-	-	2	11	-	WOLVERHAMPTON
WALSALL	101,035	14·5	15·0	16·0	13·4	1·5	57	26	7	4	-	-	1	1	-	-	1	2	4	-	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	10·8	11·5	11·5	10·1	-	20	14	4	7	-	-	-	-	-	-	-	-	1	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	15·4	14·7	14·7	13·9	-	46	19	7	6	-	-	-	-	-	-	-	-	2	4	1	WEST BROMWICH.

* See note † on first page of this return. † These towns are included within the area of Greater London. ‡ See note ‡ on page 102.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 19th February, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 29th Jan., 1910.	5th Feb., 1910.	12th Feb., 1910.	19th Feb., 1910.	Rate from Diseases in Cols. 11–17. Week ended 19th February, 1910.	Registered during the Week ended 19th Feb. 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM† ..	570,113	18·8	18·4	16·6	15·8	1·2	300	173	46	54	-	-	2	2	4	-	5	3	6	41	7	BIRMINGHAM.†
KINGS NORTON ..	84,673	10·5	8·0	13·5	9·2	-	24	15	4	7	-	-	-	-	-	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK	72,350	18·0	12·3	10·8	15·1	-	37	21	5	7	-	-	-	-	-	-	-	1	2	1	1	SMETHWICK.
ASTON MANOR ..	86,269	15·7	15·7	15·1	9·1	0·6	34	15	2	6	-	-	-	-	1	-	-	-	2	3	-	ASTON MANOR.
COVENTRY	81,449	21·8	21·1	16·6	16·0	0·6	62	25	8	8	-	-	-	-	-	1	-	-	-	4	-	COVENTRY.
LEICESTER	248,374	16·6	12·4	14·3	11·8	0.6	105	56	15	20	-	-	-	-	2	-	1	8	10	13	1	LEICESTER.
GRIMSBY	74,283	12·6	15·4	14·0	16·0	0·7	41	27	5	12	-	-	-	-	1	-	-	-	-	1	-	GRIMSBY.
NOTTINGHAM ..	266,471	14·9	19·4	16·0	16·0	0·8	118	82	13	33	-	1	-	-	1	2	-	1	2	17	1	NOTTINGHAM.
DERBY	131,256	9·5	13·5	10·3	15·9	0·8	64	40	5	14	-	-	-	1	1	-	-	-	4	8	-	DERBY.
STOCKPORT	105,087	20·3	19·8	22·8	18·9	0·5	59	38	6	8	-	1	-	-	-	-	-	2	3	8	1	STOCKPORT.
BIRKENHEAD ..	122,431	19·6	18·3	20·9	23·9	1·3	51	56	17	12	-	1	-	-	2	-	-	1	2	9	1	BIRKENHEAD.
WALLASEY	73,173	22·8	12·1	12·1	9·3	0·7	32	13	-	9	-	1	-	-	-	-	-	-	-	4	-	WALLASEY.
LIVERPOOL	767,606	22·4	22·3	21·5	21·1	1·5	437	310	84	89	-	8	1	1	9	1	2	7	14	94	5	LIVERPOOL.
BOOTLE	70,548	11·8	20·0	18·5	16·3	1·5	36	22	3	3	-	-	-	-	1	1	-	1	2	10	-	BOOTLE.
ST. HELENS	96,523	15·1	15·1	17·8	17·8	0·5	65	33	7	12	-	-	1	-	-	-	-	-	-	7	2	ST. HELENS.
WIGAN	91,732	20·5	19·3	13·1	14·8	1·7	61	26	8	5	-	-	1	1	-	1	-	1	1	6	-	WIGAN.
WARRINGTON ..	73,295	18·5	20 6	15·7	13·5	-	40	19	3	6	-	-	-	-	-	-	-	2	2	4	2	WARRINGTON.
BOLTON	190,315	12·9	14·0	15·9	20·3	0·8	66	74	15	18	-	-	-	1	2	-	-	1	6	9	-	BOLTON.
BURY	59,409	25·5	21·1	15·8	17·6	0·9	21	20	3	9	-	-	-	1	-	-	-	-	-	2	-	BURY.
MANCHESTER† ..	716,354	19·7	19 4	17·3	18·4	0·7	443	253	45	90	-	-	2	2	2	1	2	11	19	71	2	MANCHESTER.†
SALFORD	244,636	18·3	18·3	17·9	14·9	1·3	107	70	12	21	-	2	1	3	-	-	-	-	4	15	-	SALFORD.
OLDHAM	144,111	19·9	19·9	21·3	18·1	1·1	69	50	8	15	-	-	-	-	1	-	2	1	4	9	-	OLDHAM.
ROCHDALE	90,497	19·6	20·2	26·5	14 4	0·6	51	25	9	6	-	-	-	-	1	-	-	-	2	7	1	ROCHDALE.
BURNLEY	107,448	16·5	18·9	23·8	21·8	5·8	54	45	9	16	-	11	-	-	-	1	-	2	4	8	3	BURNLEY.
BLACKBURN	137,972	15·1	21·2	15·5	14·0	0·8	63	37	9	10	-	-	2	-	-	-	-	2	5	5	1	BLACKBURN.
PRESTON	119,253	17·5	19·7	18·4	15·7	0·9	57	36	10	14	-	-	-	-	1	-	1	-	-	4	2	PRESTON.
BARROW-IN-FURNESS.	63,689	16·4	23·7	10·6	16·4	0·8	26	20	3	7	-	-	-	-	1	-	-	1	1	3	-	BARROW-IN-FURNESS

* See note † on first page of this return. † The figures for the year 1910 for Birmingham and Manchester relate to those towns as extended on 9th November, 1909.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 19th February, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 29th Jan., 1910.	5th Feb., 1910.	12th Feb., 1910.	19th Feb., 1910.	Rate from Diseases in Cols 11–17. Week ended 19th February, 1910.	Registered during the Week ended 19th Feb. 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	18·7	18·7	19·3	15·4	1·1	33	28	4	7	-	-	-	-	1	1	-	-	1	5	-	HUDDERSFIELD.
HALIFAX	112,818	21·7	17·6	8·8	17·1	1·4	31	37	4	14	-	-	-	3	-	-	-	2	3	13	-	HALIFAX.
BRADFORD	295,865	15·0	19·0	15·0	12·3	0·7	99	70	8	35	-	3	-	-	-	-	1	3	8	17	-	BRADFORD.
LEEDS	490,985	15·6	15·4	14·4	12·5	0·5	219	118	25	38	-	-	-	-	4	-	1	2	7	19	-	LEEDS.
SHEFFIELD	478,763	14·0	16·4	14·4	13·3	0·9	247	122	20	45	-	-	-	5	2	-	1	5	7	28	1	SHEFFIELD.
ROTHERHAM.. ..	66,414	17·3	14·1	14·1	14·1	1·6	33	18	5	5	-	1	-	-	1	-	-	2	4	4	-	ROTHERHAM.
YORK	88,159	23·1	18·3	13·0	16·0	0·6	51	27	6	14	-	1	-	-	-	-	-	2	3	5	-	YORK.
HULL	280,006	15·5	19·2	16·9	19·7	0·9	169	106	24	40	-	-	1	2	-	1	1	3	8	20	1	HULL.
MIDDLESBROUGH ..	107,014	15·1	17·1	14·6	15·1	0·5	67	31	12	5	-	-	-	1	-	-	-	-	3	4	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,680	13·6	21·4	21·4	17·5	-	28	18	3	5	-	-	-	-	-	-	-	2	2	5	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	81,814	17·2	17·8	15·9	17·2	2·5	31	27	10	5	-	-	-	-	4	-	-	1	1	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	21·0	17·5	19·7	19·7	1·0	85	61	12	27	-	-	-	1	1	-	1	5	8	12	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	10·5	16·1	13·9	12·6	1·3	61	29	5	7	-	-	-	-	2	-	1	1	1	8	-	SOUTH SHIELDS.
GATESHEAD	133,676	17·2	11·7	12·1	14·4	1·6	66	37	9	11	-	-	-	-	4	-	-	2	2	3	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	285,951	14·2	17·3	16·6	13·5	0·9	138	74	11	26	-	-	-	3	1	1	-	1	5	11	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	56,378	16·6	21·3	19·4	13·9	-	37	15	2	5	-	-	-	-	-	-	-	1	1	5	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	23·5	15·0	17·0	17·7	1·3	50	27	5	8	-	-	-	-	2	-	-	-	1	4	-	NEWPORT (MON.).
CARDIFF	199,189	15·4	13·9	14·9	10·5	1·0	117	40	10	14	-	2	-	-	2	-	-	1	5	4	-	CARDIFF.
RHONDDA‡	138,674	22·2	18·0	20·7	20·3	1·9	117	54	24	7	-	-	1	-	2	-	2	1	2	2	-	RHONDDA.‡
MERTHYR TYDFIL..	79,522	21·0	17·0	17·7	19·0	0·7	65	29	9	6	-	-	-	-	1	-	-	1	2	3	-	MERTHYR TYDFIL.
SWANSEA	98,817	17·9	23·7	23·7	22·2	2·6	77	42	10	16	-	3	-	-	2	-	-	4	6	6	-	SWANSEA.
GREATER LONDON	7,537,196	14·5	16·0	15·6	14·8	1·0	3638	2145	360	845	-	31	12	14	70	6	12	79	212	739	1	GREATER LONDON.
OUTER RING ..	2,664,494	12·2	13·7	12·2	12·1	0·7	1313	619	119	260	-	5	4	3	17	4	4	17	39	132	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	11·4	12·1	11·7	11·8	0·8	640	299	66	104	-	2	1	2	13	1	2	8	20	61	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	13·0	15·2	12·7	12·4	0·6	673	320	53	156	-	3	3	1	4	3	2	9	19	71	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	15·9	18·8	15·2	16·4	1·0	162	113	14	42	-	4	-	-	2	-	1	4	?	36	3	EDINBURGH.
GLASGOW	884,505	19·2	20·2	17·9	16·9	2·5	422	287	44	66	-	27	4	2	4	1	4	7	?	89	8	GLASGOW.
DUBLIN (Registration Area).†	402,928	21·7	29·8	26·4	26·5	0·6	197	205	45	77	-	-	2	-	1	-	2	6	7	86	7	DUBLIN (Registration Area).†
BELFAST†	391,167	20·1	22·0	22·9	20·8	2·3	196	156	31	35	-	1	-	-	17	1	2	5	11	39	5	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SEVENTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2439	2690	2691	2515	2737	2612	2394	2350	2491	2461	2520·5	2325
Males - - -	1232	1373	1372	1306	1375	1334	1219	1188	1281	1300	1294·7	1141
Females - -	1207	1317	1319	1209	1362	1278	1175	1162	1210	1161	1225·8	1184
TOTAL **Deaths** -	2013	1719	2277	1556	1589	1506	1520	1819	1752	1731	1705·5	1526
Males - - -	1015	883	1103	798	781	766	774	890	889	902	864·5	764
Females - -	998	836	1174	758	808	740	746	929	863	829	841·0	762

* The numbers in this column are the average weekly numbers in the Seventh week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1910. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	13 Weeks.
TOTAL **Births** -	2195	1933	2207	2105	1860	2182	2340	2242	2146	2086	2381	2375	2325	28377
TOTAL **Deaths** -	1442	1484	1540	1330	1399	1502	1331	1367	1351	1468	1607	1632	1526	18979
Ages at Death: Under 1 year -	276	214	247	241	234	247	219	259	223	267	283	259	241	3210
1—5 years -	130	120	115	95	107	114	126	113	106	146	142	161	126	1601
5—20 " -	59	63	70	61	61	86	63	59	71	64	77	80	74	868
20—40 " -	154	167	181	146	168	177	157	151	161	156	182	173	159	2132
40—60 " -	300	346	361	292	304	323	273	304	301	308	344	334	341	4131
60 yrs. & upwds.	523	574	566	495	525	555	493	481	489	527	579	625	585	7017
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	12	16	14	15	14	8	11	17	18	11	17	13	26	192
Scarlet Fever - -	7	11	4	5	6	8	5	2	-	10	5	6	8	77
Diphtheria - -	17	6	12	6	9	9	9	15	13	10	16	5	11	138
Whooping-cough -	25	23	18	24	25	33	29	33	30	57	57	61	53	468
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	5	1	2	2	-	1	-	3	3	2	3	2	26
Pyrexia (origin uncertain).	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Diarrhœa, Dysentery	15	14	12	10	9	8	7	15	10	11	14	15	8	148
All above diseases -	78	75	61	62	65	66	63	82	74	102	111	103	108	1050
Dis. of Resp. System	207	211	194	167	160	196	168	141	152	178	207	226	200	2407
Pneumonia - -	180	221	223	175	162	164	170	144	139	144	185	199	195	2301
Phthisis - - -	123	138	156	116	148	152	99	114	140	141	153	112	124	1716
Dis. of Circ. System -	206	202	219	201	208	231	199	199	197	242	235	227	220	2786
Violence - - -	61	58	49	49	60	58	56	48	52	58	41	56	62	708
Inquest Cases - -	153	144	154	151	158	174	149	135	152	148	158	163	173	2012
Deaths in Institutions	559	611	691	586	589	629	528	571	599	605	675	660	607	7910
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	37·0	44·6	38·6	38·4	39·0	44·4	43·2	43·9	39·6	34·2	37·4	42·0	44·7	40·5
Mean of Highest -	41·9	50·1	43·0	40·7	45·0	49·7	46·2	48·2	43·2	39·4	43·3	47·7	50·9	45·3
Mean of Lowest -	31·6	40·1	33·3	35·8	31·1	37·8	40·0	39·3	35·6	28·4	31·1	35·6	39·0	35·3
Mean Humidity of the Air.	86	85	91	89	84	87	94	82	78	75	83	86	80	85
Rain-fall (in inches) -	0·01	1·40	0·36	0·43	0·46	0·27	0·05	0·30	0·16	1·15	0·09	0·38	0·69	5·75
Registered Sunshine (in hours).	14·7	13·2	16·7	0·4	18·1	8·3	1·4	16·5	10·8	19·5	9·4	15·6	23·7	168·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	4	3	3	4	4	4	5	4	3	2	2	1	1	3
Scarlet Fever - -	2518	2488	2475	2403	2361	2362	2256	2172	2069	1993	1937	1881	1784	2208
Diphtheria - - -	948	952	946	938	917	912	908	899	901	896	936	908	903	920
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	71	67	70	67	68	62	56	59	60	62	55	61	66	63

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SEVENTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 7th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1705·5	1526	241	126	74	159	341	585
Small-pox*	0·2	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	44·0	26	5	19	2	–	–	–
Scarlet Fever	10·9	8	–	4	3	–	1	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	42·4	41	1	–	1	6	8	25
Whooping-cough	38·3	53	27	24	2	–	–	–
Diphtheria	15·4	11	2	6	3	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	3·7	2	–	–	1	–	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	3·1	2	2	–	–	–	–	–
Diarrhœa, Dysentery ..	8·8	6	2	1	–	–	2	1
Tetanus	0·6	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	7·4	5	1	–	–	3	1	–
Puerperal Septicæmia ..	1·6	1	–	–	–	1	–	–
Puerperal Pyæmia.. .	0·4	–	–	–	–	–	–	–
Puerperal Fever	0·4	–	–	–	–	–	–	–
Infective Endocarditis ..	2·7	1	–	–	–	1	–	–
Pneumonia: Lobar ..	21·5	21	1	1	1	3	11	4
Pneumonia: Broncho ..	95·6	82	27	19	5	2	6	23
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	80·5	92	15	13	5	9	16	34
Erysipelas	2·5	2	–	–	–	–	–	2
Septicæmia (not Puerperal) ..	1·0	1	–	–	–	–	1	–
Pyæmia (not Puerperal)	0·2	1	1	–	–	–	–	–
Other Infective Processes	4·1	4	–	–	1	1	1	1
Tuberculous Phthisis ..	104·4	85	2	1	9	33	34	6
"*Phthisis*"	55·9	39	–	–	–	12	20	7
Tuberculous Meningitis ..	19·5	11	2	5	4	–	–	–
Tuberculous Peritonitis ..	6·1	3	1	–	–	1	1	–
Tabes Mesenterica	1·4	2	1	1	–	–	–	–
Tuberculous Dis., Other ..	15·4	18	2	4	5	4	2	1
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	10·6	8	–	–	–	3	5	–
Rheumatic Fever	5·1	7	–	–	2	4	1	–
Gout	1·2	–	–	–	–	–	–	–
Carcinoma	55·9	76	–	–	–	4	43	29
Sarcoma	6·8	5	–	–	1	3	1	–
Cancer (undefined) ..	37·1	37	–	–	–	2	12	23
Diabetes Mellitus	9·8	7	–	–	–	–	1	6
Premature Birth	50·8	38	38	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 7th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	12·7	9	1	4	2	–	1	1
Gen. Par. of Insane, Insanity	18·6	13	–	–	–	3	4	6
Epilepsy	9·6	11	1	–	–	5	3	2
Convulsions	16·8	17	16	1	–	–	–	–
Locomotor Ataxy.. ..	2·9	6	–	–	–	–	3	3
Paraplegia, Dis. of Cord.	8·4	5	1	–	1	–	1	2
Nervous Sys., Other Dis.	19·0	10	–	–	–	1	3	6
Valv. Dis., Endocarditis..	52·4	58	–	–	6	6	14	32
Cereb. Hæm. Cereb. Emb.	42·8	51	–	–	–	1	16	34
Apoplexy, Hemiplegia ..	17·4	15	–	–	–	1	–	14
Aneurysm	6·6	9	–	–	–	1	8	–
Embolism, Thrombosis (not Cerebral) ..	1·4	2	–	–	–	–	1	1
Heart & Blood Ves., Other Dis... ..	105·9	85	1	–	1	4	27	52
Croup (not Spasm: nor Memb.)	0·6	–	–	–	–	–	–	–
Bronchitis	211·3	163	16	8	–	1	21	117
Emphysema, Asthma ..	11·1	16	–	–	–	3	7	6
Pleurisy	5·1	2	–	–	–	–	2	–
Respiratory Dis., Other..	10·9	19	4	2	–	2	2	9
Tonsillitis, Quinsy.. ..	1·0	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	8·6	6	2	1	–	1	–	2
Gastro-enteritis	5·5	7	5	1	1	–	–	–
Peritonitis (not Puerp.) ..	3·1	1	–	–	–	–	–	1
Cirrhosis of Liver.. ..	13·9	12	–	–	–	1	6	5
Liver Dis., Other	3·9	5	–	–	–	–	–	5
Digestive Sys., Other Dis.	37·1	48	4	1	5	7	14	17
Acute Nephritis	10·4	15	1	–	–	3	7	4
Bright's Dis., Albuminuria	46·3	37	–	–	3	3	12	19
Urinary Sys., Other Dis.	11·7	6	–	–	–	1	2	3
Generative Organs Dis...	4·7	2	–	–	–	–	1	1
Childbirth (Accid. of) ..	3·1	1	–	–	–	1	–	–
Old Age	72·7	64	–	–	–	–	–	64
Other Diseases	100·2	74	48	4	5	9	3	5
ACCIDENT.								
By Railways	1·4	–	–	–	–	–	–	–
By Vehicles and Horses..	5·1	9	–	1	3	2	1	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	1	–	–	–	–	1	–
In Building Operations..	0·6	1	–	–	–	–	1	–
In Conflagrations	0·8	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	9·2	6	–	3	1	–	1	1
By Drowning	3·1	3	–	–	–	1	2	–
By Suffocation in Bed ..	11·5	9	9	–	–	–	–	–
By Poisons or Poisonous Vapours	3·1	4	–	1	1	1	–	1
Other Deaths by Accident..	16·6	14	2	1	–	2	3	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	1	–	–	–	1	–	–
Suicide	11·3	14	–	–	–	6	6	2
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th February, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2325	1526	241	585	-	26	8	11	53	2	8	124	62	173	607	-
WEST DISTRICTS	805,311	319	244	36	81	-	10	-	-	6	-	1	19	13	29	93	-
NORTH DISTRICTS	1,055,908	509	330	44	130	-	4	1	4	16	-	-	32	12	41	108	-
CENTRAL DISTRICTS	209,465	108	50	10	18	-	-	-	-	1	-	-	2	3	8	25	-
EAST DISTRICTS	715,739	458	280	50	90	-	6	-	3	8	1	3	28	11	42	134	-
SOUTH DISTRICTS	1,749,844	931	558	100	247	-	4	5	-	22	1	2	38	23	53	183	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	64	1	19	-	2	2	2	-	-	2	5	-	-	64	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	28	13	1	2	-	1	-	-	-	-	-	3	-	1	-	-
Central Paddington *W,3H*	50,053	29	37	9	11	-	2	-	-	2	-	-	1	4	7	21	-
South Paddington	30,320	5	5	-	3	-	-	-	-	1	-	-	-	-	1	-	-
Kensington Town 2*W,w,2H* ..	128,037	45	40	7	18	-	-	-	-	1	-	-	3	-	1	17	-
Brompton 2*H*	48,591	6	11	1	4	-	-	-	-	-	-	-	2	-	2	3	-
North Hammersmith 2*W,w,H* ..	49,192	32	17	2	2	-	3	-	-	1	-	-	1	-	1	8	-
South Hammersmith *w,2H* ..	63,047	30	18	1	6	-	-	-	-	-	-	1	2	1	3	7	-
North-west Fulham *W*	45,180	26	19	3	7	-	1	-	-	1	-	-	2	-	-	8	-
North-east Fulham *F*	46,405	20	9	4	2	-	-	-	1	-	-	-	-	-	2	1	-
South Fulham *W*	45,704	32	12	1	6	-	1	-	1	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	10	14	1	6	-	1	-	-	-	-	-	3	-	2	10	-
Chelsea South *W,2H*	31,328	10	10	2	4	-	1	-	-	-	-	-	-	2	3	1	-
Mayfair and Knightsbridge	28,743	6	3	-	1	-	-	-	-	-	-	-	-	2	2	-	-
Belgrave *W,2H*	55,815	20	16	2	3	-	-	-	-	-	-	-	1	1	1	9	-
St. Margaret & St. John 6*H*	43,698	7	16	1	5	-	-	-	-	-	-	-	1	3	3	7	-
St. James and St. Anne *W,6H* ..	33,081	13	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone 7*H*	35,391	16	19	2	7	-	-	-	-	-	-	-	-	1	1	9	-
St. Mary Marylebone *W,4H* ..	37,948	49	9	-	6	-	-	-	-	-	-	-	-	-	1	2	-
Christchurch Marylebone	39,536	13	12	2	4	-	-	-	-	2	-	-	1	3	5	-	-
St. John Marylebone 2*H*	20,426	7	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Hampstead *W,F,6H*	81,942	27	25	3	13	-	2	-	2	-	-	-	5	-	1	9	-
West St. Pancras 2*H*	60,562	28	10	1	3	-	-	-	-	-	-	-	1	-	2	2	-
South St. Pancras *w,10H*	55,707	25	27	4	7	-	-	-	1	-	-	-	3	3	5	16	-
East St. Pancras *W,H*	60,320	22	19	2	10	-	-	-	-	3	-	-	2	-	1	7	-
North St. Pancras 2*W*	58,728	28	16	2	6	-	-	-	-	1	-	-	3	-	3	6	-
Tufnell *W*	31,995	14	26	4	15	-	-	-	-	2	-	-	2	-	1	16	-
Upper Holloway 2*W,w,H*	33,973	16	27	-	8	-	-	-	-	-	-	-	2	1	3	16	-
Collington *W,w,H*	33,922	18	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	28	8	2	1	-	-	-	-	2	-	-	1	-	-	-	-
Barnsbury	54,478	29	17	1	7	-	-	-	-	2	-	-	1	1	3	-	-
Islington South-east *F*	75,397	35	15	2	8	-	-	-	-	-	-	-	1	1	4	-	-
Highbury 2*H*	63,797	19	10	2	4	-	-	-	-	-	-	-	1	-	-	2	-
Stoke Newington *H*	51,247	13	9	-	3	-	-	-	-	-	-	-	1	-	-	-	-
North Hackney	50,398	19	11	-	7	-	-	-	-	-	-	-	-	-	1	-	-
Central Hackney 2*w,F*	50,536	26	21	2	9	-	-	1	1	-	-	-	4	-	2	7	-
South-west Hackney 3*H*	59,921	43	15	2	5	-	-	-	-	1	-	-	1	-	2	4	-
South-east Hackney 2*W,H*	58,255	34	24	12	3	-	2	-	-	3	-	-	2	2	6	11	-
Hackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT duringthe Week ended Saturday, 19th February, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	17	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Strand *W*,4*H*	21,674	6	8	1	2	-	-	-	-	-	-	-	-	3	4	5	-
Strand Union Workhouse, Edmonton	-	-	3	-	3	-	-	-	-	-	-	-	1	-	-	3	-
Holborn *W*,5*H*	29,612	13	6	1	2	-	-	-	-	1	-	-	-	-	1	4	-
Clerkenwell *H*	63,704	32	11	2	6	-	-	-	-	-	-	-	-	-	-	1	-
St. Luke 3*H*,*L*	36,116	33	9	5	-	-	-	-	-	-	-	-	1	-	2	1	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	10	1	3	-	-	-	-	-	-	-	-	-	1	10	-
City of London Asylum, Stone	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																	
Shoreditch South 3*H*..	46,362	20	13	6	1	-	-	-	-	1	-	1	1	1	3	4	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	24	23	2	8	-	1	-	-	-	-	-	2	2	6	17	-
Shoreditch North-East	36,148	19	10	3	2	-	-	-	-	-	-	1	3	-	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	34	33	8	9	-	-	-	-	1	-	-	2	1	1	19	-
Bethnal Green South-West *H* ..	64,542	54	11	4	4	-	2	-	-	-	-	-	-	1	1	-	-
Spitalfields..	27,969	16	7	-	5	-	-	-	-	-	-	-	-	-	2	-	-
Mile End New Town *W*,*H*	28,718	24	29	3	5	-	1	-	-	1	-	-	3	-	2	24	-
Goodman's Fields	22,081	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	32	10	1	3	-	-	-	-	1	-	-	1	-	2	3	-
Shadwell and Ratcliff *w*,*H* ..	25,568	19	17	2	2	-	-	-	2	3	-	-	2	-	3	11	-
Limehouse *W*	32,369	14	13	4	5	-	-	-	-	-	-	-	2	1	5	-	-
Mile End Old Town South-Western *H*	63,698	55	10	5	2	-	-	-	-	-	-	-	2	-	2	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	32	32	5	16	-	-	-	-	-	-	1	1	1	2	22	-
Bow	41,989	26	9	2	1	-	1	-	-	-	-	-	1	1	3	-	-
Bromley 3*w*,*H*	68,319	44	47	2	18	-	1	-	1	-	1	-	7	2	6	33	-
Poplar *W*,*w*	58,514	35	14	2	8	-	-	-	-	1	-	-	1	1	3	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th February, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	13	20	8	2	-	-	-	-	-	-	-	-	-	2	16	-
Kent-road	21,904	9	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	22	14	4	2	-	-	-	-	-	-	1	1	1	4	5	-
Newington North	49,022	25	15	4	5	-	-	-	-	1	-	1	2	2	2	-	-
Newington South *W*	72,841	40	13	3	6	-	-	-	-	1	-	-	1	2	6	1	-
St. Olave *2W*	9,817	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	50	20	4	3	-	1	-	-	2	-	-	4	2	5	1	-
Rotherhithe *W,F*	38,460	13	19	2	9	-	-	-	-	-	-	-	2	-	-	9	-
Waterloo *2H*	27,440	22	8	2	4	-	-	-	-	-	-	-	-	1	1	1	-
Lambeth Church *H*	27,440	14	19	3	6	-	-	-	-	-	-	-	1	3	3	14	-
Kennington *2W*	52,518	15	37	4	19	-	-	-	-	-	-	-	2	-	1	27	-
Stockwell *HF*	63,826	46	13	1	6	-	-	1	-	-	-	-	1	-	-	2	-
Brixton *H*	73,673	31	13	1	7	-	-	-	-	-	-	-	1	-	-	-	-
Norwood *2WH*	56,998	24	14	1	9	-	-	-	-	-	-	-	2	-	-	-	-
East Battersea *H*	72,203	42	13	3	6	-	1	-	-	-	-	-	-	-	1	-	-
North-west Battersea	49,656	40	12	8	2	-	-	-	-	2	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	18	24	2	10	-	-	-	-	2	-	-	2	1	1	16	-
Clapham *2H*	51,361	31	15	2	11	-	-	-	-	-	-	-	-	-	-	2	-
Streatham *W,2w,2F,2L*	88,019	37	40	2	24	-	-	2	-	1	-	-	-	-	4	16	-
Springfield *2W,L*	27,959	20	6	4	1	-	1	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	20	10	2	5	-	-	-	-	1	-	-	-	-	-	1	-
Putney	24,139	13	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	13	27	1	15	-	-	-	-	1	1	-	1	2	3	21	-
Camberwell North *W,2L*	65,584	25	28	5	12	-	-	-	-	-	-	-	5	2	2	16	-
St. George	47,331	27	10	2	4	-	-	-	-	1	-	-	-	-	-	-	-
Peckham North	43,913	30	14	3	6	-	-	-	-	-	-	-	1	2	4	-	-
Peckham South *2W,w*	43,946	18	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	23	7	2	2	-	-	-	-	2	-	-	2	-	-	-	-
Deptford Central *F*	45,481	29	16	2	8	-	-	1	-	1	-	-	2	-	-	1	-
Deptford South	34,625	18	7	1	4	-	-	-	-	1	-	-	-	-	1	-	-
Greenwich West *H*	23,456	15	8	2	3	-	-	-	-	1	-	-	-	1	2	1	-
Greenwich East *2W,H*	43,859	30	28	4	13	-	-	-	-	3	-	-	2	-	2	18	-
Eltham *w,H*	7,226	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Lee *w,H*	25,490	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	44	22	4	11	-	-	1	-	-	-	-	-	2	2	10	-
Sydenham *H*	43,653	35	10	4	5	-	-	-	-	-	-	-	1	-	-	-	-
Charlton *F,2H*	21,134	12	9	-	4	-	-	-	-	-	-	-	2	-	1	2	-
Woolwich *5H*	41,625	24	11	3	5	-	-	-	-	2	-	-	1	-	1	-	-
Plumstead West *W,H*	39,376	16	10	2	6	-	-	-	-	-	-	-	-	1	2	-	-
Plumstead East *2W*	28,951	8	8	2	4	-	-	-	-	-	-	-	2	-	1	3	-
Workhouses:—																	
Belmont Workhouse	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	4	1	-	-	-	2	2	-	-	-	-	-	-	4	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	8	-	4	-	-	-	-	-	-	-	1	-	-	8	-
Darenth	—	-	5	-	-	-	2	-	-	-	-	-	-	-	-	5	-
Leavesden	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
London County Lunatic Asylums:—																	
Banstead	—	-	4	-	1	-	-	-	-	-	-	-	1	-	-	4	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	5	-	2	-	-	-	-	-	-	-	1	-	-	5	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	9	-	4	-	-	-	-	-	-	-	1	-	-	9	-
Cane Hill	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4	-
Dartford Heath	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	7	-
Colney Hatch	—	-	5	-	2	-	-	-	-	-	-	2	-	-	-	5	-
Claybury	—	-	5	-	1	-	-	-	-	-	-	-	1	-	-	5	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Bo Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERAT POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 19th February, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1313	619	119	260	-	5	4	3	17	4	4	17	39	132
30 : 1	Carshalton 2F3H	12,228	32,997	20	8	-	7	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* W,w,2F,H..	10,423	15,548	14	3	-	1	-	-	-	-	-	-	-	-	-	3
37 : 1	Godstone, part of* W,F,L ..	2,754	3,692	-	1	-	1	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	3	3	-	1	-	1	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,303	28	6	1	4	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	35	19	5	7	-	-	-	-	-	-	-	2	3	5
4	North Croydon H	2,644	41,698	29	10	2	5	-	-	-	-	-	-	-	2	2	-
5	Penge w	770	22,465	7	5	3	-	-	-	-	-	1	-	-	-	-	-
6	Mitcham w	11,711	30,015	27	8	2	4	-	-	-	-	-	-	-	-	1	-
39 : 1	Wimbledon F,3H	3,221	41,652	20	8	1	4	-	-	-	-	-	-	-	1	2	-
2	Kingston 2W,H	6,224	42,068	22	15	2	7	-	-	-	-	-	1	-	1	3	9
3	Surbiton F,H	3,046	15,017	8	2	-	1	-	-	1	-	-	-	-	-	-	1
4	Esher, part of* H	5,402	13,100	11	5	-	3	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	8	1	-	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	13	6	1	2	-	-	-	-	-	-	-	-	-	1
2	Mortlake F	2,518	17,821	13	6	1	3	-	-	-	-	1	-	-	1	2	-
41 : 1	Bromley F,3H	4,703	27,354	10	8	-	6	-	-	1	-	-	-	-	-	-	1
2	Beckenham H	7,825	28,497	7	7	2	4	-	-	-	-	-	-	-	-	-	-
3	Orpington, part of* W,F ..	10,113	9,857	1	11	-	10	-	-	-	-	-	-	1	-	-	8
4	Chislehurst 2H	7,335	16,446	2	1	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	12	2	1	1	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	18	4	1	2	-	-	-	-	-	-	-	-	1	-
3	Dartford W,F, part of* ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	11	4	-	4	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	5	7	1	4	-	-	-	-	-	-	-	1	1	1
125 : 1	Hillingdon W,F,H	8,035	13,661	18	5	2	1	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	4	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	17	4	3	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	18	17	3	7	-	1	-	-	-	-	-	-	-	9
2	Twickenham F,2H	2,421	20,991	16	8	1	6	-	-	-	-	-	-	-	-	2	1
3	Brentford 3F,2H	4,319	48,289	30	11	2	3	-	-	-	-	1	-	-	1	1	-
4	Chiswick H	1,249	29,809	19	4	-	4	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	53	18	3	7	-	-	-	-	-	-	-	-	-	1
127A : 1	Harrow F,H	13,809	25,523	24	7	3	2	-	-	-	-	-	-	-	1	1	-
2	Edgware 2F,2H	6,994	4,521	-	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	15	9	2	2	-	-	-	-	-	1	-	1	1	3
127B : 1	Willesden W,F,2H	4,384	114,811	70	31	4	10	-	1	-	-	2	-	-	-	2	6
128 : 1	South Mimms 2F,H ..	17,755	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	7	4	-	2	-	-	-	-	-	-	-	-	-	4
3	Finchley F,3H	4,638	33,692	19	6	1	3	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	18	14	-	10	-	-	-	1	-	-	-	-	-	1
2	Wood Green H	1,625	34,233	24	6	1	4	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	45	9	4	2	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	43	13	3	4	-	-	-	-	-	1	-	-	1	4
5	Edmonton W,w,2F	7,491	61,892	58	28	5	9	-	-	-	-	-	-	-	-	3	13
6	Enfield 2W,F,H	12,601	42,738	38	14	3	7	-	-	-	-	-	-	1	-	-	1
7	Waltham Abbey F	11,017	6,549	3	2	-	2	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	8	3	-	2	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, part of* W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, part of* H ..	9,195	7,051	10	2	-	1	-	-	-	-	-	-	-	-	-	1
2	Watford, part of* W,2F ..	138	2,122	1	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	22	10	1	2	-	-	-	-	1	-	-	-	1	3
2	Forest Gate	787	52,745	26	13	4	6	-	-	-	-	-	-	-	-	1	-
3	Plaistow F,2H	1,249	90,921	70	28	11	6	-	-	-	1	3	-	1	-	1	3
4	Canning Town H	1,556	70,718	62	21	5	4	-	-	1	-	-	-	-	3	3	1
5	South East Ham 2F ..	1,991	37,342	38	26	10	5	-	-	-	1	2	-	-	-	2	1
6	North East Ham w,H ..	1,333	58,666	33	11	3	5	-	-	-	-	-	-	-	-	1	-
7	Wanstead F	1,679	9,179	3	2	-	1	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	30	8	1	4	-	-	-	-	-	-	-	-	-	6
9	North Leyton 2W,w,F ..	1,963	48,445	36	46	4	15	-	1	-	-	2	-	-	1	1	23
10	Walthamstow 2H,L ..	6,504	108,929	62	30	9	12	-	-	-	-	3	-	1	-	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	13	6	-	5	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of* ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, part of* W,2F ..	6,556	6,091	3	6	1	4	-	1	-	-	-	-	-	1	1	4
2	Ilford F,L	8,496	41,244	41	22	4	13	-	-	1	-	1	1	-	1	1	3
3	Barking Town F	3,805	21,547	11	9	2	2	-	-	-	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3
	London County Lunatic Asylum, Claybury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2
	Kent County Lunatic Asylum, Maidstone.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2
	Essex County Lunatic Asylum, Brentwood.	—	—	-	4	-	-	-	-	-	-	-	-	-	-	-	4

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Out Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esh parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting t part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectio Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
NDON* - -	4,872,702	February 19	2325	1526	16·3	–	26	8	11	53	2	13
LCUTTA - -	1,009,008	January 22	–	621‡	32·0	1	3	–	–	1	3	17
MBAY - -	982,000	„ 25	360	701‡	37·3	30	–	–	–	–	2	50
DRAS - -	548,974	„ 21	342	388	39·6	1	2	?	?	?	115§	4
RIS* - -	2,760,000	„ 22	951	925	17·5	–	14	1	8	4	7	15
USSELS* - -	704,975	February 12	241	197	14·5	–	2	1	4	–	1	5
TWERP* - -	314,135	„ 12	109	81	13·4	–	1	2	–	1	–	5
STERDAM* -	568,131	„ 5	251	159	14·6	–	3	–	–	3	1	3
		„ 12	275	165	15·1	–	2	–	1	5	1	2
PENHAGEN -	451,000	„ 12	211	150	17·3	–	–	4	1	4	–	3
CKHOLM -	339,582	„ 5	140	102	15·6	–	2	3	4	1	–	2
RISTIANIA -	235,674	„ 12	105	66	14·6	–	1	–	2	1	–	3
PETERSBURG	1,620,000	„ 5	1331	766	24·7	11	49	19	11	8	6	84
SCOW - -	1,493,600	„ 5	–	699	21·4	11	22	24	27	3	3	42
RLIN - -	2,123,808	January 29	849	613	15·1	–	3	15	19	7	1	27
MBURG - -	895,804	February 12	–	257	14·9	–	5	2	12	1	1	13
ESLAU - -	502,990	„ 5	–	212	22·0	–	–	2	2	4	1	9
NICH - -	576,000	„ 5	234	174	15·7	–	1	–	–	1	1	11
NNA* - -	2,085,888	„ 5	780	655	16·3	–	6	3	8	5	2	29
AGUE* - -	494,531	January 29	–	–	–	–	–	–	–	–	–	–
DAPEST* -	833,703	February 5	430	287	17·9	–	1	5	4	2	–	13
IESTE* - -	218,727	„ 5	175	137	32·6	–	2	–	2	3	–	–
ME - - -	574,666	December 4	239	219	19·9	–	–	–	1	1	5	12
		„ 11	221	191	17·3	–	–	–	–	–	2	6
NICE - -	179,286	„ 25	81	93	27·1	–	1	–	3	–	2	6
CAREST - -	296,585	January 22	238	164	28·8	–	–	1	4	2	1	3
W YORK* -	4,711,956	„ 29	2545	1495	16·5	–	15	33	48	2	7	26
ICAGO* - -	2,282,927	„ 29	–	645	14·7	–	3	8	9	2	6	22
ILADELPHIA*	1,565,569	„ 8	–	609	19·8	–	1	5	13	2	7	25
DE JANEIRO	826 324	„ 9	–	315‡	19·9	–	1	–	–	3	1	?
RO :—*												
gyptians -	616,183	„ 21	615	409	34·6	2	1	–	13	?	3	29
oreigners -	61,480	„ 21	6	15	12·7	–	–	–	–	?	–	–
EXANDRIA :—*												
gyptians -	317,454	„ 21	344	188	32·5	–	4	–	–	?	2	24
oreigners -	67,966	„ 21	10	19	14·5	–	–	–	–	?	1	–

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to ildren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 8 deaths from *plague* in Calcutta, 23 in Bombay, and 1 in Rio de Janeiro, and from *Asiatic cholera*, 87 aths in Calcutta and 3 in Bombay.
§ All forms of fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 19th February, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
NDON (Greenwich)	56·0	32·1	45·0	0·69	BRADFORD - -	51·2	33·4	41·8	0·79
IGHTON - -	49·3	33·9	43·4	0·95	YORK - - -	54·0	35·0	43·9	0·36
RTSMOUTH - -	54·0	35·0	45·2	1·12	HULL - - -	55·0	34·0	43·6	0·37
RWICH - -	55·0	32·3	43·2	0·48	TYNEMOUTH - -	52·0	31·0	41·8	0·35
YMOUTH -	52·8	36·7	43·3	1·64	CARDIFF - - -	52·9	32·0	43·8	1·60
ISTOL - -	53·6	34·0	44·6	1·43	EDINBURGH - -	49·9	31·0	39·8	1·23
RMINGHAM - -	52·5	32·2	43·0	0·93	GLASGOW - -	52·0	31·2	41·2	1·49
TTINGHAM - -	53·2	33·2	43·4	0·51					
VERPOOL OBSERVATORY	53·0	36·0	43·3	0·75	DUBLIN Phœnix Park.	52·3	29·7	42·3	1·16
NCHESTER -	53·1	33·8	43·2	0·82	DUBLIN Fitzwilliam Square.†	52·5	34·1	44·1	1·67
RNLEY - -	51·0	32·0	41·3	1·35					
DDERSFIELD -	51·5	33·0	42·4	0·87	BELFAST - - -	50·5	31·0	40·3	2·36

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to e seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The rrection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the ove was 0°·4 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 19th February, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 13	In Equator	29·865	53·0	41·3	11·7	46·1	+ 7·1	42·5	3·6	10·0	1·3	87	78·4	37·0	41·43	SSW.	SSW., SW. & S.	2·5	0·0	0·1	270	− 53	0·02	3·5
MONDAY - 14	..	29·523	45·0	36·6	8·4	39·4	+ 0·1	34·1	5·3	11·7	1·4	81	63·9	28·8	41·54	S. & SSW.	WSW., SW. & SSW.	7·2	0·0	0·3	346	+ 29	0·04	4·7
TUESDAY - 15	..	28·950	47·8	33·8	14·0	40·8	+ 1·4	34·2	6·6	12·0	2·5	77	68·5	29·3	41·78	SSW., WSW. & W.	W & WSW.	10·0	0·0	0·7	496	+183	0·41	0·8
WEDNESDAY 16	First Qr.	29·402	47·7	32·1	15·6	40·8	+ 1·3	34·2	6·6	11·8	2·8	77	86·2	27·8	41·79	WSW. & SW.	SW. & SSW.	7·6	0·0	0·4	471	+161	0·01	1·7
THURSDAY - 17	..	29·277	56·0	45·6	10·4	50·2	+10·6	43·6	6·6	11·5	2·1	78	88·5	41·6	41·70	SSW. & SW.	SW. & SSW.	13·6	0·0	1·7	751	+443	0·04	12·8
FRIDAY - 18	..	29·307	52·8	41·9	10·9	46·9	+ 7·4	41·8	5·1	8·4	1·1	82	81·6	35·1	41·90	SSW. & SW.	SSW., S. & SSE.	9·1	0·0	0·9	535	+228	0·15	11·5
SATURDAY - 19	Greatest Dec. N.	28·975	53·9	42·0	11·9	48·5	+ 9·0	41·8	6·7	9·4	3·1	77	85·0	35·1	42·42	SSE. & S.	S. & SSW.	11·0	0·0	1·3	609	+302	0·02	7·5
MEANS - -		29·328	50·9	39·0	11·8	44·7	+ 5·3	38·9	5·8	10·7	2·0	80	78·9	33·5	41·79	SSW.		..	..	..	Sum 3478	Sum +1293	Sum 0·69	6·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. FEBRUARY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	13	w. P. throughout.	1·3	9·8
MONDAY -	14	w. P. generally till noon; m. P. till 10h. P.M.; w. P. afterwards.	2·6	9·8
TUESDAY -	15	v. N. generally till 7h. A.M.; w. P. till 9h. A.M.; m. P. afterwards with s. P. and s. N. at and about 5h. P.M.	4·4	9·9
WEDNESDAY	16	m. P. till noon; w. P. afterwards.	6·0	9·9
THURSDAY -	17	w. P. throughout.	3·7	10·0
FRIDAY -	18	w. P. generally; occasional w. N.	3·3	10·1
SATURDAY -	19	w. P. generally; m. N. at 4h. P.M.	2·4	10·1
			Sum 23·7	Sum 69·6

GENERAL REMARKS.

Generally overcast and mild; fine intervals in afternoon; slight rain in early morning and again at night.

Generally overcast till 1h. 30m. P.M.; very fine till evening; overcast after 7h. P.M.; rain between 6h. and 10h. 30m. A.M. and again shortly before midnight; rising wind after 10h. P.M.

Overcast with rain and strong gusty wind in morning; very fine generally after sunrise with occasional threatening intervals; sharp shower of rain and hail accompanied by squalls at 5h. P.M.

Very fine with little cloud till 2h. P.M.; generally overcast afterwards, with occasional slight rain after 4h. 30m. P.M.; slight hoar frost in early morning; breezy at intervals.

Very mild; generally overcast, with occasional light rain, till 11h. A.M.; very fine, with slight exceptions, till 10h. P.M.; overcast afterwards with rain from 11h. P.M.; strong wind prevalent throughout. Lunar halo observed at and about 9h. 30m. P.M.

Generally overcast with frequent rain till 10h. 30m. A.M.; very fine generally afterwards with variable amounts of cloud; strong gusty wind prevalent till 8h. A.M. Solar halo observed at intervals during the day and lunar halo at 9h. P.M.; mild.

Very fine with little cloud till 5h. A.M.; overcast afterwards with exception of fine intervals in afternoon; occasional rain; strong gusty wind prevalent after 5h. A.M. Lunar halo observed in evening; very mild.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·97 in. at the beginning of the week to 28·82 in. by 6h. A.M. on the 15th; increased to 29·46 in. by 6h. P.M. on the 16th; decreased to 29·22 in. by 7h. A.M. on the 17th; increased to 29·38 in. by 8h. P.M. on the same day; decreased to 29·23 in. by 5h. A.M. on the 18th; increased to 29·37 in. by 9h. P.M. on the same day; decreased to 28·93 in. by 7h. P.M. on the 19th, and increased to 28·99 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 12th February, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	1	6	-	-	-	-	1	-	1
Kensington	184,635	-	2	2	-	-	-	-	3	-	-
Hammersmith	127,413	-	12	3	-	1	-	-	-	-	-
Fulham	181,282	-	11	5	-	-	-	-	3	-	-
Chelsea	75,457	-	2	-	-	3	-	-	2	-	-
City of Westminster ..	167,233	-	7	1	-	1	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	2	4	-	-	-	-	1	-	1
Hampstead	95,729	-	3	-	-	1	-	-	1	-	-
St. Pancras	237,792	-	20	4	-	-	-	-	2	-	-
Islington	353,356	-	23	6	-	-	-	-	1	2	-
Stoke Newington	54,838	-	2	3	-	-	-	-	1	-	-
Hackney	239,979	-	5	1	-	-	-	-	5	-	-
CENTRAL.											
Holborn	53,142	-	1	-	-	-	-	-	-	-	-
Finsbury	94,578	-	3	1	-	-	-	-	3	-	-
City of London	17,132	-	-	-	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,387	-	4	7	-	-	-	-	3	1	-
Bethnal Green	131,579	-	2	2	-	-	-	-	-	1	-
Stepney	314,379	-	10	12	-	5	-	-	8	1	-
Poplar	172,432	-	12	2	-	2	-	-	2	-	-
SOUTH.											
Southwark	211,832	-	8	2	-	-	-	-	10	-	-
Bermondsey	127,238	-	12	3	-	1	-	-	4	-	-
Lambeth	327,074	-	34	4	-	1	-	-	6	-	-
Battersea	188,222	-	7	2	-	-	1	-	5	-	1
Wandsworth	305,838	-	29	4	-	1	-	-	4	-	-
Camberwell	286,058	-	9	4	-	-	-	-	1	-	-
Deptford	119,642	-	5	3	-	-	-	-	4	-	-
Greenwich	112,935	-	5	3	-	2	-	-	2	-	-
Lewisham	164,899	-	12	11	-	1	-	-	2	-	-
Woolwich	135,422	-	3	4	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	246	99	-	19	1	-	78	5	3
Ages 0-1		-	4	2	-	-	-	-	3	-	2
„ 1-5		-	64	35	-	1	-	-	3	-	-
„ 5-		-	82	41	-	3	-	-	3	-	-
„ 10-		-	43	10	-	4	-	-	4	-	1
„ 15-		-	10	3	-	3	-	-	6	-	-
„ 20-		-	25	1	-	1	-	-	5	2	-
„ 25-		-	13	4	-	5	-	-	7	3	-
„ 35-		-	3	3	-	1	-	-	19	-	-
„ 45-		-	-	-	-	-	-	-	16	-	-
„ 55-		-	1	-	-	1	-	-	6	-	-
„ 65 and upwards		-	1	-	-	-	1	-	6	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of January, 1910, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 195 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	January, 1909.	January, 1910.	January, 1909.	January, 1910.
Total Supply - - -	1,086,683	1,097,526	222,547,698	214,305,555
New River - - - - - - -	214,488	216,241	42,840,339	41,575,437
Eastern - - - - - - -	243,749	246,491	43,688,677	43,283,774
Western { Chelsea, Grand Junction, West Middlesex } - -	222,463	224,337	54,622,032	53,423,090
Southern { Lambeth - - - Southwark and Vauxhall }	286,624	290,045	61,392,339	56,394,711
Kent - - - - - - - -	119,364	120,412	20,004,311	19,628,543

Note.—The Returns for January, 1910, as compared with that for the corresponding month of 1909, shows an increase of 10,838 services, and a decrease of 8,242,143 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 8. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, FEB. 26. [Price 1½*d.*

General Register Office, Somerset House,
February 28th, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·7 per 1000 of their aggregate population, which is estimated † at 16,713,617 persons in the middle of this year. In the preceding three weeks the rates had been 17·0, 16·6, and 15·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·0 in Plymouth and in Newport (Mon.), 19·3 in Bury, 19·8 in Hastings, 21·0 in Hanley, 21·5 in Huddersfield, 24·2 in Oldham, and 26·2 in Burnley; from *measles*, 2·1 in Swansea, and 2·9 in Burnley; from *whooping-cough*, 1·3 in West Hartlepool and in Sunderland, and 1·7 in Plymouth; and from *diarrhœa*, 1·4 in Halifax. One death from *small-pox* was registered in Nottingham, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2264 BIRTHS and 1386 DEATHS were registered. Allowing for increase of population, the births were 106 and the deaths 278 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15758—41.) Wt. 109—472. 700. 3/10. D & S. G. 31. Sch. 4 H

causes, which had been 17·2, 17·5, and 16·3 per 1000 in the preceding three weeks, fell last week to 14·8. The death-rate in the four weeks ended last Saturday averaged 16·5 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1386 deaths included 14 from measles, 4 from scarlet fever, 11 from diphtheria, 45 from whooping-cough, 4 from enteric fever, and 11 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 89 deaths were referred, being 30 below the corrected average number in the eighth week of the preceding five years.

The deaths from *measles*, which had been 17, 13, and 26 in the preceding three weeks, were 14 last week, and were 32 below the corrected average; 3 deaths belonged to the Borough of Paddington. The deaths from *scarlet fever*, which had been 5, 6, and 8 in the preceding three weeks, fell to 4 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 16, 5, and 11 in the preceding three weeks, were again 11 last week, the corrected average being 15. The deaths from *whooping-cough*, which had been 57, 61, and 53 in the preceding three weeks, were 45 last week, and were 12 above the corrected average; 7 deaths belonged to Stepney, 5 to Islington, 4 to Greenwich, and 3 each to Paddington, St. Marylebone, Lambeth, and Lewisham. The deaths from *enteric fever* which had been 2, 3, and 2 in the preceding three weeks, were 4 last week, the corrected average being 2. The deaths from *diarrhœa*, which had been 14, 15, and 8 in the preceding three weeks, were 11 last week, the corrected average being 14; 3 deaths belonged to Stepney. Of the 11 deaths from diarrhœa, 9 were those of children under 5 years of age, all being deaths of children under 2 years of age; 3 other deaths under 2 years of age were certified as due to *enteritis*, and 2 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 39, having been 26, 45, and 41 in the preceding three weeks.

Different forms of violence caused 42 deaths, concerning all of which inquests were held. Of these 42 deaths, 10 were cases of suicide, and 1 of homicide, while the remaining 31 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, three to burns or scalds, and six, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 1765 of scarlet fever, 911 of diphtheria, and 76 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 193 cases, against 213, 212, and 215; of diphtheria, 83 cases, against 106, 78, and 109; and of enteric fever, 20 cases, against 3, 14, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended February 19th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3477 births and 1951 deaths were registered. Allowing for increase of population, these numbers are 198 and 429 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 4 deaths from measles, 3 from diphtheria, 2 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·34 inches, and that of the Thermometer 42°·5, the latter being 2°·7 above the week's average in the 65 years ended 1905. The general direction of the wind was Southerly, the horizontal movement of the air being 47 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 22·9 hours; the measured rainfall amounted to 1·40 inches.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 26th February, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 5th Feb., 1910.	12th Feb., 1910.	19th Feb., 1910.	26th Feb., 1910.	Rate from Diseases in Cols. 11–17 Week ended 26th February, 1910.	Registered during the Week ended 26th Feb., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,713,617**	**17·0**	**16·6**	**15·8**	**14·7**	**0·8**	**8056**	**4702**	**932**	**1642**	**1**	**49**	**32**	**34**	**101**	**13**	**36**	**157**	**385**	**1330**	**35**	**76 TOWNS.**
LONDON	4,872,702	17·2	17·5	16·3	14·8	1·0	2264	1386	235	533	–	14	4	11	45	4	11	42	121	582	2	LONDON.
† CROYDON	164,485	11·7	13·9	11·1	15·9	0·3	68	50	8	15	–	1	–	–	–	–	–	4	10	13	–	CROYDON.
† WILLESDEN ..	166,088	9·1	7·5	9·7	7·2	–	57	23	3	10	–	–	–	–	–	–	–	–	3	2	–	WILLESDEN.
† HORNSEY	98,561	11·1	9·0	7·4	6·9	–	28	13	–	10	–	–	–	–	–	–	–	–	–	–	–	HORNSEY.
† TOTTENHAM ..	132,803	13·3	12·6	10·2	13·3	–	60	34	2	20	–	–	–	–	–	–	–	3	5	7	–	TOTTENHAM.
† WEST HAM ..	328,585	14·0	15·6	14·6	12·1	0·8	175	76	13	26	–	2	1	1	1	–	–	1	7	18	–	WEST HAM.
† EAST HAM.. ..	156,208	6·0	8·3	13·4	7·3	0·3	66	22	6	8	–	–	–	–	1	–	–	2	2	–	–	EAST HAM.
† LEYTON	133,436	15·6	9·8	10·9	11·3	0·8	52	29	4	6	–	–	1	–	–	–	1	2	5	7	–	LEYTON.
† WALTHAMSTOW	141,748	15·1	11·8	12·1	7·0	0·4	59	19	3	3	–	–	–	–	1	–	–	1	1	4	–	WALTHAMSTOW.
HASTINGS	68,520	21·3	19·8	22·8	19·8	2·3	20	26	2	14	–	2	–	–	1	–	–	–	–	5	–	HASTINGS.
BRIGHTON	131,900	18·6	22·9	15·8	13·0	0·8	59	33	7	17	–	–	1	–	1	–	–	1	5	9	–	BRIGHTON.
PORTSMOUTH ..	217,989	15·8	19·4	15·1	15·5	0·7	104	65	12	32	–	–	1	2	–	–	–	1	3	15	–	PORTSMOUTH.
BOURNEMOUTH ..	73,947	10·6	12·7	15·5	12·7	–	21	18	4	8	–	–	–	–	–	–	–	–	1	2	–	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·9	10·7	18·0	9·8	–	43	24	2	12	–	–	–	–	–	–	–	–	1	8	–	SOUTHAMPTON.
READING	84,355	11·1	12·4	10·5	10·5	–	31	17	2	8	–	–	–	–	–	–	–	–	–	6	–	READING.
NORTHAMPTON ..	99,113	13·2	14·2	14·7	13·2	1·1	42	25	4	8	–	1	–	–	1	–	–	–	1	4	–	NORTHAMPTON.
IPSWICH	75,936	20·6	15·8	18·5	17·9	0·7	36	26	4	12	–	1	–	–	–	–	–	–	2	5	–	IPSWICH.
GREAT YARMOUTH	53,715	13·6	18·4	16·5	14·6	1·9	32	15	2	7	–	–	1	1	–	–	–	1	1	7	–	GREAT YARMOUTH.
NORWICH	125,446	18·3	20·0	13·3	17·9	0·8	55	43	9	22	–	1	–	–	–	–	1	1	2	7	1	NORWICH.
PLYMOUTH	126,266	16·5	18·6	16·1	19·0	1·7	57	46	12	17	–	–	–	–	4	–	–	1	5	8	–	PLYMOUTH.
DEVONPORT	84,695	16·6	24·6	19·1	14·2	–	34	23	7	7	–	–	–	–	–	–	–	1	1	4	–	DEVONPORT.
BRISTOL	382,550	14·3	14·6	12·8	12·9	0·4	155	95	15	44	–	1	–	1	1	–	–	3	7	26	–	BRISTOL.
HANLEY	69,672	31·4	21·0	20·2	21·0	3·0	37	28	12	4	–	1	2	1	–	–	–	1	2	4	–	HANLEY.
BURTON-ON-TRENT	54,977	12·3	15·2	15·2	16·1	–	21	17	2	7	–	–	–	–	–	–	–	–	–	6	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	105,962	14·8	13·3	16·2	12·8	–	39	26	6	8	–	–	–	–	–	–	–	1	1	7	–	WOLVERHAMPTON
WALSALL	101,035	15·0	16·0	13·4	15·0	0·5	53	29	12	8	–	–	–	–	1	–	–	2	3	4	–	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	11·5	11·5	10·1	10·1	–	34	14	4	6	–	–	–	–	–	–	–	1	1	1	–	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	14·7	14·7	13·9	15·4	0·7	36	21	4	3	–	–	–	–	–	–	1	3	4	2	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE I (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 26th February, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 5th Feb., 1910.	12th Feb., 1910.	19th Feb., 1910.	26th Feb., 1910.	Rate from Diseases in Cols. 11–17. Week ended 26th February, 1910.	Registered during the Week ended 26th Feb. 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM† ..	570,113	18·4	16·6	15·8	15·5	0·9	299	170	49	49	-	-	2	2	4	-	2	4	8	48	3	BIRMINGHAM.†
KINGS NORTON ..	84,673	8·0	13·5	9·2	11·7	0·6	43	19	3	10	-	-	1	-	-	-	-	-	-	1	-	KINGS NORTON.
SMETHWICK	72,350	12·3	10·8	15·1	14·4	2·2	48	20	6	4	-	-	-	-	1	1	1	1	1	3	-	SMETHWICK.
ASTON MANOR ..	86,269	15·7	15·1	9·1	9·1	0·6	42	15	4	1	-	-	-	-	1	-	-	1	3	-	-	ASTON MANOR.
COVENTRY	81,449	21·1	16·6	16·0	17·9	1·9	52	28	6	9	-	-	2	1	-	-	-	1	1	3	-	COVENTRY.
LEICESTER	248,374	12·4	14·3	11·8	10·3	0·6	102	49	12	10	-	-	-	-	3	-	-	-	-	10	1	LEICESTER.
GRIMSBY	74,283	15·4	14·0	19·0	12·6	-	32	18	5	3	-	-	-	-	-	-	-	1	5	1	1	GRIMSBY.
NOTTINGHAM ..	266,471	19·4	16·0	16·0	15·7	0·6	119	80	19	26	1	2	-	-	-	-	-	2	6	19	-	NOTTINGHAM.
DERBY	131,256	13·5	10·3	15·9	15·1	1·2	48	38	11	14	-	-	1	1	-	1	-	1	4	14	-	DERBY.
STOCKPORT	105,087	19·8	22·8	18·9	17·9	1·0	41	36	5	14	-	1	-	-	1	-	-	-	3	6	-	STOCKPORT.
BIRKENHEAD ..	122,431	18·3	20·9	23·9	14·1	2·1	47	33	9	7	-	2	-	1	2	-	-	-	4	9	-	BIRKENHEAD.
WALLASEY	73,173	12·1	12·1	9·3	12·8	0·7	25	18	1	10	-	1	-	-	-	-	-	-	-	4	-	WALLASEY.
LIVERPOOL	767,606	22·3	21·5	21·1	18·5	1·4	486	273	66	78	-	1	4	3	10	-	2	11	18	101	8	LIVERPOOL.
BOOTLE	70,548	20·0	18·5	16·3	11·8	-	45	16	3	4	-	-	-	-	-	-	-	1	1	5	-	BOOTLE.
ST. HELENS	96,523	15·1	17·8	17·8	11·9	-	54	22	6	7	-	-	-	-	-	-	-	1	1	6	2	ST. HELENS.
WIGAN	91,732	19·3	13·1	14·8	15·3	1·7	53	27	7	6	-	-	-	1	1	1	-	1	2	4	-	WIGAN.
WARRINGTON ..	73,295	20·6	15·7	13·5	16·4	0·7	38	23	7	3	-	-	-	-	1	-	-	-	-	10	-	WARRINGTON.
BOLTON	190,315	14·0	15·9	20·3	18·4	-	79	67	16	29	-	-	-	-	-	-	-	3	6	8	1	BOLTON.
BURY	59,409	21·1	15·8	17·6	19·3	-	29	22	1	10	-	-	-	-	-	-	-	1	1	6	-	BURY.
MANCHESTER† ..	716,354	19·4	17·3	18·4	15·6	0·9	366	214	40	61	-	3	3	-	4	-	3	15	20	61	3	MANCHESTER.†
SALFORD	244,636	18·3	17·9	14·9	11·7	0·9	130	55	14	19	-	-	1	-	-	1	2	2	5	12	-	SALFORD.
OLDHAM	144,111	19·9	21·3	18·1	24·2	1·4	75	67	8	25	-	-	1	-	1	-	2	1	5	11	-	OLDHAM.
ROCHDALE	90,497	20·2	26·5	13 8	17·9	0·6	43	31	6	13	-	-	-	-	-	1	-	1	2	10	-	ROCHDALE.
BURNLEY	107,448	18·9	23·8	21·8	26·2	3·9	48	54	8	15	-	6	2	-	-	-	-	2	7	12	-	BURNLEY.
BLACKBURN	137,972	21·2	15·5	14·0	14·0	0·4	77	37	5	16	-	-	1	-	-	-	-	1	1	8	1	BLACKBURN.
PRESTON	119,253	19·7	18·4	15·7	17·1	0·4	47	39	5	16	-	-	1	-	-	-	-	-	1	8	1	PRESTON.
BARROW-IN-FURNESS.	63,689	23·7	10·6	16·4	15·6	1·6	24	19	5	5	-	-	-	1	1	-	-	-	-	2	-	BARROW-IN-FURNESS.

* See note † on first page of this return. † The figures for the year 1910 for Birmingham and Manchester relate to those towns as extended on 9th November, 1909.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 26th February, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 5th Feb., 1910.	12th Feb., 1910.	19th Feb., 1910.	26th Feb., 1910.	Rate from Diseases in Cols 11-17. Week ended 26th February, 1910.	Registered during the Week ended 26th Feb. 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	18·7	19·3	15·4	21·5	1·7	34	39	3	16	-	-	-	2	1	-	-	-	-	4	1	HUDDERSFIELD.
HALIFAX	112,818	17·6	8·8	17·1	12·5	1·8	35	27	3	13	-	-	-	1	-	-	3	-	1	5	-	HALIFAX.
BRADFORD	295,865	19·0	15·0	12·3	14·3	0·2	104	81	6	36	-	-	-	1	-	-	-	10	17	24	-	BRADFORD.
LEEDS	490,985	15·4	14·4	12·5	14·0	0·6	229	132	27	42	-	1	1	1	-	2	1	4	16	34	-	LEEDS.
SHEFFIELD	478,763	16·4	14·4	13·3	13·5	0·2	260	124	22	44	-	-	-	1	1	-	-	4	10	24	-	SHEFFIELD.
ROTHERHAM.. ..	66,414	14·1	14·1	14·1	14·1	0·8	44	18	5	6	-	-	-	-	-	1	-	-	-	5	-	ROTHERHAM.
YORK	88,159	18·3	13·0	16·0	12·4	-	50	21	4	7	-	-	-	-	-	-	-	-	-	5	-	YORK.
HULL	280,006	19·2	16·9	19·7	16·2	0·6	169	87	24	31	-	-	-	-	2	1	-	3	6	24	1	HULL.
MIDDLESBROUGH ..	107,014	17·1	14·6	15·1	16·1	0·5	80	33	6	4	-	-	-	-	-	-	1	3	6	7	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,680	21·4	21·4	17·5	12·6	1·0	37	13	4	5	-	1	-	-	-	-	-	-	-	2	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	81,814	17·8	15·9	17·2	12·1	1·3	42	19	2	6	-	-	-	-	2	-	-	-	1	3	1	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	17·5	19·7	19·7	13·6	1·3	72	42	12	10	-	-	-	-	4	-	-	1	1	6	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	16·1	13·9	12·6	16·5	0·4	71	38	11	9	-	-	-	1	-	-	-	1	4	4	2	SOUTH SHIELDS.
GATESHEAD	133,676	11·7	12·1	14·4	13·7	0·4	59	35	9	8	-	-	-	-	-	-	1	1	3	2	3	GATESHEAD.
NEWCASTLE-ON-TYNE.	285,951	17·3	16·6	13·5	13·7	0·5	139	75	24	22	-	-	-	-	1	-	2	-	5	10	1	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	56,378	21·3	19·4	13·9	14·8	-	41	16	3	4	-	-	-	-	-	-	-	-	1	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	15·0	17·0	17·7	19·0	1·3	41	29	6	8	-	1	-	-	1	-	-	2	3	10	-	NEWPORT (MON.).
CARDIFF	199,189	13·9	14·9	10·5	13·9	0·8	83	53	12	12	-	2	-	-	-	-	1	1	4	7	-	CARDIFF.
RHONDDA	138,674	18·0	20·7	18·0	12·8	0·4	124	34	10	5	-	-	1	-	-	-	-	1	1	1	1	RHONDDA.
MERTHYR TYDFIL..	79,522	17·0	17·7	19·0	12·5	1·3	54	19	6	4	-	-	-	-	1	-	1	1	2	2	-	MERTHYR TYDFIL.
SWANSEA	98,817	23·7	23·7	22·2	17·9	2·6	58	34	10	11	-	4	-	-	1	-	-	2	5	4	-	SWANSEA.
GREATER LONDON	7,537,196	16·0	15·6	14·8	13·5	0·8	3477	1951	318	777	-	21	6	15	50	4	13	65	179	680	5	GREATER LONDON.
OUTER RING ..	2,664,494	13·7	12·2	12·1	11·1	0·4	1213	565	83	244	-	7	2	4	5	-	2	23	58	107	3	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	12·1	11·7	11·8	10·5	0·4	565	266	39	98	-	3	2	1	3	-	1	13	33	51	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	15·2	12·7	12·4	11·6	0·4	648	299	44	146	-	4	-	3	2	-	1	10	25	56	3	REMAINDER OF OUTER RING.
EDINBURGH	360,276	18·8	15·2	16·4	14·9	1·3	129	103	15	34	-	5	2	-	1	-	1	5	2	46	3	EDINBURGH.
GLASGOW	884,505	20·2	17·9	16·9	15·9	3·2	446	270‡	56	54	-	29	6	7	6	2	4	7	2	86	4	GLASGOW.
DUBLIN (Registration Area).†	402,928	29·8	26·4	26·5	28·0	0·9	224	216	41	77	-	-	1	2	-	1	3	5	6	83	2	DUBLIN (Registration Area).†
BELFAST†	391,167	22·0	22·9	20·8	18·7	2·1	202	140	23	29	-	-	1	1	14	-	-	3	8	34	2	BELFAST†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the EIGHTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2805	2673	2723	2419	2456	2200	2500	2412	2287	2173	2369·8	2264
Males - - -	1379	1329	1391	1224	1213	1083	1291	1210	1155	1100	1195·8	1169
Females - -	1426	1344	1332	1225	1243	1117	1209	1202	1132	1073	1174·0	1095
TOTAL **Deaths** -	1894	1853	2569	1444	1467	1436	1526	1558	1698	1849	1664·3	1386
Males - - -	992	916	1214	733	760	746	841	773	817	896	834·1	716
Females - -	902	937	1355	711	707	690	715	785	881	953	830·2	670

* The numbers in this column are the average weekly numbers in the Eighth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1910. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	13 Weeks.
TOTAL **Births** -	1933	2207	2105	1860	2182	2310	2242	2116	2086	2381	2375	2325	2264	28446
TOTAL **Deaths** -	1481	1540	1330	1399	1592	1331	1367	1351	1448	1607	1632	1526	1386	18923
Ages at Death: Under 1 year -	214	247	241	234	247	219	259	223	267	283	259	241	235	3169
1—5 years -	120	115	95	107	114	126	113	106	146	142	161	126	136	1607
5—20 " -	63	70	61	61	86	68	59	71	64	77	80	74	59	868
20—40 " -	167	181	146	168	177	157	151	161	156	182	173	159	162	2140
40—60 " -	346	361	292	304	323	273	304	301	308	344	334	341	261	4092
60 yrs. & upwds.	574	566	495	525	555	493	481	489	527	579	625	585	533	7027
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	16	14	15	14	8	11	17	18	11	17	13	26	14	194
Scarlet Fever - -	11	4	5	6	8	5	2	-	10	5	6	8	4	74
Diphtheria - -	6	12	6	9	9	9	15	13	10	16	5	11	11	132
Whooping-cough -	23	18	24	25	33	29	33	30	57	57	61	53	45	488
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	1	2	2	-	1	-	3	3	2	3	2	4	28
Pyrexia (origin uncertain).	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	14	12	10	9	8	7	15	10	11	14	15	8	11	144
All above diseases -	75	61	62	65	66	63	82	74	102	111	103	108	89	1061
Dis. of Resp. System	211	194	167	160	196	163	141	152	178	207	226	200	172	2372
Pneumonia - -	221	223	175	162	164	170	144	139	144	185	199	195	176	2297
Phthisis - - -	138	156	116	143	152	99	114	140	141	153	112	124	131	1724
Dis. of Circ. System -	202	219	201	208	231	199	199	197	242	235	227	220	176	2755
Violence - - -	58	49	49	60	53	56	48	52	53	41	56	62	42	689
Inquest Cases - -	144	154	151	158	174	149	135	152	148	158	163	173	121	1980
Deaths in Institutions	611	691	586	589	629	528	571	599	605	675	660	607	582	7933
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	44·6	38·6	38·4	39·0	44·4	43·2	43·9	38·6	34·2	37·4	42·0	44·7	42·5	41·0
Mean of Highest -	50·1	43·0	40·7	45·0	49·7	46·2	48·2	43·2	39·4	43·3	47·7	50·9	49·0	45·9
Mean of Lowest -	40·1	33·3	35·8	31·1	37·8	40·0	39·3	35·6	28·4	31·1	35·6	39·0	35·8	35·7
Mean Humidity of the Air.	85	91	89	84	87	94	82	78	75	83	86	80	83	85
Rain-fall (in inches) -	1·40	0·36	0·43	0·46	0·27	0·05	0·30	0·16	1·15	0·09	0·38	0·69	1·40	7·14
Registered Sunshine (in hours).	13·2	16·7	0·4	18·1	8·3	1·4	16·5	10·8	19·5	9·4	15·6	23·7	22·9	176·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Mean.
Small-pox - - -	3	3	4	4	4	5	4	3	2	2	1	1	1	3
Scarlet Fever - -	2488	2475	2403	2361	2362	2256	2172	2069	1993	1937	1881	1784	1765	2150
Diphtheria - - -	952	946	938	917	912	908	899	901	896	936	908	903	911	917
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	67	70	67	68	62	56	59	60	62	55	61	66	76	64

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippiucott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq. Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the EIGHTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 8th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1664·3	1386	235	136	59	162	261	533
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	45·9	14	–	13	–	1	–	–
Scarlet Fever	9·6	4	–	3	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	52·0	39	–	1	2	5	6	25
Whooping-cough	33·2	45	26	19	–	–	–	–
Diphtheria	15·4	11	–	9	2	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	1·6	4	–	–	1	2	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	5·5	2	2	–	–	–	–	–
Diarrhœa, Dysentery ..	8·2	9	7	–	–	2	–	–
Tetanus	0·6	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·2	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	5·5	5	4	–	1	–	–	–
Puerperal Septicæmia ..	2·5	5	–	–	–	5	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·4	–	–	–	–	–	–	–
Infective Endocarditis ..	3·9	3	–	–	–	2	–	1
Pneumonia: Lobar ..	21·9	31	1	1	–	11	10	8
Pneumonia: Broncho ..	83·1	76	25	29	1	3	4	14
Pneumonia: Epidemic ..	0·2	–	–	–	–	–	–	–
Pneumonia: Not defined	84·2	69	8	8	4	11	18	20
Erysipelas	4·1	3	1	–	–	–	–	2
Septicæmia (not Puerperal) ..	1·0	1	–	1	–	–	–	–
Pyæmia (not Puerperal)	0·2	–	–	–	–	–	–	–
Other Infective Processes	5·3	5	–	1	–	1	–	3
Tuberculous Phthisis ..	100·8	88	2	8	10	30	28	10
"*Phthisis*"	50·6	43	–	–	1	22	17	3
Tuberculous Meningitis ..	21·7	23	5	11	7	–	–	–
Tuberculous Peritonitis ..	7·6	3	–	2	–	1	–	–
Tabes Mesenterica	1·4	1	–	1	–	–	–	–
Tuberculous Dis., Other ..	20·3	18	2	3	4	2	6	1
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	7·6	2	–	–	–	–	2	–
Rheumatic Fever	5·5	3	–	–	2	1	–	–
Gout	1·0	1	–	–	–	–	–	1
Carcinoma	50·4	59	–	–	–	2	18	39
Sarcoma	6·6	3	–	–	–	–	1	2
Cancer (undefined) ..	36·7	28	–	–	–	1	9	18
Diabetes Mellitus	10·2	12	–	–	–	1	5	6
Premature Birth	50·0	44	44	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 8th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	16·0	12	7	2	2	1	–	–
Gen. Par. of Insane, Insanity	17·0	19	–	–	1	2	9	7
Epilepsy	8·2	5	–	–	1	1	3	–
Convulsions	16·2	5	5	–	–	–	–	–
Locomotor Ataxy.. ..	1·4	4	–	–	–	2	1	1
Paraplegia, Dis. of Cord.	5·7	3	–	–	–	–	1	2
Nervous Sys., Other Dis.	22·7	12	–	2	–	2	4	4
Valv. Dis., Endocarditis..	55·9	46	–	–	2	9	16	19
Cereb. Hæm. Cereb. Emb.	41·4	34	–	–	–	–	11	23
Apoplexy, Hemiplegia ..	16·4	12	–	–	–	–	3	9
Aneurysm	5·9	3	–	–	–	–	1	2
Embolism, Thrombosis (not Cerebral) ..	1·6	2	–	1	–	–	1	–
Heart & Blood Ves., Other Dis... ..	99·5	79	–	–	3	3	11	62
Croup (not Spasm: nor Memb.)	–	–	–	–	–	–	–	–
Bronchitis	195·6	143	16	8	1	1	15	102
Emphysema, Asthma ..	9·4	10	–	–	–	1	2	7
Pleurisy	4·1	5	1	–	–	–	2	2
Respiratory Dis., Other..	14·3	14	1	2	–	2	2	7
Tonsillitis, Quinsy.. ..	1·6	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	10·2	4	1	2	–	–	–	1
Gastro-enteritis	4·7	3	2	–	1	–	–	–
Peritonitis (not Puerp.) ..	2·0	1	–	–	–	–	1	–
Cirrhosis of Liver.. ..	12·1	12	–	–	–	1	6	5
Liver Dis., Other	3·5	4	–	–	–	–	2	2
Digestive Sys., Other Dis.	34·8	41	7	–	–	13	11	10
Acute Nephritis	8·0	10	–	1	2	2	2	3
Bright's Dis., Albuminuria	40·3	30	–	–	1	1	16	12
Urinary Sys., Other Dis.	14·5	10	–	–	–	2	2	6
Generative Organs Dis...	3·9	2	–	–	–	–	2	–
Childbirth (Accid. of) ..	3·7	5	–	–	–	4	1	–
Old Age	77·8	68	–	–	–	–	–	68
Other Diseases	100·4	92	60	4	7	6	5	10
ACCIDENT.								
By Railways	1·4	–	–	–	–	–	–	–
By Vehicles and Horses..	8·2	5	–	–	1	–	1	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	–	–	–	–	–	–	–
In Building Operations..	1·4	2	–	–	1	1	–	–
In Conflagrations	0·2	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	8·6	3	–	3	–	–	–	–
By Drowning	2·9	–	–	–	–	–	–	–
By Suffocation in Bed ..	7·6	6	6	–	–	–	–	–
By Poisons or Poisonous Vapours	2·3	–	–	–	–	–	–	–
Other Deaths by Accident..	15·4	15	2	1	–	1	1	10
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·4	1	–	–	–	1	–	–
Suicide	10·4	10	–	–	–	3	4	3
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th February, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2264	1386	235	533	-	14	4	11	45	4	11	131	42	121	582	2
WEST DISTRICTS	805,311	344	250	42	102	-	5	1	-	6	1	5	17	8	17	111	-
NORTH DISTRICTS	1,055,908	495	294	40	142	-	1	2	1	7	-	1	28	13	26	130	-
CENTRAL DISTRICTS	209,465	115	75	17	18	-	1	-	1	1	-	-	9	3	10	36	-
EAST DISTRICTS	715,739	411	229	52	70	-	1	-	-	12	-	4	27	8	33	100	-
SOUTH DISTRICTS	1,749,844	899	493	84	192	-	5	1	8	16	3	1	46	9	33	160	2
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	45	-	9	-	1	-	1	3	-	-	4	1	2	45	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	25	20	3	5	-	2	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	18	25	6	11	-	1	-	-	2	-	-	-	1	2	17	-
South Paddington	30,320	4	6	-	3	-	-	-	-	-	-	-	1	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	61	40	6	17	-	-	-	-	2	-	-	8	1	2	27	-
Brompton *2H*	48,591	13	12	2	7	-	-	-	-	-	-	-	1	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	38	15	4	5	-	1	-	-	1	-	-	-	-	-	4	-
South Hammersmith *w,2H* ..	63,047	24	16	3	7	-	-	-	-	-	-	1	-	2	2	6	-
North-west Fulham *W*	45,180	30	15	3	6	-	1	-	-	-	-	1	-	1	1	8	-
North-east Fulham *F*	46,405	39	10	2	2	-	-	1	-	-	1	1	-	1	2	2	-
South Fulham *W*	45,704	23	8	1	5	-	-	-	-	1	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	16	29	3	16	-	-	-	-	-	-	-	3	1	1	23	-
Chelsea South *W,2H*	31,328	6	11	4	3	-	-	-	-	-	-	-	1	-	1	3	-
Mayfair and Knightsbridge	28,743	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	18	24	2	7	-	-	-	-	-	-	-	1	1	5	14	-
St. Margaret & St. John *6H*	43,698	18	16	2	8	-	-	-	-	-	-	2	2	-	-	5	-
St. James and St. Anne *W,6H* ..	33,081	7	3	1	-	-	-	-	-	-	-	-	-	-	-	2	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	19	19	3	7	-	-	-	-	-	-	-	1	-	-	6	-
St. Mary Marylebone *W,4H* .	37,948	41	12	3	4	-	-	-	-	-	-	-	-	1	1	7	-
Christchurch Marylebone	39,536	17	8	2	2	-	-	-	-	1	-	-	-	1	1	-	-
St. John Marylebone *2H*	20,426	6	3	-	1	-	-	-	-	-	-	-	1	-	1	-	-
Hampstead *W,F,6H*	81,942	26	20	1	11	-	-	2	-	-	-	-	4	1	2	6	-
West St. Pancras *2H*	60,562	22	9	2	2	-	-	-	-	-	-	-	-	-	-	2	-
South St. Pancras *w,10H*	55,707	22	14	-	7	-	-	-	-	-	-	-	1	2	2	9	-
East St. Pancras *W,H*	60,320	34	23	4	14	-	-	-	-	1	-	-	1	1	2	15	-
North St. Pancras *2W*	58,728	25	23	3	12	-	-	-	-	-	-	1	2	-	1	12	-
Tufnell *W*	31,995	12	22	1	14	-	-	-	-	-	-	-	5	-	-	18	-
Upper Holloway *2W,w,H*	33,978	27	31	5	15	-	-	-	-	1	-	-	7	1	1	27	-
Tollington *W,w,H*	33,922	16	4	1	2	-	-	-	-	1	-	-	-	-	1	-	-
Lower Holloway	41,424	16	11	-	5	-	-	-	-	2	-	-	-	1	1	-	-
Barnsbury	54,478	27	11	5	3	-	-	-	-	-	-	-	1	1	2	-	-
Islington South-east *F*	75,397	30	7	2	3	-	-	-	-	1	-	-	1	1	2	-	-
Highbury *2H*	63,797	31	16	2	12	-	-	-	-	-	-	-	-	-	2	2	-
Stoke Newington *H*	51,247	18	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	20	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	27	15	1	9	-	-	-	1	-	-	-	1	-	-	5	-
South-west Hackney *3H*	59,921	20	8	-	1	-	-	-	-	-	-	-	-	-	1	2	-
South-east Hackney *2W,H*	58,255	39	26	4	11	-	-	-	-	-	-	-	3	3	6	19	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th February, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	22	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Strand *W*,4*H*	21,674	5	6	1	2	-	-	-	-	-	-	-	-	-	-	5	-
Strand Union Workhouse, Edmonton	-	-	3	-	3	-	-	-	-	-	-	-	1	-	-	3	-
Holborn *W*,5*H*	29,612	9	26	3	2	-	-	-	1	-	-	-	6	-	1	14	-
Clerkenwell *H*	63,704	46	20	7	4	-	-	-	-	-	-	-	1	3	6	-	-
St. Luke 3*H*,*L*	36,116	28	6	2	2	-	1	-	-	1	-	-	-	-	2	-	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	2	1	-	1	-	-	-	-	-	-	-	-	-		-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	16	3	2	-	-	-	-	-	-	-	1	-	1	13	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	23	11	3	5	-	-	-	-	-	-	-	1	1	3	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	24	22	2	14	-	-	-	-	1	-	-	4	1	3	13	-
Shoreditch North-East	36,148	14	10	2	2	-	-	-	-	-	-	-	1	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	31	30	8	10	-	-	-	-	-	-	-	1	-	1	19	-
Bethnal Green South-West *H* ..	64,542	36	15	4	6	-	-	-	-	2	-	-	2	-	1	1	-
Spitalfields..	27,969	15	5	2	-	-	-	-	-	-	-	-	-	1	3	-	-
Mile End New Town *W*,*H*	28,718	18	33	3	7	-	-	-	-	2	-	-	5	-	-	32	-
Goodman's Fields	22,081	9	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	30	11	4	2	-	-	-	-	-	-	-	1	-	3	7	-
Shadwell and Ratcliff *w*,*H* ..	25,568	14	9	3	-	-	1	-	-	2	-	-	-	-	1	7	-
Limehouse *W*	32,369	16	8	4	3	-	-	-	-	1	-	1	-	-	1	-	-
Mile End Old Town South-Western *H*	63,698	59	11	4	-	-	-	-	-	1	-	-	2	1	2	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	29	10	1	4	-	-	-	-	-	-	2	3	-	2	3	-
Bow	41,989	21	4	1	2	-	-	-	-	-	-	-	1	-	1	-	-
Bromley 3*w*,*H*	68,319	38	27	2	12	-	-	-	-	-	-	-	5	2	4	14	-
Poplar *W*,*w*	58,514	34	18	7	2	-	-	-	-	2	-	1	1	2	8	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and, from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th February, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	14	23	6	1	-	-	-	-	2	-	-	-	2	2	20	-
Kent-road	21,904	16	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	13	15	4	3	-	-	-	-	1	-	-	2	-	4	3	-
Newington North	49,022	34	8	2	2	-	-	-	-	-	-	-	1	-	1	-	-
Newington South *W*	72,841	41	15	4	3	-	-	-	-	-	-	-	4	1	2	2	-
St. Olave *2W*	9,817	7	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Bermondsey *W*	82,483	69	14	2	5	-	-	-	-	-	-	-	2	-	1	-	-
Rotherhithe *W,F*	33,460	16	12	1	6	-	-	-	-	-	-	-	-	-	1	7	-
Waterloo *2H*	27,410	23	12	4	3	-	-	-	-	1	-	-	-	-	1	5	-
Lambeth Church *H*	27,410	13	23	2	6	-	-	-	-	-	1	-	-	2	4	17	-
Kennington *2W*	52,518	35	27	1	15	-	-	-	-	-	-	-	3	-	-	18	-
Stockwell *HF*	63,826	24	13	1	7	-	1	1	-	-	1	-	1	-	1	2	-
Brixton *H*	73,673	28	12	1	7	-	-	-	-	1	-	-	-	-	-	1	-
Norwood *2WH*	56,998	25	10	-	8	-	-	-	-	-	-	-	-	-	1	1	-
East Battersea *H*	72,203	35	11	2	6	-	-	-	-	1	-	-	-	-	-	-	-
North-west Battersea	49,656	25	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	18	17	1	6	-	-	-	-	-	1	-	3	-	-	10	-
Clapham *2H*	51,361	20	7	2	2	-	-	-	-	-	-	-	1	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	52	24	3	14	-	-	-	-	2	-	-	2	-	-	9	-
Springfield *2W,L*	27,959	20	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	29	8	-	6	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	14	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	11	28	3	15	-	-	-	-	-	-	-	5	-	2	19	-
Camberwell North *W,2L*	65,584	23	39	4	11	-	-	-	-	1	-	-	2	-	3	10	-
St. George	47,331	30	10	4	-	-	-	-	-	-	-	-	4	-	-	-	-
Peckham North	48,913	21	8	5	-	-	-	-	-	-	-	1	1	-	1	-	-
Peckham South *2W,w*	43,946	18	8	1	4	-	-	-	-	-	-	-	1	1	1	-	1
Deptford North	37,613	20	9	-	3	-	-	-	-	-	-	-	2	1	2	-	-
Deptford Central *F*	45,481	16	15	7	2	-	-	-	3	-	-	-	-	-	-	3	1
Deptford South	34,625	14	8	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	11	6	1	2	-	-	-	-	1	-	-	2	-	-	1	-
Greenwich East *2W,H*	43,859	23	26	2	9	-	3	-	-	3	-	-	3	1	2	13	-
Eltham *w,H*	7,226	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	8	4	-	3	-	-	-	-	-	-	-	-	1	1	-	-
Lewisham *2W,w,F*	58,352	38	14	3	5	-	-	-	1	2	-	-	3	-	-	8	-
Sydenham *H*	43,653	18	10	1	7	-	-	-	-	-	-	-	1	-	-	-	-
Charlton *F,2H*	21,134	13	8	1	1	-	-	-	3	-	-	-	-	-	1	4	-
Woolwich *5H*	41,625	27	8	4	3	-	-	-	-	1	-	-	-	-	-	1	-
Plumstead West *W,H*	39,376	12	11	4	4	-	-	-	1	-	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	16	11	1	7	-	-	-	-	-	-	-	2	-	-	6	-
Workhouses:—																	
Belmont Workhouse	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton ..	—	-	4	-	-	-	-	-	-	3	-	-	-	-	-	4	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Darenth	—	-	3	-	-	-	1	-	-	-	-	-	-	-	-	3	-
Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	1	-	-	2	-
London County Lunatic Asylums:—																	
Banstead	—	-	6	-	-	-	-	-	-	-	-	-	1	-	-	6	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	4	-	1	-	-	-	-	-	-	-	1	-	-	4	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Long Grove	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	6	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Claybury	—	-	2	-	1	-	-	-	-	-	-	-	1	-	-	2	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 26th February, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1213	565	83	244	-	7	2	4	5	-	2	23	58	107	3
30 : 1	Carshalton 2F,3H	12,228	32,997	15	8	3	-	-	-	-	2	-	-	-	-	1	3	1
2	Epsom, *part of** W,v,2F,H..	10,423	15,548	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	1	3	-	2	-	-	-	-	-	-	-	-	1	-	-
2	South Croydon w,H ..	4,200	49,309	18	12	1	3	-	-	-	-	-	-	-	-	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	29	33	4	6	-	1	-	-	-	-	-	2	6	16	-
4	North Croydon H	2,644	41,698	21	9	3	6	-	-	-	-	-	-	-	2	3	1	-
5	Penge w	770	22,465	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	25	11	3	5	-	1	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	28	8	5	2	-	-	-	-	-	-	-	-	1	1	-
2	Kingston 2W,H	6,224	42,068	22	13	2	8	-	-	-	-	-	-	-	2	3	7	-
3	Surbiton F,H	3,046	15,017	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	4	2	-	1	-	-	-	-	-	-	-	1	1	-	-
5	Hampton H,F,L	4,564	23,456	11	5	-	3	-	-	-	-	-	-	-	1	1	1	-
40 : 1	Richmond W,H	2,491	31,672	12	12	2	9	-	-	-	-	-	-	-	-	-	5	-
2	Mortlake F	2,518	17,821	10	3	1	2	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	11	5	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	10	5	-	4	-	-	-	-	-	-	-	-	-	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	11	3	-	2	-	-	-	-	-	-	-	1	1	2	-
4	Chislehurst 2H	7,333	16,446	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	11	3	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	12	5	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	12	2	1	1	-	-	-	-	-	..	-	-	-	-	-
2	Staines W,H	13,277	15,178	7	5	-	3	-	-	-	-	-	-	-	-	-	2	-
125 : 1	Hillingdon W,F,H	6,035	13,661	10	7	1	4	-	-	-	-	-	-	-	-	1	-	-
2	Uxbridge H	12,757	8,984	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	16	9	3	1	-	-	-	-	1	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	18	20	3	9	-	1	-	-	-	-	1	1	2	8	-
2	Twickenham F,2H	2,421	20,991	16	6	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	31	11	1	7	-	-	-	-	-	-	-	-	1	-	-
4	Chiswick H	1,249	29,809	22	6	1	3	-	-	-	-	-	-	-	-	1	-	-
5	Acton w,F,3H	6,132	48,914	42	14	2	5	-	-	-	1	-	-	-	-	-	-	-
127A : 1	Harrow F,H	13,809	25,523	18	13	3	7	-	-	-	-	-	-	-	1	1	1	-
2	Edgware 2F,2H	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Hendon W,F	8,382	22,450	13	4	-	1	-	-	-	-	-	-	-	-	-	-	-
127B : 1	Willesden W,F,2H	4,384	114,811	57	23	3	10	-	-	-	-	-	-	-	-	3	2	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,638	33,692	16	8	-	4	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	28	13	-	10	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	17	6	1	3	-	-	-	-	-	-	-	-	1	-	-
3	West Tottenham	995	48,741	32	15	-	11	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	28	16	2	8	-	-	-	-	-	-	-	3	5	4	-
5	Edmonton W,w,2F	7,491	61,892	49	17	2	8	-	1	-	-	-	-	-	-	-	7	-
6	Enfield 2W,F,H	12,601	42,738	32	17	1	6	-	-	-	-	-	-	-	-	2	3	-
7	Waltham Abbey F	11,017	6,549	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	6	3	1	2	-	1	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	34	11	2	4	-	-	-	-	-	-	-	-	1	2	-
2	Forest Gate	787	52,745	17	14	2	9	-	-	-	-	-	-	-	1	1	-	-
3	Plaistow F,2H	1,249	90,921	75	21	2	3	-	2	1	1	1	-	-	-	2	3	-
4	Canning Town H	1,556	70,718	49	17	6	4	-	-	-	-	-	-	-	-	3	-	-
5	South East Ham 2F ..	1,991	37,342	32	11	5	2	-	-	-	-	1	-	-	2	2	-	-
6	North East Ham w,H ..	1,333	58,666	34	11	1	6	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	29	12	3	5	-	-	-	-	-	-	-	1	2	5	-
9	North Leyton 2W,w,F ..	1,963	48,445	23	35	3	8	-	-	1	-	-	-	1	1	4	20	-
10	Walthamstow 2H,L ..	6,504	108,929	65	16	2	4	-	-	-	-	1	-	-	1	1	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	12	7	1	4	-	-	-	-	-	-	-	1	2	-	-
2	Epping W,F, *part of** ..	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	4	3	-	2	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,244	34	10	1	6	-	-	-	-	-	-	-	-	1	2	-
3	Barking Town F	3,805	21,547	21	11	2	4	-	-	-	-	1	-	-	1	2	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	3	-	2	-	-	-	-	-	-	-	1	1	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are not included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
LONDON* - -	4,872,702	February 26	2264	1386	14·8	-	14	4	11	45	4	14
CALCUTTA - -	1,009,008	January 29	-	616‡	31·7	1	5	-	-	2	4	23
BOMBAY - -	982,000	February 1	408	662‡	35·2	21	2	-	-	-	3	43
MADRAS - -	548,974	January 28	304	391	39·9	-	4	?	?	?	141§	11
PARIS* - -	2,760,000	February 12	990	993	18·8	2	21	2	7	8	1	29
BRUSSELS* - -	720,030	" 19	273	207	14·9	-	3	-	-	1	1	4
ANTWERP* - -	314,135	" 19	125	81	13·4	-	4	-	1	1	2	3
AMSTERDAM* -	568,131	" 19	252	156	14·3	-	2	-	-	-	-	2
COPENHAGEN -	450,000	" 19	221	121	14·0	-	-	4	1	1	-	2
STOCKHOLM -	339,582	" 12	128	109	16·7	-	9	1	2	4	1	2
CHRISTIANIA -	235,674	" 19	129	59	13·0	-	-	1	1	-	-	-
ST. PETERSBURG	1,620,000	" 12	821	788	25·4	10	43	16	17	16	13	62
MOSCOW - -	1,493,600	" 12	-	724	25·3	5	18	39	18	7	3	46
BERLIN - -	2,123,808	" 5	-	-	-	-	-	-	-	-	-	-
HAMBURG - -	895,804	" 19	-	251	14·6	-	3	3	8	1	2	14
BRESLAU - -	502,990	" 12	270	163	16·9	-	-	2	2	1	-	7
MUNICH - -	576,000	" 12	-	183	16·5	-	-	1	1	2	1	12
VIENNA* - -	2,085,888	" 12	805	667	16·6	-	15	4	7	4	1	43
PRAGUE* - -	494,531	January 29	206	195	20·5	-	2	-	3	2	1	13
		February 5	161	189	19·9	-	1	1	2	-	3	6
BUDAPEST* -	833,703	" 12	440	366	22·8	-	3	7	2	5	2	20
TRIESTE* - -	218,727	" 12	159	112	26·6	-	2	-	-	1	-	-
ROME - - -	574,666	December 18	242	201	18·2	-	-	-	2	2	2	12
		" 25	263	200	18·1	-	2	-	3	1	2	9
VENICE - -	179,286	January 1	70	60	17·5	-	2	-	3	-	-	2
		" 8	79	77	22·4	-	-	-	1	-	-	3
BUCAREST - -	296,585	" 29	-	-	-	-	-	-	-	-	-	-
NEW YORK* -	4,711,956	February 5	2647	1466	16·2	-	17	26	42	3	4	31
CHICAGO* - -	2,282,927	" 5	-	631	14·4	-	3	10	11	3	3	41
PHILADELPHIA*	1,598,400	January 15	-	604	19·6	-	-	1	13	-	9	23
RIO DE JANEIRO	826,324	" 16	-	313	19·7	-	2	-	-	2	1	?
CAIRO :—*												
Egyptians -	616,183	" 28	550	382	32·2	-	1	-	2	?	2	22
Foreigners -	61,480	" 28	7	13	11·0	-	-	-	-	?	1	-
ALEXANDRIA :—*												
Egyptians -	317,454	" 28	317	192	31·5	-	3	-	1	?	-	20
Foreigners -	67,966	" 28	10	17	13·0	-	-	-	-	-	-	1

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 8 deaths from *plague* in Calcutta, 29 in Bombay, and from *Asiatic cholera*, 81 deaths in Calcutta.
§ All forms of fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 26th February, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	50·6	31·3	42·9	1·40	BRADFORD - -	44·8	30·4	38·1	1·40
BRIGHTON - -	48·9	35·3	44·5	1·92	YORK - - -	48·0	31·0	39·6	0·62
PORTSMOUTH - -	50·5	37·0	45·4	1·78	HULL - - -	50·0	30·0	40·5	0·55
NORWICH - -	50·2	31·8	41·7	1·08	TYNEMOUTH - -	46·0	29·0	38·0	0·87
PLYMOUTH -	51·6	37·7	45·0	1·76	CARDIFF - - -	49·2	34·0	41·7	1·72
BRISTOL - - -	49·1	34·2	42·4	1·59	EDINBURGH - -	45·8	31·3	37·3	0·67
BIRMINGHAM - -	46·0	31·6	39·7	1·13	GLASGOW - -	46·2	32·2	38·5	0·59
NOTTINGHAM - -	47·2	30·8	39·9	0·84	DUBLIN Phœnix Park.	50·8	28·7	39·2	0·92
LIVERPOOL OBSERVATORY	46·0	32·0	39·5	0·77	DUBLIN Fitz-william Square.†	51·3	32·8	40·4	1·50
MANCHESTER -	? 47·0	29·8	? 38·8	0·77					
BURNLEY - -	45·6	30·0	38·0	1·28					
HUDDERSFIELD -	47·2	29·3	38·2	1·24	BELFAST - - -	46·0	30·5	39·3	1·92

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·5 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 26th February, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 20	..	29·035	50·3	40·6	9·7	44·6	+ 5·1	37·9	6·7	11·5	3·7	77	84·0	34·0	42·78	SW., SSW. & S.	S., SSW. & SW.	30·7	0·0	2·0	718	+412	0·36	14·0
MONDAY - 21	..	29·319	49·8	39·8	10·0	44·5	+ 4·9	37·3	7·2	9·9	2·5	76	85·8	32·0	42·95	SW.	SSW. & SW.	24·0	0·0	1·3	537	+284	0·02	5·7
TUESDAY - 22	..	29·595	46·8	39·1	7·7	42·9	+ 3·2	40·7	2·2	3·8	2·0	92	54·8	30·8	43·02	S., SSE. & SSW.	SSW. & SW.	2·9	0·0	0·2	312	+ 9	0·13	5·8
WEDNESDAY 23	..	29·704	50·6	33·6	17·0	40·9	+ 1·1	36·2	4·7	12·4	0·9	84	90·4	27·5	43·10	SSW. & SW.	WSW. & SW.	3·7	0·0	0·1	298	− 6	0·31	5·0
THURSDAY - 24	Full	29·410	47·0	31·3	15·7	40·7	+ 0·7	36·2	4·5	9·2	0·5	84	78·0	27·0	43·02	S.	W., WSW. & SW.	8·0	0·0	0·5	479	+174	0·21	7·2
FRIDAY - 25	..	29·234	50·0	35·9	14·1	42·2	+ 2·1	39·5	2·7	8·2	0·0	90	74·3	29·8	42·90	SSW., S. & SW.	Variable	5·4	0·0	0·3	392	+ 81	0·30	3·8
SATURDAY - 26	In Equator	29·049	48·3	37·3	11·0	41·9	+ 1·7	35·7	6·2	12·6	2·1	79	89·4	32·2	42·78	S., SSW. & SW.	WSW., WNW. & NW.	5·0	0·0	0·2	367	+ 48	0·07	1·3
MEANS - -		29·335	49·0	36·8	12·2	42·5	+ 2·7	37·6	4·9	9·7	1·7	83	79·5	30·5	42·94	SSW.		..	..	..	Sum 3153	Sum +1002	Sum 1·40	6·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. FEBRUARY.	Electricity (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 20	w.P. till 2h. P.M.: v.P. and v. N. till 10h. P.M.; w. P. afterwards.	2·7	10·2
MONDAY - 21	w.P. till 9h. A.M.; v.P. and v. N. till noon; w. P. afterwards.	2·9	10·3
TUESDAY - 22	w. P. till 10h. A.M.; w. P. and w.N. generally till 3h. P.M.; w. P. afterwards.	0·3	10·4
WEDNESDAY 23	v.P. and v.N. till 8h. A.M.; v. P. till 6h. P.M.; s. P. and s. N. till 8h. P.M.; s. P. afterwards.	4·8	10·4
THURSDAY - 24	m. P. till 1h. A.M.; w. P. till 7h. A.M.; v. N. and v. P. till 3h. P.M.; s.P. generally afterwards.	3·4	10·5
FRIDAY - 25	w.P. & v.N. generally till 4h. P.M.; m.P. till 8h. P.M.; s. P. afterwards.	1·7	10·5
SATURDAY - 26	w. P. with occasional v. N. till 9h. A.M.; m.P. till 2h. P.M.; v.P. till 8h. P.M.; v. P. and v. N. till 10h. P.M.; m. P. afterwards.	7·1	10·6
		Sum 22·9	Sum 72·9
No. of Col. - -	27	28	29

GENERAL REMARKS.

Very fine till 10h. A.M. with brisk wind in early morning; generally cloudy afterwards, with frequent rain after 2h. P.M., and wind rising to gale by noon: violent squall at 8h. 55m. P.M., and frequent lightning between 8h. and 11h. P.M.

Very fine generally till 11h. A.M.; very cloudy, with occasional showers, till 5h. P.M.; fine afterwards with variable amounts of cloud; gale continuing till 6h. A.M. and brisk wind till noon. Solar halo with contact arches observed at 3h. P.M.

Generally overcast till 4h. P.M.; partially cloudy till 6h. P.M.; cloudless and very fine till 10h. P.M.; cloudy afterwards; nearly continuous rain between 10h. A.M. and 3h. P.M.

Generally overcast till 10h. A.M. with rain between 3h. and 8h. A.M.: fine generally with variable amounts of cloud till evening; cloudless with hoar frost at night; shower of rain at and about 6h. P.M.

Fine and partially cloudy in early morning; generally overcast with frequent rain afterwards, but fine intervals in afternoon and early evening; gusty wind prevalent between 7h. A.M. and 6h. P.M. Lunar halo observed about 10h. P.M.

Generally overcast with occasional fine intervals and frequent rain; brisk wind at times. Lunar halo observed at 9h. P.M.

Generally overcast with frequent rain till 8h. A.M.; very fine generally with variable amounts of cloud till evening; cloudy at night with frequent slight rain after 8h. P.M.; brisk wind at and about 10h. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong: and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 28·99 in. at the beginning of the week to 29·23 in. by 9h. A.M. on the 20th; decreased to 28·85 in. by 9h. P.M. on the same day; increased to 29·77 in. by 9h. P.M. on the 23rd; decreased to 29·30 in. by 11h. A.M. on the 24th; increased to 29·54 in. by 9h. P.M. on the same day; decreased to 29·13 in. by 2h. P.M. on the 25th; increased to 29·48 in. by 9h. P.M. on the same day, decreased to 29·00 in. by 2h. P.M. on the 26th, and increased to 29·25 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 19th February, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever
WEST.											
Paddington	153,004	-	10	4	-	1	-	-	5	-	-
Kensington	184,635	-	3	3	-	2	-	-	1	-	1
Hammersmith	127,413	-	13	3	-	1	-	-	1	-	-
Fulham	181,282	-	9	8	-	1	-	-	1	-	-
Chelsea	75,457	-	3	1	-	1	-	-	2	-	-
City of Westminster ..	167,233	-	5	2	-	1	-	-	2	-	-
NORTH.											
St. Marylebone	125,195	-	10	4	-	1	-	-	-	1	-
Hampstead	95,729	-	6	1	-	-	-	-	1	-	-
St. Pancras	237,792	-	21	4	-	1	-	-	3	-	1
Islington	353,356	-	24	9	-	-	-	-	5	-	-
Stoke Newington	54,838	-	1	3	-	-	-	-	1	-	-
Hackney	239,979	-	7	4	-	-	-	-	5	-	1
CENTRAL.											
Holborn	53,142	-	1	-	-	1	-	-	1	-	-
Finsbury	94,578	-	2	3	-	-	-	-	5	-	-
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	3	2	-	-	-	-	1	-	-
Bethnal Green	131,579	-	4	4	-	-	-	-	-	-	-
Stepney	314,379	-	15	8	-	3	-	-	7	1	-
Poplar	172,432	-	6	2	-	1	-	-	1	-	-
SOUTH.											
Southwark	211,832	-	6	5	-	2	-	-	3	-	-
Bermondsey	127,238	-	3	6	-	-	-	-	3	-	-
Lambeth	327,074	-	14	6	-	1	-	-	1	-	-
Battersea	188,222	-	4	3	-	-	-	-	4	1	-
Wandsworth	305,838	-	11	10	-	1	-	-	3	-	-
Camberwell	286,058	-	13	4	-	1	-	-	3	-	-
Deptford	119,642	-	6	5	-	1	-	-	1	-	-
Greenwich	112,935	-	1	1	-	-	-	-	3	-	-
Lewisham	164,899	-	9	7	-	-	-	-	1	-	-
Woolwich	135,422	-	6	6	-	-	-	-	4	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	216	118	-	20	-	-	68	3	3
Ages 0-1		-	3	4	-	-	-	-	-	-	-
„ 1-5		-	65	48	-	-	-	-	3	-	2
„ 5-		-	91	33	-	3	-	-	1	-	1
„ 10-		-	32	20	-	3	-	-	4	-	-
„ 15-		-	9	7	-	2	-	-	-	-	-
„ 20-		-	6	4	-	2	-	-	11	1	-
„ 25-		-	7	2	-	8	-	-	7	2	-
„ 35-		-	3	-	-	-	-	-	16	-	-
„ 45-		-	-	-	-	1	-	-	13	-	-
„ 55-		-	-	-	-	-	-	-	7	-	-
„ 65 and upwards		-	-	-	-	1	-	-	6	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, Ltd., 34-40 Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 9. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, MAR. 5. [Price 1½*d*.

General Register Office, Somerset House,
March 7th, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·5 per 1000 of their aggregate population, which is estimated † at 16,713,617 persons in the middle of this year. In the preceding three weeks the rates had been 16·6, 15·8, and 14·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 20·6 in Walsall, 21·0 in Hanley, 21·4 in Burnley, 22·1 in Birkenhead, 22·7 in Swansea, and 23·9 in Wigan; from *measles*, 2·1 in Ipswich and in Birkenhead, 2·2 in Hanley, and 2·4 in Burnley; and from *diphtheria*, 1·5 in Middlesbrough, 1·7 in Portsmouth, and 1·8 in Tynemouth. One death from *small-pox* was registered in Newcastle on Tyne, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2393 BIRTHS and 1346 DEATHS were registered. Allowing for increase of population, the births were 26 and the deaths 370 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15831—41.) Wt. 109—472. 700. 3/10. D & S. G. 31. Sch. 4

causes, which had been 17·5, 16·3, and 14·8 per 1000 in the preceding three weeks, further fell last week to 14·4. The death-rate in the four weeks ended last Saturday averaged 15·8 per 1000, being 2·8 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1346 deaths included 39 from measles, 6 from scarlet fever, 9 from diphtheria, 46 from whooping-cough, 3 from enteric fever, 1 from ill-defined pyrexia, and 10 from diarrhœa; but not one death from small-pox or from typhus: thus, to these diseases in the aggregate 114 deaths were referred, being 15 below the corrected average number in the ninth week of the preceding five years.

The deaths from *measles*, which had been 13, 26, and 14 in the preceding three weeks, rose to 39 last week, but were 8 below the corrected average; 7 deaths belonged to the Borough of Hammersmith, 7 to Shoreditch, 4 to Battersea, and 4 to Deptford. The deaths from *scarlet fever*, which had been 6, 8, and 4 in the preceding three weeks, were 6 last week, the corrected average being 9. The deaths from *diphtheria*, which had been 5, 11, and 11 in the preceding three weeks, were 9 last week, and were 8 below the corrected average. The deaths from *whooping-cough*, which had been 61, 53, and 45 in the preceding three weeks, were 46 last week, and were 7 above the corrected average; 6 deaths belonged to Stepney, 6 to Southwark, 5 to Islington, 4 each to Hackney and Greenwich, and 3 to Camberwell. The deaths from *enteric fever* which had been 3, 2, and 4 in the preceding three weeks, were 3 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 15, 8, and 11 in the preceding three weeks, were 10 last week, the corrected average being 13. Of the 10 deaths from diarrhœa, 7 were those of children under 5 years of age, 6 being deaths of children under 2 years of age; 4 other deaths under 2 years of age were certified as due to *enteritis*, and 4 of children under 5 years of age to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 34, having been 45, 41, and 39 in the preceding three weeks.

Different forms of violence caused 49 deaths, concerning all of which inquests were held. Of these 49 deaths, 12 were cases of suicide, 2 of homicide, and 1 of execution, while the remaining 34 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, five to burns or scalds, three to drowning, and two, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 1766 of scarlet fever, 901 of diphtheria, and 78 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 211 cases, against 212, 215, and 193; of diphtheria, 98 cases, against 78, 109, and 83; and of enteric fever, 13 cases, against 14, 11, and 20. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended February 26th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3753 births and 1883 deaths were registered. Allowing for increase of population, these numbers are 33 and 576 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 5 deaths from diphtheria, 8 from whooping-cough, 2 from enteric fever, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·82 inches, and that of the Thermometer 41°·8, the latter being 1°·3 above the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 17 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 44·7 hours; the measured rainfall (including dew and melted frost) amounted to 0·15 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 5th March, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 12th Feb., 1910.	19th Feb., 1910.	26th Feb., 1910.	5th Mar., 1910.	Rate from Diseases in Cols. 11–17 Week ended 5th March, 1910.	Registered during the Week ended 5th March, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,713,617**	**16·6**	**15·8**	**14·7**	**14·5**	**1·0**	**8691**	**4650**	**935**	**1549**	**1**	**88**	**29**	**50**	**111**	**17**	**32**	**159**	**381**	**1337**	**37**	**76 TOWNS.**
LONDON	4,872,702	17·5	16·3	14·8	14·4	1·2	2393	1346	233	487	–	39	6	9	46	3	10	49	135	584	1	LONDON.
† CROYDON	164,485	13·9	11·1	15·9	13·0	1·3	81	41	5	17	–	4	–	–	–	–	–	3	4	7	–	CROYDON.
† WILLESDEN ..	166,088	7·5	9·7	7·2	7·8	0·9	71	25	5	11	–	1	–	–	2	–	–	–	1	9	–	WILLESDEN.
† HORNSEY	98,561	9·0	7·4	6·9	9·0	1·1	35	17	1	9	–	–	1	–	–	1	–	–	1	3	–	HORNSEY.
† TOTTENHAM ..	132,803	12·6	10·2	13·3	8·6	–	62	22	5	6	–	–	–	–	–	–	–	3	6	5	–	TOTTENHAM.
† WEST HAM ..	328,585	15·6	14·6	12·1	12·2	0·5	182	77	17	18	–	1	–	1	1	–	–	1	8	27	–	WEST HAM.
† EAST HAM.. ..	156,208	8·3	13·4	7·3	9·7	–	76	29	10	8	–	–	–	–	–	–	–	2	1	4	–	EAST HAM.
† LEYTON	133,436	9·8	10·9	11·3	8·6	0·4	62	22	8	8	–	–	–	–	–	–	1	–	1	5	–	LEYTON.
† WALTHAMSTOW	141,748	11·8	12·1	7·0	9·9	–	69	27	10	8	–	–	–	–	–	–	–	1	4	6	–	WALTHAMSTOW.
HASTINGS	68,520	19·8	22·8	19·8	12·2	2·3	20	16	2	5	–	2	–	–	1	–	–	1	3	1	–	HASTINGS.
BRIGHTON	131,900	22·9	15·8	13·0	11·5	0·4	55	29	2	15	–	–	–	1	–	–	–	1	4	4	–	BRIGHTON.
PORTSMOUTH ..	217,989	19·4	15·1	15·5	17·0	1·9	127	71	15	22	–	–	–	7	1	–	–	1	3	16	–	PORTSMOUTH.
BOURNEMOUTH ..	73,947	12·7	15·5	12·7	13·4	0·7	27	19	1	7	–	–	1	–	–	–	–	–	1	5	–	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	10·7	18·0	9·8	13·1	0·4	67	32	5	14	–	–	–	–	1	–	–	–	1	7	–	SOUTHAMPTON.
READING	84,355	12·4	10·5	10·5	8·0	–	38	13	–	9	–	–	–	–	–	–	–	–	–	6	–	READING.
NORTHAMPTON ..	99,113	14·2	14·7	13·2	13·2	1·1	42	25	5	12	–	1	–	–	–	1	–	2	2	5	1	NORTHAMPTON.
IPSWICH	75,936	15·8	18·5	17·9	19·2	2·1	31	28	4	8	–	3	–	–	–	–	–	2	2	5	–	IPSWICH.
GREAT YARMOUTH	53,715	18·4	16·5	14·6	13·6	1·0	22	14	2	5	–	–	–	–	1	–	–	–	–	2	–	GREAT YARMOUTH.
NORWICH	125,446	20·0	13·3	17·9	13·3	0·4	68	32	4	15	–	1	–	–	–	–	–	1	4	10	–	NORWICH.
PLYMOUTH	126,266	18·6	16·1	19·0	14·9	0·8	48	36	4	14	–	–	–	–	1	–	1	1	4	4	–	PLYMOUTH.
DEVONPORT	84,695	24·6	19·1	14·2	9·2	1·2	49	15	2	7	–	1	–	–	1	–	–	1	1	1	–	DEVONPORT.
BRISTOL	382,550	14·6	12·8	12·9	13·4	0·4	154	98	25	37	–	3	–	–	–	–	–	3	11	21	1	BRISTOL.
HANLEY	69,672	21·0	20·2	21·0	21·0	2·2	46	28	12	3	–	3	–	–	–	–	–	–	–	2	1	HANLEY.
BURTON-ON-TRENT	54,977	15·2	15·2	16·1	10·4	–	24	11	2	6	–	–	–	–	–	–	–	–	–	–	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	105,962	13·3	16·2	12·8	10·8	–	58	22	4	8	–	–	–	–	–	–	–	2	3	2	–	WOLVERHAMPTON
WALSALL	101,035	16·0	13·4	15·0	20·6	0·5	55	40	11	13	–	–	–	–	–	–	1	1	2	11	–	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	11·5	10·1	10·1	10·1	–	28	14	4	4	–	–	–	–	–	–	–	–	1	1	–	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	14·7	13·9	15·4	11·0	1·5	41	15	3	6	–	1	–	–	–	–	1	3	3	1	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

ended Saturday, 5th March, 1910, and Death-Rates in each of the preceding three weeks.

Towns.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 12th Feb., 1910.	19th Feb., 1910.	26th Feb., 1910.	5th Mar., 1910.	Rate from Diseases in Cols. 11–17. Week ended 5th March, 1910.	Registered during the Week ended 5th March, 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	16·6	15·8	15·5	16·5	0·9	321	180	49	51	–	–	3	–	6	–	1	5	5	58	5	Birmingham.
Kings Norton ..	84,673	13·5	9·2	11·7	8·6	1·2	33	14	–	7	–	–	–	2	–	–	–	–	–	2	–	Kings Norton.
Smethwick	72,350	10·8	15·1	14·4	12·3	2·2	45	17	4	3	–	–	1	1	1	–	–	–	–	1	–	Smethwick.
Aston Manor ..	86,269	15·1	9·1	9·1	11·5	0·6	38	19	6	8	–	–	–	–	1	–	–	1	2	4	–	Aston Manor.
Coventry	81,449	16·6	16·0	17·9	13·4	0·6	50	21	3	6	–	1	–	–	–	–	–	–	1	4	–	Coventry.
Leicester	248,374	14·3	11·8	10·3	14·9	1·3	112	71	22	18	–	–	2	1	3	–	–	3	6	22	1	Leicester.
Grimsby	74,283	14·0	19·0	12·6	17·5	–	52	25	6	7	–	–	–	–	–	–	–	1	1	2	1	Grimsby.
Nottingham ..	266,471	16·0	16·0	15·7	14·9	1·6	133	76	11	29	–	2	2	1	–	2	1	1	3	14	–	Nottingham.
Derby	131,256	10·3	15·9	15·1	9·1	–	51	23	2	8	–	–	–	–	–	–	–	1	6	7	–	Derby.
Stockport	105,087	22·8	18·9	17·9	13·4	0·5	57	27	5	11	–	1	–	–	–	–	–	–	3	9	–	Stockport.
Birkenhead ..	122,431	20·9	23·9	14·1	22·1	3·8	77	52	8	19	–	5	1	2	1	–	–	1	5	12	–	Birkenhead.
Wallasey	73,173	12·1	9·3	12·8	14·3	1·4	32	20	3	9	–	1	1	–	–	–	–	–	–	2	1	Wallasey.
Liverpool	767,606	21·5	21·1	18·5	17·8	1·6	494	262	62	74	–	3	1	4	11	2	3	10	16	92	7	Liverpool.
Bootle	70,548	18·5	16·3	11·8	17·0	0·7	35	23	5	10	–	–	–	–	1	–	–	–	–	8	1	Bootle.
St. Helens	96,523	17·8	17·8	11·9	14·6	1·6	76	27	4	10	–	–	1	–	–	–	2	–	–	8	2	St. Helens.
Wigan	91,732	13·1	14·8	15·3	23·9	1·7	67	42	9	6	–	–	–	–	–	2	1	3	4	9	–	Wigan.
Warrington ..	73,295	15·7	13·5	16·4	16·4	0·7	54	23	3	7	–	–	–	–	1	–	–	1	1	3	1	Warrington.
Bolton	190,315	15·9	20·3	18·4	11·0	0·5	100	40	11	11	–	–	–	–	1	1	–	3	3	6	–	Bolton.
Bury	59,409	15·8	17·6	19·3	9·7	–	31	11	2	4	–	–	–	–	–	–	–	1	1	3	–	Bury.
Manchester ..	716,354	17·3	18·4	15·6	16·1	0·7	464	221	51	58	–	–	1	1	6	–	1	13	19	55	2	Manchester.
Salford	244,636	17·9	14·9	11·7	13·8	0·6	134	79	15	16	–	–	–	1	1	1	–	1	3	21	1	Salford.
Oldham	144,111	21·3	18·1	24·2	19·2	1·4	70	53	6	18	–	–	–	2	1	–	1	–	4	16	–	Oldham.
Rochdale	90,497	26·5	13·8	17·9	13·3	–	34	23	3	9	–	–	–	–	–	–	–	1	1	4	1	Rochdale.
Burnley	107,448	23·8	21·8	26·2	21·4	3·9	51	44	12	15	–	5	2	1	–	–	–	2	2	4	–	Burnley.
Blackburn	137,972	15·5	14·0	14·0	14·4	1·1	55	38	7	17	–	–	1	1	–	–	1	1	3	7	1	Blackburn.
Preston	119,253	18·4	15·7	17·1	18·8	0·4	69	43	10	18	–	–	–	–	1	–	–	1	1	11	2	Preston.
Barrow-in-Furness.	63,689	10·6	18·4	15·6	15·6	1·6	37	19	1	8	–	–	–	–	2	–	–	1	1	4	1	Barrow-in-Furness.

*See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 5th March, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 12th Feb., 1910.	19th Feb., 1910.	26th Feb., 1910.	5th Mar., 1910.	Rate from Diseases in Cols 11-17. Week ended 5th March, 1910.	Registered during the Week ended 5th March, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	19·3	15·4	21·5	19·8	1·1	45	36	4	15	-	-	-	1	1	-	-	2	2	8	-	HUDDERSFIELD.
HALIFAX	112,818	8·8	17·1	12·5	15·7	0·9	34	34	3	15	-	-	-	1	-	1	-	1	2	10	-	HALIFAX.
BRADFORD	295,865	15·0	12·3	14·3	14·6	0·9	104	83	16	33	-	2	-	1	-	1	1	2	6	14	-	BRADFORD.
LEEDS	490,985	14·4	12·5	14·0	14·7	0·8	243	138	38	38	-	1	-	1	3	2	1	6	12	22	-	LEEDS.
SHEFFIELD	478,763	14·4	13·3	13·5	12·1	0·8	272	111	24	27	-	-	-	2	3	-	2	2	6	36	-	SHEFFIELD.
ROTHERHAM.. ..	66,414	14·1	14·1	14·1	12·6	-	44	16	2	6	-	-	-	-	-	-	-	-	-	1	-	ROTHERHAM.
YORK	88,159	13·0	16·0	12·4	12·4	0·6	48	21	3	10	-	1	-	-	-	-	-	-	1	4	-	YORK.
HULL	280,006	16·9	19·7	16·2	17·7	0·6	167	95	21	31	-	-	-	1	1	-	1	2	16	17	-	HULL.
MIDDLESBROUGH ..	107,014	14·6	15·1	16·1	16·1	2·4	88	33	5	9	-	-	1	3	1	-	-	-	2	8	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,680	21·4	17·5	12·6	9·7	1·0	40	10	1	2	-	1	-	-	-	-	-	1	2	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	81,814	15·9	17·2	12·1	7·0	1·3	35	11	4	3	-	-	-	-	2	-	-	1	1	1	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	19·7	19·7	13·6	18·8	1·0	90	58	11	18	-	-	-	2	1	-	-	2	8	11	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	13·9	12·6	16·5	14·8	0·4	62	34	9	12	-	-	-	-	1	-	-	3	5	3	3	SOUTH SHIELDS.
GATESHEAD	133,676	12·1	14·4	13·7	14·8	1·2	86	38	13	8	-	1	1	-	-	-	1	-	-	4	3	GATESHEAD.
NEWCASTLE-ON-TYNE.	285,951	16·6	13·5	13·7	14·2	0·5	136	78	17	23	1	-	1	-	1	-	-	2	8	20	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	56,378	19·4	13·9	14·8	17·6	1·8	34	19	2	8	-	-	-	2	-	-	-	2	3	4	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	17·0	17·7	19·0	13·1	2·0	54	20	1	6	-	1	-	1	1	-	-	-	-	5	-	NEWPORT (MON.).
CARDIFF	199,189	14·9	10·5	13·9	13·9	0·5	94	53	9	21	-	-	1	-	-	-	1	2	5	11	-	CARDIFF.
RHONDDA	138,674	20·7	18·0	12·8	16·5	1·1	106	44	17	12	-	-	-	-	3	-	-	1	2	2	-	RHONDDA.
MERTHYR TYDFIL..	79,522	17·7	19·0	12·5	11·8	2·0	47	18	6	3	-	2	1	-	-	-	-	1	2	5	-	MERTHYR TYDFIL.
SWANSEA	98,817	23·7	22·2	17·9	22·7	1·1	59	43	8	10	-	1	-	-	1	-	-	-	2	9	-	SWANSEA.
GREATER LONDON	7,537,196	15·6	14·8	13·5	13·0	1·0	3753	1883	344	679	-	45	7	15	57	6	13	70	186	697	1	GREATER LONDON.
OUTER RING ..	2,664,494	12·2	12·1	11·1	10·5	0·6	1360	537	111	192	-	6	1	6	11	3	3	21	51	113	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	11·7	11·8	10·5	10·3	0·5	638	260	61	85	-	6	1	1	3	1	1	10	26	66	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	12·7	12·4	11·6	10·8	0·7	722	277	50	107	-	-	-	5	8	2	2	11	25	47	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	15·2	16·4	14·9	12·0	0·9	149	83	13	32	-	2	1	1	1	-	1	3	?	27	3	EDINBURGH.
GLASGOW	884,505	17·9	16·9	15·9	17·6	2·9	440	299	63	69	-	23	3	9	1	3	6	7	?	94	15	GLASGOW.
DUBLIN (Registration Area).†	402,928	26·4	26·5	28·0	25·2	1·2	206	195	39	66	-	-	1	-	3	2	3	5	4	84	8	DUBLIN (Registration Area).†
BELFAST†	391,167	22·9	20·8	18·7	22·0	1·9	239	165‡	33	34	-	1	-	-	11	-	2	10	13	42	2	BELFAST †

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the NINTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2561	2681	2567	2512	2364	2600	2470	2393	2272	2075	2418·5	2393
Males - - -	1335	1351	1308	1278	1237	1365	1240	1232	1124	1072	1235·4	1216
Females - -	1226	1330	1259	1234	1127	1235	1230	1161	1148	1003	1183·1	1177
TOTAL **Deaths** -	1668	1865	2477	1450	1594	1535	1504	1678	1545	2116	1715·7	1346
Males - - -	865	918	1203	741	834	794	766	834	805	1035	867·1	687
Females - -	803	947	1274	709	760	741	738	844	740	1081	848·5	659

* The numbers in this column are the average weekly numbers in the Ninth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 11.	Dec. 18.	Dec. 25.	1910. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	13 Weeks.
TOTAL **Births** -	2207	2105	1860	2182	2340	2242	2146	2086	2381	2375	2325	2264	2393	28996
TOTAL **Deaths** -	1540	1330	1399	1502	1331	1367	1351	1468	1607	1632	1526	1386	1346	18785
Ages at Death: Under 1 year -	247	241	234	247	219	259	223	267	283	259	241	235	233	3188
1—5 years -	115	95	107	114	126	113	106	146	142	161	126	136	153	1640
5—20 " -	70	61	61	86	63	59	71	64	77	80	74	59	68	893
20—40 " -	181	146	168	177	157	151	161	156	182	173	159	162	133	2106
40—60 " -	361	292	304	323	273	304	301	308	344	334	341	261	272	4018
60 yrs. & upwds.	566	495	525	555	493	481	489	527	579	625	585	533	487	6940
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	14	15	14	8	11	17	18	11	17	13	26	14	39	217
Scarlet Fever - -	4	5	6	8	5	2	-	10	5	6	8	4	6	69
Diphtheria - -	12	6	9	9	9	15	13	10	16	5	11	11	9	135
Whooping-cough -	18	24	25	33	29	33	30	57	57	61	53	45	46	511
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	2	2	-	1	-	3	3	2	3	2	4	3	26
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	-	-	-	-	1	2
Diarrhœa, Dysentery	12	10	9	8	7	15	10	11	14	15	8	11	10	140
All above diseases -	61	62	65	66	63	82	74	102	111	103	108	89	114	1100
Dis. of Resp. System	194	167	160	196	168	141	152	178	207	226	200	172	148	2309
Pneumonia - -	223	175	162	164	170	144	139	144	185	199	195	176	142	2218
Phthisis - - -	156	116	148	152	99	114	140	141	153	112	124	131	126	1712
Dis. of Circ. System -	219	201	208	231	199	199	197	242	235	227	220	176	198	2752
Violence - - -	49	49	60	58	56	48	52	58	41	56	62	42	49	680
Inquest Cases - -	154	151	158	174	149	135	152	148	158	163	173	121	135	1971
Deaths in Institutions	691	586	589	629	528	572	599	605	674	660	607	582	584	7906
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	38·6	38·4	39·0	44·4	43·2	43·9	39·6	34·2	37·4	42·0	44·7	42·5	41·8	40·7
Mean of Highest -	43·0	40·7	45·0	49·7	46·2	48·2	43·2	39·4	43·3	47·7	50·9	49·0	49·9	45·9
Mean of Lowest -	33·3	35·8	31·1	37·8	40·0	39·3	35·6	28·4	31·1	35·6	39·0	36·8	33·1	35·1
Mean Humidity of the Air.	91	89	84	87	94	82	78	75	88	86	80	83	83	85
Rain-fall (in inches) -	0·36	0·43	0·46	0·27	0·05	0·30	0·16	1·15	0·09	0·38	0·69	1·40	0·15	5·89
Registered Sunshine (in hours).	16·7	0·4	18·1	8·3	1·4	16·5	10·8	19·5	9·4	15·6	23·7	22·9	44·7	208·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	3	4	4	4	5	4	3	2	2	1	1	1	1	3
Scarlet Fever - -	2475	2403	2361	2362	2256	2172	2069	1993	1937	1881	1784	1765	1766	2094
Diphtheria - - -	946	938	917	912	908	899	901	896	936	908	903	911	901	914
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	70	67	68	62	56	59	60	62	55	61	66	76	78	65

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the NINTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 9th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1715·7	1346	233	153	68	133	272	487
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	47·1	39	5	28	6	–	–	–
Scarlet Fever	8·8	6	1	4	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	57·8	34	1	–	2	5	9	17
Whooping-cough	38·5	46	15	30	1	–	–	–
Diphtheria	17·4	9	–	7	2	–	–	–
Cerebro-spinal Fever ..	0·4	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	1	–	–	–	–	–	1
Enteric Fever	4·3	3	–	–	1	1	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	4·1	1	–	–	–	–	1	–
Diarrhœa, Dysentery ..	9·2	9	5	2	–	1	–	1
Tetanus	0·2	1	–	–	–	–	1	..
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	8·6	3	2	–	–	–	–	1
Puerperal Septicæmia ..	3·1	4	–	–	–	4	–	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·4	1	–	–	–	1	–	–
Infective Endocarditis ..	2·9	6	–	–	2	2	2	–
Pneumonia: Lobar ..	27·9	12	2	1	–	–	6	3
Pneumonia: Broncho ..	92·8	70	28	18	2	5	5	12
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	82·7	60	11	11	1	5	16	16
Erysipelas	2·7	3	1	–	–	–	2	–
Septicæmia (not Puerperal) ..	0·8	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	2·0	–	–	–	–	–	–	–
Other Infective Processes	4·1	3	2	–	1	–	–	–
Tuberculous Phthisis ..	96·9	78	3	3	6	28	31	7
"*Phthisis*"	57·3	48	–	1	3	22	17	5
Tuberculous Meningitis ..	22·9	19	7	11	1	–	–	–
Tuberculous Peritonitis ..	7·4	10	1	2	5	1	1	–
Tabes Mesenterica	3·5	2	2	–	–	–	–	–
Tuberculous Dis., Other ..	21·7	13	2	2	4	3	1	1
Scrofula..	0·4	–	–	–	–	–	–	–
Alcoholism	7·6	4	–	–	–	1	3	–
Rheumatic Fever	6·1	–	–	–	–	–	–	–
Gout	1·4	2	–	–	–	–	–	2
Carcinoma	59·0	51	–	–	–	4	20	27
Sarcoma	6·8	7	–	–	1	1	4	1
Cancer (undefined) ..	35·2	26	1	–	–	1	10	14
Diabetes Mellitus	10·4	9	–	–	–	–	4	5
Premature Birth	47·7	49	49	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 9th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	16·2	13	4	4	2	1	2	–
Gen. Par. of Insane, Insanity	17·2	9	–	–	–	1	6	2
Epilepsy	5·9	13	–	1	2	2	5	3
Convulsions	18·4	7	6	1	–	–	–	–
Locomotor Ataxy.. ..	1·8	–	–	–	–	–	–	–
Paraplegia, Dis. of Cord.	4·7	6	1	–	–	–	1	4
Nervous Sys., Other Dis.	20·9	15	–	–	1	1	–	13
Valv. Dis., Endocarditis..	61·2	52	–	–	7	4	20	21
Cereb. Hæm. Cereb. Emb.	43·0	47	–	–	–	1	11	35
Apoplexy, Hemiplegia ..	18·0	12	–	–	–	–	4	8
Aneurysm	5·3	2	–	–	–	1	1	–
Embolism, Thrombosis (not Cerebral) ..	1·2	2	–	–	–	–	1	1
Heart & Blood Ves., Other Dis... ..	98·7	83	–	–	1	6	19	57
Croup (not Spasm: nor Memb.)	0·4	–	–	–	–	–	–	–
Bronchitis	219·9	127	9	8	1	2	21	86
Emphysema, Asthma ..	10·4	4	–	–	–	–	–	4
Pleurisy	3·5	8	1	1	–	1	1	4
Respiratory Dis., Other..	12·1	9	3	–	1	–	3	2
Tonsillitis, Quinsy.. ..	1·2	1	–	–	–	–	–	1
Enteritis (not Epid.) ..	10·0	4	3	1	–	–	–	–
Gastro-enteritis	4·9	4	3	1	–	–	–	–
Peritonitis (not Puerp.) ..	1·8	3	–	–	–	1	2	–
Cirrhosis of Liver.. ..	11·1	8	–	–	–	–	7	1
Liver Dis., Other	5·5	4	–	–	–	–	1	3
Digestive Sys., Other Dis.	35·4	33	3	2	4	10	5	9
Acute Nephritis	11·1	5	–	–	1	–	1	3
Bright's Dis., Albuminuria	39·5	33	–	–	1	4	7	21
Urinary Sys., Other Dis.	10·2	12	–	–	–	1	1	10
Generative Organs Dis...	4·5	4	–	–	–	–	2	2
Childbirth (Accid. of) ..	4·3	3	–	–	–	2	1	–
Old Age	70·0	61	–	–	–	–	–	61
Other Diseases	89·8	84	57	9	6	–	2	10
ACCIDENT.								
By Railways	0·4	2	–	–	–	–	2	–
By Vehicles and Horses..	4·5	5	–	1	1	–	1	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	1	–	–	–	–	–	1
In Building Operations..	0·8	2	–	–	–	–	1	1
In Conflagrations	–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	9·4	5	–	3	–	–	–	2
By Drowning	3·1	3	–	1	–	1	–	1
By Suffocation in Bed ..	10·9	2	2	–	–	–	–	–
By Poisons or Poisonous Vapours	0·8	3	–	–	–	2	1	–
Other Deaths by Accident..	16·6	11	3	–	–	3	2	3
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	2	–	–	–	1	1	–
Suicide	10·0	12	–	–	1	2	6	3
Execution	–	1	–	–	–	1	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th March, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2393	1346	233	487	-	39	6	9	46	3	10	126	49	135	584	1
WEST DISTRICTS	805,311	343	208	24	92	-	7	-	1	3	1	-	16	12	21	92	-
NORTH DISTRICTS	1,055,908	539	270	40	100	-	6	1	-	12	-	1	28	10	32	90	-
CENTRAL DISTRICTS	209,465	102	62	21	16	-	-	-	-	1	1	2	3	2	6	43	-
EAST DISTRICTS	715,739	417	208	47	61	-	9	-	-	8	1	1	22	9	35	105	-
SOUTH DISTRICTS	1,749,844	992	545	99	198	-	13	4	7	21	-	4	51	16	41	201	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	53	2	20	-	4	1	1	1	-	2	6	-	-	53	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	33	12	1	5	-	-	-	-	1	-	-	1	1	2	1	-
Central Paddington *W,3H*	50,053	34	23	2	11	-	-	-	-	-	-	-	-	3	3	18	-
South Paddington	30,320	5	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-
Kensington Town *2W,w,2H* ..	128,037	49	48	7	24	-	-	-	-	-	-	-	3	1	4	21	-
Brompton *2H*	48,591	4	12	1	5	-	-	-	-	-	-	-	3	1	1	-	-
North Hammersmith *2W,w,H* ..	49,192	30	19	3	5	-	6	-	-	-	-	-	2	-	1	12	-
South Hammersmith *w,2H* ..	63,047	27	10	3	4	-	-	-	-	-	-	-	1	1	2	2	-
North-west Fulham *W*	45,180	36	11	3	2	-	-	-	1	1	-	-	2	-	-	5	-
North-east Fulham *F*	46,405	27	10	-	6	-	1	-	-	-	1	-	-	-	-	3	-
South Fulham *W*	45,704	24	11	1	7	-	-	-	-	-	-	-	-	1	2	-	-
Chelsea North *W,w,3H*	42,514	13	20	-	10	-	-	-	-	-	-	-	3	1	2	15	-
Chelsea South *W,2H*	31,328	9	7	1	4	-	-	-	-	-	-	-	-	1	1	2	-
Mayfair and Knightsbridge	28,743	4	5	-	3	-	-	-	-	-	-	-	-	-	1	-	-
Belgrave *W,2H*	55,815	21	8	-	2	-	-	-	-	-	-	-	1	-	-	6	-
St. Margaret & St. John *6H*	43,698	20	7	2	1	-	-	-	-	1	-	-	-	-	-	6	-
St. James and St. Anne *W,6H* ..	33,081	7	3	-	2	-	-	-	-	-	-	-	-	1	1	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	17	21	-	12	-	-	-	-	-	-	-	1	1	1	11	-
St. Mary Marylebone *W,4H* .	37,948	45	7	2	3	-	1	-	-	-	-	-	-	-	1	-	-
Christchurch Marylebone . ..	39,536	16	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	5	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	25	21	1	7	-	2	-	-	-	-	-	5	-	-	8	-
West St. Pancras *2H*	60,562	24	16	4	3	-	-	-	-	-	-	-	2	2	5	1	-
South St. Pancras *w,10H*	55,707	19	15	3	3	-	-	-	-	-	-	-	3	-	1	11	-
East St. Pancras *W,H*	60,320	29	18	5	6	-	-	-	-	2	-	-	2	-	3	7	-
North St. Pancras *2W*	58,728	23	14	-	6	-	-	-	-	-	-	-	3	-	2	5	-
Tufnell *W*	31,995	12	19	1	9	-	-	-	-	1	-	-	2	-	1	15	-
Upper Holloway *2W,w,H*	33,978	27	14	1	6	-	-	-	-	1	-	-	-	-	2	10	-
Pollington *W,w,H*	33,922	18	5	-	2	-	-	-	-	1	-	-	-	1	1	-	-
Lower Holloway	41,424	20	8	2	3	-	-	-	-	-	-	-	-	3	5	-	-
Barnsbury	54,478	24	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	43	18	5	8	-	-	-	-	-	-	-	3	-	2	-	-
Highbury *2H*	63,797	37	11	1	5	-	-	-	-	1	-	-	-	-	2	-	-
Stoke Newington *H*	51,247	25	11	1	6	-	-	-	-	-	-	-	-	1	1	-	-
North Hackney	50,398	16	12	1	5	-	-	-	-	1	-	1	2	-	1	-	-
Central Hackney *2w,F*	50,536	37	12	1	6	-	2	1	-	-	-	-	-	-	1	3	-
South-west Hackney *3H*	59,921	41	11	2	3	-	1	-	-	1	-	-	-	2	3	4	-
South-east Hackney *2W,H*	58,255	36	24	9	2	-	-	-	-	4	-	-	5	-	-	15	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th March, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	11	7	2	3	-	-	-	-	1	-	-	-	-	-	2	-
Strand *W*,4*H*	21,674	5	10	2	2	-	-	-	-	-	1	-	-	-	-	8	-
Strand Union Workhouse, Edmonton	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Holborn *W*,5*H*	29,612	8	16	8	2	-	-	-	-	-	-	2	1	-	-	13	-
Clerkenwell *H*	63,704	31	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Luke 3*H*,*L*	36,116	40	9	5	2	-	-	-	-	-	-	-	1	-	2	5	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	6	13	3	3	-	-	-	-	-	-	-	1	2	4	12	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	20	6	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	25	26	2	11	-	5	-	-	1	-	-	4	-	3	21	-
Shoreditch North-East	36,148	19	7	1	2	-	-	-	-	-	-	-	1	1	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	48	21	7	6	-	1	-	-	-	-	-	5	1	3	14	-
Bethnal Green South-West *H* ..	64,542	32	11	6	2	-	1	-	-	-	-	-	-	1	5	2	-
Spitalfields..	27,969	9	4	2	2	-	-	-	-	-	-	-	-	1	1	-	-
Mile End New Town *W*,*H*	28,718	23	29	6	4	-	-	-	-	-	-	-	2	3	4	28	-
Goodman's Fields	22,081	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	27	8	-	3	-	-	-	-	-	-	-	1	-	-	4	-
Shadwell and Ratcliff *w*,*H* ..	25,568	13	9	3	-	-	-	-	-	2	-	-	-	-	-	6	-
Limehouse *W*	32,369	21	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Mile End Old Town South-Western *H*	63,698	47	15	8	4	-	-	-	-	4	-	-	1	-	1	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	21	23	2	9	-	1	-	-	-	1	-	2	1	2	12	-
Bow	41,989	24	8	1	3	-	-	-	-	-	-	-	1	-	2	-	-
Bromley 3*w*,*H*	68,319	40	25	1	10	-	-	-	-	1	-	-	4	1	6	13	-
Poplar *W*,*w*	58,514	35	13	5	3	-	1	-	-	-	-	1	-	-	5	3	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and, from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th March, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	14	25	7	6	-	1	-	-	-	-	-	3	2	2	18	-
Kent-road	21,904	15	5	1	1	-	-	-	-	-	-	-	1	1	1	-	-
St. George the Martyr West *W,2H,L*	39,094	18	13	4	1	-	-	-	-	1	-	1	-	-	1	7	-
Newington North	49,022	32	8	3	1	-	1	-	-	2	-	-	1	-	-	-	1
Newington South *W*	72,841	49	19	5	8	-	-	-	-	3	-	-	2	-	-	2	-
St. Olave *2W*	9,817	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	47	25	10	8	-	1	-	-	2	-	-	3	-	4	-	-
Rotherhithe *W,F*	38,460	31	18	3	6	-	-	-	-	-	-	-	4	-	3	9	-
Waterloo *2H*	27,440	31	12	3	3	-	-	-	-	1	-	-	-	-	-	5	-
Lambeth Church *H*	27,440	10	17	2	3	-	-	-	-	-	-	-	2	1	1	11	-
Kennington *2W*	52,518	22	27	-	13	-	-	-	-	-	-	-	3	1	1	20	-
Stockwell *HF*	63,826	34	14	5	2	-	1	-	1	-	-	-	1	-	1	2	-
Brixton *H*	73,673	30	17	1	10	-	-	-	-	-	-	-	2	1	1	1	-
Norwood *2WH*	56,998	29	10	1	5	-	-	-	-	1	-	-	2	-	-	-	-
East Battersea *H*	72,203	47	18	5	4	-	1	-	-	1	-	-	4	-	1	-	-
North-west Battersea	49,656	32	6	2	-	-	2	-	-	-	-	1	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	15	34	11	14	-	-	-	-	-	-	-	3	1	5	20	-
Clapham *2H*	51,361	20	11	-	5	-	-	-	-	-	-	-	1	-	-	2	-
Streatham *W,2w,2F,2L*	88,019	66	32	2	19	-	-	-	1	1	-	-	1	2	2	8	-
Springfield *2W,L*	27,959	21	7	1	2	-	-	-	-	-	-	-	1	-	-	1	-
Southfields *H*	40,444	26	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	6	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich	13,359	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	25	-	13	-	-	-	-	-	-	-	3	-	-	17	-
Camberwell North *W,2L*	65,584	38	22	-	8	-	-	-	-	-	-	1	2	1	3	16	-
St. George	47,331	35	14	4	2	-	-	-	-	2	-	-	3	-	-	-	-
Peckham North	48,913	31	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	26	5	1	1	-	-	-	-	1	-	-	1	-	-	-	-
Deptford North	37,613	20	7	1	2	-	1	-	-	1	-	-	-	-	-	-	-
Deptford Central *F*	45,481	26	11	3	-	-	-	3	3	-	-	-	-	-	-	7	-
Deptford South	34,625	15	11	2	4	-	2	-	-	1	-	-	-	-	1	-	-
Greenwich West *H*	23,456	12	9	3	2	-	-	-	-	3	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	35	34	4	14	-	3	-	-	1	-	-	3	4	5	25	-
Eltham *w,H*	7,226	6	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Lee *w,H*	25,490	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	39	29	7	13	-	-	-	1	-	-	1	1	1	4	18	-
Sydenham *H*	43,653	24	12	-	7	-	-	-	-	-	-	-	1	-	1	-	-
Charlton *F,2H*	21,134	9	6	-	1	-	-	1	1	-	-	-	-	-	-	4	-
Woolwich *5H*	41,625	18	4	-	1	-	-	-	-	-	-	-	2	-	-	-	-
Plumstead West *W,H*	39,376	6	4	2	1	-	-	-	-	-	-	-	1	-	2	-	-
Plumstead East *2W*	28,951	20	10	1	8	-	-	-	-	-	-	-	-	-	1	6	-
Workhouses:—																	
Belmont Workhouse	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	1	1	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	6	-	-	-	4	-	-	-	-	-	-	-	-	6	-
Leavesden	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Lunatic Asylums:—																	
Banstead	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	4	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	1	-	-	-	-	-	-	-	1	-	-	3	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	9	-	2	-	-	-	-	-	-	2	1	-	-	9	-
Cane Hill	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	4	-	1	-	-	-	-	-	-	-	2	-	-	4	-
Hanwell	—	-	6	-	3	-	-	-	-	-	-	-	1	-	-	6	-
Colney Hatch	—	-	8	1	3	-	-	-	-	-	-	-	1	-	-	8	-
Claybury	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging t the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boar Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATE POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 5th March, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1360	537	111	192	-	6	1	6	11	3	3	21	51	113	-
30 : 1	Carshalton 2F,3H	12,228	32,997	23	9	4	2	-	-	-	1	1	-	-	-	1	2	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	10	3	-	3	-	-	-	-	-	-	-	-	1	2	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	20	9	-	4	-	1	-	-	-	-	-	-	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	29	26	1	14	-	3	-	-	-	-	-	3	3	11	-
4	North Croydon H	2,644	41,698	32	10	4	2	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	36	18	3	4	-	-	-	-	-	-	-	1	3	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	19	4	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	28	17	3	10	-	-	-	-	1	-	-	1	1	1	-
3	Surbiton F,H	3,046	15,017	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	8	3	-	1	-	-	-	-	-	-	-	1	1	-	-
5	Hampton H,F,L	4,564	23,456	19	9	-	3	-	-	-	-	1	-	-	1	1	2	-
40 : 1	Richmond W,H	2,491	31,672	15	4	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake F	2,518	17,821	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	6	4	-	3	-	-	-	-	-	-	-	-	1	3	-
4	Chislehurst 2H	7,333	16,446	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	14	5	1	4	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	16	7	3	2	-	-	-	-	1	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	11	5	2	3	-	-	-	-	-	-	-	-	1	-	-
2	Staines W,H	13,277	15,178	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	8	4	-	4	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H	12,757	8,984	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	16	5	2	1	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	26	11	2	4	-	-	-	-	-	1	-	1	1	6	-
2	Twickenham F,2H	2,421	20,991	17	4	-	1	-	-	-	-	-	-	-	-	1	-	-
3	Brentford 3F,2H	4,319	48,289	33	10	1	6	-	-	-	-	-	-	1	1	1	-	-
4	Chiswick H	1,249	29,809	20	7	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	40	7	1	3	-	-	-	1	-	-	-	-	-	-	-
127A: 1	Harrow F,H	13,809	25,523	15	4	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	16	7	3	2	-	-	-	-	-	-	-	-	-	-	-
127B: 1	Willesden W,F,2H	4,384	114,811	71	25	5	11	-	1	-	-	2	-	-	-	1	9	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	8	2	4	-	-	-	-	-	-	1	-	-	2	-
3	Finchley F,3H	4,688	33,692	18	8	2	1	-	-	-	1	-	-	-	-	1	-	-
129 : 1	Hornsey F,H	2,875	72,056	35	16	1	9	-	-	1	-	-	1	-	-	1	2	-
2	Wood Green H	1,625	34,233	19	9	4	2	-	-	-	-	-	-	-	-	-	1	-
3	West Tottenham	995	48,741	32	7	4	-	-	-	-	-	-	-	-	1	2	-	-
4	East Tottenham 2H ..	2,019	53,962	30	15	2	4	-	-	-	-	-	-	-	3	4	5	-
5	Edmonton W,w,2F	7,491	61,892	56	22	3	7	-	-	-	1	-	-	-	2	5	6	-
6	Enfield 2W,F,H	12,601	42,738	33	7	-	1	-	-	-	1	-	-	-	-	1	-	-
7	Waltham Abbey F	11,017	6,549	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	13	4	-	1	-	-	-	-	1	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	34	17	3	4	-	-	-	-	-	-	-	2	3	2	-
2	Forest Gate	787	52,745	20	5	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	67	12	3	2	-	-	-	1	-	-	-	-	3	3	-
4	Canning Town H	1,556	70,718	61	22	8	5	-	1	-	-	-	-	-	-	3	1	-
5	South East Ham 2F ..	1,991	37,342	33	8	4	-	-	-	-	-	-	-	-	1	-	-	-
6	North East Ham w,H ..	1,333	58,666	43	17	5	5	-	-	-	-	-	-	-	1	1	-	-
7	Wanstead F	1,679	9,179	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	26	16	4	10	-	-	-	-	-	-	-	-	-	11	-
9	North Leyton 2W,w,F ..	1,963	43,445	36	36	6	9	-	-	-	-	1	-	1	-	1	24	-
10	Walthamstow 2H,L ..	6,504	108,929	78	25	10	8	-	-	-	-	-	-	-	1	4	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	15	3	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	8	3	1	2	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,244	36	16	4	8	-	-	-	-	3	-	-	1	2	1	-
3	Barking Town F	3,805	21,547	15	3	2	-	-	-	-	-	-	-	-	-	1	-	-
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	3	-	1	-	-	-	-	-	1	-	-	1	3	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ONDON* - -	4,872,702	March 5	2393	1346	14·4	-	39	6	9	46	3	13
ALCUTTA - -	1,009,008	February 5	-	614‡	31·6	2	4	-	-	-	4	23
OMBAY - -	977,822	" 8	375	734‡	39·0	24	2	-	-	1	4	39
IADRAS - -	509,346	" 4	335	384‡	39·2	-	3	?	?	?	129§	6‡
ARIS* - -	2,760,000	" 19	972	1054‡	20·0	-	22	2	9	7	1	29
RUSSELS* - -	720,030	" 26	227	218	15·7	-	2	1	1	1	4	11
NTWERP* - -	314,135	" 26	141	77	12·7	-	3	-	-	5	-	4
MSTERDAM* -	568,131	" 26	276	154	14·1	-	3	-	-	1	-	1
OPENHAGEN -	450,000	" 26	228	145	16·8	-	1	3	3	2	-	3
TOCKHOLM -	339,582	" 19	143	110	16·8	-	6	-	1	2	-	-
HRISTIANIA -	235,674	" 26	92	58	12·8	-	-	-	1	-	-	2
T. PETERSBURG	1,620,000	" 19	1276	811	26·1	10	41	16	15	9	17	83
OSCOW - -	1,493,600	" 19	-	726	25·3	8	21	25	28	7	3	43
ERLIN - -	2,124,785	" 5	826	619	15·2	-	5	9	20	9	-	20
	2,124,331	" 12	850	561	13·8	-	6	5	11	7	1	24
AMBURG - -	895,804	" 26	-	241	14·0	-	5	1	10	-	-	10
RESLAU - -	507,500	" 19	-	193	19·8	-	-	1	1	2	1	6
UNICH - -	576,000	" 19	289	186	16·8	-	-	1	1	1	1	12
IENNA* - -	2,085,888	" 19	842	661	16·5	-	15	-	4	5	2	38
		" 26	928	649	16·2	-	17	5	5	8	2	31
RAGUE* - -	494,531	" 12	214	204	21·4	-	2	1	4	-	-	12
UDAPEST* -	833,703	" 19	485	341	21·2	-	3	8	2	1	1	14
RIESTE* - -	218,727	" 19	175	122	29·0	-	4	-	1	1	-	-
OME - - -	574,666	January 1	258	195	17·7	-	-	1	-	1	2	9
ENICE - -	179,286	" 15	86	83	24·1	-	7	-	-	-	-	2
		" 22	77	86	25·0	-	10	-	1	-	1	3
UCAREST - -	296,585	" 29	-	-	-	-	-	-	-	-	-	-
EW YORK* -	4,711,956	February 12	2115	1559	17·3	-	14	37	47	6	8	29
HICAGO* - -	2,282,927	" 12	-	631	14·4	-	4	6	15	2	2	33
HILADELPHIA*	1,598,400	January 22	-	629	20·5	-	-	5	7	-	10	21
O DE JANEIRO	826,324	" 23	-	335	21·1	-	-	-	1	3	-	?
IRO :—*												
Egyptians -	616,183	February 4	530	372	31·4	-	-	-	11	?	1	25
Foreigners -	61,480	" 4	8	18	15·2	-	-	-	-	?	-	-
EXANDRIA :—*												
Egyptians -	317,454	" 4	323	182	29·8	-	3	-	1	?	2	21
Foreigners -	67,966	" 4	14	25	19·1	3	-	-	-	-	-	2

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to ildren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 13 deaths from *plague* in Calcutta, 60 in Bombay, and from *Asiatic cholera*, 66 deaths in Calcutta, 1 in mbay, 1 in Madras, and 1 in Paris.
§ All forms of fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 5th March, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
NDON (Greenwich)	57·0	30·1	41·5	0·15	BRADFORD - -	50·4	30·8	40·4	0·17
IGHTON - -	54·1	34·3	43·4	0·14	YORK - - -	54·0	32·0	41·7	0·17
RTSMOUTH - -	52·0	35·0	43·9	0·11	HULL - - -	53·0	29·0	41·3	0·21
RWICH - -	54·0	28·2	41·2	0·33	TYNEMOUTH - -	51·0	30·0	39·4	0·06
YMOUTH - -	52·6	34·1	45·9	0·53	CARDIFF - - -	55·2	31·8	43·0	0·34
ISTOL - - -	56·8	30·0	43·3	0·19	EDINBURGH - -	50·8	32·7	40·2	0·26
RMINGHAM - -	54·7	32·4	42·0	0·18	GLASGOW - -	52·8	31·4	42·7	1·02
TTINGHAM - -	54·5	30·8	41·6	0·13	DUBLIN Phœnix Park.	52·4	31·9	44·0	0·39
VERPOOL OBSERVATORY.	51·0	34·0	42·3	0·15	DUBLIN Fitz-william Square.†	53·5	34·2	44·6	0·68
ANCHESTER -	56·2	30·7	42·5	0·26					
RNLEY - -	51·0	30·5	40·9	0·29					
DDERSFIELD -	52·8	29·5	41·2	0·08	BELFAST - - -	54·0	29·5	42·3	0·56

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to e seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The orrection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the bove was 0°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 5th March, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 27	..	29·615	43·9	30·4	13·5	37·5	− 2·8	32·0	5·5	10·6	0·0	80	71·0	23·5	42·80	WNW., W. & NW.	NNW., NW. & S.	3·8	0·0	0·3	348	+ 24	0·00	3·7
MONDAY - 28	Apogee	29·569	45·1	30·1	15·0	39·4	− 0·9	38·5	0·9	3·6	0·0	97	56·2	23·3	42·58	SSE. & S.	S., WSW. & SW.	4·6	0·0	0·2	339	+ 11	0·13	1·0
MARCH. TUESDAY - 1	..	29·942	48·3	33·1	15·2	39·7	− 0·7	32·3	7·4	17·0	2·0	75	80·3	28·2	42·39	SW., WSW. & W.	SW., SSW. & S.	1·2	0·0	0·0	259	− 73	0·00	1·7
WEDNESDAY 2	..	30·003	53·4	35·9	17·5	44·5	+ 4·1	40·8	3·7	10·4	1·4	87	94·9	27·6	42·26	S. & SSW.	SSW., S. & SSE.	4·1	0·0	0·2	325	− 8	0·00	7·3
THURSDAY - 3	..	30·023	51·8	34·1	17·7	42·7	+ 2·2	36·3	6·4	15·6	1·0	78	93·9	24·1	42·21	SSE. & SE.	SE., ESE. & E.	1·6	0·0	0·1	219	− 112	0·00	0·0
FRIDAY - 4	Last Qr.	29·803	50·1	33·0	17·1	42·1	+ 1·4	38·1	4·0	10·3	1·4	86	88·3	24·4	42·22	E. & ENE.	E.	3·7	0·0	0·2	243	− 90	0·01*	0·0
SATURDAY - 5	..	29·785	57·0	35·1	21·9	46·4	+ 5·5	39·6	6·8	15·2	2·3	77	98·0	26·0	42·18	E. & ESE.	SE. & ESE.	2·1	0·0	0·1	181	− 156	0·01*	1·5
MEANS - -		29·820	49·9	33·1	16·8	41·8	+ 1·3	36·8	5·0	11·8	1·2	83	83·2	25·3	42·38	Variable		..	..	..	Sum 1914	Sum − 404	Sum 0·15	2·2
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

* Derived from dew and frost.

DATE. FEBRUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 27	m. P. till 6h. P.M.; s. P. afterwards.	3·7	10·7
MONDAY - 28	m. P. till 7h. A.M.; w. P. till 3h. P.M.; w. P. and v. N. till 7h. P.M.; w. P. afterwards.	0·0	10·7
MARCH. TUESDAY - 1	w. P. till 5h. A.M.; m. P. till 8h. A.M.; s. P. till noon; then m. P.	8·3	10·8
WEDNESDAY 2	w. P. generally.	3·8	10·9
THURSDAY - 3	w. P. till 4h. P.M.; m. P. generally afterwards.	10·0	10·9
FRIDAY - 4	w. P. generally with occasional m. P.	8·7	11·0
SATURDAY - 5	w. P. till 6h. P.M.; m. P. generally afterwards.	10·2	11·1
		Sum 44·7	Sum 76·1
No. of Col. - -	27	28	29

GENERAL REMARKS.

Very fine generally; little cloud with hoar frost in morning and at night and variable amounts during the day; slight fog prevalent in evening.

Fine till 2h. 30m. A.M.; generally overcast till 8h. 30m. P.M.; fine and partially cloudy afterwards; hoar frost in early morning; frequent rain between 8h. A.M. and 8h. P.M.

A very fine day; the amount of cloud was usually small; hoar frost in morning.

Nearly cloudless with hoar frost in early morning; very fine generally with variable amounts of cloud till 9h. P.M.; nearly cloudless afterwards with slight hoar frost.

Very fine; few small clouds prevalent till 6h. P.M.; cloudless afterwards; hoar frost in morning and again at night.

Very fine; mist and slight fog prevalent till 7h. 30m. A.M.; hoar frost in morning and at night.

A very fine day; cloudless till early evening; little cloud afterwards; hoar frost in morning and at night.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·25 in. at the beginning of the week to 29·76 in. by 11h. P.M. on Feb. 27th; decreased to 29·49 in. by 3h. P.M. on Feb. 28th; increased to 30·07 in. by 10h. A.M. on Mar. 3rd; decreased to 29·75 in. by 5h. A.M. on Mar. 5th; and increased to 29·83 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 26th February, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	6	3	-	3	-	-	4	-	-
Kensington	184,635	-	7	2	-	2	-	-	5	2	-
Hammersmith	127,413	-	7	4	-	1	-	-	1	-	-
Fulham	181,282	-	10	6	-	-	-	-	2	1	-
Chelsea	75,457	-	5	1	-	1	-	-	-	-	-
City of Westminster ..	167,233	-	4	3	-	2	-	-	-	-	-
NORTH.											
St. Marylebone	125,195	-	4	2	-	1	-	-	3	-	-
Hampstead	95,729	-	4	2	-	-	-	-	1	-	-
St. Pancras	237,792	-	16	3	-	-	-	-	7	-	-
Islington	353,356	-	25	10	-	1	-	-	4	1	1
Stoke Newington	54,838	-	1	3	-	1	-	-	-	-	-
Hackney	239,979	-	13	2	-	-	-	-	4	-	-
CENTRAL.											
Holborn	53,142	-	1	-	-	1	-	-	-	-	-
Finsbury	94,578	-	2	1	-	1	-	-	2	-	-
City of London	17,132	-	-	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	3	3	-	1	-	-	1	1	-
Bethnal Green	131,579	-	4	3	-	2	-	-	2	1	1
Stepney	314,379	-	6	7	-	3	-	-	5	-	-
Poplar	172,432	-	6	2	-	-	-	-	4	-	-
SOUTH.											
Southwark	211,832	-	8	3	-	1	-	-	4	1	-
Bermondsey	127,238	-	4	1	-	-	-	-	1	1	-
Lambeth	327,074	-	23	7	-	-	-	-	7	1	-
Battersea	188,222	-	10	3	-	1	-	-	1	2	-
Wandsworth	305,838	-	15	8	-	-	-	-	3	-	-
Camberwell	286,058	-	12	5	-	8	-	-	5	-	-
Deptford	119,642	-	3	3	-	-	-	-	3	-	-
Greenwich	112,935	-	3	6	-	-	-	-	2	-	-
Lewisham	164,899	-	15	2	-	1	-	-	2	-	-
Woolwich	135,422	-	4	9	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	221	105	-	31	-	-	75	11	2
Ages 0-1		-	1	2	-	-	-	-	4	-	1
" 1-5		-	62	40	-	1	-	-	2	-	1
" 5-		-	83	36	-	3	-	-	1	-	-
" 10-		-	45	9	-	8	-	-	2	-	-
" 15-		-	14	5	-	-	-	-	7	-	-
" 20-		-	5	8	-	7	-	-	5	4	-
" 25-		-	9	2	-	5	-	-	11	6	-
" 35-		-	2	3	-	5	-	-	15	1	-
" 45-		-	-	-	-	2	-	-	12	-	-
" 55-		-	-	-	-	-	-	-	8	-	-
" 65 and upwards		-	-	-	-	-	-	-	8	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 10. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, MAR. 12. [Price 1½*d*.

General Register Office, Somerset House,
March 14th, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·6 per 1000 of their aggregate population, which is estimated † at 16,713,617 persons in the middle of this year. In the preceding three weeks the rates had been 15·8, 14·7, and 14·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·0 in Merthyr Tydfil, 19·2 in Birkenhead and in Coventry, 19·4 in Stockport, 21·6 in Swansea, and 23·3 in Stockton on Tees; from *measles*, 1·5 in Hanley, in West Bromwich, and in Burnley; from *scarlet fever*, 1·9 in Coventry; from *diphtheria*, 1·5 in Burnley; from *whooping-cough*, 1·1 in Hornsey and in Birmingham, 1·3 in West Hartlepool, 1·6 in Barrow in Furness, 2·3 in Hastings, and 2·8 in Burton upon Trent; and from *diarrhœa*, 1·5 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2370 BIRTHS and 1254 DEATHS were registered. Allowing for increase of population, the births were 164 and the deaths 477 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15924—41.) Wt. 109—472. 700. 3/10. D & S. G. 31. Sch. 4 K

weeks of the previous five years. The annual death-rate from all causes, which had been 16·3, 14·8, and 14·4 per 1000 in the preceding three weeks, further fell last week to 13·4. The death-rate in the four weeks ended last Saturday averaged 14·7 per 1000, being 4·1 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1254 deaths included 15 from measles, 9 from scarlet fever, 6 from diphtheria, 44 from whooping-cough, 2 from enteric fever, and 13 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 89 deaths were referred, being 53 below the corrected average number in the tenth week of the preceding five years.

The deaths from *measles*, which had been 26, 14, and 39 in the preceding three weeks, were 15 last week, and were 42 below the corrected average; 4 deaths belonged to the Borough of Paddington. The deaths from *scarlet fever*, which had been 8, 4, and 6 in the preceding three weeks, rose to 9 last week, the corrected average being 10; 3 deaths belonged to Wandsworth. The deaths from *diphtheria*, which had been 11, 11, and 9 in the preceding three weeks, fell to 6 last week, and were 12 below the corrected average. The deaths from *whooping-cough*, which had been 53, 45, and 46 in the preceding three weeks, were 44 last week, and were 5 above the corrected average; 6 deaths belonged to Stepney, 5 to St. Pancras, 4 to Deptford, and 3 each to Islington and to Wandsworth. The deaths from *enteric fever* which had been 2, 4, and 3 in the preceding three weeks, were 2 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 8, 11, and 10 in the preceding three weeks, rose to 13 last week, the corrected average being 14. Of the 13 deaths from diarrhœa, 10 were those of children under 2 years of age; 5 other deaths at this age were certified as due to *enteritis*, and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 24, having been 41, 39, and 34 in the preceding three weeks.

Different forms of violence caused 50 deaths, concerning all of which inquests were held. Of these 50 deaths, 13 were cases of suicide, and 1 of homicide, while the remaining 36 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, six to burns or scalds, four to drowning, and four, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1754 cases of scarlet fever, 884 of diphtheria, and 89 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 199 cases, against 215, 193, and 211; of diphtheria, 87 cases, against 109, 83, and 98; and of enteric fever, 20 cases, against 11, 20, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended March 5th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3632 births and 1784 deaths were registered. Allowing for increase of population, these numbers are 324 and 702 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from measles, 2 from diphtheria, 6 from whooping-cough, 1 from enteric fever, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·77 inches, and that of the Thermometer 46°·0, the latter being 5°·0 above the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being practically the same as the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 14·6 hours; the measured rainfall amounted to 0·95 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 12th March, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 19th Feb., 1910.	26th Feb., 1910.	5th Mar., 1910.	12th Mar., 1910.	Rate from Diseases in Cols. 11-17 Week ended 12th March, 1910.	Registered during the Week ended 12th March, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,713,617**	**15·8**	**14·7**	**14·5**	**13·6**	**0·9**	**8288**	**4361**	**859**	**1442**	**-**	**45**	**34**	**32**	**122**	**19**	**37**	**148**	**362**	**1222**	**45**	**76 TOWNS.**
LONDON	4,872,702	16·3	14·8	14·4	13·4	1·0	2370	1254	219	460	-	15	9	6	44	2	13	50	143	544	1	LONDON.
CROYDON	164,485	11·1	15·9	13·0	10·1	0·6	99	32	7	10	-	2	-	-	-	-	-	1	3	6	-	CROYDON.
WILLESDEN ..	166,088	9·7	7·2	7·8	8·5	0·3	72	27	7	11	-	-	-	-	-	-	1	1	1	5	-	WILLESDEN.
HORNSEY	98,561	7·4	6·9	9·0	9·0	1·1	19	17	2	6	-	-	-	-	2	-	-	-	1	1	-	HORNSEY.
TOTTENHAM ..	132,803	10·2	13·3	8·6	7·5	-	63	19	4	4	-	-	-	-	-	-	-	1	3	5	-	TOTTENHAM.
WEST HAM ..	328,585	14·6	12·1	12·2	10·2	1·0	181	64	8	21	-	-	-	2	3	1	-	2	3	24	-	WEST HAM.
EAST HAM.. ..	156,208	13·4	7·3	9·7	9·3	1·3	67	28	7	8	-	-	-	2	2	-	-	1	4	8	-	EAST HAM.
LEYTON	133,436	10·9	11·3	8·6	8·2	0·4	65	21	4	7	-	-	-	-	-	-	1	1	3	6	-	LEYTON.
WALTHAMSTOW	141,748	12·1	7·0	9·9	9·2	0·4	55	25	11	5	-	-	-	-	1	-	-	-	4	2	-	WALTHAMSTOW.
HASTINGS	68,520	22·8	19·8	12·2	17·5	2·3	19	23	4	11	-	-	-	-	3	-	-	-	1	6	-	HASTINGS.
BRIGHTON	131,900	15·8	13·0	11·5	11·9	-	45	30	-	16	-	-	-	-	-	-	-	-	2	6	-	BRIGHTON.
PORTSMOUTH ..	217,989	15·1	15·5	17·0	14·4	0·5	80	60	12	23	-	-	1	-	-	1	-	-	1	13	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	15·5	12·7	13·4	13·4	-	19	19	2	11	-	-	-	-	-	-	-	1	2	4	1	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	18·0	9·8	13·1	9·0	-	63	22	3	12	-	-	-	-	-	-	-	-	-	5	-	SOUTHAMPTON.
READING	84,355	10·5	10·5	8·0	12·4	-	31	20	4	14	-	-	-	-	-	-	-	-	-	2	-	READING.
NORTHAMPTON ..	99,113	14·7	13·2	13·2	9·5	0·5	29	18	3	10	-	1	-	-	-	-	-	-	-	1	-	NORTHAMPTON.
IPSWICH	75,936	18·5	17·9	19·2	14·4	0·7	41	21	4	7	-	1	-	-	-	-	-	-	2	3	-	IPSWICH.
GREAT YARMOUTH	53,715	16·5	14·6	13·6	13·6	-	22	14	5	4	-	-	-	-	-	-	-	1	3	4	-	GREAT YARMOUTH.
NORWICH	125,446	13·3	17·9	13·3	14·1	-	62	34	6	20	-	-	-	-	-	-	-	-	2	8	-	NORWICH.
PLYMOUTH	126,266	16·1	19·0	14·9	11·6	0·8	40	28	5	12	-	-	-	1	1	-	-	-	3	3	-	PLYMOUTH.
DEVONPORT	84,695	19·1	14·2	9·2	8·0	-	40	13	-	7	-	-	-	-	-	-	-	-	1	4	-	DEVONPORT.
BRISTOL	382,550	12·8	12·9	13·4	11·9	0·8	186	87	7	43	-	2	-	2	-	1	1	2	5	25	-	BRISTOL.
HANLEY	69,672	20·2	21·0	21·0	16·5	1·5	39	22	6	6	-	2	-	-	-	-	-	-	3	5	-	HANLEY.
BURTON-ON-TRENT	54,977	15·2	16·1	10·4	14·2	2·8	25	15	3	5	-	-	-	-	3	-	-	-	1	1	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	105,962	16·2	12·8	10·8	9·8	-	44	20	7	3	-	-	-	-	-	-	-	-	2	3	-	WOLVERHAMPTON
WALSALL	101,035	13·4	15·0	20·6	10·3	0·5	53	20	4	8	-	-	1	-	-	-	-	-	-	3	-	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	10·1	10·1	10·1	9·4	-	29	13	1	6	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	13·9	15·4	11·0	11·7	1·5	53	16	8	2	-	2	-	-	-	-	-	-	-	2	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

ended Saturday 12th March, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 19th Feb., 1910.	26th Feb., 1910.	5th Mar., 1910.	12th Mar. 1910.	Rate from Diseases in Cols. 11-17. Week ended 12th March, 1910.	Registered during the Week ended 12th March, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	15·8	15·5	16·5	14·5	1·5	312	158	33	37	-	-	1	2	12	1	-	10	13	31	11	BIRMINGHAM.
KINGS NORTON ..	84,673	9·2	11·7	8·6	4·9	-	48	8	2	2	-	-	-	-	-	-	-	-	-	-	1	KINGS NORTON.
SMETHWICK ..	72,350	15·1	14·4	12·3	13·7	1·4	26	19	7	3	-	-	1	-	1	-	-	-	1	1	-	SMETHWICK.
ASTON MANOR ..	86,269	9·1	9·1	11·5	16·9	0·6	44	28	6	10	-	-	-	-	1	-	-	-	-	2	-	ASTON MANOR.
COVENTRY	81,449	16·0	17·9	13·4	19·2	1·9	39	30	6	8	-	-	3	-	-	-	-	-	1	7	2	COVENTRY.
LEICESTER	248,374	11·8	10·3	14·9	10·7	0·8	99	51	16	10	-	-	2	-	2	-	-	3	5	10	2	LEICESTER.
GRIMSBY	74,283	19·0	12·6	17·5	12·6	0·7	42	18	7	5	-	-	-	-	1	-	-	-	2	4	-	GRIMSBY.
NOTTINGHAM ..	266,471	16·0	15·7	14·9	13·1	0·8	129	67	9	25	-	1	-	-	2	-	1	3	4	21	-	NOTTINGHAM.
DERBY	131,256	15·9	15·1	9·1	12·7	0·8	61	32	7	9	-	-	-	-	-	1	1	-	-	6	-	DERBY.
STOCKPORT	105,087	18·9	17·9	13·4	19·4	2·0	50	39	9	14	-	2	-	1	-	-	1	1	5	4	-	STOCKPORT.
BIRKENHEAD ..	122,431	23·9	14·1	22·1	19·2	0·9	79	45	5	15	-	1	-	-	-	-	1	-	2	17	1	BIRKENHEAD.
WALLASEY	73,173	9·3	12·8	14·3	12·8	-	22	18	3	10	-	-	-	-	-	-	-	-	-	3	-	WALLASEY.
LIVERPOOL	767,606	21·1	18·5	17·8	17·2	1·6	458	253	52	67	-	5	4	1	11	-	3	12	15	96	5	LIVERPOOL.
BOOTLE	70,548	16·3	11·8	17·0	11·8	0·7	35	16	5	4	-	-	-	-	1	-	-	1	1	4	-	BOOTLE.
ST. HELENS	96,523	17·8	11·9	14·6	15·1	1·1	66	28	6	7	-	-	1	-	-	1	-	3	3	5	-	ST. HELENS.
WIGAN	91,732	14·8	15·3	23·9	14·8	1·7	59	26	5	9	-	-	2	-	-	-	1	-	1	3	-	WIGAN.
WARRINGTON ..	73,295	13·5	16·4	16·4	7·8	0·7	39	11	3	2	-	-	-	-	-	-	1	2	2	3	1	WARRINGTON.
BOLTON	190,315	20·3	18·4	11·0	12·3	0·3	93	45	11	8	-	-	-	-	-	-	1	-	-	4	2	BOLTON.
BURY	59,409	17·6	19·3	9·7	18·4	-	26	21	3	9	-	-	-	-	-	-	-	-	-	3	-	BURY.
MANCHESTER ..	716,354	18·4	15·6	16·1	17·0	1·0	398	234	58	59	-	1	3	1	6	-	3	10	15	69	5	MANCHESTER.
SALFORD	244,636	14·9	11·7	13·8	14·7	0·4	110	69	16	13	-	-	-	-	-	1	1	6	10	15	-	SALFORD.
OLDHAM	144,111	18·1	24·2	19·2	18·5	0·7	64	51	6	19	-	1	-	1	-	-	-	-	2	7	-	OLDHAM.
ROCHDALE	90,497	13·8	17·9	13·3	15·0	-	28	26	5	6	-	-	-	-	-	-	-	1	2	3	1	ROCHDALE.
BURNLEY	107,448	21·8	26·2	21·4	18·0	3·9	52	37	7	9	-	3	-	3	2	-	-	2	3	7	-	BURNLEY.
BLACKBURN	137,972	14·0	14·0	14·4	17·0	0·8	70	45	6	13	-	-	1	-	-	-	1	2	3	14	-	BLACKBURN.
PRESTON	119,253	15·7	17·1	18·8	17·9	1·7	56	41	8	18	-	-	-	1	-	2	1	-	-	4	1	PRESTON.
BARROW-IN-FURNESS.	63,689	16·4	15·6	15·6	12·3	1·6	37	15	6	4	-	-	-	-	2	-	-	-	-	2	-	BARROW-IN-FURNESS.

*See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 12th March, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 19th Feb., 1910.	26th Feb., 1910.	5th Mar., 1910.	12th Mar., 1910.	Rate from Diseases in Cols 11-17. Week ended 12th March, 1910.	Registered during the Week ended 12th March, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	15·4	21·5	19·3	18·7	0·6	42	34	5	11	-	-	1	-	-	-	-	2	3	7	-	HUDDERSFIELD.
HALIFAX	112,818	17·1	12·5	15·7	12·5	-	36	27	3	12	-	-	-	-	-	-	-	1	2	8	-	HALIFAX.
BRADFORD	295,865	12·3	14·3	14·6	13·2	0·9	98	75	10	25	-	3	-	1	-	1	-	-	2	15	-	BRADFORD.
LEEDS	490,985	12·5	14·0	14·7	12·6	0·2	213	119	24	38	-	-	-	1	1	-	-	7	15	28	-	LEEDS.
SHEFFIELD	478,763	13·3	13·5	12·1	12·1	0·9	238	111	33	36	-	-	-	1	6	1	-	3	13	23	-	SHEFFIELD.
ROTHERHAM.. ..	66,414	14·1	14·1	12·6	9·4	-	36	12	5	6	-	-	-	-	-	-	-	-	-	1	-	ROTHERHAM.
YORK	88,159	16·0	12·4	12·4	13·0	-	53	22	1	6	-	-	-	-	-	-	-	1	3	5	-	YORK.
HULL	280,006	19·7	16·2	17·7	17·9	2·0	159	96	21	31	-	2	1	3	3	2	-	3	10	19	1	HULL.
MIDDLESBROUGH ..	107,014	15·1	16·1	16·1	15·1	1·5	92	31	9	7	-	-	-	-	-	-	3	1	2	5	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,680	17·5	12·6	9·7	23·3	1·9	33	24	8	8	-	-	1	-	-	1	-	1	2	5	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	81,814	17·2	12·1	7·0	8·3	1·9	27	13	2	3	-	-	-	1	2	-	-	-	-	-	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	19·7	13·6	18·8	17·8	1·3	94	55	9	17	-	1	-	-	3	-	-	1	4	9	5	SUNDERLAND.
SOUTH SHIELDS ..	119,737	12·6	16·5	14·8	12·6	0·4	59	29	7	8	-	-	-	-	1	-	-	1	1	3	2	SOUTH SHIELDS.
GATESHEAD	133,676	14·4	13·7	14·8	10·9	0·4	77	28	7	6	-	-	1	-	-	-	-	2	2	1	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	285,951	13·5	13·7	14·2	15·1	0·7	134	83	15	24	-	-	1	1	-	1	1	2	5	22	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	56,378	13·9	14·8	17·6	12·0	1·8	31	13	3	3	-	-	-	-	-	1	1	-	-	1	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	17·7	19·0	13·1	15·7	0·7	63	24	5	8	-	-	-	-	1	-	-	2	2	4	-	NEWPORT (MON.).
CARDIFF	199,189	10·5	13·9	13·9	10·5	0·3	97	40	9	12	-	-	-	-	1	-	-	2	6	10	-	CARDIFF.
RHONDDA	138,674	18·0	12·8	16·5	15·8	1·1	127	42	14	12	-	-	-	-	2	1	-	1	3	-	1	RHONDDA.
MERTHYR TYDFIL..	79,522	19·0	12·5	11·8	19·0	0·7	47	29	4	8	-	-	-	-	1	-	-	-	-	3	-	MERTHYR TYDFIL.
SWANSEA	98,817	22·2	17·9	22·7	21·6	1·1	79	41	5	14	-	-	-	1	1	-	-	1	4	9	-	SWANSEA.
GREATER LONDON	7,537,196	14·8	13·5	13·0	12·3	0·8	3632	1784	329	642	-	20	9	12	58	4	16	73	189	664	1	GREATER LONDON.
OUTER RING ..	2,664,494	12·1	11·1	10·5	10·4	0·6	1262	530	110	182	-	5	-	6	14	2	3	23	46	120	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	11·8	10·5	10·3	9·2	0·7	621	233	50	72	-	2	-	4	8	1	2	7	22	57	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	12·4	11·6	10·8	11·5	0·5	641	297	60	110	-	3	-	2	6	1	1	16	24	63	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	16·4	14·9	12·0	19·5	1·0	143	135‡	31	48	-	3	-	-	2	-	2	4	?	40	4	EDINBURGH.
GLASGOW	884,505	16·9	15·9	17·6	16·9	2·2	426	286	56	59	-	24	2	1	5	1	4	10	?	101	13	GLASGOW.
DUBLIN (Registration Area).†	402,928	26·5	28·0	25·2	24·8	0·8	247	192	30	72	-	-	-	1	2	-	3	3	3	92	5	DUBLIN (Registration Area).†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TENTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2841	2496	2680	2584	2712	2412	2509	2391	2475	2585	2533·6	2370
Males - - -	1458	1286	1382	1328	1376	1223	1243	1234	1246	1316	1282·3	1215
Females - -	1383	1210	1298	1256	1336	1189	1266	1157	1229	1269	1251·3	1155
TOTAL **Deaths** -	1652	1723	2159	1443	1796	1543	1469	1641	1580	2221	1731·3	1254
Males - - -	884	893	1066	720	897	764	763	846	766	1075	863·0	641
Females - -	768	830	1093	723	899	779	706	795	814	1146	868·3	613

* The numbers in this column are the average weekly numbers in the Tenth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 18.	Dec. 25.	1910. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	13 Weeks.
TOTAL **Births** -	2105	1860	2182	2340	2242	2146	2086	2381	2375	2325	2264	2393	2370	29069
TOTAL **Deaths** -	1330	1399	1502	1331	1367	1351	1468	1607	1632	1526	1386	1346	1254	18499
Ages at Death: Under 1 year -	241	234	247	219	259	223	267	283	259	241	235	233	219	3160
1—5 years -	95	107	114	126	113	106	146	142	161	126	136	153	116	1641
5—20 " -	61	61	86	63	59	71	64	77	80	74	59	68	63	886
20—40 " -	146	168	177	157	151	161	156	182	173	159	162	133	148	2073
40—60 " -	292	304	323	273	304	301	308	344	334	341	261	272	248	3905
60 yrs. & upwds.	495	525	555	493	481	489	527	579	625	585	533	487	460	6834
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	15	14	8	11	17	18	11	17	13	26	14	39	15	218
Scarlet Fever - -	5	6	8	5	2	-	10	5	6	8	4	6	9	74
Diphtheria - -	6	9	9	9	15	13	10	16	5	11	11	9	6	129
Whooping-cough -	24	25	33	29	33	30	57	57	61	53	45	46	44	537
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	2	-	1	-	3	3	2	3	2	4	3	2	27
Pyrexia (origin uncertain).	-	-	-	1	-	-	-	-	-	-	-	1	-	2
Diarrhœa, Dysentery	10	9	8	7	15	10	11	14	15	8	11	10	13	141
All above diseases -	62	65	66	63	82	74	102	111	103	108	89	114	89	1128
Dis. of Resp. System	167	160	196	168	141	152	178	207	226	200	172	148	129	2244
Pneumonia - -	175	162	164	170	144	139	144	185	199	195	176	142	150	2145
Phthisis - - -	116	148	152	99	114	140	141	153	112	124	131	126	108	1664
Dis. of Circ. System -	201	208	231	199	199	197	242	235	227	220	176	198	172	2705
Violence - - -	49	60	58	56	48	52	58	41	56	62	42	49	50	681
Inquest Cases - -	151	158	174	149	135	152	148	158	163	173	121	135	143	1960
Deaths in Institutions	586	589	629	528	572	599	605	674	658	607	582	584	544	7757
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	38·4	39·0	44·4	43·2	43·9	39·6	34·2	37·4	42·0	44·7	42·5	41·8	46·0	41·3
Mean of Highest -	40·7	45·0	49·7	46·2	48·2	43·2	39·4	43·3	47·7	50·9	49·0	49·9	52·5	46·6
Mean of Lowest -	35·8	31·1	37·8	40·0	39·3	35·6	28·4	31·1	35·6	39·0	36·8	33·1	40·5	35·7
Mean Humidity of the Air.	89	84	87	94	82	78	75	88	86	80	83	83	87	84
Rain-fall (in inches) -	0·43	0·46	0·27	0·05	0·30	0·16	1·15	0·09	0·38	0·69	1·40	0·15	0·95	6·48
Registered Sunshine (in hours).	0·4	18·1	8·3	1·4	16·5	10·8	19·5	9·4	15·6	23·7	22·9	44·7	14·6	205·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	4	4	4	5	4	3	2	2	1	1	1	1	-	2
Scarlet Fever - -	2403	2361	2362	2256	2172	2069	1993	1937	1881	1784	1765	1766	1754	2039
Diphtheria - - -	938	917	912	908	899	901	896	936	908	903	911	901	884	909
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	67	68	62	56	59	60	62	55	61	66	76	78	89	66

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

Table 4. LONDON.—Deaths Registered in the Tenth Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

Causes of Death.	Corrected Average for the 10th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1731·3	1254	219	116	63	148	248	460
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	1	1	–	–	–	–	–
Measles (Morbilli)	56·7	15	–	14	1	–	–	–
Scarlet Fever	10·0	9	2	4	3	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	63·7	24	–	1	1	3	3	16
Whooping-cough	39·1	44	21	23	–	–	–	–
Diphtheria	17·8	6	1	3	2	–	–	–
Cerebro-spinal Fever ..	0·4	1	1	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	4·1	2	–	–	–	1	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	4·9	4	4	–	–	–	–	–
Diarrhœa, Dysentery ..	9·0	9	6	–	–	1	2	–
Tetanus	0·4	2	–	–	–	1	1	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·2	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	6·3	5	–	–	1	3	–	1
Puerperal Septicæmia ..	3·1	4	–	–	–	4	–	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·2	–	–	–	–	–	–	–
Infective Endocarditis ..	2·0	1	–	–	–	–	–	1
Pneumonia: Lobar ..	22·1	21	2	2	2	2	5	8
Pneumonia: Broncho ..	93·4	63	20	23	1	4	6	9
Pneumonia: Epidemic ..	0·2	–	–	–	–	–	–	–
Pneumonia: Not defined	87·6	66	7	7	4	5	18	25
Erysipelas	2·9	–	–	–	–	–	–	–
Septicæmia (not Puerperal) ..	1·4	2	1	–	–	–	–	1
Pyæmia (not Puerperal)	0·8	1	–	–	–	1	–	–
Other Infective Processes	4·9	4	–	–	–	–	2	2
Tuberculous Phthisis ..	100·8	72	2	2	6	28	25	9
"*Phthisis*"	51·0	36	–	–	2	18	10	6
Tuberculous Meningitis ..	24·6	15	3	6	3	1	1	1
Tuberculous Peritonitis ..	6·3	4	1	1	1	–	1	–
Tabes Mesenterica	1·4	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	20·1	14	–	2	5	4	1	2
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	9·2	7	–	–	–	2	3	2
Rheumatic Fever	5·9	7	–	–	3	1	1	2
Gout	3·3	–	–	–	–	–	–	–
Carcinoma	56·3	62	–	–	–	2	26	34
Sarcoma	8·8	3	–	–	–	–	2	1
Cancer (undefined) ..	31·3	20	–	–	–	1	5	14
Diabetes Mellitus	11·1	5	–	–	+	1	2	2
Premature Birth	47·3	43	43	–	–	–	–	–

Causes of Death.	Corrected Average for the 10th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·5	13	4	5	1	2	1	[illegible]
Gen. Par. of Insane, Insanity	18·2	16	–	–	–	7	6	[illegible]
Epilepsy	6·3	5	–	1	–	1	2	[illegible]
Convulsions	19·3	13	12	1	–	–	–	[illegible]
Locomotor Ataxy.. ..	2·7	–	–	–	–	–	–	[illegible]
Paraplegia, Dis. of Cord.	6·6	4	–	–	–	2	1	[illegible]
Nervous Sys., Other Dis.	18·6	14	–	1	–	1	2	[illegible]
Valv. Dis., Endocarditis..	53·2	49	–	–	2	11	15	[illegible]
Cereb. Hæm. Cereb. Emb.	41·6	27	–	–	1	1	5	[illegible]
Apoplexy, Hemiplegia ..	15·6	7	–	–	–	–	2	[illegible]
Aneurysm	6·3	4	–	–	–	1	1	[illegible]
Embolism, Thrombosis (not Cerebral) ..	1·6	2	–	–	–	1	–	[illegible]
Heart & Blood Ves., Other Dis... ..	106·1	83	–	–	4	8	25	[illegible]
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–	[illegible]
Bronchitis	209·1	112	15	5	1	2	14	[illegible]
Emphysema, Asthma ..	8·6	3	–	–	–	1	2	[illegible]
Pleurisy	5·9	6	–	1	–	–	3	[illegible]
Respiratory Dis., Other..	16·0	8	2	2	–	–	–	[illegible]
Tonsillitis, Quinsy.. ..	0·6	–	–	–	–	–	–	[illegible]
Enteritis (not Epid.) ..	10·6	6	5	–	–	–	–	[illegible]
Gastro-enteritis	4·9	5	4	–	–	1	–	[illegible]
Peritonitis (not Puerp.) ..	1·2	2	–	–	1	–	1	[illegible]
Cirrhosis of Liver.. ..	12·1	6	–	–	–	–	6	[illegible]
Liver Dis., Other	5·1	8	–	–	–	2	2	[illegible]
Digestive Sys., Other Dis.	39·3	29	4	3	5	2	7	[illegible]
Acute Nephritis	7·4	10	–	–	1	3	1	[illegible]
Bright's Dis., Albuminuria	42·8	45	–	–	1	2	18	[illegible]
Urinary Sys., Other Dis.	12·3	9	–	–	–	–	2	[illegible]
Generative Organs Dis...	5·1	3	–	–	–	–	1	[illegible]
Childbirth (Accid. of) ..	4·1	–	–	–	–	–	–	[illegible]
Old Age	71·7	63	–	–	–	–	–	[illegible]
Other Diseases	99·0	80	52	6	5	6	6	[illegible]
ACCIDENT.								
By Railways	1·2	–	–	–	–	–	–	[illegible]
By Vehicles and Horses..	5·9	6	–	1	1	–	2	[illegible]
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–	–	[illegible]
In Building Operations..	1·2	–	–	–	–	–	–	[illegible]
In Conflagrations	0·4	–	–	–	–	–	–	[illegible]
By Burns, Scalds, Explosions	7·6	6	–	2	1	1	–	[illegible]
By Drowning	2·9	4	–	–	–	2	2	[illegible]
By Suffocation in Bed ..	8·8	4	4	–	–	–	–	[illegible]
By Poisons or Poisonous Vapours	2·3	2	–	–	1	1	–	[illegible]
Other Deaths by Accident..	16·0	14	2	–	1	2	2	[illegible]
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	1	–	–	–	1	–	[illegible]
Suicide	8·4	13	–	–	2	4	5	[illegible]
Execution	0·2	–	–	–	–	–	–	[illegible]

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th March, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2370	1254	219	460	-	15	9	6	44	2	13	108	50	143	544	1
WEST DISTRICTS	805,311	338	211	26	89	-	8	-	-	2	1	2	16	6	15	101	-
NORTH DISTRICTS	1,055,908	532	266	34	120	-	2	-	-	11	1	1	18	9	26	96	-
CENTRAL DISTRICTS	209,465	134	56	13	13	-	-	-	-	1	-	1	5	3	13	30	-
EAST DISTRICTS	715,739	409	225	49	71	-	2	-	3	11	-	2	25	17	40	121	-
SOUTH DISTRICTS	1,749,844	957	441	97	150	-	3	7	2	19	-	4	35	15	49	141	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	55	-	17	-	-	2	1	-	-	3	9	-	-	55	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	29	12	2	6	-	1	-	-	-	-	1	1	-	-	-	-
Central Paddington *W,3H*	50,053	13	31	2	11	-	3	-	-	-	-	1	3	1	2	18	-
South Paddington	30,320	6	6	-	2	-	-	-	-	-	-	-	1	1	1	-	-
Kensington Town 2*W,w,2H* ..	128,037	55	37	3	17	-	-	-	-	1	-	-	1	1	2	24	-
Brompton 2*H*	48,591	4	7	-	6	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith 2*W,w,H* ..	49,192	26	14	1	7	-	3	-	-	-	-	-	2	-	1	9	-
South Hammersmith *w,2H* ..	63,047	31	12	4	4	-	-	-	-	1	-	-	-	-	1	7	-
North-west Fulham *W*	45,180	47	12	2	4	-	-	-	-	-	-	-	1	-	-	8	-
North-east Fulham *F*	46,405	33	5	-	1	-	1	-	-	-	1	-	2	-	-	2	-
South Fulham *W*	45,704	19	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	16	23	3	12	-	-	-	-	-	-	-	2	-	2	17	-
Chelsea South *W,2H*	31,328	12	9	2	5	-	-	-	-	-	-	-	-	1	1	4	-
Mayfair and Knightsbridge	28,743	3	4	-	3	-	-	-	-	-	-	-	1	-	-	-	-
Belgrave *W,2H*	55,815	19	15	4	4	-	-	-	-	-	-	-	2	-	1	6	-
St. Margaret & St. John 6*H*	43,698	16	11	1	3	-	-	-	-	-	-	-	-	2	4	5	-
St. James and St. Anne *W,6H* ..	33,081	9	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone 7*H*	35,391	17	13	-	6	-	-	-	-	-	-	-	-	1	1	7	-
St. Mary Marylebone *W,4H* ..	37,948	44	5	1	2	-	-	-	-	-	-	-	-	-	-	2	-
Christchurch Marylebone *H* ..	39,536	30	10	4	1	-	-	-	-	-	-	1	1	-	-	-	-
St. John Marylebone 2*H*	20,426	7	2	1	-	-	-	-	-	1	1	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	30	25	2	17	-	-	-	-	1	-	-	3	-	2	5	-
West St. Pancras 2*H*	60,562	25	15	4	5	-	-	-	-	2	-	-	-	1	3	5	-
South St. Pancras *w,10H*	55,707	20	15	2	5	-	-	-	-	-	-	-	2	3	3	13	-
East St. Pancras *W,H*	60,320	31	19	2	10	-	-	-	-	1	-	-	1	-	-	9	-
North St. Pancras 2*W*	58,728	34	13	1	4	-	-	-	-	2	-	-	4	-	-	7	-
Tufnell *W*	31,995	13	19	2	11	-	-	-	-	-	-	-	1	-	1	12	-
Upper Holloway 2*W,w,H*	33,978	18	22	1	11	-	-	-	-	-	-	-	3	-	2	14	-
Tollington *W,w,H*	33,922	14	7	2	3	-	-	-	-	-	-	-	1	-	1	-	-
Lower Holloway	41,424	18	6	1	3	-	-	-	-	-	-	-	-	1	1	-	-
Barnsbury	54,478	39	11	2	4	-	-	-	-	2	-	-	1	-	-	-	-
Islington South-east *F*	75,397	44	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Highbury 2*H*	63,797	28	10	2	4	-	-	-	-	1	-	-	-	-	1	-	-
Stoke Newington *H*	51,247	20	8	-	4	-	-	-	-	-	-	-	-	1	4	-	-
North Hackney	50,398	25	14	1	7	-	-	-	-	-	-	-	-	1	2	-	-
Central Hackney 2*w,F*	50,536	21	11	1	9	-	-	-	-	1	-	-	-	1	1	2	-
South-west Hackney 3*H*	59,921	26	12	2	1	-	2	-	-	-	-	-	-	-	2	4	-
South-east Hackney 2*W,w,H* ..	58,255	28	23	1	11	-	-	-	-	-	-	-	1	-	2	16	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, a from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVE DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturda 12th March, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	14	3	-	2	-	-	-	-	-	-	-	1	-	-	1
Strand *W*,4*H*	21,674	8	11	-	2	-	-	-	-	-	-	-	2	1	4	9
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1
Holborn *W*,5*H*	29,612	17	16	6	2	-	-	-	-	1	-	-	1	-	-	13
Clerkenwell *H*	63,704	43	8	2	3	-	-	-	-	-	-	-	-	1	3	-
St. Luke 3*H*,*L*	36,116	45	9	5	2	-	-	-	-	-	-	1	-	1	3	1
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	8	-	1	-	-	-	-	-	-	-	1	-	2	5
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	19	4	2	1	-	-	-	-	-	-	-	1	-	-	1
Shoreditch North-West *W*,*w*,*H* ..	36,127	22	25	5	11	-	-	-	-	-	-	-	5	1	2	14
Shoreditch North-East	36,148	11	7	2	3	-	-	-	-	-	-	-	1	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	39	28	5	10	-	-	-	1	-	-	-	4	1	3	16
Bethnal Green South-West *H* ..	64,542	34	9	2	2	-	1	-	-	-	-	-	3	1	2	-
Spitalfields..	27,969	10	3	-	1	-	-	-	-	-	-	-	-	1	2	-
Mile End New Town *W*,*H*	28,718	20	37	1	7	-	-	-	1	-	-	-	1	7	8	35
Goodman's Fields	22,081	10	2	-	-	-	-	-	-	-	-	-	-	-	1	-
St. George and St. John 2*W* ..	49,068	38	14	5	4	-	-	-	-	1	-	-	1	1	2	7
Shadwell and Ratcliff *w*,*H* ..	25,568	17	12	6	-	-	-	-	1	5	-	-	-	1	3	10
Limehouse *W*	32,369	16	3	2	-	-	-	-	-	1	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	56	12	5	2	-	-	-	-	2	-	1	1	-	3	-
Mile End Old Town North-Eastern *W*,*w*	49,129	27	19	1	11	-	-	-	-	-	-	-	4	-	2	13
Bow	41,989	17	4	1	1	-	-	-	-	-	-	-	1	1	1	-
Bromley 3*w*,*H*	68,319	40	38	9	15	-	1	-	-	2	-	1	3	3	8	24
Poplar *W*,*w*	58,514	33	8	3	3	-	-	-	-	-	-	-	-	-	3	1
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th March, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	10	10	-	1	-	-	-	-	-	-	-	-	2	2	8	-
Kent-road	21,904	19	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	18	10	4	2	-	-	-	-	-	-	-	-	-	1	4	-
Newington North	49,022	34	6	2	2	-	-	-	-	-	-	-	-	1	2	-	-
Newington South *W*	72,841	39	15	4	8	-	-	-	-	1	-	-	2	-	1	1	-
St. Olave *2W*	9,817	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	54	10	2	4	-	-	-	-	-	-	-	-	-	2	-	-
Rotherhithe *W,F*	38,460	27	9	4	2	-	-	-	-	1	-	-	-	1	2	3	-
Waterloo *2H*	27,440	26	6	4	-	-	-	-	-	1	-	-	2	-	-	3	-
Lambeth Church *H*	27,440	12	19	3	4	-	-	-	-	-	-	-	-	2	2	14	-
Kennington *2W*	52,518	35	29	3	14	-	-	-	-	-	-	-	3	1	3	22	-
Stockwell *HF*	63,826	29	14	3	5	-	-	1	-	-	-	-	-	-	1	2	-
Brixton *H*	73,673	35	14	2	5	-	-	-	-	1	-	-	-	1	4	-	1
Norwood *2WH*	56,998	23	13	-	6	-	-	-	-	-	-	-	2	-	2	-	-
East Battersea *H*	72,203	43	8	-	5	-	-	-	-	-	-	-	-	1	2	-	-
North-west Battersea	49,656	25	9	3	-	-	-	-	-	2	-	1	1	-	1	-	-
South-west Battersea *2W,H* ..	47,048	10	18	3	6	-	-	-	-	1	-	1	3	2	2	13	-
Clapham *2H*	51,361	22	10	3	3	-	-	-	-	1	-	-	-	-	1	-	-
Streatham *W,2w,2F,2L*	88,019	55	29	6	11	-	-	3	-	1	-	-	3	-	2	10	-
Springfield *2W,L*	27,959	24	8	4	1	-	-	-	-	-	-	-	1	-	-	2	-
Southfields *H*	40,444	32	9	2	4	-	-	-	-	-	-	-	1	1	1	-	-
Putney	24,139	3	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	23	18	1	11	-	1	-	-	-	-	-	3	-	-	13	-
Camberwell North *W,2L*	65,584	27	15	4	5	-	-	1	-	1	-	-	2	-	2	9	-
St. George	47 331	34	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	29	7	1	3	-	-	-	-	-	-	-	2	1	2	-	-
Peckham South *2W,w*	43,946	18	9	3	2	-	-	-	1	1	-	-	-	-	1	-	-
Deptford North	37,613	33	11	5	2	-	-	-	-	2	-	-	2	1	1	-	-
Deptford Central *F*	45,481	31	6	1	2	-	1	1	-	2	-	-	-	-	1	1	-
Deptford South	34,625	15	6	2	4	-	-	-	-	-	-	-	1	-	-	-	-
Greenwich West *H*	23,456	11	6	2	1	-	-	-	-	-	-	-	-	1	1	2	-
Greenwich East *2W,H*	43,859	24	28	6	9	-	1	-	-	2	-	-	4	-	4	11	-
Eltham *w,H*	7,226	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Lee *w,H*	25,490	9	12	2	3	-	-	-	-	-	-	-	-	-	2	-	-
Lewisham *2W,w,F*	58,352	34	25	4	9	-	-	-	1	-	-	1	-	-	2	14	-
Sydenham *H*	43,653	27	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	5	3	1	-	-	-	1	-	-	-	-	-	-	-	2	-
Woolwich *5H*	41,625	19	7	4	-	-	-	-	-	1	-	-	-	-	-	1	-
Plumstead West *W,H*	39,376	15	9	3	3	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead East *2W*	28,951	17	14	3	5	-	-	-	-	-	-	1	1	-	1	6	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-
North-Eastern	—	-	2	-	-	-	-	1	1	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	5	-
Darenth	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Leavesden	—	-	3	-	2	-	-	-	-	-	-	-	1	-	-	3	-
London County Lunatic Asylums:—																	
Banstead	—	-	10	-	3	-	-	-	-	-	-	-	1	-	-	10	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	7	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	8	-	2	-	-	-	-	-	-	1	2	-	-	8	-
Cane Hill	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	8	-	4	-	-	-	-	-	-	-	1	-	-	8	-
Colney Hatch	—	-	5	-	-	-	-	-	-	-	-	2	2	-	-	5	-
Claybury	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boa Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATE POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 12th March, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
	LONDON—OUTER RING ..	368,603	2,045,135	1262	530	110	182	-	5	-	6	14	2	3	23	46	120	
30 : 1	Carshalton 2F3H	12,228	32,997	11	7	-	5	-	-	-	-	-	-	-	-	-	-	
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	9	6	1	1	-	-	-	-	-	-	-	1	1	3	
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	3	-	3	-	-	-	-	-	-	-	-	-	1	
38 : 1	Coulsdon	11,069	8,166	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w,H ..	4,200	49,309	28	7	1	5	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H ..	2,168	42,888	33	14	2	4	-	-	-	-	-	-	-	-	1	6	
4	North Croydon H	2,644	41,698	38	11	5	-	-	2	-	-	-	-	-	1	2	-	
5	Penge w	770	22,465	6	1	1	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham w	11,711	30,015	22	7	-	2	-	-	-	1	-	-	-	-	1	-	
39 : 1	Wimbledon F,3H	3,221	41,652	15	8	-	4	-	-	-	-	-	-	-	1	2	-	
2	Kingston 2W,H	6,224	42,068	18	14	2	7	-	-	-	-	-	-	-	-	1	5	
3	Surbiton F,H	3,046	15,017	4	2	-	1	-	-	-	-	-	-	-	-	-	-	
4	Esher, *part of** H	5,402	13,100	13	3	2	-	-	-	-	-	-	-	-	1	1	-	
5	Hampton H,F,L	4,564	23,456	16	5	-	1	-	-	-	-	-	-	-	1	1	2	
40 : 1	Richmond W,H	2,491	31,672	7	15	-	6	-	1	-	-	-	-	1	2	2	9	
2	Mortlake F	2,518	17,821	12	5	2	2	-	-	-	-	-	-	-	-	1	-	
41 : 1	Bromley F,3H	4,703	27,354	19	4	1	2	-	-	-	-	-	-	-	-	-	1	
2	Beckenham H	7,825	28,497	11	13	3	4	-	-	-	-	-	-	-	3	3	-	
3	Orpington, *part of** W,F ..	10,113	9,857	6	4	-	2	-	-	-	-	-	-	-	-	-	3	
4	Chislehurst 2H	7,333	16,446	11	6	2	3	-	-	-	-	-	-	-	-	-	-	
42 : 1	Bexley w,F,H	8,678	21,151	16	7	3	3	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,354	25,296	14	5	2	-	-	-	-	-	1	-	-	-	-	-	
3	Dartford W,F, *part of** ..	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	
124 : 1	Sunbury w	11,054	18,683	9	6	2	3	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	11	6	1	2	-	-	-	-	-	-	-	1	1	1	
125 : 1	Hillingdon W,F,H	8,035	13,661	8	2	-	1	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	9	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w 2F,H	8,066	16,358	10	2	-	-	-	-	-	-	-	-	-	-	-	-	
126 : 1	Isleworth 3W,3F,H	6,859	30,863	21	20	4	8	-	1	-	-	-	-	-	-	-	11	
2	Twickenham F,2H	2,421	20,991	11	6	1	3	-	-	-	-	-	-	-	-	-	-	
3	Brentford 3F,2H	4,319	48,289	25	11	2	6	-	-	-	-	-	-	-	-	-	1	
4	Chiswick H	1,249	29,809	19	6	2	3	-	-	-	1	1	-	-	-	-	-	
5	Acton w,F,3H	6,132	48,914	37	12	6	3	-	-	-	-	1	-	-	1	1	-	
127A : 1	Harrow F,H	13,809	25,523	18	7	2	3	-	-	-	-	-	-	-	-	-	-	
2	Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hendon W,F	8,382	22,450	14	4	2	-	-	1	-	-	-	1	-	-	-	-	
127B : 1	Willesden W,F2H	4,384	114,811	72	26	7	10	-	-	-	-	-	-	1	1	1	4	
128 : 1	South Mimms 2F,H ..	17,755	7,308	5	1	-	1	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,979	13	1	1	-	-	-	-	-	-	-	-	1	1	-	
3	Finchley F,3H	4,638	33,692	23	9	-	4	-	-	-	-	-	-	-	-	-	-	
129 : 1	Hornsey F,H	2,875	72,056	19	16	2	5	-	-	-	-	2	-	-	-	1	-	
2	Wood Green H	1,625	34,233	22	7	1	3	-	-	-	-	-	-	-	-	-	-	
3	West Tottenham	995	48,741	36	6	1	-	-	-	-	-	-	-	-	1	2	-	
4	East Tottenham 2H ..	2,019	53,962	27	12	4	2	-	-	-	-	-	-	-	-	1	4	
5	Edmonton W,w,2F	7,491	61,892	44	23	4	4	-	-	-	-	-	-	-	2	3	9	
6	Enfield 2W,F,H	12,601	42,738	33	10	1	5	-	-	-	-	-	-	-	-	-	3	
7	Waltham Abbey F	11,017	6,549	2	2	-	2	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
135 : 1	Hatfield, *part of** W ..	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
137 : 1	Bushey, *part of** H ..	9,195	7,051	1	5	-	3	-	-	-	-	-	-	-	-	-	-	
2	Watford, *part of** W,2F ..	138	2,122	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
186 : 1	Stratford H	1,091	52,974	22	13	2	5	-	-	-	-	-	-	-	1	1	2	
2	Forest Gate	787	52,745	24	7	1	2	-	-	-	-	1	-	-	-	-	-	
3	Plaistow F,2H	1,249	90,921	70	15	2	4	-	-	-	2	-	1	-	1	1	5	
4	Canning Town H	1,556	70,718	65	12	3	3	-	-	-	-	2	-	-	-	-	-	
5	South East Ham 2F ..	1,991	37,342	31	12	3	4	-	-	-	1	2	-	-	-	1	1	
6	North East Ham w,H ..	1,333	58,666	36	10	3	3	-	-	-	-	-	-	-	-	2	1	
7	Wanstead F	1,679	9,179	6	3	-	1	-	-	-	-	-	-	-	1	2	-	
8	South Leyton 2W	631	50,467	35	18	2	9	-	-	-	-	-	-	1	1	2	11	
9	North Leyton 2W,w,F ..	1,963	48,445	30	24	3	6	-	-	-	1	-	-	-	1	3	16	
10	Walthamstow 2H,L ..	6,504	108,929	66	25	12	6	-	-	-	-	1	-	-	-	4	-	
187 : 1	Chigwell 2F,3H	11,778	16,397	9	7	1	2	-	-	-	-	-	-	-	-	1	1	
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	4	2	-	1	-	-	-	-	-	-	-	-	-	2	
2	Ilford F,L	8,496	41,244	29	11	2	2	-	-	-	-	1	-	-	-	-	2	
3	Barking Town F	3,805	21,547	20	7	3	-	-	-	-	-	2	-	-	1	1	-	
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	5	-	2	-	-	-	-	-	-	-	-	-	5	
	London County Lunatic Asylum, Claybury.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	5	-	3	-	-	-	-	-	-	-	-	-	5	
	Essex County Lunatic Asylum, Brentwood	—	—	-	3	-	1	-	-	-	-	-	-	-	-	1	3	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ONDON* - -	4,872,702	March 12	2370	1254	13·4	-	15	9	6	44	2	19
ALCUTTA - -	1,009,008	February 12	-	575‡	29·6	-	5	-	5	-	4	9
OMBAY - -	977,822	" 15	349	690‡	36·7	38	1	-	-	-	4	36
ADRAS - -	509,346	" 11	273	376	38·3	-	6	?	?	?	110§	7
ARIS* - -	2,772,467	" 26	1008	980	18·6	3	28	4	4	14	3	19
RUSSELS* - -	720,030	March 5	262	187	13·5	-	-	-	1	-	2	11
NTWERP* - -	314,135	" 5	134	63	10·4	-	-	-	-	2	-	7
MSTERDAM* -	568,131	" 5	230	149	13·7	-	4	-	-	2	-	1
OPENHAGEN -	450,000	" 5	215	112	13·0	-	1	2	1	3	-	4
OCKHOLM -	339,582	February 26	139	117	17·9	-	7	1	-	2	1	3
RISTIANIA -	235,674	March 5	151	62	13·7	-	-	-	-	-	-	1
PETERSBURG	1,620,000	February 26	930	836	26·9	11	53	19	21	13	20	69
OSCOW - -	1,493,600	" 26	-	719	25·1	11	19	21	37	8	1	36
ERLIN - -	2,126,128	" 19	935	536	14·4	-	5	7	14	9	1	14
AMBURG - -	895,804	March 5	-	238	13·8	-	2	4	8	1	1	7
RESLAU - -	507,500	February 26	-	185	19·0	-	-	-	1	3	-	5
UNICH - -	576,000	" 26	-	208	18·8	-	1	-	2	-	1	23
IENNA* - -	2,085,888	March 5	870	641	16·0	-	14	3	4	5	-	29
RAGUE* - -	494,531	February 19	201	183	19·2	-	1	-	-	-	-	4
UDAPEST* -	833,703	" 26	456	323	20·1	-	6	5	1	4	1	13
IESTE* - -	218,727	" 26	196	114	27·1	-	10	-	-	-	-	1
OME - - -	584,308	January 8	271	240	21·4	-	2	-	3	-	6	19
		" 15	291	257	22·9	-	2	-	6	-	3	12
ICE - -	179,286	" 29	65	94	27·3	-	9	1	3	-	1	4
UCAREST - -	297,643	" 29	187	164	28·7	-	-	4	2	-	-	5
		February 5	168	153	26·8	-	2	3	1	1	-	1
W YORK* -	4,711,956	" 19	2551	1576	17·4	-	21	39	57	3	9	29
HICAGO* - -	2,282,927	" 19	-	648	14·8	-	3	7	15	4	7	27
HILADELPHIA*	1,598,400	January 29	-	-	-	-	-	-	-	-	-	-
IO DE JANEIRO	826,324	" 30	-	346	21·8	-	2	-	-	1	-	?
AIRO :—*												
Egyptians -	616,183	February 11	-	-	-	-	-	-	-	-	-	-
Foreigners -	61,480	" 11	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA :—*												
Egyptians -	317,454	" 11	-	-	-	-	-	-	-	-	-	-
Foreigners -	67,966	" 11	-	-	-	-	-	-	-	-	-	-

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 13 deaths from *plague* in Calcutta, 63 in Bombay, and from *Asiatic cholera*, 51 deaths in Calcutta.
§ All forms of fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 12th March, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	57·7	38·1	46·5	0·95	BRADFORD - -	51·6	35·0	43·6	0·46
BRIGHTON - -	51·1	39·7	46·7	1·68	YORK - - -	56·0	35·0	45·2	0·26
PORTSMOUTH - -	54·3	39·5	47·2	1·02	HULL - - -	56·0	34·0	45·0	0·49
GREENWICH - -	56·8	36·8	45·7	0·56	TYNEMOUTH - -	53·0	36·0	43·3	0·47
PLYMOUTH - -	54·0	37·1	47·2	0·62	CARDIFF - - -	55·7	32·5	45·2	0·80
BRISTOL - - -	56·2	32·0	45·8	0·43	EDINBURGH - -	50·9	31·7	42·3	0·53
BIRMINGHAM - -	54·0	35·0	44·5	0·58	GLASGOW - -	53·5	30·0	44·0	0·84
NOTTINGHAM - -	56·0	33·0	45·0	0·49	DUBLIN (Phœnix Park.)	55·2	31·4	43·6	0·38
LIVERPOOL OBSERVATORY	53·0	35·0	44·2	0·28	DUBLIN (Fitzwilliam Square.†)	55·0	34·1	45·2	0·30
MANCHESTER -	54·8	34·8	45·1	0·53					
BURNLEY - -	52·0	35·0	43·9	0·68					
HUDDERSFIELD -	52·0	34·2	44·1	0·29	BELFAST - - -	54·0	35·0	43·9	1·15

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 12th March, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 6	Greatest Dec. S.	29·877	55·6	41·2	14·4	47·9	+ 6·9	42·0	5·9	11·5	0·9	80	94·1	29·4	42·20	SE. & SSE.	SSW. & SSE.	4·4	0·0	0·2	274	− 66	0·04	6·2
MONDAY - 7	..	29·966	57·7	39·5	18·2	47·8	+ 6·8	42·3	5·5	14·1	1·3	81	103·5	30·4	42·50	SSE. S. & SSW.	SW. & SSW.	1·7	0·0	0·1	273	− 68	0·01	4·3
TUESDAY - 8	..	29·844	55·8	40 0	15·8	48·2	+ 7·1	46·3	1 9	8·1	0·8	93	84·3	30·6	42·80	SSE., S. & SSW.	SSW.	4·8	0·0	0·1	396	+ 53	0·01	7·5
WEDNESDAY 9	..	29·648	52·8	44·1	8·7	48·0	+ 7·0	46·5	1·5	4·4	1·0	95	68·2	41·5	43·10	SSW.	S., SW. & SSW.	6·3	0·0	0·5	430	+ 91	0·44	16·7
THURSDAY - 10	..	29·609	53·3	40·6	12·7	45·4	+ 4 5	40·0	5·4	11·0	0·7	81	85·6	32·0	43·51	SSW. & SW.	SW., SSW. & S.	2·8	0·0	0·1	220	−108	0·02	9·8
FRIDAY - 11	New	29·677	49·3	40·3	9·0	44·1	+ 3·1	38·6	5·5	10·1	2·5	81	86·5	32·0	43·80	Calm, N. & NE.	NE. & NNE.	3·7	0·0	0·2	296	− 22	0·01	0·0
SATURDAY - 12	In Eqr. Perigee	29·753	43·0	38·1	4·9	40·4	− 0·7	39·0	1·4	3·2	1·3	95	49·4	37·7	43·92	NE. & NNE.	NE. & NNE.	5·0	0·0	0·4	432	+125	0·42	0·0
MEANS - -		29·768	52·5	40·5	12·0	46·0	+ 5·0	42·1	3·9	8·9	1·2	87	81·7	33·4	43·12	SSW. & NNE.		..	..	..	Sum 2321	Sum + 5	Sum 0·95	6·4
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MARCH.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 6	v.P. and v.N. till 3h. A.M.; w. P. till 4h. P.M.; m. P. till 7h. P.M.; v.P. and v. N. afterwards.	4·2	11·1	Generally overcast with occasional slight rain in morning; fine and partially cloudy between 8h. A.M. and 7h. P.M.; then overcast with occasional light showers. Solar halo and parhelion observed at 8h. 45m. A.M.
MONDAY - 7	w.P. with occasional v. N. till 4h. P.M.; m. P. afterwards.	7·2	11·2	Generally cloudy or overcast till 8h. A.M.; very fine afterwards and cloudless at night; rain in early morning till 1h. A.M.
TUESDAY - 8	w. P. generally; w. N. between 8h. and 9h. A.M.	1·2	11·3	Generally overcast; fine intervals in afternoon; occasional slight rain between 8h. A.M. and noon and after 9h. P.M.
WEDNESDAY 9	w. P. till noon; w. P. and v. N. afterwards.	0·0	11·4	Generally overcast; nearly continuous rain after 11h. 40m. A.M.
THURSDAY - 10	w.P. generally with occasional m. P.	1·8	11·4	Generally overcast till 1h. P.M.; fine with variable amounts of cloud afterwards; rain at and about 3h. A.M. Solar halo and parhelion observed at 4h. P.M.
FRIDAY - 11	w.P. till 4h. A.M.; m. P. generally till 10h. P.M.; v.N. afterwards.	0·2	11·5	Overcast with slight exceptions; rain after 9h. P.M.
SATURDAY - 12	v. N. and v. P. till 3h. P.M.; w. P. afterwards.	0·0	11·5	Overcast; small range of temperature; rain in early morning and again in afternoon.
		Sum 14·6	Sum 79 4	
No. of Column	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·83 in. at the beginning of the week to 30·00 in. by 10h. P.M. on the 7th; decreased to 29·49 in. by 8h. P.M. on the 9th; and increased generally to 29·84 in. by midnight on the 12th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 5th March, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	7	3	-	-	-	-	-	1	1
Kensington	184,635	-	7	3	-	2	-	-	1	1	-
Hammersmith	127,413	-	8	4	-	-	-	-	3	-	-
Fulham	181,282	-	9	8	-	-	-	-	5	1	-
Chelsea	75,457	-	2	-	-	1	-	-	1	-	-
City of Westminster ..	167,233	-	7	4	-	1	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	13	1	-	1	-	-	-	-	-
Hampstead	95,729	-	3	-	-	-	-	-	1	-	-
St. Pancras	237,792	-	18	3	-	2	-	-	4	1	-
Islington	353,356	-	8	6	-	1	-	-	2	1	-
Stoke Newington	54,838	-	3	-	-	-	-	-	-	-	-
Hackney	239,979	-	11	4	-	1	-	-	3	-	-
CENTRAL.											
Holborn	53,142	-	2	1	-	-	-	-	-	-	-
Finsbury	94,578	-	2	1	-	1	-	-	3	-	-
City of London	17,132	-	-	-	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,387	-	2	-	-	-	-	-	1	-	-
Bethnal Green	131,579	-	8	4	-	1	-	-	4	-	-
Stepney	314,379	-	12	4	-	2	-	-	2	-	-
Poplar	172,432	-	5	2	-	-	-	-	2	-	-
SOUTH.											
Southwark	211,832	-	2	5	-	1	-	-	-	-	-
Bermondsey	127,238	-	4	2	-	-	-	-	1	-	-
Lambeth	327,074	-	15	5	-	-	-	-	7	-	-
Battersea	188,222	-	16	4	-	1	-	-	7	-	1
Wandsworth	305,838	-	8	12	-	1	-	-	5	-	-
Camberwell	286,058	-	8	5	-	10	-	-	1	-	-
Deptford	119,642	-	5	5	-	1	-	-	3	-	-
Greenwich	112,935	-	3	3	-	1	-	-	1	-	-
Lewisham	164,899	-	16	3	-	-	-	-	-	-	-
Woolwich	135,422	-	12	4	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	216	96	-	28	-	-	60	5	2
Ages 0-1		-	1	2	-	-	-	-	5	-	-
„ 1-5		-	63	33	-	3	-	-	2	-	-
„ 5-		-	85	37	-	4	-	-	1	-	1
„ 10-		-	25	6	-	1	-	-	3	-	-
„ 15-		-	12	8	-	3	-	-	1	-	1
„ 20-		-	14	3	-	4	-	-	4	2	-
„ 25-		-	9	3	-	8	-	-	5	2	-
„ 35-		-	5	3	-	2	-	-	9	1	-
„ 45-		-	2	1	-	1	-	-	14	-	-
„ 55-		-	-	-	-	2	-	-	9	-	-
„ 65 and upwards		-	-	-	-	-	-	-	7	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of February, 1910, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 195 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	February, 1909.	February, 1910.	February, 1909.	February, 1910.
Total Supply - - -	1,087,436	1,098,474	211,298,934	214,483,308
New River - - - - - - -	214,511	216,346	40,274,993	41,585,103
Eastern - - - - - - -	243,944	246,657	41,482,571	43,591,679
Western { Chelsea, Grand Junction, West Middlesex } - -	222,617	224,390	52,699,343	54,373,075
Southern { Lambeth - - - Southwark and Vauxhall }	286,926	290,616	57,636,320	55,533,230
Kent - - - - - - - -	119,438	120,465	19,205,707	19,405,221

Note.—The Returns for February, 1910, as compared with that for the corresponding month of 1909, shows an increase of 11,038 services, and of 3,189,374 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 11. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, MAR. 19. [Price 1½*d*.

General Register Office, Somerset House,
March 21*st*, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·5 per 1000 of their aggregate population, which is estimated † at 16,713,617 persons in the middle of this year. In the preceding three weeks the rates had been 14·7, 14·5, and 13·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·0 in Brighton and in Walsall, 17·2 in Hanley, 17·4 in Swansea, 17·5 in Preston, 17·8 in Warrington, 18·0 in Barrow in Furness, 19·2 in Ipswich, 19·4 in Great Yarmouth, 24·2 in Huddersfield, and 27·1 in Rochdale; from *measles*, 1·5 in Stockport and in Burnley, 2·2 in Hanley, 3·8 in Hastings, and 4·1 in Ipswich; and from *whooping-cough*, 1·3 in Birkenhead and in Newport (Mon.), 1·9 in West Hartlepool, and 2·5 in Devonport and in Barrow in Furness. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2344 BIRTHS and 1231 DEATHS were registered. Allowing for increase of population, the births were 221 and the deaths 479 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15984—41.) Wt. 109—472. 700. 3/10. D & S. G. 31. Sch. 4 L

weeks of the previous five years. The annual death-rate from all causes, which had been 14·8, 14·4, and 13·4 per 1000 in the preceding three weeks, further fell last week to 13·2. The death-rate in the four weeks ended last Saturday averaged 14·0 per 1000, being 4·5 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1231 deaths included 24 from measles, 6 from scarlet fever, 6 from diphtheria, 46 from whooping-cough, 4 from enteric fever, and 11 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 97 deaths were referred, being 46 below the corrected average number in the eleventh week of the preceding five years.

The deaths from *measles*, which had been 14, 39, and 15 in the preceding three weeks, were 24 last week, and were 41 below the corrected average; 3 deaths belonged to the Borough of Bethnal Green and 3 to Battersea. The deaths from *scarlet fever*, which had been 4, 6, and 9 in the preceding three weeks, were 6 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 11, 9, and 6 in the preceding three weeks, were again 6 last week, and were 9 below the corrected average. The deaths from *whooping-cough*, which had been 45, 46, and 44 in the preceding three weeks, were 46 last week, the corrected average being 37; 5 deaths belonged to Stepney, 5 to Greenwich, 4 each to Islington, Shoreditch, Poplar, and Camberwell, and 3 each to St. Pancras, Hackney, and Wandsworth. The deaths from *enteric fever* which had been 4, 3, and 2 in the preceding three weeks, were 4 last week, the corrected average being 3. The deaths from *diarrhœa*, which had been 11, 10, and 13 in the preceding three weeks, were 11 last week, and were 3 below the corrected average. Of the 11 deaths from diarrhœa, 7 were those of children under 5 years of age, and of these 7 deaths, 6 were those of children under 2 years of age; 5 other deaths under 5 years of age were certified as due to *enteritis*, 3 being those of children under 2 years of age, and 3 deaths under 2 years of age were certified as due to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 23, having been 39, 34, and 24 in the preceding three weeks.

Different forms of violence caused 37 deaths, concerning all of which inquests were held. Of these 37 deaths, 4 were cases of suicide, and 1 of homicide, while the remaining 32 were attributed to accident or negligence. Two of these latter were referred to vehicles in the streets, two to burns or scalds, four to drowning, and ten, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1713 cases of scarlet fever, 872 of diphtheria, and 88 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 180 cases, against 193, 211, and 199; of diphtheria, 90 cases, against 83, 98, and 87; and of enteric fever, 7 cases, against 20, 13, and 20. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended March 12th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3687 births and 1747 deaths were registered. Allowing for increase of population, these numbers are 304 and 673 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 5 deaths from measles, 4 from diphtheria, and 1 from whooping-cough were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·87 inches, and that of the Thermometer 40°·1, the latter being 1°·6 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 8 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 41·6 hours; the measured rainfall amounted to 0·13 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 19th March, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 26th Feb., 1910.	5th Mar., 1910.	12th Mar., 1910.	19th Mar., 1910.	Rate from Diseases in Cols. 11–17 Week ended 19th March, 1910.	Registered during the Week ended 19th March, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,713,617**	**14·7**	**14·5**	**13·6**	**13·5**	**1·0**	**8379**	**4323**	**851**	**1379**	**-**	**83**	**31**	**36**	**134**	**12**	**38**	**130**	**311**	**1176**	**30**	**76 TOWNS.**
LONDON	4,872,702	14·8	14·4	13·4	13·2	1·0	2344	1231	197	441	-	24	6	6	46	4	11	37	118	514	3	LONDON.
† CROYDON	164,485	15·9	13·0	10·1	11·1	0·6	83	35	11	8	-	-	-	-	2	-	-	-	1	4	-	CROYDON.
† WILLESDEN ..	166,088	7·2	7·8	8·5	8·5	0·9	70	27	3	7	-	2	-	1	-	-	-	-	-	12	-	WILLESDEN.
† HORNSEY	98,561	6·9	9·0	9·0	5·8	-	25	11	3	5	-	-	-	-	-	-	-	1	1	-	-	HORNSEY.
† TOTTENHAM ..	132,803	13·3	8·6	7·5	8·2	1·6	83	21	4	5	-	-	-	-	2	1	1	1	1	7	-	TOTTENHAM.
† WEST HAM ..	328,585	12·1	12·2	10·2	11·1	0·8	167	70	19	17	-	-	-	2	2	-	1	2	6	18	1	WEST HAM.
† EAST HAM.. ..	156,208	7·3	9·7	9·3	9·7	-	66	29	7	10	-	-	-	-	-	-	-	1	3	9	-	EAST HAM.
† LEYTON	133,436	11·3	8·6	8·2	9·8	2·0	69	25	7	6	-	-	1	1	2	-	1	-	1	7	-	LEYTON.
† WALTHAMSTOW	141,748	7·0	9·9	9·2	5·9	0·7	74	16	5	2	-	1	-	-	-	-	1	2	2	6	-	WALTHAMSTOW.
HASTINGS	68,520	19·8	12·2	17·5	14·5	3·8	17	19	-	6	-	5	-	-	-	-	-	-	-	4	-	HASTINGS.
BRIGHTON	131,900	13·0	11·5	11·9	17·0	1·2	45	43	9	12	-	-	-	1	-	1	1	1	2	9	-	BRIGHTON.
PORTSMOUTH ..	217,989	15·5	17·0	14·4	13·4	0·5	133	56	11	19	-	-	-	-	2	-	-	1	3	1	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	12·7	13·4	13·4	9·9	0·7	27	14	1	9	-	-	-	-	1	-	-	-	-	3	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	9·8	13·1	9·0	14·8	0·4	73	36	6	14	-	-	-	-	1	-	-	2	4	9	-	SOUTHAMPTON.
READING	84,355	10·5	8·0	12·4	8·7	-	45	14	1	6	-	-	-	-	-	-	-	1	1	1	-	READING.
NORTHAMPTON ..	99,113	13·2	13·2	9·5	12·1	1·6	41	23	3	9	-	2	-	-	1	-	-	-	1	-	1	NORTHAMPTON.
IPSWICH	75,936	17·9	19·2	14·4	19·2	4·8	44	28	5	8	-	6	-	-	1	-	-	-	2	6	-	IPSWICH.
GREAT YARMOUTH	53,715	14·6	13·6	13·6	19·4	-	27	20	4	10	-	-	-	-	-	-	-	-	1	1	-	GREAT YARMOUTH.
NORWICH	125,446	17·9	13·3	14·1	16·6	0·8	55	40	11	15	-	2	-	-	-	-	-	2	4	12	-	NORWICH.
PLYMOUTH	126,266	19·0	14·9	11·6	10·7	0·4	47	26	4	6	-	-	-	-	1	-	-	-	1	5	-	PLYMOUTH.
DEVONPORT	84,695	14·2	9·2	8·0	14·8	3·1	44	24	5	10	-	-	-	1	4	-	-	1	1	4	-	DEVONPORT.
BRISTOL	382,550	12·9	13·4	11·9	13·6	0·8	171	100	14	38	-	3	-	-	3	-	-	4	10	17	-	BRISTOL.
HANLEY	69,672	21·0	21·0	16·5	17·2	3·0	49	23	6	7	-	3	-	-	1	-	-	-	1	3	-	HANLEY.
BURTON-ON-TRENT	54,977	16·1	10·4	14·2	8·5	1·9	25	9	2	4	-	1	-	-	1	-	-	-	-	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	105,962	12·8	10·8	9·8	14·3	0·5	36	29	7	7	-	-	-	-	-	-	1	1	3	8	-	WOLVERHAMPTON
WALSALL	101,035	15·0	20·6	10·3	17·0	1·0	63	33	8	14	-	-	1	1	-	-	-	-	-	7	2	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	10·1	10·1	9·4	5·8	0·7	35	8	1	3	-	-	1	-	-	-	-	-	-	2	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	15·4	11·0	11·7	11·0	-	35	15	3	7	-	-	-	-	-	-	-	2	2	2	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 26th Feb., 1910.	5th Mar., 1910.	12th Mar., 1910.	19th Mar., 1910.	Rate from Diseases in Cols. 11–17. Week ended 19th March, 1910.	Registered during the Week ended 19th March, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	15·5	16·5	14·5	14·4	1·2	273	157	41	45	–	–	4	2	7	–	–	4	5	50	2	Birmingham.
Kings Norton ..	84,673	11·7	8·6	4·9	4·3	–	29	7	–	2	–	–	–	–	–	–	–	–	–	–	–	Kings Norton.
Smethwick	72,350	14·4	12·3	13·7	13·0	–	46	18	6	5	–	–	–	–	–	–	–	–	1	2	–	Smethwick.
Aston Manor ..	86,269	9·1	11·5	16·9	13·3	1·2	35	22	4	8	–	–	1	–	–	–	1	–	1	4	–	Aston Manor.
Coventry	81,449	17·9	13·4	19·2	16·0	0·6	75	25	4	11	–	–	1	–	–	–	–	–	–	6	–	Coventry.
Leicester	248,374	10·3	14·9	10·7	10·7	0·2	103	51	8	28	–	–	–	–	1	–	–	1	3	9	–	Leicester.
Grimsby	74,283	12·6	17·5	12·6	13·3	–	43	19	2	8	–	–	–	–	–	–	–	2	2	5	–	Grimsby.
Nottingham ..	266,471	15·7	14·9	13·1	14·3	1·4	155	73	15	19	–	–	–	3	3	–	1	4	5	19	–	Nottingham.
Derby	131,256	15·1	9·1	12·7	10·3	0·8	57	26	7	7	–	–	–	1	1	–	–	2	4	8	–	Derby.
Stockport	105,087	17·9	13·4	19·4	15·4	2·0	47	31	6	8	–	3	–	1	–	–	–	–	2	6	1	Stockport.
Birkenhead ..	122,431	14·1	22·1	19·2	14·9	1·3	62	35	8	9	–	–	–	–	3	–	–	–	1	6	–	Birkenhead.
Wallasey	73,173	12·8	14·3	12·8	16·4	0·7	34	23	4	9	–	–	–	–	–	–	1	–	1	1	1	Wallasey.
Liverpool	767,606	18·5	17·8	17·2	16·8	1·8	440	248	62	66	–	6	4	1	11	–	4	6	17	88	5	Liverpool.
Bootle	70,548	11·8	17·0	11·8	16·3	–	52	22	4	5	–	–	–	–	–	–	–	–	–	6	–	Bootle.
St. Helens	96,523	11·9	14·6	15·1	15·1	–	68	28	7	9	–	–	–	–	–	–	–	1	1	3	3	St. Helens.
Wigan	91,732	15·3	23·9	14·8	15·9	1·7	54	28	6	11	–	–	–	1	–	1	1	–	2	1	–	Wigan.
Warrington ..	73,295	16·4	16·4	7·8	17·8	1·4	46	25	7	8	–	–	–	–	–	–	2	–	–	8	–	Warrington.
Bolton	190,315	18·4	11·0	12·3	12·9	1·1	83	47	4	14	–	–	–	1	2	–	1	2	3	16	–	Bolton.
Bury	59,409	19·3	9·7	18·4	13·2	0·9	19	15	–	7	–	–	–	–	–	–	1	–	–	2	–	Bury.
Manchester ..	716,354	15·6	16·1	17·0	14·6	1·7	374	201	40	44	–	5	3	5	8	1	2	8	15	54	1	Manchester.
Salford	244,636	11·7	13·8	14·7	12·4	1·5	143	58	14	17	–	4	1	–	–	–	2	1	4	16	–	Salford.
Oldham	144,111	24·2	19·2	18·5	13·4	0·7	69	37	9	7	–	–	–	–	–	–	2	–	2	11	–	Oldham.
Rochdale	90,497	17·9	13·3	15·0	27·1	–	52	47	5	16	–	–	–	–	–	–	–	2	4	9	–	Rochdale.
Burnley	107,448	26·2	21·4	18·0	13·1	2·9	60	27	9	8	–	3	1	2	–	–	–	–	1	5	1	Burnley.
Blackburn	137,972	14·0	14·4	17·0	13·2	0·4	50	35	11	8	–	–	–	–	1	–	–	1	3	5	2	Blackburn.
Preston	119,253	17·1	18·8	17·9	17·5	0·9	68	40	10	12	–	–	1	1	–	–	–	1	1	6	1	Preston.
Barrow-in-Furness.	63,689	15·6	15·6	12·3	18·0	3·3	31	22	7	3	–	–	–	–	3	–	1	–	–	–	–	Barrow-in-Furness.

*See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 19th March, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 26th Feb., 1910.	5th Mar., 1910.	12th Mar., 1910.	19th Mar., 1910.	Rate from Diseases in Cols 11-17. Week ended 19th March, 1910.	Registered during the Week ended 19th March, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	21·5	19·3	18·7	24·2	0·6	39	44	2	17	-	-	1	-	-	-	-	2	3	6	-	HUDDERSFIELD.
HALIFAX	112,818	12·5	15·7	12·5	8·8	0·9	40	19	3	8	-	-	-	-	2	-	-	1	1	3	-	HALIFAX.
BRADFORD	295,865	14·3	14·6	13·2	11·8	0·7	107	67	10	25	-	1	1	1	-	-	1	2	2	16	-	BRADFORD.
LEEDS	490,985	14·0	14·7	12·6	13·6	0·8	201	128	17	46	-	1	2	-	4	1	-	3	13	22	-	LEEDS.
SHEFFIELD	478,763	13·5	12·1	12·1	13·1	0·2	248	120	21	41	-	1	-	-	1	-	-	3	5	32	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	14·1	12·6	9·4	3·9	-	42	5	2	1	-	-	-	-	-	-	-	-	-	1	-	ROTHERHAM.
YORK	88,159	12·4	12·4	13·0	8·9	-	30	15	4	2	-	-	-	-	-	-	-	-	1	4	-	YORK.
HULL	280,006	16·2	17·7	17·9	16·0	1·1	166	86	23	18	-	3	-	1	2	-	-	5	9	11	-	HULL.
MIDDLESBROUGH ..	107,014	16·1	16·1	15·1	15·6	-	60	32	10	11	-	-	-	-	-	-	-	1	3	4	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,680	12·6	9·7	23·3	14·6	1·9	37	15	2	7	-	-	1	1	-	-	-	-	-	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	81,814	12·1	7·0	8·3	12·7	2·5	36	20	6	3	-	-	-	1	3	-	-	-	1	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	13·6	18·8	17·8	14·6	1·6	84	45	7	14	-	-	-	1	2	2	-	4	4	11	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	16·5	14·8	12·6	14·4	1·3	73	33	6	10	-	1	-	-	2	-	-	-	-	2	2	SOUTH SHIELDS.
GATESHEAD	133,676	13·7	14·8	10·9	16·0	1·6	73	41	12	7	-	-	1	-	2	1	-	3	3	4	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	285,951	13·7	14·2	15·1	12·9	0·2	148	71	18	20	-	-	-	-	1	-	-	3	7	10	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	56,378	14·8	17·6	12·0	14·8	0·9	27	16	5	5	-	-	-	-	-	-	1	-	-	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	19·0	13·1	15·7	9·8	2·0	52	15	7	3	-	1	-	-	2	-	-	1	1	3	-	NEWPORT (MON.).
CARDIFF	199,189	13·9	13·9	10·5	15·7	0·5	114	60	12	19	-	2	-	-	-	-	-	4	6	9	-	CARDIFF.
RHONDDA	138,674	12·8	16·5	15·8	16·5	0·8	115	44	15	7	-	-	-	-	2	-	-	1	2	5	-	RHONDDA.
MERTHYR TYDFIL..	79,522	12·5	11·8	19·0	14·4	1·3	45	22	4	6	-	1	-	-	1	-	-	1	1	3	-	MERTHYR TYDFIL.
SWANSEA	98,817	17·9	22·7	21·6	17·4	1·1	81	33	8	10	-	2	-	-	-	-	-	2	2	6	-	SWANSEA.
GREATER LONDON	7,537,196	13·5	13·0	12·3	12·1	0·9	3687	1747	299	616	-	32	7	14	55	5	15	58	155	629	6	GREATER LONDON.
OUTER RING ..	2,664,494	11·1	10·5	10·4	10·1	0·6	1343	516	102	175	-	8	1	8	9	1	4	21	37	115	3	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	10·5	10·3	9·2	9·2	0·8	637	234	59	80	-	3	1	4	8	1	4	7	15	63	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	11·6	10·8	11·5	11·0	0·4	706	282	43	115	-	5	-	4	1	-	-	14	22	52	2	REMAINDER OF OUTER RING.
EDINBURGH	360,276	14·9	12·0	19·5	15·1	1·2	138	104	12	35	-	1	1	-	3	-	3	9	?	39	3	EDINBURGH.
GLASGOW	884,505	15·9	17·6	16·9	16·3	2·2	474	277‡	61	66	-	20	1	5	6	1	5	12	?	86	2	GLASGOW.
DUBLIN (Registration Area).†	402,928	28·0	25·2	24·8	18·4	0·6	162	142	20	52	-	-	-	1	1	1	2	1	2	58	5	DUBLIN (Registration Area).†
BELFAST†	391,167	19·7	22·0	21·0	21·7	2·5	240	102	29	22	-	5	2	-	12	-	-	5	9	44	1	BELFAST†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the ELEVENTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2628	2607	2628	2596	2577	2535	2499	2390	2631	2469	2564·8	2344
Males - - -	1315	1290	1352	1324	1301	1293	1284	1242	1325	1299	1319·5	1178
Females - -	1313	1317	1276	1272	1276	1242	1215	1148	1306	1170	1245·3	1166
TOTAL **Deaths** -	1659	1571	1936	1521	1680	1399	1498	1696	1533	2225	1710·2	1231
Males - - -	851	799	937	773	846	684	770	864	756	1097	854·2	634
Females - -	808	772	999	748	834	715	728	832	777	1128	856·0	597

* The numbers in this column are the average weekly numbers in the Eleventh week of the five years 1905-1909, raised by 2·391 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 25.	1910. Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	13 Weeks.
TOTAL **Births** -	1860	2182	2340	2242	2146	2086	2381	2375	2325	2264	2393	2370	2344	29308
TOTAL **Deaths** -	1399	1502	1331	1367	1351	1468	1607	1632	1526	1386	1346	1254	1231	18400
Ages at Death: Under 1 year -	234	247	219	259	223	267	283	259	241	235	233	219	197	3116
1—5 years -	107	114	126	115	105	146	142	161	126	136	153	116	137	1684
5—20 " -	61	86	63	57	72	64	77	80	74	59	68	63	60	884
20—40 " -	168	177	157	151	161	156	182	173	159	162	133	148	149	2076
40—60 " -	304	323	273	304	301	308	344	334	341	261	272	248	247	3860
60 yrs. & upwds.	525	555	493	481	489	527	579	625	585	533	487	460	441	6780
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	14	8	11	17	18	11	17	13	26	14	39	15	24	227
Scarlet Fever - -	6	8	5	2	-	10	5	6	8	4	6	9	6	75
Diphtheria - -	9	9	9	15	13	10	16	5	11	11	9	6	6	129
Whooping-cough -	25	33	29	33	30	57	57	61	53	45	46	41	46	559
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	-	1	-	3	3	2	3	2	4	3	2	4	29
Pyrexia (origin uncertain).	-	-	1	-	-	-	-	-	-	-	1	-	-	2
Diarrhœa, Dysentery	9	8	7	15	10	11	14	15	8	11	10	13	11	142
All above diseases -	65	66	63	82	74	102	111	103	108	89	114	89	97	1163
Dis. of Resp. System	160	196	168	141	152	178	207	226	200	172	148	129	109	2186
Pneumonia - -	162	164	170	144	139	144	185	199	195	176	142	150	129	2099
Phthisis - - -	148	152	99	114	140	141	153	112	124	131	126	108	121	1669
Dis. of Circ. System -	208	231	199	199	197	242	235	227	220	176	198	172	184	2688
Violence - - -	60	58	56	48	52	58	41	56	62	42	49	50	37	669
Inquest Cases - -	158	174	149	135	152	148	158	163	173	121	135	143	118	1927
Deaths in Institutions	589	629	528	572	599	605	674	658	607	582	584	543	514	7684
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	39·0	44·4	43·2	43·9	39·6	34·2	37·4	42·0	44·7	42·5	41·8	46·0	40·1	41·4
Mean of Highest -	45·0	49·7	46·2	48·2	43·2	39·4	43·3	47·7	50·9	49·0	49·9	52·5	48·7	47·2
Mean of Lowest -	31·1	37·8	40·0	39·3	35·6	28·1	31·1	35·6	39·0	36·8	33·1	40·5	32·3	35·4
Mean Humidity of the Air.	84	87	94	82	78	75	88	86	80	83	83	87	75	83
Rain-fall (in inches) -	0·46	0·27	0·05	0·30	0·16	1·15	0·09	0·38	0·69	1·40	0·15	0·95	0·13	6·18
Registered Sunshine (in hours).	18·1	8·3	1·4	16·5	10·8	19·5	0·4	15·6	23·7	22·9	44·7	14·6	41·6	247·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	4	4	5	4	3	2	2	1	1	1	1	-	-	2
Scarlet Fever - -	2361	2362	2256	2172	2069	1993	1937	1881	1784	1765	1766	1754	1713	1986
Diphtheria - - -	917	912	908	899	901	896	936	908	903	911	901	884	872	904
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	68	62	56	59	60	62	55	61	66	76	78	89	88	68

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq , M.D Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee. Tynemouth ; E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the ELEVENTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 11th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1710·2	1231	197	137	60	149	247	441
Small-pox*	0·2	-	-	-	-	-	-	-
Cowpox	0·2	-	-	-	-	-	-	-
Measles (Morbilli)	64·9	24	5	18	1	-	-	-
Scarlet Fever	9·4	6	2	2	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	62·9	23	1	-	1	3	9	9
Whooping-cough	36·9	46	17	29	-	-	-	-
Diphtheria	14·7	6	-	5	-	-	1	-
Cerebro-spinal Fever ..	0·2	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	0·2	-	-	-	-	-	-	-
Enteric Fever	2·7	4	-	-	2	-	2	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	3·7	3	-	3	-	-	-	-
Diarrhœa, Dysentery ..	10·0	8	2	2	-	2	2	-
Tetanus	1·0	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	0·2	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	0·2	-	-	-	-	-	-	-
Venereal Dis.	9·6	4	4	-	-	-	-	-
Puerperal Septicæmia ..	3·1	1	-	-	-	1	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·2	-	-	-	-	-	-	-
Infective Endocarditis ..	2·7	2	-	-	-	2	-	-
Pneumonia: Lobar ..	24·6	19	2	1	1	5	4	6
Pneumonia: Broncho ..	86·8	60	20	23	1	5	6	5
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	80·7	50	3	5	3	8	16	15
Erysipelas	4·5	-	-	-	-	-	-	-
Septicæmia (not Puerperal) ..	1·2	2	-	-	-	1	-	1
Pyæmia (not Puerperal)	0·8	-	-	-	-	-	-	-
Other Infective Processes	3·9	1	-	1	-	-	-	-
Tuberculous Phthisis ..	98·7	81	3	2	9	37	21	9
"*Phthisis*"	61·8	40	-	-	2	14	18	6
Tuberculous Meningitis ..	20·9	19	3	10	6	-	-	-
Tuberculous Peritonitis ..	6·6	6	1	2	3	-	-	-
Tabes Mesenterica	2·5	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	19·7	10	1	4	2	1	2	-
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	10·6	6	-	-	-	-	6	-
Rheumatic Fever	5·3	1	-	-	1	-	-	-
Gout	4·7	1	-	-	-	-	-	1
Carcinoma	59·6	55	-	-	-	2	24	29
Sarcoma	5·9	7	-	-	-	3	3	1
Cancer (undefined) ..	33·8	38	-	-	-	1	10	27
Diabetes Mellitus	12·1	9	-	1	1	1	2	4
Premature Birth	49·8	42	42	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 11th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·9	12	1	5	1	3	-	[illegible]
Gen. Par. of Insane, Insanity	18·2	14	-	-	-	4	7	[illegible]
Epilepsy	10·6	4	-	-	1	1	2	-
Convulsions	18·4	9	8	-	1	-	-	-
Locomotor Ataxy.. ..	2·7	3	-	-	-	2	1	-
Paraplegia, Dis. of Cord.	4·5	3	-	-	-	1	-	[illegible]
Nervous Sys., Other Dis.	18·2	14	-	-	-	2	4	[illegible]
Valv. Dis., Endocarditis..	53·0	44	-	-	5	8	11	2
Cereb. Hæm. Cereb. Emb.	44·2	43	-	1	-	1	9	3
Apoplexy, Hemiplegia ..	19·0	16	-	-	-	-	2	1
Aneurysm	4·7	6	-	-	-	-	4	[illegible]
Embolism, Thrombosis (not Cerebral) ..	2·0	2	-	-	-	-	1	[illegible]
Heart & Blood Ves., Other Dis... ..	100·8	73	-	-	-	6	13	5
Croup (not Spasm: nor Memb.)	0·4	-	-	-	-	-	-	-
Bronchitis	193·1	88	11	2	-	3	10	6
Emphysema, Asthma ..	7·2	2	-	-	-	-	2	-
Pleurisy	3·3	4	-	2	-	1	-	[illegible]
Respiratory Dis., Other..	15·4	15	6	3	-	2	1	[illegible]
Tonsillitis, Quinsy.. ..	0·4	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	8·2	7	1	4	1	-	-	[illegible]
Gastro-enteritis	3·9	3	2	1	-	-	-	-
Peritonitis (not Puerp.) ..	2·0	-	-	-	-	-	-	-
Cirrhosis of Liver.. ..	12·1	5	-	-	-	-	4	[illegible]
Liver Dis., Other	5·5	6	-	-	-	1	2	[illegible]
Digestive Sys., Other Dis.	36·7	44	3	2	8	9	10	1[illegible]
Acute Nephritis	6·8	12	1	-	1	-	6	[illegible]
Bright's Dis., Albuminuria	39·9	30	-	-	-	6	10	14
Urinary Sys., Other Dis.	10·9	22	-	-	1	1	4	16
Generative Organs Dis...	4·9	7	-	-	-	2	3	2
Childbirth (Accid. of) ..	4·1	1	-	-	-	1	-	-
Old Age	67·6	57	-	-	-	-	-	57
Other Diseases	100·4	73	46	7	3	6	3	8
ACCIDENT.								
By Railways	1·6	2	-	-	-	-	1	1
By Vehicles and Horses..	4·7	2	-	-	1	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	-	-	-	-	-	-	-
In Building Operations..	0·4	-	-	-	-	-	-	-
In Conflagrations	1·0	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	8·2	2	-	1	-	-	-	1
By Drowning	3·1	4	-	-	-	-	4	-
By Suffocation in Bed ..	9·0	10	10	-	-	-	-	-
By Poisons or Poisonous Vapours	2·5	-	-	-	-	-	-	-
Other Deaths by Accident..	16·8	12	1	-	2	1	1	7
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·4	1	-	1	-	-	-	-
Suicide	10·2	4	-	-	-	1	3	-
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th March, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2344	1231	197	441	-	24	6	6	46	4	11	121	37	118	514	3
WEST DISTRICTS	805,311	336	168	20	73	-	3	1	-	2	1	1	11	3	9	77	-
NORTH DISTRICTS	1,055,908	532	287	42	112	-	1	2	-	12	1	-	27	15	33	118	-
CENTRAL DISTRICTS	209,465	92	47	3	11	-	-	-	1	3	-	-	3	2	4	27	-
EAST DISTRICTS	715,739	451	224	44	50	-	8	-	1	13	-	4	29	6	39	115	-
SOUTH DISTRICTS	1,749,844	933	461	87	182	-	12	2	3	16	1	4	45	11	33	133	3
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	44	1	13	-	-	1	1	-	1	2	6	-	-	44	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	23	10	1	4	-	1	-	-	-	-	-	2	-	-	-	-
Central Paddington *W,3H*	50,053	27	15	2	3	-	-	-	-	2	-	-	1	-	-	10	-
South Paddington	30,320	6	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	48	25	2	11	-	1	-	-	-	-	-	4	1	1	15	-
Brompton *2H*	48,591	9	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	33	9	3	3	-	1	-	-	-	-	-	-	-	-	2	-
South Hammersmith *w,2H* ..	63,047	30	15	2	10	-	-	-	-	-	-	-	-	-	2	6	-
North-west Fulham *W*	45,180	43	10	1	5	-	-	-	-	-	-	-	1	-	-	8	-
North-east Fulham *F*	46,405	19	10	4	3	-	-	1	-	-	-	-	-	-	1	3	-
South Fulham *W*	45,704	30	10	-	4	-	-	-	-	-	-	-	-	-	2	-	-
Chelsea North *W,w,3H*	42,514	13	19	1	12	-	-	-	-	-	-	-	2	-	-	11	-
Chelsea South *W,2H*	31,328	14	5	1	2	-	-	-	-	-	-	-	-	1	1	2	-
Mayfair and Knightsbridge	28,743	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	17	18	1	6	-	-	-	-	-	-	1	1	1	2	10	-
St. Margaret & St. John *6H*	43,698	15	12	2	2	-	-	-	-	-	-	-	-	-	-	10	-
St. James and St. Anne *W,6H* ..	33,081	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	11	10	-	4	-	1	-	-	-	-	-	-	-	-	6	-
St. Mary Marylebone *W,4H* ..	37,948	48	11	5	3	-	-	-	-	1	-	-	-	-	-	5	-
Christchurch Marylebone *H* ..	39,536	13	8	1	4	-	-	-	-	-	-	-	-	-	2	-	-
St. John Marylebone *2H*	20,426	6	9	-	6	-	-	-	-	1	-	-	-	-	1	-	-
Hampstead *W,F,6H*	81,942	25	26	2	9	-	-	1	-	-	-	-	1	-	2	11	-
West St. Pancras *2H*	60,562	27	16	-	3	-	-	-	-	-	-	-	1	-	-	2	-
South St. Pancras *w,10H*	55,707	26	17	2	7	-	-	-	-	-	-	-	4	3	3	11	-
East St. Pancras *W,H*	60,320	27	27	6	10	-	-	-	-	3	-	-	3	2	3	15	-
North St. Pancras *2W*	58,728	30	17	3	3	-	-	-	-	-	-	-	4	2	3	8	-
Tufnell *W*	31,995	13	13	-	3	-	-	-	-	-	-	-	4	-	1	9	-
Upper Holloway *2W,w,H*	33,978	22	16	2	5	-	-	-	-	-	-	-	2	1	2	11	-
Tollington *W,w,H*	33,922	15	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	18	4	1	2	-	-	-	-	-	-	-	1	1	1	-	-
Barnsbury	54,478	33	10	3	5	-	-	-	-	3	-	-	-	-	-	-	-
Islington South-east *F*	75,397	42	16	3	10	-	-	-	-	-	-	-	-	2	5	-	-
Highbury *2H*	63,797	23	11	1	2	-	-	-	-	1	-	-	-	-	1	1	-
Stoke Newington *H*	51,247	28	11	-	7	-	-	-	-	-	-	-	1	1	1	-	-
North Hackney	50,398	16	10	-	7	-	-	-	-	-	-	-	-	2	2	-	-
Central Hackney *2w,F*	50,536	34	10	2	3	-	-	1	-	1	1	-	-	-	1	4	-
South-west Hackney *3H*	59,921	42	16	4	4	-	-	-	-	-	-	-	-	1	3	8	-
South-east Hackney *2W,w,H* ..	58,255	33	35	6	13	-	-	-	-	2	-	-	6	-	2	26	-
Hackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th March, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand *W*,4*H*	21,674	2	9	1	2	-	-	-	-	-	-	-	1	1	1	8	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	6	11	-	1	-	-	-	-	1	-	-	1	-	-	9	-
Clerkenwell *H*	63,704	34	8	1	2	-	-	-	-	-	-	-	1	-	1	-	-
St. Luke 3*H*,*L*	36,116	26	4	1	2	-	-	-	-	1	-	-	-	-	1	-	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	13	-	2	-	-	-	1	1	-	-	-	1	1	9	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	22	5	2	-	-	-	-	-	1	-	-	1	1	2	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	37	14	4	4	-	-	-	-	1	-	-	5	1	3	8	-
Shoreditch North-East	36,148	18	5	2	1	-	-	-	-	1	-	-	1	1	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	47	37	8	7	-	3	-	1	1	-	-	3	1	4	26	-
Bethnal Green South-West *H* ..	64,542	44	14	5	4	-	2	-	-	-	-	-	-	-	3	-	-
Spitalfields..	27,969	14	4	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Mile End New Town *W*,*H*	28,718	21	42	4	4	-	2	-	-	-	-	1	5	1	4	39	-
Goodman's Fields	22,081	10	6	1	2	-	-	-	-	-	-	-	2	-	2	-	-
St. George and St. John 2*W* ..	49,068	32	9	2	1	-	-	-	-	-	-	1	2	-	-	4	-
Shadwell and Ratcliff *w*,*H* ..	25,568	13	11	2	-	-	-	-	-	3	-	-	-	-	1	7	-
Limehouse *W*	32,369	16	7	1	1	-	-	-	-	-	-	-	1	-	1	-	-
Mile End Old Town South-Western *H*	63,698	50	9	1	4	-	-	-	-	2	-	-	2	-	2	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	21	15	2	4	-	1	-	-	1	-	-	3	-	1	6	-
Bow	41,989	24	5	1	2	-	-	-	-	-	-	-	1	-	2	-	-
Bromley 3*w*,*H*	68,319	49	35	6	12	-	-	-	-	2	-	2	3	1	10	23	-
Poplar *W*,*w*	58,514	33	6	-	4	-	-	-	-	1	-	-	-	-	1	2	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

BLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th March, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	13	-	3	-	-	-	-	-	-	-	1	1	1	11	-
Kent-road	21,904	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	25	7	1	1	-	1	-	-	-	-	-	-	-	1	2	-
Newington North	49,022	28	11	2	2	-	1	-	-	-	-	1	2	1	2	-	-
Newington South *W*	72,841	33	14	4	4	-	-	-	-	-	-	-	3	1	2	-	1
St. Olave *2W*	9,817	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Bermondsey *W*	82,483	62	13	7	-	-	-	-	-	1	-	-	1	-	-	-	-
Rotherhithe *W,F*	38,460	16	17	3	8	-	-	-	-	-	-	-	5	1	2	11	-
Waterloo *2H*	27,440	40	9	3	4	-	-	-	-	-	-	1	-	-	1	2	-
Lambeth Church *H*	27,440	18	8	1	-	-	-	-	-	-	-	-	-	-	-	7	-
Kennington *2W*	52,518	27	11	-	6	-	-	-	-	-	-	-	3	-	-	8	-
Stockwell *HF*	63,826	37	8	4	3	-	-	-	-	-	1	-	-	-	1	1	-
Brixton *H*	73,673	27	13	3	7	-	-	-	-	-	-	-	-	-	1	-	1
Norwood *2WH*	56,998	19	20	-	14	-	-	-	-	-	-	-	2	-	1	1	1
East Battersea *H*	72,203	34	10	2	1	-	1	-	-	1	-	1	3	1	2	-	-
North-west Battersea	49,656	18	8	1	2	-	2	-	-	1	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	25	25	5	13	-	-	-	-	1	-	-	-	-	-	16	-
Clapham *2H*	51,361	16	9	1	3	-	-	-	-	-	-	-	2	-	1	4	-
Streatham *W,2w,2F,2L*	88,019	57	33	8	17	-	-	1	-	1	-	-	2	-	2	8	-
Springfield *2W,L*	27,959	15	4	1	3	-	-	-	-	-	-	-	-	-	1	1	-
Southfields *H*	40,444	28	8	1	4	-	-	-	-	-	-	-	1	-	1	-	-
Putney	24,139	9	9	1	6	-	-	-	-	1	-	-	2	-	-	-	-
Dulwich	13,359	5	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	16	23	2	15	-	-	-	-	-	-	-	6	-	-	20	-
Camberwell North *W,2L*	65,584	26	33	3	13	-	-	-	-	2	-	-	5	1	1	16	-
St. George	47,331	22	9	1	4	-	-	-	-	1	-	-	-	1	2	-	-
Peckham North	48,913	41	11	5	4	-	-	-	-	1	-	1	-	-	-	-	-
Peckham South *2W,w*	43,946	22	9	2	3	-	2	-	-	-	-	-	-	-	1	-	-
Deptford North	37,613	22	7	1	3	-	-	-	-	2	-	-	-	-	-	-	-
Deptford Central *F*	45,481	16	7	-	1	-	1	1	2	-	-	-	2	-	1	3	-
Deptford South	34,625	18	7	-	5	-	1	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	15	7	-	3	-	1	-	-	1	-	-	-	-	1	-	-
Greenwich East *2W,H*	43,859	21	25	4	10	-	-	-	-	2	-	-	2	1	2	12	-
Eltham *w,H*	7,226	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	13	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	37	13	4	3	-	-	-	-	1	-	-	1	-	2	5	-
Sydenham *H*	43,653	26	10	5	2	-	2	-	-	-	-	-	-	1	2	-	-
Charlton *F,2H*	21,134	14	4	1	1	-	-	-	1	-	-	-	-	-	-	2	-
Woolwich *5H*	41,625	27	7	2	2	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead West *W,H*	39,376	16	11	3	3	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead East *2W*	28,951	14	11	2	6	-	-	-	-	-	-	-	1	-	-	3	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	1	-	-	-	1	1	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	5	-
Darenth	—	-	2	-	-	-	-	-	-	-	1	-	-	-	-	2	-
Leavesden	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	5	-
London County Lunatic Asylums:—																	
Banstead	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Long Grove	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	2	-	1	-	-	-	-	-	-	-	1	-	-	2	-
Dartford Heath	—	-	4	-	-	-	-	-	-	-	-	-	1	-	-	4	-
Hanwell	—	-	4	-	-	-	-	-	-	-	-	-	1	-	-	4	-
Colney Hatch	—	-	6	-	2	-	-	-	-	-	-	1	-	-	-	6	-
Claybury	—	-	5	-	1	-	-	-	-	-	-	1	3	-	-	5	-

TABLE **6.** LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 19th March, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1343	516	102	175	-	8	1	8	9	1	4	21	37	115	3
30 : 1	Carshalton 2F,3H	12,228	32,997	22	10	-	3	-	-	-	2	-	-	-	-	-	3	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	8	5	-	2	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	27	11	2	3	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	35	17	3	3	-	-	-	-	-	-	-	1	2	7	-
4	North Croydon H	2,644	41,698	21	10	6	2	-	-	-	-	2	-	-	-	-	-	-
5	Penge w	770	22,465	6	5	1	3	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	32	13	4	3	-	-	-	-	-	-	-	-	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	29	6	1	3	-	-	-	-	-	-	-	-	-	1	-
2	Kingston 2W,H	6,224	42,068	20	11	1	4	-	-	-	-	-	-	-	2	2	2	-
3	Surbiton F,H	3,046	15,017	11	4	1	3	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	14	6	-	1	-	-	-	-	-	-	-	1	1	1	-
5	Hampton H,F,L	4,564	23,456	8	6	-	1	-	-	-	-	-	-	-	1	1	2	-
40 : 1	Richmond W,H	2,491	31,672	14	5	-	3	-	-	-	-	-	-	-	1	1	2	-
2	Mortlake F	2,518	17,821	15	6	1	3	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	16	4	-	2	-	-	-	-	-	-	-	1	1	1	-
2	Beckenham H	7,825	28,497	15	8	1	6	-	-	-	-	-	-	-	-	-	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,335	16,446	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-
42 : 1	Bexley w,F,H	8,678	21,151	11	5	-	3	-	-	-	-	-	-	-	1	1	1	-
2	Erith F,H	3,854	25,296	23	3	1	-	-	-	-	-	-	-	-	1	1	-	-
3	Dartford W,F, *part of** ..	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
124 : 1	Sunbury w	11,054	18,683	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	8,035	13,661	16	3	-	3	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge H	12,757	8,984	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	24	20	2	7	-	4	-	1	-	-	-	1	2	7	-
2	Twickenham F,2H	3,421	20,991	10	2	-	-	-	-	-	1	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	35	12	2	5	-	-	-	-	-	-	-	1	1	-	-
4	Chiswick H	1,249	29,809	28	15	5	6	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	38	14	4	6	-	-	-	-	-	-	-	-	-	1	-
127A : 1	Harrow F,H	13,809	25,523	18	6	2	2	-	-	-	-	-	-	-	1	1	-	-
2	Edgware 2F,2H	6,994	4,521	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Hendon W,F	8,382	22,450	13	4	2	1	-	-	-	-	-	-	-	-	-	12	-
127B : 1	Willesden W,F,2H	4,384	114,811	70	27	3	7	-	2	-	1	-	-	-	-	-	-	-
128 : 1	South Mimms 2F,H ..	17,765	7,308	4	2	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Barnet W,2H	3,324	17,970	9	5	1	3	-	1	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,688	33,692	17	8	2	2	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	25	11	3	5	-	-	-	-	-	-	-	1	1	-	-
2	Wood Green H	1,625	34,233	33	8	3	3	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	36	6	3	1	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	47	12	1	3	-	-	-	-	2	-	1	1	1	4	-
5	Edmonton W,w,2F	7,491	61,892	49	18	-	9	-	-	-	-	1	1	-	1	2	8	-
6	Enfield 2W,F,H	12,601	42,738	15	12	-	6	-	-	-	-	-	-	-	-	2	2	-
7	Waltham Abbey F	11,017	6,549	4	4	1	2	-	-	-	-	-	-	-	-	-	-	1
8	Cheshunt F,H	8,479	12,292	7	1	1	-	-	-	-	-	-	-	-	-	-	-	1
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	34	12	2	4	-	-	-	1	-	-	-	-	-	-	1
2	Forest Gate	787	52,745	18	10	2	2	-	-	-	-	1	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	60	21	10	5	-	-	-	1	-	-	1	-	2	2	-
4	Canning Town H	1,556	70,718	55	12	5	1	-	-	-	-	-	-	-	2	4	1	-
5	South East Ham 2F ..	1,991	37,342	28	10	2	3	-	-	-	-	-	-	-	-	1	-	-
6	North East Ham w,H ..	1,333	58,666	38	11	4	3	-	-	-	-	-	-	-	1	2	1	-
7	Wanstead F	1,679	9,179	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	28	14	3	6	-	-	-	-	1	-	-	-	-	7	-
9	North Leyton 2W,w,F ..	1,963	48,445	41	34	6	8	-	-	1	1	2	-	1	-	1	23	-
10	Walthamstow 2H,L ..	6,504	108,929	85	18	7	4	-	1	-	-	-	-	1	3	4	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	8	1	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	29	12	2	3	-	-	-	-	-	-	-	-	1	3	-
3	Barking Town F	3,805	21,547	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
LONDON* - -	4,872,702	March 19	2344	1231	13·2	-	24	6	6	46	4	12
CALCUTTA - -	1,009,008	February 19	-	445‡	22·9	3	3	-	-	1	7	9
BOMBAY - -	977,822	" 22	396	650‡	34·6	34	4	-	-	-	1	35
MADRAS - -	509,346	" 18	288	376	38·3	1	6	?	?	?	127§	8
PARIS* - -	2,772,467	March 5	989	970	18·4	6	24	4	9	6	5	23
		" 12	998	987	18·7	3	13	1	2	4	4	17
BRUSSELS* - -	720,030	" 12	232	172	12·4	-	1	-	1	1	1	9
ANTWERP* - -	314,135	" 12	128	94	15·6	-	4	-	-	2	-	7
AMSTERDAM* -	569,712	" 12	282	143	13·1	-	-	-	2	1	-	4
COPENHAGEN -	450,000	" 12	241	121	14·0	-	-	2	-	3	-	2
STOCKHOLM -	339,582	" 5	139	97	14·9	-	4	2	2	1	-	1
CHRISTIANIA -	235,674	" 12	118	56	12·4	-	1	-	1	-	-	1
ST. PETERSBURG	1,620,000	" 5	1152	773	24·9	4	54	14	12	8	16	79
MOSCOW - -	1,493,600	" 5	-	723	25·2	9	24	23	23	12	4	54
BERLIN - -	2,127,118	February 26	885	587	14·4	-	2	10	12	10	-	16
HAMBURG - -	895,804	March 12	-	258	15·0	-	4	3	10	-	-	16
BRESLAU - -	507,500	" 5	-	157	16·1	-	-	-	-	1	1	7
MUNICH - -	576,000	" 5	-	171	15·4	-	-	-	-	-	-	15
VIENNA* - -	2,085,888	" 12	805	683	17·0	-	13	2	8	4	1	27
PRAGUE* - -	494,531	February 26	-	-	-	-	-	-	-	-	-	-
BUDAPEST* -	833,703	March 5	451	348	21·7	-	8	4	4	1	-	7
TRIESTE* - -	218,727	" 5	133	107	25·4	-	4	-	-	-	-	2
ROME - - -	584,308	January 22	293	237	21·1	-	1	-	5	-	1	3
VENICE - -	179,286	February 5	86	93	27·1	-	3	-	-	-	1	4
BUCAREST - -	297,643	" 12	183	146	25·6	-	1	4	1	-	-	1
NEW YORK* -	4,711,956	" 26	2509	1633	18·1	-	22	40	44	3	7	28
CHICAGO* - -	2,282,927	" 26	-	757	17·3	-	5	9	17	4	2	45
PHILADELPHIA*	1,598,400	January 29	-	608	19·8	-	2	4	5	2	14	17
RIO DE JANEIRO	826,324	February 6	-	322	20·3	1	2	-	2	2	2	?
CAIRO :—*												
Egyptians -	616,183	" 11	581	337	28·4	-	3	-	?	?	2	22
		" 18	511	369	31·1	-	5	-	7	?	4	29
Foreigners -	61,480	" 11	9	14	11·8	-	-	-	-	?	-	-
		" 18	4	16	13·5	-	-	-	1	?	-	-
ALEXANDRIA :—*												
Egyptians -	317,454	" 11	331	189	31·0	-	9	-	4	?	-	16
		" 18	332	224	36·7	-	16	-	3	?	-	24
Foreigners -	67,966	" 11	11	16	12·2	-	-	-	1	?	-	2
		" 18	15	19	14·5	-	-	-	2	?	1	2

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 21 deaths from *plague* in Calcutta and 88 in Bombay, and from *Asiatic cholera*, 34 deaths in Calcutta and 1 in Bombay.
§ All forms of fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 19th March, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	54·2	27·9	40·5	0·13	BRADFORD - -	48·8	29·0	39·6	0·09
BRIGHTON - -	54·7	30·7	41·4	0·07	YORK - - -	51·0	31·0	41·3	0·15
PORTSMOUTH - -	53·5	30·0	41·8	0·10	HULL - - -	52·0	31·0	41·1	0·16
NORWICH - -	53·4	28·4	39·7	0·24	TYNEMOUTH - -	52·0	30·0	40·5	0·19
PLYMOUTH - -	52·4	30·3	42·3	0·14	CARDIFF - - -	51·0	30·3	40·8	0·19
BRISTOL - - -	52·0	28·0	40·7	0·15	EDINBURGH - -	51·4	29·0	40·0	0·05
BIRMINGHAM - -	52·7	30·9	40·1	0·07	GLASGOW - -	52·9	31·8	40·9	0·14
NOTTINGHAM - -	51·0	29·0	38·9	0·07	DUBLIN Phœnix Park.	52·6	28·8	39·8	0·17
LIVERPOOL OBSERVATORY	50·0	33·0	41·3	0·27	DUBLIN Fitzwilliam Square.†	54·1	33·9	41·9	0·20
MANCHESTER -	48·4	27·8	39·3	0·18					
BURNLEY - -	47·0	25·0	38·8	0·32					
HUDDERSFIELD -	49·5	30·5	39·7	0·20	BELFAST - - -	51·0	30·0	40·5	0·15

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was '1·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 19th March, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 13	..	29·913	46·2	33·1	13·1	39·1	− 2·2	31·2	7·9	14·5	3·0	74	90·0	25·0	43·80	N., NE. & N.	N., S. & SW.	1·6	0·0	0·1	218	− 79	0·00	5·0
MONDAY - 14	..	29·949	51·3	28·9	22·4	40·4	− 1·1	32·4	8·0	16·0	1·0	73	92·7	23·6	43·68	SW.	SW. & SSW.	0·6	0·0	0·0	165	−128	0·00	5·0
TUESDAY - 15	..	29·965	50·7	27·9	22·8	39·3	− 2·4	33·8	5·5	16·0	0·7	81	80·9	21·3	43·34	SW., calm & N.	N.	0·4	0·0	0·0	126	−169	0·00	0·0
WEDNESDAY 16	..	29·980	54·2	29·2	25·0	42·3	+ 0·4	33·2	9·1	20·8	0·0	70	93·4	22·8	43·10	Calm & SW.	WSW. & SW.	3·8	0·0	0·2	331	+ 33	0·00	0·2
THURSDAY - 17	..	29·725	51·0	40·2	10·8	45·3	+ 3·3	34·3	11·0	15·3	3·9	65	90·0	37·0	42·95	SW., WSW. & NW.	NW. & NNW.	6·0	0·0	0·4	427	+125	0·06	3·8
FRIDAY - 18	First Qr.	29·638	41·1	32·9	8·2	35·2	− 6·8	31·3	3·9	8·0	0·9	86	85·0	27·8	43·00	WSW., NNW. & N.	N. & NNW.	12·8	0·0	0·6	378	+ 72	0·06	1·0
SATURDAY - 19	Greatest Dec. N.	29·884	46·3	34·0	12·3	39·2	− 2·7	33·0	6·2	10·9	2·2	79	89·0	27·0	43·00	NW. & N.	N. & calm	3·5	0·0	0·2	285	− 25	0·01	0·0
MEANS - -		29·865	48·7	32·3	16·4	40·1	− 1·6	32·7	7·4	14·5	1·7	75	88·7	26·4	43·27	SW. & N.		..	..	..	Sum 1930	Sum −171	Sum 0·13	2·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MARCH.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 13	w. P. till 6h. A.M.; m. P. till 3h. P.M.; s. P. generally afterwards.	7·6	11·6	Overcast till sunrise; very fine afterwards with variable amounts of cloud; hoar frost at night.
MONDAY - 14	s.P. generally till 11h. A.M.; m.P. till 5h. P.M.; s. P. generally afterwards.	10·2	11·7	A very fine day; partially cloudy in early morning; small amounts of cloud prevalent till evening; cloudless at night; hoar frost in morning and again at night.
TUESDAY - 15	m.P. with occasional s. P. till 9h. A.M.; s. P. afterwards.	4·7	11·7	Fine and partially cloudy till evening with occasional misty or foggy intervals; cloudless but hazy at night; hoar frost in morning and at night.
WEDNESDAY 16	m. P. till 9h. A.M.; then s. P. generally.	9·9	11·8	Very fine throughout with small amounts of cloud; light fog in early morning; hoar frost.
THURSDAY - 17	w.P. till 5h. A.M.: w. P. and v. N. till 9h. A.M.; s.P. till 11h. P.M.; then m. N.	3·7	11·9	Generally cloudy with fine intervals till 6h. P.M.; then overcast; occasional rain.
FRIDAY - 18	v.P. and v.N. till 4h. A.M.; m.P. till 9h. A.M.; s. P. and s. N. till 7h. P.M.; s.P. afterwards.	3·4	11·9	Generally overcast till noon: then variable; occasional rain till 9h. A.M. followed by frequent snow showers; gusty wind prevalent between 9h. 30m. A.M. and 4h. 30m. P.M. Parhelion observed shortly after 3h. P.M.
SATURDAY - 19	m. P. till 9h. A.M.; s. P. afterwards.	2·1	12·0	Generally overcast till 9h. A.M.; fine and variably cloudy afterwards; light showers of snow and rain occasionally till afternoon.
		Sum 41·6	Sum 82·6	
No. of Col.	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·84 in. at the beginning of the week to 30·05 in. by 9h. A.M. on the 16th; decreased generally to 29·55 in. by 9h. A.M. on the 18th; and increased to 29·96 in. by midnight on the 19th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 12th March, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	3	3	-	-	-	-	1	-	-
Kensington	184,635	-	2	2	-	1	-	-	3	-	-
Hammersmith	127,413	-	13	1	-	-	-	-	2	1	-
Fulham	181,282	-	6	5	-	-	-	-	5	-	-
Chelsea	75,457	-	-	1	-	1	-	-	-	-	-
City of Westminster ..	167,233	-	2	5	-	2	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	5	2	-	1	-	-	3	-	-
Hampstead	95,729	-	3	-	-	-	-	-	-	-	1
St. Pancras	237,792	-	17	5	-	-	-	-	3	-	-
Islington	353,356	-	9	9	-	-	-	-	2	-	1
Stoke Newington	54,838	-	2	-	-	-	-	-	-	-	-
Hackney	239,979	-	4	4	-	-	-	-	3	2	-
CENTRAL.											
Holborn	53,142	-	-	1	-	-	-	-	1	-	-
Finsbury	94,578	-	2	1	-	2	-	-	2	1	-
City of London	17,132	-	-	-	-	-	-	-	-	-	1
EAST.											
Shoreditch	114,387	-	2	3	-	2	-	-	6	-	-
Bethnal Green	131,579	-	1	2	-	-	-	-	2	-	1
Stepney	314,379	-	8	8	-	3	-	-	5	-	-
Poplar	172,432	-	6	3	-	4	-	-	5	-	-
SOUTH.											
Southwark	211,832	-	3	4	-	1	-	-	7	-	-
Bermondsey	127,238	-	8	7	-	1	-	-	-	-	-
Lambeth	327,074	-	21	7	-	3	-	-	-	-	-
Battersea	188,222	-	20	1	-	2	-	-	5	-	-
Wandsworth	305,838	-	20	5	-	1	-	-	7	-	-
Camberwell	286,058	-	23	5	-	2	-	-	2	-	-
Deptford	119,642	-	11	2	-	1	-	-	2	-	-
Greenwich	112,935	-	2	8	-	-	-	-	-	-	-
Lewisham	164,899	-	9	6	-	-	-	-	1	1	-
Woolwich	135,422	-	11	5	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	216	105	-	27	-	-	69	5	4
Ages 0-1		-	4	2	-	-	-	-	3	-	-
„ 1-5		-	55	43	-	-	-	-	3	-	2
„ 5-		-	91	35	-	5	-	-	8	-	-
„ 10-		-	41	11	-	4	-	-	3	-	-
„ 15-		-	8	3	-	2	-	-	4	-	-
„ 20-		-	5	4	-	5	-	-	1	1	-
„ 25-		-	10	3	-	6	-	-	5	3	2
„ 35-		-	1	3	-	4	-	-	9	1	-
„ 45-		-	1	1	-	-	-	-	17	-	-
„ 55-		-	-	-	-	1	-	-	7	-	-
„ 65 and upwards		-	-	-	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40 BACON STREET, E

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 12. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, MAR. 26. [Price 1½*d*.

General Register Office, Somerset House,
March 29th, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·9 per 1000 of their aggregate population, which is estimated † at 16,713,617 persons in the middle of this year. In the preceding three weeks the rates had been 14·5, 13·6, and 13·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 18·3 in West Bromwich, 18·4 in Burnley, 18·5 in Blackburn, 18·6 in Liverpool, 18·7 in South Shields, 19·6 in Barrow in Furness, 19·8 in Huddersfield, 20·3 in Tynemouth, 20·4 in Grimsby, 21·3 in Stockport, and 23·7 in Swansea; from *measles*, 1·1 in Hull, 1·3 in Merthyr Tydfil, 1·5 in Stockport and in Burnley, and 3·0 in Hanley; from *scarlet fever*, 1·1 in Blackburn; and from *whooping-cough*, 1·2 in Devonport, in Aston Manor, and in Liverpool, 1·3 in West Hartlepool and in South Shields, 1·5 in Hastings, and 1·6 in Barrow in Furness. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2141 BIRTHS and 1263 DEATHS were registered. Allowing for increase of population, the births were 349 and

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(16103—41.) Wt. 109—472. 700. 3/10. D & S. G. 31. Sch. 4 M

the deaths 322 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 14·4, 13·4, and 13·2 per 1000 in the preceding three weeks, was 13·5 last week. The death-rate in the four weeks ended last Saturday averaged 13·6 per 1000, being 4·1 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1263 deaths included 24 from measles, 10 from scarlet fever, 10 from diphtheria, 44 from whooping-cough, 6 from enteric fever, and 5 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 99 deaths were referred, being 33 below the corrected average number in the twelfth week of the preceding five years.

The deaths from *measles*, which had been 39, 15, and 24 in the preceding three weeks, were again 24 last week, and were 31 below the corrected average; 4 deaths belonged to the Borough of Paddington. The deaths from *scarlet fever*, which had been 6, 9, and 6 in the preceding three weeks, rose to 10 last week, the corrected average being 11. The deaths from *diphtheria*, which had been 9, 6, and 6 in the preceding three weeks, rose to 10 last week, but were 4 below the corrected average. The deaths from *whooping-cough*, which had been 46, 44, and 46 in the preceding three weeks, were 44 last week, and were 8 above the corrected average; 6 deaths belonged to Poplar, 5 each to Islington, Hackney, and Camberwell, 4 to Fulham, and 3 to Shoreditch. The deaths from *enteric fever* which had been 3, 2, and 4 in the preceding three weeks, rose to 6 last week, and were 2 above the corrected average. The deaths from *diarrhœa*, which had been 10, 13, and 11 in the preceding three weeks, fell to 5 last week, and were 8 below the corrected average. Of the 5 deaths from diarrhœa, 2 were those of children under 5 years of age, both being those of children under 2 years of age; 5 other deaths at this age were certified as due to *enteritis*, and 1 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 17, having been 34, 24, and 23 in the preceding three weeks.

Different forms of violence caused 46 deaths, concerning all but 1 of which inquests were held. Of these 46 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 36 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, six to burns or scalds, and three, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1650 cases of scarlet fever, 855 of diphtheria, and 88 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 173 cases, against 211, 199, and 180; of diphtheria, 71 cases, against 98, 87, and 90; and of enteric fever, 11 cases, against 13, 20, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended March 19th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3354 births and 1782 deaths were registered. Allowing for increase of population, these numbers are 573 and 502 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 8 deaths from diphtheria, 13 from whooping-cough, 1 from enteric fever, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·19 inches, and that of the Thermometer 42°·0, the latter being 0°·3 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 50 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 23·6 hours; no rain fell during the week.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 26th March, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 5th Mar., 1910.	12th Mar., 1910.	19th Mar., 1910.	26th Mar., 1910.	Rate from Diseases in Cols. 11–17 Week ended 26th March, 1910.	Registered during the Week ended 26th March, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,713,617**	**14·5**	**13·6**	**13·5**	**13·9**	**1·0**	**7755**	**4448**	**869**	**1446**	-	**78**	**29**	**42**	**134**	**15**	**19**	**160**	**350**	**1200**	**36**	**76 TOWNS.**
LONDON	4,872,702	14·4	13·4	13·2	13·5	1·1	2141	1263	215	411	-	24	10	10	44	6	5	46	107	529	1	LONDON.
† CROYDON	164,485	13·0	10·1	11·1	10·8	1·0	67	34	8	14	-	2	-	-	1	-	-	1	2	7	-	† CROYDON.
† WILLESDEN ..	166,088	7·8	8·5	8·5	7·8	0·9	68	25	5	9	-	1	-	2	-	-	-	2	3	3	-	† WILLESDEN.
† HORNSEY	98,561	9·0	9·0	5·8	4·2	-	27	8	1	-	-	-	-	-	-	-	-	-	-	1	-	† HORNSEY.
† TOTTENHAM ..	132,803	8·6	7·5	8·2	10·2	0·4	76	26	5	13	-	-	-	-	1	-	-	-	3	3	-	† TOTTENHAM.
† WEST HAM ..	328,585	12·2	10·2	11·1	10·3	1·3	148	65‡	18	19	-	-	-	2	5	-	1	-	6	16	-	† WEST HAM.
† EAST HAM.. ..	156,208	9·7	9·3	9·7	7·7	0·7	74	23	5	10	-	-	-	-	2	-	-	1	1	2	-	† EAST HAM.
† LEYTON	133,436	8·6	8·2	9·8	8·6	0·4	69	22	2	12	-	-	-	-	1	-	-	-	2	3	-	† LEYTON.
† WALTHAMSTOW	141,748	9·9	9·2	5·9	8·5	0·4	64	23	5	9	-	-	-	1	-	-	-	-	3	4	-	† WALTHAMSTOW.
HASTINGS	68,520	12·2	17·5	14·5	8·4	1·5	17	11	2	4	-	-	-	-	2	-	-	-	-	3	-	HASTINGS.
BRIGHTON	131,900	11·5	11·9	17·0	13·8	-	51	35	6	14	-	-	-	-	-	-	-	-	2	7	-	BRIGHTON.
PORTSMOUTH ..	217,989	17·0	14·4	13·4	14·8	1·4	110	62	12	26	-	-	-	1	4	1	-	-	5	15	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	13·4	13·4	9·9	12·7	-	16	18	1	12	-	-	-	-	-	-	-	2	2	2	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	13·1	9·0	14·8	10·7	-	41	26	4	14	-	-	-	-	-	-	-	1	1	7	-	SOUTHAMPTON.
READING	84,355	8·0	12·4	8·7	14·2	0·6	31	23	2	15	-	-	-	-	-	-	1	-	-	5	1	READING.
NORTHAMPTON ..	99,113	13·2	9·5	12·1	13·7	1·1	27	26	3	12	-	1	-	-	1	-	-	-	-	4	-	NORTHAMPTON.
IPSWICH	75,936	19·2	14·4	19·2	11·7	-	39	17	6	4	-	-	-	-	-	-	-	-	4	3	-	IPSWICH.
GREAT YARMOUTH	53,715	13·6	13·6	19·4	8·7	1·0	32	9	1	6	-	-	-	-	1	-	-	1	1	3	-	GREAT YARMOUTH.
NORWICH	125,446	13·3	14·1	16·6	10·8	-	48	26	5	5	-	-	-	-	-	-	-	-	1	6	-	NORWICH.
PLYMOUTH	126,266	14·9	11·6	10·7	12·8	1·2	36	31	7	8	-	-	-	-	2	-	1	1	4	7	-	PLYMOUTH.
DEVONPORT	84,695	9·2	8·0	14·8	17·9	1·8	27	29	3	7	-	-	-	1	2	-	-	1	6	3	-	DEVONPORT.
BRISTOL	382,550	13·4	11·9	13·6	13·2	0·8	140	97	14	44	-	1	-	-	4	1	-	3	7	31	-	BRISTOL.
HANLEY	69,672	21·0	16·5	17·2	10·5	4·5	44	14	3	2	-	4	-	-	1	-	1	-	-	-	-	HANLEY.
BURTON-ON-TRENT	54,977	10·4	14·2	8·5	9·5	0·9	21	10	2	3	-	-	-	-	-	1	-	-	-	1	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	105,962	10·8	9·8	14·3	13·8	0·5	50	28	6	10	-	-	-	-	1	-	-	1	1	4	-	WOLVERHAMPTON
WALSALL	101,035	20·6	10·3	17·0	13·9	-	47	27	5	12	-	-	-	-	-	-	-	-	1	5	-	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	10·1	9·4	5·8	12·3	-	34	17	3	8	-	-	-	-	-	-	-	1	2	1	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	11·0	11·7	11·0	18·3	0·7	56	25	6	6	-	-	1	-	-	-	-	4	5	5	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ Including 1 death from Typhus.

ended Saturday 26th March, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 5th Mar., 1910.	12th Mar., 1910.	19th Mar., 1910.	26th Mar., 1910.	Rate from Diseases in Cols. 11-17. Week ended 26th March, 1910.	Registered during the Week ended 26th March, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	16·5	14·5	14·4	15·0	1·3	283	164	37	54	-	-	2	3	9	-	-	9	9	53	3	BIRMINGHAM.
KINGS NORTON ..	84,673	8·6	4·9	4·3	6·8	0·6	28	11	2	5	-	-	-	-	1	-	-	1	1	1	1	KINGS NORTON.
SMETHWICK	72,350	12·3	13·7	13·0	10·8	0·7	36	15	3	2	-	-	-	-	-	1	-	-	-	1	-	SMETHWICK.
ASTON MANOR ..	86,269	11·5	16·9	13·3	13·3	1·2	43	22	6	7	-	-	-	-	2	-	-	-	1	4	-	ASTON MANOR.
COVENTRY	81,449	13·4	19·2	16·0	14·1	0·6	47	22	4	8	-	-	-	1	-	-	-	-	1	2	1	COVENTRY.
LEICESTER	248,374	14·9	10·7	10·7	9·7	0·4	122	46	8	17	-	-	-	-	1	-	1	2	6	11	-	LEICESTER.
GRIMSBY	74,283	17·5	12·6	13·3	20·4	0·7	45	29	5	10	-	-	-	-	1	-	-	-	1	3	-	GRIMSBY.
NOTTINGHAM ..	266,471	14·9	13·1	14·3	11·9	0·6	153	61	13	22	-	1	1	-	1	-	-	-	3	17	-	NOTTINGHAM.
DERBY	131,256	9·1	12·7	10·3	14·3	-	74	36	6	19	-	-	-	-	-	-	-	5	6	6	-	DERBY.
STOCKPORT	105,087	13·4	19·4	15·4	21·3	2·5	61	43	9	11	-	3	-	1	1	-	-	-	4	10	-	STOCKPORT.
BIRKENHEAD ..	122,431	22·1	19·2	14·9	15·8	0·4	56	37	9	10	-	-	-	-	1	-	-	2	3	7	-	BIRKENHEAD.
WALLASEY	73,173	14·3	12·8	16·4	13·5	-	38	19	4	7	-	-	-	-	-	-	-	1	1	1	-	WALLASEY.
LIVERPOOL	767,606	17·7	17·2	16·8	18·6	2·4	472	274	55	74	-	10	5	2	17	1	1	11	22	87	8	LIVERPOOL.
BOOTLE	70,548	17·0	11·8	16·3	14·0	-	39	19	5	6	-	-	-	-	-	-	-	1	1	3	2	BOOTLE.
ST. HELENS	96,523	14·6	15·1	15·1	16·7	1·1	44	31	8	6	-	-	-	2	-	-	-	-	-	6	2	ST. HELENS.
WIGAN	91,732	23·9	14·8	15·9	17·6	0·6	44	31	7	8	-	-	-	1	-	-	-	1	3	6	-	WIGAN.
WARRINGTON ..	73,295	16·4	7·8	17·8	14·9	-	36	21	-	9	-	-	-	-	-	-	-	-	2	3	-	WARRINGTON.
BOLTON	190,315	11·0	12·3	12·9	10·7	1·1	78	39	6	14	-	-	-	2	1	-	1	3	5	11	-	BOLTON.
BURY	59,409	9·7	18·4	13·2	14·0	-	25	16	-	11	-	-	-	-	-	-	-	1	4	2	-	BURY.
MANCHESTER ..	716,354	16·1	17·0	14·6	16·5	1·2	351	226	51	55	-	7	2	2	6	-	-	13	22	60	3	MANCHESTER.
SALFORD	244,636	16·8	14·7	12·4	16·6	1·9	112	78	23	15	-	2	2	1	-	2	2	1	1	22	-	SALFORD.
OLDHAM	144,111	19·2	18·5	13·4	16·3	0·7	60	45	8	17	-	-	-	-	2	-	-	-	2	3	1	OLDHAM.
ROCHDALE	90,497	13·3	15·0	25·9	17·9	-	37	31	2	12	-	-	-	-	-	-	-	2	2	9	-	ROCHDALE.
BURNLEY	107,448	21·4	18·0	13·1	18·4	1·5	49	38	8	14	-	3	-	-	-	-	-	-	1	7	1	BURNLEY.
BLACKBURN	137,972	14·4	17·0	13·2	18·5	1·9	48	49	13	16	-	1	3	-	-	-	1	-	1	12	1	BLACKBURN.
PRESTON	119,253	18·8	17·9	17·5	13·6	0·9	72	31	9	13	-	-	1	-	-	-	1	-	1	1	4	PRESTON.
BARROW-IN-FURNESS.	63,689	15·6	12·3	18·0	19·6	1·6	35	24	6	2	-	-	-	-	2	-	-	3	3	4	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 26th March, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 5th Mar., 1910.	12th Mar., 1910.	19th Mar., 1910.	26th Mar., 1910.	Rate from Diseases in Cols 11-17. Week ended 26th March, 1910.	Registered during the Week ended 26th March, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS,
Cols.	1.	2.	3	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	19·3	18·7	24·2	19·8	1·7	30	36	6	15	-	1	1	-	1	-	-	-	2	4	-	HUDDERSFIELD.
HALIFAX	112,818	15·7	12·5	8·8	10·2	-	32	22	3	8	-	-	-	-	-	-	-	2	2	3	1	HALIFAX.
BRADFORD	295,865	14·6	13·2	11·8	16·7	1·1	99	95	14	33	-	5	-	-	-	1	-	3	7	17	-	BRADFORD.
LEEDS	490,985	14·7	12·6	13·6	13·4	0·1	217	126	26	45	-	-	-	1	-	-	-	6	12	24	-	LEEDS.
SHEFFIELD	478,763	12·1	12·1	13·1	13·5	0·7	234	124	32	34	-	-	-	1	4	-	1	5	9	27	1	SHEFFIELD.
ROTHERHAM.. ..	66,414	12·6	9·4	3·9	12·6	0·8	39	16	4	2	-	-	-	-	-	-	1	2	3	2	-	ROTHERHAM.
YORK	88,159	12·4	13·0	8·9	14·8	-	36	25	2	11	-	-	-	-	-	-	-	-	3	6	-	YORK.
HULL	280,006	17·7	17·9	16·0	16·9	1·9	125	91	19	31	-	6	-	3	1	-	-	1	7	11	1	HULL.
MIDDLESBROUGH ..	107,014	16·1	15·1	15·6	15·1	0·5	43	31	7	10	-	-	-	1	-	-	-	-	1	8	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,680	9·7	23·3	14·6	10·7	-	35	11	-	6	-	-	-	-	-	-	-	-	1	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	81,814	7·0	8·3	12·7	15·3	1·3	34	24	7	5	-	-	-	-	2	-	-	1	1	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	18·8	17·8	14·6	13·9	1·0	94	43	16	10	-	-	-	-	2	-	1	2	3	10	2	SUNDERLAND.
SOUTH SHIELDS ..	119,737	14·8	12·6	14·4	18·7	2·2	71	43	12	7	-	2	-	-	3	-	-	2	2	3	1	SOUTH SHIELDS.
GATESHEAD	133,676	14·8	10·9	16·0	11·7	0·8	67	30	9	5	-	1	-	-	1	-	-	2	2	7	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	285,951	14·2	15·1	12·9	10·2	0·4	102	56	9	19	-	-	-	2	-	-	-	5	10	12	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	56,378	17·6	12·0	14·8	20·3	-	32	22	4	5	-	-	-	-	-	-	-	1	1	1	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,724	13·1	15·7	9·8	17·0	0·7	55	26	6	5	-	-	-	-	1	-	-	-	-	7	-	NEWPORT (MON.).
CARDIFF	199,189	13·9	10·5	15·7	12·3	0·8	102	47	11	9	-	1	-	1	-	1	-	1	1	12	-	CARDIFF.
RHONDDA	138,674	16·5	15·8	16·5	12·4	1·1	118	33	7	10	-	-	1	1	1	-	-	1	1	2	-	RHONDDA.
MERTHYR TYDFIL..	79,522	11·8	19·0	14·4	15·7	1·3	47	24	9	5	-	2	-	-	-	-	-	1	3	5	-	MERTHYR TYDFIL.
SWANSEA	98,817	22·7	21·6	17·4	23·7	0·5	53	45	4	18	-	-	-	-	1	-	-	4	4	2	-	SWANSEA.
GREATER LONDON	7,537,196	13·0	12·3	12·1	12·3	1·0	3354	1782	317	610	-	27	10	23	67	7	8	59	155	632	1	GREATER LONDON.
OUTER RING ..	2,664,494	10·5	10·4	10·1	10·2	0·8	1213	519	102	199	-	3	-	13	23	1	3	13	48	103	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	10·3	9·2	9·2	8·9	0·7	593	226	49	86	-	3	-	5	10	-	1	4	20	39	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	10·8	11·5	11·0	11·4	0·9	620	293	53	113	-	-	-	8	13	1	2	9	28	64	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	12·0	19·5	15·1	12·3	0·7	149	85	15	29	-	3	1	-	1	-	-	1	?	35	5	EDINBURGH.
GLASGOW	884,505	17·6	16·9	16·3	15·5	1·9	380	263	48	46	-	19	2	-	6	-	5	10	?	67	9	GLASGOW.
DUBLIN (Registra-	402,928	25·2	24·8	18·4	22·6	0·8	242	175	33	52	-	1	-	-	2	1	2	1	1	64	3	DUBLIN (Registration Area).†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWELFTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2675	2424	2556	2585	2423	2611	2243	2548	2400	2356	2489·8	2141
Males - - -	1378	1233	1271	1276	1243	1321	1202	1326	1226	1165	1277·9	1098
Females - -	1297	1191	1285	1309	1180	1290	1041	1222	1174	1191	1211·9	1043
TOTAL **Deaths** -	1817	1588	1649	1461	1645	1376	1436	1483	1455	1989	1584·8	1263
Males - - -	973	813	838	714	857	699	732	776	739	977	803·3	647
Females - -	844	775	811	747	788	677	704	707	716	1012	781·5	616

* The numbers in this column are the average weekly numbers in the Twelfth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 1.	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	13 Weeks.
TOTAL **Births** -	2182	2340	2242	2146	2086	2381	2375	2325	2264	2393	2370	2344	2141	29589
TOTAL **Deaths** -	1502	1331	1367	1351	1468	1607	1632	1526	1386	1346	1254	1231	1263	18264
Ages at Death: Under 1 year -	247	219	259	223	267	283	259	241	235	233	219	197	215	3097
1—5 years -	114	126	115	105	146	142	161	126	136	153	116	137	127	1704
5—20 " -	86	63	57	72	64	77	80	74	59	68	63	60	78	901
20—40 " -	177	157	151	161	156	182	173	159	162	133	148	149	143	2051
40—60 " -	323	273	304	301	308	344	334	341	261	272	248	247	289	3845
60 yrs. & upwds.	555	493	481	489	527	579	625	585	533	487	460	441	411	6666
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	8	11	17	18	11	17	13	26	14	39	15	24	24	237
Scarlet Fever - -	8	5	2	-	10	5	6	8	4	6	9	6	10	79
Diphtheria - -	9	9	15	13	10	16	5	11	11	9	6	6	10	130
Whooping-cough -	33	29	33	30	57	57	61	53	45	46	44	46	44	578
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	-	1	-	3	3	2	3	2	4	3	2	4	6	33
Pyrexia (origin uncertain).	-	1	-	-	-	-	-	-	-	1	-	-	-	2
Diarrhœa, Dysentery	8	7	15	10	11	14	15	8	11	10	13	11	5	138
All above diseases -	66	63	82	74	102	111	103	108	89	114	89	97	99	1197
Dis. of Resp. System	196	168	141	152	178	207	226	200	172	148	129	109	123	2149
Pneumonia - -	164	170	144	139	144	185	199	195	176	142	150	129	138	2075
Phthisis - - -	152	99	114	140	141	153	112	124	131	126	108	121	123	1644
Dis. of Circ. System -	231	199	199	197	242	235	227	220	176	198	172	184	194	2674
Violence - - -	58	56	48	52	58	41	56	62	42	49	50	37	46	655
Inquest Cases - -	174	149	135	152	148	158	163	173	121	135	143	118	107	1876
Deaths in Institutions	629	528	572	599	605	674	658	607	582	584	543	514	529	7624
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	44·4	43·2	43·9	39·6	34·2	37·4	42·0	44·7	42·5	41·8	46·0	40·1	42·0	41·7
Mean of Highest -	49·7	46·2	48·2	43·2	39·4	43·3	47·7	50·9	49·0	49·9	52·5	48·7	51·1	47·7
Mean of Lowest -	37·8	40·0	39·3	35·6	28·4	31·1	35·6	39·0	36·8	33·1	40·5	32·3	33·3	35·6
Mean Humidity of the Air.	87	94	82	78	75	88	86	80	83	83	87	75	80	83
Rain-fall (in inches) -	0·27	0·05	0·30	0·16	1·15	0·09	0·38	0·69	1·40	0·15	0·95	0·13	0·00	5·72
Registered Sunshine (in hours).	8·3	1·4	16·5	10·8	19·5	9·4	15·6	23·7	22·9	44·7	14·6	41·6	23·6	252·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	4	5	4	3	2	2	1	1	1	1	-	-	-	2
Scarlet Fever - -	2362	2256	2172	2069	1993	1937	1881	1784	1765	1766	1754	1713	1650	1931
Diphtheria - - -	912	908	899	901	896	936	908	903	911	901	884	872	855	899
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	62	56	59	60	62	55	61	66	76	78	89	88	88	69

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq , M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWELFTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionab should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 12th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1584·8	1263	215	127	78	143	289	411
Small-pox*	0·4	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	54·5	24	5	18	1	-	-	-
Scarlet Fever	10·9	10	-	7	2	1	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	56·3	17	-	-	1	1	7	8
Whooping-cough	35·8	44	20	21	3	-	-	-
Diphtheria	13·9	10	1	7	2	-	-	-
Cerebro-spinal Fever ..	-	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	3·9	6	-	-	1	2	3	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	3·3	-	-	-	-	-	-	-
Diarrhœa, Dysentery ..	9·6	5	-	2	1	-	2	-
Tetanus	0·2	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	0·4	-	-	-	-	-	-	-
Venereal Dis.	8·4	4	3	-	-	-	1	-
Puerperal Septicæmia ..	2·5	2	-	-	1	1	-	-
Puerperal Pyæmia.. .	0·4	2	-	-	-	2	-	-
Puerperal Fever	1·0	-	-	-	-	-	-	-
Infective Endocarditis ..	3·3	-	-	-	-	-	-	-
Pneumonia: Lobar ..	24·6	14	2	1	-	1	6	4
Pneumonia: Broncho ..	77·0	68	25	20	3	2	6	12
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	79·9	56	4	10	5	5	14	18
Erysipelas	5·5	3	2	-	-	-	1	-
Septicæmia (not Puerperal) ..	1·6	1	-	-	1	-	-	-
Pyæmia (not Puerperal)	1·0	2	1	-	-	-	1	-
Other Infective Processes	3·9	4	-	-	-	-	2	2
Tuberculous Phthisis ..	90·9	99	1	5	10	34	41	8
"*Phthisis*"	46·3	24	-	-	2	10	12	-
Tuberculous Meningitis ..	21·5	18	4	9	5	-	-	-
Tuberculous Peritonitis ..	8·6	11	4	1	4	2	-	-
Tabes Mesenterica	1·6	2	1	-	-	-	1	-
Tuberculous Dis., Other ..	17·2	11	2	2	2	4	1	-
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	7·0	3	-	-	-	2	1	-
Rheumatic Fever	5·3	2	-	-	1	-	1	-
Gout	2·0	1	-	-	-	-	-	1
Carcinoma	48·3	66	-	-	-	6	24	36
Sarcoma	4·7	7	-	1	1	2	2	1
Cancer (undefined) ..	34·8	33	-	-	-	2	14	17
Diabetes Mellitus	12·5	11	-	-	3	3	3	2
Premature Birth	43·6	40	40	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 12th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.
Meningitis (not tuberc.)..	15·4	6	4	2	-	-	-
Gen. Par. of Insane, Insanity	13·1	13	-	-	-	1	7
Epilepsy	5·5	7	1	-	-	2	3
Convulsions	16·2	14	13	1	-	-	-
Locomotor Ataxy.. ..	1·8	3	-	-	-	-	3
Paraplegia, Dis. of Cord.	5·7	5	-	-	-	1	2
Nervous Sys., Other Dis.	20·9	7	-	1	-	1	2
Valv. Dis., Endocarditis..	53·2	54	-	-	7	12	19
Cereb. Hæm. Cereb. Emb.	35·4	44	-	-	-	2	15
Apoplexy, Hemiplegia ..	13·7	9	-	-	-	-	4
Aneurysm	6·1	4	-	-	-	-	3
Embolism, Thrombosis (not Cerebral) ..	0·4	-	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	95·0	83	-	-	3	6	20
Croup (not Spasm : nor Memb.)	0·2	-	-	-	-	-	-
Bronchitis	173·7	112	13	8	1	-	14
Emphysema, Asthma ..	7·0	3	-	-	-	-	-
Pleurisy	4·5	1	-	-	-	-	1
Respiratory Dis., Other..	14·7	7	1	1	1	-	1
Tonsillitis, Quinsy.. ..	1·6	3	-	-	1	-	1
Enteritis (not Epid.) ..	9·6	6	5	-	-	-	-
Gastro-enteritis	3·7	1	1	-	-	-	-
Peritonitis (not Puerp.) ..	1·6	-	-	-	-	-	-
Cirrhosis of Liver.. ..	12·9	14	-	-	1	1	7
Liver Dis., Other	7·0	5	-	-	-	-	3
Digestive Sys., Other Dis.	35·6	40	5	1	4	12	9
Acute Nephritis	9·2	8	-	-	-	-	3
Bright's Dis., Albuminuria	41·6	37	-	-	1	4	16
Urinary Sys., Other Dis.	11·9	5	-	-	1	-	-
Generative Organs Dis...	4·9	5	-	1	-	1	3
Childbirth (Accid. of) ..	4·3	4	-	-	-	4	-
Old Age	67·8	49	-	-	-	-	-
Other Diseases	89·2	68	50	4	5	5	2
ACCIDENT.							
By Railways	1·6	1	-	-	-	-	1
By Vehicles and Horses..	7·4	7	-	1	2	2	-
In Ships, Boats, Docks, (exclusive of Drowning)	1·2	2	-	-	-	-	2
In Building Operations..	0·8	1	-	-	-	-	-
In Conflagrations	0·2	-	-	-	-	-	-
By Burns, Scalds, Explosions	7·2	6	1	3	-	-	-
By Drowning	3·7	1	-	-	-	-	1
By Suffocation in Bed ..	8·0	3	3	-	-	-	-
By Poisons or Poisonous Vapours	2·7	3	1	-	-	1	-
Other Deaths by Accident..	15·6	12	2	-	2	2	2
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	0·6	1	-	-	-	1	-
Suicide	9·8	9	-	-	-	5	2
Execution	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th March, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2141	1263	215	411	-	24	10	10	44	6	5	123	46	107	529	1
WEST DISTRICTS	805,311	308	227	32	80	-	9	-	-	5	3	-	22	5	19	96	-
NORTH DISTRICTS	1,055,908	496	280	46	103	-	2	3	-	11	-	2	22	11	22	113	-
CENTRAL DISTRICTS	209,465	92	59	10	13	-	-	-	-	-	-	-	10	4	6	31	-
EAST DISTRICTS	715,739	387	194	38	52	-	5	-	-	10	1	1	26	9	23	95	-
SOUTH DISTRICTS	1,749,844	858	454	89	147	-	8	7	6	18	2	-	36	16	37	145	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	49	-	16	-	-	-	4	-	-	2	7	1	-	49	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	30	13	2	3	-	1	-	-	-	-	-	-	-	2	-	-
Central Paddington *W,3H*	50,053	21	25	2	7	-	3	-	-	-	2	-	3	-	4	19	-
South Paddington	30,320	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	54	48	6	21	-	1	-	-	-	1	-	6	-	2	18	-
Brompton *2H*	48,591	12	4	-	2	-	-	-	-	-	-	-	1	-	1	1	-
North Hammersmith *2W,w,H* ..	49,192	20	24	7	8	-	2	-	-	-	-	-	-	1	1	9	-
South Hammersmith *w,2H* ..	63,047	27	17	6	6	-	-	-	-	-	-	-	1	2	4	6	-
North-west Fulham *W*	45,180	36	18	5	1	-	2	-	-	3	-	-	2	-	1	7	-
North-east Fulham *F*	46,405	18	12	1	3	-	-	-	-	-	-	-	2	-	-	-	-
South Fulham *W*	45,704	20	10	1	4	-	-	-	-	1	-	-	1	-	-	-	-
Chelsea North *W,w,3H*	42,514	13	25	-	14	-	-	-	-	-	-	-	4	-	-	22	-
Chelsea South *W,2H*	31,328	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Mayfair and Knightsbridge	28,743	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave *W,2H*	55,815	22	12	-	4	-	-	-	-	-	-	-	1	1	2	6	-
St. Margaret & St. John *6H*	43,698	12	12	2	4	-	-	-	-	1	-	-	-	-	-	7	-
St. James and St. Anne *W,6H* ..	33,081	6	4	-	1	-	-	-	-	-	-	-	1	-	1	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	10	11	1	4	-	-	-	-	-	-	-	-	-	-	6	-
St. Mary Marylebone *W,4H* ..	37,948	45	9	3	4	-	-	-	-	-	-	-	-	-	-	3	-
Christchurch Marylebone *H* ..	39,536	16	3	1	2	-	-	-	-	1	-	-	-	-	1	-	-
St. John Marylebone *2H*	20,426	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	19	14	1	8	-	-	2	-	-	-	-	1	-	-	8	-
West St. Pancras *2H*	60,562	30	8	2	3	-	-	-	-	-	-	-	-	-	-	1	-
South St. Pancras *w,10H*	55,707	13	22	2	9	-	-	-	-	-	-	-	-	3	3	16	-
East St. Pancras *W,H*	60,320	32	11	1	3	-	-	-	-	-	-	-	1	1	2	2	-
North St. Pancras *2W*	58,728	31	13	3	6	-	-	-	-	-	-	-	1	1	2	4	-
Tufnell *W*	31,995	11	33	1	16	-	-	-	-	1	-	2	4	1	1	24	-
Upper Holloway *2W,w,H*	33,978	15	21	2	5	-	-	-	-	2	-	-	1	2	2	17	-
Tollington *W,w,H*	33,922	9	6	2	2	-	-	-	-	-	-	-	1	-	1	-	-
Lower Holloway	41,424	14	6	1	4	-	-	-	-	1	-	-	-	-	-	-	-
Barnsbury	54,478	32	12	5	3	-	-	-	-	-	-	-	1	-	2	-	-
Islington South-east *F*	75,397	32	8	2	2	-	-	-	-	-	-	-	2	1	1	-	-
Highbury *2H*	63,797	34	15	4	5	-	-	-	-	1	-	-	2	-	-	1	-
Stoke Newington *H*	51,247	20	13	1	8	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	29	9	1	3	-	-	-	-	1	-	-	1	-	-	-	-
Central Hackney *2w,F*	50,536	27	11	1	5	-	-	1	-	-	-	-	1	1	1	2	-
South-west Hackney *3H*	59,921	41	28	8	5	-	-	-	-	1	-	-	3	1	3	13	-
South-east Hackney *2W,w,H* ..	58,255	33	27	4	6	-	2	-	-	3	-	-	3	-	3	16	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th March, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	16	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Strand *W*,4*H*	21,674	3	10	1	5	-	-	-	-	-	-	-	1	2	2	6	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	13	20	3	2	-	-	-	-	-	-	-	3	1	1	14	-
Clerkenwell *H*	63,704	29	10	4	-	-	-	-	-	-	-	-	2	-	2	-	-
St. Luke 3*H*,*L*	36,116	28	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Holborn Union Workhouse, Mitcham	-	-	2	-	2	-	-	-	-	-	-	-	1	-	-	2	-
St. Botolph *H*	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	9	1	2	-	-	-	-	-	-	-	1	1	1	7	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	25	5	-	-	-	1	-	-	1	-	-	2	-	-	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	30	11	1	2	-	-	-	-	1	-	-	4	-	-	8	-
Shoreditch North-East	36,148	22	3	-	1	-	1	-	-	-	-	-	1	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	29	32	5	8	-	-	-	-	-	-	-	4	2	3	22	-
Bethnal Green South-West *H* ..	64,542	38	8	1	3	-	-	-	-	-	-	-	1	1	2	2	-
Spitalfields..	27,969	7	4	-	3	-	-	-	-	-	-	-	1	-	2	-	-
Mile End New Town *W*,*H*	28,718	30	32	6	2	-	1	-	-	-	1	-	1	2	5	24	-
Goodman's Fields	22,081	10	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-
St. George and St. John 2*W* ..	49,068	25	11	2	5	-	-	-	-	-	-	-	1	-	3	7	-
Shadwell and Ratcliff *w*,*H* ..	25,568	5	7	2	-	-	-	-	-	1	-	-	-	-	1	6	-
Limehouse *W*	32,369	10	5	-	2	-	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town South-Western *H*	63,698	44	11	8	-	-	-	-	-	1	-	-	-	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	29	15	2	9	-	-	-	-	-	-	-	4	1	2	7	-
Bow	41,989	22	7	2	1	-	-	-	-	1	-	-	1	-	-	-	-
Bromley 3*w*,*H*	68,319	24	25	6	7	-	1	-	-	4	-	-	5	2	2	14	-
Poplar *W*,*w*	58,514	37	13	2	7	-	1	-	-	1	-	1	-	1	2	3	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th March, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	13	3	-	-	-	-	-	-	-	-	1	1	2	11	-
Kent-road	21,904	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	18	15	5	1	-	-	-	-	2	-	-	2	-	2	5	-
Newington North	49,022	21	9	2	3	-	1	-	-	-	-	-	1	-	-	-	-
Newington South *W*	72,841	35	16	4	6	-	-	-	-	1	-	-	1	-	2	-	-
St. Olave *2W*	9,817	3	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	36	11	3	2	-	-	-	-	2	-	-	3	-	-	-	-
Rotherhithe *W,F*	38,460	19	21	3	5	-	-	-	-	-	-	-	2	2	3	14	-
Waterloo *2H*	27,440	23	6	1	3	-	-	-	-	-	-	-	-	-	-	3	-
Lambeth Church *H*	27,440	9	18	3	2	-	-	-	2	-	1	-	1	1	1	14	-
Kennington *2W*	52,518	30	18	3	7	-	-	-	-	1	-	-	3	-	1	14	-
Stockwell *HF*	63,826	45	9	1	3	-	-	-	-	-	-	-	1	-	1	-	-
Brixton *H*	73,673	41	18	4	8	-	-	-	-	1	-	-	-	-	2	-	1
Norwood *2WH*	56,998	25	9	2	5	-	-	-	-	-	-	-	1	1	1	-	-
East Battersea *H*	72,203	37	13	1	6	-	-	-	-	-	-	-	-	1	1	-	-
North-west Battersea	49,656	33	10	5	1	-	-	-	-	1	-	-	1	-	1	-	-
South-west Battersea *2W,H* ..	47,048	10	20	3	8	-	1	-	-	-	-	-	-	2	4	13	-
Clapham *2H*	51,361	18	9	1	4	-	-	-	-	-	-	-	-	-	1	1	-
Streatham *W,2w,2F,2L*	88,019	58	29	7	12	-	-	2	1	1	-	-	2	1	1	12	-
Springfield *2W,L*	27,959	19	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Southfields *H*	40,444	20	6	1	3	-	-	-	-	-	-	-	2	-	-	-	-
Putney	24,139	6	4	1	1	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich	13,359	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	19	1	12	-	-	-	-	-	-	-	3	-	-	15	-
Camberwell North *W,2L*	65,584	33	20	3	6	-	-	-	-	2	-	-	2	-	1	7	-
St. George	47 331	28	15	3	3	-	-	-	-	2	-	-	1	-	1	-	-
Peckham North	48,913	23	11	4	6	-	1	-	-	1	-	-	-	2	2	-	-
Peckham South *2W,w*	43,946	12	10	2	4	-	1	-	-	-	-	-	-	1	2	-	-
Deptford North	37,613	11	12	2	4	-	1	-	-	1	-	-	3	-	1	-	-
Deptford Central *F*	45,481	32	13	4	-	-	2	2	1	-	1	-	-	-	-	4	-
Deptford South	34,625	12	11	1	5	-	-	-	-	2	-	-	-	-	-	-	-
Greenwich West *H*	23,456	15	5	1	-	-	1	-	-	-	-	-	-	1	1	-	-
Greenwich East *2W,H*	43,859	17	12	2	6	-	-	-	-	1	-	-	-	-	-	9	-
Eltham *w,H*	7,226	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	7	8	-	5	-	-	-	-	-	-	-	2	-	-	2	-
Lewisham *2W,w,F*	58,352	41	21	8	5	-	-	-	-	1	-	-	-	2	2	9	-
Sydenham *H*	43,653	22	6	1	3	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	4	7	-	-	-	-	3	1	-	-	-	1	-	1	4	-
Woolwich *5H*	41,625	13	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead West *W,H*	39,376	21	5	-	2	-	-	-	-	1	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	13	13	-	4	-	-	-	-	-	-	-	3	-	-	6	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	4	-	-	-	-	-	4	-	-	-	-	-	-	4	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	3	-	-	-	-	-	-	-	-	-	1	-	-	3	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Leavesden	—	-	4	-	2	-	-	-	-	-	-	-	-	1	-	4	-
London County Lunatic Asylums:—																	
Banstead	—	-	10	-	6	-	-	-	-	-	-	-	2	-	-	10	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
Long Grove	—	-	10	-	2	-	-	-	-	-	-	1	3	-	-	10	-
Cane Hill	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Dartford Heath	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	—	-	5	-	1	-	-	-	-	-	-	1	-	-	-	5	-
Claybury	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongin the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Bo Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERA POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 26th March, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1213	519	102	199	-	3	-	13	23	1	3	13	48	103
30 : 1	Carshalton 2F,3H	12,228	32,997	21	11	2	3	-	-	-	-	1	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	12	3	1	1	-	-	-	1	-	-	-	-	-	1
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	3	-	2	-	-	-	-	-	-	-	-	-	2
38 : 1	Coulsdon	11,069	8,166	1	3	1	2	-	-	-	-	-	-	1	-	-	-
2	South Croydon w,H ..	4,200	49,309	17	12	3	4	-	-	-	-	1	-	-	-	1	1
3	West Croydon 3W,F,H ..	2,168	42,888	25	18	4	6	-	2	-	-	-	-	-	1	2	6
4	North Croydon H	2,644	41,698	25	4	1	3	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	6	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	25	13	2	3	-	-	-	2	-	-	-	1	3	1
39 : 1	Wimbledon F,3H	3,221	41,652	24	13	4	5	-	-	-	-	5	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	28	17	4	7	-	-	-	1	2	-	-	-	2	11
3	Surbiton F,H	3,046	15,017	9	5	2	2	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	2	3	-	1	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	6	7	-	4	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	20	4	-	2	-	-	-	-	-	-	-	1	1	2
2	Mortlake F	2,518	17,821	12	3	1	1	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	12	4	-	2	-	-	-	-	-	-	-	-	-	1
2	Beckenham H	7,825	28,497	6	7	-	3	-	-	-	-	-	-	-	1	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	7	9	2	6	-	-	-	-	-	-	-	1	2	5
4	Chislehurst 2H	7,335	16,446	6	-	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	6	4	-	2	-	-	-	-	-	-	-	-	1	-
2	Erith F,H	3,854	25,296	11	3	-	-	-	-	-	-	-	-	-	1	1	-
3	Dartford W,F, *part of** ..	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2
124 : 1	Sunbury w	11,054	18,683	11	3	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	5	3	-	3	-	-	-	-	-	-	-	-	-	3
125 : 1	Hillingdon W,F,H	6,035	13,661	7	2	-	-	-	-	-	-	-	-	-	-	-	1
2	Uxbridge H	12,757	8,984	4	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	17	3	2	1	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	17	16	3	6	-	-	-	-	-	-	-	1	1	8
2	Twickenham F,2H	2,421	20,991	11	4	1	-	-	-	-	-	-	-	-	-	1	-
3	Brentford 3F,2H	4,319	48,289	28	8	2	2	-	-	-	-	-	-	-	1	1	-
4	Chiswick H	1,249	29,809	10	10	-	7	-	-	-	-	1	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	35	6	1	2	-	-	-	-	-	-	-	-	1	-
127A: 1	Harrow F,H	13,809	25,523	19	9	1	2	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	9	5	-	3	-	-	-	1	-	-	-	-	1	1
127B: 1	Willesden W,F,2H	4,384	114,811	68	25	5	9	-	1	-	2	-	-	-	2	3	3
128 : 1	South Mimms 2F,H ..	17,755	7,308	-	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,979	8	4	-	2	-	-	-	-	-	-	-	-	-	3
3	Finchley F,3H	4,688	33,692	32	6	1	3	-	-	-	-	-	-	-	1	2	1
129 : 1	Hornsey F,H	2,875	72,056	27	9	1	-	-	-	-	2	-	-	-	-	-	2
2	Wood Green H	1,625	34,233	25	5	2	2	-	-	-	-	-	-	-	1	2	1
3	West Tottenham	995	48,741	31	6	1	2	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	45	19	4	9	-	-	-	-	1	-	-	-	3	2
5	Edmonton W,w,2F	7,491	61,892	53	34	7	11	-	-	-	-	1	1	-	-	5	9
6	Enfield 2W,F,H	12,601	42,738	22	12	2	5	-	-	-	1	-	-	-	-	1	2
7	Waltham Abbey F	11,017	6,549	3	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	10	2	-	2	-	-	-	-	-	-	-	-	1	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	1	-	1	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	30	9	3	2	-	-	-	-	1	-	-	-	1	1
2	Forest Gate	787	52,745	17	9	1	4	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	49	19	5	5	-	-	-	2	1	-	-	-	-	3
4	Canning Town H	1,556	70,718	52	17	7	2	-	-	-	-	3	-	1	-	5	1
5	South East Ham 2F ..	1,991	37,342	37	12	2	4	-	-	-	-	2	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	37	9	3	4	-	-	-	-	-	-	-	1	1	-
7	Wanstead F	1,679	9,179	2	5	-	5	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	32	15	2	11	-	-	-	-	-	-	-	-	1	7
9	North Leyton 2W,w,F ..	1,963	48,445	37	20†	2	7	-	-	-	1	1	-	-	-	1	9
10	Walthamstow 2H,L ..	6,504	108,929	69	21	7	7	-	-	-	-	-	-	-	-	3	-
187 : 1	Chigwell 2F,3H	11,778	16,397	4	2	-	2	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	3	1	1	-	-	-	-	-	-	-	-	-	3
2	Ilford F,L	8,496	41,244	40	18	4	5	-	-	-	-	2	-	1	-	-	3
3	Barking Town F	3,805	21,547	18	10	4	1	-	-	-	-	1	-	-	-	-	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Essex County Lunatic Asylum, Brentwood.	—	—	-	4	-	3	-	-	-	-	-	-	-	-	-	4

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
NDON* - -	4,872,702	March 26	2141	1263	13·5	-	24	10	10	44	6	8
LCUTTA - -	1,009,008	February 26	-	497‡	25·6	2	11	-	-	3	2	18
MBAY - -	977,822	„ 29	395	753‡	40·0	42	3	-	-	-	-	43
ADRAS - -	509,346	„ 25	277	321	32·7	2	1	?	?	?	101§	6
RIS* - -	2,772,467	March 19	971	994	18·8	-	27	5	6	6	3	27
USSELS* - -	720,030	„ 19	239	189	13·6	-	1	-	2	3	-	6
TWERP* - -	314,135	„ 19	134	67	11·1	-	2	-	-	2	-	4
STERDAM* -	569,712	„ 19	266	150	13·7	-	1	-	1	2	-	1
PENHAGEN -	450,000	„ 19	249	125	14·5	-	-	-	-	2	-	3
OCKHOLM -	339,582	„ 12	151	111	17·0	-	11	2	2	1	-	4
RISTIANIA -	235,674	„ 19	107	43	9·5	-	-	-	2	1	-	1
PETERSBURG	1,620,000	„ 12	1210	771	24·8	6	44	15	10	8	15	86
SCOW - -	1,493,600	„ 12	-	809	28·2	7	35	19	31	7	3	57
RLIN - -	2,127,772	„ 5	824	597	14·6	-	4	6	17	7	2	32
MBURG - -	895,804	„ 19	-	236	13·7	-	4	1	10	2	1	14
ESLAU - -	507,500	„ 12	-	189	19·4	-	-	-	1	1	-	10
NICH - -	576,000	„ 12	280	188	17·0	-	1	1	1	2	-	16
NNA* - -	2,085,888	„ 19	794	705	17·6	-	20	5	7	3	2	23
AGUE* - -	494,531	February 26	234	197	20·7	-	1	-	3	-	1	8
DAPEST* -	833,703	March 12	462	321	20·0	-	7	9	1	2	-	11
ESTE* - -	218,727	„ 12	158	124	29·5	-	10	-	-	3	1	1
ME - - -	584,308	January 29	316	235	21·0	-	2	1	2	1	2	7
NICE - -	183,224	February 12	79	73	20·8	-	2	-	-	-	-	5
CAREST - -	297,643	„ 19	199	137	24·0	-	1	2	2	-	-	4
W YORK* -	4,711,956	March 5	2665	1674	18·5	-	31	43	43	2	5	35
CAGO* - -	2,232,927	„ 5	-	740	16·9	-	5	7	20	10	2	56
LADELPHIA*	1,598,400	February 5	-	566	18·4	-	-	2	3	5	10	18
DE JANEIRO	842,822	„ 13	-	299	18·5	-	-	-	-	1	-	?
RO:—*												
gyptians -	616,183	„ 25	525	369	31·1	-	4	-	11	?	1	26
reigners -	61,480	„ 25	1	10	8·5	-	-	-	-	?	-	-
XANDRIA:—*												
gyptians -	317,454	„ 25	304	209	34·2	4	16	1	3	?	1	23
reigners -	67,966	„ 25	14	23	17·6	-	1	-	-	?	-	-

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to dren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 20 deaths from *plague* in Calcutta and 91 in Bombay, and from *Asiatic cholera*, 41 deaths in Calcutta.
§ All forms of fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 26th March, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
DON (Greenwich)	51·0	25·5	42·5	0·00	BRADFORD - -	-	-	-	-
HTON - -	55·5	30·9	44·2	0·00	YORK - - -	59·0	34·0	46·7	0·00
TSMOUTH - -	55·3	29·6	44·0	0·00	HULL - - -	57·0	33·0	45·0	0·01
WICH - -	54·8	29·0	43·0	0·02	TYNEMOUTH - -	59·0	33·0	41·6	0·00
MOUTH - -	56·0	36·8	46·4	0·00	CARDIFF - - -	55·5	34·0	44·5	0·04
STOL - - -	55·8	31·0	44·2	0·01	EDINBURGH - -	52·9	35·2	44·9	0·02
MINGHAM - -	55·3	33·3	44·6	0·00	GLASGOW - -	53·5	34·5	45·7	0·01
TINGHAM - -	57·0	28·0	42·7	0·00	DUBLIN Phœnix Park.	54·1	27·2	43·4	0·00
ERPOOL (OBSERVATORY)	55·0	36·0	44·4	0·00	DUBLIN Fitz-william Square.†	55·2	35·1	45·9	0·01
ICHESTER -	55·5	30·8	43·3	0·00					
NLEY - -	53·0	28·0	41·9	0·00					
DERSFIELD -	53·2	34·0	44·4	0·00	BELFAST - - -	54·5	32·5	44·6	0·03

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The rection applied by the late Mr. Glaisner in the returns up to the 31st March, 1902, for the corresponding period to the ve was 1·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 26th March, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 20	..	30·029	47·2	28·3	18·9	38 7	− 3·2	32·6	6·1	11·1	0·0	79	71·2	23·0	42·80	Calm	Calm, SE. & S.	0·0	0·0	0·0	106	−205	0·00	0·0
MONDAY - 21	..	30 011	52 0	31·9	20 1	42·2	+ 0·3	40·2	2 0	8·6	0·5	93	69·1	26 1	42·60	S. & SW.	Variable, NNW. & N	2·5	0·0	0·1	190	−123	0·00	0·0
TUESDAY - 22	..	30·256	52·3	33·6	18·7	42·5	+ 0 5	34·3	8·2	15·3	0·7	73	100·8	25·4	42·50	NNE. & N.	NNE., NE. & E.	3 0	0·0	0·2	267	− 50	0·00	5·0
WEDNESDAY 23	..	30·328	54·0	25·5	28·5	40 6	− 1·6	33·6	7·0	15·8	0·6	76	87·0	21·8	42·60	Calm, variable & N.	N., E. & calm.	1·0	0·0	0·0	134	−187	0·00	0·0
THURSDAY - 24	..	30·306	50·0	36·0	14·0	42·8	+ 0 4	37·7	5·1	11·8	2·2	82	61·0	26·7	42·60	Calm	N. & NE.	1·0	0·0	0·0	131	−194	0·00	1·0
FRIDAY - 25	Full	30·228	53·8	42·4	11·4	47·2	+ 4·5	36·4	10·8	16·0	4·6	66	100·9	34 8	42·79	NE. & NNE.	ENE. & ESE.	0·5	0·0	0·0	147	−185	0·00	9·0
SATURDAY - 26	In Equator	30·141	48·3	35·4	12·9	40·1	− 2·9	37·8	2·3	8·8	0 8	92	85·7	23 4	42·95	NE, E. & NNE.	NE., E. & ESE.	1·1	0·0	0·0	153	−183	0·00	3·0
MEANS - -		30·186	51·1	33·3	17·8	42·0	− 0·3	36·1	5·9	12·5	1·3	80	82 2	25·9	42·69	Calm & NE.		..	..	..	Sum 1128	Sum −1127	Sum 0·00	2·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MARCH.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 20	m. P. generally; occasional s. P. till 1h. P.M.	5·1	12·1	Very fine generally till noon; slight fog prevalent in afternoon; cloudless after dusk; hoar frost in morning and at night.
MONDAY - 21	m. P. generally.	1·4	12·2	Partially cloudy with hoar frost in morning; generally overcast with slight fog between 9h. A.M. and 4h. P.M.; cloudy afterwards.
TUESDAY - 22	w. P. till 5h. A.M.; m. P. till 8h. A.M.; s. P. afterwards.	8·6	12·2	Overcast in early morning; very fine generally afterwards; cloudy intervals in afternoon and cloudless with hoar frost at night.
WEDNESDAY 23	s. P. generally till 6h. P.M.; then m. P.	3·5	12·3	Fine but hazy at first with hoar frost in early morning; very fine and bright between 10h. A.M. and 1h. P.M.; generally overcast afterwards.
THURSDAY - 24	m. P. till 9h. A.M.; s. P. till 5h. P.M.; m. P. afterwards.	0·0	12·4	Generally overcast; slight mist and fog prevalent between 5h. A.M. and 1h. P.M.
FRIDAY - 25	m. P. till noon; w. P. till 6h. P.M.; m. P. afterwards.	4·2	12·4	Generally overcast till 9h. A.M.; very fine and bright till 1h. P.M.; cloudy afterwards.
SATURDAY - 26	w. P. generally till 8h. A.M.; m. P. principally afterwards.	0·8	12·5	Generally overcast till 3h. P.M.; fine and partially cloudy after; hoar frost in evening.
		Sum 23·6	Sum 86 1	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·96 in. at the beginning of the week to 30·05 in. by 9h. P.M. on the 20th; decreased to 29·99 in. by 3h. P.M. on the 21st; increased to 30·34 in. by 9h. A.M. on the 23rd; and decreased to 30·11 in. by midnight on the 26th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 19th March, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	6	2	-	1	-	-	4	-	-
Kensington	184,635	-	3	1	-	-	-	-	3	-	-
Hammersmith	127,413	-	2	2	-	-	-	-	2	-	-
Fulham	181,282	-	8	5	-	2	-	-	1	1	1
Chelsea	75,457	-	2	-	-	2	-	-	-	-	-
City of Westminster ..	167,233	-	12	3	-	-	-	-	3	-	-
NORTH.											
St. Marylebone	125,195	-	3	2	-	-	-	-	-	-	-
Hampstead	95,729	-	2	-	-	-	-	-	-	-	-
St. Pancras	237,792	-	9	2	-	2	-	-	1	-	2
Islington	353,356	-	19	10	-	1	-	-	1	-	2
Stoke Newington	54,838	-	-	1	-	-	-	-	-	-	1
Hackney	239,979	-	6	6	-	2	-	-	3	-	-
CENTRAL.											
Holborn	53,142	-	-	1	-	-	-	-	-	-	-
Finsbury	94,578	-	2	2	-	1	-	-	-	-	-
City of London	17,132	-	-	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	2	4	-	-	-	-	3	-	-
Bethnal Green	131,579	-	4	4	-	-	-	-	4	-	-
Stepney	314,379	-	4	10	-	1	-	-	7	1	-
Poplar	172,432	-	7	5	-	2	-	-	1	1	1
SOUTH.											
Southwark	211,832	-	7	3	-	-	-	-	3	1	-
Bermondsey	127,238	1	8	2	-	-	-	-	2	-	-
Lambeth	327,074	-	13	5	-	2	-	-	2	-	-
Battersea	188,222	-	7	7	-	-	-	-	4	-	-
Wandsworth	305,838	-	9	6	-	1	-	-	4	-	-
Camberwell	286,058	-	10	7	-	-	-	-	4	-	-
Deptford	119,642	-	4	1	-	-	-	-	2	-	-
Greenwich	112,935	-	3	2	-	1	-	-	1	-	-
Lewisham	164,899	-	13	8	-	2	-	-	4	-	-
Woolwich	135,422	-	9	1	-	1	-	-	1	-	-
Port of London	—	-	-	1	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	1	174	104	-	21	-	-	60	4	7
Ages 0–1		-	4	6	-	-	-	-	2	-	4
„ 1–5		-	63	39	-	1	-	-	2	-	2
„ 5–		-	55	34	-	3	-	-	2	-	1
„ 10–		-	23	12	-	-	-	-	4	-	-
„ 15–		-	8	3	-	3	-	-	3	1	-
„ 20–		-	7	2	-	1	-	-	3	-	-
„ 25–		1	10	5	-	6	-	-	5	2	-
„ 35–		-	4	2	-	4	-	-	8	1	-
„ 45–		-	-	1	-	2	-	-	12	-	-
„ 55–		-	-	-	-	1	-	-	6	-	-
„ 65 and upwards		-	-	-	-	-	-	-	13	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 13. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, APR. 2. [Price 1½*d.*

General Register Office, Somerset House,
April 4th, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·4 per 1000 of their aggregate population, which is estimated † at 16,713,617 persons in the middle of this year. In the preceding three weeks the rates had been 13·6, 13·5, and 13·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 18·5 in Ipswich, 18·8 in Oldham, 18·9 in Burnley, 19·0 in Brighton, 19·1 in Devonport, 19·4 in Plymouth, 19·7 in Liverpool, and 24·3 in Merthyr Tydfil and in Swansea; from *measles*, 1·6 in Cardiff, 2·2 in Hanley and in Bootle, 2·6 in Merthyr Tydfil, and 2·9 in Burnley; and from *whooping-cough*, 1·0 in Liverpool and in Stockton on Tees, 1·1 in Birmingham, 1·3 in Birkenhead and in Newport (Mon.), 1·5 in Hastings and in Wolverhampton, and 2·5 in Devonport. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2312 BIRTHS and 1354 DEATHS were registered. Allowing for increase of population, the births were 198 and

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(16158—41.) Wt. 91—429. 700. 4/10. D & S. G. 31. Sch. 4 N

the deaths 263 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 13·4, 13·2, and 13·5 per 1000 in the preceding three weeks, rose last week to 14·5. The death-rate in the four weeks ended last Saturday averaged 13·7 per 1000, being 3·3 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1354 deaths included 22 from measles, 2 from scarlet fever, 8 from diphtheria, 51 from whooping-cough, 3 from enteric fever, and 9 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 95 deaths were referred, being 58 below the corrected average number in the thirteenth week of the preceding five years.

The deaths from *measles*, which had been 15, 24, and 24 in the preceding three weeks, were 22 last week, and were 41 below the corrected average; 3 deaths belonged to the Borough of Fulham. The deaths from *scarlet fever*, which had been 9, 6, and 10 in the preceding three weeks, fell to 2 last week, the corrected average being 9. The deaths from *diphtheria*, which had been 6, 6, and 10 in the preceding three weeks, were 8 last week, and were 6 below the corrected average; 3 deaths belonged to Finsbury. The deaths from *whooping-cough*, which had been 44, 46, and 44 in the preceding three weeks, rose to 51 last week, and were the same as the corrected average; 8 deaths belonged to Islington, 5 to St. Marylebone, 4 each to Paddington, St. Pancras, Poplar, and Southwark, and 3 each to Stepney, Wandsworth, and Camberwell. The deaths from *enteric fever*, which had been 2, 4, and 6 in the preceding three weeks, were 3 last week, the corrected average also being 3. The deaths from *diarrhœa*, which had been 13, 11, and 5 in the preceding three weeks, were 9 last week, and were 5 below the corrected average. Of the 9 deaths from diarrhœa, 6 were those of children under 5 years of age, all being those of children under 2 years of age; 5 other deaths of children under 2 years of age were certified as due to *enteritis*, and 5 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 14, having been 24, 23, and 17 in the preceding three weeks.

Different forms of violence caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 14 were cases of suicide, and 1 of homicide, while the remaining 43 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, eight to burns or scalds, and nine, including eight of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1611 cases of scarlet fever, 856 of diphtheria, and 85 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 158 cases, against 199, 180, and 173; of diphtheria, 71 cases, against 87, 90, and 71; and of enteric fever, 9 cases, against 20, 7, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended March 26th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3596 births and 1938 deaths were registered. Allowing for increase of population, these numbers are in each case 344 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from measles, 1 from scarlet fever, 6 from diphtheria, 8 from whooping-cough, 1 from enteric fever, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·19 inches, and that of the Thermometer 41°·9, the latter being 2°·6 below the week's average in the 65 years ended 1905. The direction of the wind was North-easterly, the horizontal movement of the air being 13 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 46·8 hours; no rain was measured during the week.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 2nd April, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 12th Mar., 1910.	19th Mar., 1910.	26th Mar., 1910.	2nd Apr., 1910.	Rate from Diseases in Cols. 11-17 Week ended 2nd April, 1910.	Registered during the Week ended 2nd April, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,713,617**	**13·6**	**13·5**	**13·9**	**14·4**	**1·0**	**8159**	**4614**	**884**	**1504**	**-**	**93**	**25**	**35**	**139**	**10**	**30**	**184**	**416**	**1318**	**36**	**76 TOWNS.**
LONDON	4,872,702	13·4	13·2	13·5	14·5	1·0	2312	1354	236	464	-	22	2	8	51	3	9	58	144	566	-	LONDON.
CROYDON	164,485	10·1	11·1	10·8	12·7	1·0	59	40	6	16	-	3	-	-	-	-	-	2	3	4	-	CROYDON.
WILLESDEN ..	166,088	8·5	8·5	7·8	8·2	0·6	65	26	6	11	-	-	-	1	1	-	-	2	3	9	-	WILLESDEN.
HORNSEY	98,561	9·0	5·8	4·2	9·0	-	29	17	2	7	-	-	-	-	-	-	-	1	2	3	-	HORNSEY.
TOTTENHAM ..	132,803	7·5	8·2	10·2	13·0	0·4	54	33	10	11	-	-	-	-	1	-	-	2	9	4	-	TOTTENHAM.
WEST HAM ..	328,585	10·2	11·1	10·3	11·6	1·1	179	73	23	21	-	2	-	2	2	-	1	4	13	23	-	WEST HAM.
EAST HAM.. ..	156,208	9·3	9·7	7·7	8·0	-	71	24	3	9	-	-	-	-	-	-	-	-	1	4	-	EAST HAM.
LEYTON	133,436	8·2	9·8	8·6	9·4	0·8	56	24	5	8	-	1	1	-	-	-	-	3	3	8	-	LEYTON.
WALTHAMSTOW	141,748	9·2	5·9	8·5	8·5	0·4	59	23	5	7	-	-	-	-	1	-	-	1	2	8	-	WALTHAMSTOW.
HASTINGS	68,520	17·5	14·5	8·4	13·7	1·5	17	18	4	9	-	-	-	-	2	-	-	1	1	4	-	HASTINGS.
BRIGHTON	131,900	11·9	17·0	13·8	19·0	-	56	48	10	28	-	-	-	-	-	-	-	3	7	16	-	BRIGHTON.
PORTSMOUTH ..	217,989	14·4	13·4	14·8	14·6	0·5	120	61	10	24	-	-	1	-	-	1	-	3	6	19	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	13·4	9·9	12·7	17·6	1·4	29	25	-	10	-	-	1	1	-	-	-	-	1	5	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	9·0	14·8	10·7	14·8	-	52	36	4	17	-	-	-	-	-	-	-	-	4	15	-	SOUTHAMPTON.
READING	84,355	12·4	8·7	14·2	9·9	0·6	33	16	4	7	-	-	-	-	1	-	-	-	-	1	-	READING.
NORTHAMPTON ..	99,113	9·5	12·1	13·7	13·2	-	37	25	4	15	-	-	-	-	-	-	-	-	1	7	-	NORTHAMPTON.
IPSWICH	75,936	14·4	19·2	11·7	18·5	2·7	34	27	4	14	-	2	-	1	1	-	-	1	2	7	-	IPSWICH.
GREAT YARMOUTH	53,715	13·6	19·4	8·7	14·6	-	28	15	1	7	-	-	-	-	-	-	-	-	-	4	-	GREAT YARMOUTH.
NORWICH	125,446	14·1	16·6	10·8	14·1	1·2	64	34	4	19	-	2	1	-	-	-	-	-	1	8	-	NORWICH.
PLYMOUTH	126,266	11·6	10·7	12·8	19·4	0·4	43	47	10	13	-	-	-	-	1	-	-	1	2	9	-	PLYMOUTH.
DEVONPORT	84,695	8·0	14·8	17·9	19·1	2·5	38	31	8	9	-	-	-	-	4	-	-	1	3	1	-	DEVONPORT.
BRISTOL	382,550	11·9	13·6	13·2	13·5	0·7	153	99	11	41	-	3	-	1	1	-	-	1	9	27	-	BRISTOL.
HANLEY	69,672	16·5	17·2	10·5	18·0	3·7	29	24	1	8	-	3	1	-	1	-	-	3	4	5	-	HANLEY.
BURTON-ON-TRENT	54,977	14·2	8·5	9·5	11·4	-	19	12	2	4	-	-	-	-	-	-	-	1	1	4	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	105,962	9·8	14·3	13·8	12·8	1·5	42	26	5	4	-	-	-	-	3	-	-	1	3	4	-	WOLVERHAMPTON
WALSALL	101,035	10·3	17·0	13·9	11·9	-	49	23	6	10	-	-	-	-	-	-	-	3	4	4	2	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	9·4	5·8	12·3	8·7	-	19	12	2	4	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	11·7	11·0	18·3	17·6	-	45	24	4	8	-	-	-	-	-	-	-	1	1	10	-	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 12th Mar., 1910.	19th Mar., 1910.	26th Mar., 1910.	2nd Apr., 1910.	Rate from Diseases in Cols. 11–17. Week ended 2nd April, 1910.	Registered during the Week ended 2nd April, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	14·5	14·4	15·0	15·7	1·5	317	172	44	48	-	-	3	-	12	1	-	11	11	48	6	Birmingham.
Kings Norton ..	84,673	4·9	4·3	6·8	9·2	0·6	26	15	3	10	-	-	-	-	1	-	-	-	-	3	1	Kings Norton.
Smethwick	72,350	13·7	13·0	10·8	15·1	1·4	34	21	4	5	-	-	-	-	1	-	1	2	5	3	-	Smethwick.
Aston Manor ..	86,269	16·9	13·3	13·3	10·9	0·6	42	18	4	5	-	-	-	-	1	-	-	-	-	3	1	Aston Manor.
Coventry	81,449	19·2	16·0	14·1	16·9	0·6	41	17	5	7	-	-	-	1	-	-	-	-	-	1	-	Coventry.
Leicester	248,374	10·7	10·7	9·7	9·0	0·6	107	43	12	6	-	-	1	-	1	-	1	3	7	5	-	Leicester.
Grimsby	74,283	12·6	13·3	20·4	14·7	0·7	46	21	5	6	-	-	-	-	1	-	-	1	2	3	-	Grimsby.
Nottingham ..	266,471	13·1	14·3	11·9	14·1	1·4	132	72	12	27	-	5	-	1	-	-	1	3	6	19	2	Nottingham.
Derby	131,256	12·7	10·3	14·3	10·3	0·4	53	26	5	10	-	-	-	-	-	1	-	-	2	5	-	Derby.
Stockport	105,087	19·4	15·4	21·3	15·9	-	56	32	10	12	-	-	-	-	-	-	-	-	1	9	-	Stockport.
Birkenhead ..	122,431	19·2	14·9	15·8	17·9	2·1	73	42	6	13	-	1	1	-	3	-	-	-	-	8	1	Birkenhead.
Wallasey	73,173	12·8	16·4	13·5	12·8	2·1	30	18	3	7	-	-	1	-	1	1	-	1	1	5	-	Wallasey.
Liverpool	767,606	17·2	16·8	18·6	19·7	2·4	474	290	65	61	-	13	3	2	15	-	2	13	20	99	7	Liverpool.
Bootle	70,548	11·8	16·3	14·0	12·6	2·2	55	17	5	2	-	3	-	-	-	-	-	1	1	5	-	Bootle.
St. Helens	96,523	15·1	15·1	16·7	11·9	0·5	60	22	2	6	-	-	-	1	-	-	-	1	1	7	3	St. Helens.
Wigan	91,732	14·8	15·9	17·6	10·2	-	48	18	6	4	-	-	-	-	-	-	-	-	4	2	-	Wigan.
Warrington ..	73,295	7·8	17·8	14·9	14·2	-	42	20	7	6	-	-	-	-	-	-	-	-	-	3	1	Warrington.
Bolton	190,315	12·3	12·9	10·7	13·2	0·8	90	48	11	13	-	-	1	-	2	-	-	1	3	5	-	Bolton.
Bury	59,409	18·4	13·2	14·0	18·4	0·9	24	21	2	8	-	-	-	-	-	-	1	3	4	4	-	Bury.
Manchester ..	716,354	17·0	14·6	16·5	15·6	1·2	380	215	35	65	-	-	2	2	6	2	5	3	14	68	1	Manchester.
Salford	244,636	14·7	12·4	16·6	13·2	1·3	133	76	20	20	-	2	-	1	3	-	-	1	3	17	1	Salford.
Oldham	144,111	18·5	13·4	16·3	18·8	-	82	52	5	22	-	-	-	-	-	-	-	2	4	14	-	Oldham.
Rochdale	90,497	15·0	25·9	17·9	12·7	0·6	41	22	5	8	-	-	-	1	-	-	-	-	-	2	1	Rochdale.
Burnley	107,448	18·0	13·1	18·4	18·9	4·4	56	39	12	7	-	6	-	-	1	-	2	-	-	3	-	Burnley.
Blackburn	137,972	17·0	13·2	18·5	12·8	1·1	56	34	3	9	-	2	1	-	-	-	-	1	5	8	1	Blackburn.
Preston	119,253	17·9	17·5	13·6	14·9	-	54	34	4	14	-	-	-	-	-	-	-	-	-	5	-	Preston.
Barrow-in-Furness.	63,689	12·3	18·0	19·6	10·6	0·8	37	13	3	5	-	-	-	-	1	-	-	-	-	5	-	Barrow-in-Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS. DEATHS. and DEATH-RATES in the Week ended Saturday, 2nd April, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 12th Mar., 1910.	19th Mar., 1910.	26th Mar., 1910.	2nd Apr., 1910.	Rate from Diseases in Cols 11-17. Week ended 2nd April, 1910.	Registered during the Week ended 2nd April, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	18·7	24·2	19·8	15·4	1·7	29	28	4	6	-	-	1	1	1	-	-	-	1	4	-	HUDDERSFIELD.
HALIFAX	112,818	12·5	8·8	10·2	8·3	0·9	32	18	2	7	-	1	-	-	-	-	1	1	3	4	1	HALIFAX.
BRADFORD	295,865	13·2	11·8	16·7	14·8	1·4	129	84	7	30	-	5	1	-	2	-	-	3	7	21	-	BRADFORD.
LEEDS	490,985	12·6	13·6	13·4	13·9	0·6	199	131	23	46	-	1	1	1	2	1	-	6	15	21	-	LEEDS.
SHEFFIELD	478,763	12·1	13·1	13·5	15·0	0·9	270	138	35	48	-	-	-	-	7	-	1	5	11	23	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	9·4	3·9	12·6	14·1	0·8	35	18	3	8	-	-	-	1	-	-	-	1	1	4	2	ROTHERHAM.
YORK	88,159	13·0	8·9	14·8	12·4	-	32	21	1	11	-	-	-	-	-	-	-	1	1	5	1	YORK.
HULL	280,006	17·9	16·0	16·9	16·0	1·5	168	86	17	26	-	2	-	3	2	-	1	4	11	18	-	HULL.
MIDDLESBROUGH ..	107,014	15·1	15·6	15·1	18·0	1·0	64	37	9	4	-	-	-	1	-	-	1	-	4	5	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,680	23·3	14·6	10·7	10·7	1·0	24	11	1	2	-	-	-	-	1	-	-	1	2	4	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	81,814	8·3	12·7	15·3	9·6	-	48	15	3	4	-	-	-	-	-	-	-	-	-	4	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	17·8	14·6	13·9	14·6	1·3	91	45	8	12	-	1	1	1	1	-	-	2	2	11	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	12·6	14·4	18·7	12·2	-	45	28	8	7	-	-	-	-	-	-	-	2	3	4	-	SOUTH SHIELDS.
GATESHEAD	133,676	10·9	16·0	11·7	12·5	1·2	68	32	9	10	-	3	-	-	-	-	-	1	2	5	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	285,951	15·1	12·9	10·2	14·6	0·7	169	80	20	21	-	-	1	3	-	-	-	3	6	18	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	56,378	12·0	14·8	20·3	13·9	-	32	15	3	5	-	-	-	-	-	-	-	-	-	1	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	15·7	9·8	17·0	13·1	1·3	49	20	6	5	-	-	-	-	2	-	-	-	2	4	-	NEWPORT (MON.).
CARDIFF	199,189	10·5	15·7	12·3	14·1	1·8	83	54	9	13	-	6	-	-	-	-	1	4	7	9	-	CARDIFF.
RHONDDA	138,674	15·8	16·5	12·4	13·2	1·1	105	35	11	7	-	-	-	-	1	-	2	2	3	-	-	RHONDDA.
MERTHYR TYDFIL..	79,522	19·0	14·4	15·7	24·3	3·3	63	37	9	8	-	4	-	-	1	-	-	3	3	4	-	MERTHYR TYDFIL.
SWANSEA	98,817	21·6	17·4	23·7	24·3	0·5	44	46	8	13	-	-	-	1	-	-	-	5	8	11	-	SWANSEA.
GREATER LONDON	7,537,196	12·3	12·1	12·3	13·4	0·9	3596	1938	360	688	-	30	4	17	64	4	12	87	209	691	1	GREATER LONDON.
OUTER RING ..	2,664,494	10·4	10·1	10·2	11·4	0·7	1284	584	124	224	-	8	2	9	13	1	3	29	65	125	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	9·2	9·2	8·9	10·3	0·6	572	260	60	90	-	6	1	3	5	-	1	15	36	63	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	11·5	11·0	11·4	12·6	0·8	712	324	64	134	-	2	1	6	8	1	2	14	29	62	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	19·5	15·1	12·3	15·9	1·3	141	110	16	40	-	4	1	-	-	-	4	3	?	41	4	EDINBURGH.
GLASGOW	884,505	16·9	16·3	15·5	17·5	1·7	478	297	35	71	-	10	2	1	4	1	10	12	?	101	13	GLASGOW.
DUBLIN (Registra-	402,928	24·8	18·4	22·6	19·8	0·3	213	153	29	58	-	-	-	-	1	1	-	4	5	44	4	DUBLIN (Registra-

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTEENTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2736	2634	2383	2465	2240	2619	2663	2236	2325	2413	2509·9	2312
Males - - -	1407	1349	1234	1287	1134	1330	1347	1142	1179	1244	1278·3	1164
Females - -	1329	1285	1149	1178	1106	1289	1316	1094	1146	1169	1231·6	1148
TOTAL **Deaths** -	1785	1645	1614	1386	1672	1357	1675	1586	1580	1700	1617·4	1354
Males - - -	933	846	836	763	828	706	870	800	776	830	815·5	704
Females - -	852	799	778	623	844	651	805	786	804	870	801·9	650

* The numbers in this column are the average weekly numbers in the Thirteenth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 8.	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	13 Weeks.
TOTAL **Births** -	2340	2242	2146	2086	2381	2375	2325	2264	2393	2370	2344	2141	2312	29719
TOTAL **Deaths** -	1331	1367	1351	1468	1607	1632	1526	1383	1346	1254	1231	1263	1354	18116
Ages at Death: Under 1 year -	219	259	223	267	283	259	241	235	233	219	197	215	236	3086
1—5 years -	126	115	105	146	142	161	126	136	153	116	137	127	141	1731
5—20 " -	63	57	72	64	77	80	74	59	68	63	60	78	72	887
20—40 " -	157	151	161	156	182	173	159	162	133	148	149	143	161	2035
40—60 " -	273	304	301	308	344	334	341	261	272	248	247	289	280	3802
60 yrs. & upwds.	493	481	489	527	579	625	585	533	487	460	441	411	464	6575
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	11	17	18	11	17	13	26	14	39	15	24	24	22	251
Scarlet Fever - -	5	2	-	10	5	6	8	4	6	9	6	10	2	73
Diphtheria - -	9	15	13	10	16	5	11	11	9	6	6	10	8	129
Whooping-cough -	29	33	30	57	57	61	53	45	46	44	46	44	51	596
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	-	3	3	2	3	2	4	3	2	4	6	3	36
Pyrexia (origin uncertain).	1	-	-	-	-	-	-	-	1	-	-	-	-	2
Diarrhœa, Dysentery	7	15	10	11	14	15	8	11	10	13	11	5	9	139
All above diseases -	63	82	74	102	111	103	108	89	114	89	97	99	95	1226
Dis. of Resp. System	168	141	152	178	207	226	200	172	148	129	109	123	158	2111
Pneumonia - -	170	144	139	144	185	199	195	176	142	150	129	133	152	2063
Phthisis - - -	99	114	140	141	153	112	124	131	126	108	121	123	118	1610
Dis. of Circ. System -	199	199	197	242	235	227	220	176	198	172	184	194	193	2636
Violence - - -	56	48	52	58	41	56	62	42	49	50	37	46	58	655
Inquest Cases - -	149	135	152	148	158	163	173	121	135	143	118	107	144	1846
Deaths in Institutions	528	572	599	605	674	658	607	582	584	543	514	528	566	7560
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	43·2	43·9	39·6	34·2	37·4	42·0	44·7	42·5	41·8	46·0	40·1	42·0	41·9	41·5
Mean of Highest -	46·2	48·2	43·2	39·4	43·3	47·7	50·9	49·0	49·9	52·5	48·7	51·1	52·0	47·9
Mean of Lowest -	40·0	39·3	35·6	28·4	31·1	35·6	39·0	36·8	33·1	40·5	32·3	33·3	32·8	35·2
Mean Humidity of the Air.	94	82	78	75	88	86	80	83	83	87	75	80	74	82
Rain-fall (in inches) -	0·05	0·30	0·16	1·15	0·09	0·38	0·69	1·40	0·15	0·95	0·13	0·00	0·00	5·45
Registered Sunshine (in hours).	1·4	16·5	10·8	19·5	9·4	15·6	23·7	22·9	44·7	14·6	41·6	23·6	46·8	291·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	5	4	3	2	2	1	1	1	1	–	–	–	–	2
Scarlet Fever - -	2256	2172	2069	1993	1937	1881	1784	1765	1766	1754	1713	1650	1611	1873
Diphtheria - - -	908	899	901	896	936	908	903	911	901	884	872	855	856	895
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	56	59	60	62	55	61	66	76	78	89	88	88	85	71

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth: and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTEENTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionabl should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 13th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1617·4	1354	236	141	72	161	280	464
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	62·9	22	5	14	3	-	-	-
Scarlet Fever	8·8	2	-	1	1	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	50·6	14	-	-	-	1	3	10
Whooping-cough	50·6	51	22	27	2	-	-	-
Diphtheria	13·9	8	-	5	3	-	-	-
Cerebro-spinal Fever ..	0·4	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	2·9	3	-	-	-	2	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	3·9	3	1	-	1	-	-	1
Diarrhœa, Dysentery ..	9·6	6	4	1	-	-	1	-
Tetanus	0·8	1	-	-	-	1	-	-
Rabies, Hydrophobia ..	-	1	-	-	-	1	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	7·4	7	7	-	-	-	-	-
Puerperal Septicæmia ..	3·5	1	-	-	-	-	1	-
Puerperal Pyæmia.. ..	-	-	-	-	-	-	-	-
Puerperal Fever	0·2	-	-	-	-	-	-	-
Infective Endocarditis ..	2·9	4	-	-	1	3	-	-
Pneumonia: Lobar ..	20·1	24	1	-	1	5	12	5
Pneumonia: Broncho ..	83·8	58	19	23	1	3	2	10
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	72·3	70	15	6	3	7	20	19
Erysipelas	3·7	4	1	1	-	-	-	2
Septicæmia (not Puerperal) ..	1·2	3	1	-	-	-	1	1
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-
Other Infective Processes	5·9	6	-	1	-	-	4	1
Tuberculous Phthisis ..	105·7	89	-	4	11	39	24	11
"*Phthisis*"	51·4	29	-	1	4	12	10	2
Tuberculous Meningitis ..	18·2	22	3	14	4	-	1	-
Tuberculous Peritonitis ..	9·4	9	1	3	3	1	1	-
Tabes Mesenterica	3·1	-	-	-	-	-	-	-
Tuberculous Dis., Other ..	22·5	17	3	5	3	4	-	2
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	7·6	5	-	-	-	1	3	1
Rheumatic Fever	5·5	5	-	-	2	1	2	-
Gout	2·3	2	-	-	-	-	2	-
Carcinoma	60·4	68	-	-	-	5	30	33
Sarcoma	4·3	4	1	-	1	-	1	1
Cancer (undefined) ..	38·3	27	-	-	-	3	10	14
Diabetes Mellitus	8·8	6	-	-	1	2	-	3
Premature Birth	49·6	41	44	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 13th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	15·8	16	7	6	2	-	1
Gen. Par. of Insane, Insanity	16·4	16	-	-	-	2	10
Epilepsy	8·2	11	-	-	2	3	3
Convulsions	17·0	14	12	2	-	-	-
Locomotor Ataxy.. ..	2·0	2	-	-	-	-	1
Paraplegia, Dis of Cord.	7·4	3	-	-	-	1	2
Nervous Sys., Other Dis.	20·9	20	1	1	1	3	4
Valv. Dis., Endocarditis..	52·4	51	-	-	2	6	19
Cereb. Hæm. Cereb. Emb.	43·8	40	-	-	1	1	10
Apoplexy, Hemiplegia ..	11·5	10	-	-	-	-	5
Aneurysm	4·7	4	-	-	-	1	3
Embolism, Thrombosis (not Cerebral) ..	1·2	3	-	-	-	1	1
Heart & Blood Ves., Other Dis... ..	90·7	85	-	-	1	9	22
Croup (not Spasm: nor Memb.)	0·6	1	-	1	-	-	-
Bronchitis	145·6	137	12	6	-	5	23
Emphysema, Asthma ..	8·8	4	-	-	-	-	-
Pleurisy	5·7	2	-	-	-	1	-
Respiratory Dis., Other..	11·9	14	-	4	-	1	2
Tonsillitis, Quinsy.. ..	1·2	1	-	1	-	-	-
Enteritis (not Epid.) ..	7·2	7	5	-	1	1	-
Gastro-enteritis	3·1	6	4	1	-	1	-
Peritonitis (not Puerp.) ..	2·3	5	-	-	1	-	1
Cirrhosis of Liver.. ..	15·4	4	-	-	-	-	3
Liver Dis., Other	4·9	5	-	1	-	-	2
Digestive Sys., Other Dis.	38·9	36	4	-	3	5	11
Acute Nephritis	6·1	4	1	-	-	-	1
Bright's Dis., Albuminuria	34·0	40	-	-	2	5	14
Urinary Sys., Other Dis.	10·6	11	-	-	-	1	1
Generative Organs Dis...	4·5	2	1	-	-	1	-
Childbirth (Accid. of) ..	3·3	3	-	-	-	3	-
Old Age	71·5	52	-	-	-	-	-
Other Diseases	96·1	72	51	3	7	3	5
ACCIDENT.							
By Railways	2·3	2	-	-	-	1	-
By Vehicles and Horses..	7·0	8	-	2	3	2	1
In Ships, Boats, Docks, (exclusive of Drowning)	1·2	-	-	-	-	-	-
In Building Operations..	1·2	2	-	-	-	1	1
In Conflagrations	0·4	-	-	-	-	-	-
By Burns, Scalds, Explosions	9·0	8	-	5	1	-	-
By Drowning	3·5	1	-	-	-	-	1
By Suffocation in Bed ..	9·2	9	8	1	-	-	-
By Poisons or Poisonous Vapours	3·1	1	-	-	-	1	-
Other Deaths by Accident..	12·9	12	2	1	-	2	1
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	1·6	1	-	-	-	-	1
Suicide	9·8	14	-	-	-	9	2
Execution	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd April, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2312	1354	236	464	-	22	2	8	51	3	9	118	58	144	566	-
WEST DISTRICTS	805,311	310	237	34	85	-	9	-	-	7	-	1	26	7	20	94	-
NORTH DISTRICTS	1,055,908	546	257	56	93	-	3	-	-	17	1	1	21	16	28	97	-
CENTRAL DISTRICTS	209,465	107	65	13	15	-	-	-	2	1	-	2	2	8	13	39	-
EAST DISTRICTS	715,739	440	244	51	80	-	6	-	1	10	1	2	21	10	36	109	-
SOUTH DISTRICTS	1,749,844	909	498	81	178	-	4	1	4	15	1	2	42	17	45	174	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	53	1	13	-	-	1	1	1	-	1	6	-	2	53	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	26	12	-	6	-	-	-	-	2	-	-	1	-	-	-	-
Central Paddington *W,3H*	50,053	22	29	4	8	-	1	-	-	2	-	-	3	1	2	18	-
South Paddington	30,320	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	46	50	9	20	-	1	-	-	2	-	1	7	1	3	27	-
Brompton *2H*	48,591	14	11	2	1	-	-	-	-	-	-	-	1	-	2	-	-
North Hammersmith *2W,w,H* ..	49,192	35	18	4	6	-	-	-	-	-	-	-	4	-	-	11	-
South Hammersmith *w,2H* ..	63,047	24	22	4	7	-	1	-	-	-	-	-	3	2	3	8	-
North-west Fulham *W*	45,180	25	10	1	2	-	2	-	-	-	-	-	1	-	3	2	-
North-east Fulham *F*	46,405	23	8	1	2	-	2	-	-	1	-	-	-	-	-	1	-
South Fulham *W*	45,704	16	6	-	2	-	-	-	-	-	-	-	1	1	1	-	-
Chelsea North *W,w,3H*	42,514	17	21	2	11	-	-	-	-	-	-	-	3	1	1	13	-
Chelsea South *W,2H*	31,328	6	8	1	5	-	-	-	-	-	-	-	-	-	-	2	-
Mayfair and Knightsbridge	28,743	2	5	-	2	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave *W,2H*	55,815	24	20	1	7	-	2	-	-	-	-	-	-	-	3	6	-
St. Margaret & St. John *6H* ..	43,698	19	9	3	1	-	-	-	-	-	-	-	1	-	1	5	-
St. James and St. Anne *W,6H* ..	33,081	4	5	1	3	-	-	-	-	-	-	-	1	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	17	15	1	3	-	-	-	-	1	-	-	1	2	2	13	-
St. Mary Marylebone *W,4H* ..	37,948	47	11	2	7	-	-	-	-	1	-	-	-	-	1	2	-
Christchurch Marylebone *H* ..	39,536	13	7	2	2	-	-	-	-	-	-	-	1	1	4	-	-
St. John Marylebone *2H*	20,426	8	5	3	-	-	-	-	-	2	-	-	-	1	1	1	-
Hampstead *W,F,6H*	81,942	28	25	2	16	-	-	-	-	-	-	-	3	1	1	7	-
West St. Pancras *2H*	60,562	19	11	4	1	-	-	-	-	2	-	-	1	1	1	3	-
South St. Pancras *w,10H*	55,707	15	16	4	3	-	-	-	-	-	-	-	3	1	1	12	-
East St. Pancras *W,H*	60,320	37	14	2	5	-	1	-	-	1	-	-	1	-	-	9	-
North St. Pancras *2W*	58,728	26	12	-	7	-	1	-	-	-	-	-	2	1	2	6	-
Tufnell *W*	31,995	11	12	2	5	-	-	-	-	1	-	1	1	1	2	8	-
Upper Holloway *2W,w,H*	33,978	26	20	3	5	-	-	-	-	2	-	-	3	-	-	18	-
Pollington *W,w,H*	33,922	19	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	25	7	2	3	-	-	-	-	1	-	-	-	-	-	-	-
Barnsbury	54,478	46	10	5	-	-	-	-	-	2	1	-	-	-	-	-	-
Islington South-east *F*	75,397	42	19	7	5	-	-	-	-	-	-	-	-	4	5	-	-
Highbury *2H*	63,797	20	15	3	5	-	-	-	-	2	-	-	2	-	-	-	-
Stoke Newington *H*	51,247	17	7	1	4	-	-	-	-	-	-	-	-	-	1	-	-
North Hackney	50,398	23	9	4	4	-	-	-	-	-	-	-	1	1	1	-	-
Central Hackney *2w,F*	50,536	31	7	1	5	-	-	-	-	-	-	-	-	-	-	2	-
South-west Hackney *3H*	59,921	39	13	2	4	-	1	-	-	-	-	-	-	1	4	3	-
South-east Hackney *2W,w,H* ..	58,255	32	21	5	9	-	-	-	-	2	-	-	2	1	2	13	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd April, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	14	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Strand *W*,4*H*	21,674	3	7	1	2	-	-	-	-	-	-	-	-	-	1	6	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	16	12	3	-	-	-	-	-	1	-	-	-	1	1	10	-
Clerkenwell *H*	63,704	43	14	5	4	-	-	-	1	-	-	1	2	1	2	-	-
St. Luke 3*H*,*L*	36,116	25	4	1	2	-	-	-	-	-	-	-	-	1	1	2	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	6	24	3	6	-	-	-	1	-	-	-	-	4	7	20	-
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	10	7	2	1	-	-	-	-	-	-	-	1	-	2	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	22	22	4	10	-	1	-	-	1	-	-	5	2	6	14	-
Shoreditch North-East	36,148	18	8	1	4	-	1	-	-	-	-	-	1	1	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	40	37	8	11	-	2	-	-	1	-	-	4	-	2	24	-
Bethnal Green South-West *H* ..	64,542	46	10	3	3	-	-	-	-	1	-	-	1	2	2	-	-
Spitalfields..	27,969	13	6	1	3	-	-	-	-	-	-	-	-	-	2	-	-
Mile End New Town *W*,*H*	28,718	27	36	5	8	-	-	-	-	-	-	1	-	1	5	34	-
Goodman's Fields	22,081	10	4	2	2	-	-	-	-	-	-	-	-	-	2	-	-
St. George and St. John 2*W* ..	49,068	38	7	4	3	-	-	-	-	-	-	-	-	-	-	1	-
Shadwell and Ratcliff *w*,*H* ..	25,568	17	5	2	-	-	1	-	-	1	-	-	1	-	-	4	-
Limehouse *W*	32,369	16	8	1	3	-	-	-	-	2	-	-	1	-	2	-	-
Mile End Old Town South-Western *H*	63,698	56	11	5	2	-	-	-	-	-	-	-	1	-	-	2	-
Mile End Old Town North-Eastern *W*,*w*	49,129	23	23	2	9	-	1	-	-	1	-	-	2	3	4	10	-
Bow	41,989	25	8	-	3	-	-	-	-	-	-	-	2	-	1	-	-
Bromley 3*w*,*H*	68,319	46	40	8	13	-	-	-	-	3	1	1	1	1	5	18	-
Poplar *W*,*w*	58,514	33	12	3	5	-	-	-	1	-	-	-	1	-	2	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 2nd April, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	7	22	1	3	-	-	-	-	1	-	-	2	3	3	20	-
Kent-road	21,904	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	23	6	1	-	-	-	-	-	1	-	-	1	-	1	2	-
Newington North	49,022	15	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	44	23	5	9	-	-	-	-	2	-	-	3	-	2	5	-
St. Olave *2W*	9,817	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	53	16	4	5	-	-	-	-	-	-	1	3	1	4	-	-
Rotherhithe *W,F*	38,460	13	24	4	9	-	-	-	-	-	-	1	3	-	1	13	-
Waterloo *2H*	27,440	36	7	1	4	-	-	-	-	-	-	-	-	-	-	3	-
Lambeth Church *H*	27,440	14	24	4	3	-	1	-	-	-	-	-	2	2	4	17	-
Kennington *2W*	52,518	35	28	2	15	-	-	-	-	-	-	-	3	-	1	15	-
Stockwell *HF*	63,826	36	13	5	4	-	-	-	-	-	1	-	1	-	1	-	-
Brixton *H*	73,673	31	12	-	5	-	-	-	-	-	-	-	-	1	3	-	-
Norwood *2WH*	56,998	12	12	1	6	-	-	-	1	-	-	-	-	1	2	-	-
East Battersea *H*	72,203	32	16	5	5	-	-	-	-	1	-	-	2	1	1	-	-
North-west Battersea	49,656	29	7	2	4	-	-	-	-	-	-	-	1	-	1	-	-
South-west Battersea *2W,H*	47,048	26	28	7	10	-	-	-	-	3	-	-	3	1	3	18	-
Clapham *2H*	51,361	21	14	1	9	-	-	-	-	-	-	-	1	1	1	1	-
Streatham *W,2w,2F,2L*	88,019	46	28	4	15	-	-	-	1	-	-	-	2	-	-	9	-
Springfield *2W,L*	27,959	21	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Southfields *H*	40,444	32	9	3	4	-	-	-	-	1	-	-	-	-	-	-	-
Putney	24,139	14	4	-	3	-	-	-	-	-	-	-	1	-	1	-	-
Dulwich	13,359	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	11	23	1	12	-	-	-	-	-	-	-	2	-	-	16	-
Camberwell North *W,2L*	65,584	26	22	4	3	-	-	-	-	1	-	-	2	-	3	13	-
St. George	47 331	27	11	2	3	-	-	-	-	-	-	-	1	1	2	-	-
Peckham North	48,913	33	10	2	2	-	-	-	-	1	-	-	-	1	1	-	-
Peckham South *2W,w*	43,946	18	7	1	3	-	-	-	-	1	-	-	-	-	-	-	-
Deptford North	37,613	21	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	26	11	2	3	-	1	-	1	2	-	-	1	1	1	1	-
Deptford South	34,625	11	4	1	2	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich West *H*	23,456	9	6	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Greenwich East *2W,H*	43,859	29	27	2	10	-	-	-	-	1	-	-	4	1	1	19	-
Eltham *w,H*	7,226	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	7	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *2W,w,F*	58,352	45	18	1	7	-	-	-	-	-	-	-	-	1	3	8	-
Sydenham *H*	43,653	20	12	4	4	-	1	-	-	-	-	-	-	-	2	-	-
Charlton *F,2H*	21,134	12	9	1	2	-	-	1	1	-	-	-	1	-	1	4	-
Woolwich *5H*	41,625	15	9	2	3	-	-	-	-	-	-	-	-	-	1	1	-
Plumstead West *W,H*	39,376	17	5	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead East *2W*	28,951	13	11	-	5	-	-	-	-	-	-	-	-	-	-	8	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	4	-	-	-	-	1	1	1	-	-	-	-	-	4	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Darenth	—	-	4	-	-	-	-	-	-	-	-	-	1	-	-	4	-
Leavesden	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-
London County Lunatic Asylums:—																	
Banstead	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	8	-	2	-	-	-	-	-	-	-	1	-	-	8	-
Cane Hill	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	9	-	3	-	-	-	-	-	-	-	-	-	2	9	-
Hanwell	—	-	3	-	1	-	-	-	-	-	-	-	2	-	-	3	-
Colney Hatch	—	-	7	-	2	-	-	-	-	-	-	-	2	-	-	7	-
Claybury	—	-	4	-	1	-	-	-	-	-	-	1	-	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 2nd April, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1284	584	124	224	-	8	2	9	13	1	3	29	65	125	1
30 : 1	Carshalton 2F,3H	12,228	32,997	20	3	-	2	-	-	-	-	-	-	-	1	1	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	10	1	4	-	-	1	1	-	-	-	-	-	6	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	14	13	-	5	-	-	-	1	-	-	-	1	2	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	26	16	3	6	-	3	-	-	-	-	-	1	1	7	-
4	North Croydon H	2,614	41,698	19	15	4	6	-	-	-	-	-	-	-	-	1	-	-
5	Penge w	770	22,465	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	38	10	3	4	-	-	-	-	-	-	1	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	16	7	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	19	13	2	3	-	-	-	-	1	1	-	1	2	5	-
3	Surbiton F,H	3,046	15,017	12	5	2	3	-	-	-	-	-	-	-	-	1	-	-
4	Esher, *part of** H	5,402	13,100	6	5	1	4	-	-	-	-	-	-	-	-	1	1	-
5	Hampton H,F,L	4,564	23,456	14	4	1	2	-	-	-	-	-	-	-	-	1	-	-
40 : 1	Richmond W,H	2,491	31,672	14	6	-	5	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F	2,518	17,821	14	8	4	3	-	-	-	-	-	-	-	1	1	-	-
41 : 1	Bromley F,3H	4,703	27,354	12	8	2	2	-	-	-	-	-	-	-	-	3	-	-
2	Beckenham H	7,825	28,497	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	12	8	4	4	-	-	-	-	-	-	1	-	1	3	-
4	Chislehurst 2H	7,335	16,446	10	9	-	3	-	-	-	-	-	-	-	-	-	2	-
42 : 1	Bexley w,F,H	8,678	21,151	4	2	1	-	-	-	-	-	-	-	-	1	1	-	-
2	Erith F,H	3,854	25,296	16	3	-	1	-	-	-	-	-	-	-	1	1	1	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	10	9	2	3	-	-	-	-	-	-	-	-	2	-	-
2	Staines W,H	13,277	15,178	9	3	-	3	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	6	6	1	3	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H	12,757	8,984	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	19	3	-	1	-	-	-	1	-	-	-	-	-	1	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	21	25	2	11	-	1	-	-	1	-	-	1	2	10	-
2	Twickenham F,2H	2,421	26,991	17	11	1	7	-	-	-	-	-	-	-	-	-	1	1
3	Brentford 3F,2H	4,319	48,289	49	15	2	10	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	15	6	2	2	-	-	-	-	1	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	47	16	5	5	-	-	-	1	1	-	-	1	2	1	-
127A: 1	Harrow F,H	13,809	25,523	30	5	1	4	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
3	Hendon W,F	8,382	22,450	17	9	1	4	-	-	-	-	-	-	-	-	-	1	-
127B: 1	Willesden W,F,2H	4,384	114,811	65	26	6	11	-	-	-	1	1	-	-	2	3	9	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,979	12	4	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,688	33,692	21	10	1	6	-	-	-	-	-	-	-	2	2	-	-
129 : 1	Hornsey F,H	2,875	72,056	29	16	2	7	-	-	-	1	-	-	-	1	2	2	-
2	Wood Green H	1,625	34,233	24	5	1	3	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	28	14	4	5	-	-	-	-	1	-	-	1	5	-	-
4	East Tottenham 2H ..	2,018	53,962	26	20	6	6	-	-	-	-	-	-	-	2	5	5	-
5	Edmonton W,w,2F	7,491	61,892	54	21	4	6	-	-	-	-	2	-	-	-	1	8	-
6	Enfield 2W,F,H	12,601	42,738	33	17	3	5	-	1	-	1	-	-	-	1	2	3	-
7	Waltham Abbey F	11,017	6,549	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	32	11	2	4	-	-	-	-	1	-	-	3	4	1	-
2	Forest Gate	787	52,745	15	7	1	2	-	-	-	-	-	-	-	1	2	-	-
3	Plaistow F,2H	1,249	90,921	72	24	14	4	-	-	-	2	-	-	1	-	2	6	-
4	Canning Town H	1,556	70,718	60	15	7	4	-	-	-	-	-	-	-	-	4	-	-
5	South East Ham 2F ..	1,991	37,342	31	6	1	-	-	-	-	-	-	-	-	-	1	-	-
6	North East Ham w,H ..	1,333	58,666	40	14	2	9	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	28	16	3	10	-	1	-	-	-	-	-	2	2	9	-
9	North Leyton 2W,w,F ..	1,963	48,445	28	34	3	4	-	2	1	-	1	-	-	2	3	25	-
10	Walthamstow 2H,L ..	6,504	108,929	65	16	5	5	-	-	-	-	1	-	-	1	2	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	6	4	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	33	13	6	5	-	-	-	-	2	-	-	1	1	3	-
3	Barking Town F	3,805	21,547	13	4	2	1	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	4	-	2	-	-	-	-	-	-	-	-	-	4	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	5	-	1	-	-	-	-	-	-	-	-	-	5	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 41 : 2, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
LONDON* - -	4,872,702	April 2	2312	1354	14·5	-	22	2	9	51	3	16
CALCUTTA - -	1,009,008	March 5	-	523‡	26·9	2	10	-	2	1	10	12
BOMBAY - -	977,822	" 8	347	796‡	42·3	53	2	-	-	-	-	43
MADRAS - -	509,346	" 4	299	369	37·6	2	7	?	?	?	111§	1
PARIS* - -	2,772,467	" 26	1009	1031	19·5	1	22	5	8	9	3	24
BRUSSELS* - -	720,030	" 26	253	189	13·6	-	3	-	1	5	1	10
ANTWERP* - -	314,135	" 26	121	77	12·7	-	4	-	-	3	-	4
AMSTERDAM* -	569,712	" 26	261	140	12·8	-	3	-	-	-	1	5
COPENHAGEN -	450,000	" 26	226	130	15·1	-	1	3	2	2	-	4
STOCKHOLM -	339,582	" 19	175	135	20·7	-	6	3	3	1	-	5
CHRISTIANIA -	235,674	" 26	134	52	11·5	-	-	-	-	-	1	-
ST. PETERSBURG	1,620,000	" 19	805	895	28·8	10	57	14	21	10	9	75
MOSCOW - -	1,493,600	" 19	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,126,154	" 12	853	590	14·5	-	4	4	10	7	-	33
HAMBURG - -	895,804	" 26	-	236	13·7	-	1	-	10	1	-	13
BRESLAU - -	507,500	" 19	286	186	19·1	-	-	-	-	-	1	11
MUNICH - -	576,000	" 19	265	172	15·5	-	-	2	1	2	-	13
VIENNA* - -	2,085,888	" 26	778	708	17·7	-	22	6	5	10	1	34
PRAGUE* - -	494,531	" 5	217	224	23·5	1	3	-	1	1	-	13
BUDAPEST* -	833,703	" 19	447	347	21·6	-	10	7	2	3	-	24
TRIESTE* - -	218,727	" 19	159	126	29·9	-	1	-	1	1	-	-
ROME - - -	584,308	February 5	288	254	22·7	-	5	1	3	-	2	7
VENICE - -	183,224	" 19	94	75	21·3	-	1	-	2	-	1	4
		" 26	93	94	26·7	-	5	1	1	1	-	1
BUCAREST - -	297,643	" 26	213	142	24·9	-	-	2	3	-	1	1
NEW YORK* -	4,711,956	March 12	2447	1477	16·3	-	33	30	41	2	6	35
CHICAGO* - -	2,282,927	" 12	-	754	17·2	-	3	10	17	2	6	58
PHILADELPHIA*	1,598,400	February 12	-	605	19·7	-	-	3	16	3	4	17
RIO DE JANEIRO	842,822	" 20	-	324	20·0	-	3	-	-	1	2	?
CAIRO:—*												
Egyptians -	616,183	March 4	537	346	29·2	1	5	-	6	?	2	26
Foreigners -	61,480	" 4	2	12	10·1	-	-	-	-	?	1	-
ALEXANDRIA:—*												
Egyptians -	317,454	" 4	323	232	38·0	-	16	-	2	?	4	31
Foreigners -	67,966	" 4	5	19	14·5	-	-	-	-	-	-	3

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.

† Excluding deaths from croup in the Indian Cities.

‡ Including 29 deaths from *plague* in Calcutta and 121 in Bombay, and from *Asiatic cholera*, 49 deaths in Calcutta and 1 in Bombay.

§ All forms of fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 2nd April, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	57·3	29·5	42·4	0·00	BRADFORD - -	54·0	24·4	40·5	0·02
BRIGHTON - -	58·0	32·5	43·2	0·00	YORK - - -	57·0	26·0	43·2	0·04
PORTSMOUTH - -	58·0	33·0	43·8	0·00	HULL - - -	57·0	28·0	42·0	0·01
NORWICH - -	58·6	31·0	42·7	0·04	TYNEMOUTH - -	55·0	29·0	41·1	0·05
PLYMOUTH - -	56·0	32·0	44·3	0·02	CARDIFF - - -	57·6	29·4	42·1	0·02
BRISTOL - - -	58·8	28·0	42·3	0·00	EDINBURGH - -	56·6	31·7	43·4	0·01
BIRMINGHAM - -	58·3	31·1	42·4	0·05	GLASGOW - -	59·2	29·6	43·5	0·34
NOTTINGHAM - -	58·0	29·0	41·8	0·02	DUBLIN (Phœnix Park)	51·9	23·8	39·7	0·01
LIVERPOOL OBSERVATORY	55·0	32·0	42·5	0·11	DUBLIN (Fitzwilliam Square.†)	53·1	32·0	43·4	0·05
MANCHESTER -	59·2	27·2	42·4	0·03					
BURNLEY - -	53·5	22·0	41·1	0·08					
HUDDERSFIELD -	56·3	25·5	41·4	0·01	BELFAST - - -	54·0	29·0	41·7	0·13

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 2nd April, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 27	..	30·060	57·3	34·1	23·2	43·9	+ 0·6	39·8	4·1	15·6	0·2	85	98·0	23·0	43·30	E. & calm	SW. & calm.	0·2	0·0	0·0	100	−236	0·00	0·0
MONDAY - 28	Apogee	30·168	55·0	31·8	23·2	44·5	+ 0·8	39·1	5·4	14·2	0·3	81	84·1	22·7	43·38	WSW., SW. & N.	N. & NNE.	0·5	0·0	0·0	172	−160	0·00	1·0
TUESDAY - 29	..	30·388	50·7	33·4	17·3	41·1	− 3·0	34·5	6·6	13·4	0·9	77	108·6	23·4	43·49	NE. & ENE.	NE., ESE. & calm.	0·7	0·0	0·0	163	−163	0·00	4·0
WEDNESDAY 30	..	30·250	56·9	29·5	27·4	42·8	− 1·7	34·2	8·6	18·1	0·0	72	95·1	22·9	43·68	Calm & N.	NNE., ENE. & NE.	3·6	0·0	0·2	250	− 66	0·00	3·0
THURSDAY - 31	..	30·349	45·2	33·1	12·1	38·7	− 6·2	27·5	11·2	16·7	7·5	64	107·0	27·4	43·67	NE. & ENE.	ENE. & NE.	9·5	0·0	0·8	494	+185	0·00	0·2
APRIL. FRIDAY - 1	..	30·189	48·6	34·0	14·6	40·3	− 5·0	30·5	9·8	17·9	2·2	68	107·7	27·2	43·58	NNE., NE. & ENE.	ENE. & NE.	9·2	0·0	0·7	491	+187	0·00	5·8
SATURDAY - 2	Greatest Dec. S.	29·947	50·0	33·6	16·4	42·0	− 3·7	32·4	9·6	17·0	1·8	69	99·8	19·5	43·41	NE. & ENE.	ENE., E. & variable.	4·4	0·0	0·2	265	− 38	0·00	4·0
MEANS - -		30·193	52·0	32·8	19·2	41·9	− 2·6	34·0	7·9	16·1	1·8	74	100·0	23·7	43·50	NE.		..	..	..	Sum 1935	Sum −291	Sum 0·00	2·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MARCH.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 27	m. P. generally.	6·1	12·6
MONDAY - 28	m. P. generally.	2·3	12·6
TUESDAY - 29	w. P. till 9h. A.M.; m. P. till 9h. P.M.; s. P. afterwards.	6·2	12·7
WEDNESDAY 30	m. P. till 9h. A.M.; s. P. till 1h. P.M.; m. P. till 3h. P.M.; loss of Register till 9h. P.M.; m.P. afterwards.	3·8	12·7
THURSDAY - 31	m. P. generally till 5h. P.M.; s. P. afterwards.	10·3	12·8
APRIL. FRIDAY - 1	m.P. generally with occasional s. P.	9·7	12·9
SATURDAY - 2	m. P. till 2h. P.M.; w. P. till 6h. P.M.; m. P. till 8h. P.M.; s. P. afterwards.	8·4	12·9
		Sum 46·8	Sum 89·2
No. of Col. - -	27	28	29

GENERAL REMARKS.

Generally overcast till shortly before 11h. A.M.; very fine afterwards with slight fog after 6h. P.M.

Fine generally till 9h. A.M.; cloudy with slight exceptions afterwards; hoar frost in early morning.

Generally overcast till 11h. A.M.; very fine with little cloud afterwards; hoar frost at night.

Fine and partially cloudy: hoar frost in morning. Solar halo observed at 8h. 30m. A.M.; slight fog between 6h. and 9h. A.M.

Very fine throughout; variable amounts of cloud till noon; nearly cloudless afterwards; a few flakes of snow between 9h. and 10h. A.M.; gusty wind prevalent between 9h. A.M. and 5h. P.M.

Very fine; variable amounts of cloud between 8h. A.M. and noon; otherwise nearly cloudless; cold gusty wind between 10h. A.M. and 6h. P.M.

Very fine generally; cloudy interval in afternoon; hoar frost in morning and at night. Solar halo observed at intervals between 10h. 30m. A.M. and 1h. 30m. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·11 in. at the beginning of the week to 30·03 in. by 5h. P.M. on March 27th; increased to 30·41 in. by 11h. A.M. on March 29th; decreased to 30·20 in. by 3h. P.M. on March 30th; increased to 30·37 in. by 11h. A.M. on March 31st; and decreased to 29·81 in. by midnight on April 2nd.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 26th March, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	4	1	-	-	-	-	2	-	-
Kensington	184,635	-	3	2	-	2	-	-	1	-	-
Hammersmith	127,413	-	3	3	-	-	-	-	2	-	-
Fulham	181,282	-	10	7	-	-	-	-	2	-	-
Chelsea	75,457	-	3	-	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	5	1	-	2	-	-	-	-	-
NORTH.											
St. Marylebone	125,195	-	2	6	-	-	-	-	2	-	-
Hampstead	95,729	-	2	-	-	1	-	-	-	-	-
St. Pancras	237,792	-	8	2	-	-	-	-	3	-	-
Islington	353,356	-	11	4	-	1	-	-	2	-	-
Stoke Newington	54,338	-	2	-	-	-	-	-	-	-	-
Hackney	239,979	-	8	1	-	-	-	-	1	-	-
CENTRAL.											
Holborn	53,142	-	2	-	-	-	-	-	1	-	-
Finsbury	94,578	-	-	2	-	2	-	-	2	-	-
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	3	3	-	-	-	-	1	-	-
Bethnal Green	131,579	-	-	3	-	-	-	-	-	-	-
Stepney	314,379	-	5	8	-	1	-	-	4	-	1
Poplar	172,432	-	9	6	-	-	-	-	1	1	-
SOUTH.											
Southwark	211,832	-	3	3	-	-	-	-	3	-	-
Bermondsey	127,238	-	8	5	-	-	-	-	1	-	-
Lambeth	327,074	-	18	3	-	1	-	-	3	-	-
Battersea	188,222	-	17	6	-	3	-	-	4	1	-
Wandsworth	305,838	-	24	1	-	1	-	-	2	1	1
Camberwell	286,058	-	6	4	-	-	-	-	5	1	1
Deptford	119,642	-	3	-	-	-	-	-	1	-	-
Greenwich	112,935	-	3	1	-	-	-	-	1	-	-
Lewisham	164,899	-	4	3	-	-	-	-	-	1	-
Woolwich	135,422	-	14	4	-	1	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	1	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	180	79	-	15	-	-	46	5	3
Ages 0-1		-	1	2	-	-	-	-	1	-	2
„ 1-5		-	53	45	-	1	-	-	3	-	1
„ 5-		-	72	18	-	1	-	-	4	-	-
„ 10-		-	24	8	-	1	-	-	2	-	-
„ 15-		-	12	3	-	-	-	-	1	1	-
„ 20-		-	4	1	-	2	-	-	-	-	-
„ 25-		-	13	-	-	2	-	-	7	2	-
„ 35-		-	1	2	-	4	-	-	12	2	-
„ 45-		-	-	-	-	2	-	-	9	-	-
„ 55-		-	-	-	-	2	-	-	4	-	-
„ 65 and upwards		-	-	-	-	-	-	-	3	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 14. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, APR. 9. [Price 1½*d.*

General Register Office, Somerset House,
April 11th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

On 31st March, 1910, the Municipal Borough of Dewsbury was extended. The area now included in the Borough contained a population of more than 50,000 persons at the last Census, and figures for the Borough are, therefore, published for the first time in this return. On the same date the County Borough of Hanley (formerly included in Table 1), the Municipal Boroughs of Burslem, Longton, and Stoke upon Trent, the Urban District of Tunstall and most of that of Fenton, were united to form the new County Borough of Stoke on Trent. Hanley is now, therefore, replaced by Stoke on Trent. The number of towns now included in Table 1 is thus raised from 76 to 77.

The deaths registered last week in these SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 14·9 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates in the 76 towns had been 13·5, 13·9, and 14·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·0 in Merthyr Tydfil, 19·2 in Birkenhead, in Liverpool, and in Warrington, 19·4 in Great Yarmouth, 19·6 in Newport (Mon.), 19·8 in Huddersfield, 21·2 in Rotherham, 21·3 in Oldham, and 22·9 in Rhondda; from *measles*,

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(16211—41.) Wt. 91—429. 700. 4/10. D & S. G. 31. Sch. 4 O

1·2 in Liverpool and in York, 1·3 in Cardiff, 1·5 in Bootle and in Burnley, and 2·0 in Merthyr Tydfil; and from *whooping-cough*, 1·2 in Portsmouth, in Liverpool, and in Gateshead, 1·3 in West Hartlepool, 1·5 in Hastings, 1·7 in Birkenhead, 1·8 in Devonport and in Kings Norton, and 2·2 in Oldham. One death from *small-pox* was registered as belonging to Blackburn and one to Sheffield, but none to any other of the seventy-seven towns.

LONDON.*

In LONDON 2420 BIRTHS and 1377 DEATHS were registered. Allowing for increase of population, the births were 25 and the deaths 173 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 13·2, 13·5, and 14·5 per 1000 in the preceding three weeks, further rose last week to 14·7. The death-rate in the four weeks ended last Saturday averaged 14·0 per 1000, being 2·5 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1377 deaths included 33 from measles, 4 from scarlet fever, 6 from diphtheria, 45 from whooping-cough, 2 from enteric fever, and 11 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 101 deaths were referred, being 47 below the corrected average number in the fourteenth week of the preceding five years.

The deaths from *measles*, which had been 24, 24, and 22 in the preceding three weeks, rose to 33 last week, but were 30 below the corrected average; 6 deaths belonged to the Borough of Fulham, 6 to Greenwich, and 3 each to Bethnal Green, Stepney, and Southwark. The deaths from *scarlet fever*, which had been 6, 10, and 2 in the preceding three weeks, were 4 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 6, 10, and 8 in the preceding three weeks, were 6 last week, and were 9 below the corrected average. The deaths from *whooping-cough*, which had been 46, 44, and 51 in the preceding three weeks, were 45 last week, the corrected average being 46; 8 deaths belonged to St. Pancras, 5 to Camberwell, 4 each to Islington and to Wandsworth, and 3 to Stepney. The deaths from *enteric fever*, which had been 4, 6, and 3 in the preceding three weeks, fell to 2 last week, the corrected average being 3. The deaths from *diarrhœa*, which had been 11, 5, and 9 in the preceding three weeks, were 11 last week, and were equal to the corrected average. Of the 11 deaths from diarrhœa, 5 were those of children under 5 years of age, all being those of children under 2 years of age; 5 other deaths of children under 5 years of age (of which 4 were below the age of 2 years) were certified as due to *enteritis*, and 4 (all below the age of 2 years) to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 17, having been 23, 17, and 14 in the preceding three weeks.

Different forms of violence caused 46 deaths, concerning all of which inquests were held. Of these 46 deaths, 10 were cases of suicide, and 1 of homicide, while the remaining 35 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, four to burns or scalds, two to drowning, and four, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1554 cases

* See * note on previous page.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

of scarlet fever, 848 of diphtheria, and 81 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 166 cases, against 180, 173, and 158; of diphtheria, 79 cases, against 90, 71, and 71; and of enteric fever, 5 cases, against 7, 11, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended April 2nd, 1910.

Greater London.

In Greater London 3793 births and 1947 deaths were registered. Allowing for increase of population, these numbers are 104 and 264 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from measles, 1 from scarlet fever, 2 from diphtheria, and 7 from whooping-cough were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·69 inches, and that of the Thermometer 42°·8, the latter being 3°·4 below the week's average in the 65 years ended 1905. The general direction of the wind was Northerly, the horizontal movement of the air being 24 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 24·2 hours; the measured rainfall amounted to 0·11 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 9th April, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 19th Mar., 1910.	26th Mar., 1910.	2nd Apr., 1910.	9th Apr., 1910.	Rate from Diseases in Cols. 11–17 Week ended 9th April, 1910.	Registered during the Week ended 9th April, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**13·5§**	**13·9§**	**14·4§**	**14·9**	**1·1**	**8804**	**4857**	**948**	**1536**	**2**	**104**	**26**	**35**	**151**	**17**	**27**	**172**	**386**	**1297**	**45**	**77 TOWNS.**
LONDON	4,872,702	13·2	13·5	14·5	14·7	1·1	2420	1377	260	455	-	33	4	6	45	2	11	46	133	575	-	LONDON.
CROYDON	164,485	11·1	10·8	12·7	16·8	1·0	59	53	8	22	-	3	-	-	-	-	-	-	1	8	-	CROYDON.
WILLESDEN ..	166,088	8·5	7·8	8·2	10·7	1·3	91	34	6	12	-	3	-	-	1	-	-	2	2	8	-	WILLESDEN.
HORNSEY	98,561	5·8	4·2	9·0	4·2	0·5	28	8	-	4	-	-	-	-	1	-	-	-	-	3	-	HORNSEY.
TOTTENHAM ..	132,803	8·2	10·2	13·0	11·8	0·4	94	30	7	9	-	-	-	1	-	-	-	5	10	8	-	TOTTENHAM.
WEST HAM ..	328,585	11·1	10·3	11·6	11·6	1·3	179	73	15	28	-	-	-	2	4	1	1	2	6	21	-	WEST HAM.
EAST HAM.. ..	156,208	9·7	7·7	8·0	11·0	0·3	79	33	8	9	-	-	-	-	1	-	-	1	5	4	-	EAST HAM.
LEYTON	133,436	9·8	8·6	9·4	9·4	0·4	68	24	2	13	-	-	-	1	-	-	-	1	2	7	-	LEYTON.
WALTHAMSTOW	141,748	5·9	8·5	8·5	9·2	1·5	54	25	3	7	-	1	-	1	2	-	-	-	3	7	-	WALTHAMSTOW.
HASTINGS	68,520	14·5	8·4	13·7	12·2	2·3	24	16	2	9	-	1	-	-	2	-	-	1	1	-	-	HASTINGS.
BRIGHTON	131,900	17·0	13·8	19·0	16·6	0·4	59	42	6	18	-	-	-	-	1	-	-	2	6	9	-	BRIGHTON.
PORTSMOUTH ..	217,989	13·4	14·8	14·6	13·9	1·9	123	58	16	21	-	-	1	1	5	1	-	-	1	13	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	9·9	12·7	17·6	13·4	0·7	20	19	6	4	-	-	-	-	1	-	-	1	1	2	1	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	14·8	10·7	14·8	7·8	0·4	58	19	4	10	-	-	1	-	-	-	-	1	5	4	-	SOUTHAMPTON.
READING	84,355	8·7	14·2	9·9	6·2	-	31	10	1	6	-	-	-	-	-	-	-	-	-	1	-	READING.
NORTHAMPTON ..	99,113	12·1	13·7	13·2	12·6	-	37	24	2	10	-	-	-	-	-	-	-	2	2	3	-	NORTHAMPTON.
IPSWICH	75,936	19·2	11·7	18·5	14·4	1·4	32	21	3	10	-	-	-	1	1	-	-	1	2	4	-	IPSWICH.
GREAT YARMOUTH	53,715	19·4	8·7	14·6	19·4	-	30	20	5	12	-	-	-	-	-	-	-	3	4	5	-	GREAT YARMOUTH.
NORWICH	125,446	16·6	10·8	14·1	16·6	0·4	57	40	12	11	-	-	-	-	-	-	1	3	4	1	-	NORWICH.
PLYMOUTH	126,266	10·7	12·8	19·4	14·0	1·2	56	34	5	12	-	-	-	1	2	-	-	1	3	4	-	PLYMOUTH.
DEVONPORT	84,695	14·8	17·9	19·1	10·5	1·8	33	17	3	6	-	-	-	-	3	-	-	-	-	2	-	DEVONPORT.
BRISTOL	382,550	13·6	13·2	13·5	15·4	0·3	175	113	16	59	-	-	-	1	1	-	-	2	13	21	-	BRISTOL.
STOKE ON TRENT‡..	245,726	?	?	?	15·5	1·1	150	73	16	17	-	2	2	-	1	-	-	1	8	4	3	STOKE ON TRENT‡.
BURTON ON TRENT	54,977	8·5	9·5	11·4	10·4	0·9	24	11	-	5	-	-	-	1	-	-	-	-	-	1	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	14·3	13·8	12·8	9·3	0·5	48	19	4	9	-	-	-	-	1	-	-	2	4	2	-	WOLVERHAMPTON
WALSALL	101,035	17·0	13·9	11·9	12·4	-	55	24	5	9	-	-	-	-	-	-	-	1	1	6	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	5·8	12·3	8·7	9·4	1·4	23	13	3	6	-	-	-	-	1	-	1	-	-	1	-	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	11·0	18·3	17·6	16·9	0·7	34	23	6	6	-	-	1	-	-	-	-	1	1	7	-	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 19th Mar., 1910.	26th Mar., 1910.	2nd Apr., 1910.	9th Apr., 1910.	Rate from Diseases in Cols. 11-17. Week ended 9th April, 1910.	Registered during the Week ended 9th April, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	14·4	15·0	15·7	16·0	0·9	363	175	48	47	-	-	1	-	7	-	2	7	7	47	8	BIRMINGHAM.
KINGS NORTON ..	84,673	4·3	6·8	9·2	9·9	1·8	33	16	3	5	-	-	-	-	3	-	-	2	3	1	-	KINGS NORTON.
SMETHWICK	72,350	13·0	10·8	15·1	14·4	1·4	46	20	3	4	-	-	-	-	1	1	-	-	-	2	-	SMETHWICK.
ASTON MANOR ..	86,269	13·3	13·3	10·9	11·5	1·2	59	19	2	5	-	-	1	-	-	-	1	-	1	2	-	ASTON MANOR.
COVENTRY	81,449	16·0	14·1	10·9	15·4	-	50	24	2	10	-	-	-	-	-	-	-	-	1	3	1	COVENTRY.
LEICESTER	248,374	10·7	9·7	9·0	10·5	0·2	107	50	8	19	-	-	-	-	1	-	-	3	4	11	1	LEICESTER.
GRIMSBY	74,283	13·3	20·4	14·7	9·8	0·7	45	14	6	3	-	-	-	-	-	1	-	-	1	2	-	GRIMSBY.
NOTTINGHAM ..	266,471	14·3	11·9	14·1	17·2	1·2	134	88	24	31	-	3	-	-	-	2	1	5	6	20	1	NOTTINGHAM.
DERBY	131,256	10·3	14·3	10·3	12·3	0·4	78	31	9	6	-	-	-	-	1	-	-	-	1	9	-	DERBY.
STOCKPORT	105,087	15·4	21·3	15·9	13·9	1·0	61	28	7	8	-	1	-	-	1	-	-	-	-	9	-	STOCKPORT.
BIRKENHEAD ..	122,431	14·9	15·8	17·9	19·2	1·7	95	45	15	17	-	-	-	-	4	-	-	-	-	6	1	BIRKENHEAD.
WALLASEY	73,173	16·4	13·5	12·8	15·0	-	31	21	3	11	-	-	-	-	-	-	-	-	-	3	-	WALLASEY.
LIVERPOOL	767,606	16·8	18·6	19·7	19·2	3·1	451	283	67	54	-	18	3	1	18	3	2	15	22	112	4	LIVERPOOL.
BOOTLE	70,548	16·3	14·0	12·6	17·7	2·2	37	24	6	12	-	2	-	-	1	-	-	-	-	6	3	BOOTLE.
ST. HELENS	96,523	15·1	16·7	11·9	10·3	-	70	19	1	7	-	-	-	-	-	-	-	2	2	2	-	ST. HELENS.
WIGAN	91,732	15·9	17·6	10·2	11·9	1·1	53	21	3	5	-	-	-	-	1	1	-	2	3	3	-	WIGAN.
WARRINGTON ..	73,295	17·8	14·9	14·2	19·2	0·7	48	27	5	8	-	-	-	-	-	1	-	-	-	6	1	WARRINGTON.
BOLTON	190,315	12·9	10·7	13·2	14·5	0·8	103	53	15	13	-	-	1	-	2	-	-	2	3	8	2	BOLTON.
BURY	59,409	13·2	14·0	18·4	11·4	0·9	22	13	1	5	-	-	1	-	-	-	-	-	-	4	-	BURY.
MANCHESTER ..	716,354	14·6	16·5	15·6	18·7	2·0	423	257	60	56	-	9	-	3	12	2	1	6	14	77	3	MANCHESTER.
SALFORD	244,636	12·4	16·6	16·2	17·5	1·9	106	82	13	16	-	4	1	1	2	1	-	4	8	20	1	SALFORD.
OLDHAM	144,111	13·4	16·3	18·8	21·3	2·5	78	59	13	13	-	-	-	-	6	-	1	3	7	7	-	OLDHAM.
ROCHDALE	90,497	25·9	17·9	12·7	14·4	-	42	25	4	9	-	-	-	-	-	-	-	-	-	4	-	ROCHDALE.
BURNLEY	107,448	13·1	18·4	18·9	17·0	1·5	59	35	5	11	-	3	-	-	-	-	-	1	2	2	-	BURNLEY.
BLACKBURN	137,972	13·2	18·5	12·8	18·1	0·4	60	48	9	15	1	-	-	-	-	-	-	1	6	10	2	BLACKBURN.
PRESTON	119,253	17·5	13·6	14·9	16·6	0·4	50	38	3	15	-	1	-	-	-	-	-	-	-	8	-	PRESTON.
BARROW IN FURNESS.	63,689	18·0	19·6	10·6	11·5	0·8	27	14	2	4	-	-	-	1	-	-	-	2	2	2	-	BARROW IN FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 9th April, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 19th Mar., 1910.	26th Mar., 1910.	2nd Apr., 1910.	9th Apr., 1910.	Rate from Diseases in Cols 11-17. Week ended 9th April, 1910.	Registered during the Week ended 9th April, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	24·2	19·8	15·4	19·8	1·1	54	36	5	12	-	1	-	-	1	-	-	2	2	5	-	HUDDERSFIELD.
HALIFAX	112,818	8·8	10·2	8·3	16·6	0·9	31	36	2	19	-	-	-	1	1	-	-	-	3	9	1	HALIFAX.
BRADFORD	295,865	11·8	16·7	14·8	16·7	0·7	143	95	17	31	-	3	-	-	1	-	-	2	8	17	-	BRADFORD.
LEEDS	490,985	13·6	13·4	13·9	16·4	0·5	233	154	23	52	-	-	1	4	-	-	-	10	15	30	1	LEEDS.
DEWSBURY†	51,224	?	?	?	10·2	-	25	10	1	6	-	-	-	-	-	-	-	-	-	1	-	DEWSBURY.†
SHEFFIELD	478,763	13·1	13·5	15·0	14·7	0·9	249	135	24	38	1	-	-	2	3	1	1	3	6	29	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	3·9	12·6	14·1	21·2	0·8	43	27	13	9	-	-	-	1	-	-	-	3	3	2	1	ROTHERHAM.
YORK	88,159	8·9	14·8	12·4	10·6	1·2	43	18	2	6	-	2	-	-	-	-	-	1	1	5	-	YORK.
HULL	280,006	16·0	16·9	16·0	14·9	0·9	151	80	16	22	-	2	-	-	3	-	-	4	7	14	-	HULL.
MIDDLESBROUGH ..	107,014	15·6	15·1	13·0	12·2	-	63	25	1	8	-	-	-	-	-	-	-	-	1	6	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	14·6	10·7	10·7	15·5	-	36	16	1	9	-	-	-	-	-	-	-	-	1	-	1	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	12·7	15·3	9·6	10·2	1·3	39	16	5	5	-	-	-	-	2	-	-	1	1	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	14·6	13·9	14·6	18·5	0·6	101	57	10	16	-	-	-	1	1	-	-	2	3	11	1	SUNDERLAND.
SOUTH SHIELDS ..	119,737	14·4	18·7	12·2	17·0	0·9	60	39	11	9	-	-	-	1	1	-	-	1	2	3	2	SOUTH SHIELDS.
GATESHEAD	133,676	16·0	11·7	12·5	12·1	2·0	69	31	9	8	-	2	-	-	3	-	-	-	1	-	1	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	12·9	10·2	14·6	12·8	0·5	140	70	14	21	-	1	1	-	1	-	-	2	7	10	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	14·8	20·3	13·9	16·6	-	36	18	2	5	-	-	-	-	-	-	-	-	2	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	9·8	17·0	13·1	19·6	2·0	49	30	5	10	-	-	2	-	-	-	1	1	1	10	-	NEWPORT (MON.).
CARDIFF	199,189	15·7	12·3	14·1	15·4	2·1	97	59	4	17	-	5	1	2	-	-	-	1	4	15	-	CARDIFF.
RHONDDA	138,674	16·5	12·4	13·2	22·9	2·3	115	61	14	11	-	-	2	1	-	-	3	2	3	4	1	RHONDDA.
MERTHYR TYDFIL..	79,522	14·4	15·7	24·3	19·0	3·3	64	29	6	5	-	3	2	-	-	-	-	1	2	2	1	MERTHYR TYDFIL.
SWANSEA	98,817	17·4	23·7	24·3	17·4	1·1	81	33	2	9	-	1	-	-	1	-	-	2	2	3	-	SWANSEA.
GREATER LONDON	7,537,196	12·1	12·3	13·4	13·5	0·9	3793	1947	354	679	-	42	5	13	61	3	12	76	194	697	-	GREATER LONDON.
OUTER RING ..	2,664,494	10·1	10·2	11·4	11·2	0·7	1373	570	94	224	-	9	1	7	16	1	1	30	61	122	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	9·2	8·9	10·3	11·0	0·9	652	280	49	104	-	7	-	5	9	1	1	11	29	66	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	11·0	11·4	12·6	11·3	0·5	721	290	45	120	-	2	1	2	7	-	-	19	32	56	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	15·1	12·3	15·9	14·5	2·5	156	100	24	25	-	11	1	2	2	-	1	3	?	44	3	EDINBURGH.
GLASGOW	884,505	16·3	15·5	17·5	18·4	2·4	492	312§	63	76	-	15	6	6	2	-	11	8	?	99	8	GLASGOW.
DUBLIN (Registration Area).‡	402,928	18·4	22·6	19·8	23·4	0·8	255	181	30	63	-	-	-	1	-	1	4	5	4	71	9	DUBLIN (Registration Area).‡

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FOURTEENTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2580	2538	2611	2439	2539	2310	2594	2387	2460	2188	2445·0	2420
Males - - -	1289	1307	1334	1240	1304	1151	1321	1240	1263	1091	1242·3	1232
Females - -	1291	1231	1277	1199	1235	1159	1273	1147	1197	1097	1202·7	1188
TOTAL **Deaths** -	1932	1573	1571	1345	1659	1419	1525	1627	1527	1470	1549·8	1377
Males - - -	1006	836	852	710	845	730	719	850	796	751	787·6	690
Females - -	926	737	719	635	814	689	806	777	731	719	762·2	687

* The numbers in this column are the average weekly numbers in the Fourteenth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 15.	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	13 Weeks.
TOTAL **Births** -	2242	2146	2080	2381	2375	2325	2264	2393	2370	2344	2141	2312	2420	29799
TOTAL **Deaths** -	1367	1351	1468	1607	1632	1526	1386	1346	1254	1231	1263	1354	1377	18162
Ages at Death: Under 1 year -	259	223	267	283	259	241	235	233	219	197	215	236	260	3127
1—5 years -	115	105	146	142	161	126	136	153	116	137	127	141	120	1725
5—20 " -	57	72	64	77	80	74	59	68	63	60	78	72	67	891
20—40 " -	151	161	156	182	173	159	162	133	148	149	143	161	165	2043
40—60 " -	304	301	308	344	334	341	261	272	248	247	289	280	310	3339
60 yrs. & upwds.	481	489	527	579	625	585	533	487	460	441	411	464	455	6537
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	17	18	11	17	13	26	14	39	15	24	24	22	33	273
Scarlet Fever - -	2	–	10	5	6	8	4	6	9	6	10	2	4	72
Diphtheria - -	15	13	10	16	5	11	11	9	6	6	10	8	6	126
Whooping-cough -	33	30	57	57	61	53	45	46	44	46	44	51	45	612
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	–	3	3	2	3	2	4	3	2	4	6	3	2	37
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	1	–	–	–	–	–	1
Diarrhœa, Dysentery	15	10	11	14	15	8	11	10	13	11	5	9	11	143
All above diseases -	82	74	102	111	103	108	89	114	89	97	99	95	101	1264
Dis. of Resp. System	141	152	178	207	226	200	172	148	129	109	123	158	131	2074
Pneumonia - -	144	139	144	185	199	195	176	142	150	129	138	152	150	2013
Phthisis - - -	114	140	141	153	112	124	131	126	108	121	123	118	132	1643
Dis. of Circ. System -	199	197	242	235	227	220	176	198	172	184	194	193	219	2656
Violence - - -	48	52	58	41	56	62	42	49	50	37	46	58	46	645
Inquest Cases - -	135	152	148	158	163	173	121	135	143	118	107	144	133	1830
Deaths in Institutions	572	599	605	674	658	607	582	584	543	514	528	566	575	7607
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	43·9	39·6	34·2	37·4	42·0	44·7	42·5	41·8	46·0	40·1	42·0	41·9	42·8	41·5
Mean of Highest -	48·2	43·2	39·4	43·3	47·7	50·9	49·0	49·9	52·5	48·7	51·1	52·0	51·7	48·3
Mean of Lowest -	39·3	35·6	28·4	31·1	35·6	39·0	36·8	33·1	40·5	32·3	33·3	32·8	34·7	34·8
Mean Humidity of the Air.	82	78	75	88	86	80	83	83	87	75	80	74	79	81
Rain-fall (in inches) -	0·30	0·16	1·15	0·09	0·38	0·69	1·40	0·15	0·95	0·13	0·00	0·00	0·11	5·51
Registered Sunshine (in hours).	16·5	10·8	19·5	9·4	15·6	23·7	22·9	44·7	14·6	41·6	23·6	46·8	24·2	313·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	4	3	2	2	1	1	1	1	–	–	–	–	–	1
Scarlet Fever - -	2172	2069	1993	1937	1881	1784	1765	1766	1754	1713	1650	1611	1554	1819
Diphtheria - - -	899	901	896	936	908	903	911	901	884	872	855	856	848	890
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	59	60	62	55	61	66	76	78	89	88	88	85	81	73

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FOURTEENTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionabl should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 14th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1549·8	1377	260	120	67	165	310	455
Small-pox*	0·2	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	63·3	33	10	20	3	–	–	–
Scarlet Fever	9·8	4	–	3	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	38·5	17	–	–	–	5	5	7
Whooping-cough	45·9	45	25	18	2	–	–	–
Diphtheria	15·4	6	–	4	2	–	–	–
Cerebro-spinal Fever ..	–	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	2·9	2	–	–	–	2	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	4·1	1	1	–	–	–	–	–
Diarrhœa, Dysentery ..	6·6	10	4	–	–	2	–	4
Tetanus	0·8	1	–	–	–	–	1	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·2	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	6·1	9	5	–	1	1	2	–
Puerperal Septicæmia ..	3·5	2	–	–	–	2	–	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·2	–	–	–	–	–	–	–
Infective Endocarditis ..	2·5	3	–	–	3	–	–	–
Pneumonia: Lobar ..	25·2	20	1	–	1	8	7	3
Pneumonia: Broncho ..	80·5	56	18	18	4	1	5	10
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	71·9	74	8	11	2	9	21	23
Erysipelas	4·5	2	–	–	–	–	–	2
Septicæmia (not Puerperal) ..	1·6	2	–	1	–	–	1	–
Pyæmia (not Puerperal)	0·4	–	–	–	–	–	–	–
Other Infective Processes	3·7	4	–	–	–	1	2	1
Tuberculous Phthisis ..	91·9	89	1	3	6	39	31	9
"*Phthisis*"	52·0	43	–	2	3	21	10	7
Tuberculous Meningitis ..	22·3	12	3	7	2	–	–	–
Tuberculous Peritonitis ..	10·4	7	2	3	1	1	–	–
Tabes Mesenterica	1·4	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	24·2	11	3	1	2	3	2	–
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	8·0	8	–	–	–	2	5	1
Rheumatic Fever	5·7	5	–	–	2	2	1	–
Gout	3·1	–	–	–	–	–	–	–
Carcinoma	58·2	64	–	–	–	5	28	31
Sarcoma	6·1	5	–	–	–	1	2	2
Cancer (undefined) ..	31·5	34	–	–	1	2	17	14
Diabetes Mellitus	7·8	7	–	–	–	–	4	3
Premature Birth	41·2	53	53	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 14th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	14·1	20	5	9	–	3	1
Gen. Par. of Insane, Insanity	14·7	21	–	–	2	4	6
Epilepsy	4·7	7	–	1	1	2	2
Convulsions	18·8	11	9	1	1	–	–
Locomotor Ataxy.. ..	2·0	–	–	–	–	–	–
Paraplegia, Dis. of Cord.	7·8	3	–	–	–	–	2
Nervous Sys., Other Dis.	18·0	12	3	–	–	1	1
Valv. Dis., Endocarditis..	46·7	60	–	–	7	9	23
Cereb. Hæm. Cereb. Emb.	37·1	47	–	–	–	1	14
Apoplexy, Hemiplegia ..	16·4	12	–	–	–	–	1
Aneurysm	5·3	2	–	–	–	–	2
Embolism, Thrombosis (not Cerebral) ..	1·4	1	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	89·1	97	–	–	4	9	27
Croup (not Spasm: nor Memb.)	0·6	1	–	1	–	–	–
Bronchitis	150·7	109	19	2	–	6	18
Emphysema, Asthma ..	5·9	2	–	–	–	–	2
Pleurisy	4·3	6	1	1	–	–	1
Respiratory Dis., Other..	11·7	13	4	–	1	3	–
Tonsillitis, Quinsy.. ..	0·2	2	1	–	–	–	–
Enteritis (not Epid.) ..	10·6	5	4	1	–	–	–
Gastro-enteritis	4·3	5	4	–	–	–	1
Peritonitis (not Puerp.) ..	1·6	3	–	–	–	–	–
Cirrhosis of Liver.. ..	13·9	12	–	–	–	1	9
Liver Dis., Other	4·9	7	–	–	–	–	5
Digestive Sys., Other Dis.	34·6	52	9	1	5	8	13
Acute Nephritis	8·0	9	–	–	–	2	4
Bright's Dis., Albuminuria	41·4	26	–	–	–	2	12
Urinary Sys., Other Dis.	11·1	8	–	–	–	2	2
Generative Organs Dis...	3·5	5	–	–	–	–	4
Childbirth (Accid. of) ..	2·9	–	–	–	–	–	–
Old Age	62·9	53	–	–	–	–	–
Other Diseases	90·5	91	58	4	3	4	9
ACCIDENT.							
By Railways	2·0	1	–	–	1	–	–
By Vehicles and Horses..	6·1	6	–	1	3	–	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–	–
In Building Operations..	1·0	–	–	–	–	–	–
In Conflagrations	0·6	–	–	–	–	–	–
By Burns, Scalds, Explosions	6·8	4	–	4	–	–	–
By Drowning	2·9	2	–	–	1	–	–
By Suffocation in Bed ..	10·4	4	4	–	–	–	–
By Poisons or Poisonous Vapours	2·9	1	–	1	–	–	–
Other Deaths by Accident..	15·6	17	4	2	1	–	3
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	0·2	1	1	–	–	–	–
Suicide	9·2	10	–	–	1	1	3
Execution	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th April, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2420	1377	260	455	-	33	4	6	45	2	11	132	46	133	575	-
WEST DISTRICTS	805,311	338	234	42	71	-	9	-	1	4	1	2	29	12	30	85	-
NORTH DISTRICTS	1,055,908	517	273	39	100	-	2	1	2	12	-	2	30	10	17	115	-
CENTRAL DISTRICTS	209,465	106	61	9	18	-	-	-	-	2	-	1	4	3	8	32	-
EAST DISTRICTS	715,739	455	251	66	75	-	8	-	2	9	-	2	16	9	42	130	-
SOUTH DISTRICTS	1,749,844	1004	499	103	168	-	14	3	1	18	-	2	43	12	34	154	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	59	1	23	-	-	-	-	-	1	2	10	-	2	59	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	34	20	4	5	-	-	-	-	-	-	-	2	-	1	-	-
Central Paddington *W,3H*	50,053	21	27	5	8	-	2	-	-	-	-	-	-	2	4	17	-
South Paddington	30,320	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	47	44	8	19	-	1	-	-	1	-	-	6	1	5	24	-
Brompton *2H*	48,591	11	5	1	1	-	-	-	-	1	-	-	-	1	1	-	-
North Hammersmith *2W,w,H* ..	49,192	30	15	4	4	-	-	-	-	-	-	-	1	1	1	5	-
South Hammersmith *w,2H* ..	63,047	35	17	4	8	-	-	-	-	-	-	-	1	2	3	5	-
North-west Fulham *W*	45,180	41	24	4	2	-	3	-	-	-	-	-	9	1	3	10	-
North-east Fulham *F*	46,405	28	12	5	3	-	3	-	-	-	-	-	-	-	-	-	-
South Fulham *W*	45,704	25	12	3	2	-	-	-	-	-	-	-	-	2	2	-	-
Chelsea North *W,w,3H*	42,514	10	17	1	6	-	-	-	-	-	1	1	6	-	2	10	-
Chelsea South *W,2H*	31,328	10	12	-	6	-	-	-	-	-	-	-	1	1	3	1	-
Mayfair and Knightsbridge	28,743	1	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave *W,2H*	55,815	17	16	1	4	-	-	-	1	1	-	-	2	-	3	8	-
St. Margaret & St. John *6H* ..	43,698	18	10	2	2	-	-	-	-	1	-	1	1	-	1	5	-
St. James and St. Anne *W,6H* ..	33,081	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	11	10	2	2	-	1	-	-	-	-	-	-	-	-	6	-
St. Mary Marylebone *W,4H* ..	37,948	40	11	-	-	-	-	-	-	-	-	-	-	1	3	5	-
Christchurch Marylebone *H* ..	39,536	15	6	2	2	-	-	-	-	-	-	1	-	1	1	-	-
St. John Marylebone *2H*	20,426	6	6	2	-	-	-	-	-	-	-	-	1	-	-	2	-
Hampstead *W,F,6H*	81,942	27	25	2	11	-	-	1	-	-	-	-	3	1	1	11	-
West St. Pancras *2H*	60,562	35	13	3	2	-	-	-	-	3	-	-	1	-	-	3	-
South St. Pancras *w,10H*	55,707	18	18	3	3	-	-	-	1	-	-	-	5	-	-	12	-
East St. Pancras *W,H*	60,320	32	19	5	8	-	-	-	-	3	-	-	1	2	3	8	-
North St. Pancras *2W*	58,728	24	24	5	7	-	-	-	-	1	-	1	3	1	1	13	-
Kufnell *W*	31,995	18	25	1	10	-	-	-	-	-	-	-	5	-	-	17	-
Upper Holloway *2W,w,H*	33,978	17	15	2	6	-	-	-	-	-	-	-	1	-	-	9	-
Pollington *W,w,H*	33,922	17	5	2	1	-	-	-	-	1	-	-	1	-	-	-	-
Lower Holloway	41,424	18	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	29	6	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Islington South-east *F*	75,397	27	7	-	4	-	-	-	-	1	-	-	1	-	-	-	-
Highbury *2H*	63,797	33	13	1	8	-	-	-	1	1	-	-	2	-	-	1	-
Stoke Newington *H*	51,247	23	7	2	1	-	-	-	-	-	-	-	1	-	-	-	-
North Hackney	50,398	18	11	-	8	-	-	-	-	-	-	-	1	1	1	-	-
Central Hackney *2w,F*	50,536	33	13	2	3	-	-	-	-	-	-	-	1	1	1	4	-
South-west Hackney *3H*	59,921	40	10	-	2	-	1	-	-	-	-	-	1	-	1	5	-
South-east Hackney *2W,w,H* ..	58,255	36	27	3	14	-	-	-	-	1	-	-	2	2	5	19	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th April, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	15	4	-	1	-	-	-	-	-	-	-	1	-	-	1	-
Strand *W*,4*H*	21,674	4	7	-	1	-	-	-	-	-	-	-	-	-	-	7	-
Strand Union Workhouse, Edmonton	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Holborn *W*,5*H*	29,612	15	11	2	2	-	-	-	-	1	-	-	1	-	1	5	-
Clerkenwell *H*	63,704	32	12	3	6	-	-	-	-	1	-	-	-	1	3	2	-
St. Luke 3*H*,*L*	36,116	31	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	1	3	1	1	-	-	-	-	-	-	-	1	-	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	8	18	2	5	-	-	-	-	-	-	1	-	2	3	15	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	31	11	8	-	-	1	-	-	1	-	-	-	1	3	4	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	22	24	6	8	-	-	-	1	1	-	-	-	-	6	16	-
Shoreditch North-East	36,148	20	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	41	37	11	12	-	1	-	-	1	-	-	1	-	3	27	-
Bethnal Green South-West *H* ..	64,542	51	5	2	2	-	1	-	-	-	-	-	-	-	-	1	-
Spitalfields..	27,969	11	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	25	40	11	5	-	-	-	-	-	-	2	4	2	6	35	-
Goodman's Fields	22,081	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	37	17	2	2	-	-	-	-	-	-	-	3	2	5	7	-
Shadwell and Ratcliff *w*,*H* ..	25,568	10	13	7	-	-	2	-	-	3	-	-	-	1	3	8	-
Limehouse *W*	32,369	29	6	3	1	-	-	-	-	-	-	-	1	-	1	-	-
Mile End Old Town South-Western *H*	63,698	41	15	6	4	-	1	-	-	1	-	-	1	1	3	2	-
Mile End Old Town North-Eastern *W*,*w*	49,129	35	16	2	12	-	-	-	-	-	-	-	-	1	1	12	-
Bow	41,989	26	11	4	2	-	-	-	1	1	-	-	1	1	4	-	-
Bromley 3*w*,*H*	68,319	34	30	2	13	-	1	-	-	1	-	-	4	-	3	18	-
Poplar *W*,*w*	58,514	33	17	2	7	-	-	-	-	-	-	-	1	-	4	-	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 9th April, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	13	21	6	3	-	1	-	-	1	-	-	1	-	1	17	-
Kent-road	21,904	11	7	1	-	-	-	-	-	-	-	-	1	1	2	-	-
St. George the Martyr West *W,2H,L*	39,094	24	8	1	2	-	-	-	-	-	-	-	2	-	-	3	-
Newington North	49,022	29	11	3	2	-	1	-	-	-	-	-	1	-	2	-	-
Newington South *W*	72,841	37	18	2	6	-	1	-	-	1	-	-	3	-	1	2	-
St. Olave *2W*	9,817	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	56	15	7	4	-	1	-	-	-	-	-	-	1	2	-	-
Rotherhithe *W,F*	38,460	20	15	1	4	-	-	-	-	-	-	-	3	-	1	10	-
Waterloo *2H*	27,440	30	8	1	2	-	-	-	-	-	-	-	3	-	-	2	-
Lambeth Church *H*	27,440	12	15	1	2	-	1	-	-	-	-	-	3	-	1	9	-
Kennington *2W*	52,518	31	25	1	16	-	-	-	-	1	-	-	2	-	-	18	-
Stockwell *HF*	63,826	45	19	5	8	-	-	-	-	-	-	-	1	-	1	-	-
Brixton *H*	73,673	36	15	1	8	-	-	-	-	-	-	-	-	-	2	-	-
Norwood *2WH*	56,998	19	13	1	8	-	-	-	-	-	-	1	1	-	-	-	-
East Battersea *H*	72,203	45	11	3	4	-	-	-	-	1	-	-	-	1	2	-	-
North-west Battersea	49,656	39	15	7	2	-	-	-	-	1	-	-	1	-	1	-	-
South-west Battersea *2W,H*	47,048	12	24	4	7	-	1	-	-	1	-	-	3	3	5	15	-
Clapham *2H*	51,361	26	10	1	6	-	-	-	-	1	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	74	27	6	13	-	-	-	-	2	-	-	1	-	-	8	-
Springfield *2W,L*	27,959	19	6	2	2	-	-	-	-	-	-	-	-	-	1	-	-
Southfields *H*	40,444	32	10	3	5	-	-	-	-	-	-	-	1	-	-	1	-
Putney	24,139	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	21	1	9	-	-	-	-	-	-	-	3	1	1	18	-
Camberwell North *W,2L*	65,584	25	34	3	10	-	-	-	-	3	-	-	3	1	1	20	-
St. George	47,331	35	8	2	3	-	-	-	-	-	-	1	1	1	1	-	-
Peckham North	48,913	28	12	7	1	-	-	-	-	1	-	-	-	1	1	-	-
Peckham South *2W,w*	43,946	17	13	4	5	-	1	-	-	1	-	-	-	-	2	-	-
Deptford North	37,613	27	9	3	2	-	-	-	-	1	-	-	1	-	-	-	-
Deptford Central *F*	45,481	36	12	3	1	-	-	3	1	-	-	-	1	1	2	4	-
Deptford South	34,625	24	6	2	2	-	1	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	13	5	-	4	-	1	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	20	16	3	4	-	4	-	-	1	-	-	1	1	1	8	-
Eltham *w,H*	7,226	5	2	1	1	-	-	-	-	1	-	-	1	-	-	-	-
Lee *w,H*	25,490	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	34	27	5	12	-	-	-	-	-	-	-	1	-	1	12	-
Sydenham *H*	43,653	23	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	7	5	3	1	-	1	-	-	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	28	12	3	2	-	-	-	-	1	-	-	2	-	1	2	-
Plumstead West *W,H*	39,376	21	7	1	2	-	-	-	-	-	-	-	2	-	-	-	-
Plumstead East *2W*	28,951	12	7	4	2	-	-	-	-	-	-	-	-	-	1	3	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton	—	-	4	1	-	-	-	-	-	-	-	-	1	-	-	4	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	3	-	1	-	-	-	-	-	-	-	1	-	-	3	-
Darenth	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Leavesden	—	-	3	-	2	-	-	-	-	-	-	1	1	-	-	3	-
London County Lunatic Asylums:—																	
Banstead	—	-	4	-	-	-	-	-	-	-	-	-	1	-	-	4	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	-	-	-	-	-	-	-	-	1	-	-	3	-
Manor	—	-	4	-	1	-	-	-	-	-	-	-	1	-	-	4	-
Long Grove	—	-	9	-	4	-	-	-	-	-	-	-	1	-	-	9	-
Cane Hill	—	-	4	-	2	-	-	-	-	-	-	-	1	-	-	4	-
Dartford Heath	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch	—	-	10	-	5	-	-	-	-	-	-	1	1	-	2	10	-
Claybury	—	-	4	-	4	-	-	-	-	-	-	-	1	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging t the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boar Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATE POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 9th April, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
	LONDON—OUTER RING ..	368,603	2,045,135	1373	570	94	224	-	9	1	7	16	1	1	30	61	122	-
30 : 1	Carshalton 2F,3H	12,228	32,997	18	11	2	3	-	-	-	-	-	-	-	2	2	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	16	4	-	1	-	-	-	-	-	-	-	-	-	2	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	2	3	-	-	-	-	-	-	-	-	-	-	-	3	-
38 : 1	Coulsdon	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	27	17	4	7	-	2	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	23	20	-	11	-	1	-	-	-	-	-	-	1	5	-
4	North Croydon H	2,644	41,698	9	14	4	4	-	-	-	-	-	-	-	-	-	1	-
5	Penge w	770	22,465	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	40	9	2	3	-	-	-	-	-	-	-	1	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	25	9	2	4	-	-	-	-	2	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	22	14	3	7	-	-	-	-	-	-	-	1	4	5	-
3	Surbiton F,H	3,046	15,017	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	14	7	1	3	-	-	-	1	-	-	-	1	1	1	-
40 : 1	Richmond W,H	2,491	31,672	8	7	-	6	-	-	-	-	-	-	-	-	-	4	-
2	Mortlake F	2,518	17,821	19	7	1	3	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	9	10	3	4	-	-	-	-	-	-	-	1	1	-	-
2	Beckenham H	7,825	28,497	19	7	4	1	-	-	-	-	-	-	-	1	1	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	-	3	-	2	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst 2H	7,333	16,446	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,354	25,296	11	6	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	6	2	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Staines W,H	13,277	15,178	13	6	1	4	-	-	-	-	-	-	-	-	-	3	-
125 : 1	Hillingdon W,F,H	8,035	13,661	8	6	-	4	-	-	-	-	-	-	-	1	1	4	-
2	Uxbridge H	12,757	8,984	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	13	7	3	1	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	29	19	1	11	-	-	-	-	-	-	-	1	3	9	-
2	Twickenham F,2H	2,421	20,991	12	5	1	1	-	-	-	-	1	-	-	-	-	1	-
3	Brentford 3F,2H	4,319	48,289	37	18	1	7	-	-	-	-	-	-	-	2	1	1	-
4	Chiswick H	1,249	29,809	24	5	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	48	14	3	7	-	-	-	-	1	-	-	1	2	-	-
127A: 1	Harrow F,H	13,809	25,523	26	6	2	2	-	1	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,904	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	16	6	2	1	-	-	-	-	-	-	-	1	1	2	-
127B: 1	Willesden W,F,2H	4,384	114,811	91	33	6	12	-	3	-	-	1	-	-	2	2	7	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	8	3	-	2	-	-	-	-	-	-	-	1	1	-	-
2	Barnet W,2H	3,324	17,970	7	3	-	2	-	-	1	-	-	-	-	-	-	2	-
3	Finchley F,3H	4,638	33,692	24	6	1	2	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	28	5	-	2	-	-	-	-	1	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	26	6	2	2	-	-	-	-	-	-	-	1	1	-	-
3	West Tottenham	995	48,741	43	8	4	2	-	-	-	1	-	-	-	-	3	-	-
4	East Tottenham 2H ..	2,019	53,962	51	18	3	7	-	-	-	-	-	-	-	4	5	4	-
5	Edmonton W,w,2F	7,491	61,892	45	24	1	8	-	-	-	1	-	-	-	2	8	12	-
6	Enfield 2W,F,H	12,601	42,738	30	8	1	3	-	1	-	-	-	-	-	-	1	1	-
7	Waltham Abbey F	11,017	6,549	3	2	-	1	-	-	-	-	-	-	-	1	1	-	-
8	Cheshunt F,H	8,479	12,292	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	2	2	1	-	-	-	-	-	1	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	30	14	2	6	-	-	-	-	-	-	-	2	3	1	-
2	Forest Gate	787	52,745	20	8	2	3	-	-	-	-	1	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	76	25	6	6	-	-	-	2	3	1	1	-	2	5	-
4	Canning Town H	1,556	70,718	53	12	4	5	-	-	-	-	-	-	-	-	1	1	-
5	South East Ham 2F ..	1,991	37,342	43	18	6	5	-	-	-	-	1	-	-	-	3	-	-
6	North East Ham w,H ..	1,333	58,666	36	11	2	3	-	-	-	-	-	-	-	1	2	-	-
7	Wanstead F	1,679	9,179	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	27	13	1	9	-	-	-	-	-	-	-	-	1	9	-
9	North Leyton 2W,w,F ..	1,963	48,445	41	33	2	14	-	-	-	1	1	-	-	1	1	20	-
10	Walthamstow 2H,L ..	6,504	108,929	62	22	5	4	-	1	-	1	1	-	-	-	4	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	10	4	-	2	-	-	-	-	1	-	-	1	1	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	36	20	1	12	-	-	-	-	-	-	-	1	1	2	-
3	Barking Town F	3,805	21,547	16	5	3	-	-	-	-	-	1	-	-	-	1	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
	London County Lunatic Asylum (Long Grove), Epsom.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
LONDON* - -	4,872,702	April 9	2420	1377	14·7	–	33	4	7	45	2	13
CALCUTTA - -	1,009,008	March 12	–	526‡	27·1	4	9	–	1	2	6	21
BOMBAY - -	977,822	" 15	338	827‡	44·0	63	3	–	–	–	5	49
MADRAS - -	509,346	" 11	337	335	34·2	3	2	?	?	?	–	12
PARIS* - -	2,772,467	April 2	1002	1036	19·6	1	23	3	4	15	2	21
BRUSSELS* - -	720,030	" 2	263	214	15·5	–	3	–	3	1	1	9
ANTWERP* - -	314,135	" 2	149	97	16·1	–	7	1	1	4	–	6
AMSTERDAM* -	569,712	" 2	260	125	11·4	–	2	1	–	–	–	7
COPENHAGEN -	450,000	" 2	253	144	16·7	–	–	3	1	2	–	4
STOCKHOLM -	339,582	March 26	155	137	21·0	–	11	6	2	4	–	2
CHRISTIANIA -	235,674	April 2	112	58	12·8	–	–	–	5	–	–	3
ST. PETERSBURG	1,620,000	March 26	810	841	27·1	8	67	16	11	13	17	77
MOSCOW - -	1,493,600	" 26	–	742	25·9	14	21	21	21	3	2	56
BERLIN - -	2,126,091	" 19	786	598	14·7	–	3	15	12	8	2	33
HAMBURG - -	895,804	April 2	–	257	14·9	–	5	–	9	5	2	9
BRESLAU - -	507,500	March 26	–	157	16·1	–	–	–	1	1	1	11
MUNICH - -	576,000	" 26	244	214	19·3	–	2	–	4	3	–	21
VIENNA* - -	2,085,888	April 2	843	728	18·1	–	26	12	4	8	1	42
PRAGUE* - -	494,531	March 12	239	222	23·3	–	3	1	3	2	1	14
BUDAPEST* -	833,703	" 26	458	360	22·4	–	4	10	3	3	–	11
TRIESTE* - -	218,727	" 26	136	115	27·3	–	2	–	–	–	1	2
ROME - - -	584,308	February 12	286	239	21·3	–	6	–	7	1	2	10
VENICE - -	183,224	March 5	79	86	18·8	–	6	2	4	1	–	–
		" 12	79	81	23·0	–	4	–	2	–	1	5
BUCAREST - -	297,643	" 5	187	142	24·9	–	2	3	3	1	–	4
NEW YORK* -	4,711,956	" 19	2598	1642	18·2	–	20	27	60	4	11	25
CHICAGO* - -	2,282,927	" 19	–	750	17·1	–	5	8	11	6	4	41
PHILADELPHIA*	1,598,400	February 19	–	642	20·9	–	2	3	13	3	12	19
RIO DE JANEIRO	842,822	" 27	–	372	23·0	–	1	–	–	3	1	?
CAIRO:—*												
Egyptians -	616,183	March 11	569	331	27·9	3	7	–	3	?	–	34
Foreigners -	61,480	" 11	5	14	11·8	–	–	–	–	?	1	1
ALEXANDRIA:—*												
Egyptians -	317,454	" 11	310	230	37·7	–	21	–	–	?	2	21
Foreigners -	67,966	" 11	15	9	6·9	–	1	–	–	–	–	1

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 27 deaths from *plague* in Calcutta and 126 in Bombay, and from *Asiatic cholera*, 80 deaths in Calcutta.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 9th April, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	56·0	25·5	43·2	0·11	BRADFORD - -	50·1	28·7	40·6	0·52
BRIGHTON - -	–	–	–	–	YORK - - -	53·0	32·0	42·2	0·33
PORTSMOUTH - -	54·5	34·3	44·1	0·70	HULL - - -	50·0	28·0	41·6	0·39
NORWICH - -	–	–	–	–	TYNEMOUTH - -	49·0	28·0	40·9	0·55
PLYMOUTH - -	54·9	34·6	43·9	0·08	CARDIFF - - -	55·5	31·8	42·3	0·88
BRISTOL - - -	56·0	29·7	41·7	0·93	EDINBURGH - -	53·9	35·6	41·3	0·25
BIRMINGHAM - -	51·8	30·9	41·2	0·22	GLASGOW - -	56·0	32·0	43·2	0·16
NOTTINGHAM - -	54·0	26·0	41·0	0·16	DUBLIN Phœnix Park.	55·2	28·4	41·7	0·21
LIVERPOOL OBSERVATORY	53·0	33·0	41·9	0·41	DUBLIN Fitzwilliam Square.†	55·4	33·8	43·8	0·15
MANCHESTER -	51·8	30·8	41·1	0·27					
BURNLEY - -	52·0	29·0	40·6	0·48					
HUDDERSFIELD -	51·3	29·0	41·5	0·50	BELFAST - - -	54·0	29·5	43·2	0·08

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·4 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 9th April, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 3	Last Qr.	29·581	52·1	25·5	26·6	40·4	− 5·6	31·3	9·1	18·0	2 5	70	92·2	15·9	43·28	N., calm & variable.	NE. & N.	1 2	0·0	0·1	130	−175	0·00	0·0
MONDAY - 4	..	29·438	51·0	36·7	14·3	42·8	− 3·4	37·3	5·5	13·8	1·4	81	101·5	28·1	43·29	NNE. & N.	N., NNW. & WSW.	2·2	0·0	0·2	266	− 45	0·08	0·0
TUESDAY - 5	..	29·556	52·8	36·2	16·6	42·3	− 4·0	38·1	4·2	14·8	1·2	85	83·7	23·5	43·35	SW.	SW., S. & SSE.	2·1	0·0	0·1	219	− 96	0·00	2·0
WEDNESDAY 6	..	29·659	53·7	34·6	19·1	43·4	− 2·9	39·2	4·2	11·0	1·9	85	80·8	22·2	43·50	Variable.	ENE.	7·2	0·0	0·4	306	− 14	0·01	0·0
THURSDAY - 7	..	29·820	47·3	39·9	7·4	43·1	− 3 2	38·7	4·4	8·4	2·2	85	61·9	35·0	43·51	NE.	NE., SE. & ENE.	3·0	0·0	0·1	254	− 67	0·02	0·0
FRIDAY - 8	..	29·892	49·0	35·7	13·3	42·0	− 4·1	35·5	6·5	13·4	1·3	78	83·0	28·1	43·63	NNE. & NE.	NE., ENE. & NNE.	1·6	0·0	0·1	194	−124	0·00	0·0
SATURDAY - 9	In Eqr. New	29·862	56·0	34·2	21·8	45·5	− 0·5	35·6	9·9	18·6	2·4	68	86 0	25·3	43·80	N., W. & NW.	NNW. & NW.	4·5	0·0	0·2	297	− 16	0·00	4·0
MEANS - -		29·687	51·7	34·7	17·0	42·8	− 3·4	36·5	6·3	14·0	1·8	79	84·2	25·4	43·48	NNE.		..	..	..	Sum 1666	Sum −537	Sum 0·11	0·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 3	s. P. till noon; m. P. till 6h. P.M.; s. P. afterwards.	11·1	13·0	Very fine with little cloud till evening and cloudy at night; hoar frost in morning.
MONDAY - 4	m. P. till 9h. A.M.; s. P. till 4h. P.M.; v. P. and v. N. till 10h. P.M.; then s. P.	3·9	13·1	Generally overcast till 8h. A.M.; fine till 1h. P.M.; overcast with occasional rain afterwards; a little hail at 3h. 25m. P.M. Solar halo and parhelia observed shortly after 9h. A.M.
TUESDAY - 5	m.P. generally with occasional s. P.	2·5	13·1	Generally overcast till 3h. P.M.; then very fine; nearly cloudless at night with hoar frost; a few light showers between noon and 2h. P.M.
WEDNESDAY 6	m.P. till 5h. A.M.; v. N. and v. P. till 2h. P.M.; w. P. generally afterwards.	0·3	13·2	Fine in early morning; becoming overcast by 6h. A.M. and generally remaining so; slight fog and misty rain between 6h. and 9h. A.M.
THURSDAY - 7	m. P. till 7h. A.M.; v. N. and w. P. till 9h. A.M.; m. P. till 10h. P.M.; s. P. afterwards.	0·0	13·2	Overcast with occasional light showers till 10h. 30m. P.M.; fine and partially cloudy afterwards.
FRIDAY - 8	m.P. generally with occasional s. P.	0·2	13·3	Fine and partially cloudy till 5h. A.M.; generally overcast till 10h. P.M.; afterwards partially clear.
SATURDAY - 9	s. P. throughout.	6·2	13·4	Very fine generally with occasional cloudy intervals till evening; nearly overcast after 8h. P.M.; hoar frost in early morning.
		Sum 24·2	Sum 92·3	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·81 in. at the beginning of the week to 29·41 in. by 4h. P.M. on the 4th; increased generally to 29·91 in. by 11h. A.M. on the 8th; decreased to 29·83 in. by 4h. P.M. on the 9th; and was 29·87 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 2nd April, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	7	2	-	-	-	-	1	-	-
Kensington	184,635	-	4	-	-	1	-	-	3	-	-
Hammersmith	127,413	-	7	3	-	-	-	-	1	1	-
Fulham	181,282	-	1	3	-	-	-	-	3	-	-
Chelsea	75,457	-	3	3	-	1	-	-	-	-	-
City of Westminster ..	167,233	-	7	6	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	125,195	-	5	-	-	-	-	-	2	-	-
Hampstead	95,729	-	6	-	-	-	-	-	-	-	-
St. Pancras	237,792	-	17	1	-	-	-	-	5	-	-
Islington	353,356	-	7	9	-	1	-	-	1	-	-
Stoke Newington	54,838	-	4	1	-	-	-	-	1	-	-
Hackney	239,979	-	4	2	-	-	-	-	3	-	-
CENTRAL.											
Holborn	53,142	-	-	2	-	-	-	-	1	-	-
Finsbury	94,578	-	2	3	-	-	-	-	2	-	-
City of London	17,132	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	5	1	-	-	-	-	2	-	-
Bethnal Green	131,579	-	2	1	-	-	1	-	3	-	-
Stepney	314,379	-	7	9	-	-	-	-	4	-	1
Poplar	172,432	-	12	5	-	-	-	-	2	-	-
SOUTH.											
Southwark	211,832	-	9	4	-	-	-	-	3	-	-
Bermondsey	127,238	-	3	5	-	1	-	-	1	-	-
Lambeth	327,074	-	16	3	-	3	-	-	7	-	-
Battersea	188,222	-	8	5	-	1	-	-	2	-	-
Wandsworth	305,838	-	21	2	-	-	-	-	3	1	-
Camberwell	286,058	-	7	4	-	-	-	-	3	-	-
Deptford	119,642	-	6	6	-	1	-	-	3	-	-
Greenwich	112,935	-	5	1	-	3	-	-	1	-	-
Lewisham	164,899	-	17	4	-	-	-	-	-	-	-
Woolwich	135,422	-	5	3	-	1	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	198	88	-	13	1	-	63	2	1
Ages 0-1		-	1	5	-	-	-	-	3	-	-
„ 1-5		-	65	32	-	2	-	-	2	-	1
„ 5-		-	73	28	-	3	-	-	4	-	-
„ 10-		-	31	9	-	-	1	-	3	-	-
„ 15-		-	9	6	-	2	-	-	3	-	-
„ 20-		-	5	2	-	2	-	-	1	1	-
„ 25-		-	10	2	-	2	-	-	9	1	-
„ 35-		-	2	1	-	2	-	-	8	-	-
„ 45-		-	2	3	-	-	-	-	13	-	-
„ 55-		-	-	-	-	-	-	-	11	-	-
„ 65 and upwards		-	-	-	-	-	-	-	6	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 2nd APRIL, 1910.

BOROUGHS.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	*Pyrexia** (origin uncertain).	Diarrhœa.	Phthisis.		
COUNTY OF LONDON -	17,327	-	247	73	126	589	-	35	2	137	1,557	3,011	101
West.													
PADDINGTON - - -	513	-	24	3	5	14	-	3	-	5	36	76	102
KENSINGTON - - -	597	-	6	1	3	6	-	3	-	5	44	80	107
HAMMERSMITH - -	431	-	25	2	4	3	-	-	-	5	36	79	105
FULHAM - - -	520	-	11	3	7	27	-	1	-	8	35	101	92
CHELSEA - - -	279	-	10	-	-	1	-	2	-	2	30	30	98
CITY OF WESTMINSTER -	549	-	3	1	1	3	-	-	-	6	63	65	104
North.													
ST. MARYLEBONE - -	483	-	3	2	2	25	-	1	-	3	38	88	82
HAMPSTEAD - - -	239	-	10	-	-	-	-	-	-	-	18	23	73
ST. PANCRAS - - -	863	-	3	4	5	25	-	-	-	7	86	127	94
ISLINGTON - - -	1,240	-	1	5	9	60	-	2	1	9	101	220	106
STOKE NEWINGTON - -	182	-	-	-	-	1	-	1	-	2	9	14	57
HACKNEY - - -	841	-	19	3	2	31	-	-	-	4	71	142	100
Central.													
HOLBORN - - -	230	-	-	-	2	6	-	1	-	3	36	24	67
FINSBURY - - -	454	-	1	2	6	10	-	-	-	4	42	84	95
CITY OF LONDON - -	78	-	-	-	-	1	-	-	-	-	7	2	31
East.													
SHOREDITCH - - -	516	-	15	2	6	15	-	-	-	8	67	102	116
BETHNAL GREEN - -	568	-	13	1	5	15	-	1	-	6	52	138	130
STEPNEY - - -	1,229	-	18	4	12	72	-	3	-	12	125	263	105
POPLAR - - -	700	-	11	-	8	43	-	4	-	8	69	154	120
South.													
SOUTHWARK - - -	917	-	9	4	5	23	-	2	-	9	107	162	116
BERMONDSEY - - -	542	-	3	3	7	10	-	-	-	4	60	118	111
LAMBETH - - -	1,146	-	2	10	8	19	-	4	-	3	94	161	77
BATTERSEA - - -	592	-	17	2	3	17	-	1	1	6	48	120	110
WANDSWORTH - -	880	-	4	6	4	34	-	2	-	3	68	157	93
CAMBERWELL - -	955	-	6	3	6	28	-	2	-	7	85	161	99
DEPTFORD - - -	493	-	16	2	2	36	-	-	-	-	40	97	133
GREENWICH - - -	409	-	14	1	4	43	-	1	-	3	33	80	128
LEWISHAM - - -	462	-	3	3	7	10	-	1	-	3	22	76	86
WOOLWICH - - -	419	-	-	6	3	11	-	-	-	2	35	67	91

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 687 London residents who died outside London in Metropolitan Workhouses, Hospitals, and Lunatic and Imbecile Asylums, have been similarly distributed. Of the deaths shown in Table 5 during the 13 weeks the previous residence was outside London in 789 cases and these have been excluded from this Table.

* Called "Simple Continued Fever" previous to 1901.

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 15. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, APR. 16. [Price 1½*d.*

General Register Office, Somerset House,
April 18th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 15·0 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates in the 76 or 77 towns had been 13·9, 14·4, and 14·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·3 in Blackburn, 19·4 in Great Yarmouth, 19·7 in Devonport, 20·1 in Preston, 20·3 in Newport (Mon.), 20·7 in Liverpool, 21·0 in Merthyr Tydfil, and 23·3 in Stockport; from *measles*, 1·1 in Stoke on Trent, 1·2 in Bradford, 1·9 in Burton on Trent, 2·2 in Bootle, and 5·2 in Merthyr Tydfil; and from *whooping-cough*, 1·1 in Rhondda, 1·3 in Birkenhead, in West Hartlepool, and in Newport (Mon.), 1·4 in Grimsby and in Liverpool, 2·3 in Hastings, and 2·5 in Devonport. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2372 BIRTHS and 1387 DEATHS were registered. Allowing for increase of population, the births were 70 and the deaths 143 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(16280—41.) Wt. 91—429. 700. 4/10. D & S. G. 31. Sch. 4 P

weeks of the previous five years. The annual death-rate from all causes, which had been 13·5, 14·5, and 14·7 per 1000 in the preceding three weeks, further rose last week to 14·8. The death-rate in the four weeks ended last Saturday averaged 14·4 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1387 deaths included 46 from measles, 5 from scarlet fever, 8 from diphtheria, 41 from whooping-cough, 8 from enteric fever, and 9 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 117 deaths were referred, being 40 below the corrected average number in the fifteenth week of the preceding five years.

The deaths from *measles*, which had been 24, 22, and 33 in the preceding three weeks, rose to 46 last week, but were 20 below the corrected average; 7 deaths belonged to the Borough of Deptford, 5 each to Shoreditch and to Southwark, 4 to Greenwich, and 3 each to Paddington, Stepney, Poplar, and Lewisham. The deaths from *scarlet fever*, which had been 10, 2, and 4 in the preceding three weeks, were 5 last week, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 10, 8, and 6 in the preceding three weeks, were 8 last week, and were 6 below the corrected average. The deaths from *whooping-cough*, which had been 44, 51, and 45 in the preceding three weeks, were 41 last week, and were 8 below the corrected average; 5 deaths belonged to Islington, 5 to Camberwell, 4 each to Finsbury, Poplar, and Lambeth, and 3 to St. Pancras. The deaths from *enteric fever*, which had been 6, 3, and 2 in the preceding three weeks, rose to 8 last week, and were 4 above the corrected average. The deaths from *diarrhœa*, which had been 5, 9, and 11 in the preceding three weeks, were 9 last week, and were 4 below the corrected average. Of the 9 deaths from diarrhœa, 6 were those of children under 2 years of age; 2 other deaths at this age were certified as due to *enteritis*, and 1 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 21, having been 17, 14, and 17 in the preceding three weeks.

Different forms of violence caused 64 deaths, concerning all of which inquests were held. Of these 64 deaths, 15 were cases of suicide, and 1 of homicide, while the remaining 48 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, six to burns or scalds, five to drowning, and nine, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1535 cases of scarlet fever, 816 of diphtheria, and 81 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 197 cases, against 173, 158, and 166; of diphtheria, 69 cases, against 71, 71, and 79; and of enteric fever, 8 cases, against 11, 9, and 5. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended April 9th, 1910.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3691 births and 1938 deaths were registered. Allowing for increase of population, these numbers are 174 and 230 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from measles, 4 from scarlet fever, 4 from diphtheria, 9 from whooping-cough, 1 from enteric fever, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·34 inches, and that of the Thermometer 48°·8, the latter being 2°·5 above the week's average in the 65 years ended 1905. The general direction of the wind was Southerly, the horizontal movement of the air being 9 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 29·1 hours; the measured rainfall amounted to 1·86 inches.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 16th April, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 26th Mar., 1910.	2nd Apr., 1910.	9th Apr., 1910.	16th Apr., 1910.	Rate from Diseases in Cols. 11-17 Week ended 16th April, 1910.	Registered during the Week ended 16th April, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**13·9§**	**14·4§**	**14·9**	**15·0**	**1·2**	**8696**	**4872**	**909**	**1617**	**-**	**117**	**35**	**39**	**143**	**15**	**34**	**177**	**360**	**1397**	**42**	**77 TOWNS.**
LONDON	4,872,702	13·5	14·5	14·7	14·8	1·3	2372	1387	218	502	-	46	5	8	41	8	9	64	129	577	2	LONDON.
† CROYDON	164,485	10·8	12·7	16·8	12·4	1·0	77	39	1	21	-	2	-	1	-	-	-	1	2	13	-	† CROYDON.
WILLESDEN ..	166,088	7·8	8·2	10·7	8·5	1·3	71	27	7	9	-	2	-	1	1	-	-	2	2	4	-	WILLESDEN.
HORNSEY	98,561	4·2	9·0	4·2	4·2	-	18	8	-	4	-	-	-	-	-	-	-	-	-	1	-	HORNSEY.
TOTTENHAM ..	132,803	10·2	13·0	11·8	14·9	0·4	78	38	10	11	-	-	-	-	1	-	-	2	4	10	-	TOTTENHAM.
WEST HAM ..	328,585	10·3	11·6	11·6	10·5	1·3	172	66	17	20	-	1	-	3	2	-	2	-	4	23	-	WEST HAM.
EAST HAM.. ..	156,208	7·7	8·0	11·0	8·3	0·3	77	25	2	11	-	1	-	-	-	-	-	1	2	6	-	EAST HAM.
LEYTON	133,436	8·6	9·4	9·4	9·8	0·4	70	25	5	9	-	-	-	-	1	-	-	1	3	9	-	LEYTON.
WALTHAMSTOW	141,748	8·5	8·5	9·2	11·4	1·8	71	31	3	8	-	1	2	-	1	-	1	5	8	12	-	WALTHAMSTOW.
HASTINGS	68,520	8·4	13·7	12·2	16·0	3·0	20	21	4	8	-	1	-	-	3	-	-	-	-	4	1	HASTINGS.
BRIGHTON	131,900	13·8	19·0	16·6	13·8	0·4	70	35	4	13	-	-	-	-	1	-	-	-	2	6	-	BRIGHTON.
PORTSMOUTH ..	217,989	14·8	14·6	13·9	15·8	1·0	119	66	14	34	-	-	2	-	1	1	-	3	7	13	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	12·7	17·6	13·4	14·1	0·7	28	20	1	7	-	-	-	1	-	-	-	-	1	5	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	10·7	14·8	7·8	15·2	0·4	76	37	4	12	-	-	-	-	-	-	1	2	7	7	-	SOUTHAMPTON.
READING	84,355	14·2	9·9	6·2	13·6	0·6	28	22	3	10	-	-	-	-	1	-	-	3	3	5	-	READING.
NORTHAMPTON ..	99,113	13·7	13·2	12·6	16·3	-	43	31	4	12	-	-	-	-	-	-	-	-	1	4	1	NORTHAMPTON.
IPSWICH	75,936	11·7	18·5	14·4	13·7	0·7	39	20	5	7	-	1	-	-	-	-	-	-	1	3	-	IPSWICH.
GREAT YARMOUTH	53,715	8·7	14·6	19·4	19·4	-	33	20	1	6	-	-	-	-	-	-	-	1	1	7	-	GREAT YARMOUTH.
NORWICH	125,446	10·8	14·1	16·6	17·0	0·8	63	41	6	18	-	1	-	-	-	-	1	2	3	10	-	NORWICH.
PLYMOUTH	126,266	12·8	19·4	14·0	17·3	0·4	51	42	4	18	-	-	-	-	1	-	-	1	4	7	-	PLYMOUTH.
DEVONPORT	84,695	17·9	19·1	10·5	19·7	4·3	33	32	6	7	-	1	-	1	4	-	1	-	3	3	-	DEVONPORT.
BRISTOL	382,550	13·2	13·5	15·4	16·4	1·1	161	120	17	61	-	-	2	1	4	-	1	2	9	35	-	BRISTOL.
STOKE ON TRENT‡..	245,726	?	?	15·5	17·6	1·9	173	83	25	20	-	5	1	-	-	1	2	2	5	15	3	STOKE ON TRENT‡.
BURTON ON TRENT	54,977	9·5	11·4	10·4	7·6	1·9	28	8	3	2	-	2	-	-	-	-	-	-	1	2	1	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	13·8	12·8	9·3	15·7	1·0	44	32	5	12	-	-	-	-	2	-	-	1	2	10	-	WOLVERHAMPTON
WALSALL	101,035	13·9	11·9	12·4	12·9	-	63	25	6	8	-	-	-	-	-	-	-	1	1	4	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	12·3	8·7	9·4	14·4	1·4	36	20	7	6	-	-	-	-	1	-	1	1	1	2	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	18·3	17·6	16·9	11·0	0·7	45	15	2	8	-	-	1	-	-	-	-	-	2	3	1	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 26th Mar., 1910.	2nd Apr., 1910.	9th Apr., 1910.	16th Apr., 1910.	Rate from Diseases in Cols. 11–17. Week ended 16th April, 1910.	Registered during the Week ended 16th April, 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	15·0	15·7	16·0	15·4	1·6	303	168	37	45	-	1	4	4	8	-	1	4	8	53	2	Birmingham.
Kings Norton ..	84,673	6·8	9·2	9·9	6·8	0·6	32	11	2	4	-	-	-	1	-	-	-	-	-	1	-	Kings Norton.
Smethwick	72,350	10·8	15·1	14·4	10·8	-	33	15	2	8	-	-	-	-	-	-	-	1	2	1	-	Smethwick.
Aston Manor ..	86,269	13·3	10·9	11·5	9·7	0·6	45	16	6	2	-	-	1	-	-	-	-	-	2	2	-	Aston Manor.
Coventry	81,449	14·1	10·9	15·4	14·7	-	35	23	4	10	-	-	-	-	-	-	-	1	2	5	3	Coventry.
Leicester	248,374	9·7	9·0	10·5	10·3	-	101	49	9	16	-	-	-	-	-	-	-	3	4	14	-	Leicester.
Grimsby	74,283	20·4	14·7	9·8	12·6	1·4	40	18	3	8	-	-	-	-	2	-	-	1	1	4	-	Grimsby.
Nottingham ..	266,471	11·9	14·1	17·2	16·8	1·4	147	86	18	29	-	2	2	-	2	-	1	4	6	25	-	Nottingham.
Derby	131,256	14·3	10·3	12·3	10·7	0·8	54	27	4	10	-	-	-	-	-	2	-	-	4	8	-	Derby.
Stockport	105,087	21·3	15·9	13·9	23·3	1·0	49	47	5	14	-	-	-	-	1	-	1	2	4	12	-	Stockport.
Birkenhead ..	122,431	15·8	17·9	19·2	17·9	1·7	77	42	17	11	-	-	-	-	3	1	-	-	-	7	-	Birkenhead.
Wallasey	73,173	13·5	12·8	15·0	14·3	-	32	20	4	5	-	-	-	-	-	-	-	1	1	3	-	Wallasey.
Liverpool	767,606	18·6	19·7	19·2	20·7	2·9	466	304	68	91	-	11	4	-	20	-	7	9	15	118	10	Liverpool.
Bootle	70,548	14·0	12·6	17·7	14·8	3·0	41	20	7	6	-	3	1	-	-	-	-	1	1	7	-	Bootle.
St. Helens	96,523	16·7	11·9	10·3	15·7	0·5	70	29	11	7	-	-	1	-	-	-	-	-	-	7	3	St. Helens.
Wigan	91,732	17·6	10·2	11·9	17·6	0·6	78	31	12	8	-	-	-	-	1	-	-	2	2	5	-	Wigan.
Warrington ..	73,295	14·9	14·2	19·2	13·5	-	56	19	5	8	-	-	-	-	-	-	-	2	2	5	1	Warrington.
Bolton	190,315	10·7	13·2	14·5	11·5	1·1	76	42	9	8	-	-	1	-	3	-	-	1	2	7	-	Bolton.
Bury	59,409	14·0	18·4	11·4	14·0	-	19	16	2	10	-	-	-	-	-	-	-	-	-	4	-	Bury.
Manchester ..	716,354	16·5	15·6	18·7	18·1	1·4	444	248	56	65	-	5	-	5	9	-	-	8	13	79	1	Manchester.
Salford	244,636	16·6	13·2	17·5	17·7	1·3	128	83	11	27	-	2	-	2	1	-	1	2	5	23	-	Salford.
Oldham	144,111	16·3	18·8	21·3	12·7	0·7	85	35	11	8	-	-	-	-	-	-	2	1	4	7	-	Oldham.
Rochdale	90,497	17·9	12·7	14·4	16·7	0·6	30	29	5	11	-	-	-	1	-	-	-	-	-	3	3	Rochdale.
Burnley	107,448	18·4	18·9	17·0	11·6	0·5	54	24	9	-	-	-	1	-	-	-	-	-	1	4	-	Burnley.
Blackburn	137,972	18·5	12·8	18·1	19·3	0·4	58	51	5	20	-	1	-	-	-	-	-	1	2	11	-	Blackburn.
Preston	119,253	13·6	14·9	16·6	20·1	1·3	58	46	9	15	-	1	1	-	1	-	-	1	1	8	1	Preston.
Barrow in Furness.	63,689	19·6	10·6	11·5	13·1	0·8	32	16	5	6	-	-	-	-	1	-	-	-	-	4	1	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 16th April, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 26th Mar., 1910.	2nd Apr., 1910.	9th Apr., 1910.	16th Apr., 1910.	Rate from Diseases in Cols 11–17. Week ended 16th April, 1910.	Registered during the Week ended 16th April, 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	19·8	15·4	19·8	14·9	0·6	37	27	–	9	–	–	1	–	–	–	–	1	2	7	–	HUDDERSFIELD.
HALIFAX	112,818	10·2	8·3	16·6	12·0	0·5	48	26	2	9	–	1	–	–	–	–	–	1	1	4	–	HALIFAX.
BRADFORD	295,865	16·7	14·8	16·7	15·0	1·2	126	85	16	23	–	7	–	–	–	–	–	4	4	15	–	BRADFORD.
LEEDS	490,985	13·4	13·9	16·4	15·7	1·0	240	148	33	28	–	1	3	2	3	–	–	7	15	36	–	LEEDS.
DEWSBURY†	51,224	?	?	10·2	15·3	–	24	15	1	8	–	–	–	–	–	–	–	–	–	1	–	DEWSBURY.†
SHEFFIELD	478,763	13·5	15·0	14·7	13·8	1·1	237	127	24	41	–	–	–	3	7	–	–	2	7	19	–	SHEFFIELD.
ROTHERHAM.. ..	66,414	12·6	14·1	21·2	11·8	0·8	35	15	2	3	–	–	–	–	–	1	–	1	1	6	–	ROTHERHAM.
YORK	88,159	14·8	12·4	10·6	10·6	0·6	42	18	5	6	–	1	–	–	–	–	–	–	–	5	–	YORK.
HULL	280,006	16·9	16·0	14·9	15·5	0·6	159	83	11	32	–	1	–	–	2	–	–	4	6	22	–	HULL.
MIDDLESBROUGH ..	107,014	15·1	18·0	12·2	10·7	0·5	83	22	3	5	–	1	–	–	–	–	–	–	1	1	1	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	10·7	10·7	15·5	11·7	–	25	12	3	4	–	–	–	–	–	–	–	–	1	1	–	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	15·3	9·6	10·2	12·7	1·9	36	20	4	3	–	–	1	–	2	–	–	3	5	2	–	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	13·9	14·6	18·5	16·2	1·3	101	50	8	19	–	2	–	2	–	–	–	–	2	8	–	SUNDERLAND.
SOUTH SHIELDS ..	119,737	18·7	12·2	17·0	13·1	0·4	64	30	5	10	–	–	–	–	1	–	–	1	1	5	1	SOUTH SHIELDS.
GATESHEAD	133,676	11·7	12·5	12·1	14·4	1·6	74	37	12	8	–	1	–	1	2	–	–	3	4	3	4	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	10·2	14·6	12·8	17·3	0·7	142	95	16	33	–	–	1	1	1	–	1	2	7	14	–	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	20·3	13·9	16·6	8·3	–	50	9	3	3	–	–	–	–	–	–	–	–	1	–	–	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	17·0	13·1	19·6	20·3	2·0	42	31	6	10	–	1	–	–	2	–	–	1	1	3	–	NEWPORT (MON.).
CARDIFF	199,189	12·3	14·1	15·4	16·2	1·8	103	62	12	19	–	3	–	1	2	–	1	1	5	8	–	CARDIFF.
RHONDDA	138,674	12·4	13·2	22·9	16·5	1·5	103	44	8	12	–	–	–	–	3	1	–	2	3	4	1	RHONDDA.
MERTHYR TYDFIL..	79,522	15·7	24·3	19·0	21·0	5·2	58	32	9	6	–	8	–	–	–	–	–	1	1	1	–	MERTHYR TYDFIL.
SWANSEA	98,817	23·7	24·3	17·4	17·4	0·5	65	33	6	10	–	–	–	–	1	–	–	3	2	5	–	SWANSEA.
GREATER LONDON	7,537,196	12·3	13·4	13·5	13·4	1·1	3691	1938	318	716	–	56	11	17	56	9	13	90	182	714	3	GREATER LONDON.
OUTER RING ..	2,664,494	10·2	11·4	11·2	10·8	0·9	1319	551	100	214	–	10	6	9	15	1	4	26	53	137	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	8·9	10·3	11·0	10·2	0·9	634	259	45	93	–	7	2	5	6	–	3	12	25	78	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	11·4	12·6	11·3	11·3	0·9	685	292	55	121	–	3	4	4	9	1	1	14	28	59	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	12·3	15·9	14·5	16·5	1·2	139	114§	14	42	–	6	–	–	–	1	1	3	?	43	6	EDINBURGH.
GLASGOW	884,505	15·5	17·5	18·4	19·7	1·9	492	335	59	99	–	17	1	4	4	–	6	9	?	107	8	GLASGOW.
DUBLIN (Registration Area).‡	402,928	22·6	19·8	23·4	21·5	0·6	217	166	23	68	–	–	–	–	2	1	2	2	1	76	12	DUBLIN (Registration Area).‡
BELFAST‡	391,167	16·7	18·4	22·4	24·9	3·2	247	187	38	44	–	17	–	1	5	–	1	–	2	47	1	BELFAST‡

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTEENTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2292	2358	2624	2468	2676	2469	2087	2532	2391	2447	2442·3	2372
Males - - -	1131	1223	1322	1252	1405	1252	1081	1284	1243	1251	1251·5	1223
Females - -	1161	1135	1302	1216	1271	1217	1006	1248	1148	1196	1190·8	1149
TOTAL **Deaths** -	1844	1633	1523	1422	1490	1443	1578	1495	1351	1606	1530·4	1387
Males - - -	932	847	782	749	746	736	793	761	704	794	775·8	715
Females - -	912	786	741	673	744	707	785	734	647	812	754·6	672

* The numbers in this column are the average weekly numbers in the Fifteenth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 22.	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	13 Weeks.
TOTAL **Births** -	2146	2086	2381	2375	2325	2264	2393	2370	2344	2141	2312	2420	2372	29929
TOTAL **Deaths** -	1351	1468	1607	1632	1526	1386	1346	1254	1231	1263	1354	1377	1387	18182
Ages at Death: Under 1 year -	223	267	283	259	241	235	233	219	197	215	236	260	218	3086
1—5 years -	105	146	142	161	126	136	153	116	137	127	141	120	146	1756
5—20 " -	72	64	77	80	74	59	68	63	60	78	72	67	74	908
20—40 " -	161	156	182	173	159	162	133	148	149	143	161	165	170	2062
40—60 " -	301	308	344	334	341	261	272	248	247	289	280	310	277	3812
60 yrs. & upwds.	489	527	579	625	585	533	487	460	441	411	464	455	502	6558
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	18	11	17	13	26	14	39	15	24	24	22	33	46	302
Scarlet Fever - -	-	10	5	6	8	4	6	9	6	10	2	4	5	75
Diphtheria - -	13	10	16	5	11	11	9	6	6	10	8	6	8	119
Whooping-cough -	30	57	57	61	53	45	46	41	46	44	51	45	41	620
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	3	2	3	2	4	3	2	4	6	3	2	8	45
Pyrexia (origin uncertain).	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Diarrhœa, Dysentery	10	11	14	15	8	11	10	13	11	5	9	11	9	137
All above diseases -	74	102	111	103	108	89	114	89	97	99	95	101	117	1299
Dis. of Resp. System	152	178	207	226	200	172	148	129	109	123	158	131	137	2070
Pneumonia - -	139	144	185	199	195	176	142	150	129	138	152	150	175	2074
Phthisis - - -	140	141	153	112	124	131	126	108	121	123	118	132	113	1642
Dis. of Circ. System -	197	242	235	227	220	176	198	172	184	194	193	219	183	2610
Violence - - -	52	58	41	56	62	42	49	50	37	46	58	46	64	661
Inquest Cases - -	152	148	158	163	173	121	135	143	118	107	144	133	129	1824
Deaths in Institutions	599	605	674	658	607	582	584	543	514	528	566	575	577	7612
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	39·6	34·2	37·4	42·0	44·7	42·5	41·8	46·0	40·1	42·0	41·9	42·8	48·8	41·8
Mean of Highest -	43·2	39·4	43·3	47·7	50·9	49·0	49·9	52·5	48·7	51·1	52·0	51·7	58·7	49·1
Mean of Lowest -	35·6	28·4	31·1	35·6	39·0	36·8	33·1	40·5	32·3	33·3	32·8	34·7	42·1	35·0
Mean Humidity of the Air.	78	75	83	86	80	83	83	87	75	80	74	79	79	81
Rain-fall (in inches) -	0·16	1·15	0·09	0·38	0·69	1·40	0·15	0·95	0·13	0·00	0·00	0·11	1·86	7·07
Registered Sunshine (in hours).	10·8	19·5	9·4	15·6	23·7	22·9	44·7	14·6	41·6	23·6	46·8	24·2	29·1	326·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	3	2	2	1	1	1	1	–	–	–	–	–	–	1
Scarlet Fever - -	2069	1993	1937	1881	1784	1765	1766	1754	1713	1650	1611	1554	1535	1770
Diphtheria - - -	901	896	936	908	903	911	901	884	872	855	856	848	816	883
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	60	62	55	61	66	76	78	89	88	88	85	81	81	75

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth: and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTEENTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 15th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1530·4	1387	218	146	74	170	277	502
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	66·4	46	7	36	2	1	-	-
Scarlet Fever	10·2	5	-	1	3	1	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	31·9	21	-	1	1	5	7	7
Whooping-cough	49·4	41	16	25	-	-	-	-
Diphtheria	14·1	8	1	1	4	2	-	-
Cerebro-spinal Fever ..	0·6	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	3·9	8	-	-	3	3	1	1
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	3·7	-	-	-	-	-	-	-
Diarrhœa, Dysentery ..	9·0	9	4	2	-	-	1	2
Tetanus	1·0	1	1	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	7·6	7	5	1	-	-	-	1
Puerperal Septicæmia ..	2·9	3	-	-	-	3	-	-
Puerperal Pyæmia.. .	-	-	-	-	-	-	-	-
Puerperal Fever	0·4	1	-	-	-	1	-	-
Infective Endocarditis ..	2·7	1	-	-	1	-	-	-
Pneumonia: Lobar ..	22·1	23	1	4	1	5	7	5
Pneumonia: Broncho ..	81·9	73	23	21	2	7	11	9
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	75·8	79	8	5	3	12	20	31
Erysipelas	3·1	1	1	-	-	-	-	-
Septicæmia (not Puerperal) ..	1·0	4	1	-	-	2	1	-
Pyæmia (not Puerperal)	1·0	1	1	-	-	-	-	-
Other Infective Processes	3·9	-	-	-	-	-	-	-
Tuberculous Phthisis ..	94·6	94	-	-	9	37	38	10
"*Phthisis*"	53·9	19	-	-	1	9	8	1
Tuberculous Meningitis ..	21·9	21	4	13	4	-	-	-
Tuberculous Peritonitis ..	10·9	9	3	1	2	-	2	1
Tabes Mesenterica	2·0	-	-	-	-	-	-	-
Tuberculous Dis., Other ..	19·3	12	2	1	4	3	2	-
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	8·0	2	-	-	-	1	-	1
Rheumatic Fever	5·3	7	-	-	3	1	3	-
Gout	2·3	1	-	-	-	-	-	1
Carcinoma	58·2	59	-	-	-	-	24	35
Sarcoma	4·5	8	-	2	2	1	1	2
Cancer (undefined) ..	29·7	41	-	-	-	2	20	19
Diabetes Mellitus	7·4	19	-	-	-	5	2	12
Premature Birth	42·8	40	40	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 15th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	17·2	8	3	3	-	2	-	-
Gen. Par. of Insane, Insanity	12·5	20	-	-	-	4	10	-
Epilepsy	7·6	7	-	1	1	2	1	-
Convulsions	16·6	20	18	2	-	-	-	-
Locomotor Ataxy.. ..	3·1	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord.	8·0	5	-	-	-	1	2	-
Nervous Sys., Other Dis.	17·6	20	1	-	2	4	4	-
Valv. Dis., Endocarditis..	49·1	46	-	-	2	12	12	-
Cereb. Hæm. Cereb. Emb.	33·8	30	-	-	-	1	10	-
Apoplexy, Hemiplegia ..	16·2	20	-	-	-	-	3	1
Aneurysm	5·1	3	-	-	-	1	-	-
Embolism, Thrombosis (not Cerebral) ..	0·4	-	-	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	84·4	84	-	1	3	7	16	-
Croup (not Spasm: nor Memb.)	·0·4	-	-	-	-	-	-	-
Bronchitis	130·4	121	11	3	1	-	19	-
Emphysema, Asthma ..	6·6	5	-	-	-	1	1	-
Pleurisy	4·9	2	-	1	-	1	-	-
Respiratory Dis., Other..	12·3	9	1	1	-	1	1	-
Tonsillitis, Quinsy.. ..	0·4	2	-	1	1	-	-	-
Enteritis (not Epid.) ..	10·6	2	2	-	-	-	-	-
Gastro-enteritis	5·9	1	-	1	-	-	-	-
Peritonitis (not Puerp.) ..	2·9	3	1	-	1	1	-	-
Cirrhosis of Liver.. ..	11·7	7	-	-	-	1	4	-
Liver Dis., Other	4·9	5	-	-	-	-	2	-
Digestive Sys., Other Dis.	32·4	34	1	3	4	6	7	-
Acute Nephritis	7·8	12	-	1	-	2	5	-
Bright's Dis., Albuminuria	40·5	35	-	-	3	4	7	-
Urinary Sys., Other Dis.	9·2	11	-	-	1	-	-	-
Generative Organs Dis...	2·3	4	-	1	-	2	1	-
Childbirth (Accid. of) ..	4·1	1	-	-	-	1	-	-
Old Age	68·8	63	-	-	-	-	-	-
Other Diseases	90·3	79	48	5	3	6	8	-
ACCIDENT.								
By Railways	1·6	-	-	-	-	-	-	-
By Vehicles and Horses..	5·5	9	-	2	3	-	2	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	-	-	-	-	-	-	-
In Building Operations..	1·4	-	-	-	-	-	-	-
In Conflagrations	0·6	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	6·3	6	-	4	-	1	1	-
By Drowning	4·3	5	-	-	2	1	2	-
By Suffocation in Bed ..	7·6	9	9	-	-	-	-	-
By Poisons or Poisonous Vapours	2·3	2	1	-	-	-	1	-
Other Deaths by Accident..	17·4	17	3	2	2	3	3	-
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·4	1	1	-	-	-	-	-
Suicide	10·0	15	-	-	-	4	7	-
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th April, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2372	1387	218	502	-	46	5	8	41	8	9	113	64	129	577	2
WEST DISTRICTS	805,311	344	234	39	99	-	5	-	-	6	2	-	15	11	20	97	-
NORTH DISTRICTS	1,055,908	516	279	34	114	-	4	1	4	11	2	2	28	11	16	112	-
CENTRAL DISTRICTS	209,465	93	77	15	16	-	1	-	-	3	-	-	3	11	15	44	-
EAST DISTRICTS	715,739	408	220	40	61	-	11	-	1	8	1	1	18	15	42	102	-
SOUTH DISTRICTS	1,749,844	1011	520	90	193	-	25	4	2	12	2	5	44	16	36	165	2
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	57	-	19	-	-	-	1	1	1	1	5	-	-	57	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	24	19	3	9	-	-	-	-	1	-	-	1	-	1	-	-
Central Paddington *W,3H*	50,053	21	36	5	9	-	3	-	-	-	-	-	2	1	4	21	-
South Paddington	30,320	7	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Kensington Town *2W,w,2H* ..	128,037	39	36	1	21	-	-	-	-	-	-	-	1	-	1	21	-
Brompton *2H*	48,591	12	7	1	4	-	-	-	-	-	-	-	1	2	2	1	-
North Hammersmith *2W,w,H* ..	49,192	28	14	1	7	-	-	-	-	1	-	-	2	-	-	7	-
South Hammersmith *w,2H* ..	63,047	34	16	3	5	-	-	-	-	1	-	-	-	2	3	3	-
North-west Fulham *W*	45,180	40	23	6	11	-	2	-	-	1	-	-	2	-	1	10	-
North-east Fulham *F*	46,405	27	11	4	4	-	-	-	-	-	1	-	1	1	1	1	-
South Fulham *W*	45,704	18	9	4	2	-	-	-	-	-	-	-	1	1	1	-	-
Chelsea North *W,w,3H*	42,514	23	25	2	16	-	-	-	-	-	-	-	2	-	-	16	-
Chelsea South *W,2H*	31,328	18	10	4	3	-	-	-	-	1	-	-	-	1	2	4	-
Mayfair and Knightsbridge	28,743	9	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave *W,2H*	55,815	17	12	-	5	-	-	-	-	-	1	-	2	1	1	6	-
St. Margaret & St. John *6H*	43,698	18	9	4	1	-	-	-	-	1	-	-	-	1	1	5	-
St. James and St. Anne *W,6H* ..	33,081	6	4	-	1	-	-	-	-	-	-	-	-	-	-	2	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	17	19	2	9	-	-	-	2	1	1	-	-	1	1	9	-
St. Mary Marylebone *W,4H* ..	37,948	49	6	-	3	-	-	-	-	-	-	-	1	-	-	2	-
Christchurch Marylebone *H* ..	39,536	17	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	21	14	1	9	-	-	-	-	-	-	-	2	-	-	5	-
West St. Pancras *2H*	60,562	20	20	2	4	-	1	-	-	1	-	-	-	1	1	6	-
South St. Pancras *w,10H*	55,707	17	17	4	4	-	-	-	-	2	-	1	-	4	4	9	-
East St. Pancras *W,H*	60,320	38	22	3	5	-	1	-	1	1	-	-	6	-	-	13	-
North St. Pancras *2W*	58,728	34	16	-	7	-	-	-	-	-	-	-	2	-	1	7	-
Tufnell *W*	31,995	13	23	-	15	-	-	-	-	1	-	-	3	-	1	16	-
Upper Holloway *2W,w,H*	33,978	24	27	1	14	-	-	-	1	1	-	-	2	-	-	17	-
Tollington *W,w,H*	33,922	17	8	1	1	-	-	-	-	1	-	-	1	-	-	-	-
Lower Holloway	41,424	15	5	3	1	-	-	-	-	1	-	-	-	-	-	-	-
Barnsbury	54,478	22	11	1	5	-	-	-	-	-	1	-	1	-	-	-	-
Islington South-east *F*	75,397	52	13	2	8	-	-	1	-	-	-	-	-	2	2	1	-
Highbury *2H*	63,797	22	9	-	5	-	-	-	-	1	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	21	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-
North Hackney	50,398	14	8	2	5	-	-	-	-	-	-	-	1	-	1	-	-
Central Hackney *2w,F*	50,536	32	12	3	6	-	1	-	-	-	-	-	1	-	-	4	-
South-west Hackney *3H*	59,921	23	15	4	1	-	-	-	-	-	-	-	1	2	2	9	-
South-east Hackney *2W,w,H* ..	58,255	41	21	4	7	-	1	-	-	1	-	-	7	1	3	14	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FE DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Satur 16th April, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	20	6	1	2	-	-	-	-	-	-	-	1	-	1	2
Strand *W*,4*H*	21,674	1	14	-	3	-	-	-	-	-	-	-	1	2	2	12
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	9	15	4	3	-	-	-	-	1	-	-	1	1	2	10
Clerkenwell *H*	63,704	24	10	1	4	-	1	-	-	1	-	-	-	1	1	-
St. Luke 3*H*,*L*	36,116	35	8	6	1	-	-	-	-	-	-	-	-	2	2	1
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	-	23	3	3	-	-	-	-	1	-	-	-	5	7	18
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	16	3	-	-	-	-	-	-	1	-	-	-	-	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	21	26	3	13	-	2	-	-	1	-	1	3	2	6	18
Shoreditch North-East	36,148	14	11	1	5	-	3	-	-	-	-	-	-	-	1	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	40	19	4	4	-	-	-	-	-	-	-	4	-	1	13
Bethnal Green South-West *H* ..	64,542	35	8	2	2	-	-	-	-	-	-	-	-	-	-	2
Spitalfields..	27,969	20	5	1	2	-	-	-	-	-	-	-	-	-	1	-
Mile End New Town *W*,*H*	28,718	23	30	7	7	-	1	-	-	-	-	-	2	5	7	25
Goodman's Fields	22,081	5	3	-	1	-	-	-	-	-	-	-	-	1	1	-
St. George and St. John 2*W* ..	49,068	25	20	3	4	-	-	-	1	-	-	-	-	1	5	11
Shadwell and Ratcliff *w*,*H* ..	25,568	15	9	3	-	-	1	-	-	2	-	-	-	1	2	6
Limehouse *W*	32,369	16	5	2	1	-	-	-	-	-	-	-	1	-	2	-
Mile End Old Town South-Western *H*	63,698	47	5	1	3	-	-	-	-	-	-	-	-	1	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	31	16	3	3	-	1	-	-	-	1	-	2	1	2	5
Bow	41,989	24	10	4	2	-	-	-	-	1	-	-	1	1	3	-
Bromley 3*w*,*H*	68,319	39	37	3	9	-	3	-	-	2	-	-	5	1	6	21
Poplar *W*,*w*	58,514	37	12	3	4	-	-	-	-	1	-	-	-	1	4	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th April, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	10	18	4	2	-	1	-	-	-	-	-	-	2	2	17	-
Kent-road	21,904	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	16	14	2	5	-	-	-	-	-	-	-	3	-	3	6	-
Newington North	49,022	38	8	1	2	-	1	-	-	-	-	-	1	-	-	-	-
Newington South *W*	72,841	36	20	6	7	-	2	-	-	-	-	1	1	1	5	4	-
St. Olave *2W*	9,817	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Bermondsey *W*	82,483	56	19	9	4	-	-	-	-	-	-	-	-	1	2	-	-
Rotherhithe *W,F*	38,460	25	20	4	6	-	-	-	-	-	-	-	6	-	1	15	-
Waterloo *2H*	27,440	26	11	4	3	-	-	-	-	2	-	-	-	2	2	2	-
Lambeth Church *H*	27,440	12	11	-	2	-	-	-	-	-	1	-	1	2	2	9	-
Kennington *2W*	52,518	28	31	5	14	-	2	-	-	-	-	-	3	1	2	19	-
Stockwell *HF*	63,826	47	11	3	4	-	-	1	-	1	-	-	-	-	1	1	-
Brixton *H*	73,673	32	17	2	7	-	-	-	-	1	-	-	-	-	2	1	-
Norwood *2WH*	56,998	30	11	1	7	-	-	-	-	-	-	-	-	-	-	1	1
East Battersea *H*	72,203	37	12	4	2	-	-	-	-	1	-	1	2	1	1	-	-
North-west Battersea	49,656	25	7	1	4	-	-	-	-	-	-	-	2	-	-	-	-
South-west Battersea *2W,H* ..	47,048	12	25	3	11	-	2	-	-	1	-	-	2	-	-	11	-
Clapham *2H*	51,361	28	13	2	7	-	-	-	-	-	-	-	1	-	-	2	-
Streatham *W,2w,2F,2L*	88,019	65	25	2	11	-	-	1	-	-	1	-	5	-	-	7	-
Springfield *2W,L*	27,959	26	11	3	3	-	-	-	-	-	-	-	-	-	1	2	-
Southfields *H*	40,444	33	7	2	1	-	-	-	-	-	-	1	-	-	1	-	-
Putney	24,139	9	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	5	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	16	25	2	18	-	1	-	-	-	-	-	1	1	1	13	-
Camberwell North *W,2L*	65,584	23	38	2	9	-	1	-	1	3	-	-	2	4	4	23	1
St. George	47 331	44	5	-	1	-	-	-	-	-	-	-	2	-	-	-	-
Peckham North	48,913	24	6	1	2	-	1	-	-	-	-	1	-	-	-	-	-
Peckham South *2W,w*	43,946	22	10	3	2	-	-	-	-	1	-	-	1	-	1	-	-
Deptford North	37,613	34	11	4	1	-	6	-	-	-	-	1	-	1	2	-	-
Deptford Central *F*	45,481	32	17	5	4	-	-	1	1	-	-	-	1	-	1	2	-
Deptford South	34,625	26	7	3	-	-	1	-	-	-	-	-	1	-	-	-	-
Greenwich West *H*	23,456	24	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	19	26	1	14	-	4	-	-	1	-	-	3	-	-	13	-
Eltham *w,H*	7,226	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	16	7	2	5	-	-	-	-	-	-	-	-	-	1	-	-
Lewisham *2W,w,F*	58,352	47	18	2	9	-	2	-	-	-	-	-	-	-	-	7	-
Sydenham *H*	43,653	17	7	-	3	-	1	-	-	-	-	-	1	-	1	1	-
Charlton *F,2H*	21,134	6	10	1	4	-	-	1	-	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	18	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	14	4	-	2	-	-	-	-	1	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	13	13	1	5	-	-	-	-	-	-	-	4	-	-	8	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	2	-	-	-	-	-	-	1	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
Darenth	—	-	4	-	-	-	-	-	-	-	1	-	-	-	-	4	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	12	-	6	-	-	-	-	-	-	-	-	-	-	12	-
Ewell (Epileptic Colony)	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Horton	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	10	-	1	-	-	-	-	-	-	1	-	-	-	10	-
Cane Hill	—	-	2	-	1	-	-	-	-	-	-	-	1	-	-	2	-
Dartford Heath	—	-	5	-	2	-	-	-	-	-	-	-	1	-	-	5	-
Hanwell	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch	—	-	5	-	2	-	-	-	-	-	-	-	1	-	-	5	-
Claybury	—	-	4	-	1	-	-	-	-	-	-	-	2	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Bo Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERAT POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th April, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1319	551	100	214	-	10	6	9	15	1	4	26	53	137
30 : 1	Carshalton 2F3H	12,228	32,997	16	5	1	2	-	-	-	1	-	-	-	-	-	1
2	Epsom, *part of** W,w,3F,H ..	10,423	15,548	7	10	2	2	-	-	-	-	-	-	-	1	1	2
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	4	1	-	-	-	-	-	-	-	-	-	-	-	1
38 : 1	Coulsdon	11,069	8,166	8	5	2	1	-	-	-	-	-	-	-	1	1	-
2	South Croydon w,H ..	4,200	49,309	20	9	-	7	-	1	-	-	-	-	-	-	-	-
3	West Croydon 2W,F,H ..	2,168	42,888	36	32	1	16	-	1	-	1	-	-	-	1	2	19
4	North Croydon H	2,644	41,698	21	4	1	2	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	6	1	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	36	5	3	-	-	1	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	20	11	3	5	-	-	-	-	1	-	-	1	1	1
2	Kingston 2W,H	6,224	42,068	23	11	3	4	-	-	-	-	2	-	-	-	1	1
3	Surbiton F,H	3,046	15,017	7	4	1	-	-	-	1	-	1	-	-	-	-	2
4	Esher, *part of** H	5,402	13,100	7	4	-	3	-	-	-	-	-	-	-	-	-	1
5	Hampton H,F,L	4,564	23,456	10	6	-	5	-	-	-	-	-	-	-	-	1	-
40 : 1	Richmond W,H	2,491	31,672	14	8	-	4	-	-	-	-	-	-	-	-	-	4
2	Mortlake F	2,518	17,821	13	4	-	2	-	-	-	-	-	-	-	-	1	-
41 : 1	Bromley F,3H	4,703	27,354	10	9	2	4	-	-	-	-	-	-	-	-	-	1
2	Beckenham H	7,825	28,497	16	5	-	3	-	-	-	-	-	-	-	1	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	4	4	-	4	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,333	16,446	5	6	-	4	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	7	4	-	1	-	-	-	1	-	-	-	-	-	1
2	Erith F,H	3,354	25,296	14	3	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	13	3	-	1	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	8	2	-	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	13	6	-	4	-	-	-	-	-	-	-	1	1	-
2	Uxbridge H	12,757	8,984	6	3	2	-	-	-	-	-	1	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	17	7	2	-	-	-	-	-	-	-	-	-	1	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	21	19	4	8	-	-	-	-	-	-	1	-	1	10
2	Twickenham F,2H	2,421	20,991	15	5	1	1	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	28	6	2	3	-	-	-	-	-	-	-	1	1	1
4	Chiswick H	1,249	29,809	25	4	1	2	-	-	-	-	1	-	-	1	1	-
5	Acton w,F,3H	6,132	48,914	50	15	5	4	-	-	1	-	2	-	-	1	2	1
127A: 1	Harrow F,H	13,809	25,523	30	3	2	1	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	1	1	-
3	Hendon W,F	8,382	22,450	15	8	-	4	-	-	1	-	-	-	-	1	1	1
127B: 1	Willesden W,F,2H	4,384	114,811	71	27	7	9	-	2	-	1	1	-	-	2	2	4
128 : 1	South Mimms 2F,H ..	17,755	7,308	3	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	9	5	1	1	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,688	33,692	28	4	1	2	-	-	-	-	-	-	-	1	1	-
129 : 1	Hornsey F,H	2,875	72,056	18	7	-	4	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	24	9	2	4	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	37	12	6	4	-	-	-	-	1	-	-	1	2	-
4	East Tottenham 2H ..	2,019	53,962	41	21	3	5	-	-	-	-	-	-	-	1	2	5
5	Edmonton W,w,2F	7,491	61,892	56	31	4	14	-	2	-	1	-	-	-	-	2	15
6	Enfield 2W,F,H	12,661	42,738	21	10	3	3	-	-	-	-	-	1	-	1	3	3
7	Waltham Abbey F	11,017	6,549	3	2	-	1	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	4	5	1	4	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	2	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	1	1	-	-	-	-	-	1	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	35	6	1	2	-	-	-	-	-	-	-	-	2	1
2	Forest Gate	787	52,745	20	6	-	4	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	68	24	10	3	-	-	-	3	2	-	1	-	1	5
4	Canning Town H	1,556	70,718	49	13	3	4	-	-	-	-	-	-	1	-	1	-
5	South East Ham 2F ..	1,991	37,342	40	14	2	3	-	1	-	-	-	-	-	1	2	-
6	North East Ham w,H ..	1,333	58,666	37	5	-	2	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	3	1	-	1	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	34	21	1	16	-	-	-	-	-	-	-	-	-	13
9	North Leyton 2W,w,F ..	1,963	48,445	36	29	-	7	-	1	-	-	2	-	-	1	3	21
10	Walthamstow 2H,L ..	6,504	108,929	77	22	3	5	-	1	-	-	-	-	1	5	8	1
187 : 1	Chigwell 2F,3H	11,778	16,397	5	5	1	1	-	-	2	-	-	-	-	-	1	2
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	5	7	-	3	-	-	-	1	-	-	-	-	1	6
2	Ilford F,L	8,496	41,244	33	16	3	5	-	-	1	-	-	-	-	2	3	4
3	Barking Town F	3,805	21,547	13	3	1	2	-	-	-	-	-	-	-	-	-	-
	London County Lunatic Asylum, Banstead.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2
	Middlesex County Lunatic Asylum, Hill End.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Essex County Lunatic Asylum, Brentwood.	—	—	-	4	-	2	-	-	-	-	-	-	-	-	-	4

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ONDON* - -	4,872,702	April 16	2372	1387	14·8	-	46	5	8	41	8	9
ALCUTTA - -	1,009,008	March 19	-	495‡	25·5	-	10	-	1	-	7	15
OMBAY - -	977,822	„ 22	342	890‡	47·3	78	2	-	-	-	4	32
ADRAS - -	509,346	„ 18	341	386‡	39·4	1	8	?	?	?	-	7
ARIS* - -	2,772,467	April 9	980	1096	20·8	-	32	1	8	12	6	22
RUSSELS* - -	720,030	„ 9	226	228	16·5	-	8	-	1	5	2	5
NTWERP* - -	314,135	„ 9	115	88	14·6	-	3	-	-	-	-	8
MSTERDAM* -	569,948	„ 9	307	147	13·5	-	2	-	2	1	-	4
OPENHAGEN -	450,000	„ 9	263	152	17·6	-	2	3	-	2	-	2
TOCKHOLM -	339,582	„ 2	187	121	18·5	-	7	1	-	6	-	-
HRISTIANIA -	235,674	„ 9	109	62	13·7	-	-	1	2	1	-	2
T. PETERSBURG	1,620,000	„ 2	795	832	26·8	8	71	14	14	14	19	75
OSCOW - -	1,493,600	„ 2	-	693	24·2	2	29	19	17	4	3	53
ERLIN - -	2,123,816	March 26	834	596	14·6	-	2	14	17	1	-	38
AMBURG - -	895,804	April 9	-	274	15·9	-	3	2	4	2	-	13
RESLAU - -	507,500	„ 2	302	178	18·3	-	-	1	3	2	-	7
UNICH - -	576,000	„ 2	273	195	17·6	-	1	1	2	1	-	22
IENNA* - -	2,107,981	„ 9	896	766	18·9	-	30	6	11	6	2	34
RAGUE* - -	494,531	March 19	203	254	26·7	-	8	-	1	1	-	11
UDAPEST*	833,703	April 2	477	374	23·3	-	10	14	8	4	1	11
RIESTE* - -	218,727	„ 2	150	107	25·2	-	3	-	-	4	2	1
OME - - -	584,308	February 19	313	243	21·7	-	13	5	6	2	1	5
ENICE - -	183,224	March 19	73	78	22·2	-	5	1	2	-	-	4
		„ 26	81	70	19·9	-	2	2	2	-	1	4
UCAREST - -	297,643	„ 12	-	-	-	-	-	-	-	-	-	-
EW YORK* -	4,711,956	„ 26	2409	1718	19·0	-	31	49	42	3	7	39
HICAGO* - -	2,282,927	„ 26	-	770	17·6	-	5	9	8	11	7	51
HILADELPHIA*	1,598,400	February 26	-	652	21·2	-	-	7	13	4	7	11
O DE JANEIRO	842,822	March 6	-	339	21·0	-	3	-	1	4	-	?
IRO :—*												
Egyptians -	616,183	„ 18	582	403	34·0	-	6	-	13	?	2	31
Foreigners -	61,480	„ 18	2	11	9·3	-	-	-	-	?	-	1
EXANDRIA :—*												
Egyptians -	317,454	„ 18	283	256	41·9	4	21	-	1	?	2	31
Foreigners -	67,966	„ 18	33	26	19·9	1	-	-	2	?	-	2

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to ildren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 37 deaths from *plague* in Calcutta and 203 in Bombay, and from *Asiatic cholera*, 60 deaths in Calcutta and n Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 16th April, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
NDON (Greenwich)	63·8	39·1	50·4	1·86	BRADFORD - -	56·4	34·0	45·6	0·72
GHTON - -	54·7	43·9	48·4	0·43	YORK - - -	58·0	34·0	47·2	1·75
RTSMOUTH - -	55·2	40·7	48·7	0·38	HULL - - -	60·0	28·0	48·5	0·92
RWICH - -	-	-	-	-	TYNEMOUTH - -	58·0	32·0	44·9	0·65
MOUTH -	58·0	35·8	45·9	1·07	CARDIFF - - -	56·5	38·0	47·5	1·02
STOL - - -	58·0	36·0	48·5	0·57	EDINBURGH - -	52·7	33·7	42·0	2·46
MINGHAM - -	58·5	37·2	48·4	1·00	GLASGOW - -	55·8	33·0	42·1	2·60
TTINGHAM - -	58·0	35·0	47·9	0·52	DUBLIN Phœnix Park.	57·8	30·7	43·0	0·74
VERPOOL BSERVATORY	57·0	39·0	47·0	0·77	DUBLIN Fitzwilliam Square.†	56·2	35·0	43·9	0·84
NCHESTER -	56·4	32·8	46·8	0·82					
NLEY - -	55·8	31·5	45·7	0·92					
DERSFIELD -	56·2	35·0	46·3	0·82	BELFAST - - -	58·8	34·0	43·3	0·73

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The rection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the ove was 1°5 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 16th April, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 10	Perigee	29·916	49·7	39·5	10·2	43·4	− 2·5	40·1	3·3	7·2	0·5	88	78·2	33·0	43·90	Variable	S. & SSW.	1·8	0·0	0·0	152	−153	0·02	1·0
MONDAY - 11	..	29·698	59·8	40·2	19·6	48·5	+ 2·7	39·5	9·0	17·3	0·5	71	110·1	33·5	44·40	S.	SSW. & S.	2·3	0·0	0·1	226	− 70	0·00	10·2
TUESDAY - 12	..	29·276	63·1	41·1	22·0	50·0	+ 4·1	44·6	5·4	18·3	1·7	82	121·6	31·3	44·34	S.	SSW. & S.	4·5	0·0	0·2	307	+ 18	0·01	9·1
WEDNESDAY 13	..	28·997	63·8	48·7	15·1	53·7	+ 7·6	48·5	5·2	13·9	0·4	83	116·0	45·8	44·73	S. & SSW.	SSW. & S.	12·0	0·0	0·7	462	+177	0·19	22·2
THURSDAY - 14	..	29·084	55·0	44·1	10·9	48·3	+ 1·9	40·8	7·5	12·2	2·4	75	88·0	39·6	45·20	SSW., SW. & WSW.	Calm & SW.	6·3	0·0	0·1	180	−103	0·01	12·0
FRIDAY - 15	Greatest Dec. N.	29·137	59·2	42·1	17·1	48·6	+ 1·8	40·2	8·4	17·1	3·3	73	119·4	34·0	45·62	S. & SSW.	SE., S. & SSE.	8·1	0·0	0·3	314	+ 31	0·13	18·2
SATURDAY - 16	First Qr.	29·281	60·0	39·1	20·9	49·0	+ 1·8	42·8	6·2	13·7	2·0	79	122·1	29·6	45·92	SSE. & SE.	Variable. NW. & WNW.	2·6	0·0	0·1	292	− 81	1·50	5·3
MEANS - -		29·341	58·7	42·1	16·5	48·8	+ 2·5	42·4	6·4	14·2	1·5	79	107·9	35·3	44·87	S.		..	..	..	Sum 1813	Sum −181	Sum 1·86	11·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 10	w.P. generally with occasional w. N.	0·0	13·4
MONDAY - 11	w. P. till 5h. P.M.; s. P. generally till 10h. P.M.; then m. P.	10·2	13·5
TUESDAY - 12	m. P. till 3h. A.M.; w. P. generally with occasional v.N. afterwards.	2·0	13·6
WEDNESDAY 13	w. P. generally; s. P. and s. N. between 4h. 30m. and 7h. P.M.	3·3	13·6
THURSDAY - 14	w. P. generally till 5h. P.M.; m. P. principally afterwards.	0·9	13·7
FRIDAY - 15	w.P. generally with occasional v.N. till 6h. P.M.; then m. P.	7·8	13·8
SATURDAY - 16	w.P. generally with occasional v.N. till 4h. P.M.; s. P. and s. N. till 10h. P.M.; v. P. afterwards.	4·9	13·8
		Sum 29·1	Sum 95·4
No. of Col. - -	27	28	29

GENERAL REMARKS.

Generally overcast; thin rain at times in early morning.

Generally overcast till 7h. A.M.: very fine afterwards with variable amounts of cloud.

Generally cloudy with occasional slight rain; fine interval between noon and 2h. P.M.

Overcast with slight exceptions till 0h. 30m. P.M.; variable afterwards; occasional showers; gusty wind prevalent after 10h. A.M.; heavy shower and sharp squall at 4h. 45m. P.M. accompanied by lightning and thunder; occasional lightning at night.

Overcast with slight exceptions; light rain after 11h. 30m. P.M.

Cloudy in early morning with light showers; very fine between sunrise and 1h. P.M.; generally overcast till 4h. P.M.; afterwards very fine; heavy shower with squall at and about 3h. 30m. P.M.

Fine and partially cloudy with occasional light showers till 2h. 30m. P.M.; generally overcast afterwards; sharp thunderstorm with very heavy hail and rain between 5h. and 6h. P.M., followed by continuous steady rain till shortly before midnight.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·87 in. at the beginning of the week to 29·94 in. by 10h. A.M. on the 10th; decreased to 28·92 in. by 10h. P.M. on the 13th; and increased generally to 29·41 in. by midnight on the 16th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 9th April, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	8	1	-	-	-	-	-	-	-
Kensington	184,635	-	8	4	-	-	-	-	3	-	-
Hammersmith	127,413	-	5	1	-	-	-	-	-	1	-
Fulham	181,282	-	5	3	-	-	-	-	2	-	-
Chelsea	75,457	-	-	-	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	3	1	-	4	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	6	3	-	-	-	-	3	-	-
Hampstead	95,729	-	2	-	-	-	-	-	-	-	-
St. Pancras	237,792	-	9	8	-	-	-	-	3	-	-
Islington	353,356	-	10	7	-	1	-	-	4	-	-
Stoke Newington	54,838	-	1	3	-	-	-	-	2	-	-
Hackney	239,979	-	4	3	-	1	-	-	3	1	-
CENTRAL.											
Holborn	53,142	-	2	2	-	-	-	-	-	-	-
Finsbury	94,578	-	11	5	-	4	-	-	5	-	-
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	7	3	-	-	-	-	-	-	-
Bethnal Green	131,579	-	1	3	-	-	-	-	1	-	-
Stepney	314,379	-	13	11	-	1	-	-	4	-	-
Poplar	172,432	-	10	6	-	-	-	-	1	-	-
SOUTH.											
Southwark	211,832	-	7	6	-	-	-	-	2	-	-
Bermondsey	127,238	-	3	5	-	-	-	-	2	-	-
Lambeth	327,074	-	10	2	-	1	-	-	1	-	-
Battersea	188,222	-	10	2	-	1	-	-	2	1	1
Wandsworth	305,838	-	8	2	-	2	-	-	3	1	-
Camberwell	286,058	-	14	3	-	1	-	-	3	-	-
Deptford	119,642	-	7	2	-	3	-	-	2	-	-
Greenwich	112,935	-	8	1	-	-	-	-	1	-	-
Lewisham	164,899	-	16	5	-	-	-	-	2	-	1
Woolwich	135,422	-	8	6	-	-	-	-	3	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	196	98	-	19	-	-	53	5	2
Ages 0–1		-	2	3	-	-	-	-	2	-	-
" 1–5		-	66	40	-	1	-	-	-	-	1
" 5–		-	79	28	-	2	-	-	-	-	-
" 10–		-	24	9	-	1	-	-	1	-	-
" 15–		-	13	5	-	3	-	-	3	-	-
" 20–		-	3	2	-	3	-	-	3	2	-
" 25–		-	8	8	-	3	-	-	5	2	1
" 35–		-	1	3	-	2	-	-	12	1	-
" 45–		-	-	-	-	-	-	-	13	-	-
" 55–		-	-	-	-	3	-	-	7	-	-
" 65 and upwards		-	-	-	-	1	-	-	7	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 16. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, APR. 23. [Price 1½*d.*

General Register Office, Somerset House,
April 25th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 13·7 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates in the 76 or 77 towns had been 14·4, 14·9, and 15·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 18·2 in Portsmouth, 18·5 in Sunderland and in Tynemouth, 19·0 in Middlesbrough, 19·8 in Liverpool, 20·3 in Merthyr Tydfil, 20·6 in Preston, and 21·3 in Oldham; from *measles*, 1·1 in Liverpool, 1·3 in East Ham, 1·5 in Stoke on Trent, 1·8 in Bradford, and 2·6 in Merthyr Tydfil; from *scarlet fever*, 1·0 in Sunderland; from *whooping-cough*, 1·3 in Birkenhead and in South Shields, 1·4 in Liverpool, 2·2 in Bootle, and 2·5 in Devonport; and from *diarrhœa*, 1·5 in Walsall. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2334 BIRTHS and 1226 DEATHS were registered. Allowing for increase of population, the births were 86 and the deaths 268 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(16347—41.) Wt. 91—429. 700 4/10. D & S. G. 31. Sch. 4 Q

weeks of the previous five years. The annual death-rate from all causes, which had been 14·5, 14·7, and 14·8 per 1000 in the preceding three weeks, fell last week to 13·1. The death-rate in the four weeks ended last Saturday averaged 14·3 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1226 deaths included 27 from measles, 6 from scarlet fever, 5 from diphtheria, 38 from whooping-cough, 3 from enteric fever, and 10 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 89 deaths were referred, being 51 below the corrected average number in the sixteenth week of the preceding five years.

The deaths from *measles*, which had been 22, 33, and 46 in the preceding three weeks, were 27 last week, and were 30 below the corrected average; 4 deaths belonged to the Borough of Deptford, and 3 each to St. Marylebone and St. Pancras. The deaths from *scarlet fever*, which had been 2, 4, and 5 in the preceding three weeks, rose to 6 last week, but were 7 below the corrected average. The deaths from *diphtheria*, which had been 8, 6, and 8 in the preceding three weeks, fell to 5 last week, and were 6 below the corrected average. The deaths from *whooping-cough*, which had been 51, 45, and 41 in the preceding three weeks, fell to 38 last week, and were 4 below the corrected average; 5 deaths belonged to St. Pancras, 5 each to Poplar and to Southwark, 4 to St. Marylebone, and 3 each to Islington and Hackney. The deaths from *enteric fever*, which had been 3, 2, and 8 in the preceding three weeks, were 3 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 9, 11, and 9 in the preceding three weeks, were 10 last week, and were 4 below the corrected average. Of the 10 deaths from diarrhœa, 6 were those of children under 2 years of age; 8 other deaths at this age were certified as due to *enteritis*, and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 12, having been 14, 17, and 21 in the preceding three weeks.

Different forms of violence caused 52 deaths, concerning all of which inquests were held. Of these 52 deaths, 10 were cases of suicide, and 2 of homicide, while the remaining 40 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, four to burns or scalds, three to drowning, and nine, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1510 cases of scarlet fever, 812 of diphtheria, and 69 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 196 cases, against 158, 166, and 197; of diphtheria, 74 cases, against 71, 79, and 69; and of enteric fever, 5 cases, against 9, 5, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended April 16th, 1910.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3634 births and 1710 deaths were registered. Allowing for increase of population, these numbers are 194 and 403 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from scarlet fever, 2 from whooping-cough, and 2 from enteric fever were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·87 inches, and that of the Thermometer 49°·3, the latter being 0°·9 above the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 32 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 8·3 hours; the measured rainfall amounted to 0·23 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 23rd April, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 2nd Apr., 1910.	9th Apr., 1910.	16th Apr., 1910.	23rd Apr., 1910.	Rate from Diseases in Cols. 11-17 Week ended 23rd April, 1910.	Registered during the Week ended 23rd April, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**14·4§**	**14·9**	**15·0**	**13·7**	**1·1**	**8195**	**4467**	**846**	**1452**	**-**	**97**	**27**	**29**	**143**	**9**	**40**	**152**	**366**	**1281**	**35**	**77 TOWNS.**
LONDON	4,872,702	14·5	14·7	14·8	13·1	1·0	2334	1226	233	402	-	27	6	5	38	3	10	52	132	550	1	LONDON.
CROYDON	164,485	12·7	16·8	12·4	10·8	1·3	75	34	8	10	-	1	1	1	1	-	-	2	4	10	-	CROYDON.
WILLESDEN ..	166,088	8·2	10·7	8·5	8·5	1·3	77	27	5	13	-	2	-	1	1	-	-	1	2	4	-	WILLESDEN.
HORNSEY	98,561	9·0	4·2	4·2	7·9	-	17	15	1	6	-	-	-	-	-	-	-	-	1	-	-	HORNSEY.
TOTTENHAM ..	132,803	13·0	11·8	14·9	9·4	0·4	90	24	6	7	-	-	1	-	-	-	-	1	5	3	-	TOTTENHAM.
WEST HAM ..	328,585	11·6	11·6	10·5	10·6	1·0	170	67	15	23	-	-	2	1	3	-	-	-	5	14	-	WEST HAM.
EAST HAM.. ..	156,208	8·0	11·0	8·3	10·3	2·3	78	31	11	8	-	4	-	-	3	-	-	-	-	6	-	EAST HAM.
LEYTON	133,436	9·4	9·4	9·8	10·2	0·8	69	26	9	11	-	-	-	1	1	-	-	-	1	5	-	LEYTON.
WALTHAMSTOW	141,748	8·5	9·2	11·4	6·6	-	70	18	8	4	-	-	-	-	-	-	-	-	3	2	-	WALTHAMSTOW.
HASTINGS	68,520	13·7	12·2	16·0	13·7	0·8	17	18	1	8	-	-	-	-	1	-	-	2	2	1	-	HASTINGS.
BRIGHTON	131,900	19·0	16·6	13·8	17·4	0·8	58	44	7	23	-	-	-	-	2	-	-	1	4	19	-	BRIGHTON.
PORTSMOUTH ..	217,989	14·6	13·9	15·8	18·2	1·0	104	76	15	35	-	-	1	1	1	1	-	3	7	16	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	17·6	13·4	14·1	12·0	-	29	17	-	9	-	-	-	-	-	-	-	-	1	-	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	14·8	7·8	15·2	11·1	0·4	54	27	-	13	-	-	-	-	1	-	-	2	4	11	-	SOUTHAMPTON.
READING	84,355	9·9	6·2	13·6	11·1	1·2	35	18	3	4	-	-	-	-	2	-	-	1	1	3	1	READING.
NORTHAMPTON ..	99,113	13·2	12·6	16·3	13·2	0·5	48	25	3	12	-	-	-	-	1	-	-	-	-	5	-	NORTHAMPTON.
IPSWICH	75,936	18·5	14·4	13·7	15·1	0·7	37	22	3	6	-	-	-	-	1	-	-	1	1	6	-	IPSWICH.
GREAT YARMOUTH	53,715	14·6	19·4	19·4	15·5	1·0	27	16	3	9	-	-	-	-	1	-	-	1	1	5	-	GREAT YARMOUTH.
NORWICH	125,446	14·1	16·6	17·0	9·1	-	37	22	-	13	-	-	-	-	-	-	-	-	1	7	-	NORWICH.
PLYMOUTH	126,266	19·4	14·0	17·3	14·0	1·2	44	34	1	15	-	-	-	1	1	-	1	1	5	2	-	PLYMOUTH.
DEVONPORT	84,695	19·1	10·5	19·7	17·2	3·1	44	28	7	8	-	-	-	-	4	-	1	1	2	-	-	DEVONPORT.
BRISTOL	382,550	13·5	15·4	16·4	11·9	0·3	146	87	12	34	-	-	-	-	1	-	1	1	5	31	-	BRISTOL.
STOKE ON TRENT‡..	245,726	?	15·5	17·6	17·6	1·5	133	83	18	28	-	7	-	-	-	-	-	2	10	15	3	STOKE ON TRENT‡.
BURTON ON TRENT	54,977	11·4	10·4	7·6	5·7	0·9	17	6	-	3	-	-	-	-	1	-	-	1	1	-	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	12·8	9·3	15·7	16·7	1·5	57	34	5	16	-	1	-	-	2	-	-	-	1	5	-	WOLVERHAMPTON
WALSALL	101,035	11·9	12·4	12·9	11·4	1·5	41	22	5	13	-	-	-	-	-	-	3	1	1	6	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	8·7	9·4	14·4	6·5	-	28	9	-	6	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	17·6	16·9	11·0	15·4	0·7	31	21	5	6	-	-	-	-	-	-	1	1	1	3	-	WEST BROMWICH.

TABLE I (*cont.*).—77 GREAT TOWNS, [illegible] DEATH-RATES in each of the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended — 2nd Apr., 1910.	9th Apr., 1910.	16th Apr., 1910.	23rd Apr., 1910.	Rate from Diseases in Cols. 11-17. Week ended 23rd April, 1910.	Registered during the Week ended 23rd April, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	15·7	16·0	15·4	13·7	0·7	278	150	35	42	-	-	-	1	7	-	-	8	12	29	7	BIRMINGHAM.
KINGS NORTON ..	84,673	9·2	9·9	6·8	8·6	1·2	30	14	4	7	-	-	-	1	-	-	1	-	-	3	-	KINGS NORTON.
SMETHWICK	72,350	15·1	14·4	10·8	10·8	-	37	15	4	3	-	-	-	-	-	-	-	1	1	1	2	SMETHWICK.
ASTON MANOR ..	86,269	10·9	11·5	9·7	10·3	-	22	17	1	11	-	-	-	-	-	-	-	-	-	3	-	ASTON MANOR.
COVENTRY	81,449	10·9	15·4	14·7	15·4	-	47	24	6	7	-	-	-	-	-	-	-	1	1	8	-	COVENTRY.
LEICESTER	248,374	9·0	10·5	10·3	10·9	-	90	52	12	20	-	-	-	-	-	-	-	-	4	11	-	LEICESTER.
GRIMSBY	74,283	14·7	9·8	12·6	14·7	1·4	43	21	3	7	-	-	-	1	1	-	-	1	1	3	1	GRIMSBY.
NOTTINGHAM ..	266,471	14·1	17·2	16·8	12·5	0·6	121	64	10	22	-	-	-	1	2	-	-	4	4	18	-	NOTTINGHAM.
DERBY	131,256	10·3	12·3	10·7	10·3	0·4	55	26	9	9	-	-	-	-	-	-	1	1	4	4	-	DERBY.
STOCKPORT	105,087	15·9	13·9	23·3	13·4	0·5	57	27	5	13	-	-	-	-	1	-	-	-	1	6	1	STOCKPORT.
BIRKENHEAD ..	122,431	17·9	19·2	17·9	13·6	2·6	81	32	7	12	-	1	-	2	3	-	-	-	2	8	-	BIRKENHEAD.
WALLASEY	73,173	12·8	15·0	14·3	12·8	-	29	18	-	11	-	-	-	-	-	-	-	-	1	3	-	WALLASEY.
LIVERPOOL	767,606	19·7	19·2	20·7	19·8	2·9	433	292	58	65	-	16	3	-	21	-	3	7	11	114	4	LIVERPOOL.
BOOTLE	70,548	12·6	17·7	14·8	11·1	2·2	42	15	1	3	-	-	-	-	3	-	-	1	2	3	-	BOOTLE.
ST. HELENS	96,523	11·9	10·3	15·7	13·0	0·5	67	24	6	6	-	-	1	-	-	-	-	3	3	6	2	ST. HELENS.
WIGAN	91,732	10·2	11·9	17·6	14·2	0·6	38	25	5	8	-	1	-	-	-	-	-	1	1	4	-	WIGAN.
WARRINGTON ..	73,295	14·2	19·2	13·5	17·8	0·7	47	25	4	8	-	-	-	1	-	-	-	-	-	9	2	WARRINGTON.
BOLTON	190,315	13·2	14·5	11·5	15·1	0·8	80	55	11	13	-	-	1	-	2	-	-	3	6	7	-	BOLTON.
BURY	59,409	18·4	11·4	14·0	17·6	0·9	26	20	3	6	-	-	-	-	-	1	-	-	-	5	-	BURY.
MANCHESTER ..	716,354	15·6	18·7	18·1	17·0	2·2	413	234	43	58	-	8	2	2	11	2	5	9	13	74	-	MANCHESTER.
SALFORD	244,636	13·2	17·5	17·7	14·5	0·9	114	68	11	19	-	3	-	-	1	-	-	-	5	21	1	SALFORD.
OLDHAM	144,111	18·8	21·3	12·7	21·3	1·1	71	59	9	14	-	1	-	-	2	-	-	1	5	8	-	OLDHAM.
ROCHDALE	90,497	12·7	14·4	16·7	15·0	2·9	40	26	6	10	-	-	-	2	2	-	1	1	1	4	-	ROCHDALE.
BURNLEY	107,448	18·9	17·0	11·6	16·5	1·9	56	34	8	7	-	2	-	1	-	-	1	1	1	8	-	BURNLEY.
BLACKBURN	137,972	12·8	18·1	19·3	13·6	0·4	48	36	6	8	-	-	-	-	-	-	1	4	5	7	-	BLACKBURN.
PRESTON	119,253	14·9	16·6	20·1	20·6	2·2	50	47	8	19	-	-	1	2	-	-	2	-	2	8	1	PRESTON.
BARROW IN FURNESS.	63,689	10·6	11·5	13·1	12·3	0·8	24	15	2	6	-	-	-	-	1	-	-	-	-	2	-	BARROW IN FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 23rd April, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 2nd Apr., 1910.	9th Apr., 1910.	16th Apr., 1910.	23rd Apr., 1910.	Rate from Diseases in Cols 11–17. Week ended 23rd April, 1910.	Registered during the Week ended 23rd April, 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	15·4	19·8	14·9	12·7	0·6	43	23	5	8	–	–	–	–	1	–	–	–	4	2	–	HUDDERSFIELD.
HALIFAX	112,818	8·3	16·6	12·0	17·6	0·5	40	38	7	10	–	1	–	–	–	–	–	1	2	6	–	HALIFAX.
BRADFORD	295,865	14·8	16·7	15·0	14·6	1·8	88	83	14	25	–	10	–	–	–	–	–	–	9	21	–	BRADFORD.
LEEDS	490,985	13·9	16·4	15·7	13·6	0·6	210	128	19	43	–	1	–	1	3	–	1	6	13	30	–	LEEDS.
DEWSBURY†	51,224	?	10·2	15·3	15·3	–	20	15	2	8	–	–	–	–	–	–	–	–	3	1	–	DEWSBURY.†
SHEFFIELD	478,763	15·0	14·7	13·8	13·2	1·0	258	121	21	46	–	1	2	–	4	1	1	4	7	26	1	SHEFFIELD.
ROTHERHAM.. ..	66,414	14·1	21·2	11·8	9·4	0·8	30	12	2	5	–	–	–	–	–	1	–	2	3	3	–	ROTHERHAM.
YORK	88,159	12·4	10·6	10·6	7·7	–	37	13	1	7	–	–	–	–	–	–	–	–	2	–	–	YORK.
HULL	280,006	16·0	14·9	15·5	14·2	0·6	155	76	10	27	–	–	1	1	1	–	–	3	6	12	2	HULL.
MIDDLESBROUGH ..	107,014	18·0	12·2	10·7	19·0	1·0	56	39	10	9	–	–	–	1	–	–	1	3	3	8	–	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	10·7	15·5	11·7	16·5	2·9	21	17	3	3	–	1	–	1	–	–	1	–	1	–	–	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	9·6	10·2	12·7	14·0	0·6	42	22	4	6	–	–	–	–	1	–	–	1	1	1	–	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	14·6	18·5	16·2	18·5	1·3	102	57	9	15	–	–	3	–	1	–	–	2	3	16	1	SUNDERLAND.
SOUTH SHIELDS ..	119,737	12·2	17·0	13·1	9·6	1·3	57	22	3	10	–	–	–	–	3	–	–	–	–	5	1	SOUTH SHIELDS.
GATESHEAD	133,676	12·5	12·1	14·4	15·6	1·2	67	40	15	7	–	1	–	–	2	–	–	3	3	1	4	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	14·6	12·8	17·3	12·8	0·5	146	70	12	28	–	2	–	–	1	–	–	1	2	13	–	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	13·9	16·6	8·3	18·5	0·9	35	20	6	5	–	–	–	–	–	–	1	–	–	4	–	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	13·1	19·6	20·3	10·5	0·7	46	16	6	1	–	–	–	–	1	–	–	1	1	4	–	NEWPORT (MON.).
CARDIFF	199,189	14·1	15·4	16·2	13·6	1·3	98	52	12	9	–	1	1	–	2	–	1	–	6	10	–	CARDIFF.
RHONDDA	138,674	13·2	22·9	16·5	13·9	0·8	119	37	15	6	–	–	1	–	–	–	1	1	4	2	–	RHONDDA.
MERTHYR TYDFIL..	79,522	24·3	19·0	21·0	20·3	3·3	61	31	7	7	–	4	–	–	–	–	1	2	5	5	–	MERTHYR TYDFIL.
SWANSEA	98,817	24·3	17·4	17·4	12·1	0·5	58	23	2	8	–	1	–	–	–	–	–	–	1	5	–	SWANSEA.
GREATER LONDON	7,537,196	13·4	13·5	13·4	11·8	0·8	3634	1710	334	579	–	34	12	9	49	5	10	63	170	635	1	GREATER LONDON.
OUTER RING ..	2,664,494	11·4	11·2	10·8	9·5	0·6	1300	484	101	177	–	7	6	4	11	2	–	11	38	85	–	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	10·3	11·0	10·2	9·5	0·9	646	242	63	82	–	7	4	4	9	–	–	4	21	44	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	12·6	11·3	11·3	9·4	0·2	654	242	38	95	–	–	2	–	2	2	–	7	17	41	–	REMAINDER OF OUTER RING.
EDINBURGH	360,276	15·9	14·5	16·5	14·2	1·6	137	98	15	31	–	7	–	–	1	–	3	2	?	43	3	EDINBURGH.
GLASGOW	884,505	17·5	18·4	19·7	15·9	1·8	463	270§	53	60	–	18	1	3	2	–	7	11	?	94	5	GLASGOW.
DUBLIN (Registration Area).‡	402,928	19·8	23·4	21·5	24·3	1·2	221	188	28	65	–	–	–	2	5	–	2	3	3	81	8	DUBLIN (Registration Area).‡

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SIXTEENTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2610	2835	2557	2753	2489	2129	2459	2577	2083	2569	2420·0	2334
Males - - -	1298	1415	1277	1425	1229	1027	1284	1296	1071	1295	1223·2	1170
Females - -	1312	1420	1280	1328	1260	1102	1175	1281	1012	1274	1196·8	1164
TOTAL **Deaths** -	1811	1564	1587	1483	1429	1342	1743	1469	1348	1393	1493·9	1226
Males - - -	985	812	841	766	752	697	895	743	702	708	766·9	630
Females - -	826	752	746	717	677	645	848	726	646	685	727·0	596

* The numbers in this column are the average weekly numbers in the Sixteenth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 29.	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	13 Weeks.
TOTAL **Births** -	2086	2381	2375	2325	2264	2393	2370	2344	2141	2312	2420	2372	2334	30117
TOTAL **Deaths** -	1468	1607	1632	1526	1386	1346	1254	1231	1263	1354	1377	1387	1226	18057
Ages at Death: Under 1 year -	267	283	259	241	235	233	219	197	215	236	260	218	233	3096
1—5 years -	146	142	161	126	136	153	116	137	127	141	120	146	115	1766
5—20 " -	64	77	80	74	59	68	63	60	78	72	67	74	59	895
20—40 " -	156	182	173	159	162	133	148	149	143	161	165	170	148	2049
40—60 " -	308	344	334	341	261	272	248	247	289	280	310	277	269	3780
60 yrs. & upwds.	527	579	625	585	533	487	460	441	411	464	455	502	402	6471
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	11	17	13	26	14	39	15	24	24	22	33	46	27	311
Scarlet Fever - -	10	5	6	8	4	6	9	6	10	2	4	5	6	81
Diphtheria - -	10	16	5	11	11	9	6	6	10	8	6	8	5	111
Whooping-cough -	57	57	61	53	45	46	44	46	44	51	45	41	38	628
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	2	3	2	4	3	2	4	6	3	2	8	3	45
Pyrexia (origin uncertain).	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	11	14	15	8	11	10	13	11	5	9	11	9	10	137
All above diseases -	102	111	103	108	89	114	89	97	99	95	101	117	89	1314
Dis. of Resp. System	178	207	226	200	172	148	129	109	123	158	131	137	119	2037
Pneumonia - -	144	185	199	195	176	142	150	129	138	152	150	175	158	2093
Phthisis - - -	141	153	112	124	131	126	108	121	123	118	132	113	112	1614
Dis. of Circ. System -	242	235	227	220	176	198	172	184	194	193	219	183	181	2624
Violence - - -	58	41	56	62	42	49	50	37	46	58	46	64	52	661
Inquest Cases - -	148	158	163	173	121	135	143	118	107	144	133	129	132	1804
Deaths in Institutions	605	674	658	607	582	584	543	514	528	566	575	577	550	7563
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	34·2	37·4	42·0	44·7	42·5	41·8	46·0	40·1	42·0	41·9	42·8	48·3	49·3	42·6
Mean of Highest -	39·4	43·3	47·7	50·9	49·0	46·9	52·5	48·7	51·1	52·0	51·7	58·7	57·7	50·2
Mean of Lowest -	28·4	31·1	35·6	39·0	36·8	33·1	40·5	32·3	33·3	32·8	34·7	42·1	42·0	35·5
Mean Humidity of the Air.	75	88	86	80	83	83	87	75	80	74	79	79	82	81
Rain-fall (in inches) -	1·15	0·09	0·38	0·69	1·40	0·15	0·95	0·13	0·00	0·00	0·11	1·86	0·23	7·14
Registered Sunshine (in hours).	19·5	9·4	15·6	23·7	22·9	44·7	14·6	41·6	23·6	46·8	24·2	29·1	8·3	324·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	2	2	1	1	1	1	–	–	–	–	–	–	–	1
Scarlet Fever - -	1993	1937	1881	1784	1765	1766	1754	1713	1650	1611	1554	1535	1510	1727
Diphtheria - - -	896	936	908	903	911	901	884	872	855	856	848	816	812	877
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	62	55	61	66	76	78	89	88	88	85	81	81	69	75

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SIXTEENTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 16th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1493·9	1226	233	115	59	148	269	402
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	57·1	27	4	22	1	-	-	-
Scarlet Fever	13·1	6	-	3	3	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	32·8	12	-	-	-	2	3	7
Whooping-cough	42·2	38	19	18	1	-	-	-
Diphtheria	10·6	5	-	4	1	-	-	-
Cerebro-spinal Fever ..	0·6	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	3·1	3	-	-	1	1	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	3·3	1	1	-	-	-	-	-
Diarrhœa, Dysentery ..	10·2	9	4	1	-	1	2	1
Tetanus	0·4	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	8·2	4	3	-	-	1	-	-
Puerperal Septicæmia ..	1·8	7	-	-	-	7	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·6	1	-	-	-	1	-	-
Infective Endocarditis ..	2·3	4	-	-	-	3	-	1
Pneumonia: Lobar ..	23·8	28	2	1	2	2	13	8
Pneumonia: Broncho ..	75·6	62	24	15	2	5	5	11
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	79·0	68	8	11	2	8	17	22
Erysipelas	6·6	7	2	1	-	-	1	3
Septicæmia (not Puerperal) ..	0·8	1	-	-	-	-	1	-
Pyæmia (not Puerperal)	0·6	-	-	-	-	-	-	-
Other Infective Processes	2·5	4	-	-	1	1	-	2
Tuberculous Phthisis ..	88·5	77	1	1	8	30	28	9
"*Phthisis*"	45·1	35	-	-	3	11	17	4
Tuberculous Meningitis ..	28·5	14	2	5	6	1	-	-
Tuberculous Peritonitis ..	9·8	8	4	2	2	-	-	-
Tabes Mesenterica	1·6	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	17·6	16	4	5	2	3	2	-
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	10·9	5	-	-	-	2	3	-
Rheumatic Fever	4·9	2	-	-	1	1	-	-
Gout	3·1	2	-	-	-	-	-	2
Carcinoma	60·0	42	-	-	-	5	23	14
Sarcoma	5·5	7	-	-	-	3	3	1
Cancer (undefined) ..	34·4	28	-	-	-	1	11	16
Diabetes Mellitus	9·2	6	-	-	-	1	1	4
Premature Birth	41·0	39	39	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 16th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·1	13	8	2	-	3	-	-
Gen. Par. of Insane, Insanity	14·7	13	-	-	1	3	7	-
Epilepsy	7·0	4	-	-	1	1	-	-
Convulsions	16·6	12	11	1	-	-	-	-
Locomotor Ataxy.. ..	2·5	2	-	-	-	-	1	-
Paraplegia, Dis. of Cord.	4·9	3	1	-	1	-	1	-
Nervous Sys., Other Dis.	15·8	13	1	1	1	1	4	-
Valv. Dis., Endocarditis..	45·3	42	-	-	3	8	13	1
Cereb. Hæm. Cereb. Emb.	41·0	29	-	-	2	2	9	1
Apoplexy, Hemiplegia ..	14·3	19	-	-	-	-	4	1
Aneurysm	6·6	5	-	-	-	-	3	-
Embolism, Thrombosis (not Cerebral) ..	1·2	2	-	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	79·9	84	-	1	1	5	31	4
Croup (not Spasm: nor Memb.)	-	-	-	-	-	-	-	-
Bronchitis	119·8	102	16	8	1	3	17	5
Emphysema, Asthma ..	5·3	4	-	-	-	-	-	-
Pleurisy	5·9	2	1	-	-	-	-	-
Respiratory Dis., Other..	11·1	11	3	1	1	1	1	-
Tonsillitis, Quinsy.. ..	1·6	2	-	-	-	1	1	-
Enteritis (not Epid.) ..	7·8	10	6	2	-	1	-	-
Gastro-enteritis	5·3	5	4	-	-	-	-	-
Peritonitis (not Puerp.) ..	2·9	5	1	-	-	3	-	-
Cirrhosis of Liver.. ..	12·5	16	-	-	-	1	8	-
Liver Dis., Other	6·1	5	-	-	-	-	2	-
Digestive Sys., Other Dis.	39·5	35	1	3	2	3	9	1
Acute Nephritis	5·5	9	-	-	-	3	2	-
Bright's Dis., Albuminuria	38·3	24	-	1	-	1	8	1
Urinary Sys., Other Dis.	11·1	9	-	-	-	-	1	-
Generative Organs Dis...	4·5	4	-	-	-	3	1	-
Childbirth (Accid. of) ..	4·5	3	-	-	-	3	-	-
Old Age	60·6	50	-	-	-	-	-	5
Other Diseases	95·1	63	48	4	4	5	2	-
ACCIDENT.								
By Railways	1·6	1	-	-	-	1	-	-
By Vehicles and Horses..	8·2	6	-	-	1	1	3	-
In Ships, Boats, Docks, (exclusive of Drowning)	1·0	1	-	-	-	-	1	-
In Building Operations..	2·0	-	-	-	-	-	-	-
In Conflagrations	1·0	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	2·5	4	1	2	1	-	-	-
By Drowning	5·1	3	-	-	-	2	1	-
By Suffocation in Bed ..	5·9	9	9	-	-	-	-	-
By Poisons or Poisonous Vapours	2·0	2	-	-	-	-	2	-
Other Deaths by Accident..	14·5	14	4	-	1	-	2	-
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	2	-	-	1	1	-	-
Suicide	12·3	10	-	-	1	2	4	-
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd April, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2334	1226	233	402	-	27	6	5	28	3	10	112	52	132	550	1
WEST DISTRICTS	805,311	366	219	37	76	-	4	1	-	7	-	1	19	8	23	86	-
NORTH DISTRICTS	1,055,908	474	269	53	95	-	9	2	4	12	-	1	20	18	32	117	-
CENTRAL DISTRICTS	209,465	101	61	12	13	-	-	-	-	2	-	1	5	1	7	35	-
EAST DISTRICTS	715,739	416	202	57	60	-	3	-	-	7	1	2	16	9	33	96	-
SOUTH DISTRICTS	1,749,844	977	421	73	136	-	11	2	1	9	1	1	47	16	37	162	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	54	1	22	-	-	1	-	1	1	4	5	-	-	54	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	37	15	5	5	-	2	-	-	1	-	-	-	-	1	-	-
entral Paddington *W,3H*	50,053	23	22	-	10	-	-	-	-	-	-	-	-	-	2	12	-
outh Paddington	30,320	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
ensington Town 2*W,w,2H* ..	128,037	68	45	6	23	-	1	-	-	3	-	-	4	1	4	23	-
rompton 2*H*	48,591	8	8	-	5	-	-	-	-	-	-	-	1	-	-	1	-
orth Hammersmith 2*W,w,H* ..	49,192	33	13	4	2	-	-	-	-	-	-	1	2	-	1	7	-
outh Hammersmith *w,2H* ..	63,047	30	18	-	6	-	-	-	-	-	-	-	3	1	2	5	-
orth-west Fulham *W*	45,180	37	17	7	3	-	-	-	-	1	-	-	1	-	1	7	-
orth-east Fulham *F*	46,405	24	5	3	1	-	1	1	-	-	-	-	-	1	2	1	-
outh Fulham *W*	45,704	24	11	3	2	-	-	-	-	1	-	-	-	-	1	-	-
helsea North *W,w,3H*	42,514	15	15	-	5	-	-	-	-	1	-	-	4	-	-	8	-
helsea South *W,2H*	31,328	14	6	2	2	-	-	-	-	-	-	-	-	-	-	2	-
ayfair and Knightsbridge	28,743	7	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-
elgrave *W,2H*	55,815	17	18	1	3	-	-	-	-	-	-	-	1	5	9	11	-
. Margaret & St. John *6H*	43,698	17	19	6	3	-	-	-	-	-	-	-	2	-	-	8	-
. James and St. Anne *W,6H* ..	33,081	2	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
ll Souls Marylebone 7*H*	35,391	11	12	1	4	-	-	-	-	1	-	-	-	-	-	3	-
. Mary Marylebone *W,4H* ..	37,948	43	5	2	1	-	1	-	-	1	-	-	-	-	-	1	-
aristchurch Marylebone *H* ..	39,536	24	9	2	3	-	-	-	1	-	-	-	-	1	2	-	-
. John Marylebone 2*H*	20,426	8	6	2	2	-	1	-	-	-	-	-	-	1	2	1	-
ampstead *W,F,6H*	81,942	27	22	5	7	-	-	1	1	-	-	-	2	1	2	6	-
est St. Pancras 2*H*	60,562	28	12	3	6	-	-	-	-	2	-	-	1	1	1	3	-
outh St. Pancras *w,10H*	55,707	15	26	3	10	-	-	-	-	-	-	1	3	2	4	21	-
ast St. Pancras *W,H*	60,320	31	14	3	8	-	1	-	-	1	-	-	1	-	1	6	-
orth St. Pancras 2*W*	58,728	32	19	3	7	-	2	-	-	1	-	-	1	1	3	7	-
ufnell *W*	31,995	11	27	1	11	-	-	-	-	-	-	-	4	1	2	22	-
pper Holloway 2*W,w,H*	33,978	29	24	-	13	-	1	-	-	-	-	-	3	3	5	19	-
llington *W,w,H*	33,922	9	3	1	2	-	-	-	-	1	-	-	-	-	-	-	-
ower Holloway	41,424	17	10	5	3	-	-	-	-	1	-	-	1	-	-	-	-
rnsbury	54,478	33	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
ington South-east *F*	75,397	28	10	2	-	-	-	-	-	1	-	-	2	-	-	-	-
ghbury 2*H*	63,797	21	7	3	3	-	-	-	-	-	-	-	-	1	1	2	-
oke Newington *H*	51,247	16	11	3	1	-	1	-	-	-	-	-	-	3	4	-	-
rth Hackney	50,398	18	8	2	3	-	-	-	-	-	-	-	1	1	1	-	-
ntral Hackney 2*w,F*	50,536	25	10	1	4	-	-	1	1	1	-	-	-	-	-	4	-
uth-west Hackney 3*H*	59,921	22	10	3	3	-	-	-	1	1	-	-	-	-	1	6	-
uth-east Hackney 2*W,w,H* ..	58,255	26	17	3	4	-	2	-	-	1	-	-	1	2	3	16	-
ckney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, mely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other stricts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a b-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the ter.

See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd April, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	16	7	2	2	-	-	-	-	1	-	-	-	-	1	1	-
Strand *W*,4*H*	21,674	7	11	1	2	-	-	-	-	-	-	-	1	1	1	10	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	16	12	4	-	-	-	-	-	1	-	-	1	-	1	10	-
Clerkenwell *H*	63,704	36	7	-	2	-	-	-	-	-	-	-	1	-	2	-	-
St. Luke 3*H*,*L*	36,116	26	7	3	3	-	-	-	-	-	-	-	-	-	-	2	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	-	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	-	12	2	2	-	-	-	-	-	-	1	1	-	-	10	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	16	7	4	-	-	-	-	-	-	-	-	1	-	2	2	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	17	22	5	11	-	-	-	-	-	-	-	1	2	4	13	-
Shoreditch North-East	36,148	25	5	1	1	-	-	-	-	1	-	-	-	1	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	28	29	4	12	-	-	-	-	-	-	-	5	1	4	22	-
Bethnal Green South-West *H* ..	64,542	47	8	4	1	-	1	-	-	-	-	-	-	1	1	1	-
Spitalfields..	27,969	11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *W*,*H*	28,718	17	21	5	7	-	-	-	-	-	1	-	3	1	5	18	-
Goodman's Fields	22,081	5	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-
St. George and St. John 2*W* ..	49,068	20	6	4	1	-	-	-	-	-	-	1	-	-	1	3	-
Shadwell and Ratcliff *w*,*H* ..	25,568	11	16	6	-	-	1	-	-	1	-	-	-	-	2	10	-
Limehouse *W*	32,369	23	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	52	8	2	1	-	-	-	-	-	-	-	1	-	1	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	33	12	6	2	-	-	-	-	-	-	1	1	1	3	6	-
Bow	41,989	32	6	2	2	-	-	-	-	1	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	37	36	8	14	-	1	-	-	2	-	-	3	2	5	19	-
Poplar *W*,*w*	58,514	42	15	3	5	-	-	-	-	2	-	-	-	-	2	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd April, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	15	19	5	2	-	-	-	-	1	-	1	-	4	5	16	-
Kent-road	21,904	10	5	1	-	-	-	-	-	1	-	-	-	2	3	-	-
St. George the Martyr West *W,2H,L*	39,094	16	8	2	1	-	-	-	-	1	-	-	-	-	-	2	-
Newington North	49,022	32	7	4	1	-	1	-	-	1	-	-	-	-	1	-	-
Newington South *W*	72,841	42	13	4	3	-	-	-	-	-	-	-	3	-	-	2	-
St. Olave *2W*	9,817	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	55	17	8	2	-	1	-	-	1	-	-	1	-	1	-	-
Rotherhithe *W,F*	38,460	22	19	4	3	-	-	-	-	-	-	-	3	1	2	12	-
Waterloo *2H*	27,440	31	6	1	-	-	-	-	-	-	-	-	1	-	1	3	-
Lambeth Church *H*	27,440	16	18	2	3	-	-	-	-	-	-	-	1	2	4	13	-
Kennington *2W*	52,518	21	30	3	12	-	1	-	-	-	-	-	5	-	2	23	-
Stockwell *HF*	63,826	45	8	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Brixton *H*	73,673	32	7	2	4	-	-	-	-	-	-	-	1	-	-	2	-
Norwood *2WH*	56,998	29	9	2	4	-	-	-	-	1	-	-	1	1	2	2	-
East Battersea *H*	72,203	36	5	2	2	-	-	-	-	-	-	-	1	-	-	-	-
North-west Battersea	49,656	32	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	15	24	1	8	-	1	-	-	-	-	-	7	-	3	16	-
Clapham *2H*	51,361	22	7	4	-	-	-	-	-	-	-	-	1	-	1	1	-
Streatham *W,2w,2F,2L*	88,019	60	28	2	13	-	-	-	1	-	-	-	3	1	2	8	-
Springfield *2W,L*	27,959	30	8	-	3	-	-	-	-	-	-	-	2	-	1	1	-
Southfields *H*	40,444	30	7	2	2	-	-	-	-	-	-	-	1	-	-	-	-
Putney	24,139	9	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	20	25	1	15	-	1	-	-	2	-	-	3	-	-	21	-
Camberwell North *W,2L*	65,584	38	20	2	7	-	-	-	-	-	-	-	4	1	1	9	-
St. George	47 331	29	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Peckham North	48,913	30	5	1	2	-	-	-	-	1	-	-	-	1	1	-	-
Peckham South *2W,w*	43,946	25	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	21	7	2	1	-	4	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	22	7	-	2	-	-	2	-	-	-	-	1	-	-	2	-
Deptford South	34,625	12	10	-	6	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West *H*	23,456	10	5	-	2	-	-	-	-	-	-	-	1	-	1	-	-
Greenwich East *2W,H*	43,859	25	27	1	11	-	2	-	-	-	-	-	2	2	3	17	-
Eltham *w,H*	7,226	5	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Lee *w,H*	25,490	11	4	-	3	-	-	-	-	-	-	-	1	-	-	1	-
Lewisham *2W,w,F*	58,352	38	12	3	6	-	-	-	-	-	-	-	-	-	-	5	-
Sydenham *H*	43,653	23	9	-	6	-	-	-	-	-	-	-	1	-	-	-	-
Charlton *F,2H*	21,134	6	2	-	1	-	-	-	-	-	1	-	-	-	-	1	-
Woolwich *5H*	41,625	18	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead West *W,H*	39,376	25	13	3	3	-	-	-	-	-	-	-	1	-	1	-	-
Plumstead East *2W*	28,951	12	5	-	1	-	-	-	-	-	-	-	1	-	-	4	-
Workhouses:—																	
Belmont Workhouse	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Northern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	4	1	-	-	-	-	-	1	-	-	1	-	-	4	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
London County Lunatic Asylums:—																	
Banstead	—	-	9	-	2	-	-	-	-	-	-	-	2	-	-	9	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	2	-	-	-	-	-	-	1	-	-	-	3	-
Manor	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Long Grove	—	-	6	-	4	-	-	-	-	-	-	1	-	-	-	6	-
Cane Hill	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	7	-	4	-	-	-	-	-	-	-	1	-	-	7	-
Colney Hatch	—	-	7	-	1	-	-	-	-	-	-	1	-	-	-	7	-
Claybury	—	-	3	-	2	-	-	-	-	-	-	-	1	-	-	3	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging t the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boar Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATE POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd April, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
	LONDON—OUTER RING ..	368,603	2,045,135	1300	484	101	177	-	7	6	4	11	2	-	11	38	85	-
30 : 1	Carshalton 2F,3H	12,228	32,997	17	7	1	3	-	-	1	-	-	-	-	1	1	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	19	10	3	4	-	1	-	-	-	-	-	1	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	28	20	4	4	-	-	1	1	1	-	-	1	3	10	-
4	North Croydon H	2,614	41,698	28	5	1	3	-	-	-	-	-	-	-	-	-	1	-
5	Penge w	770	22,465	6	3	-	2	-	-	-	-	-	-	-	-	2	-	-
6	Mitcham w	11,711	30,015	27	10	1	4	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	30	7	2	3	-	-	-	-	-	1	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	26	16	1	10	-	-	-	-	-	-	-	1	2	9	-
3	Surbiton F,H	3,046	15,017	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	3	3	1	1	-	-	-	-	-	-	-	1	1	-	-
5	Hampton H,F,L	4,564	23,456	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	10	4	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake F	2,518	17,821	19	2	1	-	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	9	8	2	4	-	-	-	-	-	-	-	-	2	-	-
2	Beckenham H	7,825	28,497	9	7	1	5	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,338	16,446	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,354	25,296	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	7	7	-	2	-	-	-	-	-	1	-	-	-	-	-
2	Staines W,H	13,277	15,178	12	5	1	-	-	-	-	-	-	-	-	2	3	1	-
125 : 1	Hillingdon W,F,H	8,035	13,661	5	5	1	3	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge H	12,757	8,984	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,666	16,358	18	5	1	1	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	19	16	3	7	-	-	-	-	-	-	-	-	-	8	-
2	Twickenham F,2H	2,421	20,991	10	5	2	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	39	10	2	5	-	-	-	-	-	-	-	1	-	-	-
4	Chiswick H	1,249	29,809	21	6	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	50	15	3	2	-	-	-	-	-	-	-	-	1	-	-
127A: 1	Harrow F,H	13,809	25,523	17	5	-	4	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	20	3	-	2	-	-	-	-	-	-	-	-	-	2	-
127B: 1	Willesden W,F,2H	4,584	114,811	77	27	5	13	-	2	-	1	1	-	-	1	2	4	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Barnet W,2H	3,324	17,970	11	6	-	2	-	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,638	33,692	24	16	5	8	-	-	-	-	-	-	-	1	1	-	-
129 : 1	Hornsey F,H	2,875	72,056	17	16	1	6	-	-	1	-	-	-	-	-	1	1	-
2	Wood Green H	1,625	34,233	30	10	3	3	-	-	-	-	-	-	-	-	2	-	-
3	West Tottenham	995	48,741	43	11	3	4	-	-	-	-	-	-	-	-	2	-	-
4	East Tottenham 2H ..	2,019	53,962	47	10	3	2	-	-	-	-	-	-	-	1	3	-	-
5	Edmonton W,w,2F	7,491	61,892	56	15	2	5	-	-	-	-	1	-	-	-	2	8	-
6	Enfield 2W,F,H	12,601	42,738	27	8	1	3	-	-	-	-	-	-	-	-	-	2	-
7	Waltham Abbey F	11,017	6,549	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	28	10	2	4	-	-	-	-	-	-	-	-	1	1	-
2	Forest Gate	787	52,745	14	6	-	5	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	75	27	7	8	-	-	2	1	1	-	-	-	1	2	-
4	Canning Town H	1,556	70,718	53	13	5	2	-	-	-	-	2	-	-	-	3	-	-
5	South East Ham 2F ..	1,991	37,342	40	10	5	-	-	4	-	-	1	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	38	15	6	6	-	-	-	-	2	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	30	16	5	7	-	-	-	1	-	-	-	-	-	5	-
9	North Leyton 2W,w,F ..	1,963	48,445	39	27	6	11	-	-	-	-	1	-	-	-	1	17	-
10	Walthamstow 2H,L ..	6,504	108,929	80	16	7	3	-	-	-	-	-	-	-	-	3	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	17	6	-	1	-	-	-	-	-	-	-	-	-	1	-
3	Barking Town F	3,805	21,547	16	2	-	1	-	-	-	-	1	-	-	-	-	-	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
LONDON* - -	4,872,702	April	23	2334	1226	13·1	-	27	6	5	38	3	18
CALCUTTA - -	1,009,008	March	26	-	501‡	25·8	1	5	-	2	-	4	18
BOMBAY - -	977,822	April	5	365	813‡	43·2	86	3	-	-	-	2	30
MADRAS - -	509,346	March	25	299	389	39·7	-	10	?	?	?	-	14
PARIS* - -	2,772,467	April	16	1077	1092	20·7	-	30	1	4	8	1	18
BRUSSELS* - -	720,030	"	16	254	235	17·0	-	5	1	1	6	2	10
ANTWERP* - -	314,135	"	16	124	94	15·6	-	8	-	-	-	-	9
AMSTERDAM* -	569,948	"	16	271	158	14·5	-	1	-	-	-	-	1
COPENHAGEN -	450,000	"	16	228	115	13·3	-	1	3	1	-	-	4
STOCKHOLM -	339,582	"	9	158	134	20·4	-	15	7	2	2	-	1
CHRISTIANIA -	235,674	"	16	113	63	13·9	-	1	-	-	-	-	3
ST. PETERSBURG	1,620,000	"	9	1000	980	31·5	15	80	12	16	14	13	78
MOSCOW - -	1,493,600	"	9	-	691	24·1	14	16	16	22	7	1	58
BERLIN - -	2,120,593	"	2	811	624	15·3	-	5	8	14	4	-	31
HAMBURG - -	895,804	"	16	-	282	16·4	-	4	-	5	-	1	18
BRESLAU - -	507,500	"	9	-	178	18·3	-	-	1	1	1	-	15
MUNICH - -	576,000	"	9	286	178	16·1	-	1	1	1	2	-	11
VIENNA* - -	2,107,981	"	16	862	774	19·1	-	36	-	10	10	1	31
PRAGUE* - -	494,531	March	26	251	218	22·9	-	5	1	1	-	-	16
BUDAPEST* -	833,703	April	9	476	380	23·6	-	19	8	2	2	1	12
TRIESTE* - -	218,727	"	9	134	132	31·0	-	5	-	-	2	-	2
ROME - - -	584,308	February	26	281	218	19·5	-	8	-	4	2	2	9
VENICE - -	183,224	April	2	82	71	20·2	-	2	1	-	-	-	2
		"	9	87	72	20·5	-	4	-	-	-	-	8
BUCAREST - -	297,643	March	12	-	-	-	-	-	-	-	-	-	-
NEW YORK* -	4,711,956	April	2	2414	1666	18·4	-	30	30	44	9	6	40
CHICAGO* - -	2,282,927	"	2	-	706	16·1	-	6	4	16	3	1	37
PHILADELPHIA*	1,598,400	March	5	-	621	20·2	-	1	4	15	3	2	17
RIO DE JANEIRO	842,822	"	13	-	278	17·2	-	3	-	1	3	-	?
CAIRO :—*													
Egyptians -	616,183	"	25	598	368	31·1	1	6	-	4	?	1	32
Foreigners -	61,480	"	25	4	10	8·5	-	1	-	-	?	-	-
ALEXANDRIA :—*													
Egyptians -	317,454	"	25	274	223	36·5	-	24	-	1	?	3	38
Foreigners -	67,966	"	25	10	22	16·8	-	3	-	1	?	-	1

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 56 deaths from *plague* in Calcutta and 168 in Bombay, and from *Asiatic cholera*, 76 deaths in Calcutta.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 23rd April, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	65·5	30·9	49·8	0·23	BRADFORD - -	53·6	34·0	45·0	0·55
BRIGHTON - -	55·1	35·9	48·8	0·45	YORK - - -	62·0	34·0	46·9	0·23
PORTSMOUTH - -	61·0	39·5	51·1	0·23	HULL - - -	62·0	32·0	46·7	0·12
DOVER - -	61·0	31·3	48·7	0·38	TYNEMOUTH - -	59·0	34·0	44·5	0·29
SOUTHAMPTON - -	60·2	39·5	50·6	0·39	CARDIFF - - -	55·7	36·5	47·8	0·92
BRISTOL - - -	58·0	38·0	49·3	0·52	EDINBURGH - -	54·4	34·7‡	42·9	0·24
BIRMINGHAM - -	61·6	37·4	49·0	0·42	GLASGOW - -	53·0	33·5	44·9	0·46
NOTTINGHAM - -	60·0	32·0	47·6	0·21	DUBLIN Phœnix Park.	63·1	31·6	49·6	0·78
LIVERPOOL OBSERVATORY.	60·0	39·0	47·7	0·50	DUBLIN Fitz-william Square.†	61·0	34·0	50·5	0·75
MANCHESTER -	58·7	36·6	46·4	0·76					
SALFORD - -	58·4	33·0	44 7	1·21					
HUDDERSFIELD -	58·8	34·0	46·3	0·46	BELFAST - - -	60·0	35·0	47·7	0·49

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·6 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.
‡ Readings for six days only.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 23rd April, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 17	..	29·718	52·5	39·2	13·3	43·9	− 3·7	36·3	7·6	15·5	2·0	75	83·9	28·7	46·02	WNW. & W.	WNW., NW. & SW.	4·2	0·0	0·3	358	+ 74	0·00	0·2
MONDAY - 18	..	29·897	54·2	34·3	19·9	46·1	− 1·9	44·8	1·3	5·7	0·0	95	69·9	27·2	46·10	SSW. & S.	SSW. & SW.	3·0	0·0	0·3	370	+ 85	0·00	2·0
TUESDAY - 19	..	29·930	60·8	52·5	8·3	55·7	+ 7·4	50·6	5·1	9·7	2·0	83	81·0	48·6	45·90	SW. & WSW.	WSW. & W.	8·0	0·0	0·9	608	+322	0·00	5·8
WEDNESDAY 20	..	30·057	61·5	48·7	12·8	54·1	+ 5·6	49·0	5·1	10·4	2·0	83	85·0	47·1	46·30	NNW. & calm.	SW. & WSW.	2·7	0·0	0·2	268	− 19	0·04	0·0
THURSDAY - 21	..	29·940	65·5	51·8	13·7	57·1	+ 8·4	49·2	7·9	14·7	3·6	75	110·9	46·7	46·90	WSW. & W.	WNW., NW. & N.	4·4	0·0	0·4	439	+151	0·00	0·0
FRIDAY - 22	In Eqr.	29·834	59·2	36·3	22·9	46·4	− 2·3	42·6	3·8	13·0	0·0	86	104·8	32·0	47·30	WSW., SW. & W.	NW. & NNE.	3·6	0·0	0·2	265	− 22	0·19	3·0
SATURDAY - 23	..	29·680	50·1	30·9	19·2	41·7	− 6·9	35·9	5·8	10·7	0·0	80	97·1	22·2	47·60	NNE., calm & SSW.	SSW. & SW.	5·1	0·0	0·3	328	+ 42	0·00	11·2
MEANS - -		29·865	57·7	42·0	15·7	49·3	+ 0·9	44·1	5·2	11·4	1·4	82	90·4	36·1	46·59	Variable		..	..	..	Sum 2636	Sum +633	Sum 0·23	3·2
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	17	w. P. generally till 10h. A.M.; m. P. till 6h. P.M.; s. P. afterwards.	3·0	13·9
MONDAY -	18	m. P. generally till 9h. P.M.; w. P. afterwards.	0·3	14·0
TUESDAY -	19	w. P. throughout.	0·3	14·0
WEDNESDAY	20	w. P. throughout.	0·0	14·1
THURSDAY -	21	w. P. till 4h. P.M.; then m. P.	2·9	14·1
FRIDAY -	22	v. P. generally with occasional v. N.	1·6	14·2
SATURDAY -	23	s. P. with occasional m. P. till 11h. A.M.; afterwards m. P.	0·2	14·3
			Sum 8·3	Sum 98·6
No. of Col. - -		27	28	29

GENERAL REMARKS.

Generally overcast and dull till 2h. P.M.; very fine afterwards but partially cloudy. Lunar halo observed at 9h. P.M.

Fine in early morning; generally overcast after 4h. A.M.

Overcast with slight exceptions; brisk wind prevalent between 7h. A.M. and 10h. P.M.

Generally overcast; slight rain till 3h. A.M.

Generally overcast; fine intervals in afternoon and evening. Solar halo and parhelion observed at 6h. and 6h. 30m. P.M. respectively.

Generally overcast till noon: variably cloudy till 3h. 30m. P.M.; overcast till 10h. P.M.; then fine; rain between 2h. and 10h. A.M.; light shower accompanied by lightning and thunder at 1h. 36m. P.M.

Partial lunar halo just after midnight; becoming nearly overcast generally from 1h. A.M.; slight rain occasionally after 6h P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·41 in. at the beginning of the week to 29·93 in. by 9h. A.M. on the 18th; decreased to 29·85 in. by 4h. P.M. on the same day; increased to 30·10 in. by 9h. A.M. on the 20th; decreased to 29·78 in. by 1h. P.M. on the 22nd; increased to 29·95 in. by 11h. P.M. on the same day; and decreased to 29·39 in. by midnight on the 23rd.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th April, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	2	2	-	1	-	-	1	-	-
Kensington	184,635	-	6	1	-	-	-	-	2	-	-
Hammersmith	127,413	-	7	3	-	-	-	-	-	-	-
Fulham	181,282	-	10	4	-	-	-	-	3	1	1
Chelsea	75,457	-	6	3	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	4	6	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	6	3	-	-	-	-	4	1	-
Hampstead	95,729	-	10	1	-	-	-	-	2	-	-
St. Pancras	237,792	-	21	7	-	1	-	-	4	-	-
Islington	353,356	-	15	5	-	3	-	-	5	1	-
Stoke Newington	54,838	-	-	3	-	-	-	-	-	-	-
Hackney	239,979	-	5	-	-	-	-	-	3	1	1
CENTRAL.											
Holborn	53,142	-	-	-	-	-	-	-	1	-	-
Finsbury	94,578	-	7	2	-	-	-	-	4	-	-
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	9	-	-	-	-	-	2	-	-
Bethnal Green	131,579	-	3	5	-	-	-	-	1	1	1
Stepney	314,379	-	5	12	-	2	-	-	10	2	-
Poplar	172,432	-	6	3	-	-	-	-	2	1	-
SOUTH.											
Southwark	211,832	-	9	3	-	-	-	-	4	1	1
Bermondsey	127,238	-	3	5	-	1	-	-	3	-	-
Lambeth	327,074	-	13	8	-	-	-	-	2	1	-
Battersea	188,222	-	7	3	-	-	-	-	4	-	-
Wandsworth	305,838	-	6	1	-	-	-	-	5	-	-
Camberwell	286,058	-	7	6	-	-	-	-	5	-	-
Deptford	119,642	-	6	2	-	-	-	-	6	-	-
Greenwich	112,935	-	11	1	-	-	-	-	3	-	-
Lewisham	164,899	-	14	2	-	-	-	-	-	1	-
Woolwich	135,422	-	12	5	-	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	210	96	-	8	-	-	77	12	4
Ages 0-1		-	3	4	-	-	-	-	2	-	4
" 1-5		-	49	47	-	-	-	-	3	-	-
" 5-		-	100	26	-	-	-	-	2	-	-
" 10-		-	25	7	-	1	-	-	2	-	-
" 15-		-	15	1	-	-	-	-	3	-	-
" 20-		-	11	3	-	1	-	-	5	4	-
" 25-		-	6	6	-	3	-	-	9	6	-
" 35-		-	1	2	-	2	-	-	13	2	-
" 45-		-	-	-	-	-	-	-	11	-	-
" 55-		-	-	-	-	1	-	-	16	-	-
" 65 and upwards		-	-	-	-	-	-	-	11	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C

No. 17. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, APR. 30. [Price 1½*d.*

General Register Office, Somerset House,
May 2nd, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 13·1 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 14·9, 15·0, and 13·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·7 in Liverpool, 17·8 in Warrington, 17·9 in Coventry, 18·5 in Tynemouth, 19·0 in Middlesbrough, 19·4 in Stockport, 20·6 in Oldham, 20·7 in Wallasey, 21·0 in Merthyr Tydfil, and 21·8 in Burnley; from *measles*, 1·3 in Willesden and in Sunderland, 1·6 in Swansea, 1·8 in Bradford, 2·7 in East Ham, and 6·6 in Merthyr Tydfil; and from *whooping-cough*, 1·8 in Oldham, 2·0 in Gateshead, 2·1 in Warrington, and 2·5 in Devonport. One death from *small-pox* was registered as belonging to Hull, but none to any other of the seventy-seven towns.

LONDON.*

In LONDON 2372 BIRTHS and 1217 DEATHS were registered. Allowing for increase of population, the births were 155 and the deaths 244 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(16409—41.) Wt. 91—429. 700. 5/10. D & S. G. 31. Sch. 4 R

weeks of the previous five years. The annual death-rate from all causes, which had been 14·7, 14·8, and 13·1 per 1000 in the preceding three weeks, fell last week to 13·0. The death-rate in the four weeks ended last Saturday averaged 13·9 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1217 deaths included 33 from measles, 6 from diphtheria, 42 from whooping-cough, 2 from enteric fever, and 8 from diarrhœa; but not one death from small-pox, from scarlet fever, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 91 deaths were referred, being 55 below the corrected average number in the seventeenth week of the preceding five years.

The deaths from *measles*, which had been 33, 46, and 27 in the preceding three weeks, were 33 last week, and were 26 below the corrected average; 3 deaths belonged to the Borough of Paddington, and 3 each to St. Pancras, Finsbury, and Lambeth. The deaths from *diphtheria*, which had been 6, 8, and 5 in the preceding three weeks, were 6 last week, and were 7 below the corrected average. The deaths from *whooping-cough*, which had been 45, 41, and 38 in the preceding three weeks, were 42 last week, the corrected average being 47; 6 deaths belonged to Islington, 5 to St. Pancras, and 3 each to Kensington and Fulham. The deaths from *enteric fever*, which had been 2, 8, and 3 in the preceding three weeks, were 2 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 11, 9, and 10 in the preceding three weeks, fell to 8 last week, and were 6 below the corrected average. Of the 8 deaths from diarrhœa, 3 were those of children under 5 years of age; 7 other deaths at this age were certified as due to *enteritis*, and 1 to *gastro-enteritis*, all of these 11 deaths being those of children under 2 years of age. The deaths attributed directly to *influenza* numbered 12, having been 17, 21, and 12 in the preceding three weeks.

Different forms of violence caused 46 deaths, concerning all of which inquests were held. Of these 46 deaths, 10 were cases of suicide, and 4 of homicide, while the remaining 32 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, six to burns or scalds, and seven, including six of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1509 cases of scarlet fever, 798 of diphtheria, and 66 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 192 cases, against 166, 197, and 196; of diphtheria, 81 cases, against 79, 69, and 74; and of enteric fever, 6 cases, against 5, 8, and 5. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended April 23rd, 1910.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3648 births and 1707 deaths were registered. Allowing for increase of population, these numbers are 282 and 391 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from measles, 1 from scarlet fever, 1 from diphtheria, 4 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·64 inches, and that of the Thermometer 45°·4, the latter being 3°·4 below the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 36 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 50·1 hours; the measured rainfall amounted to 0·43 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.— IRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 30th April, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 9th Apr., 1910.	16th Apr., 1910.	23rd Apr., 1910.	30th Apr., 1910.	Rate from Diseases in Cols. 11–17 Week ended 30th April, 1910.	Registered during the Week ended 30th April, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWN
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**14·9**	**15·0**	**13·7**	**13·1**	**1·1**	**8388**	**4249**	**861**	**1298**	**1**	**115**	**20**	**40**	**138**	**13**	**37**	**148**	**332**	**1277**	**20**	**77 TOWNS.**
LONDON	4,872,702	14·7	14·8	13·1	13·0	1·0	2372	1217	230	389	–	33	–	6	42	2	8	46	141	550	3	LONDON.
CROYDON	164,485	16·8	12·4	10·8	10·5	1·0	65	33	5	10	–	1	–	1	1	–	–	2	9	6	–	CROYDON.
WILLESDEN ..	166,088	10·7	8·5	8·5	7·2	1·6	67	23	6	3	–	4	–	–	1	–	–	1	2	6	1	WILLESDEN.
HORNSEY	98,561	4·2	4·2	7·9	6·9	0·5	38	13	2	5	–	–	1	–	–	–	–	2	2	3	–	HORNSEY.
TOTTENHAM ..	132,803	11·8	14·9	9·4	10·6	–	66	27	7	4	–	–	–	–	–	–	–	–	1	9	–	TOTTENHAM.
WEST HAM ..	328,585	11·6	10·5	10·6	11·3	0·6	176	71	14	21	–	1	–	3	–	–	–	2	6	19	–	WEST HAM.
EAST HAM.. ..	156,208	11·0	8·3	10·3	9·7	3·3	62	29	7	7	–	8	–	2	–	–	–	1	2	4	–	EAST HAM.
LEYTON	133,436	9·4	9·8	10·2	5·9	0·8	56	15	2	6	–	–	1	1	–	–	–	1	1	5	–	LEYTON.
WALTHAMSTOW	141,748	9·2	11·4	6·6	7·0	1·1	61	19	4	3	–	1	–	–	2	–	–	1	1	10	–	WALTHAMSTOW.
HASTINGS	68,520	12·2	16·0	13·7	13·7	1·5	16	18	1	10	–	–	–	–	2	–	–	–	–	3	–	HASTINGS.
BRIGHTON	131,900	16·6	13·8	17·4	12·7	–	47	32	2	14	–	–	–	–	–	–	–	–	1	10	–	BRIGHTON.
PORTSMOUTH ..	217,989	13·9	15·8	18·2	10·8	0·2	114	45	6	16	–	–	–	–	1	–	–	1	2	8	–	PORTSMOUTH.
BOURNEMOUTH ..	73,947	13·4	14·1	12·0	14·8	–	23	21	2	12	–	–	–	–	–	–	–	1	3	5	–	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	7·8	15·2	11·1	9·8	0·4	62	24	2	13	–	–	–	–	1	–	–	1	1	6	–	SOUTHAMPTON.
READING	84,355	6·2	13·6	11·1	10·5	–	45	17	3	6	–	–	–	–	–	–	–	–	–	3	–	READING.
NORTHAMPTON ..	99,113	12·6	16·3	13·2	12·6	–	42	24	6	10	–	–	–	–	–	–	–	1	1	4	–	NORTHAMPTON.
IPSWICH	75,936	14·4	13·7	15·1	13·7	0·7	32	20	4	11	–	–	–	1	–	–	–	–	–	2	–	IPSWICH.
GREAT YARMOUTH	53,715	19·4	19·4	15·5	13·6	1·0	33	14	4	4	–	–	–	–	–	–	1	–	1	–	–	GREAT YARMOUTH.
NORWICH	125,446	16·8	17·0	9·1	12·5	1·2	63	30	6	11	–	1	1	–	–	–	1	1	2	9	–	NORWICH.
PLYMOUTH	126,266	14·0	17·3	14·0	12·4	0·4	52	30	5	15	–	–	–	–	1	–	–	–	–	7	–	PLYMOUTH.
DEVONPORT	84,695	10·5	19·7	17·2	14·2	3·1	44	23	6	4	–	1	–	–	4	–	–	2	3	3	–	DEVONPORT.
BRISTOL	382,550	15·4	16·4	11·9	14·2	0·8	146	104	16	44	–	–	–	3	–	–	3	3	7	33	–	BRISTOL.
STOKE ON TRENT‡..	245,726	15·5	17·6	17·6	13·8	1·7	141	65	18	18	–	4	–	1	3	–	–	–	4	6	–	STOKE ON TRENT‡.
BURTON ON TRENT	54,977	10·4	7·6	5·7	15·2	0·9	21	16	1	10	–	–	–	1	–	–	–	–	–	5	–	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	9·3	15·7	16·7	10·3	–	69	21	3	10	–	–	–	–	–	–	–	2	2	9	–	WOLVERHAMPTON
WALSALL	101,035	12·4	12·9	11·4	12·9	–	54	25	7	11	–	–	–	–	–	–	–	–	1	3	–	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	9·4	14·4	6·5	7·2	0·7	29	10	2	4	–	–	1	–	–	–	–	–	–	2	–	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	16·9	11·0	15·4	9·5	–	48	13	2	6	–	–	–	–	–	–	–	–	–	2	1	WEST BROMWICH.

ended Saturday 30th April, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 9th Apr., 1910.	16th Apr., 1910.	23rd Apr., 1910.	30th Apr., 1910.	Rate from Diseases in Cols. 11–17. Week ended 30th April, 1910.	Registered during the Week ended 30th April, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	16·0	15·4	13·7	11·8	1·2	260	129	28	40	-	1	-	-	11	1	-	4	6	36	-	BIRMINGHAM.
KINGS NORTON ..	84,673	9·9	6·8	8·6	8·6	-	34	14	-	8	-	-	-	-	-	-	-	-	1	4	-	KINGS NORTON.
SMETHWICK	72,350	14·4	10·8	10·8	7·9	2·2	34	11	2	3	-	-	-	-	1	-	2	1	1	1	-	SMETHWICK.
ASTON MANOR ..	86,269	11·5	9·7	10·3	7·9	-	35	13	2	3	-	-	-	-	-	-	-	-	-	-	-	ASTON MANOR.
COVENTRY	81,449	15·4	14·7	15·4	17·9	0·6	50	28	8	9	-	-	-	-	-	-	1	4	4	5	-	COVENTRY.
LEICESTER	248,374	10·5	10·3	10·9	10·3	0·2	115	49	10	17	-	-	1	-	-	-	-	-	3	10	-	LEICESTER.
GRIMSBY	74,283	9·8	12·6	14·7	10·5	-	36	15	6	4	-	-	-	-	-	-	-	-	-	3	-	GRIMSBY.
NOTTINGHAM ..	266,471	17·2	16·8	12·5	13·3	0·4	134	68	16	16	-	-	-	-	1	-	1	3	5	10	-	NOTTINGHAM.
DERBY	131,256	12·3	10·7	10·3	12·3	0·8	66	31	3	13	-	-	-	-	1	-	1	2	5	13	-	DERBY.
STOCKPORT	105,087	13·9	23·3	13·4	19·4	1·5	55	39	9	10	-	2	-	-	1	-	-	-	1	7	-	STOCKPORT.
BIRKENHEAD ..	122,431	19·2	17·9	13·6	13·2	1·3	79	31	5	11	-	-	1	1	1	-	-	3	4	10	-	BIRKENHEAD.
WALLASEY	73,173	15·0	14·3	12·8	20·7	1·4	34	29	2	14	-	-	1	-	-	-	1	-	1	4	-	WALLASEY.
LIVERPOOL	767,606	19·2	20·7	19·8	17·7	2·7	446	261	51	68	-	15	4	3	14	-	4	9	15	110	2	LIVERPOOL.
BOOTLE	70,548	17·7	14·8	11·1	10·3	2·2	39	14	5	1	-	1	-	-	2	-	-	-	-	4	-	BOOTLE.
ST. HELENS	96,523	10·3	15·7	13·0	9·7	1·1	58	18	6	4	-	-	2	-	-	-	-	-	-	6	-	ST. HELENS.
WIGAN	91,732	11·9	17·6	14·2	15·9	-	58	28	6	8	-	-	-	-	-	-	-	-	-	6	-	WIGAN.
WARRINGTON ..	73,295	19·2	13·5	17·8	17·8	2·8	47	25	5	6	-	-	-	1	3	-	-	-	-	3	-	WARRINGTON.
BOLTON	190,315	14·5	11·5	15·1	14·2	1·6	84	52	12	7	-	-	1	2	3	-	-	2	2	5	-	BOLTON.
BURY	59,409	11·4	14·0	17·6	6·1	-	17	7	2	1	-	-	-	-	-	-	-	-	-	1	-	BURY.
MANCHESTER ..	716,354	18·7	18·1	17·0	16·7	1·4	413	229	52	57	-	6	1	-	8	1	3	11	19	71	-	MANCHESTER.
SALFORD	244,636	17·5	17·7	14·5	15·8	2·3	135	74	17	12	-	3	1	2	2	2	1	-	3	21	-	SALFORD.
OLDHAM	144,111	21·3	12·7	21·3	20·6	2·2	67	57	13	20	-	-	-	1	5	-	-	-	1	8	-	OLDHAM.
ROCHDALE	90,497	14·4	16·7	15·0	8·6	-	48	15	-	7	-	-	-	-	-	-	-	-	-	1	1	ROCHDALE.
BURNLEY	107,448	17·0	11·6	16·5	21·8	1·9	55	45	14	8	-	-	1	-	1	1	1	5	6	8	1	BURNLEY.
BLACKBURN	137,972	18·1	19·3	13·6	12·1	1·1	55	32	9	11	-	2	-	-	-	-	1	1	1	7	2	BLACKBURN.
PRESTON	119,253	16·6	20·1	20·6	14·0	0·9	65	32	7	14	-	1	-	-	-	1	-	1	2	6	2	PRESTON.
BARROW IN FURNESS.	63,689	11·5	13·1	12·3	15·6	1·6	34	19	3	5	-	-	-	1	1	-	-	1	1	-	-	BARROW IN FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 30th April, 1910, and DEATH-RATES in each of the preceding three WEEKS.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 9th Apr., 1910.	16th Apr., 1910.	23rd Apr., 1910.	30th Apr., 1910.	Rate from Diseases in Cols 11-17. Week ended 30th April, 1910.	Registered during the Week ended 30th April, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	19·8	14·9	12·7	9·9	0·6	36	18	5	3	-	-	1	-	-	-	-	1	1	4	-	HUDDERSFIELD.
HALIFAX ..	112,818	16·6	12·0	17·6	10·6	0·5	40	23	2	4	-	-	-	1	-	-	-	1	1	9	-	HALIFAX.
BRADFORD	295,865	16·7	15·0	14·6	15·9	1·9	105	90	13	29	-	10	-	-	-	1	-	1	3	18	1	BRADFORD.
LEEDS	490,985	16·4	15·7	13·6	12·6	1·1	213	119	24	32	-	-	-	3	5	1	1	3	9	22	-	LEEDS.
DEWSBURY†	51,224	10·2	15·3	15·3	14·3	-	14	14	2	5	-	-	-	-	-	-	-	1	2	-	-	DEWSBURY.†
SHEFFIELD	478,763	14·7	13·8	13·2	12·2	0·8	216	112	25	36	-	-	-	-	4	1	2	5	6	27	-	SHEFFIELD.
ROTHERHAM	66,414	21·2	11·8	9·4	14·1	1·6	41	18	4	7	-	-	1	-	-	1	-	1	3	7	-	ROTHERHAM.
YORK	88,159	10·6	10·6	7·7	10·1	0·6	39	17	3	5	-	1	-	-	-	-	-	1	3	4	-	YORK.
HULL	280,006	14·9	15·5	14·2	13·8	1·1	133	74	7	23	1	1	-	1	1	-	2	2	3	24	-	HULL.
MIDDLESBROUGH ..	107,014	12·2	10·7	19·0	19·0	1·5	77	39	15	7	-	-	-	2	-	-	1	1	1	5	1	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	15·5	11·7	16·5	11·7	1·9	25	12	5	3	-	-	-	-	1	-	1	-	-	-	1	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	10·2	12·7	14·0	8·9	-	35	14	3	5	-	-	-	-	-	-	-	2	3	3	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	18·5	16·2	18·5	13·3	2·3	78	41	9	15	-	4	1	-	2	-	-	1	3	9	2	SUNDERLAND.
SOUTH SHIELDS ..	119,737	17·0	13·1	9·6	14·8	1·3	76	34	8	3	-	-	-	-	3	-	-	3	4	7	-	SOUTH SHIELDS.
GATESHEAD	133,676	12·1	14·4	15·6	11·3	2·3	81	29	12	6	-	1	-	-	5	-	-	1	1	2	2	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	12·8	17·3	12·8	10·6	0·4	154	58	16	18	-	-	-	1	1	-	-	2	4	14	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	16·6	8·3	18·5	18·5	0·9	35	20	5	5	-	-	-	1	-	-	-	-	-	6	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	19·6	20·3	10·5	12·4	1·3	54	19	3	9	-	-	-	-	1	1	-	2	3	6	-	NEWPORT (MON.).
CARDIFF	199,189	15·4	16·2	13·6	8·6	-	100	33	6	8	-	-	-	-	-	-	-	2	3	7	-	CARDIFF.
RHONDDA	138,674	22·9	16·5	13·9	15·0	0·8	115	40	12	9	-	-	-	-	2	-	-	1	2	1	-	RHONDDA.
MERTHYR TYDFIL..	79,522	19·0	21·0	20·3	21·0	7·2	55	32	11	1	-	10	-	-	-	-	1	-	-	5	-	MERTHYR TYDFIL.
SWANSEA	98,817	17·4	17·4	12·1	15·3	2·1	69	29	5	11	-	3	-	1	-	-	-	2	3	5	-	SWANSEA.
GREATER LONDON	7,537,196	13·5	13·4	11·8	11·8	0·9	3648	1707	320	554	-	49	3	14	50	2	9	67	186	650	4	GREATER LONDON.
OUTER RING ..	2,664,494	11·2	10·8	9·5	9·6	0·7	1276	490	90	165	-	16	3	8	8	-	1	21	45	100	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	11·0	10·2	9·5	9·1	1·1	591	230	47	59	-	15	2	7	4	-	-	10	24	62	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	11·3	11·3	9·4	10·1	0·3	685	260	43	106	-	1	1	1	4	-	1	11	21	38	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	14·5	16·5	14·2	16·1	0·1	166	111	27	34	-	1	-	-	-	-	-	1	?	40	4	EDINBURGH.
GLASGOW	884,505	18·4	19·7	15·9	16·5	1·2	502	280§	41	64	-	5	3	1	5	-	7	12	?	97	3	GLASGOW.
DUBLIN (Registration Area).‡	402,928	23·4	21·5	24·3	23·9	0·9	246	185	33	53	-	-	-	-	4	2	1	4	5	73	6	DUBLIN (Registration Area).‡
BELFAST†	391,167	22·4	24·9	21·3	23·1	3·5	266	173	33	34	-	20	-	1	4	-	1	4	4	51	3	BELFAST.†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SEVENTEENTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2697	2585	2443	2611	2733	2568	2717	2452	2237	2367	2527·3	2372
Males - - -	1361	1320	1 73	1312	1341	1320	1391	1268	1165	1171	1293·2	1220
Females - -	1336	1265	1170	1299	1392	1248	1326	1184	1072	1196	1234·1	1152
TOTAL **Deaths** -	1721	1552	1528	1533	1392	1426	1563	1423	1420	1300	1460·5	1217
Males - - -	927	788	809	807	754	749	807	688	737	687	751·1	641
Females - -	794	764	719	726	638	677	756	735	683	613	709·4	576

* The numbers in this column are the average weekly numbers in the Seventeenth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 5.	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	13 Weeks.
TOTAL **Births** -	2381	2375	2325	2264	2393	2370	2344	2141	2312	2420	2372	2334	2372	30403
TOTAL **Deaths** -	1607	1632	1526	1386	1346	1254	1231	1263	1354	1377	1387	1226	1217	17806
Ages at Death: Under 1 year -	283	259	241	235	233	219	197	215	236	260	218	233	230	3059
1—5 years -	142	161	126	136	153	116	137	127	141	120	146	115	125	1745
5—20 " -	77	80	74	59	68	63	60	78	72	67	74	59	67	898
20—40 " -	182	173	159	162	133	148	149	143	161	165	170	148	141	2034
40—60 " -	344	334	341	261	272	248	247	289	289	310	277	269	265	3737
60 yrs. & upwds.	579	625	585	533	487	460	441	411	464	455	502	402	389	6333
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	17	13	26	14	39	15	24	24	22	33	46	27	33	333
Scarlet Fever - -	5	6	8	4	6	9	6	10	2	4	5	6	-	71
Diphtheria - -	16	5	11	11	9	6	6	10	8	6	8	5	6	107
Whooping-cough -	57	61	53	45	46	44	46	44	51	45	41	38	42	613
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	3	2	4	3	2	4	6	3	2	8	3	2	44
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	14	15	8	11	10	13	11	5	9	11	9	10	8	134
All above diseases -	111	103	108	89	114	89	97	99	95	101	117	89	91	1303
Dis. of Resp. System	207	226	200	172	148	129	109	123	158	131	137	119	103	1962
Pneumonia - -	185	199	195	176	142	150	129	138	152	150	175	158	141	2000
Phthisis - - -	153	112	124	131	126	108	121	123	118	132	113	112	102	1575
Dis. of Circ. System -	235	227	220	176	198	172	184	194	193	219	183	181	178	2560
Violence - - -	41	56	62	42	49	50	37	46	58	46	64	52	46	649
Inquest Cases - -	158	163	173	121	135	143	118	107	144	153	129	132	141	1797
Deaths in Institutions	674	658	607	582	584	543	514	528	566	575	577	550	550	7508
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	37·4	42·0	44·7	42·5	41·8	46·0	40·1	42·0	41·9	42·8	48·8	49·3	45·4	43·4
Mean of Highest -	43·3	47·7	50·9	49·0	49·9	52·5	48·7	51·1	52·0	51·7	53·7	57·7	55·5	51·4
Mean of Lowest -	31·1	35·6	39·0	36·8	33·1	40·5	32·3	33·3	32·8	34·7	42·1	42·0	37·8	36·2
Mean Humidity of the Air.	88	86	80	83	83	87	75	80	74	79	79	82	73	81
Rain-fall (in inches) -	0·09	0·38	0·69	1·40	0·15	0·95	0·13	0·00	0·00	0·11	1·86	0·23	0·43	6·42
Registered Sunshine (in hours).	9·4	15·6	23·7	22·9	44·7	14·6	41·6	23·6	46·8	24·2	29·1	8·3	50·1	354·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	2	1	1	1	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1937	1881	1784	1765	1766	1754	1713	1650	1611	1554	1535	1510	1509	1690
Diphtheria - - -	936	908	903	911	901	884	872	855	856	848	816	812	798	869
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	55	61	66	76	78	89	88	88	85	81	81	69	66	76

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SEVENTEENTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 17th week of the 5 years 1905-1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1460·5	1217	230	125	67	141	265	389
Small-pox*	0·2	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	59·0	33	7	25	-	-	1	-
Scarlet Fever	8·4	-	-	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	26·4	12	1	-	-	2	2	7
Whooping-cough	47·3	42	19	22	1	-	-	-
Diphtheria	13·3	6	-	3	3	-	-	-
Cerebro-spinal Fever ..	0·4	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	0·4	-	-	-	-	-	-	-
Enteric Fever	3·7	2	-	-	-	2	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	3·9	3	1	-	1	-	1	-
Diarrhœa, Dysentery ..	10·2	5	2	-	-	1	1	1
Tetanus	0·8	2	1	-	1	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	0·2	-	-	-	-	-	-	-
Venereal Dis.	5·9	7	4	-	-	-	2	1
Puerperal Septicæmia ..	2·3	4	-	-	-	3	1	-
Puerperal Pyæmia.. .	-	-	-	-	-	-	-	-
Puerperal Fever	1·0	1	-	-	-	1	-	-
Infective Endocarditis ..	3·1	4	-	-	1	3	-	-
Pneumonia: Lobar ..	27·0	21	-	2	2	3	9	5
Pneumonia: Broncho ..	72·3	59	20	19	2	4	8	6
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	76·8	61	7	6	6	6	18	18
Erysipelas	1·8	3	1	-	1	-	-	1
Septicæmia (not Puerperal)	1·2	1	-	-	-	1	-	-
Pyæmia (not Puerperal)	0·4	1	-	-	1	-	-	-
Other Infective Processes	2·9	8	-	-	-	1	3	4
Tuberculous Phthisis ..	86·6	80	2	1	4	30	36	7
"*Phthisis*"	42·8	22	-	-	4	12	4	2
Tuberculous Meningitis ..	25·8	23	3	12	8	-	-	-
Tuberculous Peritonitis ..	9·2	5	1	2	1	-	1	-
Tabes Mesenterica	1·0	-	-	-	-	-	-	-
Tuberculous Dis., Other ..	19·5	9	5	1	1	2	-	-
Scrofula..	0·2	-	-	-	-	-	-	-
Alcoholism	9·0	5	-	-	-	-	3	2
Rheumatic Fever	5·5	3	-	-	-	2	1	-
Gout	1·2	-	-	-	-	-	-	-
Carcinoma	59·6	55	-	-	-	10	22	23
Sarcoma	5·7	6	-	2	3	-	-	1
Cancer (undefined) ..	34·0	29	-	-	-	2	13	14
Diabetes Mellitus	7·6	9	-	-	1	-	3	5
Premature Birth	47·9	42	42	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 17th week of the 5 years 1905-1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·7	15	5	5	3	1	1	-
Gen. Par. of Insane, Insanity	17·8	8	-	-	-	5	2	1
Epilepsy	8·8	8	-	-	1	2	3	2
Convulsions	16·8	16	16	-	-	-	-	-
Locomotor Ataxy.. ..	2·5	2	-	-	-	1	1	-
Paraplegia, Dis. of Cord.	4·9	2	-	1	-	-	-	1
Nervous Sys., Other Dis.	13·1	10	1	-	-	2	3	4
Valv. Dis., Endocarditis..	51·0	42	-	-	5	3	19	15
Cereb. Hæm. Cereb. Emb.	33·4	40	-	-	-	1	12	27
Apoplexy, Hemiplegia ..	16·2	11	-	-	-	1	3	7
Aneurysm	5·9	2	-	-	-	-	1	1
Embolism, Thrombosis (not Cerebral) ..	1·2	1	-	-	-	-	1	-
Heart & Blood Ves., Other Dis... ..	82·1	82	-	1	3	2	27	49
Croup (not Spasm: nor Memb.)	0·6	-	-	-	-	-	-	-
Bronchitis	107·5	84	17	3	-	-	10	54
Emphysema, Asthma ..	4·5	3	-	-	-	2	1	-
Pleurisy	5·9	3	-	-	-	1	-	2
Respiratory Dis., Other..	11·5	13	4	3	-	3	2	1
Tonsillitis, Quinsy.. ..	0·4	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	6·8	8	7	-	-	-	-	1
Gastro-enteritis	6·1	3	1	-	-	-	2	-
Peritonitis (not Puerp.) ..	2·5	-	-	-	-	-	-	-
Cirrhosis of Liver.. ..	13·7	6	-	-	-	1	1	4
Liver Dis., Other	4·7	3	-	-	-	1	1	1
Digestive Sys., Other Dis.	37·5	28	1	1	5	6	6	9
Acute Nephritis	4·7	9	-	1	-	1	3	4
Bright's Dis., Albuminuria	39·7	43	-	-	-	1	22	20
Urinary Sys., Other Dis.	9·6	11	-	1	-	2	1	7
Generative Organs Dis...	3·3	2	-	-	-	2	-	-
Childbirth (Accid. of) ..	4·3	2	-	-	-	2	-	-
Old Age	55·7	66	-	-	-	-	-	66
Other Diseases	89·5	85	51	6	4	6	10	8
ACCIDENT.								
By Railways	1·0	1	-	-	-	1	-	-
By Vehicles and Horses..	6·8	4	-	1	1	1	-	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	-	-	-	-	-	-	-
In Building Operations..	1·2	-	-	-	-	-	-	-
In Conflagrations	1·0	1	-	-	-	-	-	1
By Burns, Scalds, Explosions	6·1	6	-	4	-	1	-	1
By Drowning	3·3	1	-	-	-	1	-	-
By Suffocation in Bed ..	10·2	7	6	1	-	-	-	-
By Poisons or Poisonous Vapours	2·3	2	-	-	1	-	1	-
Other Deaths by Accident..	13·9	10	3	-	3	-	-	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·2	4	2	2	-	-	-	-
Suicide	12·7	10	-	-	-	6	3	1
Execution	0·2	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th April, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2372	1217	230	389	-	33	-	6	42	2	8	102	46	141	550	3
WEST DISTRICTS	805,311	336	221	45	80	-	6	-	2	11	1	-	17	5	16	100	1
NORTH DISTRICTS	1,055,908	496	233	41	79	-	5	-	-	14	-	1	18	12	34	86	-
CENTRAL DISTRICTS	209,465	119	79	20	17	-	4	-	-	4	-	-	4	3	9	40	1
EAST DISTRICTS	715,739	439	223	39	70	-	4	-	2	4	-	2	25	13	40	123	-
SOUTH DISTRICTS	1,749,844	982	416	85	132	-	14	-	2	9	1	4	29	13	42	156	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	45	-	11	-	-	-	-	-	-	1	9	-	-	45	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	32	12	3	3	-	1	-	-	1	-	-	1	1	2	-	-
Central Paddington *W,3H*	50,053	17	27	6	8	-	2	-	1	-	-	-	1	-	-	23	-
South Paddington	30,320	6	5	-	3	-	-	-	-	-	-	-	1	-	-	-	-
Kensington Town 2*W,w,2H* ..	128,037	47	35	7	13	-	-	-	-	2	-	-	4	1	1	19	-
Brompton 2*H*	48,591	10	11	4	3	-	-	-	-	1	-	-	1	1	1	1	-
North Hammersmith 2*W,w,H* ..	49,192	33	13	2	9	-	1	-	-	1	-	-	1	-	-	6	-
South Hammersmith *w,2H* ..	63,047	19	20	5	8	-	1	-	-	-	-	-	1	-	3	7	-
North-west Fulham *W*	45,180	44	16	5	3	-	-	-	-	1	-	-	2	-	3	7	-
North-east Fulham *F*	46,405	30	6	1	-	-	1	-	1	1	-	-	-	-	-	1	-
South Fulham *W*	45,704	28	7	3	3	-	-	-	-	1	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	15	19	-	9	-	-	-	-	-	-	-	4	-	2	17	-
Chelsea South *W,2H*	31,328	11	7	1	1	-	-	-	-	1	-	-	-	-	-	6	-
Mayfair and Knightsbridge	28,743	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	20	28	2	13	-	-	-	-	2	-	-	1	2	3	5	1
St. Margaret & St. John 6*H*	43,698	10	12	5	3	-	-	-	-	-	1	-	-	-	1	6	-
St. James and St. Anne *W,6H* ..	33,081	7	3	1	1	-	-	-	-	-	-	-	-	-	-	2	-
NORTH DISTRICTS.																	
All Souls Marylebone 7*H*	35,391	15	10	2	4	-	-	-	-	-	-	-	-	-	-	4	-
St. Mary Marylebone *W,4H* ..	37,948	43	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone *H* ..	39,536	23	6	1	1	-	-	-	-	1	-	-	-	-	-	-	-
St. John Marylebone 2*H*	20,426	6	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	26	16	2	9	-	-	-	-	-	-	-	1	-	-	7	-
West St. Pancras 2*H*	60,562	32	13	2	3	-	2	-	-	3	-	-	1	1	1	3	-
South St. Pancras *w,10H*	55,707	19	16	2	4	-	-	-	-	-	-	-	4	1	2	14	-
East St. Pancras *W,H*	60,320	34	21	5	10	-	1	-	-	1	-	-	-	1	3	11	-
North St. Pancras 2*W*	53,728	26	12	1	2	-	-	-	-	1	-	-	3	-	-	7	-
Hufnell *W*	31,995	11	16	3	7	-	-	-	-	1	-	1	2	-	1	10	-
Upper Holloway 2*W,w,H*	33,978	21	11	1	4	-	-	-	-	1	-	-	1	-	2	9	-
Hillington *W,w,H*	33,922	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	20	6	1	4	-	-	-	-	1	-	-	-	-	-	-	-
Barnsbury	54,478	32	9	3	2	-	-	-	-	1	-	-	-	3	4	-	-
Islington South-east *F*	75,397	33	11	4	1	-	-	-	-	-	-	-	1	2	4	-	-
Highbury 2*H*	63,797	28	17	3	7	-	-	-	-	2	-	-	1	-	1	2	-
Stoke Newington *H*	51,247	13	6	2	2	-	-	-	-	-	-	-	-	-	1	-	-
North Hackney	50,398	14	5	-	4	-	-	-	-	-	-	-	-	1	1	-	-
Central Hackney 2*w,F*	50,536	25	11	2	6	-	-	-	-	-	-	-	-	2	3	2	-
South-west Hackney 3*H*	59,921	31	14	3	-	-	-	-	-	-	-	-	2	-	6	4	-
South-east Hackney 2*W,w,H* ..	58,255	29	19	3	6	-	-	-	-	2	-	-	2	1	5	11	-
Hackney Union Workhouse, Brentwood	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th April, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	18	6	3	3	–	–	–	–	–	–	–	–	–	–	2
Strand *W*,4*H*	21,674	3	13	1	6	–	–	–	–	–	–	–	–	1	2	5
Strand Union Workhouse, Edmonton	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn *W*,5*H*	29,612	15	17	8	–	–	–	–	–	3	–	–	–	1	1	14
Clerkenwell *H*	63,704	40	18	4	3	–	3	–	–	1	–	–	1	1	4	1
St. Luke 3*H*,*L*	36,116	41	5	1	1	–	–	–	–	–	–	–	–	–	–	1
Holborn Union Workhouse, Mitcham	–	–	2	–	2	–	–	–	–	–	–	–	1	–	–	2
St. Botolph *H*	10,299	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	17	3	2	–	1	–	–	–	–	–	1	–	2	14
City of London Asylum, Stone	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	19	8	4	–	–	1	–	–	1	–	–	–	–	1	–
Shoreditch North-West *W*,*w*,*H* ..	36,127	21	19	–	10	–	–	–	–	–	–	–	6	–	3	15
Shoreditch North-East	36,148	21	7	1	–	–	1	–	–	–	–	–	1	–	1	–
Shoreditch Union Workhouse, Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	42	24	6	8	–	–	–	–	–	–	–	6	–	2	10
Bethnal Green South-West *H* ..	64,542	44	16	3	7	–	–	–	–	–	–	–	–	2	7	1
Spitalfields	27,969	15	3	–	1	–	–	–	–	–	–	–	2	–	–	–
Mile End New Town *W*,*H*	28,718	25	45	6	9	–	–	–	–	–	–	–	2	4	6	42
Goodman's Fields	22,081	10	2	2	–	–	–	–	–	–	–	–	–	–	1	–
St. George and St. John 2*W* ..	49,068	31	18	4	10	–	–	–	1	–	–	–	–	3	6	10
Shadwell and Ratcliff *w*,*H* ..	25,568	12	14	3	–	–	–	–	1	2	–	–	–	1	1	10
Limehouse *W*	32,369	13	4	1	1	–	1	–	–	–	–	–	–	–	–	–
Mile End Old Town South-Western *H*	63,698	60	8	3	1	–	–	–	–	–	–	1	1	2	4	1
Mile End Old Town North-Eastern *W*,*w*	49,129	22	13	–	7	–	–	–	–	–	–	–	3	1	2	10
Bow	41,989	17	4	2	1	–	–	–	–	–	–	–	–	–	1	–
Bromley 3*w*,*H*	68,319	39	30	3	12	–	1	–	–	1	–	1	4	–	4	18
Poplar *W*,*w*	58,514	48	9	1	3	–	–	–	–	–	–	–	–	–	1	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th April, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	11	18	5	1	-	1	-	-	1	-	-	1	1	2	14	-
Kent-road	21,904	19	4	1	-	-	-	-	-	1	-	-	1	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	13	8	2	1	-	1	-	-	-	-	-	-	-	-	5	-
Newington North	49,022	26	13	4	2	-	-	-	-	1	-	-	1	1	4	-	-
Newington South *W*	72,841	38	13	2	7	-	1	-	-	-	-	-	1	1	3	3	-
St. Olave *2W*	9,817	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	44	15	2	3	-		-	-	-	-	1	1	-	2	-	-
Rotherhithe *W,F*	38,460	18	19	4	6	-	1	-	-	1	-	-	2	-	-	14	-
Waterloo *2H*	27,440	28	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church *H*	27,440	17	19	2	-	-	-	-	-	-	-	-	-	-	3	17	-
Kennington *2W*	52,518	29	21	3	9	-	3	-	-	-	-	-	1	2	3	11	-
Stockwell *HF*	63,826	34	7	1	3	-	-	-	-	-	-	-	-	-	1	-	-
Brixton *H*	73,673	34	11	2	4	-	-	-	-	-	-	-	-	-	-	2	-
Norwood *2WH*	56,998	31	14	5	4	-	-	-	-	-	-	-	1	-	2	-	-
East Battersea *H*	72,203	41	9	2	2	-	-	-	-	-	-	-	-	1	2	-	-
North-west Battersea	49,656	29	8	3	2	-	-	-	-	-	-	-	-	-	1	-	-
South-west Battersea *2W,H* ..	47,048	20	20	1	7	-	2	-	-	-	-	-	3	-	2	17	-
Clapham *2H*	51,361	21	7	1	4	-	1	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	63	28	7	13	-	-	-	-	1	-	1	2	1	3	9	1
Springfield *2W,L*	27,959	25	4	-	1	-	-	-	-	-	-	-	-	-	2	1	-
Southfields *H*	40,444	30	11	4	5	-	-	-	-	-	-	-	-	1	1	-	-
Putney	24,139	15	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	6	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	24	4	8	-	-	-	-	-	1	-	4	-	-	19	-
Camberwell North *W,2L*	65,584	21	16	-	7	-	1	-	-	-	-	-	3	-	1	13	-
St. George	47,331	29	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Peckham North	48,913	34	7	5	1	-	-	-	-	-	-	-	-	1	1	-	-
Peckham South *2W,w*	43,946	21	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	32	6	1	3	-	1	-	-	-	-	-	1	-	-	-	-
Deptford Central *F*	45,481	30	11	2	4	-	-		1	-	-	-	-	-	-	1	-
Deptford South	34,625	18	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	12	6	3	1	-	-	-	-	-	-	-	-	1	1	1	-
Greenwich East *2W,H*	43,859	29	18	3	5	-	1	-	-	2	-	-	2	-	-	12	-
Eltham *w,H*	7,226	5	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Lee *w,H*	25,490	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,362	30	16	3	7	-	-	-	-	-	-	2	1	1	2	10	-
Sydenham *H*	43,653	25	10	2	3	-	-	-	-	1	-	-	-	2	2	1	-
Charlton *F,2H*	21,134	14	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	22	5	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	17	8	1	3	-	-	-	-	-	-	-	3	-	1	-	-
Plumstead East *2W*	28,951	16	6	-	4	-	-	-	-	-	-	-	1	-	1	2	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Darenth	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Leavesden	—	-	4	-	-	-	-	-	-	-	-	-	3	-	-	4	-
London County Lunatic Asylums:—																	
Banstead	—	-	12	-	3	-	-	-	-	-	-	-	1	-	-	12	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Manor	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Long Grove	—	-	5	-	2	-	-	-	-	-	-	1	2	-	-	5	-
Cane Hill	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Dartford Heath	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Claybury	—	-	6	-	2	-	-	-	-	-	-	-	2	-	-	6	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boa Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERAT POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 30th April, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1276	490	90	165	-	16	3	8	8	-	1	21	45	100
30 : 1	Carshalton 2F,3H	12,228	32,997	29	8	2	3	-	-	-	-	-	-	-	-	1	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	8	3	-	1	-	-	-	-	-	-	-	1	1	1
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	6	2	-	1	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	23	8	2	1	-	-	-	-	1	-	-	-	3	-
3	West Croydon 3W,F,H ..	2,168	42,888	29	18	2	6	-	1	-	1	-	-	-	1	4	7
4	North Croydon H	2,644	41,698	13	8	1	3	-	-	-	-	-	-	-	1	2	-
5	Penge w	770	22,465	1	3	-	2	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	37	12	1	6	-	-	-	-	-	-	-	-	2	-
39 : 1	Wimbledon F,3H	3,221	41,652	27	7	2	3	-	-	-	-	-	-	-	-	1	1
2	Kingston 2W,H	6,224	42,068	26	13	3	9	-	-	-	-	-	-	-	-	-	7
3	Surbiton F,H	3,046	15,017	7	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	6	4	-	2	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	15	8	1	2	-	-	1	-	-	-	-	-	-	2
40 : 1	Richmond W,H	2,491	31,672	9	3	1	1	-	-	-	-	-	-	1	-	1	-
2	Mortlake F	2,518	17,821	6	10	2	5	-	-	-	-	1	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	10	3	-	2	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	11	4	1	1	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	6	7	1	2	-	-	-	-	-	-	-	1	1	2
4	Chislehurst 2H	7,333	16,446	8	5	2	3	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	5	6	1	2	-	1	-	-	-	-	-	-	1	-
2	Erith F,H	3,354	25,296	10	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	2	-	1	-	-	-	-	1	-	-	-	-	2
124 : 1	Sunbury w	11,054	18,683	14	4	-	3	-	-	-	-	-	-	-	2	2	-
2	Staines W,H	13,277	15,178	8	2	-	1	-	-	-	1	-	-	-	1	1	-
125 : 1	Hillingdon W,F,H	8,035	13,661	5	4	1	1	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	1	5	-	1	-	-	-	-	1	-	-	-	-	1
3	Hayes w 2F,H	8,066	16,358	10	4	-	2	-	-	-	-	-	-	-	1	2	-
126 : 1	Isleworth 3W,3F,H	6,850	30,863	23	11	-	9	-	-	-	-	-	-	-	-	-	5
2	Twickenham F,2H	2,421	20,991	6	5	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	40	15	3	7	-	-	-	-	-	-	-	1	1	-
4	Chiswick H	1,249	29,809	21	7	2	2	-	-	-	-	1	-	-	1	1	-
5	Acton w,F,3H	6,122	48,914	45	16	4	4	-	-	-	-	-	-	-	-	2	-
127A : 1	Harrow F,H	13,809	25,523	33	6	1	1	-	-	-	-	-	-	-	-	-	1
2	Edgware 2F,2H	6,994	4,521	1	2	-	1	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	18	2	-	1	-	-	-	-	-	-	-	-	-	-
127B : 1	Willesden W,F,2H	4,384	114,811	67	22	6	2	-	4	-	-	1	-	-	1	2	5
128 : 1	South Mimms 2F,H ..	17,755	7,308	4	4	1	3	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	12	6	-	5	-	-	-	-	-	-	-	-	-	3
3	Finchley F,3H	4,638	33,692	33	9	2	3	-	-	-	-	-	-	-	-	-	1
129 : 1	Hornsey F,H	2,875	72,056	38	11	2	4	-	-	1	-	-	-	-	2	2	1
2	Wood Green H	1,625	34,233	24	7	-	3	-	-	-	-	-	-	-	1	1	-
3	West Tottenham	995	48,741	33	5	1	1	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	33	16	5	2	-	-	-	-	-	-	-	-	1	3
5	Edmonton W,w,2F	7,491	61,892	50	16	5	2	-	-	-	-	-	-	-	-	-	7
6	Enfield 2W,F,H	12,601	42,738	24	10	2	3	-	-	-	-	-	-	-	-	-	1
7	Waltham Abbey F	11,017	6,549	3	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	10	4	-	1	-	-	-	-	-	-	-	1	1	-
135 : 1	Hatfield, *part of** W ..	3,205	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	1	1	1	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	27	10	2	2	-	1	-	1	-	-	-	1	2	1
2	Forest Gate	787	52,745	22	8	-	5	-	-	-	-	-	-	-	1	1	-
3	Plaistow F,2H	1,249	90,921	72	22	6	3	-	-	-	2	-	-	-	-	1	2
4	Canning Town H	1,556	70,718	55	15	5	2	-	-	-	-	-	-	-	-	2	-
5	South East Ham 2F ..	1,991	37,342	27	13	3	1	-	8	-	1	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	35	12	4	3	-	-	-	1	-	-	-	1	2	-
7	Wanstead F	1,679	9,179	3	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	32	15	3	9	-	-	-	-	-	-	-	-	-	11
9	North Leyton 2W,w,F ..	1,963	48,445	24	29	1	11	-	-	1	1	1	-	-	2	2	23
10	Walthamstow 2H,L ..	6,504	108,929	69	13	3	2	-	1	-	-	1	-	-	-	1	1
187 : 1	Chigwell 2F,3H	11,778	16,397	7	1	-	-	-	-	-	-	-	-	-	-	-	1
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	1	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	34	6	1	2	-	-	-	-	-	-	-	-	-	-
3	Barking Town F	3,805	21,547	16	4	1	1	-	-	-	-	-	-	-	1	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	6	-	3	-	-	-	-	-	-	-	-	-	6

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Out Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esh parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting e part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infecti Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 371

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
LONDON* - -	4,872,702	April	30	2372	1217	13·0	-	33	-	6	42	2	11
CALCUTTA - -	1,009,008	April	2	-	537‡	27·6	1	4	-	2	-	2	19
BOMBAY - -	977,822	"	12	351	890‡	47·3	85	3	-	-	-	1	36
MADRAS - -	509,346	"	1	388	369‡	37·6	6	7	?	?	?	-	12
PARIS* - -	2,772,467	"	23	953	1098	20·8	-	27	2	11	10	5	18
BRUSSELS* - -	720,030	"	23	230	213	15·4	-	5	-	1	3	1	12
ANTWERP* - -	314,135	"	23	113	80	13·2	-	6	-	-	3	-	7
AMSTERDAM* -	569,948	"	23	230	149	13·6	-	2	-	1	-	1	6
COPENHAGEN -	450,000	"	23	201	123	14·3	-	-	3	1	1	-	3
STOCKHOLM -	339,582	"	16	142	144	22·0	-	12	9	6	4	1	3
CHRISTIANIA -	235,674	"	23	128	57	12·6	-	-	-	2	-	1	2
ST. PETERSBURG	1,620,000	"	16	942	919	29·6	4	74	10	14	11	10	82
MOSCOW - -	1,493,600	"	16	-	714	24·9	8	21	10	20	8	6	63
BERLIN - -	2,114,751	"	9	818	602	14·8	-	7	8	19	6	1	24
HAMBURG - -	895,804	"	23	-	241	14·0	-	3	-	8	1	-	9
BRESLAU - -	507,500	"	16	-	192	19·7	-	-	-	-	3	1	12
MUNICH - -	576,000	"	16	259	183	16·5	-	2	2	1	2	-	15
VIENNA* - -	2,107,981	"	23	927	738	18·2	-	32	6	6	7	2	33
PRAGUE* - -	494,531	"	2	181	186	19·5	-	3	-	-	1	-	7
BUDAPEST* -	833,703	"	16	424	351	21·8	-	10	6	3	3	1	16
TRIESTE* - -	221,124	"	16	160	105	24·7	-	1	-	1	1	1	3
ROME - - -	584,308	March	5	280	225	20·1	-	13	1	4	1	-	7
VENICE - -	183,224	April	16	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	297,643	March	12	-	-	-	-	-	-	-	-	-	-
NEW YORK* -	4,711,956	April	9	2697	1737	19·2	-	36	40	46	5	6	50
CHICAGO* - -	2,282,927	"	9	-	662	15·1	-	4	11	10	7	8	35
PHILADELPHIA*	1,598,400	March	12	-	600	19·5	-	2	2	10	4	8	20
RIO DE JANEIRO	842,822	"	20	-	314	19·4	-	1	-	1	3	-	?
CAIRO:—*													
Egyptians -	616,183	April	1	623	378	31·9	2	4	-	11	?	-	44
Foreigners -	61,480	"	1	4	16	13·6	-	-	-	-	?	-	-
ALEXANDRIA:—*													
Egyptians -	317,454	"	1	268	242	39·6	-	25	-	4	?	3	40
Foreigners -	67,966	"	1	8	21	16·1	-	3	-	-	?	-	1

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 69 deaths from *plague* in Calcutta and 224 in Bombay, and from *Asiatic cholera*, 71 deaths in Calcutta, 1 in Bombay, and 2 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 30th April, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	60·0	34·9	46·6	0·43	BRADFORD - -	53·9	31·9	42·7	0·68
BRIGHTON - -	54·1	36·7	46·5	0·20	YORK - - -	54·0	35·0	44·5	0·35
PORTSMOUTH - -	56·0	34·7	47·1	0·40	HULL - - -	54·0	31·0	44·7	0·62
NORWICH - -	58·6	35·8	46·3	0·65	TYNEMOUTH - -	53·0	33·0	42·7	0·39
PLYMOUTH - -	54·7	34·6	46·5	0·34	CARDIFF - - -	53·9	35·0	44·8	0·26
BRISTOL - - -	54·2	33·7	45·5	0·50	EDINBURGH - -	56·7	34·6	43·4	0·20
BIRMINGHAM - -	54·5	35·5	43·4	0·59	GLASGOW - -	57·5	35·0	44·0	0·36
NOTTINGHAM - -	54·0	34·0	44·5	0·61	DUBLIN { Phœnix Park.	58·8	30·9	43·6	0·42
LIVERPOOL OBSERVATORY	55·0	39·0	45·2	0·60	DUBLIN { Fitz-william Square.†	59·4	35·0	45·3	0·41
MANCHESTER -	52·1	33·8	43·2	0·84					
BURNLEY - -	51·4	31·0	41·5	1·33					
HUDDERSFIELD -	53·8	35·5	43·2	1·11	BELFAST - - -	55·0	34·0	43·5	0·72

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by the Director [illegible]

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 30th April, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 24	Full. Apogee	29·154	55·0	43·1	11·9	47·5	− 1·1	38·6	8·9	17·4	2·2	71	106·3	33·0	47·58	SW. & WSW.	WSW. & SW.	9·6	0·0	1·0	626	+342	0·08	8·3
MONDAY - 25	..	29·296	55·1	38·1	17·0	43·4	− 5·2	38·1	5·3	15·8	1·8	82	110·0	30·7	47·37	SW. & WSW.	W., SW. & SSW.	8·7	0·0	0·5	452	+168	0·05	4·5
TUESDAY - 26	..	29·569	53·2	37·6	15·6	43·4	− 5·2	35·1	8·3	17·8	2·2	73	113·0	30·2	47·24	SW., WSW. & WNW.	W. & WNW	7·3	0·0	0·4	375	+ 92	0·04	0·0
WEDNESDAY 27	..	29·880	58·5	34·9	23·6	46·3	− 2·4	35·9	10·4	16·4	2·5	67	121·8	26·3	47·07	WSW. & SW.	SW., SSW. & S.	2·9	0·0	0·2	299	+ 14	0·00	5·8
THURSDAY - 28	..	29·659	60·0	38·7	21·3	48·4	− 0·4	40·5	7·9	16·9	2·5	74	119·2	32·9	46·95	S. & SSW.	SW., NW. & WSW.	11·9	0·0	0·5	421	+135	0·25	11·2
FRIDAY - 29	Greatest Dec. S.	29·822	54·0	36·1	17·9	43·5	− 5·5	35·2	8·3	16·0	2·5	72	105·5	30·0	47·04	WSW., W. & NW.	NW., NE. & NNW.	5·9	0·0	0·2	312	+ 25	0·00	3·0
SATURDAY - 30	..	30·091	52·6	36·0	16·6	45·0	− 4·1	37·2	7·8	14·3	0·4	74	88·0	29·0	47·02	NW., WSW. & NNW.	NW. & NNW.	2·4	0·0	0·1	236	− 50	0·01	0·0
MEANS - -		29·639	55·5	37·8	17·7	45·4	− 3·4	37·2	8·1	16·4	2·0	73	109·1	31·0	47·18	WSW. & NW.		..	..	..	Sum 2721	Sum +726	Sum 0·43	4·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.	ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 24	w. P. till 5h. A.M.; v. N. and w. P. till 7h. A.M.; w. P. till 11h. A.M.; loss of Register till 9h. P.M.; then m. P.	4·6	14·3	Generally very cloudy till 1h. P.M.; very fine afterwards with cloudy intervals in early evening; sharp showers of rain or hail at 11h. A.M. and 6h. P.M.; gusty wind prevalent between noon and 6h. P.M.
MONDAY - 25	w. P. till 6h. A.M.; m. P. till 11h. A.M.; s. P. and s. N. till 9h. P.M.; s. P. after.	7·3	14·4	Very fine till 3h. P.M.; generally overcast and showery till 9h. P.M.; then very fine and nearly cloudless.
TUESDAY - 26	m. P. till 5h. A.M.; s. P. till 11h. A.M.; s. P. and s. N. till 4h. P.M.; s. P. afterwards.	8·2	14·4	Cloudy in morning with slight rain between 2h. and 3h. A.M.; very fine generally with occasional showers of rain or hail accompanied by squalls afterwards.
WEDNESDAY 27	m. P. generally; w. P. in afternoon.	12·4	14·5	Very fine throughout. Solar halo observed at 9h. A.M. and again at 3h. P.M.
THURSDAY - 28	w. P. generally till 4h. P.M.; s. P. and s. N. till 7h. P.M.; s. P. afterwards.	5·3	14·6	Overcast till 7h. A.M.; very fine till noon; cloudy and showery till 8h. P.M.; then very fine with little cloud; heavy squall with rain and hail at 4h. 45m. P.M.; gusty wind prevalent in afternoon.
FRIDAY - 29	m. P. till 6h. A.M.; s. P. generally afterwards with occasional s. N. between 2h. P.M. and 6h. P.M.	10·0	14·6	Fine with variable amounts of cloud till 7h. P.M.; generally overcast at night; light showers with squalls in afternoon.
SATURDAY - 30	m. P. generally till 9h. A.M.; s. P. till 5h. P.M.; m. P. principally afterwards.	2·3	14·7	Fine and partially cloudy till 9h. A.M.; generally overcast afterwards with occasional light showers after 8h. P.M.
		Sum 50·1	Sum 101·5	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1903.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N, negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·39 in. at the beginning of the week to 29·13 in. by 5h. P.M. on the 24th; increased to 29·90 in. by 9h. A.M. on the 27th; decreased to 29·57 in. by 5h. P.M. on the 28th; and increased to 30·13 in. by midnight on the 30th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 23rd April, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	1	4	-	-	-	-	3	-	-
Kensington	184,635	-	8	3	-	1	-	-	1	-	-
Hammersmith	127,413	-	10	5	-	-	-	-	-	-	-
Fulham	181,282	-	5	5	-	-	-	-	1	-	-
Chelsea	75,457	-	9	1	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	6	1	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	4	4	-	1	-	-	2	-	-
Hampstead	95,729	-	1	1	-	-	-	-	-	1	-
St. Pancras	237,792	-	13	4	-	-	-	-	4	1	1
Islington	353,356	-	17	4	-	-	-	-	5	-	-
Stoke Newington	54,838	-	1	-	-	-	-	-	1	-	-
Hackney	239,979	-	7	3	-	-	-	-	7	-	-
CENTRAL.											
Holborn	53,142	-	3	-	-	-	-	-	2	-	-
Finsbury	94,578	-	2	1	-	-	-	-	5	-	-
City of London	17,132	-	2	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	6	1	-	-	-	-	1	1	-
Bethnal Green	131,579	-	9	4	-	-	-	-	-	-	-
Stepney	314,379	-	7	8	-	-	-	-	6	1	1
Poplar	172,432	-	3	3	-	1	-	-	8	-	-
SOUTH.											
Southwark	211,832	-	9	3	-	1	-	-	6	1	-
Bermondsey	127,238	-	4	3	-	1	-	-	2	-	1
Lambeth	327,074	-	20	7	-	-	-	-	2	-	-
Battersea	188,222	-	3	3	-	2	-	-	2	-	-
Wandsworth	305,838	-	11	6	-	1	-	-	1	-	-
Camberwell	286,058	-	11	6	-	1	-	-	3	-	-
Deptford	119,642	-	7	5	-	-	-	-	1	-	-
Greenwich	112,935	-	6	2	-	-	-	-	1	-	-
Lewisham	164,899	-	10	5	-	-	-	-	-	-	-
Woolwich	135,422	-	7	4	-	1	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	202	96	-	10	-	-	65	5	3
Ages 0-1		-	2	2	-	-	-	-	1	-	1
" 1-5		-	48	42	-	-	-	-	1	-	1
" 5-		-	90	28	-	1	-	-	4	-	1
" 10-		-	29	8	-	-	-	-	3	-	-
" 15-		-	10	3	-	2	-	-	3	-	-
" 20-		-	11	5	-	2	-	-	3	1	-
" 25-		-	11	4	-	3	-	-	8	4	-
" 35-		-	1	2	-	1	-	-	10	-	-
" 45-		-	-	1	-	-	-	-	11	-	-
" 55-		-	-	1	-	-	-	-	12	-	-
" 65 and upwards		-	-	-	-	1	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of March, 1910, inclusive of supply to the Boroughs of Croydon and Richmond and the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 192 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	March, 1909.	March, 1910.	March, 1909.	March, 1910.
Total - - - - - -	1,088,501	1,099,579	214,892,767	210,573,397
New River - - - - - - -	214,737	216,494	41,459,962	40,681,513
Eastern - - - - - - -	244,215	246,779	43,103,000	42,304,258
Western { Chelsea, Grand Junction, West Middlesex } - -	222,849	224,784	53,790,287	52,344,778
Southern { Lambeth - - - , Southwark and Vauxhall }	287,234	290,978	57,341,650	56,116,373
Kent - - - - - - - -	119,466	120,544	19,197,868	19,126,475

Note.—The Returns for March, 1910, as compared with that for the corresponding month of 1909, shows an increase of 11,078 services, and a decrease of 4,319,370 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 18. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, MAY. 7. [Price 1½*d.*

General Register Office, Somerset House,
May 9th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 13·1 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 15·0, 13·7, and 13·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·2 in Liverpool, 19·3 in Manchester and in Dewsbury, 19·4 in Great Yarmouth, 19·9 in Oldham, 21·6 in Merthyr Tydfil, and 22·3 in Stockton on Tees; from *measles*, 1·6 in Croydon, 1·7 in East Ham, 1·9 in Burton on Trent, and 2·0 in Merthyr Tydfil; and from *whooping-cough*, 1·1 in Manchester and in Oldham, 1·3 in Birkenhead and in West Hartlepool, 1·4 in Bolton, 1·5 in Salford, 1·6 in Rotherham, and 2·2 in South Shields. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2229 BIRTHS and 1167 DEATHS were registered. Allowing for increase of population, the births were 373 and the deaths 244 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(16469—41.) Wt. 91—429. 700. 5/10. D & S. G. 31. Sch. 4. S

weeks of the previous five years. The annual death-rate from all causes, which had been 14·8, 13·1, and 13·0 per 1000 in the preceding three weeks, further declined last week to 12·5. The death-rate in the four weeks ended last Saturday averaged 13·4 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1167 deaths included 40 from measles, 6 from scarlet fever, 6 from diphtheria, 46 from whooping-cough, 1 from enteric fever, and 11 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 110 deaths were referred, being 33 below the corrected average number in the eighteenth week of the preceding five years.

The deaths from *measles*, which had been 46, 27, and 33 in the preceding three weeks, were 40 last week, and were 15 below the corrected average; 6 deaths belonged to the Borough of Stepney, 4 each to Hackney, Southwark, and Bermondsey, and 3 each to Bethnal Green, Battersea, and Deptford. The deaths from *scarlet fever*, which had been 5, 6, and 0 in the preceding three weeks, were 6 last week, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 8, 5, and 6 in the preceding three weeks, were again 6 last week, and were 6 below the corrected average. The deaths from *whooping-cough*, which had been 41, 38, and 42 in the preceding three weeks, rose to 46 last week, the corrected average being 49; 5 deaths belonged to Fulham, 5 to Poplar, 4 each to St. Marylebone, St. Pancras, and Camberwell, and 3 to Lambeth. One death from *enteric fever* was registered, against 8, 3, and 2 in the preceding three weeks. The deaths from *diarrhœa*, which had been 9, 10, and 8 in the preceding three weeks, were 11 last week, the corrected average being 16. Of the 11 deaths from diarrhœa, 8 were those of children under 5 years of age; 5 other deaths at this age were certified as due to *enteritis*, and 7 to *gastro-enteritis*: excepting one death from enteritis and one from gastro-enteritis, all of these 20 deaths were of children under 2 years of age. The deaths attributed directly to *influenza* numbered 13, having been 21, 12, and 12 in the preceding three weeks.

Different forms of violence caused 60 deaths, concerning all of which inquests were held. Of these 60 deaths, 12 were cases of suicide, while the remaining 48 were attributed to accident or negligence. Eleven of these latter were referred to vehicles in the streets, four to drowning, and nine, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1506 cases of scarlet fever, 784 of diphtheria, and 62 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 179 cases, against 197, 196, and 192; of diphtheria, 72 cases, against 69, 74, and 81; and of enteric fever, 10 cases, against 8, 5, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended April 30th, 1910.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3541 births and 1642 deaths were registered. Allowing for increase of population, these numbers are 565 and 352 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 4 deaths from measles, 4 from scarlet fever, 4 from diphtheria, 7 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·70 inches, and that of the Thermometer 46°·3, the latter being 3°·7 below the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 36 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 44·6 hours; the measured rainfall amounted to 0·74 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 7th May, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 16th Apr., 1910.	23rd Apr., 1910.	30th Apr., 1910.	7th May, 1910.	Rate from Diseases in Cols. 11–17. Week ended 7th May, 1910.	Registered during the Week ended 7th May, 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWN
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	16,940,895	15·0	13·7	13·1	13·1	1·2	8476	4258	843	1309	-	116	24	30	160	12	44	170	329	1215	40	77 TOWNS.
LONDON	4,872,702	14·8	13·1	13·0	12·5	1·2	2229	1167	210	389	-	40	6	6	46	1	11	60	130	536	1	LONDON.
† CROYDON	164,485	12·4	10·8	10·5	10·5	1·9	71	33	4	11	-	5	-	-	-	-	1	-	2	3	-	CROYDON.
† WILLESDEN ..	166,088	8·5	8·5	7·2	6·3	-	72	20	4	6	-	-	-	-	-	-	-	3	5	2	-	WILLESDEN.
† HORNSEY	98,561	4·2	7·9	6·9	5·8	-	36	11	1	6	-	-	-	-	-	-	-	-	-	1	-	HORNSEY.
† TOTTENHAM ..	132,803	14·9	9·4	10·6	6·3	0·8	71	16	6	4	-	-	-	-	2	-	-	-	3	4	-	TOTTENHAM.
† WEST HAM ..	328,585	10·5	10·6	11·3	11·6	1·6	163	73	17	21	-	3	-	1	6	-	-	3	5	17	-	WEST HAM.
† EAST HAM.. ..	156,208	8·3	10·3	9·7	9·7	2·0	68	29	8	5	-	5	1	-	-	-	-	1	1	7	-	EAST HAM.
† LEYTON	133,436	9·8	10·2	5·9	6·6	0·4	66	17	-	12	-	-	1	-	-	-	-	-	-	6	-	LEYTON.
† WALTHAMSTOW	141,748	11·4	6·6	7·0	8·8	1·1	72	24	7	6	-	2	-	-	1	-	-	-	-	3	-	WALTHAMSTOW.
HASTINGS	68,520	16·0	13·7	13·7	12·2	1·5	22	16	-	7	-	-	-	1	1	-	-	1	1	7	-	HASTINGS.
BRIGHTON	131,900	13·8	17·4	12·7	7·9	-	51	20	3	6	-	-	-	-	-	-	-	2	3	2	-	BRIGHTON.
PORTSMOUTH ..	217,989	15·8	18·2	10·8	13·2	1·2	112	55	8	19	-	-	-	-	4	1	-	3	4	18	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	14·1	12·0	14·8	12·7	1·4	33	18	2	11	-	-	-	2	-	-	-	-	2	3	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	15·2	11·1	9·8	9·8	-	46	24	8	8	-	-	-	-	-	-	-	-	1	4	-	SOUTHAMPTON.
READING	84,355	13·6	11·1	10·5	13·0	0·6	37	21	4	6	-	-	-	1	-	-	-	1	1	4	-	READING.
NORTHAMPTON ..	99,113	16·3	13·2	12·6	12·1	0·5	47	23	7	8	-	-	-	1	-	-	-	-	-	4	-	NORTHAMPTON.
IPSWICH	75,936	13·7	15·1	13·7	13·7	-	52	20	3	6	-	-	-	-	-	-	-	-	3	3	-	IPSWICH.
GREAT YARMOUTH	53,715	19·4	15·5	13·6	19·4	1·0	27	20	5	4	-	-	-	-	1	-	-	2	2	3	-	GREAT YARMOUTH.
NORWICH	125,446	17·0	9·1	12·5	14·5	0·4	50	35	5	15	-	-	-	1	-	-	-	1	2	3	1	NORWICH.
PLYMOUTH	126,266	17·3	14·0	12·4	12·0	-	54	29	4	8	-	-	-	-	-	-	-	2	2	6	-	PLYMOUTH.
DEVONPORT	84,695	19·7	17·2	14·2	8·6	0·6	27	14	6	6	-	-	-	-	1	-	-	-	-	2	-	DEVONPORT.
BRISTOL	382,550	16·4	11·9	14·2	10·0	-	170	73	11	29	-	-	-	-	-	-	-	-	6	26	-	BRISTOL.
STOKE ON TRENT‡..	245,726	17·6	17·6	13·8	12·5	1·3	163	59	16	12	-	3	-	-	1	-	2	3	3	7	1	STOKE ON TRENT‡.
BURTON ON TRENT	54,977	7·6	5·7	15·2	14·2	2·8	33	15	4	4	-	2	-	-	1	-	-	3	3	1	-	BURTON ON TRENT.
WOLVERHAMPTON..	105.962	15·7	16·7	10·3	12·3	1·5	54	25	4	14	-	1	-	-	2	-	-	-	1	6	-	WOLVERHAMPTON
WALSALL	101,035	12·9	11·4	12·9	13·4	0·5	58	26	6	8	-	-	1	-	-	-	-	2	3	8	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	14·4	6·5	7·2	7·2	-	19	10	-	4	-	-	-	-	-	-	-	-	2	1	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	11·0	15·4	9·5	8·1	0·7	42	11	-	3	-	-	-	-	-	-	1	-	1	3	-	WEST BROMWICH.

† These towns are included within the area of Greater London.

‡ As created on 31st March, 1910.

[illegible] TOWNS, CERTAIN TOWNS, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 7th May, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 16th Apr., 1910.	23rd Apr., 1910.	30th Apr., 1910.	7th May, 1910.	Rate from Diseases in Cols. 11–17. Week ended 7th May, 1910.	Registered during the Week ended 7th May, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	15·4	13·7	11·8	12·8	1·0	307	140	27	44	-	-	1	2	8	-	-	4	5	46	5	BIRMINGHAM.
KINGS NORTON ..	84,673	6·8	8·6	8·6	10·5	0·6	39	17	1	9	-	-	-	1	-	-	-	1	1	2	-	KINGS NORTON.
SMETHWICK	72,350	10·8	10·8	7·9	13·7	1·4	30	19	5	8	-	-	-	-	1	-	1	1	2	2	-	SMETHWICK.
ASTON MANOR ..	86,269	9·7	10·3	7·9	7·9	0·6	49	13	3	5	-	-	-	-	1	-	-	-	-	3	-	ASTON MANOR.
COVENTRY	81,449	14·7	15·4	17·9	12·8	0·6	68	20	3	4	-	-	-	1	-	-	-	1	2	7	-	COVENTRY.
LEICESTER	248,374	10·3	10·9	10·3	11·1	0·4	93	53	8	22	-	-	-	-	2	-	-	-	1	8	-	LEICESTER.
GRIMSBY	74,283	12·6	14·7	10·5	12·6	0·7	48	18	4	6	-	-	-	-	-	-	1	-	1	3	-	GRIMSBY.
NOTTINGHAM ..	266,471	16·8	12·5	13·3	13·3	1·6	127	68	14	16	-	1	2	1	-	2	2	5	6	16	-	NOTTINGHAM.
DERBY	131,256	10·7	10·3	12·3	11·9	-	55	30	6	6	-	-	-	-	-	-	-	2	4	7	-	DERBY.
STOCKPORT	105,087	23·3	13·4	19·4	14·4	1·5	51	29	5	10	-	2	-	1	-	-	-	-	1	8	-	STOCKPORT.
BIRKENHEAD ..	122,431	17·9	13·6	13·2	14·1	2·1	63	33	9	8	-	-	-	1	3	-	1	1	1	12	-	BIRKENHEAD.
WALLASEY	73,173	14·3	12·8	20·7	17·1	2·1	36	24	2	9	-	1	-	1	-	-	1	1	1	5	-	WALLASEY.
LIVERPOOL	767,606	20·6	19·8	17·7	19·2	2·7	460	282	67	61	-	13	4	1	14	3	5	9	15	102	7	LIVERPOOL.
BOOTLE	70,548	14·8	11·1	10·3	14·8	3·0	53	20	2	2	-	1	-	2	1	-	-	-	-	8	-	BOOTLE.
ST. HELENS	96,523	15·7	13·0	9·7	12·4	1·1	68	23	3	7	-	-	-	-	1	-	1	-	-	5	1	ST. HELENS.
WIGAN	91,732	17·6	14·2	15·9	7·4	0·6	62	13	2	3	-	-	-	-	-	-	1	1	2	1	-	WIGAN.
WARRINGTON ..	73,295	13·5	17·8	17·8	16·4	0·7	51	23	2	8	-	-	-	1	-	-	-	2	2	6	2	WARRINGTON.
BOLTON	190,315	11·5	15·1	14·2	12·3	1·6	110	45	8	17	-	-	1	-	5	-	-	3	4	7	1	BOLTON.
BURY	59,409	14·0	17·6	6·1	9·7	0·9	21	11	1	5	-	-	-	-	-	1	-	-	-	4	-	BURY.
MANCHESTER ..	716,354	18·1	17·0	16·7	19·3	2·8	382	265	62	68	-	14	2	3	15	1	3	6	11	73	3	MANCHESTER.
SALFORD	244,636	17·7	14·5	15·8	14·9	2·3	140	70	14	17	-	-	1	-	7	1	2	3	4	19	-	SALFORD.
OLDHAM	144,111	12·7	21·3	20·6	19·9	2·2	76	55	17	15	-	-	-	-	3	1	2	-	-	6	-	OLDHAM.
ROCHDALE	90,497	16·7	15·0	8·6	15·0	-	35	26	4	11	-	-	-	-	-	-	-	-	2	3	1	ROCHDALE.
BURNLEY	107,448	11·6	16·5	21·8	15·5	1·0	59	32	9	9	-	-	-	-	1	-	1	-	1	6	-	BURNLEY.
BLACKBURN	137,972	19·3	13·6	12·1	12·1	0·8	57	32	4	11	-	2	-	-	-	-	-	1	1	-	2	BLACKBURN.
PRESTON	119,253	20·1	20·6	14·0	15·7	1·3	57	36	12	10	-	1	-	1	-	-	1	1	2	3	2	PRESTON.
BARROW IN FURNESS.	63,689	13·1	12·3	15·6	14·7	-	36	18	4	6	-	-	-	-	-	-	-	-	-	-	3	BARROW IN FURNESS

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 7th May, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 16th Apr., 1910.	23rd Apr., 1910.	30th Apr., 1910.	7th May, 1910.	Rate from Diseases in Cols 11–17. Week ended 7th May, 1910	Registered during the Week ended 7th May, 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	14·9	12·7	9·9	16·5	0·6	47	30	3	6	-	-	1	-	-	-	-	2	3	4	-	HUDDERSFIELD.
HALIFAX	112,818	12·0	17·6	10·6	13·4	0·5	44	29	4	14	-	-	-	-	-	-	1	3	3	9	2	HALIFAX.
BRADFORD	295,865	15·0	14·6	15·9	14·6	1·9	107	83	16	31	-	7	-	-	3	-	1	4	8	13	-	BRADFORD.
LEEDS	490,985	15·7	13·6	12·6	14·7	1·1	223	138	28	41	-	2	1	1	6	-	-	4	11	30	-	LEEDS.
DEWSBURY†	51,224	15·3	15·3	14·3	19·3	1·0	17	19	2	11	-	-	-	-	-	1	-	1	2	1	-	DEWSBURY.†
SHEFFIELD	478,763	13·8	13·2	12·2	10·7	0·4	265	98	9	35	-	-	1	-	3	-	-	5	5	29	1	SHEFFIELD.
ROTHERHAM	66,414	11·8	9·4	14·1	9·4	1·6	44	12	4	2	-	-	-	-	2	-	-	1	1	3	-	ROTHERHAM.
YORK	88,159	10·6	7·7	10·1	8·9	-	47	15	5	7	-	-	-	-	-	-	-	-	-	2	-	YORK.
HULL	280,006	15·5	14·2	13·8	12·5	0·6	150	67	14	24	-	2	-	-	1	-	-	4	6	8	4	HULL.
MIDDLESBROUGH ..	107,014	10·7	19·0	19·0	15·6	-	64	32	6	6	-	-	-	-	-	-	-	2	2	6	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	11·7	16·5	11·7	22·3	1·0	34	23	5	5	-	-	-	-	1	-	-	-	-	2	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	12·7	14·0	8·9	12·7	1·3	35	20	3	8	-	-	-	-	2	-	-	-	1	1	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	16·2	18·5	13·3	16·2	1·3	101	50	13	12	-	2	-	-	2	-	-	2	4	5	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	13·1	9·6	14·8	16·5	3·5	65	38	8	3	-	2	-	-	5	-	1	2	4	7	1	SOUTH SHIELDS.
GATESHEAD	133,676	14·4	15·6	11·3	12·9	0·8	77	33	9	10	-	-	-	-	1	-	1	-	1	3	-	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	17·3	12·8	10·6	14·4	0·5	146	79	17	24	-	-	-	-	2	-	1	2	6	18	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	8·3	18·5	18·5	14·8	-	41	16	4	5	-	-	-	-	-	-	-	1	1	5	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	20·3	10·5	12·4	13·7	-	49	21	7	6	-	-	-	-	-	-	-	1	2	2	-	NEWPORT (MON.).
CARDIFF	199,189	16·2	13·6	8·6	12·0	1·0	122	46	10	7	-	2	-	-	1	-	1	1	6	8	1	CARDIFF.
RHONDDA	138,674	16·5	13·9	15·0	13·5	0·8	111	36	14	7	-	-	-	-	1	-	1	2	3	-	-	RHONDDA.
MERTHYR TYDFIL..	79,522	21·0	20·3	21·0	21·6	3·3	43	33	7	5	-	3	1	-	1	-	-	2	2	3	-	MERTHYR TYDFIL.
SWANSEA	98,817	17·4	12·1	15·3	11·1	0·5	66	21	4	5	-	-	-	-	1	-	-	2	3	4	-	SWANSEA.
GREATER LONDON	7,537,196	13·4	11·8	11·8	11·4	1·1	3541	1642	310	546	-	59	12	11	62	1	13	78	173	630	1	GREATER LONDON.
OUTER RING ..	2,664,494	10·8	9·5	9·6	9·3	0·9	1312	475	100	157	-	19	6	5	16	-	2	18	43	94	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	10·2	9·5	9·1	8·8	1·1	619	223	47	71	-	15	2	1	9	-	1	7	16	43	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	11·3	9·4	10·1	9·8	0·8	693	252	53	86	-	4	4	4	7	-	1	11	27	51	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	16·5	14·2	16·1	16·4	1·7	131	113	9	41	-	7	1	1	1	-	2	6	?	50	3	EDINBURGH.
GLASGOW	884,505	19·7	15·9	16·5	14·7	1·8	514	250	47	68	-	13	5	1	7	-	5	5	?	94	6	GLASGOW.
DUBLIN (Registration Area).‡	402,928	21·5	24·3	23·9	16·7	0·4	230	129	19	42	-	-	-	-	1	1	1	6	3	55	2	DUBLIN (Registration Area).‡
BELFAST‡	391,187	24·9	21·3	23·1	22·3	3·3	235	167	31	33	-	19	-	-	4	-	2	3	10	30	1	BELFAST‡

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the EIGHTEENTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2737	2562	2474	2537	2403	2722	2547	2352	2546	2537	2601·6	2229
Males - - -	1364	1278	1 71	1332	1175	1362	1334	1182	1312	1299	1328 8	1143
Females - -	1373	1284	1203	1205	1228	1360	1213	1170	1234	1238	1272·8	1086
TOTAL **Deaths** -	1675	1451	1381	1387	1325	1304	1446	1364	1474	1304	1411·4	1167
Males - - -	889	777	738	708	681	683	735	720	787	703	743·0	635
Females - -	786	677	643	679	644	621	711	644	687	601	668·4	532

* The numbers in this column are the average weekly numbers in the Eighteenth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 12.	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	13 Weeks.
TOTAL **Births**	2375	2325	2264	2393	2370	2344	2141	2312	2420	2372	2334	2372	2229	30251
TOTAL **Deaths** -	1632	1526	1386	1346	1254	1231	1263	1354	1377	1387	1226	1217	1167	17366
Ages at Death: Under 1 year -	259	241	235	233	219	197	215	236	260	218	233	230	210	2986
1—5 years -	161	126	136	153	116	137	127	141	120	146	115	125	126	1729
5—20 " -	80	74	59	68	63	60	78	72	67	74	59	67	63	884
20—40 " -	173	159	162	133	148	149	143	161	165	170	148	141	135	1987
40—60 " -	334	341	261	272	248	247	289	280	310	277	269	265	244	3637
60 yrs. & upwds.	625	585	533	487	460	441	411	464	455	502	402	389	389	6143
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	13	26	14	39	15	24	24	22	33	46	27	33	40	356
Scarlet Fever - -	6	8	4	6	9	6	10	2	4	5	6	-	6	72
Diphtheria - -	5	11	11	9	6	6	10	8	6	8	5	6	6	97
Whooping-cough -	61	53	45	46	44	46	44	51	45	41	38	42	46	602
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	2	4	3	2	4	6	3	2	8	3	2	1	43
Pyrexia (origin uncertain).	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	15	8	11	10	13	11	5	9	11	9	10	8	11	131
All above diseases -	103	108	89	114	89	97	99	95	101	117	89	91	110	1302
Dis. of Resp. System	226	200	172	148	129	109	123	158	131	137	119	103	83	1838
Pneumonia - -	199	195	176	142	150	129	138	152	150	175	158	141	128	2033
Phthisis - - -	112	124	131	126	108	121	123	118	132	113	112	102	116	1538
Dis. of Circ. System -	227	220	176	198	172	184	194	193	219	183	181	178	148	2473
Violence - - -	56	62	42	49	50	37	46	58	46	64	52	46	60	668
Inquest Cases - -	163	173	121	135	143	118	107	144	133	129	132	141	130	1769
Deaths in Institutions	658	607	582	584	543	514	528	566	575	577	550	550	536	7370
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	42·0	44·7	42·5	41·8	46·0	40·1	42·0	41·9	42·8	48·3	44·3	45·4	46·3	44·1
Mean of Highest -	47·7	50·9	49·0	49·9	52·5	48·7	51·1	52·0	51·7	58·7	57·7	55·5	55·6	52·4
Mean of Lowest -	35·6	39 0	36·8	33·1	40·5	32·3	33·3	32·8	34·7	42·1	42·0	37·8	39·4	36·9
Mean Humidity of the Air.	86	80	83	83	87	75	80	74	79	79	82	73	77	80
Rain-fall (in inches) -	0·38	0·69	1·40	0·15	0·95	0·13	0·00	0·00	0·11	1·86	0·23	0·43	0·74	7·07
Registered Sunshine (in hours).	15·6	23·7	22·9	44·7	14·6	41·6	23·6	46·8	24·2	29·1	8·3	50·1	44·6	389·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1881	1784	1765	1766	1754	1713	1650	1611	1554	1535	1510	1509	1506	1657
Diphtheria - - -	908	903	911	901	884	872	855	856	848	816	812	798	784	858
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	61	66	76	78	89	88	88	85	81	81	69	66	62	76

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth : and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the EIGHTEENTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objection should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 18th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1411·4	1167	210	126	63	135	244	389
Small-pox*	0·2	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	54·5	40	7	30	2	1	–	–
Scarlet Fever	10·6	6	–	1	4	1	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	17·2	13	–	–	–	2	5	6
Whooping-cough	48·5	46	20	25	1	–	–	–
Diphtheria	11·5	6	1	4	1	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	1·4	1	–	–	1	–	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	5·7	3	1	–	–	2	–	–
Diarrhœa, Dysentery ..	10·2	8	7	–	–	–	–	1
Tetanus	0·4	2	–	–	1	1	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	10·4	4	2	–	–	2	–	–
Puerperal Septicæmia ..	1·2	6	–	–	–	6	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·6	–	–	–	–	–	–	–
Infective Endocarditis ..	1·8	4	–	–	2	–	1	1
Pneumonia: Lobar ..	22·9	18	–	1	–	5	8	4
Pneumonia: Broncho ..	60·0	53	21	16	3	2	1	10
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	67·8	57	9	6	3	8	13	18
Erysipelas	3·1	4	1	1	–	–	1	1
Septicæmia (not Puerperal)	1·0	1	1	–	–	–	–	–
Pyæmia (not Puerperal)	0·2	–	–	–	–	–	–	–
Other Infective Processes	3·7	1	–	–	–	–	–	1
Tuberculous Phthisis ..	96·9	87	–	–	6	29	45	7
"*Phthisis*"	41·4	29	–	–	1	19	7	2
Tuberculous Meningitis ..	21·7	14	5	8	1	–	–	–
Tuberculous Peritonitis ..	10·0	13	2	2	5	1	3	–
Tabes Mesenterica	1·0	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	18·6	15	1	4	1	4	4	1
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	7·8	3	–	–	–	–	–	3
Rheumatic Fever	5·9	3	–	–	1	1	1	–
Gout	1·8	3	–	–	–	–	1	2
Carcinoma	66·4	72	–	–	–	6	26	40
Sarcoma	6·1	5	–	–	–	1	2	2
Cancer (undefined) ..	34·2	26	–	1	–	2	4	19
Diabetes Mellitus	7·6	8	–	–	1	–	3	4
Premature Birth	45·1	31	31	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 18th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	14·9	7	2	4	1	–	–
Gen. Par. of Insane, Insanity	16·2	9	–	–	–	3	–
Epilepsy	6·6	6	–	–	–	1	–
Convulsions	13·5	12	11	1	–	–	–
Locomotor Ataxy.. ..	1·4	4	–	–	–	–	–
Paraplegia, Dis. of Cord.	4·7	3	–	–	–	1	–
Nervous Sys., Other Dis.	18·2	18	–	2	2	–	–
Valv. Dis., Endocarditis..	42·6	44	–	–	6	7	–
Cereb. Hæm. Cereb. Emb.	37·3	24	–	–	–	1	–
Apoplexy, Hemiplegia ..	12·7	6	–	1	–	–	–
Aneurysm	4·5	5	–	–	–	–	–
Embolism, Thrombosis (not Cerebral) ..	1·2	1	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	81·9	68	–	–	4	3	–
Croup (not Spasm: nor Memb.)	–	–	–	–	–	–	–
Bronchitis	104·2	74	14	1	–	–	–
Emphysema, Asthma ..	5·1	1	–	–	–	–	–
Pleurisy	3·9	1	–	–	–	–	–
Respiratory Dis., Other..	10·2	7	2	1	–	–	–
Tonsillitis, Quinsy.. ..	0·8	–	–	–	–	–	–
Enteritis (not Epid.) ..	8·8	5	3	2	–	–	–
Gastro-enteritis	4·9	7	6	1	–	–	–
Peritonitis (not Puerp.) ..	2·3	–	–	–	–	–	–
Cirrhosis of Liver.. ..	12·1	8	–	1	–	–	–
Liver Dis., Other	4·3	4	–	–	–	–	–
Digestive Sys., Other Dis.	34·0	24	3	3	4	2	–
Acute Nephritis	8·8	7	–	1	2	–	–
Bright's Dis., Albuminuria	34·0	36	–	–	–	3	–
Urinary Sys., Other Dis.	9·8	9	–	–	–	–	–
Generative Organs Dis...	3·5	2	–	–	–	1	–
Childbirth (Accid. of) ..	3·1	6	–	–	–	5	–
Old Age	58·8	49	–	–	–	–	–
Other Diseases	87·4	78	48	8	2	5	–
ACCIDENT.							
By Railways	0·8	1	–	–	–	–	–
By Vehicles and Horses..	7·6	11	–	–	6	1	–
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–	–
In Building Operations..	0·6	4	–	–	–	1	–
In Conflagrations	0·8	–	–	–	–	–	–
By Burns, Scalds, Explosions	7·6	1	–	–	1	–	–
By Drowning	4·1	4	1	1	–	2	–
By Suffocation in Bed ..	7·4	9	6	–	–	–	–
By Poisons or Poisonous Vapours	2·3	3	–	–	1	2	–
Other Deaths by Accident..	17·6	15	2	–	–	1	–
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	1·2	–	–	–	–	–	–
Suicide	11·9	12	–	–	–	3	–
Execution	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the diffi experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th May, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2229	1167	210	389	-	40	6	6	46	1	11	116	60	130	536	1
WEST DISTRICTS	805,311	317	210	30	90	-	4	3	-	6	-	3	16	13	26	91	-
NORTH DISTRICTS	1,055,908	449	250	37	98	-	5	1	-	8	-	-	34	13	29	110	-
CENTRAL DISTRICTS	209,465	109	59	10	13	-	1	-	-	4	-	-	3	1	4	36	-
EAST DISTRICTS	715,739	450	193	49	46	-	9	-	2	9	-	3	20	16	33	108	-
SOUTH DISTRICTS	1,749,844	904	412	84	129	-	21	2	2	19	1	3	34	17	38	148	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	43	-	13	-	-	-	2	-	-	2	9	-	-	43	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	24	11	1	6	-	1	-	-	-	-	-	1	-	-	-	-
Central Paddington *W,3H*	50,053	30	28	4	11	-	1	-	-	-	-	-	1	2	4	15	-
South Paddington	30,320	8	6	2	4	-	-	-	-	-	-	-	-	-	1	-	-
Kensington South† *W,3H*	85,610	18	26	2	11	-	-	-	-	-	-	-	5	2	2	12	-
Kensington Central† *W,H*	42,774	8	12	2	8	-	-	-	-	-	-	-	-	1	3	3	-
Kensington North† *w*	48,244	35	24	2	11	-	1	-	-	1	-	-	2	1	1	14	-
North Hammersmith *2W,w,H* ..	49,192	24	14	3	6	-	-	-	-	-	-	1	1	-	1	7	-
South Hammersmith *w,2H* ..	63,047	28	7	-	5	-	-	-	-	-	-	-	-	2	2	2	-
North-west Fulham *W*	45,180	26	17	4	3	-	1	-	-	2	-	1	3	-	1	7	-
North-east Fulham *F*	46,405	22	11	4	2	-	-	3	-	3	-	-	-	-	1	3	-
South Fulham *W*	45,704	28	7	1	5	-	-	-	-	-	-	-	-	1	1	-	-
Chelsea North *W,w,3H*	42,514	13	18	1	8	-	-	-	-	-	-	-	3	-	-	15	-
Chelsea South *W,2H*	31,328	12	4	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Mayfair and Knightsbridge	28,743	6	4	2	1	-	-	-	-	-	-	-	-	2	3	-	-
Belgrave *W,2H*	55,815	15	12	-	4	-	-	-	-	-	-	-	-	1	3	5	-
St. Margaret & St. John *6H*	43,698	13	7	2	2	-	-	-	-	-	-	1	-	1	2	5	-
St. James and St. Anne *W,6H* ..	33,081	7	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	9	11	-	5	-	-	-	-	-	-	-	-	1	2	5	-
St. Mary Marylebone *W,4H* ..	37,948	39	5	2	1	-	-	-	-	-	-	-	-	-	-	4	-
Christchurch Marylebone *H* ..	39,536	16	6	1	1	-	-	-	-	1	-	-	1	2	2	-	-
St. John Marylebone *2H*	20,426	11	4	1	1	-	-	-	-	-	-	-	-	1	1	1	-
Hampstead *W,F,6H*	81,942	21	11	-	3	-	-	-	-	-	-	-	2	-	-	6	-
West St. Pancras *2H*	60,562	26	12	2	2	-	-	-	-	2	-	-	1	1	1	1	-
South St. Pancras *w,10H*	55,707	23	22	2	10	-	-	-	-	-	-	-	-	2	5	14	-
East St. Pancras *W,H*	60,320	37	13	3	5	-	1	-	-	1	-	-	1	1	3	8	-
North St. Pancras *2W*	58,728	29	15	3	5	-	-	-	-	1	-	-	2	1	2	6	-
Tufnell *W*	31,995	10	30	2	15	-	-	-	-	-	-	-	10	-	1	26	-
Upper Holloway *2W,w,H*	33,978	23	14	2	8	-	-	-	-	1	-	-	3	1	2	11	-
Tollington *W,w,H*	33,922	9	8	-	3	-	-	-	-	-	-	-	1	-	1	-	-
Lower Holloway	41,424	19	6	1	1	-	-	-	-	-	-	-	1	1	1	-	-
Barnsbury	54,478	16	5	1	3	-	-	-	-	-	-	-	-	-	1	-	-
Islington South-east *F*	75,397	25	12	5	4	-	-	-	-	-	-	-	2	-	2	-	-
Highbury *2H*	63,797	24	11	1	6	-	-	-	-	-	-	-	2	-	1	3	-
Stoke Newington *H*	51,247	14	8	-	5	-	-	-	-	-	-	-	1	-	-	-	-
North Hackney	50,398	19	12	2	6	-	-	-	-	1	-	-	1	-	-	-	-
Central Hackney *2w,F*	50,536	35	11	3	2	-	1	1	-	-	-	-	-	-	1	3	-
South-west Hackney *3H*	59,921	18	14	3	5	-	2	-	-	1	-	-	1	1	2	5	-
South-east Hackney *2W,w,H* ..	58,255	26	19	3	7	-	1	-	-	-	-	-	5	1	1	16	-
Hackney Union Workhouse, Brentwood	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† On 1st May, 1910, the sub-district of Kensington Town was abolished, part being added to the sub-district of Brompton (re-named Kensington South), and the remainder forming the new sub-districts of Kensington Central and Kensington North.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 7th May, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	18	7	3	1	-	1	-	-	-	-	-	1	-	-	3	-
Strand *W*,4*H*	21,674	1	13	-	4	-	-	-	-	-	-	-	-	-	-	12	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	10	12	4	1	-	-	-	-	3	-	-	-	-	-	11	-
Clerkenwell *H*	63,704	34	9	2	2	-	-	-	-	-	-	-	1	-	2	-	-
St. Luke 3*H*,*L*	36,116	38	3	1	2	-	-	-	-	1	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	13	-	3	-	-	-	-	-	-	-	1	1	2	10	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	24	9	4	2	-	-	-	-	-	-	-	-	2	5	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	40	15	2	4	-	-	-	-	1	-	-	4	-	1	13	-
Shoreditch North-East	36,148	24	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	49	27	4	7	-	3	-	-	-	-	-	4	1	4	21	-
Bethnal Green South-West *H* ..	64,542	35	7	2	-	-	-	-	-	1	-	-	1	-	-	2	-
Spitalfields..	27,969	15	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	27	38	8	6	-	2	-	2	-	-	1	1	8	9	35	-
Goodman's Fields	22,081	10	5	2	-	-	1	-	-	-	-	-	-	-	3	-	-
St. George and St. John 2*W* ..	49,068	31	5	-	2	-	-	-	-	-	-	-	1	-	-	-	-
Shadwell and Ratcliff *w*,*H* ..	25,568	8	10	7	-	-	-	-	-	3	-	-	1	1	1	7	-
Limehouse *W*	32,369	19	5	2	2	-	-	-	-	-	-	-	-	-	2	-	-
Mile End Old Town South-Western *H*	63,698	55	6	3	1	-	1	-	-	-	-	1	-	-	-	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	14	12	2	5	-	2	-	-	-	-	-	1	1	1	7	-
Bow	41,989	26	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Bromley 3*w*,*H*	68,319	34	30	6	9	-	-	-	-	3	-	1	4	3	6	20	-
Poplar *W*,*w*	58,514	39	15	3	5	-	-	-	-	1	-	-	2	-	1	-	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th May, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	17	20	4	2	-	2	-	-	-	-	-	1	4	6	18	-
Kent-road	21,904	14	3	1	1	-	-	-	-	-	-	-	1	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	13	4	2	1	-	-	-	-	1	-	-	-	-	1	2	-
Newington North	49,022	23	6	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Newington South *W*	72,841	43	13	3	3	-	3	-	-	-	-	-	2	-	-	-	-
St. Olave *2W*	9,817	8	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Bermondsey *W*	82,483	36	9	2	1	-	3	-	-	1	-	-	-	1	1	-	-
Rotherhithe *W,F*	38,460	12	18	3	4	-		-	-	-	-	-	1	-	2	8	-
Waterloo *2H*	27,440	38	5	1	1	-	-	-	-	1	-	-	-	-	-	2	-
Lambeth Church *H*	27,440	14	10	1	3	-	-	-	-	-	-	-	2	1	1	5	-
Kennington *2W*	52,518	33	25	2	12	-	-	-	-	1	-	-	4	-	-	17	-
Stockwell *HF*	63,826	27	5	2	1	-	-	1	-	-	-	-	1	-	-	1	-
Brixton *H*	73,673	27	13	1	6	-	-	-	-	-	-	-	1	-	-	-	-
Norwood *2WH*	56,998	21	10	1	6	-	1	-	-	1	-	-	-	-	-	-	-
East Battersea *H*	72,203	39	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea	49,656	32	7	4	-	-	1	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	15	24	5	7	-	4	-	-	2	-	-	1	-	1	18	-
Clapham *2H*	51,361	24	10	1	2	-	1	-	-	-	-	-	1	-	1	1	-
Streatham *W,2w,2F,2L*	88,019	64	26	5	13	-	-	-	-	-	-	-	2	1	4	4	-
Springfield *2W,L*	27,959	20	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	23	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	19	19	1	5	-	-	-	-	1	-	-	6	-	1	17	-
Camberwell North *W,2L*	65,584	32	24	7	10	-	-	-	-	-	-	-	1	2	5	13	-
St. George	47 331	27	5	1	1	-	-	-	-	-	-	-	1	-	1	-	-
Peckham North	48,913	18	9	1	2	-	1	-	-	2	-	-	1	-	-	-	-
Peckham South *2W,w*	43,946	20	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-
Deptford North	37,613	21	7	3	2	-	2	-	-	-	-	-	-	-	1	-	-
Deptford Central *F*	45,481	16	10	6	2	-	1	-	-	1	-	1	-	2	3	-	-
Deptford South	34,625	12	9	-	4	-	-	-	-	1	-	1	1	-	-	-	1
Greenwich West *H*	23,456	9	11	5	2	-	2	-	-	1	-	-	-	1	3	2	-
Greenwich East *2W,H*	43,859	17	31	5	8	-	-	-	-	1	1	-	5	1	1	19	-
Eltham *w,H*	7,226	3	4	-	2	-	-	-	-	1	-	-	-	1	1	1	-
Lee *w,H*	25,490	10	4	1	1	-	-	-	-	-	-	1	-	-	-	2	-
Lewisham *2W,w,F*	58,352	41	17	5	6	-	-	-	-	-	-	-	-	-	-	10	-
Sydenham *H*	43,653	27	3	1	2	-	-	-	-	1	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	11	8	-	3	-	-	1	2	-	-	-	-	-	-	3	-
Woolwich *5H*	41,625	20	5	2	1	-	-	-	-	-	-	-	-	1	1	3	-
Plumstead West *W,H*	39,376	28	6	1	2	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead East *2W*	28,951	22	9	3	3	-	-	-	-	2	-	-	-	-	-	2	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	-	2	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	8	-	1	-	-	-	-	-	-	2	4	-	-	8	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	6	-	2	-	-	-	-	-	-	-	2	-	-	6	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	5	-
Dartford Heath	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	5	-	2	-	-	-	-	-	-	-	1	-	-	5	-
Claybury	—	-	4	-	2	-	-	-	-	-	-	-	2	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Bo Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERAT POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 7th May, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1312	475	100	157	-	19	6	5	16	-	2	18	43	94
30 : 1	Carshalton 2F,3H	12,228	32,997	20	5	-	1	-	-	2	-	-	-	-	-	-	3
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	9	7	1	2	-	-	-	-	-	-	-	1	2	4
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	1	1	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	6	2	-	1	-	-	-	-	-	-	-	-	1	-
2	South Croydon w,H ..	4,200	49,309	19	13	1	2	-	2	-	-	-	-	-	-	1	5
3	West Croydon 3W,F,H ..	2,168	42,888	25	19	3	8	-	3	-	-	-	-	1	-	1	1
4	North Croydon H	2,614	41,698	27	4	-	3	-	-	-	1	-	-	-	-	-	-
5	Penge w	770	22,465	9	4	-	3	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	34	11	-	5	-	-	-	1	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	18	11	3	5	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	22	15	6	5	-	-	-	-	1	-	-	-	1	8
3	Surbiton F,H	3,046	15,017	8	3	-	2	-	-	1	-	-	-	-	-	-	1
4	Esher, *part of** H	5,402	13,100	5	3	-	-	-	-	-	-	-	-	-	1	1	-
5	Hampton H,F,L	4,564	23,456	15	3	-	3	-	-	-	-	-	-	-	1	1	-
40 : 1	Richmond W,H	2,491	31,672	13	5	-	2	-	-	-	-	-	-	-	-	-	1
2	Mortlake F	2,518	17,821	15	3	1	1	-	-	-	-	-	-	-	-	1	-
41 : 1	Bromley F,3H	4,696	27,397	22	5	2	2	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,832	28,454	15	7	2	2	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	10	3	1	1	-	-	-	-	-	-	1	-	-	1
4	Chislehurst 2H	7,335	16,446	5	1	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	12	3	-	2	-	-	-	-	-	-	-	-	1	-
2	Erith F,H	3,854	25,296	10	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	3	-	2	-	1	-	-	-	-	-	-	-	3
124 : 1	Sunbury w	11,054	18,683	8	5	2	1	-	-	-	-	2	-	-	-	-	-
2	Staines W,H	12,277	15,178	9	3	1	2	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	8,035	13,661	9	10	1	6	-	-	-	-	-	-	-	-	-	5
2	Uxbridge H	12,757	8,984	3	2	-	1	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	13	8	3	1	-	-	-	-	1	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	15	12	-	6	-	2	-	-	-	-	-	-	1	4
2	Twickenham F,2H	2,421	20,991	11	3	2	1	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	17	8	3	2	-	-	-	-	-	-	-	1	1	-
4	Chiswick H	1,249	29,809	22	6	-	3	-	-	-	-	1	-	-	1	1	-
5	Acton w,F,3H	6,132	48,914	37	9	2	1	-	-	-	-	-	-	-	1	3	1
127A : 1	Harrow F,H	13,809	25,523	19	4	1	-	-	-	-	-	-	-	-	1	1	-
2	Edgware 2F,2H	6,994	4,521	3	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	19	7	2	1	-	1	-	1	-	-	-	-	-	3
127B : 1	Willesden W,F,2H	4,384	114,811	72	21	4	6	-	-	-	-	-	-	-	3	5	3
128 : 1	South Mimms 2F,H ..	17,755	7,308	5	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,979	5	3	1	1	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,688	33,692	31	7	2	1	-	-	-	-	-	-	-	-	2	1
129 : 1	Hornsey F,H	2,875	72,056	36	11	1	6	-	-	-	-	-	-	-	-	-	1
2	Wood Green H	1,625	34,233	24	9	2	2	-	-	-	-	-	-	-	1	2	-
3	West Tottenham	995	48,741	35	4	2	1	-	-	-	-	1	-	-	-	1	-
4	East Tottenham 2H ..	2,019	53,962	36	12	4	2	-	-	-	-	1	-	-	-	2	4
5	Edmonton W,w,2F	7,491	61,892	54	15	2	3	-	-	-	-	1	-	-	-	3	3
6	Enfield 2W,F,H	12,601	42,738	32	6	1	2	-	-	1	-	-	-	-	-	-	1
7	Waltham Abbey F	11,017	6,549	2	2	1	1	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	8	4	1	-	-	-	-	1	-	-	-	2	2	2
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	11	2	1	1	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	26	7	2	1	-	-	-	-	1	-	-	1	1	-
2	Forest Gate	787	52,745	26	12	2	7	-	-	-	-	-	-	-	1	2	-
3	Plaistow F,2H	1,249	90,921	64	24	7	6	-	3	-	1	2	-	-	-	-	2
4	Canning Town H	1,556	70,718	47	15	6	2	-	-	-	-	2	-	-	1	1	-
5	South East Ham 2F ..	1,991	37,342	38	11	3	1	-	5	1	-	-	-	-	-	-	1
6	North East Ham w,H ..	1,333	58,666	30	12	4	2	-	-	-	-	-	-	-	1	1	-
7	Wanstead F	1,679	9,179	4	2	-	1	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	31	5	-	4	-	-	-	-	-	-	-	-	1	3
9	North Leyton 2W,w,F ..	1,963	48,445	35	31	1	13	-	1	1	-	1	-	-	-	-	22
10	Walthamstow 2H,L ..	6,504	108,929	78	23	7	7	-	1	-	-	1	-	-	-	-	1
187 : 1	Chigwell 2F,3H	11,778	16,397	12	3	1	1	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	9	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	38	12	4	3	-	-	-	-	-	-	-	1	2	5
3	Barking Town F	3,805	21,547	16	5	1	2	-	-	-	-	1	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2
	Essex County Lunatic Asylum, Brentwood.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Ou Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Est parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting t part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths belonging to the Outer R in Workhouses and Infectious Diseases Hospitals situated outside that area in 37 : 1, 42 : 3, 135 : 1 137 : 2, 187 : 2, and 189 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
NDON* - -	4,872,702	May 7	2229	1167	12·5	-	40	6	6	46	1	18
LCUTTA - -	1,009,008	April 9	-	545‡	28·0	4	4	-	-	-	9	18
MBAY - -	977,822	„ 19	343	857‡	45·6	54	4	-	-	-	3	39
DRAS - -	509,346	„ 8	343	338	34·5	3	4	?	?	?	-	24
RIS* - -	2,772,467	„ 30	967	1002	19·0	-	26	5	10	8	-	11
USSELS* - -	720,030	„ 30	255	196	14·2	-	3	1	3	1	1	8
TWERP* - -	314,135	„ 30	117	64	10·6	?	?	?	?	?	?	?
STERDAM* -	569,948	„ 30	274	152	13·9	-	4	-	1	7	-	9
PENHAGEN -	450,000	„ 30	246	129	14·9	-	-	3	1	4	-	3
CKHOLM -	339,582	„ 23	154	123	18·7	-	8	1	4	1	-	-
RISTIANIA -	235,674	„ 30	100	58	12·8	-	-	-	-	-	-	-
PETERSBURG	1,620,000	„ 23	-	-	-	-	-	-	-	-	-	-
SCOW - -	1,493,600	„ 23	-	-	-	-	-	-	-	-	-	-
RLIN - -	2,114,440	„ 16	849	644	15·9	-	10	9	10	5	1	31
MBURG - -	895,804	„ 30	-	238	13·8	-	3	-	10	2	-	14
SLAU - -	507,500	„ 23	-	185	19·0	-	-	-	-	2	1	10
NICH - -	576,000	„ 23	280	183	16·5	-	-	1	1	-	-	21
NNA* - -	2,107,981	„ 30	875	727	17·9	-	31	3	8	8	3	32
AGUE* - -	497,905	„ 9	201	215	22·4	-	6	1	1	1	-	10
DAPEST* -	833,703	„ 23	452	332	20·7	-	15	8	4	2	-	12
ESTE* - -	221,124	„ 23	134	87	20·5	-	3	-	-	2	1	-
		„ 30	127	93	21·9	-	-	-	1	2	-	2
ME - - -	584,308	March 12	295	236	21·1	-	21	-	6	-	4	5
NICE - -	183,224	April 16	67	64	18·2	-	1	-	-	-	-	5
CAREST - -	297,643	March 12	-	-	-	-	-	-	-	-	-	-
W YORK* -	4,711,956	April 16	2486	1644	18·2	1	32	32	58	13	10	42
CAGO* - -	2,282,927	„ 16	-	659	15·0	-	4	6	14	6	5	31
LADELPHIA*	1,598,400	March 19	-	589	19·2	-	-	4	7	3	8	19
DE JANEIRO	842,822	„ 27	-	317	19·6	-	-	-	2	1	-	?
RO:—*												
gyptians -	616,183	April 8	636	472	39·8	-	13	-	5	?	3	69
reigners -	61,480	„ 8	3	18	15·2	-	-	-	-	?	-	2
XANDRIA:—*												
gyptians -	317,454	„ 8	287	259	42·4	1	29	-	1	?	4	31
reigners -	67,966	„ 8	14	21‡	16·1	-	-	-	-	?	1	2

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to dren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 74 deaths from *plague* in Calcutta, 218 in Bombay, and 1 in Alexandria, and from *Asiatic cholera*, 76 ths in Calcutta, and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 7th May, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
DON (Greenwich)	58·3	36·6	47·5	0·74	BRADFORD - -	62·6	32·8	45·3	1·11
HTON - -	-	-	-	-	YORK - - -	65·0	34·0	46·6	0·67
TSMOUTH - -	57·5	33·7	49·8	0·43	HULL - - -	63·0	33·0	47·0	0·55
WICH - -	57·8	34·8	46·1	1·20	TYNEMOUTH - -	65·0	35·0	45·6	0·52
MOUTH -	55·8	39·6	48·8	0·51	CARDIFF - - -	59·1	36·0	46·8	0·70
STOL - - -	61·0	36·0	48·6	0·49	EDINBURGH - -	59·5	34·3	45·0	0·13
MINGHAM - -	58·7	35·0	46·1	0·45	GLASGOW - -	58·0	34·5	45·0	0·52
TTINGHAM - -	61·0	32·0	46·7	0·64	DUBLIN Phœnix Park	61·9	35·4	46·1	0·67
VERPOOL OBSERVATORY	52·0	37·0	46·3	0·83	DUBLIN Fitzwilliam Square.†	62·3	36·9	47·1	0·67
ICHESTER -	59·8	34·8	46·0	1·33					
NLEY - -	59·0	31·0	44·1	1·85					
DERSFIELD -	62·2	34·2	45·6	0·99	BELFAST - - -	60·2	36·0	46·7	1·04

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The rection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the ove was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 7th May, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer: Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature of the Air: High-est.	Temperature of the Air: Low-est.	Temperature of the Air: Daily Range.	Temperature of the Air: Mean daily value.	Temperature of the Air: Departure from Average of 65 years.	Temperature of the Dew point: Mean daily value.	Difference between the Air Temperature and Dew Point Temperature: Mean daily value.	Difference: Great-est.	Difference: Least.	Degree of Humidity (Saturation equals 100).	Temperature: Of Radiation: Highest in Sun's Rays.	Temperature: Of Radiation: Lowest on the Grass.	Temperature: Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers: Osler's: General Direction: A.M.	Wind: Osler's: General Direction: P.M.	Wind: Osler's: Pressure on the Square Foot: Great-est.	Wind: Osler's: Pressure on the Square Foot: Least.	Wind: Osler's: Pressure on the Square Foot: Mean of 24 hourly obs.	Wind: Robinson's: Horizontal Movement of the Air on each Day.	Wind: Robinson's: Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 1	..	30·113	56·1	46·2	9·9	50·0	+ 0·7	44·8	5·2	9·5	0·4	82	87·0	44·3	47·18	NNW. & N.	N., WNW. & NW.	1·2	0·0	0·1	189	- 94	0·02	0·0
MONDAY - 2	Last Qr.	29·912	52·3	41·7	10·6	45·9	- 3·6	45·5	0·4	4·3	0·0	99	68·0	38·0	47·20	NNW., N. & SE.	SE., calm & N.	3·4	0·0	0·2	256	- 23	0·31	2·0
TUESDAY - 3	..	29·872	58·1	36·9	21·2	47·3	- 2·5	36·1	11·2	19·4	2·2	65	111·2	30·6	47·40	N.	Variable, SW. & WSW.	3·5	0·0	0·2	245	- 29	0·02	5·0
WEDNESDAY 4	..	29·746	51·0	36·8	14·2	41·8	- 8·2	35·8	6·0	14·1	1·2	79	102·2	28·0	47·38	SW. & NW.	NW., NNW. & SW.	8·4	0·0	0·3	333	+ 64	0·16	1·0
THURSDAY - 5	..	29·447	57·2	36·6	20·6	45·4	- 4·9	41·7	3·7	9·8	1·2	87	103·9	28·0	47·40	SW. & SSW.	SSW., NW. & SW.	5·0	0·0	0·3	352	+ 88	0·06	7·5
FRIDAY - 6	In Eqr.	29·361	58·3	40·3	18·0	48·0	- 2·5	35·4	12·6	19·4	5·1	62	121·0	34·2	47·40	SSW., WSW. & W.	WSW. & SW.	8·2	0·0	1·1	639	+379	0·17	6·2
SATURDAY - 7	..	29·475	56·1	37·3	18·8	45·8	- 4·9	35·1	10·7	19·2	3·2	66	108·1	31·6	47·40	WSW.	W., WSW. & SW.	6·7	0·0	0·8	560	+303	0·00	10·1
MEANS - -		29·704	55·6	39·4	16·2	46·3	- 3·7	39·2	7·1	13·7	1·9	77	100·2	33·5	47·34	NNW. & WSW.		..	..	..	Sum 2574	Sum +688	Sum 0·74	4·5
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.	Electricity (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 1	v.P. & w.N. till 3h. A.M.; w. P. generally till 11h. A.M.; m. P. afterwards.	0·1	14·8	Generally overcast with light showers occasionally.
MONDAY - 2	w.P. till 9h. A.M.; v.P. & occasional w. N. till 8h. P.M.; then m. P.	0·0	14·8	Generally overcast; frequent rain between 4h. A.M. and 7h. P.M.
TUESDAY - 3	m. P. generally till 9h. A.M.; s.P. till 3h. P.M.; m.P. principally till 10h. P.M.: S. N. & w. P. afterwards.	11·6	14·9	Very fine till 5h. P.M.: then overcast; rain after 9h. 30m. P.M.
WEDNESDAY 4	v. P. & v. N. till 4h. A.M.; m.P. till 9h. A.M.; s.P. & s. N. till 7h. P.M.; s.P. afterwards.	7·9	14·9	Overcast with rain till 2h. A.M.; fine and variably cloudy till shortly after noon; variable and showery with occasional squalls till 7h. P.M.; fine till 11h. P.M.; then overcast; hoar frost at night.
THURSDAY - 5	s.P. till 2h. A.M.; m.P. till 9h. A.M.; v. N. & w. P. till noon; m. P. till 3h. P.M.; s.P. till 10h. P.M.; then m.P.	2·6	15·0	Overcast with frequent rain till 2h. P.M.; fine and partially cloudy afterwards.
FRIDAY - 6	w. P. generally till 6h. A.M.; m.P. till 9h. A.M.; v. P. generally after; occasional v. N.	9·8	15·0	Overcast and showery in early morning; very fine with variable amounts of cloud between 6h. A.M. and 9h. P.M.; then overcast and showery again; gusty wind prevalent.
SATURDAY - 7	m. P. generally till noon; v. P. & s. N. till 4h. P.M.; then s. P.	12·6	15·1	Very fine generally; partially cloudy; brisk wind prevalent in early morning and from 7h. 30m. A.M. to 8h. 15m. P.M.; light showers at 11h. 45m. A.M. and 6h. 45m. P.M.; the latter preceded by distant thunder, and accompanied by a little granular snow.
		Sum 44·6	Sum 104·5	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·13 in. at the beginning of the week to 30·16 in. by 10h. A.M. on the 1st; decreased to 29·88 in. by 4h. P.M. on the 2nd; increased to 30·00 in. by 7h. A.M. on the 3rd; decreased to 29·70 in. by 4h. A.M. on the 4th; increased to 29·77 in. by 6h. P.M. on the same day; decreased to 29·39 in. by 5h. P.M. on the 5th; increased to 29·49 in. by 8h. P.M. on the same day; decreased to 29·26 in. by 4h. A.M.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 30th April, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	17	1	-	-	-	-	1	-	-
Kensington	184,635	-	4	1	-	1	-	-	2	-	-
Hammersmith	127,413	-	1	4	-	-	-	-	1	-	1
Fulham	181,282	-	5	2	-	-	-	-	2	1	-
Chelsea	75,457	-	6	1	-	-	-	-	1	-	-
City of Westminster ..	167,233	-	2	2	-	5	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	8	3	-	1	-	-	5	-	-
Hampstead	95,729	-	1	2	-	-	-	-	1	-	-
St. Pancras	237,792	-	22	4	-	2	-	-	1	-	1
Islington	353,356	-	17	11	-	-	-	-	5	1	-
Stoke Newington	54,838	-	1	2	-	-	-	-	-	-	-
Hackney	239,979	-	3	6	-	-	-	-	6	-	-
CENTRAL.											
Holborn	53,142	-	1	-	-	-	-	-	-	-	-
Finsbury	94,578	-	3	5	-	-	-	-	4	-	-
City of London	17,132	-	1	-	-	1	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	4	1	-	-	-	-	5	-	-
Bethnal Green	131,579	-	4	4	-	-	-	-	1	-	-
Stepney	314,379	-	11	6	-	1	-	-	5	-	-
Poplar	172,432	-	7	3	-	-	-	-	1	1	-
SOUTH.											
Southwark	211,832	-	4	2	-	1	-	-	4	-	-
Bermondsey	127,238	-	1	4	-	-	-	-	2	-	-
Lambeth	327,074	-	12	6	-	-	-	-	2	-	-
Battersea	188,222	-	5	4	-	-	-	-	1	-	1
Wandsworth	305,838	-	23	5	-	-	-	-	4	-	-
Camberwell	286,058	-	9	5	-	-	-	-	7	-	-
Deptford	119,642	-	10	3	-	-	-	-	1	-	-
Greenwich	112,935	-	4	1	-	-	-	-	4	-	-
Lewisham	164,899	-	13	7	-	-	-	-	1	-	-
Woolwich	135,422	-	7	5	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	206	100	-	12	-	-	70	3	3
Ages 0-1		-	3	2	-	-	-	-	2	-	2
„ 1-5		-	62	31	-	2	-	-	4	-	1
„ 5-		-	86	30	-	3	-	-	2	-	-
„ 10-		-	30	17	-	-	-	-	2	-	-
„ 15-		-	7	4	-	1	-	-	6	-	-
„ 20-		-	8	5	-	-	-	-	3	-	-
„ 25-		-	9	7	-	6	-	-	10	1	-
„ 35-		-	1	1	-	-	-	-	8	2	-
„ 45-		-	-	-	-	-	-	-	11	-	-
„ 55-		-	-	-	-	-	-	-	10	-	-
„ 65 and upwards		-	-	-	-	-	-	-	12	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 19. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, MAY 14. [Price 1½*d*.

General Register Office, Somerset House,
May 17th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 13·8 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 13·7, 13·1, and 13·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 18·4 in Bury, 18·5 in Salford and in Oldham, 19·1 in West Bromwich, 19·7 in Manchester, 20·3 in Merthyr Tydfil, 20·4 in Burnley, and 21·5 in Huddersfield; from *measles*, 1·1 in Liverpool, 1·4 in Bradford, 1·9 in Burton upon Trent, 2·0 in Stockport and in Dewsbury, 4·4 in Bootle, and 5·2 in Merthyr Tydfil; from *whooping-cough*, 1·2 in Plymouth, in Kings Norton, and in Liverpool, 1·3 in Newport (Mon.), 1·5 in Manchester, and 2·4 in Burnley; and from *diarrhœa*, 1·2 in Gateshead and 1·8 in Tynemouth. One death from *small-pox* was registered as belonging to South Shields, but none to any other of the seventy-seven towns.

LONDON.*

In LONDON 2529 BIRTHS and 1299 DEATHS were registered. Allowing for increase of population, the births were 34 and the deaths 66 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period

(16544—41.) Wt. 91—429. 700. 5/10. D & S. G. 31. Sch. 4. T

weeks of the previous five years. The annual death-rate from all causes, which had been 13·1, 13·0, and 12·5 per 1000 in the preceding three weeks, rose last week to 13·9. The death-rate in the four weeks ended last Saturday averaged 13·1 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1299 deaths included 55 from measles, 3 from scarlet fever, 11 from diphtheria, 32 from whooping-cough, 2 from enteric fever, and 15 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 118 deaths were referred, being 2 below the corrected average number in the nineteenth week of the preceding five years.

The deaths from *measles*, which had been 27, 33, and 40 in the preceding three weeks, further rose to 55 last week, and were 4 above the corrected average; 7 deaths belonged to the Borough of Battersea, 5 each to Shoreditch and to Greenwich, 4 each to Paddington, Southwark, and Camberwell, and 3 each to Stepney, Lambeth, and Wandsworth. The deaths from *scarlet fever*, which had been 6, 0, and 6 in the preceding three weeks, were 3 last week, and were 7 below the corrected average. The deaths from *diphtheria*, which had been 5, 6, and 6 in the preceding three weeks, rose to 11 last week, and were 2 above the corrected average. The deaths from *whooping-cough*, which had been 38, 42, and 46 in the preceding three weeks, fell to 32 last week, and were 5 below the corrected average; 5 deaths belonged to Islington, 5 to Stepney, and 3 each to Fulham, Hackney, Poplar, and Lambeth. The deaths from *enteric fever*, which had been 3, 2, and 1 in the preceding three weeks, were 2 last week, the corrected average being 3. The deaths from *diarrhœa*, which had been 10, 8, and 11 in the preceding three weeks, rose to 15 last week, and were 4 above the corrected average. Of the 15 deaths from diarrhœa, 13 were those of children under 5 years of age, 12 being those of children under 2 years of age; 2 other deaths under 2 years of age were certified as due to *enteritis*, and 6 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 12, having been 12, 12, and 13 in the preceding three weeks.

Different forms of violence caused 48 deaths, concerning all of which inquests were held. Of these 48 deaths, 9 were cases of suicide, and 2 of homicide, while the remaining 37 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, two to burns or scalds, five to drowning, and seven, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1476 cases of scarlet fever, 775 of diphtheria, and 62 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 177 cases, against 196, 192, and 179; of diphtheria, 91 cases, against 74, 81, and 72; and of enteric fever, 6 cases, against 5, 6, and 10. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended May 7th, 1910.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3969 births and 1756 deaths were registered. Allowing for increase of population, these numbers are 39 and 188 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from measles, 1 from scarlet fever, 3 from diphtheria, and 5 from whooping-cough were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·68 inches, and that of the Thermometer 47°·5, the latter being 4°·3 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 23 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 53·8 hours; the measured rainfall amounted to 0·42 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 14th May, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 23rd Apr., 1910.	30th Apr., 1910.	7th May, 1910.	14th May, 1910.	Rate from Diseases in Cols. 11–17 Week ended 14th May, 1910.	Registered during the Week ended 14th May, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**13·7**	**13·1**	**13·1**	**13·8**	**1·3**	**9095**	**4482**	**896**	**1352**	**1**	**146**	**24**	**37**	**138**	**12**	**49**	**160**	**351**	**1268**	**50**	**77 TOWNS.**
LONDON	4,872,702	13·1	13·0	12·5	13·9	1·3	2529	1299	243	411	-	55	3	11	32	2	15	48	119	576	-	LONDON.
† CROYDON	164,485	10·8	10·5	10·5	8·6	1·0	88	27	8	7	-	3	-	-	-	-	-	1	3	5	-	CROYDON.
WILLESDEN ..	166,088	8·5	7·2	6·3	6·6	0·3	97	21	1	7	-	1	-	-	-	-	-	1	3	4	-	WILLESDEN.
HORNSEY	98,561	7·9	6·9	5·8	7·9	0·5	29	15	-	8	-	-	-	-	-	1	-	-	4	3	-	HORNSEY.
TOTTENHAM ..	132,803	9·4	10·6	6·3	14·1	0·8	73	36	4	16	-	-	1	-	1	-	-	-	5	14	-	TOTTENHAM.
WEST HAM ..	328,585	10·6	11·3	11·6	9·5	1·4	204	60	8	21	-	4	1	-	4	-	-	-	2	19	-	WEST HAM.
EAST HAM.. ..	156,208	10·3	9·7	9·7	9·3	1·0	88	28	9	6	-	2	-	1	-	-	-	-	2	3	-	EAST HAM.
LEYTON	133,436	10·2	5·9	6·6	7·0	0·4	76	18	6	4	-	-	1	-	-	-	-	1	2	5	-	LEYTON.
WALTHAMSTOW	141,748	6·6	7·0	8·8	5·5	0·7	62	15	4	6	-	2	-	-	-	-	-	1	1	6	-	WALTHAMSTOW.
HASTINGS	68,520	13·7	13·7	12·2	14·5	1·5	27	19	4	10	-	-	1	-	1	-	-	1	1	3	1	HASTINGS.
BRIGHTON	131,900	17·4	12·7	7·9	12·7	0·4	60	32	4	13	-	-	-	-	1	-	-	1	3	7	-	BRIGHTON.
PORTSMOUTH ..	217,989	18·2	10·8	13·2	13·2	1·2	105	55	13	19	-	-	-	3	-	2	-	-	1	13	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	12·0	14·8	12·7	13·4	-	28	19	5	9	-	-	-	-	-	-	-	-	-	6	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·1	9·8	9·8	13·4	-	66	35	5	13	-	-	-	-	-	-	-	2	2	9	-	SOUTHAMPTON.
READING	84,355	11·1	10·5	13·0	8·7	-	35	14	2	6	-	-	-	-	-	-	-	-	-	2	-	READING.
NORTHAMPTON ..	99,113	13·2	12·6	12·1	11·6	1·6	37	22	5	7	-	1	-	-	2	-	-	1	1	3	1	NORTHAMPTON.
IPSWICH	75,936	15·1	13·7	13·7	11·7	0·7	23	17	2	7	-	-	-	-	1	-	-	1	2	1	-	IPSWICH.
GREAT YARMOUTH	53,715	15·5	13·6	19·4	11·6	1·9	25	12	-	5	-	-	-	1	-	-	1	1	1	5	-	GREAT YARMOUTH.
NORWICH	125,446	9·1	12·5	14·5	10·0	-	62	24	4	9	-	-	-	-	-	-	-	-	2	6	1	NORWICH.
PLYMOUTH	126,266	14·0	12·4	12·0	17·3	1·2	43	42	8	18	-	-	-	-	3	-	-	2	8	3	-	PLYMOUTH.
DEVONPORT	84,695	17·2	14·2	8·6	6·2	0·6	38	10	1	3	-	-	-	-	1	-	-	-	-	1	-	DEVONPORT.
BRISTOL	382,550	11·9	14·2	10·0	10·0	0·7	163	73	8	32	-	3	-	1	1	-	-	1	2	21	-	BRISTOL.
STOKE ON TRENT‡..	245,726	17·6	13·8	12·5	15·3	1·5	152	72	24	9	-	4	-	2	-	1	-	3	5	5	3	STOKE ON TRENT‡.
BURTON ON TRENT	54,977	5·7	15·2	14·2	6·6	1·9	36	7	-	5	-	2	-	-	-	-	-	-	-	2	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	16·7	10·3	12·3	12·3	0·5	56	25	4	5	-	-	-	-	-	-	1	2	4	8	-	WOLVERHAMPTON
WALSALL	101,035	11·4	12·9	13·4	10·8	0·5	53	21	4	6	-	-	-	-	-	-	1	-	1	5	1	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	6·5	7·2	7·2	6·5	-	30	9	2	5	-	-	-	-	-	-	-	-	-	1	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	15·4	9·5	8·1	19·1	-	36	26	6	8	-	-	-	-	-	-	-	-	-	7	2	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 23rd Apr., 1910.	30th Apr., 1910.	7th May, 1910.	14th May, 1910.	Rate from Diseases in Cols. 11–17. Week ended 14th May, 1910.	Registered during the Week ended 14th May, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	13·7	11·8	12·8	12·5	0·6	323	137	35	29	-	-	2	-	4	-	1	6	6	30	7	Birmingham.
Kings Norton ..	84,673	8·6	8·6	10·5	4·9	1·2	42	8	4	2	-	-	-	-	2	-	-	-	-	2	-	Kings Norton.
Smethwick	72,350	10·8	7·9	13·7	8·6	-	44	12	4	2	-	-	-	-	-	-	-	-	1	2	-	Smethwick.
Aston Manor ..	86,269	10·3	7·9	7·9	7·3	1·2	39	12	1	3	-	-	1	-	1	-	-	-	-	1	-	Aston Manor.
Coventry	81,449	15·4	17·9	12·8	14·7	1·3	67	23	4	5	-	-	2	-	-	-	-	2	3	5	1	Coventry.
Leicester	248,374	10·9	10·3	11·1	13·0	0·4	134	62	10	25	-	-	-	-	2	-	-	2	3	12	1	Leicester.
Grimsby	74,283	14·7	10·5	12·6	16·1	0·7	37	23	6	6	-	-	-	-	-	1	-	1	2	3	-	Grimsby.
Nottingham ..	266,471	12·5	13·3	13·3	17·2	0·6	148	88	17	31	-	-	-	1	2	-	-	7	8	16	-	Nottingham.
Derby	131,256	10·3	12·3	11·9	10·7	-	76	27	6	9	-	-	-	-	-	-	-	2	4	7	-	Derby.
Stockport	105,087	13·4	19·4	14·4	17·4	2·5	57	35	6	5	-	4	-	-	-	-	1	2	2	8	-	Stockport.
Birkenhead ..	122,431	13·6	13·2	14·1	15·3	1·3	69	36	4	14	-	-	-	-	2	1	-	1	4	8	-	Birkenhead.
Wallasey	73,173	12·8	20·7	17·1	15·7	0·7	47	22	3	8	-	-	-	-	1	-	-	1	1	6	-	Wallasey.
Liverpool	767,606	19·8	17·7	19·2	16·8	2·7	524	247	52	59	-	16	3	2	17	-	2	10	16	80	2	Liverpool.
Bootle	70,548	11·1	10·3	14·8	14·8	5·9	35	20	4	6	-	6	-	-	1	-	1	1	1	2	1	Bootle.
St. Helens	96,523	13·0	9·7	12·4	11·3	0·5	70	21	8	6	-	-	-	-	1	-	-	3	3	4	3	St. Helens.
Wigan	91,732	14·2	15·9	7·4	12·5	-	55	22	7	5	-	-	-	-	-	-	-	1	1	6	-	Wigan.
Warrington ..	73,295	17·8	17·8	16·4	15·7	-	51	22	7	6	-	-	-	-	-	-	-	-	-	4	5	Warrington.
Bolton	190,315	15·1	14·2	12·3	12·6	0·8	91	46	8	12	-	-	-	-	2	-	1	-	1	7	-	Bolton.
Bury	59,409	17·6	6·1	9·7	18·4	0·9	31	21	4	12	-	-	-	-	-	-	1	-	1	6	2	Bury.
Manchester ..	716,354	17·0	16·7	19·3	19·7	2·9	446	270	50	61	-	11	3	1	21	3	1	9	20	77	4	Manchester.
Salford	244,636	14·5	15·8	14·9	18·5	1·5	175	87	17	29	-	1	-	1	2	-	3	1	5	28	-	Salford.
Oldham	144,111	21·3	20·6	19·9	18·5	1·4	85	51	7	15	-	-	-	1	2	-	1	-	1	12	-	Oldham.
Rochdale	90,497	15·0	8·6	15·0	16·1	-	43	28	2	13	-	-	-	-	-	-	-	-	-	4	-	Rochdale.
Burnley	107,448	16·5	21·8	15·5	20·4	3·9	58	42	11	12	-	-	1	-	5	-	2	2	4	8	-	Burnley.
Blackburn	137,972	13·6	12·1	12·1	13·6	1·1	61	36	4	11	-	1	-	1	1	-	-	-	4	9	-	Blackburn.
Preston	119,253	20·6	14·0	15·7	17·5	1·3	69	40	14	5	-	-	1	1	-	-	1	1	1	10	-	Preston.
Barrow in Furness.	63,689	12·3	15·6	14·7	13·9	-	40	17	4	4	-	-	-	-	-	-	-	-	1	-	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 14th May, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 23rd Apr., 1910.	30th Apr., 1910.	7th May, 1910.	14th May, 1910.	Rate from Diseases in Cols 11–17. Week ended 14th May, 1910.	Registered during the Week ended 14th May, 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	12·7	9·9	16·5	21·5	0·6	53	39	2	22	-	-	-	-	-	-	1	3	5	5	1	HUDDERSFIELD.
HALIFAX	112,818	17·6	10·6	13·4	14·3	0·9	47	31	2	13	-	1	-	-	-	-	1	4	5	7	-	HALIFAX.
BRADFORD	295,865	14·6	15·9	14·6	16·7	2·5	125	95	15	29	-	8	-	1	-	1	4	4	8	22	-	BRADFORD.
LEEDS	490,985	13·6	12·6	14·7	13·0	0·7	229	122	30	35	-	2	1	3	1	-	-	5	18	14	-	LEEDS.
DEWSBURY†	51,224	15·3	14·3	19·3	11·2	2·0	18	11	5	1	-	2	-	-	-	-	-	-	1	-	-	DEWSBURY.†
SHEFFIELD	478,763	13·2	12·2	10·7	14·7	1·4	243	135	38	45	-	-	1	1	9	-	2	2	7	31	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	9·4	14·1	9·4	14·9	0·8	30	19	4	4	-	-	-	-	1	-	-	1	2	3	-	ROTHERHAM.
YORK	88,159	7·7	10·1	8·9	11·8	0·6	45	20	2	6	-	1	-	-	-	-	-	1	1	4	-	YORK.
HULL	280,006	14·2	13·8	12·5	14·2	1·3	165	76	17	23	-	1	1	1	4	-	-	2	3	18	-	HULL.
MIDDLESBROUGH ..	107,014	19·0	19·0	15·6	16·1	0·5	60	33	5	7	-	-	-	-	-	-	1	2	3	7	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	16·5	11·7	22·3	15·5	1·0	26	16	2	3	-	-	-	1	-	-	-	1	1	1	2	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	14·0	8·9	12·7	12·1	-	43	19	5	4	-	-	-	-	-	-	-	1	1	3	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	18·5	13·3	16·2	12·9	1·0	89	40	11	6	-	1	1	1	-	-	-	3	5	8	1	SUNDERLAND.
SOUTH SHIELDS ..	119,737	9·6	14·8	16·5	16·1	1·7	72	37	12	8	1	1	-	-	2	-	-	-	-	5	2	SOUTH SHIELDS.
GATESHEAD	133,676	15·6	11·3	12·9	13·3	2·3	81	34	15	11	-	1	-	-	2	-	3	1	3	2	4	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	12·8	10·6	14·4	12·6	0·7	137	69	13	19	-	-	-	1	2	-	1	2	5	12	1	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	18·5	18·5	14·8	16·6	2·8	38	18	5	4	-	-	-	-	1	-	2	-	2	2	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	10·5	12·4	13·7	15·0	2·0	51	23	5	4	-	-	-	1	2	-	-	2	2	2	-	NEWPORT (MON.).
CARDIFF	199,189	13·6	8·6	12·0	12·3	1·0	90	47	8	12	-	3	-	-	1	-	-	1	4	12	-	CARDIFF.
RHONDDA	138,674	13·9	15·0	13·5	11·7	-	112	31	5	7	-	-	-	-	-	-	-	3	3	1	-	RHONDDA.
MERTHYR TYDFIL..	79,522	20·3	21·0	21·6	20·3	5·9	46	31	7	11	-	8	-	-	-	-	1	2	4	6	1	MERTHYR TYDFIL.
SWANSEA	98,817	12·1	15·3	11·1	14·8	0·5	57	28	5	8	-	1	-	-	-	-	-	1	1	3	-	SWANSEA.
GREATER LONDON	7,537,196	11·8	11·8	11·4	12·1	1·1	3969	1756	324	576	-	70	7	15	42	3	15	64	164	677	2	GREATER LONDON.
OUTER RING ..	2,664,494	9·5	9·6	9·3	8·9	0·7	1440	457	81	165	-	15	4	4	10	1	-	16	45	101	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	9·5	9·1	8·8	8·7	0·9	717	220	40	75	-	12	3	1	5	1	-	4	22	59	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	9·4	10·1	9·8	9·2	0·5	723	237	41	90	-	3	1	3	5	-	-	12	23	42	2	REMAINDER OF OUTER RING.
EDINBURGH	360,276	14·2	16·1	16·4	13·2	0·7	184	91	18	29	-	3	-	-	-	-	2	2	?	38	5	EDINBURGH.
GLASGOW	884,505	15·9	16·5	14·7	14·6	1·6	498	248§	45	52	-	9	3	2	6	-	7	11	?	79	9	GLASGOW.
DUBLIN (Registration Area).‡	402,928	24·3	23·9	16·7	22·0	0·8	241	170	27	58	-	-	1	-	1	3	1	10	11	78	2	DUBLIN (Registration Area).‡
BELFAST†	291,167	21·3	23·1	22·3	22·7	4·1	214	170	29	31	-	23	-	1	6	1	-	4	7	41	2	BELFAST.†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the NINETEENTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2581	2510	2560	2615	2551	2645	2497	2537	2496	2339	2562·7	2529
Males - - -	1318	1284	1308	1316	1288	1367	1294	1335	1315	1202	1333·8	1293
Females - -	1263	1226	1252	1299	1263	1278	1203	1202	1181	1137	1228·9	1236
TOTAL **Deaths** -	1446	1386	1456	1278	1451	1324	1423	1431	1273	1216	1365·3	1299
Males - - -	767	715	785	663	762	704	731	726	649	677	714·1	692
Females - -	679	671	671	615	692	620	692	705	624	539	651·2	607

* The numbers in this column are the average weekly numbers in the Nineteenth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 19.	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	13 Weeks.
TOTAL **Births**	2325	2264	2393	2370	2344	2141	2312	2420	2372	2334	2372	2229	2529	30405
TOTAL **Deaths** -	1526	1386	1346	1254	1231	1263	1354	1377	1387	1226	1217	1167	1299	17033
Ages at Death: Under 1 year -	241	235	233	219	197	215	236	260	218	233	230	210	243	2970
1—5 years -	126	136	153	116	137	127	141	120	146	115	125	126	134	1702
5—20 " -	74	59	68	63	60	78	72	67	74	59	67	63	79	883
20—40 " -	159	162	133	148	149	143	161	165	170	148	141	135	151	1965
40—60 " -	341	261	272	248	247	289	280	310	277	269	265	244	281	3584
60 yrs. & upwds.	585	533	487	460	441	411	464	455	502	402	389	389	411	5929
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	26	14	39	15	24	24	22	33	46	27	33	40	55	398
Scarlet Fever - -	8	4	6	9	6	10	2	4	5	6	-	6	3	69
Diphtheria - -	11	11	9	6	6	10	8	6	8	5	6	6	11	103
Whooping-cough -	53	45	46	44	46	44	51	45	41	38	42	46	32	573
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	4	3	2	4	6	3	2	8	3	2	1	2	42
Pyrexia (origin uncertain).	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	8	11	10	13	11	5	9	11	9	10	8	11	15	131
All above diseases -	108	89	114	89	97	99	95	101	117	89	91	110	118	1317
Dis. of Resp. System	200	172	148	129	109	123	158	131	137	119	103	83	116	1728
Pneumonia - -	195	176	142	150	129	138	152	150	175	158	141	128	117	1951
Phthisis - - -	124	131	126	108	121	123	118	132	113	112	102	116	121	1547
Dis. of Circ. System -	220	176	198	172	184	194	193	219	183	181	178	148	173	2419
Violence - - -	62	42	49	50	37	46	58	46	64	52	46	60	48	660
Inquest Cases - -	173	121	135	143	118	107	144	133	129	132	141	130	119	1725
Deaths in Institutions	607	582	584	543	514	528	566	575	577	550	550	536	576	7288
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	44·7	42·5	41·8	46·0	40·1	42·0	41·9	42·8	48·8	49·3	45·4	46·3	47·5	44·5
Mean of Highest -	50·9	49·0	49·9	52·5	48·7	51·1	52·0	51·7	58·7	57·7	55·5	55·6	58·3	53·2
Mean of Lowest -	39·0	36·8	33·1	40·5	32·3	33·3	32·8	34·7	42·1	42·0	37·8	39·4	38·8	37·1
Mean Humidity of the Air.	80	83	83	87	75	80	74	79	79	82	73	77	76	79
Rain-fall (in inches) -	0·69	1·40	0·15	0·95	0·13	0·00	0·00	0·11	1·86	0·23	0·43	0·74	0·42	7·11
Registered Sunshine (in hours).	23·7	22·9	44·7	14·6	41·6	23·6	46·8	24·2	29·1	8·3	50·1	44·6	53·8	428·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1784	1765	1766	1754	1713	1650	1811	1554	1535	1510	1509	1506	1476	1626
Diphtheria - - -	903	911	901	884	872	855	856	848	816	812	798	784	775	847
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	66	76	78	89	88	88	85	81	81	69	66	62	62	76

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the NINETEENTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionabl should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 19th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1365·3	1299	243	134	79	151	281	411
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	50·6	55	14	39	2	–	–	–
Scarlet Fever	10·2	3	–	1	2	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	19·0	12	–	–	–	2	3	7
Whooping-cough	36·5	32	19	11	2	–	–	–
Diphtheria	9·4	11	1	5	5	–	–	–
Cerebro-spinal Fever ..	0·6	1	–	–	1	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	2·7	2	–	–	1	–	–	1
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	4·9	6	5	1	–	–	–	–
Diarrhœa, Dysentery ..	6·1	9	5	2	–	–	2	–
Tetanus	0·6	1	–	–	1	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	7·2	11	5	1	–	3	2	–
Puerperal Septicæmia ..	2·9	–	–	–	–	–	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·2	1	–	–	–	1	–	–
Infective Endocarditis ..	3·7	3	–	–	1	1	1	–
Pneumonia: Lobar ..	20·1	19	–	–	1	8	4	6
Pneumonia: Broncho ..	60·0	48	20	11	2	2	3	10
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	64·9	50	7	11	1	6	16	9
Erysipelas	3·7	1	–	–	–	–	1	–
Septicæmia (not Puerperal)	2·5	2	–	–	–	–	1	1
Pyæmia (not Puerperal)	0·4	1	–	–	–	1	–	–
Other Infective Processes	3·3	8	–	–	–	1	1	6
Tuberculous Phthisis ..	95·0	90	3	4	10	36	31	6
"*Phthisis*"	40·3	31	–	1	2	14	14	–
Tuberculous Meningitis ..	25·2	30	5	16	8	1	–	–
Tuberculous Peritonitis ..	5·9	3	1	1	1	–	–	–
Tabes Mesenterica	1·8	1	1	–	–	–	–	–
Tuberculous Dis., Other ..	20·9	18	3	2	2	6	2	3
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	9·0	2	–	–	–	–	1	1
Rheumatic Fever	4·3	8	–	–	3	2	1	2
Gout	2·3	–	–	–	–	–	–	–
Carcinoma	56·5	62	–	–	1	3	32	26
Sarcoma	5·3	7	–	–	1	1	4	1
Cancer (undefined) ..	35·6	35	–	–	–	2	13	20
Diabetes Mellitus	7·6	10	–	–	1	1	3	5
Premature Birth	43·8	46	43	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 19th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
Meningitis (not tuberc.)..	16·0	12	2	4	3	1	2	
Gen. Par. of Insane, Insanity	12·9	16	–	–	–	4	9	
Epilepsy	8·2	5	–	–	1	1	2	
Convulsions	12·9	10	10	–	–	–	–	
Locomotor Ataxy.. ..	1·2	1	–	–	–	–	1	
Paraplegia, Dis. of Cord.	7·0	5	–	–	–	–	2	
Nervous Sys., Other Dis.	17·8	15	–	1	1	1	7	
Valv. Dis., Endocarditis..	49·4	53	–	–	3	12	13	
Cereb. Hæm. Cereb. Emb.	33·4	37	–	–	–	3	16	
Apoplexy, Hemiplegia ..	12·3	10	–	–	–	2	2	
Aneurysm	4·5	4	–	–	–	–	3	
Embolism, Thrombosis (not Cerebral) ..	1·4	1	–	–	–	1	–	
Heart & Blood Ves., Other Dis... ..	81·3	68	–	1	3	4	17	
Croup (not Spasm: nor Memb.)	0·2	1	–	1	–	–	–	
Bronchitis	93·2	101	15	4	–	1	14	
Emphysema, Asthma ..	1·8	3	–	–	–	–	–	
Pleurisy	3·1	3	–	1	1	–	–	
Respiratory Dis., Other..	8·2	8	2	1	1	1	–	
Tonsillitis, Quinsy.. ..	0·2	–	–	–	–	–	–	
Enteritis (not Epid.) ..	7·6	4	2	–	–	–	–	
Gastro-enteritis	4·3	6	5	1	–	–	–	
Peritonitis (not Puerp.) ..	2·0	6	–	1	1	1	2	
Cirrhosis of Liver.. ..	14·1	9	–	–	–	1	4	
Liver Dis., Other	3·7	5	–	–	–	–	4	
Digestive Sys., Other Dis.	38·1	35	3	1	5	9	7	
Acute Nephritis	9·0	9	–	–	1	1	2	
Bright's Dis., Albuminuria	40·8	32	–	–	–	1	15	
Urinary Sys., Other Dis.	10·6	14	–	–	–	–	4	
Generative Organs Dis...	4·5	4	1	–	–	–	2	
Childbirth (Accid. of) ..	2·7	3	–	–	–	3	–	
Old Age	55·9	59	–	–	–	–	–	
Other Diseases	84·7	93	57	6	7	5	7	
ACCIDENT.								
By Railways	2·0	–	–	–	–	–	–	
By Vehicles and Horses..	8·0	6	–	3	2	1	–	
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	–	–	–	–	–	–	
In Building Operations..	2·0	1	–	–	–	–	1	
In Conflagrations	0·6	–	–	–	–	–	–	
By Burns, Scalds, Explosions	4·3	2	–	1	–	–	–	
By Drowning	3·9	5	–	–	1	2	1	
By Suffocation in Bed ..	6·6	7	7	–	–	–	–	
By Poisons or Poisonous Vapours	1·6	3	1	–	–	–	2	
Other Deaths by Accident..	16·8	13	3	1	–	3	1	
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	2	–	1	–	1	–	
Suicide	12·5	9	–	–	1	1	6	
Execution	–	–	–	–	–	–	–	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th May, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2529	1299	243	411	-	55	3	11	32	2	15	121	48	119	576	-
WEST DISTRICTS	805,311	363	206	31	68	-	10	-	3	5	-	5	18	5	11	88	-
NORTH DISTRICTS	1,055,908	591	285	55	91	-	5	2	1	10	-	2	23	11	28	111	-
CENTRAL DISTRICTS	209,465	126	67	18	14	-	1	-	-	1	-	-	4	3	6	41	-
EAST DISTRICTS	715,739	464	232	64	69	-	10	-	1	8	-	3	23	9	24	129	-
SOUTH DISTRICTS	1,749,844	985	467	75	158	-	29	1	6	8	2	3	46	20	50	165	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	42	-	11	-	-	-	-	-	-	2	7	-	-	42	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	36	11	4	2	-	2	-	-	-	-	1	-	-	1	1	-
Central Paddington *W,3H*	50,053	29	19	3	2	-	2	-	-	-	-	-	4	1	3	11	-
South Paddington	30,320	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington South† *W,3H*	85,610	27	21	-	13	-	-	-	1	-	-	-	1	-	-	8	-
Kensington Central† *W,H*	42,774	26	6	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Kensington North† *w*	48,244	31	20	2	8	-	1	-	-	-	-	-	1	-	-	11	-
North Hammersmith *2W,w,H* ..	49,192	35	11	2	4	-	-	-	1	-	-	-	2	-	-	3	-
South Hammersmith *w,2H* ..	63,047	15	11	2	6	-	-	-	-	-	-	-	1	1	1	3	-
North-west Fulham *W*	45,180	39	25	6	6	-	2	-	-	2	-	2	3	-	1	12	-
North-east Fulham *F*	46,405	22	6	1	1	-	2	-	1	1	-	-	-	-	-	3	-
South Fulham *W*	45,704	19	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	18	19	1	7	-	-	-	-	1	-	1	2	-	-	15	-
Chelsea South *W,2H*	31,328	9	10	3	3	-	-	-	-	1	-	-	1	1	1	3	-
Mayfair and Knightsbridge	28,743	7	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave *W,2H*	55,815	18	24	3	5	-	1	-	-	-	-	1	3	1	3	8	-
St. Margaret & St. John *6H*	43,698	20	14	4	2	-	-	-	-	-	-	-	-	-	-	8	-
St. James and St. Anne *W,6H* ..	33,081	8	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	21	13	2	1	-	-	-	-	-	-	-	1	1	1	5	-
St. Mary Marylebone *W,4H* ..	37,948	45	8	1	4	-	-	-	-	-	-	-	-	-	-	2	-
Christchurch Marylebone *H* ..	39,536	21	5	1	3	-	-	-	-	-	-	-	1	1	2	-	-
St. John Marylebone *2H*	20,426	12	4	1	-	-	1	-	-	-	-	-	-	-	1	1	-
Hampstead *W,F,6H*	81,942	33	24	5	9	-	-	1	-	-	-	-	1	-	-	5	-
West St. Pancras *2H*	60,562	33	10	1	3	-	-	-	-	1	-	-	1	1	3	4	-
South St. Pancras *w,10H*	55,707	23	13	2	1	-	-	-	1	1	-	-	1	-	-	11	-
East St. Pancras *W,H*	60,320	44	19	2	6	-	1	-	-	-	-	-	-	-	2	7	-
North St. Pancras *2W*	58,728	29	18	4	8	-	1	-	-	-	-	-	-	-	1	12	-
Islington *W*	31,995	17	23	2	11	-	-	-	-	-	-	-	6	1	1	20	-
Upper Holloway *2W,w,H*	33,978	14	24	2	8	-	-	-	-	1	-	-	4	-	4	16	-
Islington *W,w,H*	33,922	25	8	2	2	-	-	-	-	1	-	-	1	-	1	-	-
Lower Holloway	41,424	20	5	-	1	-	-	-	-	1	-	-	-	-	1	-	-
Hornsey	54,478	30	11	5	3	-	1	-	-	2	-	-	-	-	-	-	-
Islington South-east *F*	75,397	43	11	4	1	-	-	-	-	-	-	1	1	1	3	-	-
Shoreditch *2H*	63,797	29	9	1	3	-	-	-	-	-	-	-	1	-	-	2	-
Stoke Newington *H*	51,247	18	11	2	6	-	-	-	-	-	-	-	2	1	1	-	-
North Hackney	50,398	20	9	1	4	-	-	-	-	-	-	-	-	1	1	-	-
Central Hackney *2w,F*	50,536	37	6	1	-	-	-	1	-	-	-	-	-	-	-	1	-
South-west Hackney *3H*	59,921	39	17	5	2	-	1	-	-	-	-	-	1	3	3	6	-
South-east Hackney *2W,w,H* ..	58,265	38	37	11	15	-	-	-	-	3	-	1	2	1	3	19	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† On 1st May, 1910, the sub-district of Kensington Town was abolished, part being added to the sub-district of Brompton (re-named Kensington South), and the remainde forming the new sub-districts of Kensington Central and Kensington North

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEV DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturd 14th May, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	20	5	3	1	-	-	-	-	-	-	-	-	-	1	2
Strand *W*,4*H*	21,674	1	10	3	1	-	-	-	-	-	-	-	-	-	-	8
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Holborn *W*,5*H*	29,612	19	20	7	3	-	-	-	-	1	-	-	1	-	-	16
Clerkenwell *H*	63,704	40	8	2	1	-	1	-	-	-	-	-	2	1	2	-
St. Luke 3*H*,*L*	36,116	42	10	2	3	-	-	-	-	-	-	-	1	1	2	4
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	12	1	4	-	-	-	-	-	-	-	-	1	1	9
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	19	9	5	-	-	3	-	-	-	-	-	2	-	-	3
Shoreditch North-West *W*,*w*,*H* ..	36,127	24	26	4	16	-	-	-	-	-	-	1	2	1	1	19
Shoreditch North-East	36,148	25	6	2	1	-	1	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	32	29	8	7	-	-	-	-	-	-	1	7	1	2	22
Bethnal Green South-West *H* ..	64,542	41	8	6	1	-	-	-	-	-	-	-	-	1	1	-
Spitalfields..	27,969	20	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	23	25	5	1	-	-	-	1	-	-	-	1	1	1	24
Goodman's Fields	22,081	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	33	21	3	8	-	-	-	-	-	-	-	3	1	4	9
Shadwell and Ratcliff *w*,*H* ..	25,568	16	21	11	1	-	4	-	-	3	-	-	-	2	3	18
Limehouse *W*	32,369	15	5	1	1	-	-	-	-	1	-	-	-	-	1	-
Mile End Old Town South-Western *H*	63,698	61	8	4	1	-	-	-	-	-	-	-	-	-	-	2
Mile End Old Town North-Eastern *W*,*w*	49,129	37	22	6	10	-	1	-	-	1	-	-	-	-	2	10
Bow	41,989	30	5	2	-	-	-	-	-	1	-	-	-	-	1	-
Bromley 3*w*,*H*	68,319	49	30	3	15	-	-	-	-	1	-	-	6	1	5	21
Poplar *W*,*w*	58,514	31	16	4	6	-	1	-	-	1	-	1	2	1	3	1
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th May, 1910

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
hristchurch and St. Saviour Southwark *W,2H*	23,319	12	18	2	1	-	1	-	-	-	1	-	2	2	3	16	-
Kent-road	21,904	15	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	21	14	2	5	-	-	-	-	-	-	-	1	-	2	6	-
Newington North	49,022	27	5	-	1	-	2	-	-	-	-	-	-	-	1	-	-
Newington South *W*	72,841	41	8	3	4	-	1	-	-	-	-	-	-	-	2	2	-
St. Olave *2W*	9,817	6	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Bermondsey *W*	82,483	43	13	4	5	-	2	-	-	-	-	-	-	2	6	-	-
Rotherhithe *W,F*	38,460	16	21	5	7	-	-	-	-	1	1	-	2	1	1	11	-
Waterloo *2H*	27,440	27	4	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Lambeth Church *H*	27,440	19	22	3	6	-	-	-	-	-	-	-	5	1	4	14	-
Kennington *2W*	52,518	34	22	2	8	-	3	-	-	1	-	-	3	-	2	13	-
Stockwell *HF*	63,826	25	14	1	6	-	-	-	2	-	-	1	1	-	1	2	-
Brixton *H*	73,673	40	14	3	6	-	-	-	-	-	-	-	2	2	2	-	-
Norwood *2WH*	56,998	25	9	2	4	-	-	-	-	1	-	-	1	-	-	1	-
East Battersea *H*	72,203	47	12	2	3	-	-	-	-	-	-	-	2	-	-	1	-
North-west Battersea	49,656	27	10	2	3	-	-	-	-	1	-	-	2	-	1	-	-
South-west Battersea *2W,H* ..	47,048	12	37	5	12	-	8	-	-	1	-	1	1	2	3	24	-
Clapham *2H*	51,361	24	10	1	3	-	2	-	-	-	-	-	2	-	1	-	-
Streatham *W,2w,2F,2L*	88,019	56	28	2	15	-	-	-	1	-	-	-	2	3	4	7	-
Springfield *2W,L*	27,959	17	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Southfields *H*	40,444	34	6	3	1	-	-	-	-	-	-	-	-	1	2	1	-
Putney	24,139	13	6	1	1	-	-	-	-	-	-	-	1	1	2	-	-
Dulwich	13,359	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	21	17	1	7	-	-	-	-	-	-	-	3	-	1	13	-
Camberwell North *W,2L*	65,584	36	33	3	10	-	-	-	-	-	-	1	3	-	1	24	-
St. George	47,331	27	10	-	4	-	2	-	-	-	-	-	2	-	1	-	1
Peckham North	48,913	29	9	1	3	-	2	-	-	-	-	-	-	1	2	-	-
Peckham South *2W,w*	43,946	21	9	2	4	-	-	-	-	-	-	-	-	-	1	-	-
Deptford North	37,613	19	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Deptford Central *F*	45,481	31	11	4	2	-	-	1	1	-	-	-	-	1	1	2	-
Deptford South	34,625	15	6	2	2	-	-	-	-	1	-	-	2	-	-	-	-
Greenwich West *H*	23,456	10	9	2	4	-	1	-	-	-	-	-	-	-	-	1	-
Greenwich East *2W,H*	43,859	24	21	4	7	-	4	-	-	-	-	-	2	1	1	11	-
Eltham *w,H*	7,226	3	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-
Lee *w,H*	25,490	15	7	1	2	-	1	-	-	-	-	-	1	-	-	-	-
Lewisham *2W,w,F*	58,352	51	14	2	4	-	-	-	-	1	-	-	-	-	-	6	-
Sydenham *H*	43,653	30	16	3	8	-	-	-	1	1	-	-	1	-	-	-	-
Charlton *F,2H*	21,134	12	4	-	-	-	-	-	1	-	-	-	1	-	-	2	-
Woolwich *5H*	41,625	22	5	-	3	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead West *W,H*	39,376	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	22	12	1	4	-	-	-	-	-	-	-	3	-	-	6	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
L. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L. A. B. Fever Hospitals:—																	
Core Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
L. A. B. Imbecile Asylums:—																	
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	1	-	-	2	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	3	-	1	-	-	-	-	-	-	-	1	-	-	3	-
London County Lunatic Asylums:—																	
Banstead	—	-	7	-	2	-	-	-	-	-	-	-	2	-	-	7	-
Cowell (Epileptic Colony)	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Horton	—	-	5	-	1	-	-	-	-	-	-	1	-	-	-	5	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	6	-
Lane Hill	—	-	3	-	-	-	-	-	-	-	-	-	1	-	-	3	-
Hartford Heath	—	-	5	-	2	-	-	-	-	-	-	1	-	-	-	5	-
Manwell	—	-	3	-	1	-	-	-	-	-	-	-	1	-	-	3	-
Colney Hatch	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Claybury	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Bo Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERAT POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday. 14th May, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1440	457	81	165	-	15	4	4	10	1	-	16	45	101
31 : 1	Carshalton 2F,3H	12,228	32,997	14	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	6	2	-	2	-	-	-	-	-	-	-	-	-	-
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	2	-	-	-	-	-	-	-	-	-	-	-	1
39 : 1	Coulsdon	11,069	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	23	6	2	-	-	1	-	-	-	-	-	-	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	39	13	4	5	-	1	-	-	-	-	-	1	2	5
4	North Croydon H	2,644	41,698	26	8	2	2	-	1	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	6	3	-	2	-	-	-	-	-	-	-	-	1	-
6	Mitcham w	11,711	30,015	26	14	2	3	-	1	-	1	-	-	-	2	3	-
40 : 1	Wimbledon F,3H	3,221	41,652	27	7	2	2	-	-	-	-	-	-	-	-	-	1
2	Kingston 2W,H	6,224	42,068	27	14	2	5	-	-	-	-	-	-	-	1	2	6
3	Surbiton F,H	3,046	15,017	4	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	2	3	1	1	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	11	3	-	1	-	-	-	-	-	-	-	1	2	-
41 : 1	Richmond W,H	2,491	31,672	15	12	1	7	-	-	-	1	-	-	-	-	1	1
2	Mortlake F	2,518	17,821	14	3	-	2	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	13	4	1	1	-	-	-	-	-	-	-	-	-	1
2	Beckenham H	7,832	28,454	15	2	-	1	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	6	6	1	4	-	-	-	-	-	-	-	-	-	4
4	Chislehurst 2H	7,333	16,446	11	3	-	3	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	7	3	1	2	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	22	4	2	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Sunbury w	11,054	18,683	8	5	1	2	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	15	2	-	2	-	-	-	-	-	-	-	-	-	1
127 : 1	Hillingdon W,F,H	8,035	13,661	6	2	-	2	-	-	-	-	-	-	-	1	1	1
2	Uxbridge H	12,757	8,984	8	2	-	1	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	20	8	2	2	-	-	-	-	1	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	30,863	30	11	1	5	-	1	-	-	-	-	-	-	2	3
2	Twickenham F,2H	3,421	26,991	18	3	1	1	-	-	-	-	-	-	-	2	3	1
3	Brentford 3F,2H	4,319	48,289	30	7	2	1	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	15	8	2	3	-	1	-	-	-	-	-	1	1	-
5	Acton w,F,3H	6,132	48,914	54	8	1	2	-	-	-	-	-	-	-	1	2	-
129 : 1	Willesden W,F,2H	4,384	114,811	97	21	1	7	-	1	-	-	-	-	-	1	3	4
130 : 1	Harrow F,H	13,809	25,523	27	7	1	4	-	-	-	-	-	-	-	1	1	-
2	Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	16	3	2	-	-	-	-	-	-	-	-	-	-	1
131 : 1	South Mimms 2F,H ..	17,755	7,308	4	2	1	1	-	-	-	-	-	-	-	-	1	-
2	Barnet W,2H	3,324	17,970	10	4	1	1	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,638	33,692	21	5	1	2	-	-	-	-	2	-	-	-	-	-
132 : 1	Hornsey F,H	2,875	72,056	29	13	-	7	-	-	-	-	-	-	-	-	3	1
2	Wood Green H	1,625	34,233	36	10	-	6	-	-	-	1	2	-	-	-	-	-
3	West Tottenham	995	48,741	34	8	-	3	-	-	-	-	-	-	-	-	3	-
4	East Tottenham 2H ..	2,019	53,962	39	21	3	10	-	-	-	-	1	-	-	1	3	7
5	Edmonton W,w,2F	7,491	61,892	57	15	3	6	-	-	-	-	-	-	-	-	1	10
6	Enfield 2W,F,H	12,601	42,738	22	11	1	3	-	-	1	-	-	-	-	-	-	3
7	Waltham Abbey F	11,017	6,549	4	3	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	4	1	-	1	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** H ..	9,195	7,051	3	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	1	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	29	11	4	3	-	1	-	-	-	-	-	-	-	1
2	Forest Gate	787	52,745	21	7	-	3	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	86	15	3	2	-	-	1	-	1	-	-	-	1	3
4	Canning Town H	1,556	70,718	68	12	1	7	-	-	-	-	1	-	-	-	1	-
5	South East Ham 2F ..	1,991	37,342	27	12	3	3	-	2	-	1	-	-	-	-	-	1
6	North East Ham w,H ..	1,333	58,666	61	14	6	2	-	-	-	-	-	-	-	-	2	-
7	Wanstead F	1,679	9,179	1	3	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	34	10	1	6	-	-	-	-	-	-	-	-	-	4
9	North Leyton 2W,w,F ..	1,963	48,445	42	30	5	7	-	3	1	-	2	-	-	1	2	23
10	Walthamstow 2H,L ..	6,504	108,929	70	16	5	4	-	2	-	-	-	-	-	2	2	1
189 : 1	Chigwell 2F,3H	11,778	16,397	8	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	4
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	2	5	1	2	-	-	-	-	-	-	-	-	-	1
2	Ilford F,L	8,496	41,244	42	9	2	3	-	-	-	-	-	-	-	-	-	-
3	Barking Town F	3,805	21,547	19	3	2	1	-	-	-	-	-	-	-	-	-	2
	N.E. Hospital, Tottenham..	—	—	-	2	-	-	-	-	1	-	-	-	-	-	-	3
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	1
	London County Lunatic Asylum (Long Grove), Epsom.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	-	-	-	-	-	-	1	-	-	1	1
	Essex County Lunatic Asylum, Brentwood.	—	—	-	4	-	2	-	-	-	-	-	-	-	-	-	4

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Out Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Eshe parish: 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting th part in Watford Rural parish: 140 : 2, Oxhey parish: 191 : 1, Dagenham parish. Deaths belonging to the Outer Rin

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ONDON* - -	4,872,702	May	14	2529	1299	13·9	-	55	3	12	32	2	20
LCUTTA - -	1,009,008	April	16	-	469‡	24·1	6	6	-	1	1	7	17
OMBAY - -	977,822	"	26	349	831‡	44·2	48	3	-	-	-	5	30
ADRAS - -	509,346	"	15	324	364	37·1	4	8	?	?	?	-	22
RIS* - -	2,772,467	May	7	973	986	18·7	-	30	2	5	9	2	19
USSELS* - -	720,030	"	7	225	226	16·3	-	5	1	1	4	-	14
TWERP* - -	314,135	"	7	126	91	15·1	-	8	-	-	1	-	7
ISTERDAM* -	569,948	"	7	285	138	12·6	-	3	-	1	2	-	4
PENHAGEN -	450,000	"	7	209	129	14·9	-	-	4	-	-	-	2
OCKHOLM -	339,582	April	30	164	128	19·5	-	4	7	3	3	1	1
RISTIANIA -	235,674	May	7	117	45	9·9	-	-	-	-	-	-	1
PETERSBURG	1,620,000	April	23	807	863	27·8	3	82	16	7	9	13	70
SCOW - -	1,493,600	"	23	-	-	-	-	-	-	-	-	-	-
RLIN - -	2,115,912	"	23	774	610	15·0	-	5	7	13	3	-	30
MBURG - -	895,804	May	7	-	239	13·9	-	5	-	10	2	1	11
ESLAU - -	507,500	April	30	255	185	19·0	-	-	1	1	1	-	17
NICH - -	576,000	"	30	277	182	16·4	-	1	3	-	1	-	12
ENNA* - -	2,107,981	May	7	876	808	19·9	-	41	3	6	12	3	46
AGUE* - -	497,905	April	16	201	218	22·8	-	3	1	-	-	-	17
DAPEST* -	833,703	"	30	423	295	18·4	-	9	9	1	3	2	8
ESTE* - -	221,124	May	7	139	100	23·5	-	-	-	-	-	-	5
ME - - -	584,308	March	19	286	213	19·0	-	13	-	2	-	3	6
NICE - -	183,224	April	23	84	70	19·9	-	2	-	-	-	1	5
CAREST - -	297,643	March	12	218	166	29·1	-	3	3	1	-	-	4
W YORK* -	4,711,956	April	23	2213	1561	17·3	1	33	31	50	4	5	41
CAGO* - -	2,282,927	"	23	-	689	15·7	-	7	10	16	6	1	49
LADELPHIA*	1,598,400	March	26	-	624	20·3	-	-	3	14	4	3	21
DE JANEIRO	842,822	April	3	-	315	19·5	-	-	-	-	1	2	?
RO:—*													
gyptians -	616,183	"	15	636	440	37·1	1	9	-	3	?	2	61
reigners -	61,480	"	15	2	19	16·2	-	-	-	-	?	1	4
XANDRIA:—*													
gyptians -	317,454	"	15	294	206	34·3	-	23	-	2	?	5	26
reigners -	67,966	"	15	4	20	15·4	-	2	-	-	?	-	2

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to
ren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 60 deaths from *plague* in Calcutta and 203 in Bombay, and from *Asiatic cholera*, 65 deaths in Calcutta
1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 14th May, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
ON (Greenwich)	67·0	30·4	48·5	0·42	BRADFORD - -	62·8	33·2	46·2	0·40
HTON - -	-	-	-	-	YORK - - -	—	—	—	—
SMOUTH - -	69·5	34·5	48·9	0 57	HULL - - -	64·0	34·0	48·1	0·64
WICH - -	65·4	31·4	48·8	1·13	TYNEMOUTH - -	56·0	34·0	44·4	0·87
OUTH -	61·2	36·8	48·1	0·95	CARDIFF - - -	65·1	33·1	48·1	0·29
TOL - - -	68·1	31·8	48·3	0·37	EDINBURGH - -	60·4	30·3	44·6	0·62
INGHAM - -	65·8	32·8	47·4	0·36	GLASGOW - -	64·7	30·5	47·2	0·34
INGHAM - -	66·0	28·0	47·3	0·19	DUBLIN { Phœnix Park.	57·5	29·9	44·7	0·25
RPOOL SERVATORY	66·0	37·6	48·5	0·30	DUBLIN { Fitz-william Square.†	58·6	35·0	46·5	0·30
CHESTER -	65·8	32·8	47·4	0·46					
ULEY - -	65·0	31·0	45·8	0·25					
DERSFIELD -	64·0	32·8	46·8	0·64	BELFAST - - -	64·0	35·0	45·7	0·42

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to
eventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The
ection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the
e was 1·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 14th May, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 8	Perigee	29·471	54·1	35·6	18·5	42·1	− 8·9	37·6	4·5	15·0	1·3	84	112·2	30·2	47·32	SW. & WSW.	Calm, NNW. & N.	4·3	0·0	0·2	255	+ 3	0·04	2·2
MONDAY - 9	New	29·608	53·2	33·6	19·6	40·4	−10·8	38·1	2·3	12·0	0·0	92	104·8	28·0	47·31	NNW., NW. & W.	N. & calm	2·0	0·0	0·1	164	− 86	0·13	2·0
TUESDAY - 10	..	29·879	56·0	30·4	25·6	43·8	− 7·7	34·9	8·9	17·7	0·0	71	113·7	25·1	47·14	Calm, NE. & ENE.	ENE. & ESE.	2·1	0·0	0·1	154	− 94	0·00	6·0
WEDNESDAY 11	..	29·905	59·0	36·7	22·3	47·2	− 4·6	39·4	7·8	17·5	1·9	74	117·7	27·0	47·03	NE. & NNE.	NE., NNE. & N.	7·7	0·0	0·8	468	+218	0·07	3·0
THURSDAY - 12	Greatest Dec. N.	29·492	59·4	44·9	14·5	51·4	− 0·7	44·1	7·3	14·7	1·9	76	122·2	42·3	47·10	N., NE. & E.	E., ENE. & NE.	8·0	0·0	0·8	461	+206	0·17	9·5
FRIDAY - 13	..	29·633	59·3	45·1	14·2	51·3	− 1·1	44·0	7·3	12·2	2·1	76	103·2	36·9	47·38	E., ESE. & SE.	SE. & ESE.	16·8	0·0	0·6	370	+106	0·00	10·7
SATURDAY - 14	..	29·738	67·0	45·3	21·7	56·4	+ 3·8	42·9	13·5	21·8	2·1	61	122·0	35·3	47·78	ESE., ENE. & E.	E. & ENE.	17·0	0·0	0·5	342	+ 68	0·01	0·8
MEANS - -		29·675	58·3	38·8	19·5	47·5	− 4·3	40·1	7·4	15·8	1·3	76	115·1	32·1	47·29	Variable		..	..	..	Sum 2214	Sum +421	Sum 0·42	4·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 8	m.P. till 10h. A.M.; s. P. & s. N. till 2h. P.M.; m. P. afterwards.	5·4	15·1
MONDAY - 9	m.P. till 6h. A.M.; s.P. till 1h. P.M.; s.P. & s.N. till 8h. P.M.; s.P. after.	2·5	15·2
TUESDAY - 10	s.P. till 11h. A.M.; m.P. till 3h. P.M.; w.P. till 7h. P.M.; m.P. till 8h. P.M.; then s.P.	13·4	15·2
WEDNESDAY 11	m.P. generally with occasional s. N. after 7h. P.M.	4·9	15·3
THURSDAY - 12	v.P. & s.N. till 4h. A.M.; w.P. generally till 7h. P.M.; s. P. and s. N. till 9h. P.M.; then m. P.	11·2	15·4
FRIDAY - 13	w. P. generally.	5·6	15·4
SATURDAY - 14	w. P. generally	10·8	15·5
		Sum 53·8	Sum 107·1
No. of Col. -	27	28	29

GENERAL REMARKS.

Very fine generally till 11h. A.M.; overcast or cloudy afterwards; intermittent showers between 11h. A.M. and 3h. P.M.; occasional lightning and thunder between 11h. 25m. A.M. and noon.

Variably cloudy till 7h. A.M.; overcast and dull till 11h. A.M.; fine and variably cloudy afterwards; occasional showers of rain, sleet or hail after 9h. P.M.; slight mist at night.

Very fine and bright throughout; hoar frost in morning and at night.

Very fine generally with cloudy intervals till 1h. P.M.; then overcast with frequent rain after 7h. P.M.; hoar frost in early morning; brisk wind prevalent after 10h. A.M.

Overcast in morning with short sharp thunderstorm at and about 1h. A.M.; very fine and bright between 8h. A.M. and 7h. P.M.; then cloudy; brisk wind continuing till 5h. A.M., and at intervals during the day; sharp showers at 7h. 20m. P.M.

Generally cloudy with light showers occasionally till 9h A.M.; fine and partially cloudy till 10h. P.M.; nearly cloudless afterwards.

Very cloudy with slight rain until after 6h. A.M.; bright intervals until 9h. A.M.; then very fine with little cloud until 11h. P.M.; after which clouds increased again.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1903.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·49 in. at the beginning of the week to 29·43 in. by 11h. A.M. on the 8th; increased to 30·02 in. by 4h. A.M. on the 11th; decreased to 29·41 in. by 7h. A.M. on the 12th; increased to 29·53 in. by 8h. P.M. on the same day; decreased to 29·44 in. by 4h. A.M. on the 13th; increased to 29·80 in. by 3h. A.M. on the 14th; and decreased to 29·67 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 7th May, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	1	4	-	2	-	-	3	-	1
Kensington	184,635	-	3	3	-	-	-	-	2	-	1
Hammersmith	127,413	-	9	1	-	-	-	-	1	-	-
Fulham	181,282	-	9	4	-	-	-	-	1	-	-
Chelsea	75,457	-	5	-	-	-	-	-	-	1	-
City of Westminster ..	167,233	-	6	1	-	1	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	2	1	-	-	-	-	2	-	-
Hampstead	95,729	-	1	1	-	2	-	-	-	-	-
St. Pancras	237,792	-	12	6	-	1	-	-	1	-	-
Islington	353,356	-	10	4	-	-	-	-	7	-	-
Stoke Newington	54,838	-	1	1	-	-	-	-	-	-	-
Hackney	239,979	-	6	3	-	-	-	-	6	1	-
CENTRAL.											
Holborn	53,142	-	1	-	-	-	-	-	-	-	-
Finsbury	94,578	-	4	2	-	-	-	-	3	-	-
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	3	2	-	1	-	-	3	-	-
Bethnal Green	131,579	-	3	3	-	-	-	-	2	-	-
Stepney	314,379	-	6	9	-	1	-	-	3	1	-
Poplar	172,432	-	5	3	-	-	-	-	5	1	-
SOUTH.											
Southwark	211,832	-	8	2	-	1	-	-	4	-	-
Bermondsey	127,238	-	8	2	-	-	-	-	1	-	1
Lambeth	327,074	-	26	5	-	-	-	-	2	-	-
Battersea	188,222	-	8	3	-	1	-	-	2	-	1
Wandsworth	305,838	-	7	3	-	-	-	-	1	1	-
Camberwell	286,058	-	7	6	-	-	-	-	2	-	-
Deptford	119,642	-	4	2	-	1	-	-	2	-	-
Greenwich	112,935	-	3	2	-	-	-	-	5	-	-
Lewisham	164,899	-	17	9	-	-	-	-	3	-	-
Woolwich	135,422	-	13	6	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	188	88	-	11	-	-	64	5	4
Ages 0-1		-	-	3	-	-	-	-	2	-	2
" 1-5		-	61	32	-	3	-	-	-	-	2
" 5-		-	64	35	-	1	-	-	1	-	-
" 10-		-	30	8	-	-	-	-	3	-	-
" 15-		-	17	2	-	3	-	-	3	-	-
" 20-		-	6	5	-	-	-	-	1	-	-
" 25-		-	9	3	-	2	-	-	13	2	-
" 35-		-	1	-	-	2	-	-	11	3	-
" 45-		-	-	-	-	-	-	-	12	-	-
" 55-		-	-	-	-	-	-	-	8	-	-
" 65 and upwards		-	-	-	-	-	-	-	10	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns relating to Metropolitan Water, London.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of April, 1910. The supply was in the ratio of 198 gallons to one service. The area of supply of the Metropolitan Water Board is much more extensive than that of the Administrative County of London, the Water Board's statutory area of supply being over 537 sq. miles, as against 117 sq. miles of the County.*

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	April, 1909.	April, 1910.	April, 1909.	April, 1910.
Total - - - - - -	1,089,377*	1,089,192*	221,441,674*	215,521,092*
New River - - - - - - -	214,926	216,765	43,279,235	42,222,434
Eastern - - - - - - -	244,411	247,024	43,282,866	43,461,900
Western { Chelsea, Grand Junction, West Middlesex } - -	223,006	225,003	54,453,564	54,661,219
Southern { Lambeth - - - Southwark and Vauxhall }	287,473*	279,816*	60,465,463*	55,675,478*
Kent - - - - - - - -	119,561	120,584	19,960,546	19,500,061

* The figures for April, 1910, are exclusive of bulk supply to the Corporations of Croydon and Richmond and of services under their control. Those for April, 1909, however, include supply and services in these boroughs. The figures marked with an asterisk are, therefore, not strictly comparable.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 20. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, MAY 21. [Price 1½*d.*

General Register Office, Somerset House,
May 23rd, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 12·4 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 13·1, 13·1, and 13·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·2 in Barrow in Furness, 17·3 in Dewsbury, 17·5 in Grimsby, 17·9 in Preston, 18·5 in Middlesbrough, 19·0 in Newport (Mon.), 22·8 in Stockport, 23·1 in Tynemouth, and 27·5 in Merthyr Tydfil; from *measles*, 1·1 in Liverpool, 1·3 in Stoke on Trent and in Preston, 1·5 in Wolverhampton, 1·6 in Bradford, 1·9 in Stockton on Tees, 2·5 in Stockport, 2·8 in Burton upon Trent, and 6·6 in Merthyr Tydfil; and from *whooping-cough*, 1·8 in Manchester, 1·9 in Burton upon Trent, and 2·0 in Newport (Mon.). No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 1610 BIRTHS and 1063 DEATHS were registered. Allowing for increase of population, the births were 864 and

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(16585—41.) Wt. 91—429. 700. 5/10. D & S. G. 31. Sch. 4. U

the deaths 250 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 13·0, 12·5, and 13·9 per 1000 in the preceding three weeks, fell last week to 11·4. The death-rate in the four weeks ended last Saturday averaged 12·7 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1063 deaths included 48 from measles, 4 from scarlet fever, 8 from diphtheria, 42 from whooping-cough, 1 from enteric fever, and 14 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 117 deaths were referred, being 10 below the corrected average number in the twentieth week of the preceding five years.

The deaths from *measles*, which had been 33, 40, and 55 in the preceding three weeks, were 48 last week, the corrected average being 47; 5 deaths belonged to the Borough of St. Pancras, 5 to Bethnal Green, 4 each to Paddington, Southwark, Lambeth, Camberwell, and Greenwich, and 3 each to Battersea and Wandsworth. The deaths from *scarlet fever*, which had been 0, 6, and 3 in the preceding three weeks, were 4 last week, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 6, 6, and 11 in the preceding three weeks, were 8 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 42, 46, and 32 in the preceding three weeks, were 42 last week, and were the same as the corrected average; 10 deaths belonged to St. Pancras, 5 to Wandsworth, 4 to Hackney, and 3 each to Islington, Shoreditch, Battersea, and Camberwell. One death from *enteric fever* was registered, as compared with 2, 1, and 2 in the preceding three weeks, the corrected average being 3. The deaths from *diarrhœa*, which had been 8, 11, and 15 in the preceding three weeks, were 14 last week, and were 1 below the corrected average. Of the 14 deaths from diarrhœa, 10 were those of children under 5 years of age; 4 other deaths at this age were certified as due to *enteritis*, and 1 to *gastro-enteritis*, all of these deaths, except one from diarrhœa, being those of children under 2 years of age. The deaths attributed directly to *influenza* numbered 4, having been 12, 13, and 12 in the preceding three weeks.

Different forms of violence caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 48 were attributed to accident or negligence. Thirteen of these latter were referred to vehicles in the streets, two to burns or scalds, three to drowning, and ten, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1476 cases of scarlet fever, 753 of diphtheria, and 58 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 190 cases, against 192, 179, and 177; of diphtheria, 62 cases, against 81, 72, and 91; and of enteric fever, 6 cases, against 6, 10, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended May 14th, 1910.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 2545 births and 1526 deaths were registered. Allowing for increase of population, these numbers are 1367 and 327 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from scarlet fever, 3 from diphtheria, 6 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·60 inches, and that of the Thermometer 58°·9, the latter being 5°·5 above the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 27 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 49·2 hours; the measured rainfall amounted to 0·89 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 21st May, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 30th Apr., 1910.	7th May, 1910.	14th May, 1910.	21st May, 1910.	Rate from Diseases in Cols. 11–17. Week ended 21st May, 1910.	Registered during the Week ended 21st May, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**13·1**	**13·1**	**13·8**	**12·4**	**1·2**	**6019**	**4043**	**830**	**1200**	**-**	**141**	**25**	**37**	**154**	**11**	**32**	**170**	**324**	**1052**	**24**	**77 TOWNS.**
LONDON	4,872,702	13·0	12·5	13·9	11·4	1·3	1610	1063	212	314	-	48	4	8	42	1	14	58	130	424	-	LONDON.
CROYDON	164,485	10·5	10·5	8·6	8·6	1·3	56	27	4	11	-	2	2	-	-	-	-	1	3	11	-	CROYDON.
WILLESDEN ..	166,088	7·2	6·3	6·6	8·5	0·6	47	27	4	12	-	2	-	-	-	-	-	1	1	9	-	WILLESDEN.
HORNSEY	98,561	6·9	5·8	7·9	7·4	-	11	14	1	6	-	-	-	-	-	-	-	-	1	1	-	HORNSEY.
TOTTENHAM ..	132,803	10·6	6·3	14·1	11·0	0·4	62	28	8	7	-	-	-	-	1	-	-	4	5	6	-	TOTTENHAM.
WEST HAM ..	328,585	11·3	11·6	9·5	8·6	0·3	133	54	8	14	-	-	2	-	-	-	-	4	9	16	-	WEST HAM.
EAST HAM.. ..	156,208	9·7	9·7	9·3	6·7	0·7	55	20	8	8	-	-	-	-	1	-	1	-	-	2	-	EAST HAM.
LEYTON	133,436	5·9	6·6	7·0	7·0	1·2	45	18	2	7	-	1	-	1	1	-	-	1	1	4	-	LEYTON.
WALTHAMSTOW	141,748	7·0	8·8	5·5	9·2	0·7	46	25	4	10	-	2	-	-	-	-	-	-	2	2	-	WALTHAMSTOW.
HASTINGS	68,520	13·7	12·2	14·5	14·5	1·5	10	19	1	13	-	-	-	-	2	-	-	-	1	4	-	HASTINGS.
BRIGHTON	131,900	12·7	7·9	12·7	14·2	0·4	48	36	5	13	-	-	-	-	1	-	-	1	4	8	-	BRIGHTON.
PORTSMOUTH ..	217,989	10·8	13·2	13·2	11·5	1·7	86	48	7	13	-	1	2	1	3	-	-	3	3	9	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	14·8	12·7	13·4	14·8	0·7	17	21	2	9	-	-	-	1	-	-	-	-	-	4	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	9·8	9·8	14·4	11·1	0·4	52	27	2	13	-	-	-	-	-	-	1	-	1	6	-	SOUTHAMPTON.
READING	84,355	10·5	13·0	8·7	8·7	-	27	14	4	8	-	-	-	-	-	-	-	1	1	2	-	READING.
NORTHAMPTON ..	99,113	12·6	12·1	11·6	8·9	-	36	17	3	3	-	-	-	-	-	-	-	1	1	5	-	NORTHAMPTON.
IPSWICH	75,936	13·7	13·7	11·7	10·3	0·7	30	15	-	3	-	-	-	-	1	-	-	1	1	2	-	IPSWICH.
GREAT YARMOUTH	53,715	13·6	19·4	11·6	7·8	1·0	23	8	-	4	-	-	-	1	-	-	-	-	-	2	-	GREAT YARMOUTH.
NORWICH	125,446	12·5	14·5	10·0	10·8	0·4	63	26	8	8	-	-	-	-	-	-	1	-	-	3	1	NORWICH.
PLYMOUTH	126,266	12·4	12·0	17·3	14·5	-	34	35	6	11	-	-	-	-	-	-	-	3	5	5	-	PLYMOUTH.
DEVONPORT	84,695	14·2	8·6	6·2	14·8	1·8	34	24	3	10	-	-	-	1	1	-	1	1	1	6	-	DEVONPORT.
BRISTOL	382,550	14·2	10·0	10·0	9·3	0·4	100	68	13	31	-	-	-	1	1	-	1	-	2	11	-	BRISTOL.
STOKE ON TRENT‡..	245,726	13·8	12·5	15·3	14·9	2·1	108	70	14	15	-	6	1	1	-	1	1	3	4	14	-	STOKE ON TRENT‡.
BURTON ON TRENT	54,977	15·2	14·2	6·6	16·1	4·7	18	17	1	8	-	3	-	-	2	-	-	-	-	4	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	10·3	12·3	12·3	15·7	2·0	26	32	5	14	-	3	1	-	-	-	-	3	3	10	-	WOLVERHAMPTON
WALSALL	101,035	12·9	13·4	10·8	9·3	1·0	43	18	4	7	-	1	-	-	-	1	-	-	-	2	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	7·2	7·2	6·5	6·5	-	26	9	1	6	-	-	-	-	-	-	-	-	1	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	9·5	8·1	19·1	15·4	-	38	21	7	5	-	-	-	-	-	-	-	2	5	3	-	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 30th Apr., 1910.	7th May, 1910.	14th May, 1910.	21st May, 1910.	Rate from Diseases in Cols. 11-17. Week ended 21st May, 1910.	Registered during the Week ended 21st May, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	11·8	12·8	12·5	10·3	0·4	187	113	26	31	-	-	1	-	3	-	-	5	9	27	2	Birmingham.
Kings Norton ..	84,673	8·6	10·5	4·9	8·6	-	13	14	3	5	-	-	-	-	-	-	-	1	2	2	1	Kings Norton.
Smethwick	72,350	7·9	13·7	8·6	11·5	0·7	20	16	1	2	-	-	-	-	1	-	-	-	-	1	-	Smethwick.
Aston Manor ..	86,269	7·9	7·9	7·3	9·1	1·2	26	15	1	2	-	-	1	-	1	-	-	-	-	1	-	Aston Manor.
Coventry	81,449	17·9	12·8	14·7	12·2	0·6	38	19	7	4	-	-	-	-	1	-	-	2	2	4	-	Coventry.
Leicester	248,374	10·3	11·1	13·0	9·0	1·3	81	43	10	11	-	1	1	-	3	-	1	3	3	10	-	Leicester.
Grimsby	74,283	10·5	12·6	16·1	17·5	0·7	32	25	8	4	-	-	-	-	1	-	-	-	-	3	-	Grimsby.
Nottingham ..	266,471	13·3	13·3	17·2	11·9	2·2	106	61	11	19	-	3	-	5	3	-	-	1	3	14	-	Nottingham.
Derby	131,256	12·3	11·9	10·7	12·7	0·4	35	32	5	11	-	-	-	1	-	-	-	1	2	8	-	Derby.
Stockport	105,087	19·4	14·4	17·4	22·8	2·5	33	46	13	16	-	5	-	-	-	-	-	1	2	9	-	Stockport.
Birkenhead ..	122,431	13·2	14·1	15·3	13·6	-	47	32	7	13	-	-	-	-	-	-	-	-	1	9	-	Birkenhead.
Wallasey	73,173	20·7	17·1	15·7	12·8	-	38	18	2	5	-	-	-	-	-	-	-	2	2	3	-	Wallasey.
Liverpool	767,606	17·7	19·2	16·8	15·6	2·5	315	230	53	46	-	16	2	3	13	1	2	9	15	70	3	Liverpool.
Bootle	70,548	10·3	14·8	14·8	14·0	0·7	30	19	5	6	-	-	-	-	1	-	-	-	-	4	-	Bootle.
St. Helens	96,523	9·7	12·4	11·3	13·0	0·5	62	24	8	4	-	-	1	-	-	-	-	1	1	7	-	St. Helens.
Wigan	91,732	15·9	7·4	12·5	14·8	-	49	26	4	11	-	-	-	-	-	-	-	-	1	3	-	Wigan.
Warrington ..	73,295	17·8	16·4	15·7	14·2	1·4	45	20	4	8	-	-	-	1	1	-	-	-	-	4	-	Warrington.
Bolton	190,315	14·2	12·3	12·6	11·5	1·4	70	42	11	13	-	-	2	1	2	-	-	1	1	8	-	Bolton.
Bury	59,409	6·1	9·7	18·4	10·5	-	18	12	1	4	-	-	-	-	-	-	-	-	-	1	-	Bury.
Manchester ..	716,354	16·7	19·3	19·7	16·0	3·0	215	220	59	46	-	9	1	2	25	2	2	8	11	56	4	Manchester.
Salford	244,636	15·8	14·9	18·5	14·1	1·	72	66	19	12	-	1	-	2	3	1	-	-	3	15	-	Salford.
Oldham	144,111	20·6	19·9	18·5	15·6	1·4	68	43	12	10	-	-	-	-	3	1	-	2	4	8	-	Oldham.
Rochdale	90,497	8·6	15·0	16·1	13·8	0·6	24	24	5	9	-	-	-	-	1	-	-	2	3	6	1	Rochdale.
Burnley	107,448	21·8	15·5	20·4	13·6	1·9	27	28	6	6	-	-	1	1	2	-	-	-	1	6	-	Burnley.
Blackburn	137,972	12·1	12·1	13·6	15·5	0·8	41	41	9	15	-	1	-	-	-	-	1	1	2	5	1	Blackburn.
Preston	119,253	14·0	15·7	17·5	17·9	2·2	31	41	14	9	-	3	-	-	-	-	2	2	2	1	3	Preston.
Barrow in Furness.	63,689	15·6	14·7	13·9	17·2	1·6	31	21	5	9	-	-	-	1	-	-	1	-	-	5	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 21st May, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 30th Apr., 1910.	7th May, 1910.	14th May, 1910.	21st May, 1910.	Rate from Diseases in Cols 11–17. Week ended 21st May, 1910.	Registered during the Week ended 21st May, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	9·9	16·5	21·5	14·9	1·1	26	27	2	4	-	-	-	-	2	-	-	-	1	2	1	HUDDERSFIELD.
HALIFAX	112,818	10·6	13·4	14·3	15·7	-	25	34	2	15	-	-	-	-	-	-	-	1	1	7	1	HALIFAX.
BRADFORD	295,865	15·9	14·6	16·7	15·2	1·8	81	86	10	30	-	9	-	1	-	-	-	3	7	14	2	BRADFORD.
LEEDS	490,985	12·6	14·7	13·0	13·3	1·4	153	125	27	40	-	3	1	-	7	1	1	6	11	22	-	LEEDS.
DEWSBURY†	51,224	14·3	19·3	11·2	17·3	2·0	15	17	5	3	-	1	-	-	1	-	-	1	2	3	-	DEWSBURY.†
SHEFFIELD	478,763	12·2	10·7	14·7	12·2	1·1	202	112	19	34	-	-	-	-	9	-	1	5	8	31	-	SHEFFIELD.
ROTHERHAM.. ..	66,414	14·1	9·4	14·9	7·9	1·6	25	10	2	3	-	-	-	-	1	1	-	-	-	4	-	ROTHERHAM.
YORK	88,159	10·1	8·9	11·8	14·8	-	29	25	3	12	-	-	-	-	-	-	-	1	4	5	-	YORK.
HULL	280,006	13·8	12·5	14·2	11·2	0·7	121	60	15	16	-	1	-	-	2	-	1	2	3	18	1	HULL.
MIDDLESBROUGH ..	107,014	19·0	15·6	16·1	18·5	0·5	49	38	7	8	-	-	-	1	-	-	-	1	4	9	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	11·7	22·3	15·5	15·5	2·9	29	16	3	6	-	2	-	-	-	1	-	-	-	6	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	8·9	12·7	12·1	8·9	-	21	14	3	6	-	-	-	-	-	-	-	-	-	4	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	13·3	16·2	12·9	14·6	1·0	87	45	9	21	-	3	-	-	-	-	-	1	2	8	1	SUNDERLAND.
SOUTH SHIELDS ..	119,737	14·8	16·5	16·1	11·8	1·3	56	27	5	8	-	1	-	-	2	-	-	-	-	3	1	SOUTH SHIELDS.
GATESHEAD	133,676	11·3	12·9	13·3	12·9	1·2	58	33	7	7	-	-	-	-	3	-	-	2	2	6	-	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	10·6	14·4	12·6	12·4	0·5	111	68	10	23	-	-	-	-	3	-	-	1	3	19	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	18·5	14·8	16·6	23·1	1·8	32	25	5	5	-	-	1	1	-	-	-	2	2	3	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	12·4	13·7	15·0	19·0	2·6	36	29	11	4	-	-	-	1	3	-	-	1	2	4	1	NEWPORT (MON.).
CARDIFF	199,189	8·6	12·0	12·3	14·1	1·0	77	54	12	18	-	3	1	-	-	-	-	4	5	9	-	CARDIFF.
RHONDDA	138,674	15·0	13·5	11·7	14·7	0·4	69	39	9	9	-	-	-	-	1	-	-	7	8	-	-	RHONDDA.
MERTHYR TYDFIL..	79,522	21·0	21·6	20·3	27·5	7·2	30	42	13	7	-	10	-	1	-	-	-	2	3	6	-	MERTHYR TYDFIL.
SWANSEA	98,817	15·3	11·1	14·8	13·2	-	49	25	5	7	-	-	-	-	-	-	-	-	1	4	-	SWANSEA.
GREATER LONDON	7,537,196	11·8	11·4	12·1	10·6	1·0	2545	1526	294	476	-	55	9	12	51	1	17	81	170	533	2	GREATER LONDON.
OUTER RING ..	2,664,494	9·6	9·3	8·9	9·1	0·5	935	463	82	162	-	7	5	4	9	-	3	23	40	109	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	9·1	8·8	8·7	8·4	0·6	455	213	39	75	-	7	4	1	3	-	1	11	22	51	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	10·1	9·8	9·2	9·7	0·5	480	250	43	87	-	-	1	3	6	-	2	12	18	58	2	REMAINDER OF OUTER RING.
EDINBURGH	360,276	16·1	16·4	13·2	15·9	0·6	139	110	24	34	-	1	-	-	-	-	3	-	?	41	7	EDINBURGH.
GLASGOW	884,505	16·5	14·7	14·6	15·7	1·4	392	267§	59	68	-	10	1	1	5	-	6	8	?	100	6	GLASGOW.
DUBLIN (Registration Area).‡	402,928	23·9	16·7	22·0	15·9	0·8	181	123	22	37	-	-	1	-	1	-	4	1	2	59	6	DUBLIN (Registration Area).‡

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTIETH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2512	2602	2495	2625	2376	2426	2480	2499	2418	2260	2474·4	1610
Males - - -	1282	1285	1198	1345	1194	1237	1263	1252	1218	1151	1253·5	827
Females - -	1230	1317	1297	1280	1182	1189	1217	1247	1200	1109	1220·9	783
TOTAL **Deaths** -	1437	1375	1423	1313	1349	1268	1270	1383	1193	1295	1313·1	1063
Males - - -	781	704	712	684	730	673	643	704	654	683	687·5	537
Females - -	656	671	711	629	619	595	627	679	542	612	625·6	526

* The numbers in this column are the average weekly numbers in the Twentieth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 26.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	13 Weeks.
TOTAL **Births**	2264	2393	2370	2344	2141	2312	2420	2372	2334	2372	2229	2529	1610	29690
TOTAL **Deaths** -	1386	1346	1254	1231	1263	1354	1377	1387	1226	1217	1167	1299	1063	16570
Ages at Death: Under 1 year -	235	233	219	197	215	236	260	218	233	230	210	243	212	2941
1—5 years -	136	153	116	137	127	141	120	146	115	125	126	134	129	1705
5—20 " -	59	68	63	60	73	72	67	74	59	67	63	79	61	870
20—40 " -	162	133	148	149	143	161	165	170	148	141	135	151	118	1924
40—60 " -	261	272	248	247	289	280	310	277	269	265	244	281	229	3472
60 yrs. & upwds.	533	487	460	441	411	464	455	502	402	389	389	411	314	5658
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	14	39	15	24	24	22	33	46	27	33	40	55	48	420
Scarlet Fever - -	4	6	9	6	10	2	4	5	6	-	6	3	4	65
Diphtheria - -	11	9	6	6	10	8	6	8	5	6	6	11	8	100
Whooping-cough -	45	46	44	46	44	51	45	41	38	42	46	32	42	562
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	3	2	4	6	3	2	8	3	2	1	2	1	41
Pyrexia (origin uncertain).	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	11	10	13	11	5	9	11	9	10	8	11	15	14	137
All above diseases -	89	114	89	97	99	95	101	117	89	91	110	118	117	1326
Dis. of Resp. System	172	148	129	109	123	158	131	137	119	103	83	116	81	1609
Pneumonia - -	176	142	150	129	138	152	150	175	158	141	128	117	114	1870
Phthisis - - -	131	126	108	121	123	118	132	113	112	102	116	121	100	1523
Dis. of Circ. System -	176	198	172	184	194	193	219	183	181	178	148	173	143	2342
Violence - - -	42	49	50	37	46	58	46	64	52	46	60	48	58	656
Inquest Cases - -	121	135	143	118	107	144	133	129	132	141	130	119	130	1682
Deaths in Institutions	582	584	543	514	528	566	575	577	550	550	536	576	424	7105
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	42·5	41·8	46·0	40·1	42·0	41·9	42·8	48·8	49·3	45·4	46·3	47·5	58·9	45·6
Mean of Highest -	49·0	49·9	52·5	48·7	51·1	52·0	51·7	58·7	57·7	55·5	55·6	58·3	69·8	54·7
Mean of Lowest -	36·8	33·1	40·5	32·3	33·3	32·8	34·7	42·1	42·0	37·8	39·4	38·8	51·2	38·1
Mean Humidity of the Air.	83	83	87	75	80	74	79	79	82	73	77	76	84	79
Rain-fall (in inches) -	1·40	0·15	0·95	0·13	0·00	0·00	0·11	1·86	0·23	0·43	0·74	0·42	0·89	7·31
Registered Sunshine (in hours).	22·9	44·7	14·6	41·6	23·6	46·8	24·2	29·1	8·3	50·1	44·6	53·8	49·2	453·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1765	1766	1754	1713	1650	1611	1554	1535	1510	1509	1506	1476	1476	1602
Diphtheria - - -	911	901	884	872	855	856	848	816	812	798	784	775	763	836
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	76	78	89	88	88	85	81	81	69	66	62	62	58	76

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTIETH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objection should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 20th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1313·1	1063	212	129	61	118	229	314
Small-pox*	0·2	–	–	–	–	–	–	–
Cowpox	0·4	–	–	–	–	–	–	–
Measles (Morbilli)	46·7	48	20	27	1	–	–	–
Scarlet Fever	9·4	4	–	3	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	17·2	4	–	–	–	–	2	2
Whooping-cough	41·8	42	22	18	2	–	–	–
Diphtheria	10·9	8	–	2	6	–	–	–
Cerebro-spinal Fever ..	0·4	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·1	1	–	–	–	1	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	7·2	6	1	3	1	–	–	1
Diarrhœa, Dysentery ..	8·0	8	4	2	–	1	1	–
Tetanus	0·4	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	0·2	–	–	–	–	–	–	–
Venereal Dis.	6·8	4	3	–	–	–	1	–
Puerperal Septicæmia ..	2·9	1	–	–	–	1	–	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–	–	–
Infective Endocarditis ..	2·9	5	–	–	1	1	3	–
Pneumonia: Lobar ..	21·1	13	–	–	–	3	6	4
Pneumonia: Broncho ..	55·9	49	18	24	–	–	2	5
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	61·2	52	11	11	–	7	11	12
Erysipelas	3·3	3	1	–	–	2	–	–
Septicæmia (not Puerperal)	1·4	1	1	–	–	–	–	–
Pyæmia (not Puerperal)	0·8	–	–	–	–	–	–	–
Other Infective Processes	3·9	6	–	–	–	2	2	2
Tuberculous Phthisis ..	92·8	73	1	5	9	25	27	6
"*Phthisis*"	40·8	27	–	–	1	8	14	4
Tuberculous Meningitis ..	24·4	16	3	10	2	1	–	–
Tuberculous Peritonitis ..	7·8	4	–	2	1	–	–	1
Tabes Mesenterica	1·8	2	2	–	–	–	–	–
Tuberculous Dis., Other ..	20·3	8	1	2	2	2	1	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	7·8	3	–	–	–	–	2	1
Rheumatic Fever	4·7	3	–	–	2	–	1	–
Gout	0·8	–	–	–	–	–	–	–
Carcinoma	52·6	53	–	–	–	2	29	22
Sarcoma	4·7	3	–	–	1	1	–	1
Cancer (undefined) ..	35·8	31	–	–	–	1	16	14
Diabetes Mellitus	7·8	5	–	–	–	1	–	4
Premature Birth	40·5	31	31	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 20th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
Meningitis (not tuberc.)..	14·3	8	3	1	1	1		
Gen. Par. of Insane, Insanity	12·9	16	–	–	–	1		
Epilepsy	6·1	6	–	–	2	2		
Convulsions	14·3	13	13	–	–	–		
Locomotor Ataxy.. ..	2·9	1	–	–	–	1		
Paraplegia, Dis. of Cord.	4·5	3	–	–	1	–		
Nervous Sys., Other Dis.	18·8	8	–	–	–	1		
Valv. Dis., Endocarditis..	42·6	36	–	–	3	6		
Cereb. Hæm. Cereb. Emb.	34·4	27	–	–	–	1		
Apoplexy, Hemiplegia ..	11·5	10	–	–	–	–		
Aneurysm	4·3	5	–	–	–	–		
Embolism, Thrombosis (not Cerebral) ..	0·6	3	–	–	–	1		
Heart & Blood Ves., Other Dis... ..	72·9	62	–	–	2	6		
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–		
Bronchitis	74·7	66	13	5	1	1		
Emphysema, Asthma ..	2·9	5	–	–	–	2		
Pleurisy	3·7	2	–	–	–	1		
Respiratory Dis., Other..	9·0	8	1	2	–	–		
Tonsillitis, Quinsy.. ..	0·6	1	–	–	1	–		
Enteritis (not Epid.) ..	10·2	4	4	–	–	–		
Gastro-enteritis	4·7	2	1	–	–	–		
Peritonitis (not Puerp.) ..	3·1	5	–	–	1	2		
Cirrhosis of Liver.. ..	12·9	7	–	–	–	1		
Liver Dis., Other	5·9	7	–	–	–	2		
Digestive Sys., Other Dis.	38·1	26	4	2	2	6		
Acute Nephritis	5·9	3	–	–	–	–		
Bright's Dis., Albuminuria	31·9	27	–	–	4	2		
Urinary Sys., Other Dis.	12·1	7	–	–	–	2		
Generative Organs Dis...	4·3	–	–	–	–	–		
Childbirth (Accid. of) ..	4·7	1	–	–	–	1		
Old Age	52·2	49	–	–	–	–		
Other Diseases	90·9	73	43	8	3	6		
ACCIDENT.								
By Railways	1·2	4	–	–	–	4		
By Vehicles and Horses..	5·1	13	–	1	7	2		
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	1	–	–	–	1		
In Building Operations..	1·6	–	–	–	–	–		
In Conflagrations	–	–	–	–	–	–		
By Burns, Scalds, Explosions	5·7	2	1	–	–	–		
By Drowning	5·9	3	–	–	2	1		
By Suffocation in Bed ..	7·2	10	10	–	–	–		
By Poisons or Poisonous Vapours	2·0	2	–	–	–	1		
Other Deaths by Accident..	14·1	13	–	1	1	1		
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	1	–	–	–	–		
Suicide	12·3	9	–	–	–	3		
Execution	0·4	–	–	–	–	–		

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficul experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st May, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	1610	1063	212	314	-	48	4	8	42	1	14	100	58	130	424	-
WEST DISTRICTS	805,311	205	191	40	66	-	9	1	3	3	-	2	18	13	21	76	-
NORTH DISTRICTS	1,055,908	365	222	46	71	-	7	1	2	17	-	4	20	10	27	73	-
CENTRAL DISTRICTS	209,465	66	42	7	10	-	1	-	-	-	1	-	3	4	6	22	-
EAST DISTRICTS	715,739	336	183	47	40	-	7	-	-	7	-	4	15	14	32	89	-
SOUTH DISTRICTS	1,749,844	638	390	72	117	-	23	2	3	15	-	3	38	17	44	129	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	35	-	10	-	1	-	-	-	-	1	6	-	-	35	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	14	8	3	1	-	-	-	-	1	-	1	1	-	1	-	-
Central Paddington *W,3H*	50,053	15	28	6	7	-	4	-	-	1	-	1	3	2	3	15	-
South Paddington	30,320	3	7	-	5	-	-	-	-	-	-	-	1	-	-	-	-
Kensington South† *W,3H*	85,610	9	15	1	9	-	1	-	-	-	-	-	1	1	1	7	-
Kensington Central† *W,H*	42,774	10	9	1	5	-	-	-	-	-	-	-	1	-	-	3	-
Kensington North† *w*	48,244	19	15	2	7	-	-	-	-	-	-	-	4	-	1	8	-
North Hammersmith *2W,w,H* ..	49,192	26	20	5	4	-	2	-	-	-	-	-	2	5	5	9	-
South Hammersmith *w,2H* ..	63,047	24	14	4	5	-	-	-	1	-	-	-	-	1	3	4	-
North-west Fulham *W*	45,180	20	12	8	2	-	-	-	-	-	-	-	1	-	2	4	-
North-east Fulham *F*	46,405	15	6	1	-	-	-	1	1	1	-	-	-	-	-	2	-
South Fulham *W*	45,704	20	10	4	4	-	1	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	10	12	2	6	-	-	-	-	-	-	-	2	1	2	8	-
Chelsea South *W,2H*	31,328	6	8	1	3	-	-	-	-	-	-	-	1	-	-	2	-
Mayfair and Knightsbridge	28,743	3	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	5	11	-	5	-	-	-	1	-	-	-	1	2	2	8	-
St. Margaret & St. John *6H*	43,698	3	8	1	1	-	1	-	-	-	-	-	-	1	1	4	-
St. James and St. Anne *W,6H* ..	33,081	3	3	1	-	-	-	-	-	-	-	-	-	-	-	2	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	8	9	1	3	-	-	-	-	-	-	1	-	1	1	3	-
St. Mary Marylebone *W,4H* ..	37,948	27	9	2	3	-	-	-	-	-	-	1	-	-	-	3	-
Christchurch Marylebone *H* ..	39,536	4	6	1	1	-	-	-	-	-	-	-	1	1	2	-	-
St. John Marylebone *2H*	20,426	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	20	17	1	3	-	-	1	1	-	-	2	2	1	2	8	-
West St. Pancras *2H*	60,562	19	17	5	5	-	-	-	-	1	-	-	1	1	2	1	-
South St. Pancras *w,10H*	55,707	16	20	9	2	-	2	-	-	-	-	-	2	2	4	10	-
East St. Pancras *W,H*	60,320	31	29	10	9	-	3	-	-	8	-	-	3	2	4	10	-
North St. Pancras *2W*	58,728	16	12	2	5	-	1	-	-	1	-	-	1	-	1	1	-
Hornsey *W*	31,995	6	13	1	7	-	-	-	-	-	-	-	3	-	-	9	-
Upper Holloway *2W,w,H*	33,978	11	9	-	3	-	-	-	-	-	-	-	4	-	-	8	-
Islington *W,w,H*	33,922	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	14	7	2	2	-	-	-	-	2	-	-	-	-	-	-	-
Finsbury	54,478	26	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	27	8	1	4	-	-	-	-	1	-	-	2	-	2	-	-
Stoke Newington *H*	63,797	25	11	-	6	-	-	-	-	-	-	-	-	-	-	-	-
Hackney	51,247	18	6	2	1	-	-	-	-	-	-	-	1	-	2	-	-
North Hackney *2w,F*	50,398	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	20	9	-	2	-	-	-	1	1	-	-	-	-	1	3	-
South-west Hackney *3H*	59,921	23	5	2	1	-	-	-	-	-	-	-	-	-	-	4	-
South-east Hackney *2W,w,H* ..	58,255	27	21	4	7	-	1	-	-	3	-	-	-	2	6	13	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† On 1st May, 1910, the sub-district of Kensington Town was abolished, part being added to the sub-district of Brompton (re named Kensington South), and the remainder forming the new sub-districts of Kensington Central and Kensington North.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st May, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	13	4	-	1	-	-	-	-	-	-	-	1	-	-	2
Strand *W*,4*H*	21,674	1	7	-	1	-	-	-	-	-	1	-	-	1	1	5
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	8	6	2	2	-	-	-	-	-	-	-	-	1	1	3
Clerkenwell *H*	63,704	19	10	3	3	-	1	-	-	-	-	-	1	-	2	-
St. Luke 3*H*,*L*	36,116	20	3	1	1	-	-	-	-	-	-	-	-	-	-	1
Holborn Union Workhouse, Mitcham	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Botolph *H*	10,299	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	10	1	2	-	-	-	-	-	-	-	1	2	2	10
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	22	9	7	-	-	-	-	-	1	-	-	-	2	2	2
Shoreditch North-West *W*,*w*,*H* ..	36,127	16	20	4	9	-	1	-	-	1	-	-	2	1	6	16
Shoreditch North-East	36,148	17	5	3	-	-	-	-	-	1	-	-	2	1	1	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	23	23	7	2	-	3	-	-	1	-	-	3	1	2	17
Bethnal Green South-West *H* ..	64,542	29	12	4	2	-	2	-	-	1	-	1	1	-	2	2
Spitalfields	27,969	13	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Mile End New Town *W*,*H*	28,718	21	29	3	7	-	-	-	-	-	-	-	1	1	3	26
Goodman's Fields	22,081	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	46	10	2	1	-	-	-	-	-	-	1	1	1	2	2
Shadwell and Ratcliff *w*,*H* ..	25,568	7	6	2	-	-	-	-	-	1	-	-	-	-	-	3
Limehouse *W*	32,369	16	4	1	-	-	-	-	-	-	-	-	-	-	1	-
Mile End Old Town South-Western *H*	63,698	44	9	3	2	-	-	-	-	-	-	-	1	1	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	16	16	4	9	-	-	-	-	-	-	2	1	2	2	6
Bow	41,989	9	4	1	1	-	-	-	-	1	-	-	1	-	1	-
Bromley 3*w*,*H*	68,319	24	25	5	4	-	-	-	-	-	-	-	1	3	8	15
Poplar *W*,*w*	58,514	25	10	1	3	-	1	-	-	-	-	-	-	1	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st May, 1910

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	6	14	1	1	-	-	-	-	-	-	-	2	3	4	10	-
Kent-road	21,904	10	5	3	-	-	3	-	-	-	-	-	1	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	13	4	1	-	-	-	-	1	-	-	1	-	-	3	-	-
Newington North	49,022	22	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	24	12	4	5	-	1	-	-	-	-	-	-	1	2	1	-
St. Olave *2W*	9,817	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	31	12	1	5	-	1	-	-	-	-	-	2	2	5	-	-
Rotherhithe *W,F*	38,460	11	13	2	2	-	-	-	-	-	-	-	1	-	-	7	-
Waterloo *2H*	27,440	18	6	3	-	-	-	-	-	-	-	-	2	-	1	2	-
Lambeth Church *H*	27,440	9	10	-	-	-	-	-	-	-	-	-	-	1	1	8	-
Kennington *2W*	52,518	20	27	2	7	-	4	-	-	-	-	-	1	1	5	9	-
Stockwell *HF*	63,826	23	8	2	4	-	1	1	-	-	-	-	-	-	1	2	-
Brixton *H*	73,673	31	9	3	4	-	-	-	-	-	-	-	-	-	1	1	-
Norwood *2WH*	56,998	15	10	-	6	-	-	-	-	-	-	-	2	-	-	-	-
East Battersea *H*	72,203	26	11	4	4	-	1	-	-	1	-	-	1	-	2	-	-
North-west Battersea	49,656	23	3	3	-	-	-	-	-	1	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	12	28	3	9	-	2	-	-	3	-	-	3	3	4	22	-
Clapham *2H*	51,361	14	9	-	4	-	-	-	-	-	-	-	1	-	-	2	-
Streatham *W,2w,2F,2L*	88,019	39	20	4	7	-	2	-	1	1	-	-	1	-	1	6	-
Springfield *2W,L*	27,959	19	7	1	1	-	1	-	-	2	-	-	1	-	-	-	-
Southfields *H*	40,444	18	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	8	6	2	1	-	-	-	-	-	-	-	-	2	2	-	-
Dulwich	13,359	3	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Camberwell South *W,w*	40,206	14	16	2	4	-	-	-	-	1	-	1	1	-	1	11	-
Camberwell North *W,2L*	65,584	21	23	4	10	-	1	-	-	1	-	-	3	1	3	10	-
St. George	47,331	23	6	2	2	-	-	-	-	1	-	-	-	-	-	-	-
Peckham North	48,913	22	6	3	-	-	-	-	-	1	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	18	7	1	1	-	3	-	-	-	-	-	1	-	-	-	-
Deptford Central *F*	45,481	17	13	4	5	-	1	1	-	-	-	-	1	-	1	2	-
Deptford South	34,625	9	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	9	3	2	1	-	-	-	-	-	-	-	-	-	-	2	-
Greenwich East *2W,H*	43,859	22	29	4	13	-	2	-	-	1	-	-	4	-	1	19	-
Eltham *w,H*	7,226	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	3	4	1	1	-	-	-	-	-	-	1	-	-	-	1	-
Lewisham *2W,w,F*	58,352	12	17	3	3	-	-	-	-	1	-	-	5	2	2	6	-
Sydenham *H*	43,653	16	4	1	1	-	-	-	-	-	-	-	-	-	2	1	-
Charlton *F,2H*	21,134	4	7	-	2	-	-	-	1	-	-	-	-	-	1	4	-
Woolwich *5H*	41,625	16	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead West *W,H*	39,376	7	8	1	2	-	-	-	-	1	-	-	2	1	1	-	-
Plumstead East *2W*	28,951	7	6	1	1	-	-	-	-	-	-	-	1	-	-	3	-
Workhouses:—																	
Belmont Workhouse	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Dore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton	—	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	5	-	1	-	-	-	-	-	-	-	1	-	-	5	-
London County Lunatic Asylums:—																	
Banstead	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bexwell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Long Grove	—	-	5	-	-	-	-	-	-	-	-	1	1	-	-	5	-
Lane Hill	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
Hartford Heath	—	-	5	-	1	-	-	-	-	-	-	-	1	-	-	5	-
Manwell	—	-	3	-	1	-	-	-	-	-	-	-	1	-	-	3	-
Tolney Hatch	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Claybury	—	-	4	-	1	-	-	-	-	-	-	-	1	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongin the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums B Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERA POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 21st May, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	935	463	82	162	-	7	5	4	9	-	3	23	40	109
31 : 1	Carshalton 2F,3H	12,228	32,997	23	11	3	3	-	-	-	-	-	-	-	2	3	3
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	4	5	-	2	-	-	-	-	-	-	-	-	-	2
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	1	-	1	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	-	2	-	-	-	-	-	-	-	-	-	1	1	-
2	South Croydon w,H ..	4,200	49,309	12	4	-	3	-	1	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	24	18	2	7	-	1	2	-	-	-	-	1	1	14
4	North Croydon H	2,644	41,698	20	8	2	4	-	-	-	-	-	-	-	-	2	-
5	Penge w	770	22,465	5	1	-	1	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	13	10	1	4	-	-	-	1	-	-	-	1	2	1
40 : 1	Wimbledon F,3H	3,221	41,652	15	10	4	1	-	-	-	-	1	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	20	11	-	8	-	-	-	-	-	-	-	-	1	2
3	Surbiton F,H	3,046	15,017	5	5	2	1	-	-	-	1	-	-	-	-	-	1
4	Esher, *part of** H	5,402	13,100	6	1	-	-	-	-	-	-	-	-	-	-	-	1
5	Hampton H,F,L	4,564	23,456	7	3	2	-	-	-	-	-	-	-	-	1	2	-
41 : 1	Richmond W,H	2,491	31,672	11	8	3	3	-	-	-	-	-	-	-	-	-	4
2	Mortlake F	2,518	17,821	9	5	-	3	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	8	4	-	3	-	-	-	-	-	-	-	-	-	1
2	Beckenham H	7,832	28,454	8	2	-	-	-	-	-	-	-	-	-	1	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	3	3	2	-	-	-	-	-	-	-	-	-	-	3
4	Chislehurst 2H	7,333	16,446	5	3	-	2	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	11	4	-	3	-	-	-	-	-	-	-	-	-	1
2	Erith F,H	3,354	25,296	10	4	2	-	-	-	-	-	-	-	-	-	-	1
3	Dartford W,F, *part of** ..	—	—	-	4	-	2	-	-	-	-	-	-	-	-	1	4
126 : 1	Sunbury w	11,054	18,683	8	4	2	1	-	-	-	-	1	-	-	-	-	-
2	Staines W,H	13,277	15,178	6	3	-	2	-	-	-	-	-	-	-	-	-	-
127 : 1	Hillingdon W,F,H	8,035	13,661	5	4	-	3	-	-	-	-	-	-	-	-	-	3
2	Uxbridge H	12,757	8,984	5	3	1	1	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	8	2	1	-	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	30,863	11	12	2	3	-	-	-	-	-	-	-	2	2	4
2	Twickenham F,2H	2,421	20,991	6	2	-	1	-	-	-	-	-	-	-	-	-	1
3	Brentford 3F,2H	4,319	48,289	30	14	2	4	-	-	-	-	1	-	-	-	-	-
4	Chiswick H	1,249	29,809	10	6	-	1	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	22	15	2	6	-	-	-	-	-	-	-	1	1	-
129 : 1	Willesden W,F,2H	4,384	114,811	47	26	4	12	-	2	-	-	-	-	-	1	1	8
130 : 1	Harrow F,H	13,809	25,523	15	5	-	2	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	-	1	-	-	-	-	-	-	-	-	-	1	1	-
3	Hendon W,F	8,382	22,450	11	8	2	4	-	-	-	-	-	-	1	-	1	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,979	9	4	-	2	-	-	-	-	-	-	-	-	-	2
3	Finchley F,3H	4,638	33,692	14	6	4	2	-	-	-	-	1	-	-	-	-	-
132 : 1	Hornsey F,H	2,875	72,056	11	14	1	5	-	-	-	1	-	-	-	-	1	1
2	Wood Green H	1,625	34,233	28	6	-	2	-	-	-	-	-	-	1	1	2	-
3	West Tottenham	995	48,741	25	10	4	5	-	-	-	-	-	-	-	2	2	-
4	East Tottenham 2H ..	2,019	53,962	37	15	4	2	-	-	-	-	1	-	-	2	3	3
5	Edmonton W,w,2F	7,491	61,892	46	11	1	2	-	-	-	-	-	-	-	-	-	6
6	Enfield 2W,F,H	12,601	42,738	8	10	-	2	-	-	1	-	-	-	-	-	-	4
7	Waltham Abbey F	11,017	6,549	3	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	12	2	-	1	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** H ..	9,195	7,051	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	1	-	-	-	-	-	-	-	-	-	-	-	1
188 : 1	Stratford H	1,091	52,974	17	9	1	3	-	-	-	-	-	-	-	-	1	2
2	Forest Gate	787	52,745	19	10	-	5	-	-	-	-	-	-	-	1	1	-
3	Plaistow F,2H	1,249	90,921	47	13	1	2	-	-	2	-	-	-	-	1	3	3
4	Canning Town H	1,556	70,718	50	11	6	-	-	-	-	-	-	-	-	2	3	-
5	South East Ham 2F ..	1,991	37,342	27	7	3	2	-	-	-	-	-	-	1	-	-	-
6	North East Ham w,H ..	1,333	58,666	28	11	5	5	-	-	-	-	1	-	-	-	-	-
7	Wanstead F	1,679	9,179	3	1	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	17	13	1	7	-	-	-	-	1	-	-	1	1	6
9	North Leyton 2W,w,F ..	1,963	48,445	28	18	2	6	-	1	-	1	1	-	-	-	-	11
10	Walthamstow 2H,L ..	6,504	108,929	51	23	4	9	-	2	-	-	-	-	-	-	2	-
189 : 1	Chigwell 2F,3H	11,778	16,397	5	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	-	7	1	4	-	-	-	-	-	-	-	1	1	5
2	Ilford F,L	8,496	41,244	30	12	2	2	-	-	-	-	-	-	-	-	-	2
3	Barking Town F	3,805	21,547	13	5	3	1	-	-	-	-	1	-	-	-	-	-
	Metropolitan Imbecile Asylum, Darenth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4
	Essex County Lunatic Asylum, Brentwood.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Ou Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Es parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting t part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer R in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
NDON* - -	4,872,702	May	21	1610	1063	11·4	–	48	4	8	42	1	14
LCUTTA - -	1,009,008	April	23	–	467‡	24·0	–	8	–	1	–	10	16
MBAY - -	977,822	May	3	346	876‡	46·6	38	–	–	–	3	1	33
DRAS - -	509,346	April	22	354	351	35·8	3	2	?	?	?	–	31
RIS* - -	2,772,467	May	14	899	938	17·8	–	29	6	8	8	5	18
USSELS* - -	720,030	"	14	235	196	14·2	–	1	–	1	1	3	8
TWERP* - -	314,135	"	14	112	88	14·5	–	8	2	–	3	–	7
STERDAM* -	570,149	"	14	263	148	13·5	–	–	–	–	2	–	8
PENHAGEN -	450,000	"	14	240	130	15·1	–	–	–	–	1	–	9
CKHOLM -	341,816	"	7	166	121	18·4	–	3	7	4	–	1	1
RISTIANIA -	235,674	"	14	139	54	11·9	–	–	–	–	–	–	2
PETERSBURG	1,620,000	April	30	524	863	27·8	10	83	13	12	9	12	67
SCOW - -	1,493,600	"	23	–	726	25·3	9	25	17	21	8	1	52
		"	30	–	742	25·9	10	26	18	18	14	3	68
RLIN - -	2,117,081	"	30	755	590	14·5	–	14	11	14	5	1	29
MBURG - -	895,804	May	14	–	–	–	–	–	–	–	–	–	–
RSLAU - -	507,500	"	7	–	185	19·0	–	–	1	1	1	1	19
NICH - -	576,000	"	7	275	193	17·4	–	–	1	3	4	–	15
NNA* - -	2,107,981	"	14	832	706	17·5	–	26	3	8	3	5	37
GUE* - -	497,905	April	23	208	200	22·9	–	2	–	–	2	–	10
DAPEST* -	833,703	May	7	405	364	22·7	–	8	6	4	7	1	15
ESTE* - -	221,124	"	14	98	80	18·8	–	–	–	–	1	1	1
RE - - -	584,308	March	26	291	207	18·5	–	18	–	2	1	–	9
NICE - -	183,224	April	30	–	–	–	–	–	–	–	–	–	–
CAREST - -	297,643	March	19	191	172	30·1	–	6	3	5	–	–	9
		"	26	159	186	32·6	–	6	5	5	2	–	2
W YORK* -	4,711,956	April	30	2159	1527	16·9	–	27	39	55	5	1	50
CAGO* - -	2,282,927	"	30	–	663	15·1	–	11	5	21	4	3	27
LADELPHIA*	1,598,400	"	2	–	–	–	–	–	–	–	–	–	–
DE JANEIRO	842,822	"	10	–	321	19·8	–	1	–	–	4	–	?
		"	17	–	325	20·1	–	–	–	–	1	–	?
RO:—*													
yptians -	616,183	"	22	632	472	39·8	3	11	–	–	?	3	77
reigners -	61,480	"	22	5	17	14·4	–	–	–	–	?	–	2
KANDRIA:—*													
yptians -	317,454	"	22	280	265	42·4	2	22	–	1	?	1	44
reigners -	67,966	"	22	5	29	16·1	–	2	–	–	?	–	3

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.

† Excluding deaths from croup in the Indian Cities.

‡ Including 56 deaths from *plague* in Calcutta and 257 in Bombay, and from *Asiatic cholera*, 61 deaths in Calcutta and 2 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 21st May, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
DON (Greenwich)	76·0	48·2	60·5	0·89	BRADFORD - -	67·1	43·5	54·1	0·48
HTON - -	70·6	49·0	58·5	0·69	YORK - - -	69·0	41·0	55·9	1·13
SMOUTH - -	70·0	47·0	58·9	0·34	HULL - - -	64·0	45·0	53·0	0·52
WICH - -	80 0	46·6	59·6	1·23	TYNEMOUTH - -	55·0	41·0	48·0	0·85
OUTH - -	68·3	49·5	57·7	0·62	CARDIFF - - -	71·1	45·2	57·0	1·04
TOL - - -	73·0	43·2	57·5	0·44					
INGHAM - -	73·6	43·0	57·5	0·66	EDINBURGH - -	55·1	41·7	47·4	0·53
INGHAM - -	79·0	43·0	57·0	0·80	GLASGOW - -	69·8	43·0	54·1	0·29
RPOOL OBSERVATORY	75·0	45·0	57·0	0·56	DUBLIN { Phœnix Park.	64·0	38·4	51·4	1·26
CHESTER -	75·2	43·8	56·5	1·05	DUBLIN { Fitz-william Square.†	65·1	45·2	53·8	1·27
NLEY - -	70·2	41·0	55 5	0·26					
DERSFIELD -	67·8	41·6	54·2	0·73	BELFAST - - -	68·5	42·0	55·0	0·35

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisner in the returns up to the 31st March, 1902, for the corresponding period to the year was 1·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 21st May, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 15	..	29·542	69·0	48·2	20·8	56·9	+ 4·1	50·0	6·9	17·8	0·4	78	123·1	40·2	48·21	NE. & NNE.	E.	1·0	0·0	0·0	168	-116	0·00	3·0
MONDAY - 16	First Qr.	29·633	69·8	48·3	21·5	56·7	+ 3·7	54·0	2 7	11·3	0·0	91	125·2	39·7	48·76	E., NE. & ENE.	ESE., ENE. & E.	2·0	0·0	0·1	209	- 83	0·00	0·0
TUESDAY - 17	..	29·616	65·8	50·6	15·2	55·7	+ 2·6	52 6	3 1	9·4	0·6	89	99·4	49·1	49·32	NE.	NE., ENE. & E.	2 3	0·0	0·2	265	- 31	0·01	4·2
WEDNESDAY 18	..	29·563	70·5	51·4	19·1	59·2	+ 5·9	51·5	7·7	17·1	0·4	76	131·0	41·1	49·99	SW.	SSW., Calm & E.	1·7	0·0	0·1	175	-126	0·48	13·8
THURSDAY - 19	In Eqr.	29·477	72·0	51·2	20·8	61·0	+ 7 5	55 8	5·2	14 7	1·7	83	134·0	42·0	50·50	NE., E. & SE.	SSE., SE. & E.	1·9	0·0	0·1	193	- 98	0·37	7·3
FRIDAY - 20	..	29·596	76·0	54·4	21·6	64 8	+11·0	56·1	8·7	16·7	1·6	74	137·1	48·1	51·09	ENE., ESE. & S.	SSW., WSW. & NW.	2·8	0·0	0·2	244	- 41	0·01	8·7
SATURDAY - 21	Apogee	29·753	65·2	54·6	10·6	58·1	+ 3·9	56·4	1·7	7·4	1·1	94	104·3	50·3	51·62	WNW., NW. & N.	NNW. & N.	2·6	0·0	0·1	221	- 57	0·02	0·0
MEANS - -		29·597	69·8	51·2	18·5	58·9	+ 5·5	53·8	5·1	13·5	0·8	84	122·0	44·4	49·93	ENE. & Variable		..	..	..	Sum 1475	Sum -546	Sum 0·89	5·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 15	w. P. generally	9·9	15·5	Cloudy till 2h. A.M.; overcast till 9h. A.M.; very fine and nearly cloudless afterwards.
MONDAY - 16	w. P. throughout.	9·0	15·6	Very fine till 1h. 30m. A.M.; overcast till 9h. 30m. A.M.; very fine till 7h. P.M.; then overcast; slight fog in early morning and light shower at midnight.
TUESDAY - 17	w. P. generally.	2·0	15·6	Generally overcast; fine intervals in afternoon; light shower at 9h. 45m. P.M.
WEDNESDAY 18	w.P. and v.N. till 7h. A.M.; w.P. till 8h. P.M.; v. P. afterwards.	10·0	15·7	Overcast with heavy showers in morning; very fine generally after 9h. A.M. Solar halo observed at 1h. P.M. and lunar halo at night.
THURSDAY - 19	w. P. till 3h. A.M.; s. P. and v.N. till 6h. A.M.; w. P. generally after.	4·7	15·7	Generally cloudy or overcast; very fine interval in afternoon; thunderstorm with heavy rain in early morning and light rain after 11h. 30m. P.M.
FRIDAY - 20	v. P. and v. N. till 3h. A.M.; then w. P. generally.	13·3	15·7	Cloudy to overcast at first with sharp thunderstorm at and about 1h. 30m. A.M.; very fine from 3h. A.M. till evening; then variably cloudy; a very warm day.
SATURDAY - 21	w. P. till 9h. A.M.; v. P. and v. N. till 4h. P.M.; w.P. afterwards.	0·3	15·8	Overcast with slight exceptions; slight rain between 9h. and 10h. A.M.; distant thunder at 9h. 59m. A.M.; gloomy interval at and about 10h. 30m. A.M.
		Sum 49·2	Sum 109·6	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·67 in. at the beginning of the week to 29·52 in. by 4h. P.M. on the 15th; increased to 29·67 in. by midnight on the 16th; decreased generally to 29·45 in. by 4h. P.M. on the 19th; increased to 29·55 in. by 1h. 30m. A.M. on the 20th; decreased to 29·41 in. by 2h. 30m. A.M. on the same day; and increased generally to 29·79 in. by midnight on the 21st.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 14th May, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	8	2	-	1	-	-	3	-	-
Kensington	184,635	-	2	5	-	-	-	-	-	-	-
Hammersmith	127,413	-	4	5	-	-	-	-	-	-	-
Fulham	181,282	-	2	7	-	-	-	-	4	-	1
Chelsea	75,457	-	4	-	-	-	-	-	2	-	-
City of Westminster ..	167,233	-	7	2	-	2	-	-	-	-	-
NORTH.											
St. Marylebone	125,195	-	4	1	-	-	-	-	3	-	-
Hampstead	95,729	-	2	2	-	1	-	-	-	-	-
St. Pancras	237,792	-	14	4	-	1	-	-	2	-	-
Islington	353,356	-	15	9	-	2	-	-	3	-	2
Stoke Newington	54,838	-	2	3	-	-	-	-	1	-	-
Hackney	239,979	-	11	4	-	1	-	-	6	1	-
CENTRAL.											
Holborn	53,142	-	2	-	-	-	-	-	2	-	-
Finsbury	94,578	-	3	2	-	-	-	-	6	-	-
City of London	17,132	-	1	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	5	-	-	-	-	-	3	-	-
Bethnal Green	131,579	-	3	1	-	-	-	-	3	-	-
Stepney	314,379	-	3	11	-	-	-	-	6	1	-
Poplar	172,432	-	6	2	-	1	-	-	6	1	-
SOUTH.											
Southwark	211,832	-	6	4	-	1	-	-	3	1	-
Bermondsey	127,238	-	9	2	-	-	-	-	4	-	-
Lambeth	327,074	-	14	6	-	-	-	-	4	2	-
Battersea	188,222	-	11	1	-	2	-	-	6	-	-
Wandsworth	305,838	-	9	4	-	-	-	-	4	-	-
Camberwell	286,058	-	15	5	-	-	-	-	4	-	-
Deptford	119,642	-	3	3	-	1	-	-	1	-	-
Greenwich	112,935	-	4	4	-	1	-	-	2	-	-
Lewisham	164,899	-	13	6	-	-	-	-	1	-	-
Woolwich	135,422	-	6	2	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	1	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	188	98	-	14	-	-	82	6	3
Ages 0-1		-	1	3	-	-	-	-	2	-	2
" 1-5		-	48	42	-	1	-	-	1	-	-
" 5-		-	78	31	-	3	-	-	3	-	1
" 10-		-	29	8	-	3	-	-	3	-	-
" 15-		-	9	4	-	1	-	-	5	-	-
" 20-		-	11	3	-	2	-	-	4	1	-
" 25-		-	8	5	-	1	-	-	9	2	-
" 35-		-	3	2	-	2	-	-	18	2	-
" 45-		-	1	-	-	1	-	-	19	1	-
" 55-		-	-	-	-	-	-	-	12	-	-
" 65 and upwards		-	-	-	-	-	-	-	6	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 21. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, MAY 28. [Price 1½*d.*

General Register Office, Somerset House,
May 30th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 12·7 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 13·1, 13·8, and 12·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·0 in Burnley, 17·2 in Southampton, 17·3 in Rhondda, 17·4 in Stockport, in Oldham, and in Swansea, 17·9 in Rochdale, 19·9 in Burton on Trent, 25·4 in Dewsbury, and 25·6 in Merthyr Tydfil; from *measles*, 1·4 in Liverpool, 1·9 in Blackburn, 2·0 in Dewsbury, 3·8 in Burton on Trent, and 7·9 in Merthyr Tydfil; and from *whooping-cough*, 1·2 in Aston Manor and in Sheffield, 1·3 in Birkenhead and in West Hartlepool, 1·5 in Manchester, 2·1 in Wallasey, and 2·9 in Oldham. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2697 BIRTHS and 1107 DEATHS were registered. Allowing for increase of population, the births were 241 above and the deaths 158 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(16646—41.) Wt. 91—429. 700, 5/10. D & S. G. 31. Sch. 4. X

weeks of the previous five years. The annual death-rate from all causes, which had been 12·5, 13·9, and 11·4 per 1000 in the preceding three weeks, was 11·8 last week. The death-rate in the four weeks ended last Saturday averaged 12·4 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1107 deaths included 50 from measles, 3 from scarlet fever, 2 from diphtheria, 36 from whooping-cough, 2 from enteric fever, and 15 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 108 deaths were referred, being 14 below the corrected average number in the twenty-first week of the preceding five years.

The deaths from *measles*, which had been 40, 55, and 48 in the preceding three weeks, were 50 last week, the corrected average being 48; 6 deaths belonged to the Borough of Southwark, 5 each to St. Pancras and to Bermondsey, and 3 each to Hackney, Finsbury, Shoreditch, and Camberwell. The deaths from *scarlet fever*, which had been 6, 3, and 4 in the preceding three weeks, were 3 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 6, 11, and 8 in the preceding three weeks, fell to 2 last week, and were 9 below the corrected average. The deaths from *whooping-cough*, which had been 46, 32, and 42 in the preceding three weeks, were 36 last week, and were equal to the corrected average; 4 deaths belonged to Islington, 4 to Stepney, and 3 each to Shoreditch and to Wandsworth. The deaths from *enteric fever*, which had been 1, 2, and 1 in the preceding three weeks, were 2 last week, and were 2 below the corrected average. The deaths from *diarrhœa*, which had been 11, 15, and 14 in the preceding three weeks, were 15 last week, and were 2 above the corrected average. Of the 15 deaths from diarrhœa, 12 were those of children under 2 years of age; 4 other deaths at this age were certified as due to *enteritis*, and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 4, having been 13, 12, and 4 in the preceding three weeks.

Different forms of violence caused 57 deaths, concerning all but 1 of which inquests were held. Of these 57 deaths, 12 were cases of suicide, 1 of execution, and 1 of homicide, while the remaining 43 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, three to burns or scalds, ten to drowning, and five, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1445 cases of scarlet fever, 742 of diphtheria, and 60 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 174 cases, against 179, 177, and 190; of diphtheria, 74 cases, against 72, 91, and 62; and of enteric fever, 8 cases, against 10, 6, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended May 21st, 1910.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 4257 births and 1572 deaths were registered. Allowing for increase of population, these numbers are 410 above and 209 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from measles, 2 from scarlet fever, 2 from diphtheria, 6 from whooping-cough, 1 from enteric fever, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·93 inches, and that of the Thermometer 57°·8, the latter being 2°·3 above the week's average in the 65 years ended 1905. The general direction of the wind was Northerly, the horizontal movement of the air being 9 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 60·2 hours; the measured rainfall amounted to 0·08 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 28th May, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 7th May, 1910.	14th May, 1910.	21st May, 1910.	28th May, 1910.	Rate from Diseases in Cols. 11-17 Week ended 28th May, 1910.	Registered during the Week ended 28th May, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS,
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**13·1**	**13·8**	**12·4**	**12·7**	**1·3**	**10076**	**4142**	**837**	**1224**	**-**	**157**	**22**	**20**	**159**	**17**	**49**	**189**	**356**	**1169**	**38**	**77 TOWNS.**
LONDON	4,872,702	12·5	13·9	11·4	11·8	1·2	2697	1107	224	320	-	50	3	2	36	2	15	57	130	477	2	LONDON.
CROYDON	164,485	10·5	8·6	8·6	12·7	0·6	102	40	4	17	-	1	-	-	1	-	-	-	2	14	-	CROYDON.
WILLESDEN ..	166,088	6·3	6·6	8·5	8·2	0·6	108	26	5	11	-	-	-	-	1	-	1	1	2	3	-	WILLESDEN.
HORNSEY	98,561	5·8	7·9	7·4	8·5	-	41	16	2	11	-	-	-	-	-	-	-	-	-	-	-	HORNSEY.
TOTTENHAM ..	132,803	6·3	14·1	11·0	9·8	0·8	74	25	3	10	-	-	-	-	2	-	-	-	2	7	-	TOTTENHAM.
WEST HAM ..	328,585	11·6	9·5	8·6	9·5	1·0	206	60	9	21	-	4	-	-	1	-	1	3	9	23	-	WEST HAM.
EAST HAM.. ..	156,208	9·7	9·3	6·7	7·0	1·0	84	21	7	5	-	1	1	1	-	-	-	1	3	5	-	EAST HAM.
LEYTON	133,436	6·6	7·0	7·0	7·0	1·2	55	18	1	6	-	1	1	-	1	-	-	-	-	6	-	LEYTON.
WALTHAMSTOW	141,748	8·8	5·5	9·2	5·5	0·7	68	15	3	5	-	2	-	-	-	-	-	-	-	3	-	WALTHAMSTOW.
HASTINGS	68,520	12·2	14·5	14·5	9·9	-	20	13	-	7	-	-	-	-	-	-	-	1	1	2	-	HASTINGS.
BRIGHTON	131,900	7·9	12·7	14·2	12·3	0·4	64	31	8	11	-	-	-	-	1	-	-	2	3	9	-	BRIGHTON.
PORTSMOUTH ..	217,989	13·2	13·2	11·5	12·7	0·2	127	53	9	14	-	-	-	-	1	-	-	2	4	17	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	12·7	13·4	14·8	11·3	-	34	16	-	5	-	-	-	-	-	-	-	1	1	2	1	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	9·8	14·4	11·1	17·2	1·2	74	42	7	21	-	-	1	1	-	1	-	3	3	11	-	SOUTHAMPTON.
READING	84,355	13·0	8·7	8·7	9·3	-	55	15	2	8	-	-	-	-	-	-	-	1	1	3	-	READING.
NORTHAMPTON ..	99,113	12·1	11·6	8·9	12·1	1·1	51	23	2	10	-	1	-	-	-	-	1	-	-	5	-	NORTHAMPTON.
IPSWICH	75,936	13·7	11·7	10·3	5·5	-	44	8	1	3	-	-	-	-	-	-	-	1	1	2	-	IPSWICH.
GREAT YARMOUTH	53,715	19·4	11·6	7·8	13·6	-	33	14	5	2	-	-	-	-	-	-	-	2	5	-	-	GREAT YARMOUTH.
NORWICH	125,446	14·5	10·0	10·8	10·4	0·4	72	25	3	13	-	-	-	-	-	1	-	1	1	6	-	NORWICH.
PLYMOUTH	126,266	12·0	17·3	14·5	12·8	0·4	49	31	3	14	-	1	-	-	-	-	-	1	5	9	-	PLYMOUTH.
DEVONPORT	84,695	8·6	6·2	14·8	12·3	0·6	52	20	3	7	-	-	-	-	1	-	-	1	2	2	-	DEVONPORT.
BRISTOL	382,550	10·0	10·0	9·3	9·4	0·3	208	69	8	28	-	-	-	-	1	-	1	6	8	23	-	BRISTOL.
STOKE ON TRENT‡..	245,726	12·5	15·3	14·9	14·2	1·9	150	67	13	19	-	3	2	2	-	1	1	4	7	7	-	STOKE ON TRENT‡.
BURTON ON TRENT	54,977	14·2	6·6	16·1	19·9	4·7	21	21	5	4	-	4	-	1	-	-	-	1	1	4	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	12·3	12·3	15·7	12·8	1·5	68	26	4	10	-	1	-	1	1	-	-	1	2	7	-	WOLVERHAMPTON
WALSALL	101,035	13·4	10·8	9·3	9·3	0·5	67	18	4	5	-	-	1	-	-	-	-	1	2	3	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	7·2	6·5	6·5	10·1	2·2	30	14	3	4	-	-	-	-	1	1	1	-	1	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	8·1	19·1	15·4	11·7	-	52	16	2	5	-	-	-	-	-	-	-	2	2	4	-	WEST BROMWICH.

ended Saturday, 28th May, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 7th May, 1910.	14th May, 1910.	21st May, 1910.	28th May, 1910.	Rate from Diseases in Cols. 11-17. Week ended 28th May, 1910.	Registered during the Week ended 28th May, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	12·8	12·5	10·3	14·8	1·6	402	162	43	48	-	-	2	2	11	-	2	3	7	57	6	BIRMINGHAM.
KINGS NORTON ..	84,673	10·5	4·9	8·6	9·2	-	49	15	4	6	-	-	-	-	-	-	-	1	1	1	1	KINGS NORTON.
SMETHWICK	72,350	13·7	8·6	11·5	8·6	0·7	40	12	2	1	-	-	-	1	-	-	-	-	-	1	-	SMETHWICK.
ASTON MANOR ..	86,269	7·9	7·3	9·1	7·3	1·2	51	12	-	4	-	-	-	-	2	-	-	-	-	1	1	ASTON MANOR.
COVENTRY	81,449	12·8	14·7	12·2	13·4	-	70	21	6	8	-	-	-	-	-	-	-	-	1	2	-	COVENTRY.
LEICESTER	248,374	11·1	13·0	9·0	10·9	0·8	142	52	10	19	-	-	-	-	3	1	-	4	6	12	-	LEICESTER.
GRIMSBY	74,283	12·6	16·1	17·5	10·5	1·4	49	15	5	3	-	-	-	-	1	1	-	-	1	3	-	GRIMSBY.
NOTTINGHAM ..	266,471	13·3	17·2	11·9	11·7	0·6	175	60	10	24	-	-	-	1	1	-	1	1	2	21	-	NOTTINGHAM.
DERBY	131,256	11·9	10·7	12·7	8·7	-	75	22	5	5	-	-	-	-	-	-	-	1	1	2	-	DERBY.
STOCKPORT	105,087	14·4	17·4	22·8	17·4	1·5	59	35	9	9	-	2	-	1	-	-	-	-	1	9	-	STOCKPORT.
BIRKENHEAD ..	122,431	14·1	15·3	13·6	12·8	1·3	81	30	8	6	-	-	-	-	3	-	-	1	2	10	1	BIRKENHEAD.
WALLASEY	73,173	17·1	15·7	12·8	14·3	2·1	47	20	5	6	-	-	-	-	3	-	-	-	-	1	2	WALLASEY.
LIVERPOOL	767,606	19·2	16·8	15·6	16·7	2·8	538	246	59	61	-	21	-	2	11	1	6	12	19	88	3	LIVERPOOL.
BOOTLE	70,548	14·8	14·8	14·0	11·1	-	47	15	1	6	-	-	-	-	-	-	-	3	3	4	1	BOOTLE.
ST. HELENS	96,523	12·4	11·3	13·0	16·7	0·5	83	31	8	13	-	1	-	-	-	-	-	2	3	6	3	ST. HELENS.
WIGAN	91,732	7·4	12·5	14·8	15·9	1·1	70	28	8	7	-	-	2	-	-	-	-	3	4	7	-	WIGAN.
WARRINGTON ..	73,295	16·4	15·7	14·2	12·8	-	52	18	5	2	-	-	-	-	-	-	-	1	1	4	-	WARRINGTON.
BOLTON	190,315	12·3	12·6	11·5	10·7	1·4	88	39	7	12	-	-	1	-	3	-	1	-	1	3	-	BOLTON.
BURY	59,409	9·7	18·4	10·5	15·8	0·9	32	18	-	8	-	-	1	-	-	-	-	2	2	4	1	BURY.
MANCHESTER ..	716,354	19·3	19·7	16·0	16·4	2·3	504	225	44	50	-	6	1	2	21	1	1	8	14	76	-	MANCHESTER.
SALFORD	244,636	14·9	18·5	14·1	14·3	2·6	165	67	18	14	-	6	-	-	3	1	2	5	6	10	1	SALFORD.
OLDHAM	144,111	19·9	18·5	15·6	17·4	3·3	87	48	12	13	-	1	-	-	8	-	-	2	5	7	-	OLDHAM.
ROCHDALE	90,497	15·0	16·1	13·8	17·9	1·7	34	31	2	14	-	1	-	-	1	1	-	1	1	2	1	ROCHDALE.
BURNLEY	107,448	15·5	20·4	13·6	17·0	1·9	66	35	7	13	-	1	-	-	1	-	2	2	2	3	-	BURNLEY.
BLACKBURN	137,972	12·1	13·6	15·5	14·4	3·0	83	38	4	12	-	5	2	-	-	-	1	1	2	14	1	BLACKBURN.
PRESTON	119,253	15·7	17·5	17·9	12·7	0·4	73	29	9	11	-	1	-	-	-	-	-	-	-	3	-	PRESTON.
BARROW IN FURNESS.	63,689	14·7	13·9	17·2	14·7	1·6	42	18	6	4	-	-	-	-	1	-	1	1	1	2	1	BARROW IN FURNESS.

* See note † on first page of this return.

TABLE 1 (*contd.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 28th May, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 7th May, 1910.	14th May, 1910.	21st May, 1910.	28th May, 1910.	Rate from Diseases in Cols 11-17. Week ended 28th May, 1910.	Registered during the Week ended 28th May, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	16·5	21·5	14·9	16·0	2·2	53	29	2	11	-	2	-	-	2	-	-	3	3	5	-	HUDDERSFIELD.
HALIFAX	112,818	13·4	14·3	15·7	14·8	0·9	53	32	2	13	-	-	-	-	2	-	-	1	2	4	2	HALIFAX.
BRADFORD	295,865	14·6	16·7	15·2	15·0	2·1	124	85	12	28	-	6	-	1	2	3	-	-	1	17	1	BRADFORD.
LEEDS	490,985	14·7	13·0	13·3	13·8	1·2	267	130	26	38	-	4	1	-	3	1	2	7	13	27	-	LEEDS.
DEWSBURY†	51,224	19·3	11·2	17·3	25·4	4·1	36	25	6	7	-	2	-	-	-	-	2	-	-	5	-	DEWSBURY.†
SHEFFIELD	478,763	10·7	14·7	12·2	13·0	1·4	300	119	35	31	-	2	-	-	11	-	-	5	9	24	-	SHEFFIELD.
ROTHERHAM.. ..	66,414	9·4	14·9	7·9	9·4	0·8	45	12	1	2	-	1	-	-	-	-	-	2	2	4	-	ROTHERHAM.
YORK	88,159	8·9	11·8	14·8	8·9	0·6	48	15	2	6	-	-	-	-	1	-	-	2	3	2	-	YORK.
HULL	280,006	12·5	14·2	11·2	13·2	0·9	183	71	17	21	-	3	-	-	2	-	-	7	9	9	-	HULL.
MIDDLESBROUGH ..	107,014	15·6	16·1	18·5	12·7	1·0	84	26	8	5	-	-	-	-	1	-	1	1	1	2	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	22·3	15·5	15·5	12·6	-	29	13	2	3	-	-	-	-	-	-	-	-	-	2	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	12·7	12·1	8·9	5·1	1·3	45	8	2	2	-	-	-	-	2	-	-	-	-	-	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	16·2	12·9	14·6	16·5	1·9	97	51	10	12	-	4	-	-	2	-	-	1	1	8	2	SUNDERLAND.
SOUTH SHIELDS ..	119,737	16·5	16·1	11·8	16·5	2·6	76	38	9	8	-	3	1	-	2	-	-	2	3	8	2	SOUTH SHIELDS.
GATESHEAD	133,676	12·9	13·3	12·9	12·9	2·0	84	33	9	5	-	1	-	-	1	1	2	-	3	2	-	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	14·4	12·6	12 4	11·9	0·5	183	65	15	18	-	-	-	-	1	-	2	1	5	16	1	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	14·8	16·6	23·1	12·0	0·9	42	13	1	4	-	-	-	1	-	-	-	-	1	3	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	13·7	15·0	19·0	11·8	0·7	59	13	6	3	-	-	-	-	1	-	-	1	1	2	1	NEWPORT (MON.).
CARDIFF	199,189	12·0	12·3	14·1	12·8	0·8	93	49	4	12	-	2	-	1	-	-	-	2	4	13	-	CARDIFF.
RHONDDA	138,674	13·5	11·7	14·7	17·3	2·3	134	46	13	7	-	1	2	-	3	-	-	1	3	1	1	RHONDDA.
MERTHYR TYDFIL..	79,522	21·6	20·3	27·5	25·6	8·5	54	39	11	4	-	12	-	-	-	-	1	4	5	5	-	MERTHYR TYDFIL.
SWANSEA	98,817	12·7	14·8	13·2	17·4	1·6	77	33	7	9	-	-	-	-	2	-	1	2	3	3	-	SWANSEA.
GREATER LONDON	7,537,196	11·4	12·1	10·6	10·9	1·0	4257	1572	297	495	-	62	7	5	48	3	19	75	172	592	2	GREATER LONDON.
OUTER RING ..	2,664,494	9·3	8·9	9·1	9·1	0·7	1560	465	73	175	-	12	4	3	12	1	4	18	42	115	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	8·8	8·7	8·4	8·7	0·8	738	221	34	86	-	9	2	1	6	-	2	5	18	61	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	9·8	9·2	9·7	9·5	0·6	822	244	39	89	-	3	2	2	6	1	2	13	24	54	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	16·4	13·2	15·9	10·7	0·4	142	74	6	29	-	2	1	-	-	-	-	-	?	23	1	EDINBURGH.
GLASGOW	884,505	14·7	14·6	15·7	14·7	1·5	479	250	43	62	-	9	2	2	4	1	7	7	?	98	5	GLASGOW.
DUBLIN (Registration Area).‡	402,928	16·7	22·0	15·9	19·5	0·4	242	151	29	43	-	-	-	-	-	1	2	3	4	66	3	DUBLIN (Registration Area).‡
BELFAST‡	391,167	22·3	22·7	23·6	23·5	5·6	264	176	37	27	-	33	1	1	5	-	2	1	5	41	-	BELFAST‡

* See preface to Table 1.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FIRST Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2435	2559	2174	2514	2122	2544	2518	2258	2540	2131	2455·6	2697
Males - - -	1270	1313	1122	1294	1073	1278	1283	1198	1296	1088	1258·0	1353
Females - -	1165	1246	1052	1220	1049	1266	1235	1060	1244	1043	1197·6	1344
TOTAL **Deaths** -	1440	1363	1439	1232	1274	1311	1159	1316	1153	1240	1265·4	1107
Males - - -	764	714	815	642	687	688	638	684	600	626	662·7	601
Females - -	676	649	624	590	587	623	521	632	553	614	602·7	506

* The numbers in this column are the average weekly numbers in the Twenty-First week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	13 Weeks.
TOTAL **Births**	2393	2370	2344	2141	2312	2420	2372	2334	2372	2229	2529	1610	2697	30123
TOTAL **Deaths** -	1346	1254	1231	1263	1354	1377	1387	1226	1217	1167	1299	1062	1107	16290
Ages at Death: Under 1 year -	233	219	197	215	236	260	218	233	230	210	243	212	224	2930
1—5 years -	153	116	137	127	141	120	146	115	125	126	134	129	124	1693
5—20 " -	68	63	60	78	72	67	74	59	67	63	79	61	54	865
20—40 " -	133	148	149	143	161	165	170	148	141	135	151	117	145	1906
40—60 " -	272	248	247	289	280	310	277	269	265	244	281	229	240	3451
60 yrs. & upwds.	487	460	441	411	464	455	502	402	389	389	411	314	320	5445
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	39	15	24	24	22	33	46	27	33	40	55	48	50	456
Scarlet Fever - -	6	9	6	10	2	4	5	6	–	6	3	4	3	64
Diphtheria - -	9	6	6	10	8	6	8	5	6	6	11	8	2	91
Whooping-cough -	46	44	46	44	51	45	41	38	42	46	32	42	36	553
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	3	2	4	6	3	2	8	3	2	1	2	1	2	39
Pyrexia (origin uncertain).	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa, Dysentery	10	13	11	5	9	11	9	10	8	11	15	14	15	141
All above diseases -	114	89	97	99	95	101	117	89	91	110	118	117	108	1345
Dis. of Resp. System	148	129	109	123	158	131	137	119	103	83	116	81	64	1501
Pneumonia - -	142	150	129	138	152	150	175	158	141	128	117	114	98	1792
Phthisis - - -	126	108	121	123	118	132	113	112	102	116	121	99	90	1481
Dis. of Circ. System -	198	172	184	194	193	219	183	181	178	148	173	143	127	2293
Violence - - -	49	50	37	46	58	46	64	52	46	60	48	58	57	671
Inquest Cases - -	135	143	118	107	144	133	129	132	141	130	120	130	130	1692
Deaths in Institutions	584	543	514	528	566	575	577	550	550	536	576	423	477	6999
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	41·8	46·0	40·1	42·0	41·9	42·8	48·8	49·3	45·4	46·3	47·5	58·9	57·8	46·8
Mean of Highest -	49·9	52·5	48·7	51·1	52·0	51·7	58·7	57·7	55·5	55·6	58·3	69·8	69·1	56·2
Mean of Lowest -	33·1	40·5	32·3	33·3	32·8	34·7	42·1	42·0	37·8	39·4	38·8	51·2	49·2	39·0
Mean Humidity of the Air.	83	87	75	80	74	79	79	82	73	77	76	84	75	79
Rain-fall (in inches) -	0·15	0·95	0·13	0·00	0·00	0·11	1·86	0·23	0·43	0·74	0·42	0·89	0·08	5·99
Registered Sunshine (in hours).	44·7	14·6	41·6	23·6	46·8	24·2	29·1	8·3	50·1	44·6	53·8	49·2	60·2	490·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever - -	1766	1754	1713	1650	1611	1554	1535	1510	1509	1506	1476	1476	1445	1577
Diphtheria - - -	901	884	872	855	856	848	816	812	798	784	775	753	742	823
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	78	89	88	88	85	81	81	69	66	62	62	58	60	74

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth: and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FIRST Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objection should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 21st week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1265·4	1107	224	124	54	145	240	320
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	48·3	50	14	34	2	–	–	–
Scarlet Fever	9·4	3	–	2	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	15·6	4	–	–	–	–	3	1
Whooping-cough	36·0	36	19	17	–	–	–	–
Diphtheria	11·1	2	–	1	1	–	–	–
Cerebro-spinal Fever ..	0·2	2	2	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	4·3	2	–	–	–	2	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	4·1	7	7	–	–	–	–	–
Diarrhœa, Dysentery ..	9·2	8	4	1	–	–	3	–
Tetanus	0·8	1	1	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·2	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	0·2	–	–	–	–	–	–	–
Venereal Dis.	9·4	7	5	–	–	1	–	1
Puerperal Septicæmia ..	1·8	1	–	–	–	1	–	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·8	1	–	–	–	–	1	–
Infective Endocarditis ..	2·7	6	–	–	1	2	1	2
Pneumonia: Lobar ..	22·1	10	–	1	–	4	3	2
Pneumonia: Broncho ..	45·5	36	7	11	1	3	9	5
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	63·7	52	5	6	2	7	16	16
Erysipelas	4·7	3	1	–	–	1	1	–
Septicæmia (not Puerperal)	1·6	2	–	–	–	2	–	–
Pyæmia (not Puerperal)	–	2	1	–	–	–	–	1
Other Infective Processes	3·9	4	–	–	1	–	2	1
Tuberculous Phthisis ..	78·8	65	1	4	3	28	23	6
"*Phthisis*"	42·2	25	–	–	–	14	7	4
Tuberculous Meningitis ..	22·1	17	1	10	4	2	–	–
Tuberculous Peritonitis ..	8·4	4	1	2	–	–	1	–
Tabes Mesenterica	2·3	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	19·5	16	–	4	5	4	2	1
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	9·0	13	–	–	–	7	6	–
Rheumatic Fever	7·0	4	–	–	2	1	–	1
Gout	2·0	–	–	–	–	–	–	–
Carcinoma	55·5	63	–	–	–	2	27	34
Sarcoma	6·8	4	–	–	–	2	1	1
Cancer (undefined) ..	28·9	21	–	–	–	–	12	9
Diabetes Mellitus	7·0	9	–	–	–	2	2	5
Premature Birth	41·6	47	47	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 21st week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	13·7	14	8	2	2	1	–
Gen. Par. of Insane, Insanity	13·1	8	–	–	–	3	–
Epilepsy	4·9	5	–	–	1	1	–
Convulsions	14·7	16	11	5	–	–	–
Locomotor Ataxy.. ..	1·4	2	–	–	–	–	–
Paraplegia, Dis. of Cord.	5·3	6	–	–	–	–	–
Nervous Sys., Other Dis.	18·2	18	2	1	1	1	–
Valv. Dis., Endocarditis..	41·2	31	–	1	3	9	1
Cereb. Hæm. Cereb. Emb.	29·7	30	–	–	–	1	–
Apoplexy, Hemiplegia ..	13·5	5	–	–	–	–	–
Aneurysm	5·3	4	–	–	–	1	–
Embolism, Thrombosis (not Cerebral) ..	1·4	2	–	–	–	1	–
Heart & Blood Ves., Other Dis... ..	79·5	55	–	–	3	4	1
Croup (not Spasm: nor Memb.)	0·4	1	–	1	–	–	–
Bronchitis	71·7	49	10	4	–	3	–
Emphysema, Asthma ..	2·5	1	–	–	–	–	–
Pleurisy	4·1	5	1	–	–	1	–
Respiratory Dis., Other..	11·1	8	1	–	–	1	–
Tonsillitis, Quinsy.. ..	0·6	1	–	–	–	–	–
Enteritis (not Epid.) ..	8·2	6	4	–	–	–	–
Gastro-enteritis	4·7	5	3	1	–	–	–
Peritonitis (not Puerp.) ..	2·3	3	–	–	–	–	–
Cirrhosis of Liver.. ..	13·3	9	–	–	–	1	–
Liver Dis., Other	4·5	6	–	–	–	–	–
Digestive Sys., Other Dis.	33·8	38	3	1	3	6	–
Acute Nephritis	7·6	5	1	–	–	2	–
Bright's Dis., Albuminuria	34·0	29	–	–	–	3	–
Urinary Sys., Other Dis.	8·8	12	–	–	–	1	–
Generative Organs Dis...	5·3	4	–	–	–	1	–
Childbirth (Accid. of) ..	4·9	2	–	–	–	2	–
Old Age	51·2	52	–	–	–	–	–
Other Diseases	77·5	91	55	10	5	7	1
ACCIDENT.							
By Railways	1·0	–	–	–	–	–	–
By Vehicles and Horses..	4·7	9	–	1	5	1	–
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	–	–	–	–	–	–
In Building Operations..	1·0	–	–	–	–	–	–
In Conflagrations	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	3·1	3	–	3	–	–	–
By Drowning	4·7	10	–	–	4	3	–
By Suffocation in Bed ..	7·0	5	5	–	–	–	–
By Poisons or Poisonous Vapours	1·8	–	–	–	–	–	–
Other Deaths by Accident..	15·8	16	3	1	2	1	–
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	0·4	1	1	–	–	–	–
Suicide	9·4	12	–	–	2	4	1
Execution	0·4	1	–	–	–	1	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the diffic experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th May, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2697	1107	224	320	-	50	3	2	36	2	15	90	57	130	477	2
WEST DISTRICTS	805,311	359	186	32	54	-	5	1	1	3	-	2	11	9	24	82	-
NORTH DISTRICTS	1,055,908	579	239	45	71	-	12	1	-	6	1	4	21	10	16	96	2
CENTRAL DISTRICTS	209,465	99	68	17	11	-	4	-	-	4	-	1	5	6	10	42	-
EAST DISTRICTS	715,739	512	174	42	43	-	7	-	-	12	-	2	13	12	25	90	-
SOUTH DISTRICTS	1,749,844	1148	409	88	132	-	22	1	-	11	-	4	34	20	55	136	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	31	-	9	-	-	-	1	-	1	2	6	-	-	31	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	33	12	3	3	-	1	-	-	1	-	-	1	-	-	-	-
entral Paddington *W,3H*	50,053	25	20	-	8	-	-	-	-	-	-	-	1	2	8	13	-
outh Paddington	30,320	9	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-
ensington South† *W,3H*	85,610	30	23	3	6	-	-	-	-	-	-	-	1	-	-	15	-
ensington Central† *W,H*	42,774	19	6	1	1	-	-	-	-	-	-	-	-	-	1	1	-
ensington North† *w*	48,244	21	12	3	5	-	2	-	-	1	-	-	1	1	2	5	-
orth Hammersmith *2W,w,H* ..	49,192	22	9	2	3	-	-	-	1	-	-	-	1	1	2	2	-
outh Hammersmith *w,2H* ..	63,047	28	12	1	5	-	-	-	-	-	-	-	-	1	2	3	-
orth-west Fulham *W*	45,180	40	11	5	1	-	-	-	-	-	-	1	2	-	-	6	-
orth-east Fulham *F*	46,405	24	10	2	1	-	2	1	-	-	-	-	1	-	-	2	-
outh Fulham *W*	45,704	23	6	3	1	-	-	-	-	-	-	1	-	1	1	-	-
helsea North *W,w,3H*	42,514	19	22	3	8	-	-	-	-	-	-	-	3	1	1	15	-
helsea South *W,2H*	31,328	21	8	1	3	-	-	-	-	-	-	-	-	1	2	2	-
ayfair and Knightsbridge	28,743	6	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-
elgrave *W,2H*	55,815	16	17	1	4	-	-	-	-	-	-	-	-	-	2	12	-
. Margaret & St. John *6H*	43,698	16	9	4	1	-	-	-	-	1	-	-	-	1	1	4	-
. James and St. Anne *W,6H* ..	33,081	7	5	-	1	-	-	-	-	-	-	-	-	-	-	2	-
NORTH DISTRICTS.																	
ll Souls Marylebone *7H*	35,391	17	19	1	4	-	-	-	-	-	-	1	2	-	1	9	-
. Mary Marylebone *W,4H* ..	37,948	49	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-
ristchurch Marylebone *H* ..	39,536	24	2	2	-	-	-	-	-	-	-	1	-	-	-	-	-
. John Marylebone *2H*	20,426	16	8	2	3	-	1	-	-	-	-	-	-	-	-	1	-
ampstead *W,F,6H*	81,942	26	20	1	6	-	-	-	-	-	1	-	2	1	-	7	-
est St. Pancras *2H*	60,562	31	12	2	3	-	2	-	-	-	-	-	2	1	1	1	-
uth St. Pancras *w,10H*	55,707	15	19	4	4	-	1	-	-	-	-	-	1	1	1	16	-
st St. Pancras *W,H*	60,320	44	18	6	6	-	1	-	-	-	-	1	-	2	4	6	-
orth St. Pancras *2W*	58,728	33	13	2	3	-	-	-	-	1	-	-	1	1	1	6	-
nfield *W*	31,995	27	17	1	7	-	-	-	-	-	-	-	2	-	-	15	-
pper Holloway *2W,w,H*	33,978	18	13	4	3	-	2	-	-	2	-	-	-	-	-	10	-
llington *W,w,H*	33,922	21	5	1	3	-	-	-	-	1	-	-	-	1	2	-	-
wer Holloway	41,424	22	8	3	-	-	1	-	-	-	-	-	-	-	-	-	1
rnsbury	54,478	28	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
lington South-east *F*	75,397	43	9	1	4	-	-	-	-	-	-	-	2	-	-	-	-
ighbury *2H*	63,797	32	6	1	1	-	-	-	-	1	-	-	1	-	-	-	-
oke Newington *H*	51,247	26	8	1	5	-	-	-	-	-	-	-	1	-	-	-	-
orth Hackney	50,398	13	9	1	2	-	-	-	-	1	-	-	1	2	3	-	-
entral Hackney *2w,F*	50,536	28	11	2	2	-	1	1	-	-	-	-	1	-	1	4	-
uth-west Hackney *3H*	59,921	33	11	3	2	-	-	-	-	-	-	1	2	-	1	3	-
uth-east Hackney *2W,w,H* ..	58,255	33	24	5	10	-	3	-	-	-	-	-	3	1	1	17	1
ackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† On 1st May, 1910, the sub-district of Kensington Town was abolished, part being added to the sub-district of Brompton (re-named Kensington South), and the remainder forming the new sub-districts of Kensington Central and Kensington North.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th May, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	14	8	2	2	-	1	-	-	-	-	-	-	1	1	3	-
Strand *W*,4*H*	21,674	2	11	-	-	-	1	-	-	-	-	-	-	-	-	10	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	10	19	7	2	-	1	-	-	3	-	1	1	2	3	14	-
Clerkenwell *H*	63,704	35	9	3	4	-	1	-	-	-	-	-	2	1	2	1	-
St. Luke 3*H*,*L*	36,116	35	5	2	-	-	-	-	-	-	-	-	1	-	2	1	-
Holborn Union Workhouse, Mitcham	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-
St. Botolph *H*	10,299	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	-	13	3	2	-	-	-	-	-	-	-	1	1	1	11	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	37	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	27	20	4	11	-	1	-	-	2	-	-	1	1	2	11	-
Shoreditch North-East	36,148	24	3	2	1	-	-	-	-	-	-	1	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	41	21	4	9	-	1	-	-	-	-	-	3	-	-	15	-
Bethnal Green South-West *H* ..	64,542	62	7	4	1	-	1	-	-	-	-	-	-	1	1	-	-
Spitalfields	27,969	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	26	33	6	3	-	-	-	-	1	-	1	-	3	5	33	-
Goodman's Fields	22,081	10	4	1	-	-	-	-	-	1	-	-	-	1	1	-	-
St. George and St. John 2*W* ..	49,068	39	6	2	1	-	-	-	-	-	-	-	1	-	-	-	-
Shadwell and Ratcliff *w*,*H* ..	25,568	19	14	8	2	-	2	-	-	6	-	-	1	-	-	10	-
Limehouse *W*	32,369	23	6	2	1	-	-	-	-	-	-	-	-	1	3	-	-
Mile End Old Town South-Western *H*	63,698	58	8	3	2	-	-	-	-	-	-	-	1	-	-	3	-
Mile End Old Town North-Eastern *W*,*w*	49,129	35	11	-	3	-	-	-	-	-	-	-	2	-	3	3	-
Bow	41,989	19	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Bromley 3*w*,*H*	68,319	46	25	4	5	-	-	-	-	2	-	-	2	2	5	15	-
Poplar *W*,*w*	58,514	39	10	2	3	-	1	-	-	-	-	-	1	2	4	-	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

BLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th May, 1910.

EGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
istchurch and St. Saviour outhwark *W,2H*	23,319	10	26	5	6	-	4	-	-	-	-	-	-	3	5	21	-
nt-road	21,904	19	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
George the Martyr West *V,2H,L*	39,094	23	4	2	1	-	-	-	-	1	-	-	-	1	1	1	-
wington North	49,022	31	11	7	-	-	3	-	-	-	-	1	2	1	1	-	-
wington South *W*	72,841	52	8	2	1	-	1	-	-	1	-	-	-	-	1	3	-
Olave *2W*	9,817	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rmondsey *W*	82,483	56	11	3	-	-	2	-	-	1	-	-	1	1	4	-	-
therhithe *W,F*	38,460	21	8	1	1	-	-	-	-	-	-	-	2	-	2	5	-
terloo *2H*	27,440	45	9	7	-	-	1	-	-	-	-	1	-	-	-	6	-
nbeth Church *H*	27,440	21	9	2	-	-	-	-	-	-	-	-	1	-	-	9	-
nington *2W*	52,518	45	29	4	13	-	1	-	-	-	-	-	5	3	3	15	-
ckwell *HF*	63,826	65	11	3	3	-	-	-	-	-	-	-	3	1	3	-	-
xton *H*	73,673	36	8	3	3	-	-	-	-	1	-	-	-	-	2	-	-
rwood *2WH*	56,998	27	12	6	2	-	-	-	-	-	-	-	-	-	3	-	-
st Battersea *H*	72,203	33	8	2	2	-	-	-	-	-	-	-	-	-	2	-	-
rth-west Battersea	49,656	29	8	1	3	-	-	-	-	-	-	-	-	-	1	-	-
th-west Battersea *2W,H*	47,048	30	21	2	6	-	4	-	-	1	-	-	2	-	2	13	-
pham *2H*	51,361	23	9	2	3	-	-	-	-	-	-	1	1	-	2	-	-
eatham *W,2w,2F,2L*	88,019	62	20	4	10	-	-	-	-	2	-	-	-	-	1	3	-
ingfield *2W,L*	27,959	28	7	1	2	-	-	-	-	-	-	-	-	2	2	-	-
thfields *H*	40,444	31	8	1	4	-	-	-	-	-	-	-	-	1	1	1	-
ney	24,139	15	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
lwich	13,359	7	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-
nberwell South *W,w*	40,206	18	22	2	8	-	-	-	-	-	-	-	7	-	2	15	-
nberwell North *W,2L*	65,584	30	18	2	10	-	-	-	-	-	-	1	2	2	3	15	-
George	47,331	32	8	-	4	-	1	-	-	1	-	-	-	1	1	-	-
kham North	48,913	49	11	2	2	-	2	-	-	1	-	-	-	-	2	-	-
kham South *2W,w*	43,946	17	6	2	3	-	-	-	-	-	-	-	-	-	2	-	-
tford North	37,613	33	6	2	1	-	2	-	-	-	-	-	-	-	-	-	-
tford Central *F*	45,481	30	7	2	1	-	-	1	-	1	-	-	-	-	2	1	-
tford South	34,625	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
enwich West *H*	23,456	17	9	3	3	-	-	-	-	-	-	-	1	-	-	2	-
enwich East *2W,H*	43,859	28	22	2	7	-	-	-	-	-	-	-	1	2	2	10	-
ham *w,H*	7,226	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
w,H	25,490	14	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
isham *2W,w,F*	58,352	40	19	2	11	-	-	-	-	-	-	-	2	1	1	5	-
enham *H*	43,653	25	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-
rlton *F,2H*	21,134	9	5	2	-	-	-	-	-	-	-	-	-	-	-	2	-
lwich *5H*	41,625	29	9	-	4	-	1	-	-	-	-	-	1	1	1	-	-
nstead West *W,H*	39,376	19	5	1	2	-	-	-	-	1	-	-	1	-	-	-	-
nstead East *2W*	28,951	19	14	4	5	-	-	-	-	-	-	-	1	-	3	9	-
khouses:—																	
mont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tral London Sick Asylum	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Westminster, St. Giles, and and Unions.)																	
. B. Small-pox Hospitals:—																	
g Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. B. Fever Hospitals:—																	
e Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
th-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
thern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. B. Children's Hospital:—																	
ldren's Infirmary, Carshalton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. B. Imbecile Asylums:—																	
erham	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4	-
enth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
vesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
on County Lunatic Asylums:—																	
stead	—	-	6	-	2	-	-	-	-	-	-	-	2	-	-	6	-
ell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ton	—	-	2	-	1	-	-	-	-	-	1	-	-	-	-	2	-
ior	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
g Grove	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4	-
e Hill	—	-	2	-	1	-	-	-	-	-	-	-	1	-	-	2	-
tford Heath	—	-	2	-	-	-	-	-	-	-	-	-	2	-	-	2	-
well	—	-	2	-	-	-	-	-	-	-	-	1	-	-	-	2	-
ney Hatch	—	-	6	-	2	-	-	-	-	-	-	1	1	-	-	6	-
bury	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belong the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMER POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday. 28th May, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public
	LONDON—OUTER RING ..	368,603	2,045,135	1560	465	73	175	-	12	4	3	12	1	4	18	42	1
31 : 1	Carshalton 2F,3H	12,228	32,997	18	8	2	3	-	-	-	1	-	-	-	-	-	
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	9	4	-	1	-	-	1	-	-	-	-	-	-	
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	5	-	-	-	-	-	-	-	-	-	-	-	
39 : 1	Coulsdon	11,069	8,166	7	2	1	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w,H ..	4,200	49,309	27	14	2	8	-	-	-	-	-	-	-	-	1	
3	West Croydon 3W,F,H ..	2,168	42,888	45	19	1	8	-	1	-	-	1	-	-	1	2	
4	North Croydon H	2,644	41,698	30	4	1	2	-	-	-	-	-	-	-	-	-	
5	Penge w	770	22,465	21	4	1	1	-	1	-	-	-	-	-	-	-	
6	Mitcham w	11,711	30,015	41	10	2	3	-	-	-	-	-	-	-	1	2	
40 : 1	Wimbledon F,3H	3,221	41,652	24	7	1	4	-	-	-	-	-	-	-	-	-	
2	Kingston 2W,H	6,224	42,068	27	10	1	6	-	-	-	-	-	-	-	-	-	
3	Surbiton F,H	3,046	15,017	11	5	2	1	-	-	-	-	-	-	-	-	-	
4	Esher, *part of** H	5,402	13,100	5	-	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,456	15	1	-	-	-	-	-	-	-	-	-	-	-	
41 : 1	Richmond W,H	2,491	31,672	14	4	1	-	-	-	-	-	-	-	-	-	-	
2	Mortlake F	2,518	17,821	11	7	-	3	-	-	-	-	-	-	-	1	3	
42 : 1	Bromley F,3H	4,696	27,397	17	3	-	2	-	-	-	-	-	-	-	-	-	
2	Beckenham H	7,832	28,454	14	1	-	1	-	-	-	-	-	-	-	-	-	
3	Orpington, *part of** W,F ..	10,113	9,857	4	-	-	-	-	-	-	-	-	-	-	-	-	
4	Chislehurst 2H	7,333	16,446	15	4	1	2	-	-	-	-	1	-	-	-	-	
43 : 1	Bexley w,F,H	8,678	21,151	17	2	-	1	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,354	25,296	16	5	1	1	-	-	-	-	-	-	-	-	-	
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	
126 : 1	Sunbury w	11,054	18,683	21	4	1	2	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	11	1	-	1	-	-	-	-	-	-	-	-	-	
127 : 1	Hillingdon W,F,H	8,035	13,661	15	4	-	2	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	4	3	-	2	-	-	-	-	-	-	-	-	-	
3	Hayes w 2F,H	8,066	16,358	20	3	-	2	-	-	-	-	-	-	-	1	1	
128 : 1	Isleworth 3W,3F,H	6,859	30,863	24	18	2	6	-	1	-	-	-	-	-	2	2	
2	Twickenham F,2H	2,421	20,991	17	3	1	-	-	-	-	-	-	-	-	-	-	
3	Brentford 3F,2H	4,319	48,289	39	8	-	5	-	-	-	-	-	-	-	2	2	
4	Chiswick H	1,249	29,809	18	8	2	3	-	-	-	-	1	-	-	-	1	
5	Acton w,F,3H	6,132	48,914	55	16	1	8	-	-	-	-	-	-	-	2	3	
129 : 1	Willesden W,F,2H	4,384	114,811	108	25	5	10	-	-	-	-	1	-	1	1	2	
130 : 1	Harrow F,H	13,809	25,523	18	3	-	1	-	-	-	-	-	-	-	-	-	
2	Edgware 2F,2H	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hendon W,F	8,382	22,450	16	5	1	3	-	-	-	-	-	-	-	-	-	
131 : 1	South Mimms 2F,H ..	17,755	7,308	4	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	13	4	-	3	-	-	-	-	-	-	-	-	2	
3	Finchley F,3H	4,668	33,692	26	11	2	4	-	-	-	-	-	-	-	-	-	
132 : 1	Hornsey F,H	2,875	72,056	41	16	2	11	-	-	-	-	-	-	-	2	3	
2	Wood Green H	1,625	34,233	24	13	1	5	-	-	-	-	2	-	-	-	1	
3	West Tottenham	995	48,741	36	10	3	3	-	-	-	-	-	-	-	-	1	
4	East Tottenham 2H ..	2,019	53,962	38	9	-	5	-	-	-	-	-	-	1	-	2	
5	Edmonton W,w,2F	7,491	61,892	62	24	4	5	-	-	-	-	-	-	-	-	-	
6	Enfield 2W,F,H	12,601	42,738	31	11	3	1	-	-	1	-	1	1	-	-	-	
7	Waltham Abbey F	11,017	6,549	1	1	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	9	3	-	1	-	-	-	-	-	-	-	1	1	
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	
140 : 1	Bushey, *part of** H ..	9,195	7,051	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	
188 : 1	Stratford H	1,091	52,974	37	9	3	3	-	2	-	-	-	-	-	-	-	
2	Forest Gate	787	52,745	21	6	-	3	-	-	-	-	-	-	-	-	1	
3	Plaistow F,2H	1,249	90,921	68	16	4	4	-	-	-	-	-	-	-	1	2	
4	Canning Town H	1,556	70,718	80	11	2	2	-	-	-	-	1	-	1	1	3	
5	South East Ham 2F ..	1,991	37,342	45	10	5	-	-	-	1	1	-	-	-	1	3	
6	North East Ham w,H ..	1,333	58,666	39	8	1	5	-	-	-	-	-	-	-	-	-	
7	Wanstead F	1,679	9,179	5	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	23	15	1	8	-	-	-	-	-	-	-	-	1	
9	North Leyton 2W,w,F ..	1,963	48,445	32	28	3	8	-	6	1	-	1	-	-	1	2	
10	Walthamstow 2H,L ..	6,504	108,929	80	18	4	7	-	1	-	-	1	-	-	-	-	
189 : 1	Chigwell 2F,3H	11,778	16,397	10	5	2	-	-	-	-	-	-	-	-	-	1	
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	1	-	-	-	-	-	1	-	-	-	-	-	
2	Ilford F,L	8,496	41,244	43	8	3	2	-	-	-	-	-	-	-	-	-	
3	Barking Town F	3,805	21,547	26	2	-	-	-	-	-	-	-	-	-	-	-	
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	1	-	-	-	-	-	-	1	-	-	
	Kent County Lunatic Asylum, Maidstone.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the O Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting E parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, exceptin part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 1

ABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

ITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ON* - -	4,872,702	May	28	2697	1107	11·8	–	50	3	3	36	2	20
UTTA - -	1,009,008	April	30	–	483‡	24·8	?	4	–	1	1	12	21
AY - -	977,822	May	10	319	838‡	44·6	38	5	–	–	–	3	38
AS - -	509,346	April	29	315	387	39·5	4	3	?	?	?	–	29
* - -	2,772,467	May	21	1031	1033	19·6	–	33	2	3	10	3	30
SELS* - -	720,030	"	21	247	196	14·2	–	1	–	3	–	3	10
ERP* - -	314,135	"	21	132	68	11·3	–	8	2	1	3	–	8
ERDAM* -	570,149	"	21	256	158	14·5	–	2	–	–	1	–	2
NHAGEN -	450,000	"	21	239	122	14·1	–	–	3	1	1	–	10
KHOLM -	341,816	"	14	158	123	18·7	–	5	2	2	3	–	1
STIANIA -	235,674	"	21	39	54	11·9	–	–	1	1	1	–	1
TERSBURG	1,620,000	"	7	1549	972	31·3	10	81	19	10	12	13	79
OW - -	1,493,600	"	7	–	734	25·6	6	30	19	25	9	2	77
IN - -	2,117,604	"	7	855	569	14·0	–	9	10	23	7	–	24
BURG - -	895,804	"	14	423	247	14·3	–	6	2	9	1	1	14
		"	21	–	286	16·6	–	4	–	8	–	1	32
LAU - -	507,500	"	14	–	168	17·3	–	–	–	1	2	–	12
CH - -	576,000	"	14	255	193	17·4	–	1	–	1	1	–	20
NA* - -	2,107,981	"	21	–	–	–	–	–	–	–	–	–	–
UE* - -	497,905	April	30	204	205	21·4	–	3	–	1	2	2	6
PEST* -	833,703	May	14	401	300	18·7	–	10	9	4	3	–	17
TE* - -	221,124	"	21	144	92	21·6	–	2	–	1	1	1	4
- - -	584,308	April	2	314	217	19·4	–	18	2	3	1	2	7
DE - -	183,224	"	30	97	60	17·1	–	5	–	–	1	–	3
REST - -	297,643	"	2	213	180	31·5	–	5	4	3	1	–	1
YORK* -	4,711,956	May	7	2565	1425	15·8	–	24	29	40	10	8	49
GO* - -	2,282,927	"	7	–	658	15·0	–	4	11	19	10	1	33
DELPHIA*	1,598,400	April	2	–	–	–	–	–	–	–	–	–	–
E JANEIRO	842,822	"	24	–	315	19·5	–	1	–	–	1	3	?
:—*													
ptians -	616,183	"	29	559	498	42·0	1	13	–	5	?	2	90
igners -	61,480	"	29	5	14	11·8	1	–	–	–	?	–	2
NDRIA :—*													
ptians -	317,454	"	29	238	233‡	38·2	–	20	–	1	?	2	38
igners -	67,966	"	29	9	15	11·5	–	2	–	1	?	–	3

The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to en under two years of age.
Excluding deaths from croup in the Indian Cities.
Including 66 deaths from *plague* in Calcutta, 229 in Bombay, and 1 in Alexandria, and from *Asiatic cholera*, ths in Calcutta.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 28th May, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
ON (Greenwich)	78·0	45·6	59·2	0·08	BRADFORD - -	70·5	37·7	54·2	0·00
TON - -	75·0	45·3	59·3	0·00	YORK - - -	75·0	39·0	56·7	0·14
MOUTH - -	76·0	45·5	60·8	0·00	HULL - - -	73·0	45·0	55·3	0·04
ICH - -	72·7	45·5	56·7	0·13	TYNEMOUTH - -	71·0	38·0	50·4	0·05
UTH - -	74·6	46·7	59·7	0·73	CARDIFF - - -	73·2	42·7	58·8	0·04
OL - - -	75·2	40·0	59·4	0·19	EDINBURGH - -	65·2	41·8	52·2	0·02
NGHAM - -	72·6	43·1	56·5	0·03	GLASGOW - -	71·0	44·7	56·3	0·09
NGHAM - -	73·0	44·0	56·1	0·06	DUBLIN Phœnix Park.	68·3	36·9	55·1	0·14
POOL ERVATORY.	68·0	44·0	54·7	0·03	DUBLIN Fitz-william Square.†	69·2	46·0	57·4	0·11
IESTER -	73·6	39·8	57·0	0·21					
LEY - -	73·0	35·5	53·9	0·21					
ERSFIELD -	72·0	38·8	55·3	0·03	BELFAST - - -	65·5	45·0	56·6	0·03

t the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to venth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The tion applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
indly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 28th May, 1910

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 22	..	29·809	76·1	52·1	24·0	62·3	+ 7·7	55·4	6·9	14·8	2·0	78	126·3	48·0	52·39	NNW. & N.	ENE., ESE. & NNE.	2·3	0·0	0·1	241	− 31	0·00	6·5
MONDAY - 23	..	29·917	73·0	53·8	19·2	63·8	+ 8·9	45·5	18·3	26·2	5·6	52	132·5	46·7	52·72	NNE., NE. & ENE.	E. & ENE.	5·5	0·0	0·3	332	+ 65	0·00	1·5
TUESDAY - 24	Full	30·045	63·2	47·5	15·7	53·9	− 1·4	48·0	5·9	11·3	5·2	81	123·8	39·0	53·13	ENE., NNE. & N.	NNE.	4·3	0·0	0·4	379	+116	0·00	1·5
WEDNESDAY 25	..	30·087	59·1	47·0	12·1	51·0	− 4·5	43·9	7·1	13·3	5·5	77	114·2	45·7	53·37	NNE.	NNE. & N.	4·2	0·0	0·5	413	+151	0·00	8·5
THURSDAY - 26	..	30·044	67·6	45·6	22·0	54·7	− 1·1	48·0	6·7	17·5	2·5	78	123·6	37·1	53·52	NNE. & N.	NNE., N. & SW.	1·7	0·0	0·1	219	− 38	0·00	3·0
FRIDAY - 27	Greatest Dec. S.	29·881	67·0	48·0	19·0	56·2	+ 0·2	51·7	4·7	13·9	1·9	85	109·0	36·8	53·53	SW. & NNW.	N., ENE. & calm.	1·0	0·0	0·0	150	−105	0·00	0·0
SATURDAY - 28	..	29·752	78·0	50·7	27·3	62·4	+ 6·2	52·9	9·5	23·6	2·0	71	134·1	42·1	53·77	W. & WSW.	SW., NW. & NNW.	2·0	0·0	0·1	256	+ 1	0·08	0·0
MEANS - -		29·934	69·1	49·2	19·9	57·8	+ 2·3	49·3	8·4	17·2	3·5	75	123·4	42·2	53·20	NNE.		..	..	..	Sum 1990	Sum +162	Sum 0·08	3·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.	Electricity (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 22	w. P. throughout.	10·1	15·8	Overcast with slight exceptions till 9h. A.M.; very fine and warm with little cloud afterwards.
MONDAY - 23	w. P. generally.	14·1	15·9	Very fine, warm, and generally cloudless. Partial lunar halo with paraselene observed at and about 9h. 30m. P.M.
TUESDAY - 24	w. P. till 1h. A.M.; then m. P.	11·8	15·9	Very fine with small amounts of cloud generally till 4h. P.M.; then overcast.
WEDNESDAY 25	w. P. till 5h. A.M.; m. P. afterwards.	3·9	16·0	Generally overcast; fine interval in afternoon and early evening.
THURSDAY - 26	m. P. throughout.	9·4	16·0	Overcast till about 9h. A.M.; variably cloudy till 11h. A.M.; very fine with small amounts of cloud afterwards.
FRIDAY - 27	w. P. till 9h. A.M.; m. P. till 4h. P.M.; then w. P.	1·1	16·1	Partially cloudy in early morning; overcast with slight exceptions after 5h. A.M.
SATURDAY - 28	w. P. till 4h. P.M.; m. P. generally afterwards.	9·8	16·1	Overcast till about 4h. A.M.; cloudy till shortly before 6h. A.M.; very fine and warm generally till 5h. P.M.; then overcast with occasional rain. Partial solar halo observed in afternoon.
		Sum 60·2	Sum 111·8	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·79 in. at the beginning of the week to 30·12 in. by 10h. P.M. on the 25th; decreased to 29·71 in. by 5h. P.M. on the 28th; and was 29·72 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 21st May, 1910.*

BOROUGHS	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	9	-	-	-	-	-	1	-	-
Kensington	184,635	-	8	2	-	-	-	-	-	-	-
Hammersmith	127,413	-	7	3	-	2	-	-	-	-	-
Fulham	181,282	-	6	1	-	-	-	-	3	1	-
Chelsea	75,457	-	3	2	-	-	-	-	1	-	-
City of Westminster ..	167,233	-	2	2	-	-	-	-	-	-	-
NORTH.											
St. Marylebone	125,195	-	2	1	-	-	-	-	4	-	-
Hampstead	95,729	-	1	-	-	1	-	-	1	-	1
St. Pancras	237,792	-	18	3	-	-	-	-	4	-	-
Islington	353,356	-	15	2	-	-	-	-	2	-	1
Stoke Newington	54,838	-	1	2	-	-	-	-	-	-	-
Hackney	239,979	-	11	2	-	-	-	-	7	1	-
CENTRAL.											
Holborn	53,142	-	-	-	-	-	-	-	1	-	-
Finsbury	94,578	-	3	4	-	-	-	-	-	-	1
City of London	17,132	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	5	2	-	-	-	-	-	-	-
Bethnal Green	131,579	-	7	3	-	-	-	-	3	-	-
Stepney	314,379	-	8	12	-	-	-	-	7	-	-
Poplar	172,432	-	7	3	-	-	-	-	5	-	-
SOUTH.											
Southwark	211,832	-	9	8	-	1	-	-	5	-	-
Bermondsey	127,238	-	8	-	-	-	-	-	2	-	-
Lambeth	327,074	-	17	8	-	-	-	-	3	2	-
Battersea	188,222	-	5	3	-	2	-	-	3	-	-
Wandsworth	305,838	-	10	2	-	1	-	-	1	1	-
Camberwell	286,058	-	16	6	-	-	-	-	2	-	-
Deptford	119,642	-	5	3	-	-	-	-	4	-	-
Greenwich	112,935	-	-	1	-	-	-	-	3	-	-
Lewisham	164,899	-	8	5	-	-	-	-	1	-	-
Woolwich	135,422	-	11	3	-	-	-	-	2	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	203	83	-	7	-	-	65	6	3
Ages 0-1		-	5	4	-	-	-	-	1	-	1
" 1-5		-	58	40	-	-	-	-	4	-	1
" 5-		-	92	18	-	1	-	-	2	-	1
" 10-		-	24	10	-	2	-	-	1	-	-
" 15-		-	8	3	-	3	-	-	2	-	-
" 20-		-	4	1	-	-	-	-	8	2	-
" 25-		-	10	5	-	-	-	-	5	2	-
" 35-		-	1	2	-	-	-	-	14	2	-
" 45-		-	-	-	-	-	-	-	13	-	-
" 55-		-	1	-	-	-	-	-	7	-	-
" 65 and upwards		-	-	-	-	1	-	-	8	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 22. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, JUNE 4. [Price 1½*d.*

General Register Office, Somerset House,
June 6th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 11·8 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 13·8, 12·4, and 12·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 15·1 in Salford, 15·7 in Wolverhampton and in Preston, 16·5 in South Shields, 17·0 in Bootle, 18·2 in Liverpool, 18·4 in Merthyr Tydfil, and 19·9 in Oldham; from *measles*, 1·2 in Liverpool and in Gateshead, 1·4 in Bradford, 1·9 in Blackburn, 2·8 in Burton on Trent, and 3·9 in Merthyr Tydfil; and from *whooping-cough*, 1·3 in Salford and in South Shields, 1·4 in Smethwick and in Wallasey, and 1·7 in Huddersfield. One death from *small-pox* was registered in South Shields, and one in Cardiff, but none in any other of the seventy-seven towns.

LONDON.*

In LONDON 2434 BIRTHS and 1087 DEATHS were registered. Allowing for increase of population, the births were 71 above and the deaths 120 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(16715—41.) Wt. 91—429. 700. 6/10. D & S. G. 31. Sch. 4. Y

causes, which had been 13·9, 11·4, and 11·8 per 1000 in the preceding three weeks, was 11·6 last week. The death-rate in the four weeks ended last Saturday averaged 12·2 per 1000, being 1·3 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1087 deaths included 51 from measles, 6 from scarlet fever, 5 from diphtheria, 29 from whooping-cough, 1 from enteric fever, and 21 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 113 deaths were referred, being 7 below the corrected average number in the twenty-second week of the preceding five years.

The deaths from *measles*, which had been 55, 48, and 50 in the preceding three weeks, were 51 last week, and were 4 above the corrected average; 6 deaths belonged to the Borough of Southwark, 5 to St. Pancras, 5 to Camberwell, 4 to Lambeth, and 3 each to Kensington, St. Marylebone, and Shoreditch. The deaths from *scarlet fever*, which had been 3, 4, and 3 in the preceding three weeks, rose to 6 last week, but were 5 below the corrected average. The deaths from *diphtheria*, which had been 11, 8, and 2 in the preceding three weeks, were 5 last week, and were 5 below the corrected average. The deaths from *whooping-cough*, which had been 32, 42, and 36 in the preceding three weeks, fell to 29 last week, and were 2 below the corrected average; 3 deaths belonged to Stepney. One death from *enteric fever* was registered, as compared with 2, 1, and 2 in the preceding three weeks, the corrected average being 2. The deaths from *diarrhœa*, which had been 15, 14, and 15 in the preceding three weeks, rose to 21 last week, the corrected average being 20. Of the 21 deaths from diarrhœa, 15 were those of children under 2 years of age; 2 other deaths at this age were certified as due to *enteritis*, and 2 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 4, having been 12, 4, and 4 in the preceding three weeks. The death of a house-painter, aged 39 years, was certified after inquest, as due to *plumbism*.

Different forms of violence caused 49 deaths, concerning all of which inquests were held. Of these 49 deaths, 14 were cases of suicide, while the remaining 35 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, three to burns or scalds, eight to drowning, and seven, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1461 cases of scarlet fever, 728 of diphtheria, and 61 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever 203 cases, against 177, 190, and 174; of diphtheria, 72 cases, against 91, 62, and 74; and of enteric fever, 11 cases, against 6, 6, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended May 28th, 1910.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3809 births and 1491 deaths were registered. Allowing for increase of population, these numbers are 58 above and 190 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from measles, 5 from scarlet fever, 2 from diphtheria, 8 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·55 inches, and that of the Thermometer 56°·9, the latter being 0°·5 below the week's average in the 65 years ended 1905. The general direction of the wind was South-westerly, the horizontal movement of the air being 18 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 36·8 hours; the measured rainfall amounted to 0·27 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 4th June, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 14th May, 1910.	21st May 1910.	28th May, 1910.	4th June, 1910.	Rate from Diseases in Cols. 11–17 Week ended 4th June 1910.	Registered during the Week ended 4th June, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**13·8**	**12·4**	**12·7**	**11·8**	**1·1**	**8778**	**3836**	**740**	**1138**	**2**	**141**	**21**	**27**	**122**	**10**	**46**	**160**	**309**	**1097**	**31**	**77 TOWNS.**
LONDON	4,872,702	13·9	11·4	11·8	11·6	1·2	2434	1087	199	347	-	51	6	5	29	1	21	49	106	499	-	LONDON.
CROYDON	164,465	8·6	8·6	12·7	7·6	0·3	81	24	3	10	-	-	-	-	1	-	-	3	3	7	-	CROYDON.
WILLESDEN ..	166,088	6·6	8·5	8·2	8·8	0·3	85	28	5	7	-	-	-	-	1	-	-	-	2	4	-	WILLESDEN.
HORNSEY	98,561	7·9	7·4	8·5	6·3	0·5	33	12	2	4	-	-	-	-	-	-	1	1	1	1	-	HORNSEY.
TOTTENHAM ..	132,803	14·1	11·0	9·8	7·9	0·4	82	20	7	7	-	-	-	-	1	-	-	-	4	5	-	TOTTENHAM.
WEST HAM ..	328,585	9·5	8·6	9·5	7·8	1·1	169	49	4	12	-	6	-	1	-	-	-	3	5	10	-	WEST HAM.
EAST HAM.. ..	156,208	9·3	6·7	7·0	6·3	1·0	60	19	6	7	-	1	-	-	2	-	-	1	2	4	-	EAST HAM.
LEYTON	133,436	7·0	7·0	7·0	6·3	0·4	69	16	4	4	-	1	-	-	-	-	-	-	-	4	-	LEYTON.
WALTHAMSTOW	141,748	5·5	9·2	5·5	3·3	-	67	9	4	2	-	-	-	-	-	-	-	2	2	4	-	WALTHAMSTOW.
HASTINGS	68,520	14·5	14·5	9·9	8·4	0·8	15	11	-	6	-	1	-	-	-	-	-	-	1	1	-	HASTINGS.
BRIGHTON	131,900	12·7	14·2	12·3	12·7	-	55	32	4	10	-	-	-	-	-	-	-	-	-	8	-	BRIGHTON.
PORTSMOUTH ..	217,989	13·2	11·5	12·7	12·9	1·7	116	54	8	16	-	2	-	1	-	2	2	2	5	13	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	13·4	14·8	11·3	12·7	-	30	18	1	11	-	-	-	-	-	-	-	-	1	2	1	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	14·4	11·1	17·2	11·1	0·4	59	27	5	13	-	-	-	-	-	-	1	1	4	6	-	SOUTHAMPTON.
READING	84,355	8·7	8·7	9·3	8·7	-	43	14	3	7	-	-	-	-	-	-	-	-	-	2	2	READING.
NORTHAMPTON ..	99,113	11·6	8·9	12·1	9·5	0·5	37	18	1	8	-	-	-	-	1	-	-	-	-	1	-	NORTHAMPTON.
IPSWICH	75,936	11·7	10·3	5·5	11·0	1·4	42	16	4	7	-	-	-	1	-	-	1	-	1	2	-	IPSWICH.
GREAT YARMOUTH	53,715	11·6	7·8	13·6	10·7	-	15	11	1	7	-	-	-	-	-	-	-	1	1	2	-	GREAT YARMOUTH.
NORWICH	125,446	10·0	10·8	10·4	10·0	-	47	24	7	5	-	-	-	-	-	-	-	-	1	6	-	NORWICH.
PLYMOUTH	126,266	17·3	14·5	12·8	9·9	0·4	55	24	1	13	-	-	1	-	-	-	-	2	5	4	-	PLYMOUTH.
DEVONPORT	84,695	6·2	14·8	12·3	11·1	-	49	18	3	5	-	-	-	-	-	-	-	-	3	1	-	DEVONPORT.
BRISTOL	382,550	10·0	9·3	9·4	11·2	0·8	216	82	23	24	-	1	-	1	3	-	1	2	4	23	-	BRISTOL.
STOKE ON TRENT‡..	245,726	15·3	14·9	14·2	12·9	1·1	158	61	13	13	-	3	1	-	-	-	1	2	3	11	1	STOKE ON TRENT‡.
BURTON ON TRENT	54,977	6·6	16·1	19·9	10·4	3·8	24	11	3	1	-	3	-	1	-	-	-	1	1	1	1	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	12·3	15·7	12·8	15·7	1·5	46	32	10	9	-	2	-	-	1	-	-	1	3	5	-	WOLVERHAMPTON
WALSALL	101,035	10·8	9·3	9·3	11·4	1·5	44	22	3	9	-	1	-	1	-	-	1	-	1	4	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	6·5	6·5	10·1	4·3	-	26	6	-	4	-	-	-	-	-	-	-	1	1	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	19·1	15·4	11·7	6·6	-	29	9	1	4	-	-	-	-	-	-	-	-	2	3	-	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 14th May, 1910.	21st May, 1910.	28th May, 1910.	4th June, 1910.	Rate from Diseases in Cols. 11–17. Week ended 4th June, 1910.	Registered during the Week ended 4th June, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	12·5	10·3	14·8	10·6	0·7	290	116	26	29	-	-	4	-	4	-	-	7	8	27	1	Birmingham.
Kings Norton ..	84,673	4·9	8·6	9·2	3·1	-	40	5	-	3	-	-	-	-	-	-	-	-	-	1	1	Kings Norton.
Smethwick	72,350	8·6	11·5	8·6	9·4	2·9	40	13	2	4	-	-	-	-	2	-	2	-	1	3	-	Smethwick.
Aston Manor ..	86,269	7·3	9·1	7·3	9·7	1·2	47	16	2	5	-	-	-	-	2	-	-	1	1	-	-	Aston Manor.
Coventry	81,449	14·7	12·2	13·4	12·8	1·9	62	20	3	8	-	-	2	1	-	-	-	-	-	3	1	Coventry.
Leicester	248,374	13·0	9·0	10·9	10·1	0·2	104	48	7	17	-	-	-	-	-	1	-	3	6	5	1	Leicester.
Grimsby	74,283	16·1	17·5	10·5	9·8	0·7	41	14	2	4	-	-	-	-	1	-	-	2	3	1	-	Grimsby.
Nottingham ..	266,471	17·2	11·9	11·7	11·2	1·0	128	57	15	16	-	2	1	-	2	-	-	2	4	8	-	Nottingham.
Derby	131,256	10·7	12·7	8·7	7·9	-	71	20	1	11	-	-	-	-	-	-	-	1	4	5	-	Derby.
Stockport	105,087	17·4	22·8	17·4	14·4	1·0	50	29	4	7	-	-	-	-	-	1	1	1	1	9	-	Stockport.
Birkenhead ..	122,431	15·3	13·6	12·8	14·5	0·4	79	34	8	8	-	-	-	-	1	-	-	2	5	10	-	Birkenhead.
Wallasey	73,173	15·7	12·8	14·3	11·4	1·4	49	16	2	5	-	-	-	-	2	-	-	1	2	1	-	Wallasey.
Liverpool	767,606	16·8	15·6	16·7	18·2	2·4	481	268	58	67	-	18	2	2	10	-	3	15	23	91	5	Liverpool.
Bootle	70,548	14·8	14·0	11·1	17·0	1·5	36	23	8	4	-	1	-	-	1	-	-	-	-	5	1	Bootle.
St. Helens	96,523	11·3	13·0	16·7	8·6	-	51	16	3	4	-	-	-	-	-	-	-	1	1	-	-	St. Helens.
Wigan	91,732	12·5	14·8	15·9	12·5	-	62	22	2	6	-	-	-	-	-	-	-	1	3	4	-	Wigan.
Warrington ..	73,295	15·7	14·2	12·8	13·5	1·4	49	19	3	8	-	-	-	-	1	-	1	-	-	4	-	Warrington.
Bolton	190,315	12·6	11·5	10·7	9·6	2·2	86	35	2	12	-	-	2	1	4	1	-	1	2	5	1	Bolton.
Bury	59,409	18·4	10·5	15·8	14·9	0·9	23	17	8	2	-	-	-	1	-	-	-	2	2	3	-	Bury.
Manchester ..	716,354	19·7	16·0	16·4	13·8	1·5	415	189	36	33	-	7	1	1	11	-	1	8	13	62	1	Manchester.
Salford	244,636	18·5	14·1	14·3	15·1	2·3	134	71	22	12	-	3	-	1	6	-	1	2	4	11	-	Salford.
Oldham	144,111	18·5	15·6	17·4	19·9	1·8	93	55	9	19	-	-	-	-	3	1	1	-	-	13	-	Oldham.
Rochdale	90,497	16·1	13·8	17·9	12·7	1·2	50	22	4	8	-	-	-	-	2	-	-	-	-	3	-	Rochdale.
Burnley	107,448	20·4	13·6	17·0	11·6	1·9	61	24	6	6	-	-	-	1	2	-	1	-	-	3	-	Burnley.
Blackburn	137,972	13·6	15·5	14·4	10·2	2·3	63	27	2	8	-	5	-	-	-	-	1	1	2	2	-	Blackburn.
Preston	119,253	17·5	17·9	12·7	15·7	1·3	65	36	7	10	-	1	-	-	1	1	-	2	2	13	1	Preston.
Barrow in Furness.	63,689	13·9	17·2	14·7	11·5	-	40	14	3	4	-	-	-	-	-	-	-	1	1	1	2	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 4th June, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 14th May 1910.	21st May, 1910.	28th May, 1910.	4th June, 1910.	Rate from Diseases in Cols 11-17. Week ended 4th June, 1910.	Registered during the Week ended 4th June, 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	21·5	14·9	16·0	10·5	1·7	42	19	4	6	-	-	-	-	3	-	-	1	2	4	-	HUDDERSFIELD.
HALIFAX	112,818	14·3	15·7	14·8	13·4	1·4	33	29	-	11	-	-	-	2	-	-	1	1	3	11	-	HALIFAX.
BRADFORD	295,865	16·7	15·2	15·0	12·2	1·8	108	69	14	14	-	8	-	-	1	1	-	3	5	12	-	BRADFORD.
LEEDS	490,985	13·0	13·3	13·8	11·8	1·0	236	111	24	35	-	3	1	-	4	-	1	1	4	21	1	LEEDS.
DEWSBURY†	51,224	11·2	17·3	25·4	11·2	2·0	18	11	1	5	-	1	-	-	-	-	1	1	1	1	-	DEWSBURY.†
SHEFFIELD	478,763	14·7	12·2	13·0	11·8	1·0	242	108	26	31	-	3	-	-	6	-	-	3	5	24	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	14·9	7·9	9·4	13·3	0·8	24	17	4	8	-	-	-	-	1	-	-	-	1	2	-	ROTHERHAM.
YORK	88,159	11·8	14·8	8·9	11·8	-	42	20	3	7	-	-	-	-	-	-	-	1	2	4	-	YORK.
HULL	280,006	14·2	11·2	13·2	12·8	1·3	154	69	11	23	-	3	-	2	2	-	-	3	6	11	-	HULL.
MIDDLESBROUGH ..	107,014	16·1	18·5	12·7	13·2	1·0	73	27	7	7	-	-	-	1	-	1	-	-	1	4	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	15·5	15·5	12·6	10·7	2·9	36	11	1	3	-	1	-	1	1	-	-	-	-	3	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	12·1	8·9	5·1	6·4	-	38	10	2	3	-	-	-	-	-	-	-	-	-	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	12·9	14·6	16·5	14·9	-	101	46	7	11	-	-	-	-	-	-	-	6	6	10	4	SUNDERLAND.
SOUTH SHIELDS ..	119,737	16·1	11·8	16·5	16·5	2·6	67	38	5	8	1	2	-	-	3	-	-	2	3	7	-	SOUTH SHIELDS.
GATESHEAD	133,676	13·3	12·9	12·9	14·8	1·6	80	38	8	8	-	3	-	-	1	-	-	-	-	3	3	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	12·6	12·4	11·9	12·4	0·7	146	68	9	22	-	1	-	1	2	-	-	4	7	19	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	16·6	23·1	12·0	14·8	-	40	16	5	4	-	-	-	-	-	-	-	1	2	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	15·0	19·0	11·8	11·8	0·7	48	18	2	8	-	-	-	-	1	-	-	1	2	6	-	NEWPORT (MON.).
CARDIFF	199,189	12·3	14·1	12·8	11·8	1·3	100	45	10	11	1	1	-	1	2	-	-	3	3	9	-	CARDIFF.
RHONDDA	138,674	11·7	14·7	17·3	11·7	1·1	132	31	12	8	-	-	-	-	1	-	2	2	2	1	-	RHONDDA.
MERTHYR TYDFIL..	79,522	20·3	27·5	25·6	18·4	3·9	49	28	6	4	-	6	-	-	-	-	-	1	2	9	-	MERTHYR TYDFIL.
SWANSEA	98,817	14·8	13·2	17·4	14·2	-	70	27	9	9	-	-	-	-	-	-	-	-	2	6	-	SWANSEA.
GREATER LONDON	7,537,196	12·1	10·6	10·9	10·3	1·0	3809	1491	277	483	-	61	11	8	42	1	24	74	151	583	1	GREATER LONDON.
OUTER RING ..	2,664,494	8·9	9·1	9·1	7·9	0·7	1375	404	78	136	-	10	5	3	13	-	3	25	45	84	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	8·7	8·4	8·7	7·0	0·6	646	177	35	53	-	8	-	1	5	-	1	10	19	39	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	9·2	9·7	9·5	8·8	0·7	729	227	43	83	-	2	5	2	8	-	2	15	26	45	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	13·2	15·9	10·7	11·4	0·6	154	79	18	29	-	2	-	-	-	-	2	1	?	27	4	EDINBURGH.
GLASGOW	884,505	14·6	15·7	14·7	15·3	0·9	460	259§	46	65	-	-	2	2	4	1	7	9	?	94	12	GLASGOW.
DUBLIN (Registration Area).‡	402,928	22·0	15·9	19·5	15·7	0·6	253	121	20	36	-	-	2	-	2	-	1	6	6	34	3	DUBLIN (Registration Area).‡

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-SECOND Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2579	2148	2501	2416	2507	2249	2384	2464	2522	1918	2362·6	2434
Males - - -	1298	1082	1309	1203	1292	1150	1204	1237	1281	958	1193·9	1239
Females - -	1281	1066	1192	1213	1215	1099	1180	1227	1241	960	1168·7	1195
TOTAL **Deaths** -	1497	1345	1454	1220	1179	1319	1240	1190	1073	1072	1207·0	1087
Males - - -	793	720	775	619	649	694	663	595	563	562	630·1	597
Females - -	704	625	679	601	530	625	577	595	510	510	576·9	490

* The numbers in this column are the average weekly numbers in the Twenty-Second week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	13 Weeks.
TOTAL **Births** -	2370	2344	2141	2312	2420	2372	2334	2372	2229	2529	1610	2697	2434	30164
TOTAL **Deaths** -	1254	1231	1263	1354	1377	1387	1226	1217	1167	1299	1062	1107	1087	16031
Ages at Death: Under 1 year -	219	197	215	236	260	218	233	230	210	243	212	224	199	2896
1—5 years -	116	137	127	141	120	146	115	125	126	134	129	124	110	1650
5—20 " -	63	60	78	72	67	74	59	67	63	79	61	54	59	856
20—40 " -	148	149	143	161	165	170	148	141	135	151	117	145	126	1909
40—60 " -	248	247	289	280	310	277	269	265	244	281	229	240	236	3415
60 yrs. & upwds.	460	441	411	464	455	502	402	389	389	411	314	320	317	5305
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	15	24	24	22	33	46	27	33	40	55	48	50	51	468
Scarlet Fever - -	9	6	10	2	4	5	6	-	6	3	4	3	6	64
Diphtheria - -	6	6	10	8	6	8	5	6	6	11	8	2	5	87
Whooping-cough -	44	46	44	51	45	41	38	42	46	32	42	36	29	536
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	4	6	3	2	8	3	2	1	2	1	2	1	37
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	13	11	5	9	11	9	10	8	11	15	14	15	21	152
All above diseases -	89	97	99	95	101	117	89	91	110	118	117	108	113	1344
Dis. of Resp. System	129	109	123	158	131	137	119	103	83	116	81	64	61	1417
Pneumonia - -	150	129	138	152	150	175	158	141	128	117	114	98	110	1760
Phthisis - - -	108	121	123	118	132	113	112	102	116	121	99	90	104	1459
Dis. of Circ. System -	172	184	194	193	219	183	181	178	148	173	143	127	145	2240
Violence - - -	50	37	46	58	46	64	52	46	60	48	58	57	49	671
Inquest Cases - -	143	118	107	144	133	129	132	141	130	120	130	130	106	1663
Deaths in Institutions	543	514	528	566	575	577	550	550	536	576	423	477	499	6914
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	46·0	40·1	42·0	41·9	42·8	48·8	49·3	45·4	46·3	47·5	58·9	57·8	56·9	48·0
Mean of Highest -	52·5	48·7	51·1	52·0	51·7	58·7	57·7	55·5	55·6	58·3	69·8	69·1	67·6	57·6
Mean of Lowest -	40·5	32·3	33·3	32·8	34·7	42·1	42·0	37·8	39·4	38·8	51·2	49·2	49·0	40·2
Mean Humidity of the Air.	87	75	80	74	79	79	82	73	77	76	84	75	77	78
Rain-fall (in inches) -	0·95	0·13	0·00	0·00	0·11	1·86	0·23	0·43	0·74	0·42	0·89	0·08	0·27	6·11
Registered Sunshine (in hours).	14·6	41·6	23·6	46·8	24·2	29·1	8·3	50·1	44·6	53·8	49·2	60·2	56·8	482·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1754	1713	1650	1611	1554	1535	1510	1509	1506	1476	1476	1445	1461	1554
Diphtheria - - -	884	872	855	856	848	816	812	798	784	775	753	742	728	809
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	89	88	88	85	81	81	69	66	62	62	58	60	61	73

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell. Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth: and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SECOND Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 22nd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1207·0	1087	199	110	59	136	236	347
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	46·7	51	14	33	4	–	–	–
Scarlet Fever	10·6	6	1	2	3	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	9·4	4	–	–	–	2	–	2
Whooping-cough	31·1	29	19	8	1	1	–	–
Diphtheria	10·0	5	1	2	2	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	2·0	1	–	–	1	–	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	7·4	8	7	1	–	–	–	–
Diarrhœa, Dysentery ..	12·3	13	6	3	–	–	1	3
Tetanus	1·2	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	4·7	13	9	1	–	2	1	–
Puerperal Septicæmia ..	2·5	5	–	–	–	5	–	–
Puerperal Pyæmia.. .	0·4	–	–	–	–	–	–	–
Puerperal Fever	0·2	–	–	–	–	–	–	–
Infective Endocarditis ..	3·3	4	–	–	2	–	2	–
Pneumonia: Lobar ..	16·0	17	–	1	–	4	9	3
Pneumonia: Broncho ..	45·7	32	15	9	–	–	3	5
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	52·2	61	5	9	3	11	12	21
Erysipelas	2·0	5	3	–	–	–	1	1
Septicæmia (not Puerperal)	2·0	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	0·8	1	–	–	–	–	–	1
Other Infective Processes	3·5	1	–	–	–	1	–	–
Tuberculous Phthisis ..	87·4	70	–	–	3	35	21	11
"*Phthisis*"	37·5	34	–	–	2	16	13	3
Tuberculous Meningitis ..	22·3	9	2	6	1	–	–	–
Tuberculous Peritonitis ..	5·9	9	–	3	4	2	–	–
Tabes Mesenterica	0·8	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	22·3	19	3	3	6	3	4	–
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	9·2	3	–	–	–	1	2	–
Rheumatic Fever	4·7	6	–	–	4	–	1	1
Gout	1·6	–	–	–	–	–	–	–
Carcinoma	48·7	61	–	–	–	4	24	33
Sarcoma	5·3	7	–	–	1	–	5	1
Cancer (undefined) ..	33·8	30	–	–	–	–	11	19
Diabetes Mellitus	5·9	8	–	–	–	1	3	4
Premature Birth	39·9	37	37	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 22nd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	15·4	14	6	3	3	2	–	–
Gen. Par. of Insane, Insanity	12·7	10	–	–	1	2	2	5
Epilepsy	5·9	5	1	–	–	3	1	–
Convulsions	13·1	9	8	1	–	–	–	–
Locomotor Ataxy.. ..	1·8	3	–	–	–	–	2	1
Paraplegia, Dis. of Cord.	3·3	1	–	–	–	–	–	1
Nervous Sys., Other Dis.	14·3	17	–	1	–	1	9	6
Valv. Dis., Endocarditis..	42·0	40	–	1	3	7	16	13
Cereb. Hæm. Cereb. Emb.	34·4	28	1	–	1	–	7	19
Apoplexy, Hemiplegia ..	13·5	5	–	–	–	–	1	4
Aneurysm	4·3	4	–	–	–	1	2	1
Embolism, Thrombosis (not Cerebral) ..	0·8	1	–	–	–	–	–	1
Heart & Blood Ves., Other Dis... ..	65·5	67	–	–	1	2	17	47
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–	–
Bronchitis	61·2	48	7	5	–	1	6	29
Emphysema, Asthma ..	2·0	4	–	–	–	–	1	3
Pleurisy	4·3	4	–	3	–	–	–	1
Respiratory Dis., Other..	9·2	8	1	–	–	–	2	5
Tonsillitis, Quinsy.. ..	0·6	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	9·0	3	2	1	–	–	–	–
Gastro-enteritis	5·5	3	2	–	–	–	–	1
Peritonitis (not Puerp.) ..	3·5	2	–	–	1	–	1	–
Cirrhosis of Liver.. ..	10·2	20	–	–	1	–	11	8
Liver Dis., Other	7·0	6	–	–	–	1	–	5
Digestive Sys., Other Dis.	33·6	33	4	2	2	10	8	7
Acute Nephritis	4·9	6	–	1	–	–	3	2
Bright's Dis., Albuminuria	36·2	33	–	–	2	3	10	18
Urinary Sys., Other Dis.	10·0	6	1	–	–	–	1	4
Generative Organs Dis...	3·3	3	–	–	–	1	2	–
Childbirth (Accid. of) ..	2·7	2	–	–	–	1	1	–
Old Age	52·2	46	–	–	–	–	1	45
Other Diseases	78·3	58	33	8	–	3	9	5
ACCIDENT.								
By Railways	1·2	1	–	–	–	–	–	1
By Vehicles and Horses..	7·0	6	–	1	3	1	–	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–	–	–
In Building Operations..	2·0	–	–	–	–	–	–	–
In Conflagrations	0·2	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	4·5	3	1	–	1	1	–	–
By Drowning	3·9	8	2	–	2	1	1	2
By Suffocation in Bed ..	6·3	7	7	–	–	–	–	–
By Poisons or Poisonous Vapours	1·4	2	–	1	–	–	1	–
Other Deaths by Accident..	15·2	8	1	1	–	3	1	2
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	–	–	–	–	–	–	–
Suicide	13·3	14	–	–	1	4	7	2
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

:LE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th June, 1910.

:GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2434	1087	199	347	-	51	6	5	29	1	21	104	49	106	499	-
WEST DISTRICTS	805,311	344	205	41	64	-	7	-	1	5	1	4	16	8	17	102	-
NORTH DISTRICTS	1,055,908	565	254	30	89	-	13	2	1	5	-	6	28	10	26	111	-
CENTRAL DISTRICTS	209,465	108	64	17	17	-	1	-	1	2	-	1	3	5	6	41	-
EAST DISTRICTS	715,739	482	167	37	42	-	8	-	-	6	-	3	23	15	20	97	-
SOUTH DISTRICTS	1,749,844	935	364	74	124	-	22	3	1	11	-	7	29	11	28	115	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	33	-	11	-	-	1	1	-	-	-	5	-	-	33	-
WEST DISTRICTS.																	
rth Paddington *H*	63,603	34	13	4	3	-	-	-	-	1	1	-	-	-	1	-	-
tral Paddington *W,3H*	50,053	24	24	4	7	-	-	-	-	-	-	-	1	1	1	17	-
th Paddington	30,320	10	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
nsington South† *W,3H*	85,610	17	23	3	12	-	1	-	-	-	-	-	2	-	3	12	-
nsington Central† *W,H*	42,774	22	8	2	-	-	-	-	-	-	-	-	3	-	-	4	-
nsington North† *w*	48,244	21	20	1	10	-	2	-	-	-	-	-	5	-	-	13	-
th Hammersmith *2W,w,H* ..	49,192	47	18	6	7	-	1	-	-	1	-	2	4	-	1	11	-
th Hammersmith *w,2H* ..	63,047	25	14	3	2	-	-	-	-	-	-	-	-	1	1	7	-
th-west Fulham *W*	45,180	37	14	1	4	-	-	-	-	-	-	-	1	-	-	7	-
th-east Fulham *F*	46,405	20	4	2	-	-	-	-	-	1	-	-	-	-	-	2	-
th Fulham *W*	45,704	23	9	4	-	-	2	-	-	-	-	-	-	1	2	-	-
lsea North *W,w,3H*	42,514	10	20	2	9	-	-	-	-	-	-	-	-	1	1	16	-
lsea South *W,2H*	31,328	10	6	2	2	-	-	-	-	1	-	1	-	1	2	1	-
rfair and Knightsbridge	28,743	6	3	1	1	-	-	-	-	-	-	1	-	1	2	-	-
rave *W,2H*	55,815	15	15	3	3	-	-	-	1	-	-	-	-	-	1	8	-
dargaret & St. John *6H*	43,698	18	10	3	4	-	1	-	-	1	-	-	-	1	1	4	-
ames and St. Anne *W,6H* ..	33,081	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
ouls Marylebone *7H*	35,391	16	20	3	7	-	-	-	-	-	-	-	-	-	-	11	-
tary Marylebone *W,4H* ..	37,948	45	4	-	1	-	-	-	-	-	-	-	-	-	-	2	-
stchurch Marylebone *H* ..	39,536	13	7	1	2	-	3	-	-	-	-	1	-	1	1	-	-
ohn Marylebone *2H*	20,426	9	4	-	2	-	-	-	-	-	-	-	1	-	-	2	-
mpstead *W,F,6H*	81,942	26	19	-	7	-	-	1	-	1	-	-	4	1	3	7	-
t St. Pancras *2H*	60,562	33	5	1	3	-	1	-	-	-	-	-	1	1	1	-	-
h St. Pancras *w,10H*	55,707	29	20	2	4	-	-	-	-	-	-	-	-	2	3	14	-
St. Pancras *W,H*	60,320	38	23	3	13	-	4	-	-	1	-	-	-	-	-	10	-
h St. Pancras *2W*	58,728	31	9	-	2	-	-	-	-	-	-	-	3	-	-	6	-
nell *W*	31,995	18	17	2	7	-	1	-	-	-	-	2	4	-	2	13	-
er Holloway *2W,w,H*	33,978	26	18	1	3	-	-	-	-	-	-	2	4	1	1	16	-
ngton *W,w,H*	33,922	19	7	1	4	-	-	-	-	1	-	-	-	-	-	-	-
er Holloway	41,424	28	6	1	3	-	1	-	-	-	-	-	-	-	2	-	-
sbury	54,478	24	7	3	2	-	-	-	-	-	-	1	-	2	2	-	-
gton South-east *F*	75,397	34	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-
bury *2H*	63,797	27	14	1	6	-	-	-	-	1	-	-	1	-	1	-	-
e Newington *H*	51,247	24	7	-	1	-	1	-	-	-	-	-	2	-	-	-	-
h Hackney	50,398	16	8	2	3	-	1	-	-	1	-	-	1	1	2	-	-
ral Hackney *2w,F*	50,536	30	13	1	4	-	1	1	1	-	-	-	2	-	1	5	-
h-west Hackney *3H*	59,921	45	21	4	4	-	-	-	-	-	-	-	1	1	5	10	-
h-east Hackney *2W,w,H* ..	58,255	34	21	3	10	-	-	-	-	-	-	-	4	-	1	15	-
ney Union Workhouse, Brent- *ad*	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

OTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein ely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other icts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the r.

ee also note * on first page of this return.

On 1st May, 1910, the sub-district of Kensington Town was abolished, part being added to the sub-district of apton (re-named Kensington South), and the remainder forming the new sub-districts of Kensington Central and sington North.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEV DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Satur 4th June, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	20	3	1	2	-	-	-	-	-	-	-	-	-	-	2
Strand *W*,4*H*	21,674	3	11	1	6	-	-	-	-	-	-	-	-	1	1	10
Strand Union Workhouse, Eimonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Holborn *W*,5*H*	29,612	20	17	7	1	-	-	-	1	-	-	-	-	1	1	14
Clerkenwell *H*	63,704	32	12	5	2	-	1	-	-	2	-	1	2	-	-	-
St. Luke 3*H*,*L*	36,116	26	3	2	1	-	-	-	-	-	-	-	-	1	1	1
Holborn Union Workhouse, Mitcham	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2
St. Botolph *H*	10,299	3	2	-	1	-	-	-	-	-	-	-	-	1	1	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	13	1	2	-	-	-	-	-	-	-	1	1	2	11
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	23	2	1	1	-	-	-	-	-	-	-	-	1	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	29	20	3	9	-	2	-	-	-	-	-	5	1	2	14
Shoreditch North-East	36,148	20	3	2	-	-	1	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	46	25	4	4	-	1	-	-	1	-	1	5	1	3	20
Bethnal Green South-West *H* ..	64,542	46	5	1	3	-	1	-	-	-	-	1	-	-	1	-
Spitalfields..	27,969	15	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Mile End New Town *W*,*H*	28,718	32	25	3	4	-	-	-	-	-	-	-	1	3	3	23
Goodman's Fields	22,081	3	4	-	1	-	-	-	-	-	-	-	1	1	2	-
St. George and St. John 2*W* ..	49,068	46	12	4	1	-	-	-	-	2	-	-	3	1	1	8
Shadwell and Ratcliff *w*,*H* ..	25,568	11	8	2	-	-	1	-	-	2	-	-	-	1	2	6
Limehouse *W*	32,369	42	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	41	3	1	-	-	-	-	-	-	-	-	1	-	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	24	13	3	3	-	-	-	-	-	-	-	1	2	2	8
Bow	41,989	24	4	2	1	-	-	-	-	-	-	1	-	-	1	-
Bromley 3*w*,*H*	68,319	43	25	4	10	-	2	-	-	-	-	-	5	3	8	16
Poplar *W*,*w*	58,514	37	13	6	2	-	-	-	-	1	-	-	1	1	1	2
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday. 4th June, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	7	22	4	2	-	1	-	1	1	-	1	1	1	2	20	-
Kent-road	21,904	20	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	25	3	-	3	-	-	-	-	-	-	1	-	-	-	-	-
Newington North	49,022	22	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Newington South *W*	72,841	37	11	3	5	-	4	-	-	-	-	1	-	1	1	2	-
St. Olave *2W*	9,817	8	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Bermondsey *W*	82,483	60	15	3	5	-	1	-	-	-	-	-	1	-	-	-	-
Rotherhithe *W,F*	38,460	14	15	3	3	-	1	-	-	-	-	1	1	-	2	6	-
Waterloo *2H*	27,440	33	4	-	1	-	-	-	-	-	-	1	-	-	-	2	-
Lambeth Church *H*	27,440	10	13	2	2	-	1	-	-	-	-	1	1	2	2	9	-
Kennington *2W*	52,518	28	23	2	11	-	1	-	-	-	-	-	3	-	2	18	-
Stockwell *HF*	63,826	37	6	1	-	-	1	-	-	-	-	-	-	1	1	1	-
Brixton *H*	73,673	25	10	4	3	-	1	-	-	-	-	-	2	2	2	1	-
Norwood *2WH*	56,998	20	8	-	7	-	-	-	-	-	-	-	-	1	2	-	-
East Battersea *H*	72,203	33	8	3	1	-	-	-	-	1	-	-	-	-	-	-	-
North-west Battersea	49,656	34	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	15	17	-	5	-	-	-	-	-	-	-	3	-	1	9	-
Clapham *2H*	51,361	24	11	2	5	-	-	-	-	1	-	-	1	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	63	26	4	15	-	-	-	-	-	-	-	2	-	2	11	-
Springfield *2W,L*	27,959	25	5	3	-	-	-	-	-	-	-	-	2	-	-	-	-
Southfields *H*	40,444	34	9	3	4	-	-	-	-	1	-	-	1	-	1	-	-
Putney	24,139	9	5	-	2	-	-	-	-	-	-	-	2	-	-	-	-
Dulwich	13,359	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	16	22	-	10	-	-	-	-	-	-	-	2	-	-	12	-
Camberwell North *W,2L*	65,584	24	25	4	7	-	2	-	-	-	-	-	2	-	4	8	-
St. George	47,331	31	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Peckham North	48,913	29	6	2	2	-	1	-	-	-	-	-	-	1	1	-	-
Peckham South *2W,w*	43,946	21	8	3	3	-	1	-	-	1	-	-	1	-	-	-	-
Deptford North	37,613	23	6	1	3	-	-	-	-	1	-	-	-	-	-	-	-
Deptford Central *F*	45,481	26	9	3	2	-	2	2	-	-	-	-	-	1	1	3	-
Deptford South	34,625	9	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West *H*	23,456	8	7	2	3	-	1	-	-	1	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	38	11	4	3	-	-	-	-	-	-	-	-	-	-	4	-
Eltham *w,H*	7,226	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	42	15	6	5	-	1	1	-	1	-	-	-	-	-	3	-
Sydenham *H*	43,653	14	5	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	5	4	1	1	-	1	-	-	1	-	-	1	-	-	1	-
Woolwich *5H*	41,625	24	7	3	1	-	1	-	-	1	-	-	-	1	1	1	-
Plumstead West *W,H*	39,376	14	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead East *2W*	28,951	8	5	-	1	-	-	-	-	-	-	-	1	-	-	3	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	1	1	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	7	-	2	-	-	-	-	-	-	-	2	-	-	7	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Manor	—	-	3	-	1	-	-	-	-	-	-	-	1	-	-	3	-
Long Grove	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Hartford Heath	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	7	-	3	-	-	-	-	-	-	-	1	-	-	7	-
Claybury	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging t the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boar Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATE POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 4th June, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
	LONDON—OUTER RING ..	368,603	2,045,135	1375	404	78	136	-	10	5	3	13	-	3	25	45	84	
31 : 1	Carshalton 2F,3H	12,228	32,997	13	10	-	1	-	-	4	-	1	-	-	-	-	4	
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	3	5	-	1	-	-	-	-	-	-	-	1	1	2	
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
39 : 1	Coulsdon	11,069	8,166	3	5	1	1	-	-	-	-	-	-	-	1	2	-	
2	South Croydon w,H ..	4,200	49,309	21	7	1	5	-	-	-	-	1	-	-	-	-	-	
3	West Croydon 3W,F,H ..	2,168	42,888	30	14	2	5	-	-	-	-	-	-	-	3	3	7	
4	North Croydon H	2,644	41,698	30	3	-	-	-	-	-	-	-	-	-	-	-	-	
5	Penge w	770	22,465	9	6	1	4	-	-	-	-	1	-	-	-	-	-	
6	Mitcham w	11,711	30,015	31	8	1	2	-	-	-	-	-	-	-	1	1	-	
40 : 1	Wimbledon F,3H	3,221	41,652	25	6	2	1	-	2	-	-	-	-	-	1	1	-	
2	Kingston 2W,H	6,224	42,068	26	11	4	3	-	-	-	1	-	-	-	-	-	4	
3	Surbiton F,H	3,046	15,017	6	2	-	-	-	-	-	-	-	-	-	-	1	-	
4	Esher, *part of** H	5,402	13,100	5	2	1	1	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,456	14	3	2	-	-	-	-	-	1	-	-	-	-	1	
41 : 1	Richmond W,H	2,491	31,672	12	3	1	-	-	-	-	-	-	-	-	-	-	2	
2	Mortlake F	2,518	17,821	12	5	-	2	-	-	-	-	-	-	-	1	1	-	
42 : 1	Bromley F,3H	4,696	27,397	24	3	-	-	-	-	1	-	-	-	-	1	1	3	
2	Beckenham H	7,832	28,454	17	3	1	1	-	-	-	-	-	-	-	-	-	-	
3	Orpington, *part of** W,F ..	10,113	9,857	8	6	1	3	-	-	-	-	1	-	-	-	-	4	
4	Chislehurst 2H	7,333	16,446	4	3	1	2	-	-	-	-	-	-	-	-	-	-	
43 : 1	Bexley w,F,H	8,678	21,151	11	1	-	1	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,354	25,296	17	5	-	3	-	-	-	-	-	-	-	1	1	-	
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
126 : 1	Sunbury w	11,054	18,683	15	4	2	2	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	10	4	1	2	-	-	-	-	-	-	-	-	1	1	
127 : 1	Hillingdon W,F,H	8,035	13,661	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	5	2	-	1	-	-	-	-	-	-	-	-	-	-	
3	Hayes w 2F,H	8,066	16,358	10	1	-	1	-	-	-	-	-	-	-	-	-	-	
128 : 1	Isleworth 3W,3F,H	6,859	30,863	24	14	5	7	-	-	-	-	-	-	1	1	1	6	
2	Twickenham F,2H	2,421	20,991	14	2	-	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford 3F,2H	4,312	48,289	32	11	1	2	-	-	-	-	-	-	-	2	3	-	
4	Chiswick H	1,249	29,809	22	2	1	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,F,3H	6,132	48,914	47	10	5	3	-	-	-	-	2	-	1	-	-	-	
129 : 1	Willesden W,F,2H	4,384	114,811	85	28	5	7	-	-	-	-	1	-	-	-	2	4	
130 : 1	Harrow F,H	13,809	25,523	20	8	-	3	-	-	-	-	-	-	-	-	-	-	
2	Edgware 2F,2H	6,994	4,521	5	3	1	-	-	-	-	-	-	-	-	-	-	1	
3	Hendon W,F	8,382	22,450	16	5	-	1	-	-	-	-	-	-	-	-	-	1	
131 : 1	South Mimms 2F,H ..	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	14	1	-	1	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,3H	4,638	33,692	39	4	2	1	-	-	-	-	-	-	-	-	-	-	
132 : 1	Hornsey F,H	2,875	72,056	33	11	2	4	-	-	-	-	-	-	1	1	1	-	
2	Wood Green H	1,625	34,233	25	7	1	1	-	-	-	1	-	-	-	-	2	-	
3	West Tottenham	995	48,741	59	10	5	3	-	-	-	-	-	-	-	-	3	-	
4	East Tottenham 2H ..	2,019	53,962	23	16	2	3	-	-	-	-	1	-	-	1	2	5	
5	Edmonton W,w,2F	7,491	61,892	58	17	1	12	-	-	-	-	-	-	-	2	5	9	
6	Enfield 2W,F,H	12,601	42,738	27	13	2	5	-	-	-	-	-	-	-	1	2	1	
7	Waltham Abbey F	11,017	6,549	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,379	12,292	5	3	1	2	-	-	-	-	-	-	-	-	-	-	
138 : 1	Hatfield, *part of** W ..	3,305	661	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
140 : 1	Bushey, *part of** H ..	9,195	7,051	2	4	-	2	-	-	-	-	-	-	-	-	-	1	
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
188 : 1	Stratford H	1,091	52,974	34	14	1	2	-	6	-	-	-	-	-	1	1	-	
2	Forest Gate	787	52,745	28	3	-	2	-	-	-	-	-	-	-	-	-	-	
3	Plaistow F,2H	1,249	90,921	53	16	2	3	-	-	-	1	-	-	-	2	3	3	
4	Canning Town H	1,556	70,718	54	9	1	3	-	-	-	-	-	-	-	-	1	-	
5	South East Ham 2F ..	1,991	37,342	27	7	2	3	-	1	-	-	1	-	-	1	1	1	
6	North East Ham w,H ..	1,333	58,666	33	9	3	3	-	-	-	-	1	-	-	-	1	-	
7	Wanstead F	1,679	9,179	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	31	7	2	2	-	-	-	-	-	-	-	-	-	4	
9	North Leyton 2W,w,F ..	1,963	48,445	38	20	5	5	-	1	-	-	-	-	-	1	1	11	
10	Walthamstow 2H,L ..	6,504	108,929	75	7	2	3	-	-	-	-	1	-	-	1	1	-	
189 : 1	Chigwell 2F,3H	11,778	16,397	10	5	1	2	-	-	-	-	-	-	-	1	1	-	
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	5	2	-	2	-	-	-	-	-	-	-	-	-	1	
2	Ilford F,L	8,496	41,244	36	13	2	5	-	-	-	-	1	-	-	-	1	4	
3	Barking Town F	3,805	21,547	17	3	1	1	-	-	-	-	-	-	-	-	-	-	
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esher parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting the part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : 1, and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
LONDON* - -	4,872,702	June 4	2434	1087	11·6	–	51	6	5	29	1	19
CALCUTTA - -	1,009,008	May 7	–	526‡	27·1	1	3	–	–	–	5	16
BOMBAY - -	977,822	„ 17	324	782‡	41·6	31	10	–	–	–	2	34
MADRAS - -	509,346	„ 6	362	361	36·8	1	3	?	?	?	–	23
PARIS* - -	2,772,467	„ 28	956	868	16·4	–	31	4	8	12	7	16
BRUSSELS* - -	720,030	„ 28	228	199	14·4	–	2	–	1	1	1	12
ANTWERP* - -	314,135	„ 28	131	76	12·6	–	4	–	–	4	1	9
AMSTERDAM* -	570,149	„ 28	–	–	–	–	–	–	–	–	–	–
COPENHAGEN -	450,000	„ 28	265	135	15·6	–	2	2	2	1	2	6
STOCKHOLM -	341,816	„ 21	109	109	16·6	–	1	3	2	1	–	4
CHRISTIANIA -	235,674	„ 28	31	53	11·7	–	–	–	2	1	–	1
ST. PETERSBURG	1,620,000	„ 14	–	–	–	–	–	–	–	–	–	–
MOSCOW - -	1,493,600	„ 14	–	750	26·2	3	23	17	23	5	6	99
BERLIN - -	2,117,736	„ 14	846	591	14·6	–	7	13	20	6	3	34
HAMBURG - -	895,804	„ 28	–	293	17·1	–	2	1	10	2	1	29
BRESLAU - -	507,500	„ 21	270	182	18·7	–	2	3	–	5	2	16
MUNICH - -	576,000	„ 21	282	191	17·2	–	–	–	1	3	–	21
VIENNA* - -	2,107,981	„ 21	855	808	19·9	–	33	5	7	8	2	54
		„ 28	782	677	16·7	–	31	–	5	8	–	48
PRAGUE* - -	497,905	„ 7	219	201	21·0	–	2	–	1	1	1	11
BUDAPEST* -	833,703	„ 21	469	321	20·0	–	7	10	1	3	–	22
TRIESTE* - -	221,124	„ 28	120	89	20·9	–	2	–	1	1	–	4
ROME - - -	587,096	April 9	297	237	21·1	–	20	2	8	1	1	7
VENICE - -	183,224	May 7	63	66	18·8	–	–	–	1	–	–	2
BUCAREST - -	297,643	April 9	199	188	32·9	–	2	2	3	–	2	6
NEW YORK* -	4,711,956	May 14	2441	1485	16·4	–	20	26	45	6	3	53
CHICAGO* - -	2,282,927	„ 14	–	634	15·6	–	3	11	15	–	6	46
PHILADELPHIA*	1,598,400	April 2	–	538	17·5	–	1	2	9	6	5	20
RIO DE JANEIRO	842,822	May 1	–	346	21·4	–	1	–	4	2	1	?
CAIRO:—*												
Egyptians -	616,183	„ 6	626	568	47·9	3	19	–	3	?	4	132
Foreigners -	61,480	„ 6	4	17	14·4	–	1	–	–	?	–	3
ALEXANDRIA:—*												
Egyptians -	317,454	„ 6	239	267	43·7	1	23	–	1	?	5	55
Foreigners -	67,966	„ 6	12	20	15·3	–	–	–	–	?	–	2

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 75 deaths from *plague* in Calcutta and 214 in Bombay, and from *Asiatic cholera*, 63 deaths in Calcutta and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 4th June, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	74·9	45·1	58·3	0·27	BRADFORD - -	60·9	42·9	52·9	0·24
BRIGHTON - -	63·4	47·4	55·5	0·45	YORK - - -	67·0	45·0	55·4	0·13
PORTSMOUTH - -	66·0	48·0	57·0	0·14	HULL - - -	70·0	45·0	55·9	0·21
NORWICH - -	69·7	47·0	56·8	0·32	TYNEMOUTH - -	65·0	43·0	52·3	0·69
PLYMOUTH - -	61·8	48·7	55·6	0·44	CARDIFF - - -	65·8	42·1	54·3	0·80
BRISTOL - - -	66·0	45·0	55·2	0·37	EDINBURGH - -	61·1	41·6	49·7	0·20
BIRMINGHAM - -	67·9	44·3	55·9	0·22	GLASGOW - -	64·0	41·0	51·1	0·36
NOTTINGHAM - -	68·0	43·0	55·9	0·23	DUBLIN { Phœnix Park.	59·8	37·7	50·6	0·69
LIVERPOOL OBSERVATORY.	64·0	46·0	54·6	0·95	DUBLIN { Fitzwilliam Square.†	61·9	42·9	52·1	0·88
MANCHESTER -	61·8	43·7	53·8	0·96					
BURNLEY - -	63·0	42·4	52·8	0·91					
HUDDERSFIELD -	64·0	43·0	53·6	0·63	BELFAST - - -	62·0	39·5	51·7	0·63

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisner in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 4th June, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 29	..	29·610	67·1	54·1	13·0	58·9	+ 2·5	53·4	5·5	13·3	0·6	82	113·4	53·6	53·94	WSW. & SW.	WSW. & SW.	3·5	0·0	0·2	312	+ 58	0·05	4·0
MONDAY - 30	..	29·517	63·3	48·1	15·2	54·4	− 2·3	41·2	13·2	21·0	2·5	61	121·8	44·2	54·30	W. & WSW.	WSW. & SW.	5·2	0·0	0·6	477	+223	0·00	6·0
TUESDAY - 31	Last Qr.	29·367	61·2	49·7	11·5	53·6	− 3·5	50·8	2·8	9·3	1·6	90	91·1	45·9	54·38	SW. & SSW.	SSW. & SW.	10·3	0·0	0·9	515	+262	0·07	17·2
JUNE. WEDNESDAY 1	..	29·541	69·8	49·1	20·7	57·9	+ 0·5	50·9	7·0	17·5	1·4	78	132·6	39·4	54·49	SW. & SSW.	SW., SSW. & S.	2·9	0·0	0·2	281	+ 27	0·00	8·8
THURSDAY - 2	..	29·651	70·2	48·1	22·1	57·5	− 0·3	52·3	5·2	15·7	0·4	83	127·1	36·0	54·40	Calm & SSW.	SSW.	1·8	0·0	0·1	183	− 70	0·08	7·0
FRIDAY - 3	In Eqr.	29·690	74·9	48·6	26·3	60·8	+ 2·7	47·1	13·7	27·0	2·5	61	133·5	42·2	54·69	SW. & WSW.	SW. & WSW.	1·0	0·0	0·0	174	− 79	0·00	5·0
SATURDAY - 4	..	29·487	66·5	45·1	21·4	55·3	− 3·0	51·0	4·3	11·9	1·5	86	117·9	36·6	54·81	Calm & ESE.	ESE., E. & ENE.	1·2	0·0	0·1	148	−107	0·07	2·0
MEANS - -		29·552	67·6	49·0	18·6	56·9	− 0·5	49·5	7·4	16·5	1·5	77	119·6	42·6	54·43	SW.		..	..	..	Sum 2090	Sum +314	Sum 0·27	7·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 29	w. P. throughout.	0·6	16·1
MONDAY - 30	w. P. till 9h. A.M.; m. P. till 1h. P.M.; w. P. till 4h. P.M.; m. P. afterwards.	9·7	16·2
TUESDAY - 31	w. P. throughout.	1·3	16·2
JUNE. WEDNESDAY 1	w. P. throughout.	5·0	16·2
THURSDAY - 2	w. P. generally.	6·7	16·2
FRIDAY - 3	w. P. generally till 5h. P.M.; then m. P.	13·1	16·3
SATURDAY - 4	w. P. generally; w. N. at 1h. 30m. P.M.	0·4	16·3
		Sum 38·8	Sum 113·5
No. of Col. - -	27	28	29

GENERAL REMARKS.

Overcast with slight exceptions; occasional rain.

Overcast with rain till 1h. A.M.; fine with variable amounts of cloud till 5h. P.M.; then generally overcast; brisk wind in afternoon.

Generally overcast with frequent slight rain till 5h. P.M.; fine and partially cloudy afterwards; gusty wind prevalent between 8h. A.M. and 6h. P.M.

Fine; variably cloudy. Solar halo observed at 11h. 50m. A.M. and at intervals during the afternoon.

Fine in early morning; overcast with rain between 7h. 30m. and 10h. 30m. A.M.; cloudy till noon; then very fine with occasional cloudy intervals.

Very fine throughout with little cloud generally.

Very fine till 1h. 30m. A.M.; generally overcast till 6h. P.M. with light showers in afternoon; fine and variably cloudy afterwards.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·72 in. at the beginning of the week to 29·33 in. by 3h. P.M. on May 31st; increased to 29·73 in. by 9h. A.M. on June 3rd; decreased to 29·47 in. by 5h. P.M. on June 4th; and was 29·50 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 28th May, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	11	-	-	3	-	-	2	-	-
Kensington	184,635	-	7	-	-	-	-	-	2	-	-
Hammersmith	127,413	-	4	5	-	1	-	-	1	-	-
Fulham	181,282	-	7	4	-	-	-	-	3	-	-
Chelsea	75,457	-	1	1	-	1	-	-	-	-	-
City of Westminster ..	167,233	-	5	2	-	1	-	-	-	-	-
NORTH.											
St. Marylebone	125,195	-	3	2	-	-	-	-	4	-	-
Hampstead	95,729	-	3	-	-	2	-	-	1	-	-
St. Pancras	237,792	-	4	4	-	1	-	-	3	-	-
Islington	353,356	-	9	6	-	1	-	-	1	-	-
Stoke Newington	54,838	-	1	-	-	-	-	-	-	-	-
Hackney	239,979	-	10	1	-	-	-	-	7	-	-
CENTRAL.											
Holborn	53,142	-	4	-	-	-	-	-	1	-	-
Finsbury	94,578	-	2	-	-	-	-	-	3	-	-
City of London	17,132	-	1	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	5	2	-	-	-	-	5	-	-
Bethnal Green	131,579	-	5	5	-	-	-	-	4	-	-
Stepney	314,379	-	9	12	-	1	-	-	9	1	-
Poplar	172,432	-	7	-	-	-	-	-	2	-	-
SOUTH.											
Southwark	211,832	-	9	6	-	-	-	-	5	-	-
Bermondsey	127,238	-	11	1	-	-	-	-	1	-	1
Lambeth	327,074	-	17	2	-	2	-	-	1	-	-
Battersea	188,222	-	6	4	-	-	-	-	3	2	-
Wandsworth	305,838	-	12	4	-	-	-	-	2	1	-
Camberwell	286,058	-	10	4	-	-	-	-	1	-	-
Deptford	119,642	-	2	2	-	-	-	-	6	-	1
Greenwich	112,935	-	-	-	-	-	-	-	1	1	-
Lewisham	164,899	-	7	-	-	-	-	-	-	-	-
Woolwich	135,422	-	11	4	-	-	-	-	3	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	183	72	-	13	-	-	71	6	2
Ages 0-1		-	3	1	-	-	-	-	3	-	2
„ 1-5		-	62	28	-	-	-	-	2	-	-
„ 5-		-	70	28	-	1	-	-	1	-	-
„ 10-		-	20	6	-	2	-	-	2	-	-
„ 15-		-	12	2	-	-	-	-	1	-	-
„ 20-		-	5	5	-	4	-	-	4	1	-
„ 25-		-	9	2	-	2	-	-	12	4	-
„ 35-		-	1	-	-	2	-	-	17	1	-
„ 45-		-	-	-	-	2	-	-	13	-	-
„ 55-		-	1	-	-	-	-	-	7	-	-
„ 65 and upwards		-	-	-	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 23. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, JUNE 11. [Price 1½*d.*

General Register Office, Somerset House,
June 13th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 11·4 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 12·4, 12·7, and 11·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 16·3 in Oldham, 16·5 in Huddersfield and in Rotherham, 16·7 in Bury, 17·2 in Stoke on Trent, 17·5 in Preston, 18·0 in Liverpool, and 21·6 in Merthyr Tydfil; from *measles*, 1·2 in Manchester, 1·3 in Liverpool, 1·4 in Warrington, 1·9 in Burton on Trent, 2·0 in Merthyr Tydfil, 2·3 in Blackburn, and 2·5 in Barrow in Furness; and from *whooping-cough*, 1·1 in Salford, 1·2 in Manchester, 1·4 in Grimsby and in Wallasey, 1·5 in Bootle, and 1·6 in St. Helens. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2243 BIRTHS and 984 DEATHS were registered. Allowing for increase of population, the births were 131 and the deaths 203 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period

(16772—41.) Wt. 91—429. 700. 6/10. D & S. G. 31. Sch. 4 Z

causes, which had been 11·4, 11·8, and 11·6 per 1000 in the preceding three weeks, fell last week to 10·5. The death-rate in the four weeks ended last Saturday averaged 11·3 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 984 deaths included 47 from measles, 5 from scarlet fever, 5 from diphtheria, 23 from whooping-cough, 3 from enteric fever, and 8 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 91 deaths were referred, being 32 below the corrected average number in the twenty-third week of the preceding five years.

The deaths from *measles*, which had been 48, 50, and 51 in the preceding three weeks, were 47 last week, the corrected average being 50; 6 deaths belonged to the Borough of Bethnal Green, 6 to Southwark, 4 each to St. Pancras, Bermondsey, and Lambeth, and 3 each to Hackney and Woolwich. The deaths from *scarlet fever*, which had been 4, 3, and 6 in the preceding three weeks, were 5 last week, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 8, 2, and 5 in the preceding three weeks, were again 5 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 42, 36, and 29 in the preceding three weeks, further fell to 23 last week, and were 9 below the corrected average; 3 deaths belonged to Islington, 3 to Bermondsey, and 3 to Camberwell. The deaths from *enteric fever*, which had been 1, 2, and 1 in the preceding three weeks, were 3 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 14, 15, and 21 in the preceding three weeks, fell to 8 last week, and were 11 below the corrected average. The 8 deaths from diarrhœa were those of children under 2 years of age; 4 other deaths at this age were certified as due to *enteritis*, and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 3, having been 4 in each of the preceding three weeks.

Different forms of violence caused 56 deaths, concerning all of which inquests were held. Of these 56 deaths, 18 were cases of suicide, while the remaining 38 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, three to burns or scalds, six to drowning, and six, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1401 cases of scarlet fever, 753 of diphtheria, and 53 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever 181 cases, against 190, 174, and 203; of diphtheria, 85 cases, against 62, 74, and 72; and of enteric fever, 6 cases, against 6, 8, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended June 4th, 1910.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3575 births and 1412 deaths were registered. Allowing for increase of population, these numbers are 206 and 277 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 4 deaths from measles, 2 from scarlet fever, 6 from diphtheria, 6 from whooping-cough, 2 from enteric fever, and 4 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·69 inches, and that of the Thermometer 62°·2, the latter being 4°·0 above the week's average in the 65 years ended 1905. The general direction of the wind was North-easterly, the horizontal movement of the air being 19 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 28·4 hours; the measured rainfall amounted to 0·44 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 11th June, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 21st May 1910.	28th May, 1910.	4th June, 1910.	11th June, 1910.	Rate from Diseases in Cols. 11-17 Week ended 11th June 1910.	Registered during the Week ended 11th June, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	16,940,895	12·4	12·7	11·8	11·4	1·2	8474	3718	765	1069	-	149	20	26	120	17	49	143	310	1033	29	77 TOWNS.
LONDON	4,872,702	11·4	11·8	11·6	10·5	1·0	2243	984	183	296	-	47	5	5	23	3	8	56	118	430	-	LONDON.
CROYDON	164,485	8·6	12·7	7·6	6·3	0·3	86	20	5	6	-	-	-	-	1	-	-	1	1	7	-	CROYDON.
WILLESDEN ..	166,088	8·5	8·2	8·8	7·5	0·9	70	24	7	7	-	1	-	-	1	-	1	-	-	3	-	WILLESDEN.
HORNSEY	98,561	7·4	8·5	6·3	4·8	0·5	29	9	-	5	-	-	-	-	1	-	-	-	1	1	-	HORNSEY.
† TOTTENHAM ..	132,803	11·0	9·8	7·9	10·2	1·2	56	26	3	4	-	1	-	1	-	-	1	1	3	7	-	TOTTENHAM.
WEST HAM ..	328,585	8·6	9·5	7·8	8·7	0·3	158	55	6	21	-	1	-	-	-	-	1	2	7	19	1	WEST HAM.
EAST HAM.. ..	156,208	6·7	7·0	6·3	5·7	0·7	63	17	5	2	-	1	-	-	1	-	-	-	1	2	-	EAST HAM.
LEYTON	133,436	7·0	7·0	6·3	9·4	1·2	68	24	4	12	-	1	-	1	1	-	-	-	2	8	-	LEYTON.
WALTHAMSTOW	141,748	9·2	5·5	3·3	5·9	0·4	68	16	3	3	-	1	-	-	-	-	-	-	-	4	-	WALTHAMSTOW.
HASTINGS	68,520	14·5	9·9	8·4	10·7	-	20	14	-	7	-	-	-	-	-	-	-	3	3	2	-	HASTINGS.
BRIGHTON	131,900	14·2	12·3	12·7	9·1	0·4	53	23	6	6	-	1	-	-	-	-	-	-	3	6	-	BRIGHTON.
PORTSMOUTH ..	217,989	11·5	12·7	12·9	12·0	1·0	107	50	4	20	-	-	1	-	3	-	-	2	4	15	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	14·8	11·3	12·7	8·5	-	22	12	3	5	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·1	17·2	11·1	9·4	0·4	34	23	3	6	-	-	-	-	-	-	1	1	2	8	-	SOUTHAMPTON.
READING	84,355	8·7	9·3	8·7	2·5	-	29	4	-	4	-	-	-	-	-	-	-	-	-	-	-	READING.
NORTHAMPTON ..	99,113	8·9	12·1	9·5	6·3	-	42	12	1	7	-	-	-	-	-	-	-	-	-	1	-	NORTHAMPTON.
IPSWICH	75,936	10·3	5·5	11·0	13·7	-	30	20	6	4	-	-	-	-	-	-	-	2	2	2	-	IPSWICH.
GREAT YARMOUTH	53,715	7·8	13·6	10·7	10·7	1·0	34	11	4	3	-	-	-	-	-	-	1	-	1	1	1	GREAT YARMOUTH.
NORWICH	125,446	10·8	10·4	10·0	8·3	-	70	20	2	6	-	-	-	-	-	-	-	-	2	5	-	NORWICH.
PLYMOUTH	126,266	14·5	12·8	9·9	9·9	-	62	24	-	11	-	-	-	-	-	-	-	1	3	5	-	PLYMOUTH.
DEVONPORT	84,695	14·8	12·3	11·1	8·0	-	41	13	3	4	-	-	-	-	-	-	-	-	3	1	-	DEVONPORT.
BRISTOL	382,550	9·3	9·4	11·2	8·0	0·1	179	59	13	27	-	-	-	-	-	-	1	3	5	20	-	BRISTOL.
STOKE ON TRENT‡..	245,726	14·9	14·2	12·9	17·2	3·2	185	81	11	16	-	5	4	3	1	1	1	2	4	11	-	STOKE ON TRENT‡.
BURTON ON TRENT	54,977	16·1	19·9	10·4	12·3	1·9	24	13	3	3	-	2	-	-	-	-	-	-	1	2	2	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	15·7	12·8	15·7	13·8	1·0	54	28	11	6	-	1	-	-	1	-	-	1	3	6	-	WOLVERHAMPTON
WALSALL	101,025	9·3	9·3	11·4	15·0	-	56	29	8	10	-	-	-	-	-	-	-	-	1	2	-	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	6·5	10·1	4·3	5·8	-	24	8	2	3	-	-	-	-	-	-	-	1	2	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	15·4	11·7	6·6	9·5	0·7	42	13	5	4	-	-	-	-	1	-	-	2	2	1	-	WEST BROMWICH.

‡ As created on 31st March, 1910.

ended Saturday, 11th June, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 21st May, 1910.	28th May, 1910.	4th June, 1910.	11th June, 1910.	Rate from Diseases in Cols. 11–17. Week ended 11th June, 1910.	Registered during the Week ended 11th June, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	10·3	14·8	10·6	9·8	1·0	293	107	25	27	-	-	-	2	6	-	3	6	7	31	4	BIRMINGHAM.
KINGS NORTON ..	84,673	8·6	9·2	3·1	4·3	-	38	7	2	2	-	-	-	-	-	-	-	-	-	3	-	KINGS NORTON.
SMETHWICK ..	72,350	11·5	8·6	9·4	9·4	1·4	48	13	6	2	-	-	1	-	-	-	1	-	-	3	-	SMETHWICK.
ASTON MANOR ..	86,269	9·1	7·3	9·7	7·3	-	29	12	1	4	-	-	-	-	-	-	-	1	1	1	-	ASTON MANOR.
COVENTRY	81,449	12·2	13·4	12·8	13·4	0·6	43	21	2	8	-	-	-	1	-	-	-	-	1	5	-	COVENTRY.
LEICESTER	248,374	9·0	10·9	10·1	6·9	-	139	33	6	14	-	-	-	-	-	-	-	-	1	4	-	LEICESTER.
GRIMSBY	74,283	17·5	10·5	9·8	13·3	2·8	37	10	5	5	-	-	-	-	2	1	1	-	-	4	-	GRIMSBY.
NOTTINGHAM ..	266,471	11·9	11·7	11·2	10·0	1·4	134	51	11	11	-	3	-	-	1	-	3	1	7	12	-	NOTTINGHAM.
DERBY	131,256	12·7	8·7	7·9	10·7	0·8	87	27	10	9	-	2	-	-	-	-	-	1	5	3	-	DERBY.
STOCKPORT	105,087	22·8	17·4	14·4	11·9	-	54	24	6	6	-	-	-	-	-	-	-	1	1	10	-	STOCKPORT.
BIRKENHEAD ..	122,431	13·6	12·8	14·5	11·9	1·7	69	28	5	7	-	-	-	-	2	1	1	-	1	5	-	BIRKENHEAD.
WALLASEY	73,173	12·8	14·3	11·4	10·7	2·1	51	15	3	7	-	1	-	-	2	-	-	1	3	-	-	WALLASEY.
LIVERPOOL	767,606	15·6	16·6	18·2	18·0	2·9	473	265	66	46	-	19	-	2	13	2	7	8	17	92	3	LIVERPOOL.
BOOTLE	70,548	14·0	11·1	17·0	14·0	2·2	34	19	7	2	-	1	-	-	2	-	-	1	1	1	-	BOOTLE.
ST. HELENS	96,523	13·0	16·7	8·6	13·0	2·2	70	24	9	-	-	-	1	-	3	-	-	1	1	5	-	ST. HELENS.
WIGAN	91,732	14·8	15·9	12·5	14·8	0·6	60	26	3	10	-	1	-	-	-	-	-	-	2	2	-	WIGAN.
WARRINGTON ..	73,295	14·2	12·8	13·5	12·1	2·8	44	17	4	4	-	2	-	-	-	1	1	2	2	4	1	WARRINGTON.
BOLTON	190,315	11·5	10·7	9·6	11·0	1·4	88	40	6	10	-	-	2	1	1	-	1	1	1	9	-	BOLTON.
BURY	59,409	10·5	15·8	14·9	16·7	0·9	20	19	6	5	-	-	1	-	-	-	-	2	2	4	1	BURY.
MANCHESTER ..	716,354	16·0	16·4	13·8	14·9	2·7	361	205	50	34	-	17	-	-	17	-	3	6	12	48	2	MANCHESTER.
SALFORD	244,636	14·1	14·3	15·1	14·7	2·1	133	69	18	12	-	-	-	1	5	1	3	-	2	15	1	SALFORD.
OLDHAM	144,111	15·6	17·4	19·9	16·3	2·9	64	45	10	11	-	3	-	-	2	1	2	-	1	4	-	OLDHAM.
ROCHDALE	90,497	13·8	17·9	12·7	15·6	1·7	44	27	1	12	-	-	1	-	1	-	1	-	-	8	-	ROCHDALE.
BURNLEY	107,448	13·6	17·0	11·6	8·2	-	58	17	5	5	-	-	-	-	-	-	-	-	-	3	2	BURNLEY.
BLACKBURN	137,972	15·5	14·4	10·2	14·7	3·0	64	39	8	15	-	6	1	1	-	-	-	-	1	5	1	BLACKBURN.
PRESTON	119,253	17·9	12·7	15·7	17·5	1·3	62	40	8	13	-	1	-	2	-	-	-	1	2	6	3	PRESTON.
BARROW IN FURNESS.	63,689	17·2	14·7	11·5	11·5	3·3	43	14	4	5	-	3	-	-	1	-	-	-	-	1	1	BARROW IN FURNESS

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 11th June, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 21st May, 1910.	28th May, 1910.	4th June, 1910.	11th June, 1910.	Rate from Diseases in Cols 11-17. Week ended 11th June, 1910.	Registered during the Week ended 11th June, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	14·9	16·0	10·5	16·5	1·7	39	30	2	12	-	1	-	1	1	-	-	-	1	2	-	HUDDERSFIELD.
HALIFAX	112,818	15·7	14·8	13·4	12·5	0·9	40	27	4	13	-	-	-	-	2	-	-	-	1	6	-	HALIFAX.
BRADFORD	295,865	15·2	15·0	12·2	12·0	1·6	122	68	6	27	-	5	-	2	-	1	1	1	1	21	-	BRADFORD.
LEEDS	490,985	13·3	13·8	11·8	12·1	1·8	209	114	25	34	-	6	-	-	8	-	3	7	11	19	-	LEEDS.
DEWSBURY†	51,224	17·3	25·4	11·2	9·2	1·0	24	9	1	4	-	1	-	-	-	-	-	-	1	-	-	DEWSBURY.†
SHEFFIELD	478,763	12·2	13·0	11·8	12·0	1·2	249	110	24	30	-	3	2	-	5	1	-	3	5	34	-	SHEFFIELD.
ROTHERHAM.. ..	66,414	7·9	9·4	13·3	16·5	-	27	21	5	4	-	-	-	-	-	-	-	-	-	5	-	ROTHERHAM.
YORK	88,159	14·8	8·9	11·8	11·8	-	34	20	2	10	-	-	-	-	-	-	-	2	3	4	-	YORK.
HULL	280,006	11·2	13·2	12·8	15·1	0·4	179	81	12	26	-	-	-	-	1	1	-	6	12	21	1	HULL.
MIDDLESBROUGH ..	107,014	18·5	12·7	13·2	9·7	1·5	66	20	4	6	-	-	-	1	2	-	-	-	-	2	1	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	15·5	12·6	10·7	15·5	1·9	32	16	3	4	-	1	-	-	-	1	-	1	1	2	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	8·9	5·1	6·4	8·3	0·6	47	13	4	5	-	-	-	-	1	-	-	1	2	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	14·6	16·5	14·9	10·7	0·3	90	33	9	11	-	1	-	-	-	-	-	3	5	7	1	SUNDERLAND.
SOUTH SHIELDS ..	119,737	11·8	16·5	16·5	14·8	1·3	86	34	7	12	-	1	-	-	2	-	-	-	1	6	-	SOUTH SHIELDS.
GATESHEAD	133,676	12·9	12·9	14·8	12·1	0·8	86	31	12	15	-	1	-	-	1	-	-	-	1	7	2	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	12·4	11·9	12·4	14·8	1·1	155	81	16	23	-	1	-	-	4	-	1	3	6	14	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	23·1	12·0	14·8	12·9	0·9	31	14	5	3	-	-	-	-	1	-	-	-	1	3	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	19·0	11·8	11·8	11·8	-	30	18	5	5	-	-	-	-	-	-	-	-	1	4	-	NEWPORT (MON.).
CARDIFF	199,189	14·1	12·8	11·8	9·2	0·8	110	35	6	14	-	2	-	-	-	-	1	3	7	8	-	CARDIFF.
RHONDDA	138,674	14·7	17·3	11·7	11·3	1·5	120	30	10	2	-	-	1	1	-	1	1	1	3	1	-	RHONDDA.
MERTHYR TYDFIL..	79,522	27·5	25·6	18·4	21·6	2·0	46	33	11	8	-	3	-	-	-	-	-	-	-	3	-	MERTHYR TYDFIL.
SWANSEA	98,817	13·2	17·4	14·2	13·2	2·1	63	25	4	7	-	2	-	1	-	1	-	1	2	3	-	SWANSEA.
GREATER LONDON	7,537,196	10·6	10·9	10·3	9 8	0·9	3575	1412	252	436	-	57	7	13	34	5	15	76	159	540	1	GREATER LONDON.
OUTER RING ..	2,664,494	9·1	9·1	7·9	8·4	0·8	1332	428	69	140	-	10	2	8	11	2	7	20	41	110	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	8·4	8·7	7·0	7·5	0·6	598	191	33	60	-	6	-	2	5	-	3	4	15	51	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	9·7	9·5	8·8	9·2	0·9	734	237	36	80	-	4	2	6	6	2	4	16	26	59	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	15·9	10·7	11·4	13·2	0·3	143	91	9	32	-	-	-	-	-	1	1	1	?	33	5	EDINBURGH.
GLASGOW	884,505	15·7	14·7	15·3	15·0	2·0	483	255	48	59	-	5	5	4	5	-	15	11	?	109	8	GLASGOW.
DUBLIN (Registration Area).‡	402,928	15·9	19·5	15·7	16·4	0·6	268	127	26	34	-	1	-	-	1	-	3	6	3	46	7	DUBLIN (Registration Area).‡
BELFAST‡	391,167	23·6	23·5	22·1	19·7	6·1	193	148	20	21	-	38	-	1	5	1	1	1	2	23	1	BELFAST‡

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-THIRD Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2276	2624	2308	2584	2578	2233	2145	2474	2321	2421	2374·3	2243
Males - - -	1185	1376	1176	1319	1313	1138	1108	1279	1185	1236	1217·7	1133
Females - -	1091	1248	1132	1265	1265	1095	1037	1195	1136	1185	1156·6	1110
TOTAL **Deaths** -	1398	1236	1305	1095	1187	1236	1150	1209	1068	1135	1187·4	984
Males - - -	769	651	719	609	637	653	620	618	595	611	634·3	536
Females - -	629	585	586	486	550	583	530	591	473	524	553·1	448

* The numbers in this column are the average weekly numbers in the Twenty-Third week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	13 Weeks.
TOTAL **Births** -	2344	2141	2312	2420	2372	2334	2372	2229	2529	1610	2697	2434	2243	30037
TOTAL **Deaths** -	1231	1263	1354	1377	1387	1226	1217	1167	1299	1062	1107	1087	984	15761
Ages at Death: Under 1 year -	197	215	236	260	218	233	230	210	243	212	224	199	183	2860
1—5 years -	137	127	141	120	146	115	125	126	134	129	124	110	102	1636
5—20 " -	60	78	72	67	74	59	67	63	79	61	54	59	65	858
20—40 " -	149	143	161	165	170	148	141	135	151	117	145	136	119	1880
40—60 " -	247	289	280	310	277	269	265	244	281	229	240	236	219	3386
60 yrs. & upwds.	441	411	464	455	502	402	389	389	411	314	320	347	296	5141
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	24	24	22	33	46	27	33	40	55	48	50	51	47	500
Scarlet Fever - -	6	10	2	4	5	6	-	6	3	4	3	6	5	60
Diphtheria - -	6	10	8	6	8	5	6	6	11	8	2	5	5	86
Whooping-cough -	46	44	51	45	41	38	42	46	32	42	36	29	23	515
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	6	3	2	8	3	2	1	2	1	2	1	3	38
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	11	5	9	11	9	10	8	11	15	14	15	21	8	147
All above diseases -	97	99	95	101	117	89	91	110	118	117	108	113	90	1345
Dis. of Resp. System	109	123	158	131	137	119	103	83	116	81	64	64	55	1343
Pneumonia - -	129	138	152	150	175	158	141	128	117	114	98	110	82	1692
Phthisis - - -	121	123	118	132	113	112	102	116	121	99	90	104	81	1432
Dis. of Circ. System -	184	194	193	219	183	181	178	148	173	143	127	145	154	2222
Violence - - -	37	46	58	46	64	52	46	60	48	58	57	49	56	677
Inquest Cases - -	118	107	144	133	129	132	141	130	120	130	130	106	118	1638
Deaths in Institutions	514	528	566	575	577	550	550	536	576	423	477	499	430	6801
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	40·1	42·0	41·9	42·8	48·8	49·3	45·4	46·3	47·5	58·9	57·8	56·9	62·2	49·2
Mean of Highest -	48·7	51·1	52·0	51·7	58·7	57·7	55·5	55·6	58·3	69·8	69·1	67·6	72·0	59·1
Mean of Lowest -	32·3	33·3	32·8	34·7	42·1	42·0	37·8	39·4	38·8	51·2	49·2	49·0	55·3	41·4
Mean Humidity of the Air.	75	80	74	79	79	82	73	77	76	84	75	77	88	78
Rain-fall (in inches) -	0·13	0·00	0·00	0·11	1·86	0·23	0·43	0·74	0·42	0·89	0·08	0·27	0·44	5·60
Registered Sunshine (in hours).	41·6	23·6	46·8	24·2	29·1	8·3	50·1	44·6	53·8	49·2	60·2	36·8	28·4	496·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1713	1650	1611	1554	1535	1510	1509	1506	1476	1476	1445	1461	1401	1527
Diphtheria - - -	872	855	856	848	816	812	798	784	775	753	742	728	753	799
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	88	88	85	81	81	69	66	62	62	58	60	61	53	70

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell. Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-THIRD Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionabl should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 23rd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1187·4	984	183	102	65	119	219	296
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	0·2	–	–	–	–	–	–	–
Measles (Morbilli)	49·6	47	13	33	1	–	–	–
Scarlet Fever	9·8	5	–	1	3	1	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	10·6	3	–	–	–	–	–	3
Whooping-cough	32·4	23	13	8	2	–	–	–
Diphtheria	9·4	5	1	3	1	–	–	–
Cerebro-spinal Fever ..	0·4	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	3·1	3	–	–	1	2	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	9·8	5	5	–	–	–	–	–
Diarrhœa, Dysentery ..	8·8	3	3	–	–	–	–	–
Tetanus	0·6	1	–	–	–	–	–	1
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·2	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	4·9	7	6	–	–	1	–	–
Puerperal Septicæmia ..	2·3	1	–	–	–	1	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·2	–	–	–	–	–	–	–
Infective Endocarditis ..	3·1	3	–	–	1	1	1	–
Pneumonia: Lobar ..	15·8	13	1	1	–	2	3	6
Pneumonia: Broncho ..	36·5	38	18	7	1	3	3	6
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	50·0	31	2	7	3	5	7	7
Erysipelas	3·9	1	–	1	–	–	–	–
Septicæmia (not Puerperal)	1·4	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	–	1	–	–	–	1	–	–
Other Infective Processes	2·7	3	–	–	–	–	1	2
Tuberculous Phthisis ..	82·9	55	–	2	7	22	18	6
"*Phthisis*"	38·5	26	–	–	–	14	9	3
Tuberculous Meningitis ..	21·3	15	3	7	5	–	–	–
Tuberculous Peritonitis ..	7·0	12	2	4	4	2	–	–
Tabes Mesenterica	0·6	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	18·0	8	–	1	5	1	1	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	9·8	5	–	–	–	3	2	–
Rheumatic Fever	4·5	3	–	–	1	–	2	–
Gout	1·0	–	–	–	–	–	–	–
Carcinoma	49·6	52	–	–	–	2	21	29
Sarcoma	8·8	5	–	–	–	1	3	1
Cancer (undefined) ..	33·4	32	–	–	–	2	17	13
Diabetes Mellitus	7·4	8	–	–	1	–	3	4
Premature Birth	48·9	32	32	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 23rd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
Meningitis (not tuberc.)..	14·7	10	3	1	2	2	1	[illegible]
Gen. Par. of Insane, Insanity	10·9	16	–	–	1	3	5	[illegible]
Epilepsy	5·7	9	–	–	–	3	1	[illegible]
Convulsions	12·5	13	13	–	–	–	–	[illegible]
Locomotor Ataxy.. ..	2·0	1	–	–	–	–	1	[illegible]
Paraplegia, Dis. of Cord.	4·5	3	–	–	1	1	1	[illegible]
Nervous Sys., Other Dis.	13·5	17	–	1	2	1	7	[illegible]
Valv. Dis., Endocarditis..	41·6	29	–	–	2	6	9	[illegible]
Cereb. Hæm. Cereb. Emb.	35·0	37	–	1	–	1	10	[illegible]
Apoplexy, Hemiplegia ..	11·3	10	–	–	–	–	1	[illegible]
Aneurysm	4·3	6	–	–	–	–	4	[illegible]
Embolism, Thrombosis (not Cerebral) ..	1·6	–	–	–	–	–	–	[illegible]
Heart & Blood Ves., Other Dis... ..	78·2	72	–	–	5	5	26	[illegible]
Croup (not Spasm: nor Memb.)	0·4	–	–	–	–	–	–	[illegible]
Bronchitis	51·2	50	8	5	–	–	5	[illegible]
Emphysema, Asthma ..	1·6	–	–	–	–	–	–	[illegible]
Pleurisy	5·9	3	1	1	1	–	–	[illegible]
Respiratory Dis., Other..	5·1	2	–	–	–	–	1	[illegible]
Tonsillitis, Quinsy.. ..	0·8	–	–	–	–	–	–	[illegible]
Enteritis (not Epid.) ..	7·2	7	4	1	1	–	–	[illegible]
Gastro-enteritis	5·1	6	3	1	–	–	1	[illegible]
Peritonitis (not Puerp.) ..	2·9	3	–	–	2	1	–	[illegible]
Cirrhosis of Liver.. ..	10·2	7	–	–	1	–	3	[illegible]
Liver Dis., Other	3·5	2	–	–	–	1	1	[illegible]
Digestive Sys., Other Dis.	34·0	30	3	2	4	7	11	[illegible]
Acute Nephritis	5·9	6	1	–	–	1	3	[illegible]
Bright's Dis., Albuminuria	39·3	23	–	1	1	5	9	[illegible]
Urinary Sys., Other Dis.	9·6	12	–	–	–	1	1	[illegible]
Generative Organs Dis...	3·7	3	–	–	–	1	1	[illegible]
Childbirth (Accid. of) ..	2·0	4	–	–	–	2	2	[illegible]
Old Age	44·6	35	–	–	–	–	–	[illegible]
Other Diseases	75·3	66	42	7	2	4	2	[illegible]
ACCIDENT.								
By Railways	1·8	–	–	–	–	–	–	[illegible]
By Vehicles and Horses..	7·2	10	–	2	2	3	3	[illegible]
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	1	–	–	–	–	1	[illegible]
In Building Operations..	1·0	–	–	–	–	–	–	[illegible]
In Conflagrations	0·2	–	–	–	–	–	–	[illegible]
By Burns, Scalds, Explosions	3·5	3	–	3	–	–	–	[illegible]
By Drowning	5·7	6	–	–	1	3	2	[illegible]
By Suffocation in Bed ..	6·6	6	6	–	–	–	–	[illegible]
By Poisons or Poisonous Vapours	2·3	–	–	–	–	–	–	[illegible]
Other Deaths by Accident..	13·3	12	–	1	1	–	3	[illegible]
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·4	–	–	–	–	–	–	[illegible]
Suicide	12·1	18	–	–	–	4	13	[illegible]
Execution	–	–	–	–	–	–	–	[illegible]

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficult experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th June, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2243	984	183	296	-	47	5	5	23	3	8	81	56	118	430	-
WEST DISTRICTS	805,311	316	159	31	44	-	6	-	1	2	1	1	23	8	15	70	-
NORTH DISTRICTS	1,055,908	481	195	27	63	-	7	2	-	2	-	3	18	14	30	67	-
CENTRAL DISTRICTS	209,465	83	51	10	7	-	-	-	-	3	-	1	4	5	8	31	-
EAST DISTRICTS	715,739	431	164	44	40	-	9	-	2	3	-	2	8	10	26	88	-
SOUTH DISTRICTS	1,749,844	932	372	69	133	-	25	1	2	13	1	1	24	19	39	131	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	43	2	9	-	-	2	-	-	1	-	4	-	-	43	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	27	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
entral Paddington *W,3H*	50,053	34	18	3	3	-	1	-	-	-	-	-	2	1	1	9	-
outh Paddington	30,320	8	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
ensington South† *W,3H*	85,610	19	18	3	8	-	-	-	-	-	-	-	4	1	3	12	-
ensington Central† *W,H*	42,774	12	12	1	3	-	-	-	-	-	-	-	1	1	2	4	-
ensington North† *w*	48,244	27	13	2	4	-	1	-	-	-	-	-	2	-	-	6	-
orth Hammersmith *2W,w,H* ..	49,192	16	12	4	3	-	1	-	-	1	-	-	4	-	1	5	-
outh Hammersmith *w,2H* ..	63,047	19	9	4	3	-	-	-	1	-	-	1	-	1	1	3	-
orth-west Fulham *W*	45,180	34	7	1	3	-	-	-	-	-	-	-	1	-	1	2	-
orth-east Fulham *F*	46,405	25	9	2	4	-	-	-	-	-	1	-	-	1	2	1	-
outh Fulham *W*	45,704	29	5	4	1	-	2	-	-	-	-	-	1	-	-	-	-
helsea North *W,w,3H*	42,514	15	15	2	4	-	-	-	-	-	-	-	4	1	1	12	-
helsea South *W,2H*	31,328	12	8	2	4	-	-	-	-	-	-	-	1	-	-	1	-
ayfair and Knightsbridge	28,743	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
elgrave *W,2H*	55,815	14	8	1	2	-	-	-	-	1	-	-	1	-	-	3	-
t. Margaret & St. John *6H*	43,698	12	15	3	1	-	1	-	-	-	-	-	2	1	1	11	-
t. James and St. Anne *W,6H* ..	33,081	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
NORTH DISTRICTS.																	
ll Souls Marylebone *7H*	35,391	10	9	1	1	-	-	-	-	-	-	-	1	-	1	6	-
t. Mary Marylebone *W,4H* ..	37,948	45	6	1	4	-	-	-	-	-	-	1	-	-	-	2	-
hristchurch Marylebone *H* ..	39,536	20	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
t. John Marylebone *2H*	20,426	10	4	1	1	-	-	-	-	-	-	-	-	1	2	-	-
ampstead *W,F,6H*	81,942	32	12	1	4	-	-	1	-	-	-	-	-	1	2	6	-
est St. Pancras *2H*	60,562	17	13	3	3	-	1	-	-	-	-	-	-	2	2	3	-
outh St. Pancras *w,10H*	55,707	13	15	3	2	-	-	-	-	-	-	1	2	-	2	10	-
ast St. Pancras *W,H*	60,320	37	21	2	8	-	1	-	-	-	-	-	1	1	3	9	-
orth St. Pancras *2W*	58,728	17	13	1	2	-	2	-	-	-	-	-	4	1	2	8	-
ufnell *W*	31,995	18	8	-	5	-	-	-	-	-	-	-	1	-	-	5	-
pper Holloway *2W,w,H*	33,978	21	14	2	4	-	-	-	-	1	-	-	-	1	2	9	-
ollington *W,w,H*	33,922	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ower Holloway	41,424	21	5	-	-	-	-	-	-	-	-	-	1	1	1	-	-
arnsbury	54,478	21	8	2	1	-	-	-	-	-	-	-	3	1	2	-	-
slington South-east *F*	75,397	43	11	3	3	-	-	1	-	-	-	-	1	1	2	1	-
ighbury *2H*	63,797	30	10	2	6	-	-	-	-	1	-	-	1	1	2	-	-
toke Newington *H*	51,247	18	8	1	6	-	-	-	-	-	-	1	-	-	-	-	-
orth Hackney	50,398	14	9	-	4	-	1	-	-	-	-	-	1	1	1	-	-
entral Hackney *2w,F*	50,536	30	10	1	3	-	1	-	-	-	-	-	-	1	2	1	-
outh-west Hackney *3H*	59,921	30	8	-	2	-	-	-	-	-	-	-	1	1	1	1	-
outh-east Hackney *2W,w,H* ..	58,255	23	8	1	4	-	1	-	-	-	-	-	1	-	2	6	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† On 1st May, 1910, the sub-district of Kensington Town was abolished, part being added to the sub-district of Brompton (re-named Kensington South), and the remainder forming the new sub-districts of Kensington Central and Kensington North.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, a from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEV DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturd 11th June, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	15	3	1	2	-	-	-	-	-	-	-	-	-	1	1
Strand *W*,4*H*	21,674	-	5	-	2	-	-	-	-	-	-	-	-	-	-	4
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	13	12	2	-	-	-	-	-	2	-	-	-	-	-	10
Clerkenwell *H*	63,704	26	8	2	2	-	-	-	-	1	-	-	1	1	2	-
St. Luke 3*H*,*L*	36,116	27	5	3	-	-	-	-	-	-	-	-	1	1	1	1
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	17	2	1	-	-	-	-	-	-	1	2	3	4	14
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	22	3	-	1	-	-	-	-	-	-	-	-	-	2	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	25	21	4	9	-	1	-	-	-	-	-	1	2	2	13
Shoreditch North-East	36,148	19	2	1	-	-	1	-	-	-	-	1	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	33	23	8	8	-	3	-	-	-	-	-	2	-	-	15
Bethnal Green South-West *H* ..	64,542	43	12	5	-	-	2	-	-	1	-	-	1	1	7	1
Spitalfields..	27,969	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	17	25	5	3	-	-	-	-	-	-	-	-	1	2	25
Goodman's Fields	22,081	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	24	8	1	1	-	1	-	1	-	-	1	1	1	2	3
Shadwell and Ratcliff *w*,*H* ..	25,568	13	10	4	-	-	1	-	1	-	-	-	-	2	2	7
Limehouse *W*	32,369	13	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	45	4	1	3	-	-	-	-	1	-	-	-	-	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	38	13	4	4	-	-	-	-	-	-	-	-	-	1	6
Bow	41,989	18	6	1	3	-	-	-	-	-	-	-	-	2	3	-
Bromley 3*w*,*H*	68,319	64	27	5	7	-	-	-	-	1	-	-	3	1	4	18
Poplar *W*,*w*	58,514	31	6	2	1	-	-	-	-	-	-	-	-	-	-	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th June, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	13	20	2	1	-	-	-	-	2	-	-	1	4	4	16	-
Kent-road	21,904	20	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	12	6	2	1	-	-	-	-	-	-	-	2	1	3	-	-
Newington North	49,022	28	8	1	2	-	3	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	39	14	5	2	-	2	-	-	1	-	-	-	-	-	1	-
St. Olave *2W*	9,817	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	55	15	5	3	-	4	-	-	1	-	-	-	1	1	-	-
Rotherhithe *W,F*	38,460	19	13	-	6	-	-	-	-	1	-	-	1	-	-	13	-
Waterloo *2H*	27,440	37	7	5	-	-	-	-	-	-	-	1	-	-	1	5	-
Lambeth Church *H*	27,440	10	17	1	3	-	1	-	-	-	-	-	-	2	2	11	-
Kennington *2W*	52,518	31	17	1	9	-	3	-	-	1	-	-	1	3	4	6	-
Stockwell *HF*	63,826	39	9	1	5	-	1	-	-	-	-	-	1	-	-	1	-
Brixton *H*	73,673	33	12	2	5	-	-	-	-	-	-	-	-	-	1	1	-
Norwood *2WH*	56,998	25	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	44	11	3	4	-	-	-	-	1	-	-	1	-	1	-	-
North-west Battersea	49,656	27	4	-	3	-	-	-	-	-	-	-	1	-	1	-	-
South-west Battersea *2W,H* ..	47,048	16	12	2	4	-	1	-	-	-	-	-	1	1	1	8	-
Clapham *2H*	51,361	16	6	-	2	-	-	-	-	-	-	-	-	-	1	1	-
Streatham *W,2w,2F,2L*	88,019	64	20	4	12	-	-	-	-	1	-	-	1	1	1	4	-
Springfield *2W,L*	27,959	20	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Southfields *H*	40,444	28	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	8	7	2	4	-	-	-	-	-	-	-	-	-	1	-	-
Dulwich	13,359	4	5	-	3	-	-	-	-	-	-	-	-	1	1	-	-
Camberwell South *W,w*	40,206	21	23	3	10	-	-	-	-	-	-	-	6	1	2	18	-
Camberwell North *W,2L*	65,584	21	16	2	7	-	1	-	-	-	1	-	1	1	1	12	-
St. George	47,331	29	6	1	4	-	-	-	-	-	-	-	-	-	1	-	-
Peckham North	48,913	31	11	3	3	-	1	-	-	3	-	-	-	-	1	-	-
Peckham South *2W,w*	43,946	13	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	21	5	2	1	-	-	-	-	-	-	-	1	1	1	-	-
Deptford Central *F*	45,481	11	4	1	-	-	1	1	-	-	-	-	-	-	-	1	-
Deptford South	34,625	16	5	1	3	-	1	-	-	-	-	-	-	-	1	-	-
Greenwich West *H*	23,456	19	10	5	2	-	2	-	-	-	-	-	-	-	1	2	-
Greenwich East *2W,H*	43,859	26	20	3	8	-	-	-	-	-	-	-	2	-	1	15	-
Eltham *w,H*	7,226	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	39	16	2	6	-	-	-	-	1	-	-	1	-	2	6	-
Sydenham *H*	43,653	18	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	8	6	-	1	-	-	-	2	-	-	-	-	1	3	2	-
Woolwich *5H*	41,625	23	8	1	3	-	3	-	-	-	-	-	-	1	1	-	-
Plumstead West *W,H*	39,376	14	6	2	3	-	-	-	-	1	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	13	9	2	3	-	-	-	-	-	-	-	3	-	-	7	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Core Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	1	-	-	-	-	-	-	1	-	-	-	-	2	-
Northern	—	-	2	-	-	-	-	2	-	-	-	-	-	-	-	2	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	4	1	-	-	-	-	-	-	-	-	1	-	-	4	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	3	-	-	-	-	-	-	-	-	-	1	-	-	3	-
London County Lunatic Asylums:—																	
Banstead	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5	-
Ewell (Epileptic Colony)	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Horton	—	-	4	-	2	-	-	-	-	-	-	-	1	-	-	4	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-
Cane Hill	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Dartford Heath	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Claybury	—	-	5	-	2	-	-	-	-	-	-	-	1	-	-	5	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongi the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMER POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 11th June, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public
	LONDON—OUTER RING ..	368,603	2,045,135	1332	428	69	140	-	10	2	8	11	2	7	20	41	11
31 : 1	Carshalton 2F,3H	12,228	32,997	19	9	1	2	-	-	1	1	1	-	-	2	2	
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	8	2	2	-	-	-	-	-	-	-	-	-	-	
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	2	-	-	-	-	-	-	-	-	-	-	-	
39 : 1	Coulsdon	11,069	8,166	3	2	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w,H ..	4,200	49,309	20	2	1	-	-	-	-	-	1	-	-	-	-	
3	West Croydon 3W,F,H ..	2,168	42,888	32	16	4	5	-	-	-	-	-	-	-	1	1	
4	North Croydon H	2,644	41,698	34	4	-	3	-	-	-	-	-	-	-	-	-	
5	Penge w	770	22,465	6	3	-	1	-	-	-	-	1	-	-	-	-	
6	Mitcham w	11,711	30,015	29	5	1	3	-	-	-	-	-	-	-	-	-	
40 : 1	Wimbledon F,3H	3,221	41,652	25	14	1	6	-	-	-	-	-	-	-	1	2	
2	Kingston 2W,H	6,224	42,068	29	7	1	3	-	-	-	-	-	-	-	-	-	
3	Surbiton F,H	3,046	15,017	6	2	-	1	-	-	-	-	-	-	-	-	-	
4	Esher, *part of** H	5,402	13,100	6	1	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,456	12	4	-	2	-	-	-	-	-	-	-	-	-	
41 : 1	Richmond W,H	2,491	31,672	13	5	-	4	-	-	-	-	-	-	-	-	1	
2	Mortlake F	2,518	17,821	16	6	1	3	-	-	-	1	-	-	-	-	-	
42 : 1	Bromley F,3H	4,696	27,397	14	2	-	-	-	-	1	-	-	-	-	-	-	
2	Beckenham H	7,832	28,454	16	4	-	3	-	-	-	-	-	-	-	-	-	
3	Orpington, *part of** W.F ..	10,113	9,857	2	1	-	-	-	-	-	-	-	-	-	-	-	
4	Chislehurst 2H	7,338	16,446	9	4	2	-	-	-	-	-	-	-	1	1	1	
43 : 1	Bexley w,F,H	8,678	21,151	10	4	-	3	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	14	5	1	-	-	-	-	-	-	-	-	1	1	
3	Dartford W,F, *part of** ..	—	—	-	3	-	2	-	1	-	-	-	-	-	-	-	
126 : 1	Sunbury w	11,054	18,683	10	4	-	2	-	-	-	-	-	-	-	-	1	
2	Staines W,H	12,277	15,178	5	2	-	2	-	-	-	-	-	-	-	-	-	
127 : 1	Hillingdon W,F,H	8,035	13,661	15	3	-	-	-	-	-	-	-	-	-	1	1	
2	Uxbridge H	12,767	8,984	7	1	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w 2F,H	8,666	16,358	21	5	2	1	-	2	-	-	1	-	-	-	-	
128 : 1	Isleworth 3W,3F,H	6,859	30,863	29	9	1	4	-	-	-	-	-	-	-	1	1	
2	Twickenham F,2H . ..	2,421	26,991	21	3	-	1	-	-	-	-	-	-	-	-	2	
3	Brentford 3F,2H	4,319	48,289	45	18	1	4	-	-	-	-	-	-	-	2	2	
4	Chiswick H	1,249	29,809	24	3	1	2	-	-	-	-	-	-	-	-	-	
5	Acton w,F,3H	6,132	48,914	38	15	2	6	-	-	-	-	1	-	-	2	2	
129 : 1	Willesden W,F,2H	4,384	114,811	70	24	7	7	-	1	-	-	1	-	1	-	-	
130 : 1	Harrow F,H	13,809	25,523	26	4	2	2	-	-	-	-	-	-	-	-	-	
2	Edgware 2F,2H	6,994	4,521	3	1	-	-	-	-	-	-	-	-	-	-	-	
3	Hendon W,F	8,382	22,450	14	-	-	-	-	-	-	-	-	-	-	-	-	
131 : 1	South Mimms 2F,H ..	17,755	7,308	5	2	-	1	-	-	-	-	-	-	-	1	1	
2	Barnet W,2H	3,324	17,979	8	1	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,3H	4,668	33,692	28	11	2	3	-	-	-	-	-	1	-	-	-	
132 : 1	Hornsey F,H	2,875	72,056	29	11	1	4	-	-	-	2	1	1	-	-	1	
2	Wood Green H	1,825	34,233	23	4	1	-	-	-	-	1	1	-	-	1	2	
3	West Tottenham	995	48,741	26	8	1	1	-	1	-	1	-	-	-	-	2	
4	East Tottenham 2H ..	2,919	53,962	30	17	2	3	-	-	-	-	-	-	1	1	1	
5	Edmonton W,w,2F	7,491	61,892	57	26	6	9	-	-	-	-	-	-	-	1	5	1
6	Enfield 2W,F,H	12,601	42,738	18	10	1	2	-	-	-	-	1	-	-	-	-	
7	Waltham Abbey F	11,017	6,549	3	2	1	1	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	9	1	-	-	-	-	-	-	-	-	-	1	1	
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	
140 : 1	Bushey, *part of** H ..	9,195	7,051	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford, *part of** W,2F ..	138	2,122	2	-	-	-	-	-	-	-	-	-	-	-	-	
188 : 1	Stratford H	1,091	52,974	19	5	1	1	-	-	-	-	-	-	-	-	-	
2	Forest Gate	787	52,745	22	6	-	3	-	-	-	-	-	-	-	-	-	
3	Plaistow F,2H	1,249	90,921	50	11	2	1	-	1	-	-	-	-	-	1	4	
4	Canning Town H	1,556	70,718	67	16	3	7	-	-	-	-	-	-	1	1	3	
5	South East Ham 2F ..	1,991	37,342	34	8	3	-	-	1	-	-	1	-	-	-	1	
6	North East Ham w,H ..	1,333	58,666	29	7	2	1	-	-	-	-	-	-	-	-	-	
7	Wanstead F	1,679	9,179	4	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	28	11	-	9	-	-	-	1	-	-	-	-	-	
9	North Leyton 2W,w,F ..	1,963	48,445	40	35	4	14	-	2	-	-	1	-	-	-	2	
10	Walthamstow 2H,L ..	6,504	108,929	71	16	4	3	-	1	-	-	-	-	-	-	-	
189 : 1	Chigwell 2F,3H	11,778	16,397	12	3	-	1	-	-	-	-	-	-	-	1	1	
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	1	3	2	-	-	-	-	-	-	-	-	-	-	
2	Ilford F,L	8,496	41,244	34	4	1	1	-	-	-	-	-	-	-	-	-	
3	Barking Town F	3,805	21,547	27	2	-	1	-	-	-	1	-	-	-	-	-	
	London County Lunatic Asylum (Long Grove), Epsom.	—	—	-	1	-	-	-	-	-	-	-	-	1	-	-	
	Central London Sick Asylum, Hendon.	—	-	-	1	1	-	-	-	-	-	-	-	1	-	-	
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	1	-	-	
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Merton parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish: 140 : 1, excepting the part in Watford Rural parish; 140 : 2, Oxhey parish: 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 1 : 1

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
NDON* - -	4,872,702	June	11	2243	984	10·5	-	47	5	5	23	3	16
LCUTTA - -	1,009,008	May	14	-	542‡	27·9	5	6	-	-	-	7	14
MBAY - -	977,822	"	24	338	707‡	37·6	28	4	-	-	-	2	28
DRAS - -	509,346	"	13	429	321	32·7	-	2	?	?	?	-	27
RIS* - -	2,772,467	June	4	951	859	16·3	-	32	1	7	9	3	18
USSELS* -	720,030	"	4	243	162	11·7	-	2	-	1	1	-	15
TWERP* -	314,135	"	4	124	62	10·3	-	9	-	-	2	-	4
STERDAM* -	570,149	May	28	243	105	9·6	-	-	-	-	2	1	5
PENHAGEN -	450,000	June	4	207	125	14·5	-	2	3	-	1	-	6
CKHOLM -	341,816	May	28	150	120	18·3	-	2	12	2	3	-	-
RISTIANIA -	235,674	June	4	136	39	8·6	-	-	-	-	2	-	2
PETERSBURG	1,620,000	May	14	942	895	28·8	4	68	18	8	12	8	66
SCOW - -	1,493,600	"	21	-	711‡	24·8	5	15	19	25	7	3	111
RLIN - -	2,118,814	"	21	764	621	15·3	-	11	5	7	1	1	40
MBURG - -	895,804	June	4	-	234	13·6	-	7	1	9	-	-	13
SLAU - -	507,500	May	28	-	176	18·1	-	1	1	2	1	-	22
NICH - -	576,000	"	28	249	206	18·6	-	1	-	3	2	1	21
NNA* - -	2,107,981	June	4	769	700	17·3	-	30	6	8	5	6	52
GUE* - -	497,905	May	14	184	223	23·3	-	4	1	-	2	-	13
DAPEST*	833,703	"	28	425	325	20·2	-	11	13	5	1	1	20
ESTE* - -	221,124	June	4	157	94	22·1	-	1	-	-	1	-	5
ME - - -	587,096	April	16	256	272	24·2	-	36	-	6	-	2	13
NICE - -	183,224	May	14	-	-	-	-	-	-	-	-	-	-
CAREST - -	297,643	April	16	193	177	31·0	-	3	5	5	4	-	10
W YORK* -	4,711,956	May	21	2324	1454	16·1	-	18	23	41	8	13	52
CAGO* - -	2,282,927	"	21	-	661	15·1	-	6	14	14	7	3	30
LADELPHIA*	1,598,400	April	9	-	567	18·4	-	3	4	9	6	5	19
DE JANEIRO	842,822	May	8	-	326	20·2	-	2	-	1	1	-	?
RO:—*													
gyptians -	616,183	"	13	576	590	49·8	1	30	-	6	-	2	127
reigners -	61,480	"	13	6	10	8·4	-	1	-	-	-	1	3
XANDRIA:—*													
gyptians -	317,454	"	13	252	268‡	43·9	1	22	-	2	-	3	42
reigners -	67,966	"	13	2	16	12·2	-	-	-	1	-	-	1

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to dren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 87 deaths from *plague* in Calcutta, 162 in Bombay, and 2 in Alexandria, and from *Asiatic cholera*, 74 deaths alcutta and 1 in Moscow.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 11th June, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
DON (Greenwich)	79·9	50·9	63·6	0·44	BRADFORD - -	71·3	46·1	58·1	0·53
HTON - -	71·4	52·8	61·8	1·49	YORK - - -	78·0	49·0	63·4	0·00
SMOUTH - -	73·0	52·5	63·0	1·13	HULL - - -	74·0	48·0	57·7	0·01
WICH - -	78·0	52·2	62·0	0·08	TYNEMOUTH - -	65·0	45·0	53·7	0·02
OUTH - -	68·7	51·8	59·3	0·61	CARDIFF - - -	72·4	46·8	60·0	3·56
TOL - - -	76·2	47·7	60·9	4·11	EDINBURGH - -	68·6	43·7	52·7	0·01
INGHAM - -	72·5	48·0	60·6	0·26	GLASGOW - - -	76·3	41·6	58·1	0·21
TINGHAM - -	75·0	48·0	60·8	0·35	DUBLIN Phœnix Park.	70·3	46·4	57·8	1·87
RPOOL SERVATORY	77·0	48·0	59·8	0·48	DUBLIN Fitz-william Square.†	70·4	47·1	57·7	2·05
CHESTER -	76·6	47·8	61·2	0·45					
VLEY - -	74·2	46·0	60·0	0·75					
DERSFIELD -	73·0	47·2	58·9	1·11	BELFAST - - -	72·0	42·5	56·6	0·07

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The ection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the 'e was 1·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 11th June, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 5	..	29·561	64·8	50·9	13·9	56·8	− 1·6	54·1	2·7	6·7	1·6	91	91·0	48·9	54·95	NNE. & NE.	NE. & NNE.	3·4	0·0	0·3	357	+ 98	0·00	0·0
MONDAY - 6	Perigee	29·703	72·7	52·1	20 6	60·6	+ 2·3	54·6	6·0	14·6	1·7	81	129·9	51·5	55·02	NNE. & N.	N. & NNE.	5·1	0·0	0·5	398	+138	0·00	6·0
TUESDAY - 7	New	29·831	75·7	56·0	19·7	62·7	+ 4·5	62·1	0·6	9·5	0·2	98	118·9	55·0	55·16	NNE. & NE.	NE. & SE.	1·2	0·0	0·0	162	− 99	0·09	0·0
WEDNESDAY 8	..	29·850	75·0	56·1	18·9	65·4	+ 7·3	59·6	5·8	13·1	0·2	82	127·0	47·8	55·51	E., calm & ENE.	NE., ENE. & calm.	0·5	0·0	0·0	139	−121	0·00	2·0
THURSDAY - 9	Greatest Dec. N.	29·692	79·9	56·1	23·8	67·6	+ 9·6	58·8	8·8	20·1	0·8	73	136·0	45·7	56·02	Calm & ENE.	E. & variable.	1·8	0·0	0·0	136	−120	0·00	5·0
FRIDAY - 10	..	29·558	65·0	58·6	6·4	60·4	+ 2·3	59·6	0·8	4·3	0·0	97	82·2	56·0	56·47	N.	N. & calm	1·2	0·0	0·0	127	−124	0·35	0·0
SATURDAY - 11	..	29·621	70·9	57·1	13·8	62·1	+ 3·9	59·3	2·8	11·5	0·9	91	120·8	57·0	57·00	N. & NNE.	NE. & N.	0·5	0·0	0·0	131	−116	0·00	0·0
MEANS - -		29·688	72·0	55·3	16·7	62·2	+ 4·0	58·3	3·9	11·4	0·8	88	115·1	51·7	55·73	NE.		..	..	..	Sum 1450	Sum −344	Sum 0·44	1·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 5	w. P. till 11h. A.M.; insulation defective afterwards.	0·0	16·3	Cloudy till 2h. A.M.; then overcast; light showers in afternoon; frequent lightning after 10h. P.M.
MONDAY - 6	Insulation defective till noon then w. P. generally.	6·4	16·4	Overcast in morning; variably cloudy with very fine intervals between 6h. A.M. and 7h. P.M.; then overcast; light shower at 8h. 45m. A.M.; thunderstorm commencing shortly before midnight.
TUESDAY - 7	s. P. and s. N. till 2h. A.M.; w. P. till 9h. A.M.; v.P. and v.N. till 1h. P.M.; w. P. afterwards.	2·6	16·4	Thunderstorm with heavy shower till 2h. A.M. and remaining very close; overcast and dull with exception of fine interval in afternoon; occasional lightning and distant thunder throughout the day.
WEDNESDAY 8	w. P. throughout.	10·3	16·4	Overcast till about 3h. A.M.; very fine generally afterwards; occasional lightning at night.
THURSDAY - 9	w. P. throughout.	8·2	16·4	Cloudy and foggy in morning; clearing after 7h. A.M. and remaining very fine till 4h. P.M.; cloudy to overcast afterwards with lightning at night; very warm.
FRIDAY - 10	w. P. till 5h. A.M.: v. P. and v. N. till 4h. P.M.; w.P. afterwards.	0·0	16·5	Overcast with slight exceptions; frequent rain till 4h P.M; lightning continuing till 2h. A.M.; occasional distant thunder between 8h. and 10h. A.M.
SATURDAY - 11	w. P. throughout.	0·9	16·5	Overcast with slight exceptions.
		Sum 28·4	Sum 114·9	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·50 in. at the beginning of the week to 29·88 in. by 9h. P.M. on the 7th; decreased to 29·54 in. by 6h. P.M. on the 10th; and increased to 29·67 in. by midnight on the 11th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 4th June, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	7	-	-	2	-	-	-	-	-
Kensington	184,635	-	5	-	-	-	-	-	-	-	-
Hammersmith	127,413	-	12	2	-	-	-	-	3	1	-
Fulham	181,282	-	3	1	-	-	1	-	-	-	-
Chelsea	75,457	-	-	-	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	4	-	-	-	-	-	2	-	1
NORTH.											
St. Marylebone	125,195	-	7	2	1	-	-	-	2	-	-
Hampstead	95,729	-	4	-	-	-	-	-	-	-	-
St. Pancras	237,792	-	16	6	-	2	-	-	8	-	-
Islington	353,356	-	10	7	-	1	-	-	6	-	1
Stoke Newington	54,838	-	1	-	-	-	-	-	-	-	-
Hackney	239,979	-	9	6	-	-	-	-	5	-	-
CENTRAL.											
Holborn	53,142	-	2	3	-	-	-	-	1	-	-
Finsbury	94,578	-	-	3	-	1	-	-	3	-	-
City of London	17,132	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	3	-	-	1	-	-	2	-	-
Bethnal Green	131,579	-	6	3	-	-	-	-	4	-	-
Stepney	314,379	-	14	11	-	1	-	-	6	-	-
Poplar	172,432	-	10	2	-	1	-	-	4	-	-
SOUTH.											
Southwark	211,832	-	2	3	-	1	-	-	3	1	-
Bermondsey	127,238	-	12	3	-	-	-	-	1	1	-
Lambeth	327,074	-	23	3	-	4	-	-	4	1	-
Battersea	188,222	-	7	4	-	2	-	-	1	-	-
Wandsworth	305,838	-	20	2	-	-	-	-	-	-	-
Camberwell	286,058	-	11	1	-	1	-	-	1	1	-
Deptford	119,642	-	2	4	-	-	-	-	3	-	-
Greenwich	112,935	-	3	5	-	-	-	-	4	-	-
Lewisham	164,899	-	11	2	-	-	-	-	1	-	-
Woolwich	135,422	-	10	2	-	-	-	-	1	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	215	75	1	17	1	-	65	6	2
Ages 0-1		-	3	-	-	-	-	-	5	-	1
„ 1-5		-	63	26	-	1	-	-	2	-	1
„ 5-		-	100	29	-	1	-	-	1	-	-
„ 10-		-	23	9	-	4	-	-	5	-	-
„ 15-		-	11	6	1	1	-	-	3	-	-
„ 20-		-	8	1	-	2	-	-	1	1	-
„ 25-		-	4	3	-	5	-	-	8	4	-
„ 35-		-	2	-	-	2	1	-	12	1	-
„ 45-		-	-	1	-	-	-	-	11	-	-
„ 55-		-	1	-	-	1	-	-	10	-	-
„ 65 and upwards		-	-	-	-	-	-	-	7	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 24. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, JUNE 18. [Price 1½*d.*

General Register Office, Somerset House,
June 20th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 11·1 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 12·7, 11·8, and 11·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 16·4 in Liverpool, 16·6 in Tynemouth, 16·7 in Rochdale, 16·8 in Nottingham, 16·9 in Stockport, 17·0 in Merthyr Tydfil, 19·6 in Newport (Mon.), and 20·1 in Swansea; from *measles*, 1·2 in Bradford, 1·4 in Liverpool, 1·6 in Barrow in Furness, and 2·0 in Merthyr Tydfil; from *whooping-cough*, 1·5 in Stockport and in Bootle, 2·0 in Gateshead, and 2·6 in Newport (Mon); and from *diarrhœa*, 1·2 in Gateshead. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2424 BIRTHS and 993 DEATHS were registered. Allowing for increase of population, the births were 1 above and the deaths 143 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(16844—41.) Wt. 91—429. 700. 6/10. D & S. G. 31. Sch. 4. 2 A

causes, which had been 11·8, 11·6, and 10·5 per 1000 in the preceding three weeks, was 10·6 last week. The death-rate in the four weeks ended last Saturday averaged 11·1 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 993 deaths included 47 from measles, 3 from scarlet fever, 7 from diphtheria, 32 from whooping-cough, 1 from enteric fever, and 23 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 113 deaths were referred, being 2 above the corrected average number in the twenty-fourth week of the preceding five years.

The deaths from *measles*, which had been 50, 51, and 47 in the preceding three weeks, were again 47 last week, and were equal to the corrected average; 9 deaths belonged to the Borough of Southwark, 7 to Hackney, 5 to Lambeth, 4 to Bermondsey, and 3 each to Stepney and to Poplar. The deaths from *scarlet fever*, which had been 3, 6, and 5 in the preceding three weeks, were 3 last week, and were 8 below the corrected average. The deaths from *diphtheria*, which had been 2, 5, and 5 in the preceding three weeks, rose to 7 last week, the corrected average being 8. The deaths from *whooping-cough*, which had been 36, 29, and 23 in the preceding three weeks, were 32 last week, and were 4 above the corrected average; 7 deaths belonged to St. Pancras, 6 to Battersea, and 3 each to Southwark and to Camberwell. One death from *enteric fever* was registered, as compared with 2, 1, and 3 in the preceding three weeks, the corrected average being 2. The deaths from *diarrhœa*, which had been 15, 21, and 8 in the preceding three weeks, rose to 23 last week, and were 8 above the corrected average. Of the 23 deaths from diarrhœa 16 were those of children under 2 years of age; 1 other death at this age was certified as due to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 5, having been 4, 4, and 3 in the preceding three weeks.

Different forms of violence caused 48 deaths, concerning all of which inquests were held. Of these 48 deaths, 8 were cases of suicide, while the remaining 40 were attributed to accident or negligence. Eleven of these latter were referred to vehicles in the streets, two to burns or scalds, four to drowning, and three, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1363 cases of scarlet fever, 729 of diphtheria, and 54 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever 166 cases, against 174, 203, and 181; of diphtheria, 76 cases, against 74, 72, and 85; and of enteric fever, 9 cases, against 8, 11, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended June 11th, 1910.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3764 births and 1365 deaths were registered. Allowing for increase of population, these numbers are 60 and 253 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from measles, 3 from diphtheria, and 9 from whooping-cough were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·01 inches, and that of the Thermometer 58°·8, the latter being 0°·1 above the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 13 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 52·7 hours; the measured rainfall amounted to 0·01 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 18th June, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 28th May, 1910.	4th June, 1910.	11th June, 1910.	18th June, 1910.	Rate from Diseases in Cols. 11–17 Week ended 18th June 1910.	Registered during the Week ended 18th June, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	16,940,895	12·7	11·8	11·4	11·1	1·1	8613	3591	702	1065	-	106	22	30	113	10	75	162	313	1039	25	77 TOWNS
LONDON	4,872,702	11·8	11·6	10·5	10·6	1·2	2424	993	162	312	-	47	3	7	32	1	23	48	109	463	-	LONDON.
CROYDON	164,485	12·7	7·6	6·3	7·3	0·6	86	23	6	8	-	-	-	1	1	-	-	-	3	6	-	CROYDON.
WILLESDEN ..	166,088	8·2	8·8	7·5	4·4	0·9	80	14	4	1	-	1	-	-	2	-	-	2	2	1	-	WILLESDEN.
HORNSEY	98,561	8·5	6·9	4·8	6·9	0·5	28	13	5	5	-	-	-	-	-	-	1	-	-	1	1	HORNSEY.
TOTTENHAM ..	132,803	9·8	7·9	10·2	7·5	1·2	80	19	3	7	-	-	-	-	2	-	1	-	1	4	-	TOTTENHAM.
WEST HAM ..	328,585	9·5	7·8	8·7	8·4	0·5	181	53	10	17	-	1	-	1	-	-	1	3	5	18	-	WEST HAM.
EAST HAM.. ..	156,208	7·0	6·3	5·7	6·3	0·3	82	19	6	5	-	-	-	1	-	-	-	-	-	6	-	EAST HAM.
LEYTON	133,436	7·0	6·3	9·4	8·2	0·8	64	21	2	9	-	1	-	1	-	-	-	-	1	7	-	LEYTON.
WALTHAMSTOW	141,748	5·5	3·3	5·9	8·8	0·4	66	24	2	11	-	-	1	-	-	-	-	1	2	7	-	WALTHAMSTOW.
HASTINGS	68,520	9·9	8·4	10·7	7·6	-	18	10	1	7	-	-	-	-	-	-	-	-	-	2	-	HASTINGS.
BRIGHTON	131,900	12·3	12·7	9·1	11·1	-	59	28	1	14	-	-	-	-	-	-	-	-	-	9	-	BRIGHTON.
PORTSMOUTH ..	217,989	12·7	12·9	12·0	12·2	1·9	129	51	8	15	-	3	-	1	1	1	2	2	6	10	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	11·3	12·7	8·5	9·2	0·7	24	13	2	5	-	-	-	-	-	-	1	-	-	3	1	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	17·2	11·1	9·4	4·9	-	75	12	-	6	-	-	-	-	-	-	-	-	1	1	-	SOUTHAMPTON.
READING	84,355	9·3	8·7	2·5	6·2	-	30	10	1	5	-	-	-	-	-	-	-	-	1	2	-	READING.
NORTHAMPTON ..	99,113	12·1	9·5	6·3	8·4	0·5	41	16	3	7	-	-	-	-	1	-	-	2	2	2	-	NORTHAMPTON.
IPSWICH	75,936	5·5	11·0	13·7	8·2	-	43	12	1	6	-	-	-	-	-	-	-	1	4	-	-	IPSWICH.
GREAT YARMOUTH	53,715	13·6	10·7	10·7	12·6	-	18	13	1	8	-	-	-	-	-	-	-	-	1	1	-	GREAT YARMOUTH.
NORWICH	125,446	10·4	10·0	8·3	11·2	-	54	27	5	13	-	-	-	-	-	-	-	-	-	2	1	NORWICH.
PLYMOUTH	126,266	12·8	9·9	9·9	11·6	0·4	44	28	2	13	-	-	-	1	-	-	-	2	3	7	-	PLYMOUTH.
DEVONPORT	84,695	12·3	11·1	8·0	8·6	0·6	42	14	4	5	-	-	-	1	-	-	-	1	1	2	-	DEVONPORT.
BRISTOL	382,550	9·4	11·2	8·0	7·8	0·7	154	57	12	18	-	-	-	1	1	1	2	2	6	12	-	BRISTOL.
STOKE ON TRENT‡..	245,726	14·2	12·9	17·2	14·0	2·1	151	66	15	10	-	4	-	1	2	-	3	2	5	9	-	STOKE ON TRENT‡.
BURTON ON TRENT	54,977	19·9	10·4	12·3	9·5	1·9	21	10	3	3	-	1	-	1	-	-	-	-	-	2	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	12·8	15·7	13·8	12·8	0·5	51	26	1	8	-	-	1	-	-	-	-	-	2	10	1	WOLVERHAMPTON
WALSALL	101,035	9·3	11·4	15·0	9·3	0·5	57	18	7	6	-	-	-	-	-	-	1	1	1	3	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	10·1	4·3	5·8	5·8	-	26	8	2	4	-	-	-	-	-	-	-	-	-	3	-	HANDSWORTH (STAFFS.).
WEST BROMWICH	71,138	11·7	6·6	9·5	12·5	-	53	17	2	7	-	-	-	-	-	-	-	4	4	4	-	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-rates from all Causes. Week ended 28th May, 1910.	4th June, 1910.	11th June, 1910.	18th June, 1910.	Rate from Diseases in Cols. 11-17. Week ended 18th June, 1910.	Registered during the Week ended 18th June, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	14·8	10·6	9·8	11·5	1·1	268	126	30	32	-	-	1	-	8	-	3	4	4	38	3	Birmingham.
Kings Norton ..	84,673	9·2	3·1	4·3	8·0	0·6	31	13	2	5	-	-	-	-	1	-	-	1	1	-	-	Kings Norton.
Smethwick	72,350	8·6	9·4	9·4	11·5	2·2	42	16	4	6	-	-	1	-	-	1	1	-	-	1	-	Smethwick.
Aston Manor ..	86,269	7·3	9·7	7·3	10·9	0·6	39	18	3	4	-	-	-	-	1	-	-	2	2	-	-	Aston Manor.
Coventry	81,449	13·4	12·8	13·4	13·4	0·6	59	21	3	5	-	-	1	-	-	-	-	1	1	3	-	Coventry.
Leicester	248,374	10·9	10·1	6·9	6·9	0·4	109	33	6	12	-	-	-	-	-	-	2	3	4	7	-	Leicester.
Grimsby	74,283	10·5	9·8	13·3	4·9	0·7	37	7	2	-	-	-	-	-	1	-	-	-	-	-	-	Grimsby.
Nottingham ..	266,471	11·7	11·2	10·0	16·8	1·2	122	86	18	21	-	1	1	1	2	-	1	4	7	24	3	Nottingham.
Derby	131,256	8·7	7·9	10·7	6·4	0·4	64	16	1	6	-	-	-	1	-	-	-	2	3	2	-	Derby.
Stockport	105,087	17·4	14·4	11·9	16·9	2·0	64	34	9	12	-	-	-	-	3	-	1	2	3	8	-	Stockport.
Birkenhead ..	122,431	12·8	14·5	11·9	11·1	0·4	76	26	6	8	-	-	-	-	-	-	1	-	1	6	-	Birkenhead.
Wallasey	73,173	14·3	11·4	10·7	12·1	0·7	36	17	3	3	-	-	-	-	1	-	-	2	3	3	-	Wallasey.
Liverpool	767,606	16·6	18·2	18·0	16·4	3·1	449	242	57	57	-	20	3	-	12	1	9	7	17	84	2	Liverpool.
Bootle	70,548	11·1	17·0	14·0	11·1	2·2	44	15	7	3	-	-	-	-	2	-	1	-	-	3	1	Bootle.
St. Helens	96,523	16·7	8·6	13·0	10·8	0·5	73	20	7	9	-	-	-	-	1	-	-	-	-	1	-	St. Helens.
Wigan	91,732	15·9	12·5	14·8	11·4	1·7	59	20	4	4	-	1	1	-	-	-	1	-	-	6	-	Wigan.
Warrington ..	73,295	12·8	13·5	12·1	12·1	1·4	46	17	5	5	-	-	1	-	-	1	-	-	-	3	-	Warrington.
Bolton	190,315	10·7	9·6	11·0	11·2	0·5	83	41	7	10	-	-	-	1	1	-	-	1	2	6	1	Bolton.
Bury	59,409	15·8	14·9	16·7	11·4	0·9	25	13	1	8	-	-	1	-	-	-	-	-	-	5	1	Bury.
Manchester ..	716,354	16·4	13·8	14·9	13·2	1·6	412	181	37	41	-	6	2	-	10	1	3	15	19	52	1	Manchester.
Salford	244,636	14·3	15·1	14·7	13·6	1·3	113	64	14	13	-	-	-	3	3	-	-	4	7	15	1	Salford.
Oldham	144,111	17·4	19·9	16·3	14·5	1·1	74	40	7	13	-	1	-	-	1	-	1	-	2	8	-	Oldham.
Rochdale	90,497	17·9	12·7	15·6	16·7	0·6	42	29	5	10	-	-	-	-	-	1	-	2	2	6	-	Rochdale.
Burnley	107,448	17·0	11·6	8·2	6·3	-	55	13	-	3	-	-	-	-	-	-	-	-	-	5	-	Burnley.
Blackburn	137,972	14·4	10·2	14·7	8·7	0·4	64	23	5	6	-	-	1	-	-	-	-	-	-	1	3	Blackburn.
Preston	119,253	12·7	15·7	17·5	13·6	-	45	31	4	12	-	-	-	-	-	-	-	2	2	4	-	Preston.
Barrow in Furness.	63,689	14·7	11·5	11·5	10·6	2·5	35	13	3	3	-	2	-	-	-	-	1	1	1	1	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 18th June, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 28th May, 1910.	4th June, 1910.	11th June, 1910.	18th June, 1910.	Rate from Diseases in Cols 11–17. Week ended 18th June, 1910.	Registered during the Week ended 18th June, 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	16·0	10·5	17·1	13·8	0·6	45	25	4	9	-	-	-	-	1	-	-	2	2	5	-	HUDDERSFIELD.
HALIFAX	112,818	14·8	13·4	12·5	10·2	0·5	41	22	1	5	-	-	-	1	-	-	-	2	2	9	-	HALIFAX.
BRADFORD	295,865	15·0	12·2	12·0	13·6	1·8	96	77	12	24	-	7	-	1	1	1	-	5	7	12	-	BRADFORD.
LEEDS	490,985	13·8	11·8	12·1	10·7	0·5	224	101	15	30	-	1	-	1	1	-	2	1	6	16	-	LEEDS.
DEWSBURY†	51,224	25·4	11·2	9·2	8·1	-	23	8	-	4	-	-	-	-	-	-	-	1	2	2	-	DEWSBURY.†
SHEFFIELD	478,763	13·0	11·8	12·0	8·9	1·2	234	82	24	15	-	1	2	-	5	-	3	2	4	19	-	SHEFFIELD.
ROTHERHAM.. ..	66,414	9·4	13·3	16·5	11·8	-	40	15	4	4	-	-	-	-	-	-	-	1	1	3	-	ROTHERHAM.
YORK	88,159	8·9	11·8	11·8	8·3	-	43	14	2	4	-	-	-	-	-	-	-	2	3	6	-	YORK.
HULL	280,006	13·2	12·8	15·1	10·2	0·4	162	55	16	12	-	1	-	-	1	-	-	4	8	12	-	HULL.
MIDDLESBROUGH ..	107,014	12·7	13·2	9·7	15·6	1·5	48	32	6	5	-	-	-	2	-	-	1	4	6	8	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	12·6	10·7	15·5	14·6	1·0	29	15	3	6	-	1	-	-	-	-	-	2	2	2	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	5·1	6·4	8·3	8·3	-	36	13	3	5	-	-	-	-	-	-	-	2	3	3	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	16·5	14·9	10·7	13·3	0·6	106	41	8	12	-	1	-	1	-	-	-	2	3	11	1	SUNDERLAND.
SOUTH SHIELDS ..	119,737	16·5	16·5	14·8	11·3	0·9	82	26	8	8	-	-	-	-	1	-	1	-	3	3	2	SOUTH SHIELDS.
GATESHEAD	133,676	12·9	14·8	12·1	14·0	3·5	73	36	16	5	-	1	-	-	5	-	3	1	2	1	1	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	11·9	12·4	14·8	11·5	0·9	147	63	16	17	-	1	-	1	2	-	1	1	2	10	1	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	12·0	14·8	12·9	16·6	-	45	18	4	5	-	-	-	-	-	-	-	-	1	-	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	11·8	11·8	11·8	19·6	2·6	42	30	8	10	-	-	-	-	4	-	-	2	3	9	-	NEWPORT (MON.).
CARDIFF	199,189	12·8	11·8	9·2	8·9	0·8	128	34	5	9	-	-	1	-	-	1	1	1	4	6	-	CARDIFF.
RHONDDA	138,674	17·3	11·7	11·3	11·3	1·1	97	30	12	8	-	-	-	-	1	-	2	3	4	2	-	RHONDDA.
MERTHYR TYDFIL..	79,522	25·6	18·4	21·6	17·0	3·9	50	26	4	11	-	3	1	-	1	-	1	-	1	5	-	MERTHYR TYDFIL.
SWANSEA	98,817	17·4	14·2	13·2	20·1	0·5	75	38	10	11	-	-	-	-	1	-	-	-	3	6	-	SWANSEA.
GREATER LONDON	7,537,196	10·9	10·3	9·8	9·4	1·0	3764	1365	230	446	-	52	4	14	46	1	26	65	142	550	1	GREATER LONDON.
OUTER RING ..	2,664,494	9·1	7·9	8·4	7·3	0·6	1340	372	68	134	-	5	1	7	14	-	3	17	33	87	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	8·7	7·0	7·5	7·3	0·6	667	186	38	63	-	3	1	4	5	-	3	6	14	50	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	9·5	8·8	9·2	7·2	0·5	673	186	30	71	-	2	-	3	9	-	-	11	19	37	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	10·7	11·4	13·2	10·4	0·4	147	72	11	21	-	1	-	-	1	-	1	3	?	26	2	EDINBURGH.
GLASGOW	884,505	14·7	15·3	15·0	13·5	1·1	438	229	36	72	-	5	2	-	5	-	6	9	?	78	2	GLASGOW.
DUBLIN (Registra-	402,998	19·5	15·7	16·4	17·1	0·6	272	132	13	40	-	1	-	-	2	1	1	7	5	66	5	DUBLIN (Registration Area).‡

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FOURTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2646	2406	2521	2351	2583	2271	2447	2356	2290	2467	2422·8	2424
Males - - -	1302	1223	1266	1206	1307	1127	1235	1227	1173	1238	1228·7	1214
Females - -	1344	1183	1255	1145	1276	1144	1212	1129	1117	1229	1194·1	1210
TOTAL **Deaths** -	1533	1191	1243	1161	1142	1191	1112	1172	1011	1060	1135·8	993
Males - - -	796	643	693	555	627	642	558	607	545	553	595·0	510
Females - -	737	548	550	606	515	549	554	565	466	507	540·8	483

* The numbers in this column are the average weekly numbers in the Twenty-Fourth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	13 Weeks.
TOTAL **Births** -	2141	2312	2420	2372	2334	2372	2229	2529	1610	2697	2434	2243	2424	30117
TOTAL **Deaths** -	1263	1354	1377	1387	1226	1217	1167	1299	1062	1107	1086	984	993	15522
Ages at Death: Under 1 year -	215	236	260	218	233	230	210	243	212	224	199	183	162	2825
1—5 years -	127	141	120	146	115	125	126	134	129	124	110	102	119	1618
5—20 " -	78	72	67	74	59	67	63	79	61	54	59	65	58	856
20—40 " -	143	161	165	170	148	141	135	151	117	145	136	119	124	1855
40—60 " -	289	280	310	277	269	265	244	281	229	240	235	219	218	3356
60 yrs. & upwds.	411	464	455	502	402	389	389	411	314	320	347	296	312	5012
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	24	22	33	46	27	33	40	55	48	50	51	47	47	523
Scarlet Fever - -	10	2	4	5	6	-	6	3	4	3	6	5	3	57
Diphtheria - -	10	8	6	8	5	6	6	11	8	2	5	5	7	87
Whooping-cough -	44	51	45	41	38	42	46	32	42	36	29	23	32	501
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	6	3	2	8	3	2	1	2	1	2	1	3	1	35
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	5	9	11	9	10	8	11	15	14	15	21	8	23	159
All above diseases -	99	95	101	117	89	91	110	118	117	108	113	91	113	1362
Dis. of Resp. System	123	158	131	137	119	103	83	116	81	64	64	55	42	1276
Pneumonia - -	138	152	150	175	158	141	128	117	114	98	110	82	52	1615
Phthisis - - -	123	118	132	113	112	102	116	121	99	90	104	81	97	1408
Dis. of Circ. System -	194	193	219	183	181	178	148	173	143	127	145	154	153	2191
Violence - - -	46	58	46	64	52	46	60	48	58	57	49	56	48	688
Inquest Cases - -	107	144	133	129	132	141	130	120	130	130	106	118	109	1629
Deaths in Institutions	528	566	575	577	550	550	536	576	423	477	498	430	463	6749
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	42·0	41·9	42·8	48·8	49·3	45·4	46·3	47·5	58·9	57·8	56·9	62·2	58·8	50·7
Mean of Highest -	51·1	52·0	51·7	58·7	57·7	55·5	55·6	58·3	69·8	69·1	67·6	72·0	69·9	60·7
Mean of Lowest -	33·3	32·8	34·7	42·1	42·0	37·8	39·4	38·8	51·2	49·2	49·0	55·3	49·8	42·7
Mean Humidity of the Air.	80	74	79	79	82	73	77	76	84	75	77	88	77	79
Rain-fall (in inches) -	0·00	0·00	0·11	1·86	0·23	0·43	0·74	0·42	0·89	0·08	0·27	0·44	0·01	5·48
Registered Sunshine (in hours).	23·6	46·8	24·2	29·1	8·3	50·1	44·6	53·8	49·2	60·2	36·8	28·4	52·7	507·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1650	1611	1554	1535	1510	1509	1506	1476	1476	1445	1461	1401	1363	1500
Diphtheria - - -	855	856	848	816	812	798	784	775	753	742	728	753	729	788
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	88	85	81	81	69	66	62	62	58	60	61	53	54	68

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell. Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield: H. Lander, Esq., Bradford; Oxley Grabham. Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth: and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FOURTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionabl should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 24th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1135·8	993	162	119	58	124	218	312
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	46·5	47	10	35	2	–	–	–
Scarlet Fever	11·1	3	–	2	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	5·5	5	–	–	2	–	–	3
Whooping-cough	27·9	32	13	18	1	–	–	–
Diphtheria	7·6	7	1	3	3	–	–	–
Cerebro-spinal Fever ..	0·6	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	2·3	1	–	–	–	–	–	1
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	9·0	8	2	3	–	2	–	1
Diarrhœa, Dysentery ..	6·3	15	10	2	–	–	1	2
Tetanus	0·4	2	–	–	2	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	5·5	3	1	1	–	–	1	–
Puerperal Septicæmia ..	2·9	4	–	–	–	4	–	–
Puerperal Pyæmia.. .	0·4	–	–	–	–	–	–	–
Puerperal Fever	0·2	–	–	–	–	–	–	–
Infective Endocarditis ..	2·3	5	–	–	–	4	1	–
Pneumonia: Lobar ..	12·5	4	1	–	–	1	–	2
Pneumonia: Broncho ..	35·4	28	8	14	2	–	2	2
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	42·0	20	1	–	–	3	10	6
Erysipelas	3·3	4	–	–	1	1	1	1
Septicæmia (not Puerperal)	1·6	1	–	–	1	–	–	–
Pyæmia (not Puerperal)	0·6	1	–	–	1	–	–	–
Other Infective Processes	2·5	2	1	–	–	–	1	–
Tuberculous Phthisis ..	68·8	65	1	1	3	30	24	6
"*Phthisis*"	39·3	32	–	–	1	15	8	8
Tuberculous Meningitis ..	22·3	15	3	7	4	1	–	–
Tuberculous Peritonitis ..	8·2	6	1	3	1	1	–	–
Tabes Mesenterica	1·4	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	18·8	17	3	6	6	2	–	–
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	8·8	4	–	–	–	2	2	–
Rheumatic Fever	4·1	3	–	–	2	1	–	–
Gout	1·6	1	–	–	–	–	–	1
Carcinoma	56·3	67	–	–	–	1	30	36
Sarcoma	6·1	3	–	–	–	1	1	1
Cancer (undefined) ..	31·7	27	–	–	–	2	7	18
Diabetes Mellitus	6·1	6	–	–	–	–	2	4
Premature Birth	39·7	43	43	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 24th week of the 5 years 1905–1909.	1910—Deaths of Persons the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	16·4	10	7	1	2	–	–
Gen. Par. of Insane, Insanity	11·5	12	–	–	–	2	5
Epilepsy	4·7	6	–	–	–	4	1
Convulsions	13·1	12	10	2	–	–	–
Locomotor Ataxy.. ..	1·6	2	–	–	–	–	1
Paraplegia, Dis. of Cord.	4·7	5	–	1	–	1	1
Nervous Sys., Other Dis.	16·0	8	–	1	1	2	2
Valv. Dis., Endocarditis..	41·0	42	–	–	3	7	17
Cereb. Hæm. Cereb. Emb.	33·4	30	1	–	–	–	7
Apoplexy, Hemiplegia ..	9·8	12	–	–	–	1	2
Aneurysm	3·5	8	–	–	–	1	5
Embolism, Thrombosis (not Cerebral) ..	0·6	–	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	69·2	61	–	–	3	7	17
Croup (not Spasm: nor Memb.)	0·4	–	–	–	–	–	–
Bronchitis	49·6	33	4	2	–	–	9
Emphysema, Asthma ..	2·3	–	–	–	–	–	–
Pleurisy	3·7	3	1	–	–	–	1
Respiratory Dis., Other..	5·7	6	1	1	–	1	2
Tonsillitis, Quinsy.. ..	1·4	–	–	–	–	–	–
Enteritis (not Epid.) ..	8·2	2	–	–	1	–	–
Gastro-enteritis	4·7	2	–	1	–	–	–
Peritonitis (not Puerp.) ..	1·6	4	–	–	1	1	2
Cirrhosis of Liver.. ..	14·9	10	–	–	–	3	2
Liver Dis., Other	5·7	6	–	–	–	–	3
Digestive Sys., Other Dis.	32·4	38	5	2	1	2	16
Acute Nephritis	8·4	6	–	–	1	2	2
Bright's Dis., Albuminuria	37·1	32	–	–	1	3	10
Urinary Sys., Other Dis.	9·2	14	–	–	–	1	5
Generative Organs Dis...	3·9	1	–	–	–	1	–
Childbirth (Accid. of) ..	3·5	2	–	–	–	2	–
Old Age	41·0	41	–	–	–	–	–
Other Diseases	78·9	56	28	9	–	5	5
ACCIDENT.							
By Railways	1·0	–	–	–	–	–	–
By Vehicles and Horses..	7·4	11	–	1	4	2	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	1	–	–	–	–	1
In Building Operations..	1·4	1	–	–	–	–	1
In Conflagrations	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	4·5	2	1	–	1	–	–
By Drowning	3·9	4	–	–	2	–	2
By Suffocation in Bed ..	7·4	3	3	–	–	–	–
By Poisons or Poisonous Vapours	1·6	3	–	–	1	1	1
Other Deaths by Accident..	16·6	15	2	3	2	–	2
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	0·4	–	–	–	–	–	–
Suicide	13·1	8	–	–	1	4	2
Execution	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

LE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th June, 1910.

EGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2424	993	162	312	-	47	3	7	32	1	23	97	48	109	463	-
WEST DISTRICTS	805,311	314	186	26	63	-	3	1	-	5	1	6	15	15	24	90	-
NORTH DISTRICTS	1,055,908	523	215	30	80	-	8	-	1	7	-	2	22	10	23	96	-
CENTRAL DISTRICTS	209,465	105	43	7	9	-	1	-	2	3	-	-	8	4	6	30	-
EAST DISTRICTS	715,739	446	151	33	39	-	9	-	-	2	-	4	15	9	22	78	-
SOUTH DISTRICTS	1,749,844	1036	359	66	109	-	26	1	3	15	-	11	30	10	34	130	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	39	-	12	-	-	1	1	-	-	-	7	-	-	39	-
WEST DISTRICTS.																	
th Paddington *H*	63,603	22	10	-	7	-	-	-	-	1	-	-	-	-	-	2	-
tral Paddington *W,3H*	50,053	25	24	6	8	-	1	-	-	-	-	1	2	4	5	17	-
th Paddington	30,320	2	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-
sington South† *W,3H*	85,610	21	11	-	6	-	-	-	-	-	-	-	1	-	1	3	-
sington Central† *W,H*	42,774	19	10	5	2	-	-	-	-	-	-	-	1	1	2	2	-
sington North† *w*	48,244	30	11	2	3	-	-	-	-	1	-	-	1	1	3	5	-
th Hammersmith *2W,w,H* ..	49,192	27	14	1	6	-	-	-	-	2	-	1	1	-	1	6	-
th Hammersmith *w,2H* ..	63,047	22	7	-	1	-	-	-	-	-	-	-	1	-	1	3	-
th-west Fulham *W*	45,180	38	11	1	4	-	-	-	-	-	-	-	-	-	-	8	-
th-east Fulham *F*	46,405	28	9	2	3	-	1	1	-	-	1	-	-	-	-	2	-
th Fulham *W*	45,704	27	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
lsea North *W,w,3H*	42,514	7	19	1	9	-	-	-	-	1	-	-	3	-	1	15	-
lsea South *W,2H*	31,328	11	10	4	2	-	-	-	-	-	-	1	1	2	2	3	-
fair and Knightsbridge	28,743	4	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-
rave *W,2H*	55,815	13	21	2	4	-	1	-	-	-	-	1	3	3	3	12	-
Iargaret & St. John *6H*	43,698	12	16	1	3	-	-	-	-	-	-	2	1	2	2	9	-
ames and St. Anne *W,6H* ..	33,081	6	5	-	2	-	-	-	-	-	-	-	-	-	-	3	-
NORTH DISTRICTS.																	
ouls Marylebone *7H*	35,391	14	10	-	1	-	-	-	-	-	-	-	-	-	-	7	-
Iary Marylebone *W,4H* ..	37,948	45	8	4	2	-	-	-	-	-	-	-	2	-	-	4	-
stchurch Marylebone *H* ..	39,536	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ohn Marylebone *2H*	20,426	9	4	1	2	-	-	-	-	-	-	-	-	-	-	2	-
npstead *W,F,6H*	81,942	26	12	2	4	-	-	-	1	-	-	-	2	1	1	6	-
t St. Pancras *2H*	60,562	38	10	2	3	-	1	-	-	1	-	-	-	1	3	1	-
h St. Pancras *w,10H*	55,707	24	16	3	6	-	-	-	-	1	-	-	-	2	4	9	-
St. Pancras *W,H*	60,320	32	11	2	6	-	-	-	-	2	-	-	1	-	1	4	-
h St. Pancras *2W*	58,728	35	14	2	5	-	-	-	-	-	-	-	3	-	-	6	-
ell *W*	31,995	15	22	1	6	-	-	-	-	1	-	-	5	-	3	18	-
er Holloway *2W,w,H*	33,978	22	18	2	7	-	-	-	-	2	-	1	1	2	2	15	-
ngton *W,w,H*	33,922	14	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
er Holloway	41,424	20	5	-	2	-	1	-	-	-	-	-	-	-	-	-	-
sbury	54,478	29	8	2	1	-	-	-	-	-	-	-	2	1	1	-	-
gton South-east *F*	75,397	26	5	-	2	-	-	-	-	-	-	-	1	-	1	-	-
bury *2H*	63,797	23	8	-	5	-	-	-	-	-	-	-	1	-	-	-	-
e Newington *H*	51,247	21	17	1	8	-	-	-	-	-	-	-	2	1	2	-	-
h Hackney	50,398	16	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
ral Hackney *2w,F*	50,536	30	9	-	3	-	-	-	-	-	-	-	2	1	2	1	-
h-west Hackney *3H*	59,921	24	10	1	4	-	-	-	-	-	-	-	-	-	-	6	-
h-east Hackney *2W,w,H* ..	58,255	41	23	6	10	-	6	-	-	-	-	1	-	1	3	17	-
ney Union Workhouse, Brent- ood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

OTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, ely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other ricts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the r.

See also note * on first page of this return.

On 1st May, 1910, the sub-district of Kensington Town was abolished, part being added to the sub-district of npton (re-named Kensington South), and the remainder forming the new sub-districts of Kensington Central and sington North.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES; from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FE DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Satu 18th June, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	18	2	-	1	-	-	-	-	-	-	-	1	-	-	1
Strand *W*,4*H*	21,674	4	5	-	1	-	-	-	-	-	-	-	1	1	1	2
Strand Union Workhouse, Edmonton	-	-	3	-	3	-	-	-	-	-	-	-	1	-	1	3
Holborn *W*,5*H*	29,612	15	12	4	-	-	-	-	2	3	-	-	2	-	-	11
Clerkenwell *H*	63,704	28	2	-	-	-	1	-	-	-	-	-	-	-	-	-
St. Luke 3*H*,*L*	36,116	36	2	1	1	-	-	-	-	-	-	-	-	1	1	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1
St. Botolph *H*	10,299	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	15	1	2	-	-	-	-	-	-	-	2	2	3	12
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	29	6	2	2	-	-	-	-	-	-	-	-	1	3	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	28	19	5	5	-	1	-	-	1	-	-	3	2	2	14
Shoreditch North-East	36,148	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	33	25	8	9	-	1	-	-	-	-	-	2	1	1	14
Bethnal Green South-West *H* ..	64,542	36	8	1	2	-	-	-	-	-	-	-	2	-	1	-
Spitalfields	27,969	17	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	20	27	2	2	-	1	-	-	-	-	1	2	3	5	26
Goodman's Fields	22,081	10	1	1	-	-	-	-	-	-	-	1	-	-	-	-
St. George and St. John 2*W* ..	49,068	34	10	1	7	-	1	-	-	-	-	-	1	-	3	7
Shadwell and Ratcliff *w*,*H* ..	25,568	14	11	1	-	-	2	-	-	1	-	-	1	-	3	6
Limehouse *W*	32,369	32	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	49	3	-	-	-	1	-	-	-	-	-	1	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	17	9	3	3	-	-	-	-	-	-	1	1	-	-	4
Bow	41,989	23	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	44	21	3	6	-	2	-	-	-	-	1	2	1	3	7
Poplar *W*,*w*	58,514	32	5	3	2	-	-	-	-	-	-	-	-	1	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th June, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	9	24	8	2	-	1	-	-	-	-	2	3	-	1	21	-
Kent-road	21,904	14	4	-	-	-	-	-	-	1	-	-	1	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	20	7	5	-	-	-	-	-	-	-	-	1	-	-	6	-
Newington North	49,022	37	12	1	2	-	4	-	-	1	-	-	1	-	-	-	-
Newington South *W*	72,841	51	12	1	3	-	4	-	-	-	-	-	-	-	-	2	-
St. Olave *2W*	9,817	5	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-
Bermondsey *W*	82,483	58	11	1	2	-	2	-	-	-	-	1	1	-	4	-	-
Rotherhithe *W,F*	38,460	22	12	3	3	-	2	-	-	-	-	-	1	-	1	6	-
Waterloo *2H*	27,440	26	7	1	2	-	-	-	-	-	-	1	-	1	2	4	-
Lambeth Church *H*	27,440	11	20	2	1	-	1	-	-	-	-	1	2	2	4	16	-
Kennington *2W*	52,518	41	21	4	8	-	3	-	-	2	-	1	2	-	-	9	-
Stockwell *HF*	63,826	50	10	2	3	-	-	-	1	-	-	-	-	-	-	2	-
Brixton *H*	73,673	41	4	1	2	-	-	-	-	-	-	-	1	-	-	-	-
Norwood *2WH*	56,998	24	10	3	3	-	1	-	-	-	-	-	-	-	-	1	-
East Battersea *H*	72,203	49	7	4	2	-	-	-	-	2	-	-	-	1	1	-	-
North-west Battersea	49,656	23	7	-	2	-	-	-	-	2	-	-	1	-	-	-	-
South-west Battersea *2W,H* ..	47,048	18	19	3	9	-	2	-	-	1	-	-	1	-	1	12	-
Clapham *2H*	51,361	34	9	1	2	-	-	-	-	2	-	1	2	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	68	16	3	9	-	-	-	-	-	-	1	2	-	1	5	-
Springfield *2W,L*	27,959	29	4	1	2	-	-	-	-	-	-	-	-	-	-	3	-
Southfields *H*	40,444	25	5	-	4	-	-	-	-	-	-	1	1	-	-	-	-
Putney	24,139	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	4	2	-	1	-	-	-	-	-	-	-	1	-	1	-	-
Camberwell South *W,w*	40,206	20	12	1	7	-	-	-	-	-	-	-	2	-	-	8	-
Camberwell North *W,2L*	65,584	38	20	2	8	-	1	-	-	-	-	1	2	1	3	10	-
St. George	47 331	34	4	-	1	-	-	-	-	-	-	1	1	-	1	-	-
Peckham North	48,913	22	5	3	1	-	1	-	-	1	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	19	8	1	4	-	-	-	-	2	-	-	-	-	-	-	-
Deptford North	37,613	31	4	1	-	-	-	-	-	-	-	-	-	1	4	-	-
Deptford Central *F*	45,481	29	7	2	2	-	-	1	1	-	-	-	-	-	1	2	-
Deptford South	34,625	19	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	24	9	-	3	-	-	-	-	-	-	-	1	-	-	6	-
Eltham *w,H*	7,226	7	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Lee *w,H*	25,490	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	35	22	2	11	-	1	-	-	-	-	-	-	-	2	10	-
Sydenham *H*	43,653	18	11	4	3	-	1	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	4	4	-	1	-	-	-	1	-	-	-	-	-	-	2	-
Woolwich *5H*	41,625	23	5	2	1	-	2	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	13	4	3	-	-	-	-	-	1	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	13	8	-	3	-	-	-	-	-	-	-	2	1	2	4	-
Workhouses:—																	
Belmont Workhouse	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	1	1	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
London County Lunatic Asylums:—																	
Banstead	—	-	6	-	4	-	-	-	-	-	-	-	1	-	-	6	-
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Horton	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	6	-	1	-	-	-	-	-	-	-	3	-	-	6	-
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	4	-	-	-	-	-	-	-	-	-	1	-	-	4	-
Hanwell	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch	—	-	3	-	1	-	-	-	-	-	-	-	1	-	-	3	-
Claybury	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging t the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boar Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATE POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 18th June, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
	LONDON—OUTER RING ..	368,603	2,045,135	1340	372	68	134	-	5	1	7	14	-	3	17	33	87	
31 : 1	Carshalton 2F,3H	12,228	32,997	11	4	3	1	-	-	-	-	1	-	-	-	-	-	
2	Epsom, part of* W,w,2F,H..	10,423	15,548	8	5	1	3	-	-	-	-	-	-	-	-	1	2	
33 : 1	Godstone, part of* W,F,L ..	2,754	2,692	2	1	-	-	-	-	-	-	-	-	-	-	-	1	
39 : 1	Coulsdon	11,069	8,166	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w,H ..	4,200	49,309	26	5	2	3	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H ..	2,168	42,888	35	15	3	4	-	-	-	1	1	-	-	-	2	7	
4	North Croydon H	2,644	41,698	25	4	1	1	-	-	-	-	-	-	-	-	1	-	
5	Penge w	770	22,465	5	4	1	-	-	-	-	-	-	-	-	1	1	-	
6	Mitcham w	11,711	30,015	32	4	-	1	-	-	-	-	1	-	-	-	-	-	
40 : 1	Wimbledon F,3H	3,221	41,652	21	10	2	1	-	1	-	-	-	-	-	-	-	1	
2	Kingston 2W,H	6,224	42,068	19	4	-	3	-	-	-	-	-	-	-	-	-	1	
3	Surbiton F,H	3,046	15,017	4	1	-	-	-	-	-	1	-	-	-	-	-	1	
4	Esher, part of* H	5,402	13,100	7	1	-	1	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,456	9	4	-	2	-	-	-	-	-	-	-	1	1	-	
41 : 1	Richmond W,H	2,491	31,672	15	6	1	2	-	-	-	-	-	-	-	1	1	2	
2	Mortlake F	2,518	17,821	14	-	-	-	-	-	-	-	-	-	-	-	-	-	
42 : 1	Bromley F,3H	4,696	27,397	8	3	1	2	-	-	-	-	-	-	-	-	-	-	
2	Beckenham H	7,832	28,454	9	2	-	1	-	-	-	-	-	-	-	-	-	-	
3	Orpington, part of* W,F ..	10,113	9,857	15	4	-	3	-	-	-	-	-	-	-	-	-	2	
4	Chislehurst 2H	7,335	16,446	7	3	-	3	-	-	-	-	-	-	-	-	-	-	
43 : 1	Bexley w,F,H	8,678	21,151	8	2	-	2	-	-	-	-	-	-	-	1	1	-	
2	Erith F,H	3,854	25,296	11	6	-	4	-	-	-	-	-	-	-	1	1	-	
3	Dartford W,F, part of* ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	
126 : 1	Sunbury w	11,054	18,683	10	3	-	1	-	-	-	-	-	-	-	1	2	-	
2	Staines W,H	12,277	15,178	5	4	1	1	-	-	-	-	-	-	-	-	-	2	
127 : 1	Hillingdon W,F,H	8,035	13,661	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	3	1	-	1	-	-	-	-	-	-	-	-	-	-	
3	Hayes w 2F,H	8,066	16,358	25	4	2	1	-	1	-	-	-	-	-	-	-	-	
128 : 1	Isleworth 3W,3F,H	6,859	30,863	24	13	2	5	-	-	-	-	-	-	-	-	-	3	
2	Twickenham F,2H	2,421	20,991	23	4	-	2	-	-	-	-	1	-	-	-	-	-	
3	Brentford 3F,2H	4,319	48,289	25	9	1	5	-	-	-	-	-	-	-	-	-	1	
4	Chiswick H	1,249	29,809	22	5	-	2	-	-	-	-	-	-	-	-	1	-	
5	Acton w,F,3H	6,132	48,914	37	10	5	2	-	-	-	-	3	-	-	1	2	-	
129 : 1	Willesden W,F,2H	4,384	114,811	80	15	5	1	-	1	-	-	2	-	-	2	2	2	
130 : 1	Harrow F,H	13,809	25,523	26	5	-	3	-	-	-	-	-	-	-	-	-	-	
2	Edgware 2F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hendon W,F	8,382	22,450	21	4	1	1	-	-	-	-	-	-	-	-	-	1	
131 : 1	South Mimms 2F,H ..	17,755	7,308	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	5	2	-	-	-	-	-	-	-	-	-	-	-	1	
3	Finchley F,3H	4,638	33,692	28	5	1	1	-	-	-	-	-	-	-	-	-	2	
132 : 1	Hornsey F,H	2,875	72,056	28	14	5	5	-	-	-	1	-	-	1	-	-	2	
2	Wood Green H	1,625	34,233	19	3	-	2	-	-	-	-	-	-	-	1	1	-	
3	West Tottenham	995	48,741	39	7	-	3	-	-	-	-	2	-	-	-	-	-	
4	East Tottenham 2H ..	2,019	53,962	41	10	3	2	-	-	-	-	-	-	1	-	1	2	
5	Edmonton W,w,2F	7,491	61,892	54	16	2	8	-	-	-	-	-	-	-	1	4	6	
6	Enfield 2W,F,H	12,601	42,738	22	9	1	-	-	-	-	1	1	-	-	-	-	3	
7	Waltham Abbey F	11,017	6,549	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	7	2	1	1	-	-	-	-	1	-	-	-	-	-	
138 : 1	Hatfield, part of* W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
140 : 1	Bushey, part of* H ..	9,195	7,051	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford, part of* W,2F ..	138	2,122	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
188 : 1	Stratford H	1,091	52,974	31	9	3	2	-	1	-	-	-	-	-	2	2	-	
2	Forest Gate	787	52,745	19	10	3	3	-	-	-	-	-	-	-	-	-	-	
3	Plaistow F,2H	1,249	90,921	81	9	1	4	-	-	-	1	-	-	-	1	1	3	
4	Canning Town H	1,556	70,718	50	10	3	2	-	-	-	-	-	-	1	-	1	-	
5	South East Ham 2F ..	1,991	37,342	41	10	5	1	-	-	-	1	-	-	-	-	-	1	
6	North East Ham w,H ..	1,333	58,666	41	5	1	2	-	-	-	-	-	-	-	-	-	1	
7	Wanstead F	1,679	9,179	7	3	-	3	-	-	-	-	-	-	-	1	1	-	
8	South Leyton 2W	631	50,467	21	14	-	7	-	-	-	-	-	-	-	-	-	9	
9	North Leyton 2W,w,F ..	1,963	48,445	43	30	2	12	-	1	-	1	-	-	-	-	2	21	
10	Walthamstow 2H,L ..	6,504	108,929	71	17	2	8	-	-	-	-	-	-	-	1	2	-	
189 : 1	Chigwell 2F,3H	11,778	16,397	10	3	1	-	-	-	1	-	-	-	-	-	-	1	
2	Epping W,F, part of* ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
191 : 1	Romford, part of* W,2F ..	6,556	6,091	11	1	-	-	-	-	-	-	-	-	-	-	-	1	
2	Ilford F,L	8,496	41,244	35	9	1	2	-	-	-	-	1	-	-	-	1	1	
3	Barking Town F	3,805	21,547	24	2	1	-	-	-	-	-	-	-	-	1	1	-	
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	
	Kent County Lunatic Asylum, Maidstone.	—	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	

* The parts of [illegible]-districts included within that portion of the Metropolitan Police District, which forms the Oute Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Eshe parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting th part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Rin in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : 1 and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ONDON* - -	4,872,702	June	18	2424	993	10·6	–	47	3	7	32	1	17
ALCUTTA - -	1,009,008	May	21	–	489‡	25·2	–	1	–	–	–	11	11
OMBAY - -	977,822	,,	31	360	652‡	34·7	20	6	–	–	–	2	33
IADRAS - -	509,346	,,	20	363	349	35·6	2	4	?	?	?	–	23
ARIS* - -	2,772,467	June	11	932	841	15·9	–	30	–	9	10	7	25
RUSSELS* - -	720,030	,,	11	252	207	14·9	–	3	2	–	2	1	22
NTWERP* - -	317,171	,,	11	161	55	9·0	–	4	–	–	–	–	7
MSTERDAM* -	570,149	,,	4	268	150	13·7	–	3	–	–	2	–	5
OPENHAGEN -	450,000	,,	11	234	127	14·7	–	–	2	–	1	–	8
TOCKHOLM -	341,816	,,	4	151	95	14·5	–	4	2	2	2	–	3
HRISTIANIA -	235,674	,,	11	100	51	11·3	–	–	–	1	–	2	4
T. PETERSBURG	1,620,000	May	21	845	836	26·9	16	74	9	22	8	10	88
OSCOW - -	1,493,600	,,	28	–	800	27·9	5	15	18	27	8	2	139
ERLIN - -	2,119,095	,,	28	744	590	14·5	–	14	7	11	3	–	60
AMBURG - -	895,804	June	11	–	244	14·2	–	5	–	5	1	1	23
RESLAU - -	507,500	,,	4	–	182	18·7	–	–	–	–	2	1	22
UNICH - -	576,000	,,	4	252	152	13·7	–	1	1	1	–	–	23
IENNA* - -	2,107,981	,,	11	391	740	18·3	–	25	1	4	5	3	72
RAGUE* - -	497,905	May	21	202	188	19·6	–	4	–	–	1	–	15
UDAPEST* -	833,703	June	4	437	309	19·2	–	5	6	2	4	1	14
RIESTE* - -	221,124	,,	11	145	102	24·0	–	–	–	–	–	1	7
OME - - -	587,096	April	23	251	230	20·4	–	27	1	6	–	–	6
ENICE - -	183,224	May	14	71	71	20·2	–	1	–	2	–	1	4
UCAREST - -	297,643	April	23	178	148	25·9	–	3	4	5	1	1	3
EW YORK* -	4,711,956	May	28	2394	1384	15·3	1	26	27	40	3	5	56
HICAGO* - -	2,282,927	,,	28	–	648	14·8	–	7	18	18	7	2	26
HILADELPHIA*	1,598,400	April	16	–	–	–	–	–	–	–	–	–	–
IO DE JANEIRO	842,822	May	15	–	319	19·7	–	2	–	–	2	1	?
AIRO :—*													
Egyptians -	616,183	,,	20	565	573	48·4	2	28	1	5	–	4	146
Foreigners -	61,480	,,	20	5	20	16·9	–	2	–	–	–	–	2
EXANDRIA :—*													
Egyptians -	317,454	,,	20	255	255	41·8	–	19	–	2	–	3	51
Foreigners -	67,966	,,	20	3	15	11·5	1	–	–	–	–	–	1

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to ildren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 78 deaths from *plague* in Calcutta, 128 in Bombay, and from *Asiatic cholera*, 58 deaths in Calcutta.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 18th June, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
ONDON (Greenwich)	74·2	43·6	59·8	0·01	BRADFORD - -	74·7	45·1	57·3	0·00
IGHTON - -	71·0	47·2	59·3	0·06	YORK - - -	76·0	44·0	57·9	0·07
ORTSMOUTH - -	73·8	47·5	60·1	0·00	HULL - - -	71·0	44·0	57·2	0·09
ORWICH - -	–	–	–	–	TYNEMOUTH - -	68·0	42·0	54·4	0·33
YMOUTH - -	70·2	46·4	57·8	0·00	CARDIFF - - -	71·4	43·0	57·3	0·00
RISTOL - - -	72·0	43·4	59·2	0·00	EDINBURGH - -	71·2	42·2	56·5	0·08
RMINGHAM - -	74·7	45·1	58·4	0·08	GLASGOW - -	74·0	40·4	58·7	0·00
OTTINGHAM - -	77·0	41·0	58·7	0·03	DUBLIN { Phœnix Park.	70·1	42·1	56·4	0·01
VERPOOL OBSERVATORY.	72·0	49·0	58·6	0·00	DUBLIN { Fitz-william Square.†	69·1	47·0	58·9	0·02
ANCHESTER -	76·5	43·8	58·2	0·00					
ERNLEY - -	72·2	39·5	56·3	0·00					
UDDERSFIELD -	78·0	45·2	58·2	0·01	BELFAST - - -	69·0	44·0	58·0	0·24

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to ne seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The orrection applied by the late Mr. Glaisher in the returns up to the 31st March, 1904, for the correspon ling period to the ove was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W Moore, M.A., M.D., Dublin.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
June.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday -	12	..	29·668	71·3	59·7	11·6	65·0	+ 6·6	59·7	5·3	10·9	0·6	83	130·3	55·6	57·32	Calm, NNW. & N.	N. & NNW.	1·2	0·0	0·1	181	− 62	0·01	1·0
Monday -	13	..	29·700	72·0	51·9	20·1	60·9	+ 2·4	53·4	7·5	15·2	0·0	76	114·2	46·7	57·70	NNW. & NW.	NW. & NNW.	3·9	0·0	0·2	255	+ 13	0·00	0·0
Tuesday -	14	First Qr.	30·039	67·3	47·6	19·7	56·8	− 1·9	45·1	11·7	19·6	5·5	65	126·3	41·8	57·92	NW. & NNW.	NW. & NNW.	3·6	0·0	0·3	314	+ 73	0·00	8·0
Wednesday	15	..	30·186	66·0	46·8	19·2	56·1	− 2·7	49·1	7·0	13·5	0·4	77	117·9	36·3	57·98	NNW., N. & NNE.	E. & ESE.	1·2	0·0	0·0	163	− 77	0·00	4·0
Thursday -	16	In Eqr.	30·164	67·0	43·6	23·4	54·8	− 4·1	47·2	7·6	16·2	0·7	76	140·3	33·4	57·90	E., NE. & ENE.	ENE., ESE. & E.	1·5	0·0	0·1	221	− 19	0·00	7·0
Friday -	17	..	30·130	71·2	45·7	25·5	55·7	− 3·3	53·0	2·7	16·0	0·0	91	129·8	36·9	57·80	NE. & NNE.	NNE., NE. & ESE.	1·0	0·0	0·0	179	− 61	0·00	0·0
Saturday -	18	Apogee	30·173	74·2	53·4	20·8	62·6	+ 3·4	52·4	10·2	20·6	0·0	69	138·3	42·0	57·90	E., ENE. & NE.	ESE., E. & SE.	0·5	0·0	0·0	160	− 80	0·00	5·0
Means - -			30·009	69·9	49·8	20·0	58·8	+ 0·1	51·4	7·4	16·0	1·0	77	128·2	41·8	57·79	NNW. & E.		..	..	..	Sum 1473	Sum −213	Sum 0·01	3·6
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. June.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday -	12	w. P. throughout.	1·6	16·5	Overcast with slight exceptions; occasional light showers after 7h. P.M.; lightning at night.
Monday -	13	w. P. throughout.	0·3	16·5	Generally overcast; lightning at and about 10h. P.M.
Tuesday -	14	w. P. generally; occasional m. P.	14·4	16·5	Cloudy at first; very fine and bright with little cloud generally afterwards.
Wednesday	15	w. P. generally.	8·4	16·5	Fine and partially cloudy.
Thursday -	16	w. P. throughout.	11·9	16·5	Very fine generally with occasional cloudy intervals. Solar halo observed frequently between 9h. A.M. and 6h. P.M.
Friday -	17	w. P. generally.	5·5	16·5	Fine at first; overcast between 3h. A.M. and 1h. P.M.; fine and warm till evening; becoming overcast about sunset; a little misty rain (immeasurable) between 10h. and 11h. P.M.
Saturday -	18	w. P. throughout.	10·6	16·6	Generally overcast till 8h. 30m. A.M.; then very fine and warm with little cloud.
			Sum 52·7	Sum 115·6	
No. of Col. - -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1903.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·67 in. at the beginning of the week to 29·68 in. by 6h. A.M. on the 12th; decreased to 29·64 in. by 5h. A.M. on the 13th; increased to 30·21 in. by 9h. P.M. on the 15th; decreased to 30·10 in. by 6h. P.M. on the 17th; increased to 30·19 in. by 10h. A.M. on the 18th; and was 30·17 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 11th June, 1910.*

BOROUGHS	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	3	2	-	-	-	-	1	-	-
Kensington	184,635	-	4	1	-	1	-	-	3	-	-
Hammersmith	127,413	-	8	1	-	-	-	-	3	-	-
Fulham	181,282	-	7	3	-	-	-	-	2	-	-
Chelsea	75,457	-	3	-	-	-	-	-	1	-	-
City of Westminster ..	167,233	-	1	5	-	-	-	-	1	2	-
NORTH.											
St. Marylebone	125,195	-	5	7	-	-	-	-	-	-	-
Hampstead	95,729	-	5	1	-	1	-	-	-	-	-
St. Pancras	237,792	-	12	7	-	1	-	-	5	-	-
Islington	353,356	-	23	2	-	1	-	-	3	-	1
Stoke Newington	54,838	-	3	-	-	-	-	-	1	-	-
Hackney	239,979	-	6	3	-	-	-	-	2	-	-
CENTRAL.											
Holborn	53,142	-	2	-	-	-	-	-	1	-	-
Finsbury	94,578	-	4	-	-	-	-	-	3	-	-
City of London	17,132	-	-	-	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,387	-	7	1	-	-	-	-	2	-	-
Bethnal Green	131,579	-	6	2	-	-	-	-	5	-	-
Stepney	314,379	-	12	8	-	1	-	-	3	-	-
Poplar	172,432	-	13	7	1	1	-	-	1	1	-
SOUTH.											
Southwark	211,832	-	6	5	-	1	-	-	4	-	-
Bermondsey	127,238	-	9	3	-	-	-	-	2	-	-
Lambeth	327,074	-	12	4	-	-	-	-	2	-	1
Battersea	188,222	-	3	7	-	-	-	-	2	-	-
Wandsworth	305,838	-	10	4	-	-	-	-	5	1	-
Camberwell	286,058	-	3	7	-	3	-	-	4	-	-
Deptford	119,642	-	7	3	-	-	-	-	-	-	-
Greenwich	112,935	-	-	2	-	-	-	-	1	-	-
Lewisham	164,899	-	8	5	-	-	-	-	-	-	-
Woolwich	135,422	-	9	5	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	191	95	1	10	-	-	59	4	2
Ages 0-1		-	3	2	-	-	-	-	3	-	1
" 1-5		-	60	24	-	-	-	-	-	-	-
" 5-		-	75	39	-	1	-	-	4	-	1
" 10-		-	36	14	-	-	-	-	4	-	-
" 15-		-	4	2	-	2	-	-	3	-	-
" 20-		-	2	9	-	2	-	-	3	1	-
" 25-		-	7	3	-	2	-	-	6	2	-
" 35-		-	1	1	-	2	-	-	9	1	-
" 45-		-	1	-	-	1	-	-	10	-	-
" 55-		-	1	1	-	-	-	-	8	-	-
" 65 and upwards		-	1	-	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 25. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, JUNE 25. [Price 1½*d.*

General Register Office, Somerset House,
June 27th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 11·2 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 11·8, 11·4, and 11·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 15·1 in Middlesbrough, 15·7 in South Shields, 15·9 in Oldham, 16·0 in Liverpool, 16·4 in Wallasey, 17·2 in Ipswich, and 19·0 in Merthyr Tydfil; from *measles*, 1·7 in South Shields; from *whooping-cough*, 1·5 in Manchester and in Salford, 2·2 in South Shields, 2·5 in Stockport, and 2·8 in Tynemouth; and from *diarrhœa*, 2·9 in West Bromwich. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2260 BIRTHS and 983 DEATHS were registered. Allowing for increase of population, the births were 235 and the deaths 150 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(16903—41.) Wt. 91—429. 700. 6/10. D & S. G. 31. Sch. 4. 2 B

causes, which had been 11·6, 10·5, and 10·6 per 1000 in the preceding three weeks, was 10·5 last week. The death-rate in the four weeks ended last Saturday averaged 10·8 per 1000, being 1·7 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 983 deaths included 35 from measles, 3 from scarlet fever, 2 from diphtheria, 25 from whooping-cough, 1 from enteric fever, 1 from ill-defined pyrexia, and 11 from diarrhœa; but not one death from small-pox or from typhus; thus, to these diseases in the aggregate 78 deaths were referred, being 28 below the corrected average number in the twenty-fifth week of the preceding five years.

The deaths from *measles*, which had been 51, 47, and 47 in the preceding three weeks, fell to 35 last week, and were 10 below the corrected average; 7 deaths belonged to the Borough of Southwark, 6 to Camberwell, 4 to Hackney, and 3 each to Fulham and to Stepney. The deaths from *scarlet fever*, which had been 6, 5, and 3 in the preceding three weeks, were again 3 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 5, 5, and 7 in the preceding three weeks, fell to 2 last week, and were 6 below the corrected average. The deaths from *whooping-cough*, which had been 29, 23, and 32 in the preceding three weeks, were 25 last week, the corrected average being 24; 3 deaths belonged to St. Pancras, and 3 to Stepney. One death from *enteric fever* was registered last week, as compared with 1, 3, and 1 in the preceding three weeks, the corrected average being 3. The deaths from *diarrhœa*, which had been 21, 8, and 23 in the preceding three weeks, were 11 last week, and were 6 below the corrected average. Of the 11 deaths from diarrhœa 8 were those of children under 2 years of age; 9 other deaths at this age was certified as due to *enteritis* and 5 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 2, having been 4, 3, and 5 in the preceding three weeks.

Different forms of violence caused 49 deaths, concerning all of which inquests were held. Of these 49 deaths, 11 were cases of suicide, while the remaining 38 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, four to burns or scalds, eight to drowning, and four, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3† cases of small-pox, 1353 of scarlet fever, 711 of diphtheria, and 48 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3† cases, against 0, 0, and 0; of scarlet fever 187 cases, against 203, 181, and 166; of diphtheria, 84 cases, against 72, 85, and 76; and of enteric fever, 7 cases, against 11, 6, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended June 18th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

† Includes one mother with infant.

Greater London.

In Greater London 3516 births and 1403 deaths were registered. Allowing for increase of population, these numbers are 432 and 204 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 4 deaths from measles, 2 from scarlet fever, 9 from whooping-cough, and 4 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·69 inches, and that of the Thermometer 62°·3, the latter being 1°·7 above the week's average in the 65 years ended 1905. The general direction of the wind was South-westerly, the horizontal movement of the air being 4 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 52·3 hours; the measured rainfall amounted to 1·11 inches.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 25th June, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 4th June, 1910.	11th June, 1910.	18th June, 1910.	25th June, 1910.	Rate from Diseases in Cols. 11-17 Week ended 25th June 1910.	Registered during the Week ended 25th June, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**11·8**	**11·4**	**11·1**	**11·2**	**1·1**	**8110**	**3633**	**735**	**1003**	**-**	**94**	**25**	**17**	**134**	**13**	**69**	**161**	**290**	**1067**	**24**	**77 TOWNS.**
LONDON	4,872,702	11·6	10·5	10·6	10·5	0·8	2260	983	177	292	-	35	3	2	25	1	11	49	101	464	-	LONDON.
CROYDON	164,485	7·6	6·3	7·3	7·3	-	82	23	3	7	-	-	-	-	-	-	-	1	1	5	-	CROYDON.
WILLESDEN ..	166,088	8·8	7·5	4·4	6·3	-	71	20	2	4	-	-	-	-	-	-	-	-	-	6	-	WILLESDEN.
HORNSEY	98,561	6·9	4·8	6·9	5·3	-	17	10	-	5	-	-	-	-	-	-	-	-	1	1	-	HORNSEY.
TOTTENHAM ..	132,803	7·9	10·2	7·5	9·4	0·4	78	24	4	9	-	-	-	-	1	-	-	1	2	6	-	TOTTENHAM.
WEST HAM ..	328,585	7·8	8·7	8·4	9·5	0·6	164	60	12	15	-	4	-	-	-	-	-	4	8	15	-	WEST HAM.
EAST HAM.. ..	156,208	6·3	5·7	6·3	7·3	-	62	22	2	8	-	-	-	-	-	-	-	2	3	4	-	EAST HAM.
LEYTON	133,436	6·3	9·4	8·2	7·8	0·8	68	20	2	8	-	1	-	-	1	-	-	-	1	7	-	LEYTON.
WALTHAMSTOW	141,748	3·3	5·9	8·8	5·1	-	51	14	3	4	-	-	-	-	-	-	-	1	4	3	1	WALTHAMSTOW.
HASTINGS	68,520	8·4	10·7	7·6	9·9	0·8	17	13	3	5	-	1	-	-	-	-	-	1	1	4	-	HASTINGS.
BRIGHTON	131,900	12·7	9·1	11·1	12·3	-	53	31	5	8	-	-	-	-	-	-	-	2	4	8	-	BRIGHTON.
PORTSMOUTH ..	217,989	12·9	12·0	12·2	10·0	1·7	100	42	11	12	-	1	1	1	3	-	1	1	3	8	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	12·7	8·5	9·2	9·2	-	22	13	-	9	-	-	-	-	-	-	-	-	-	-	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·1	9·4	4·9	7·0	0·4	60	17	1	6	-	-	-	1	-	-	-	1	2	5	-	SOUTHAMPTON.
READING	84,355	8·7	2·5	6·2	8·0	-	23	13	2	6	-	-	-	-	-	-	-	-	-	3	1	READING.
NORTHAMPTON ..	99,113	9·5	6·3	8·4	6·3	-	43	12	3	1	-	-	-	-	-	-	-	1	1	4	-	NORTHAMPTON.
IPSWICH	75,936	11·0	13·7	8·2	17·2	0·7	43	25	4	7	-	-	-	-	-	1	-	3	3	4	-	IPSWICH.
GREAT YARMOUTH	53,715	10·7	10·7	12·6	10·7	-	15	11	1	6	-	-	-	-	-	-	-	1	3	4	-	GREAT YARMOUTH.
NORWICH	125,446	10·0	8·3	11·2	7·5	0·8	58	18	1	8	-	-	2	-	-	-	-	-	-	5	-	NORWICH.
PLYMOUTH	126,266	9·9	9·9	11·6	9·1	1·2	56	22	4	4	-	-	-	1	1	1	-	1	1	4	-	PLYMOUTH.
DEVONPORT	84,695	11·1	8·0	8·6	13·5	-	37	22	1	8	-	-	-	-	-	-	-	1	4	-	-	DEVONPORT.
BRISTOL	382,550	11·2	8·0	7·8	8·6	0·5	155	63	5	27	-	-	-	1	-	-	3	2	5	21	-	BRISTOL.
STOKE ON TRENT‡..	245,726	12·9	17·2	14·0	10·8	1·5	161	51	18	9	-	3	1	1	1	-	1	2	5	8	-	STOKE ON TRENT‡.
BURTON ON TRENT	54,977	10·4	12·3	9·5	5·7	-	23	6	-	5	-	-	-	-	-	-	-	1	1	2	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	15·7	13·8	12·8	8·9	-	35	18	3	6	-	-	-	-	-	-	-	2	3	4	2	WOLVERHAMPTON
WALSALL	101,035	11·4	15·0	9·3	9·3	1·0	64	18	5	1	-	-	1	-	-	-	1	-	1	1	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	4·3	5·8	5·8	9·4	1·4	23	13	2	5	-	-	-	-	1	-	1	-	-	1	-	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	6·6	9·5	12·5	12·5	3·7	44	17	7	4	-	-	-	1	-	-	4	-	1	1	1	WEST BROMWICH.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 4th June, 1910.	11th June, 1910.	18th June, 1910.	25th June, 1910.	Rate from Diseases in Cols. 11-17. Week ended 25th June, 1910.	Registered during the Week ended 25th June, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	10·6	9·8	11·5	11·2	1·0	260	123	26	40	-	-	2	1	7	-	1	4	6	37	3	BIRMINGHAM.
KINGS NORTON ..	84,673	3·1	4·3	8·0	8·0	-	43	13	3	5	-	-	-	-	-	-	-	2	2	1	1	KINGS NORTON.
SMETHWICK	72,350	9·4	9·4	11·5	8·6	1·4	38	12	2	3	-	-	1	-	-	-	1	-	1	1	-	SMETHWICK.
ASTON MANOR ..	86,269	9·7	7·3	10·9	10·3	1·2	34	17	1	4	-	-	1	-	-	1	-	-	-	4	-	ASTON MANOR.
COVENTRY	81,449	12·8	13·4	13·4	12·8	0·6	55	20	3	7	-	-	-	-	-	-	1	-	-	5	-	COVENTRY.
LEICESTER	248,374	10·1	6·9	6·9	8·6	0·4	104	41	6	15	-	1	-	-	1	-	-	2	3	8	1	LEICESTER.
GRIMSBY	74,283	9·8	13·3	4·9	7·7	1·4	47	11	5	2	-	-	-	-	2	-	-	-	-	4	-	GRIMSBY.
NOTTINGHAM ..	266,471	11·2	10·0	16·8	11·5	1·2	122	59	12	17	-	2	-	-	3	-	1	4	6	18	-	NOTTINGHAM.
DERBY	131,256	7·9	10·7	6·4	10·7	1·2	59	27	5	9	-	1	-	-	-	-	2	2	3	5	-	DERBY.
STOCKPORT	105,087	14·4	11·9	16·9	12·4	2·5	45	25	10	7	-	-	-	-	5	-	-	2	3	3	-	STOCKPORT.
BIRKENHEAD ..	122,431	14·5	11·9	11·1	14·9	1·3	50	35	11	11	-	-	-	-	3	-	-	-	1	5	1	BIRKENHEAD.
WALLASEY	73,173	11·4	10·7	12·1	16·4	2·1	38	23	5	9	-	-	-	-	-	1	2	3	4	3	1	WALLASEY.
LIVERPOOL	767,606	18·2	18·0	16·4	16·0	1·9	455	236	56	49	-	8	2	-	11	-	7	6	12	77	4	LIVERPOOL.
BOOTLE	70,548	17·0	14·0	11·1	14·0	2·2	43	19	7	4	-	2	-	-	1	-	-	-	-	6	-	BOOTLE.
ST. HELENS	96,523	8·6	13·0	10·8	10·8	1·1	60	20	5	5	-	-	1	-	-	-	1	1	2	3	-	ST. HELENS.
WIGAN	91,732	12·5	14·8	11·4	14·8	-	60	26	10	6	-	-	-	-	-	-	-	1	1	3	-	WIGAN.
WARRINGTON ..	73,295	13·5	12·1	12·1	12·1	0·7	30	17	3	10	-	1	-	-	-	-	-	2	2	2	-	WARRINGTON.
BOLTON	190,315	9·6	11·0	11·2	11·8	1·4	98	43	9	5	-	-	-	1	3	-	1	3	4	5	-	BOLTON.
BURY	59,409	14·9	16·7	11·4	10·5	-	24	12	4	3	-	-	-	-	-	-	-	-	-	-	-	BURY.
MANCHESTER ..	716,354	13·8	14·9	13·2	14·3	3·3	376	196	49	36	-	10	3	1	21	5	6	4	7	70	1	MANCHESTER.
SALFORD	244,636	15·1	14·7	13·6	13·2	2·1	95	62	18	15	-	1	-	-	7	-	2	-	-	10	-	SALFORD.
OLDHAM	144,111	19·9	16·3	14·5	15·9	1·1	72	44	8	14	-	-	-	-	1	-	2	-	-	3	-	OLDHAM.
ROCHDALE	90,497	12·7	15·6	16·7	10·9	-	42	19	-	10	-	-	-	-	-	-	-	2	3	4	-	ROCHDALE.
BURNLEY	107,448	11·6	8·2	6·3	10·7	-	46	22	8	5	-	-	-	-	-	-	-	-	1	6	-	BURNLEY.
BLACKBURN	137,972	10·2	14·7	8·7	12·8	1·5	74	34	7	11	-	1	1	-	-	-	2	2	3	10	1	BLACKBURN.
PRESTON	119,253	15·7	17·5	13·6	10·9	2·2	58	25	5	3	-	2	-	-	-	2	1	1	1	4	-	PRESTON.
BARROW IN FURNESS.	63,689	11·5	11·5	10·6	11·5	2·5	29	14	3	3	-	2	-	-	1	-	-	-	-	1	-	BARROW IN FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 25th June, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 4th June, 1910.	11th June, 1910.	18th June, 1910.	25th June, 1910.	Rate from Diseases in Cols 11-17. Week ended 25th June, 1910.	Registered during the Week ended 25th June, 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	10·5	17·1	13·8	13·8	-	43	25	5	7	-	-	-	-	-	-	-	1	2	4	-	HUDDERSFIELD.
HALIFAX	112,818	13·4	12·5	10·2	7·9	0·5	53	17	2	6	-	-	-	-	1	-	-	-	1	2	-	HALIFAX.
BRADFORD	295,865	12·2	12·0	13·6	12·7	1·1	102	72	14	21	-	2	1	2	-	1	-	3	3	11	-	BRADFORD.
LEEDS	490,985	11·8	12·1	10 7	12·3	0·5	185	116	22	31	-	1	1	-	2	-	1	2	6	22	-	LEEDS.
DEWSBURY†	51,224	11·2	9·2	8·1	7·1	-	28	7	4	-	-	-	-	-	-	-	-	-	-	-	-	DEWSBURY.†
SHEFFIELD	478,763	11·8	11·9	8·9	12·1	1·6	266	111	22	30	-	1	3	-	10	-	1	3	4	35	1	SHEFFIELD.
ROTHERHAM.. ..	66,414	13·3	16·5	11·8	11·8	1·6	29	15	4	4	-	-	-	-	1	-	1	1	1	5	-	ROTHERHAM.
YORK	88,159	11·8	11·8	8·3	9·5	0·6	39	16	3	3	-	-	-	-	1	-	-	1	1	3	-	YORK.
HULL	280,006	12·8	15·1	10·2	11·9	1·1	173	64	13	12	-	4	-	-	1	-	1	3	7	14	5	HULL.
MIDDLESBROUGH ..	107,014	13·2	9·7	15·6	15·1	2·4	70	31	7	9	-	-	1	1	1	-	2	1	1	5	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	10·7	15·5	14·6	14·6	1·0	36	15	3	2	-	-	-	-	-	-	1	2	2	2	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	6·4	8·3	8·3	8·9	-	43	14	2	6	-	-	-	-	-	-	-	2	2	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	14·9	10·7	13·3	10·7	1·9	86	33	9	8	-	1	-	-	3	-	2	2	3	10	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	16·5	14·8	11·3	15·7	5·2	65	36	10	4	-	4	-	1	5	-	2	2	4	9	-	SOUTH SHIELDS.
GATESHEAD	133,676	14·8	12·1	14·0	9·8	1·2	70	25	5	7	-	-	-	-	3	-	-	1	1	5	-	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	12·4	14·8	11·5	14·2	1·1	127	78	12	17	-	1	-	1	2	-	2	4	8	17	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	14·8	12·9	16·6	10·2	2·8	28	11	1	4	-	-	-	-	3	-	-	-	-	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	11·8	11·8	19·6	9·8	0·7	55	15	3	6	-	-	-	-	1	-	-	-	1	1	-	NEWPORT (MON.).
CARDIFF	199,189	11·8	9·2	8·9	10·7	1·0	76	41	11	10	-	2	-	-	-	-	2	3	7	10	-	CARDIFF.
RHONDDA	138,674	11·7	11·3	11·3	14·3	0·8	91	38	11	6	-	-	-	-	-	-	2	5	5	1	-	RHONDDA.
MERTHYR TYDFIL..	79,522	18·4	21·6	17·0	19·0	2·0	37	29	6	7	-	2	-	-	1	-	-	2	2	4	-	MERTHYR TYDFIL.
SWANSEA	98,817	14·2	13·2	20·1	14·8	0·5	66	23	4	6	-	-	-	1	-	-	-	5	5	7	-	SWANSEA.
GREATER LONDON	7,537,196	10·3	9·8	9·4	9·7	0·7	3516	1403	243	432	-	44	5	2	36	1	15	73	139	551	2	GREATER LONDON.
OUTER RING ..	2,664,494	7·9	8·4	7·3	8·2	0·5	1256	420	66	140	-	9	2	-	11	-	4	24	38	87	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	7·0	7·5	7·3	7·6	0·3	593	193	28	60	-	5	-	-	2	-	-	9	20	47	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·8	9·2	7·2	8·8	0·7	663	227	38	80	-	4	2	-	9	-	4	15	18	40	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	11·4	13·2	10·4	13·3	1·2	152	92	15	25	-	1	3	1	1	1	1	1	?	38	4	EDINBURGH.
GLASGOW	884,505	15·3	15·0	13·5	12·9	1·8	444	218§	43	47	-	4	5	6	7	-	9	6	?	81	10	GLASGOW.
DUBLIN (Registration Area).‡	402,928	15·7	16·4	17·1	15·5	0·3	183	120§	20	27	-	-	-	-	1	-	1	-	2	51	6	DUBLIN (Registration Area).‡
BELFAST‡	391,167	22·1	19·7	24·4	20·9	5·5	202	157	33	26	-	36	-	-	1	1	3	4	9	29	-	BELFAST‡

ABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FIFTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
OTAL **Births** -	2464	2451	2422	2886	2465	2527	2499	2506	2584	2068	2495·1	2260
Males - - -	1221	1254	1249	1426	1211	1302	1252	1274	1328	1061	1273·1	1147
Females - -	1243	1197	1173	1460	1254	1225	1247	1232	1256	1007	1222·0	1113
OTAL **Deaths** -	1171	1204	1266	1197	1143	1047	1205	1163	990	1125	1132·5	983
Males - - -	644	649	672	588	625	533	639	661	494	582	595·8	526
Females - -	527	555	594	609	518	514	566	502	496	543	536·7	457

* The numbers in this column are the average weekly numbers in the Twenty-Fifth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

ABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	13 Weeks.
OTAL **Births** -	2312	2420	2372	2334	2372	2229	2529	1610	2697	2434	2243	2424	2260	30236
OTAL **Deaths** -	1354	1377	1387	1226	1217	1167	1299	1062	1107	1036	984	993	983	15242
es Under 1 year -	236	260	218	233	230	210	243	212	224	199	183	162	177	2787
1—5 years -	141	120	146	115	125	126	134	129	124	110	102	119	97	1588
5—20 " -	72	67	74	59	67	63	79	61	54	59	65	58	57	835
th 20—40 " -	161	165	170	148	141	135	151	117	145	136	119	124	134	1846
40—60 " -	280	310	277	269	265	244	281	229	240	235	219	218	226	3293
60 yrs. & upwds.	464	455	502	402	389	389	411	314	320	347	296	312	292	4893
aths from—														
mall-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ieasles - - -	22	33	46	27	33	40	55	48	50	51	47	47	35	534
carlet Fever - -	2	4	5	6	-	6	3	4	3	6	5	3	3	50
Diphtheria - -	8	6	8	5	6	6	11	8	2	5	5	7	2	79
Whooping-cough -	51	45	41	38	42	46	32	42	36	29	23	32	25	482
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	2	8	3	2	1	2	1	2	1	3	1	1	30
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Diarrhœa, Dysentery	9	11	9	10	8	11	15	14	15	21	8	23	11	165
All above diseases -	95	101	117	89	91	110	118	117	108	113	91	113	78	1341
Dis. of Resp. System	158	131	137	119	103	83	116	81	64	64	55	42	55	1208
Pneumonia - -	152	150	175	158	141	128	117	114	98	110	82	52	74	1551
Phthisis - - -	118	132	113	112	102	116	121	99	90	104	81	97	87	1372
Dis. of Circ. System -	193	219	183	181	178	148	173	143	127	145	154	153	144	2141
Violence - - -	58	46	64	52	46	60	48	58	57	49	56	48	49	691
Quest Cases - -	144	133	129	132	141	130	120	130	130	106	118	109	101	1623
Deaths in Institutions	566	575	577	550	550	536	576	423	477	498	430	464	464	6686
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	41·9	42·8	48·8	49·3	45·4	46·3	47·5	58·9	57·8	56·9	62·2	58·8	62·3	52 2
Mean of Highest -	52·0	51·7	58·7	57·7	55·5	55·6	58·3	69·8	69·1	67 6	72·0	69·9	75·0	62·5
Mean of Lowest -	32·8	34·7	42·1	42·0	37·8	39·4	38·8	51·2	49·2	49·0	55·3	45·8	53 0	44·2
Mean Humidity of the Air.	74	79	79	82	73	77	76	84	75	77	88	77	75	78
Rain-fall (in inches) -	0·00	0·11	1·86	0·23	0·43	0·74	0·42	0·89	0·08	0·27	0·44	0·01	1·11	6·59
Registered Sunshine (in hours).	46·8	24·2	29·1	8·3	50·1	44·6	53·8	49·2	60·2	56·8	28·4	52·7	52·3	536·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1611	1554	1535	1510	1509	1506	1476	1476	1445	1461	1401	1363	1353‡	1477
Diphtheria - - -	856	848	816	812	798	784	775	753	742	728	753	729	711	777
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	85	81	81	69	66	62	62	58	60	61	53	54	48	65

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4. ‡ Includes one mother with infant.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their eteorological observations at the disposal of the Registrar-General, and the results have been compiled the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns aser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell. Esq., gbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., ttingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; os. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, q., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull : the Meteorological Committee, Tynemouth ; and Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FIFTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 25th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1132·5	983	177	97	57	134	226	292
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	44·8	35	9	25	1	-	-	-
Scarlet Fever	9·0	3	1	1	1	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	7·6	2	-	-	-	1	-	1
Whooping-cough	24·0	25	12	12	1	-	-	-
Diphtheria	8·2	2	-	-	2	-	-	-
Cerebro-spinal Fever ..	-	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	1	-	-	1	-	-	-
Enteric Fever	3·3	1	-	-	-	-	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	8·6	2	2	-	-	-	-	-
Diarrhœa, Dysentery ..	8·0	9	4	3	-	-	2	-
Tetanus	0·2	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	4·9	8	6	-	-	-	2	-
Puerperal Septicæmia ..	2·3	2	-	-	-	-	2	-
Puerperal Pyæmia.. .	-	-	-	-	-	-	-	-
Puerperal Fever	0·6	-	-	-	-	-	-	-
Infective Endocarditis ..	3·3	2	-	-	-	2	-	-
Pneumonia: Lobar ..	14·5	11	-	2	-	4	5	-
Pneumonia: Broncho ..	32·8	35	13	14	-	3	1	4
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	38·9	28	2	2	4	3	10	7
Erysipelas	5·7	3	2	-	-	-	1	-
Septicæmia (not Puerperal)	1·6	1	1	-	-	-	-	-
Pyæmia (not Puerperal)	0·4	-	-	-	-	-	-	-
Other Infective Processes	2·0	-	-	-	-	-	-	-
Tuberculous Phthisis ..	75·2	54	-	1	6	28	15	4
"*Phthisis*"	37·5	33	-	-	2	19	10	2
Tuberculous Meningitis ..	21·7	21	5	11	4	1	-	-
Tuberculous Peritonitis ..	6·8	5	2	1	2	-	-	-
Tabes Mesenterica	0·8	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	19·0	13	3	1	2	2	4	1
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	9·0	6	-	-	-	3	2	1
Rheumatic Fever	5·7	2	-	-	-	1	-	1
Gout	0·4	2	-	-	-	-	1	1
Carcinoma	62·3	64	-	-	-	2	21	41
Sarcoma	7·4	3	-	-	-	-	1	2
Cancer (undefined) ..	33·6	28	-	-	-	4	12	12
Diabetes Mellitus	9·2	15	-	-	-	3	9	3
Premature Birth	36·2	27	27	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 25th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·9	14	6	4	-	1	3	-
Gen. Par. of Insane, Insanity	10·6	6	-	-	-	-	4	-
Epilepsy	4·5	5	-	1	-	2	2	-
Convulsions	13·1	8	5	2	1	-	-	-
Locomotor Ataxy.. ..	1·2	3	-	-	-	-	2	-
Paraplegia, Dis. of Cord.	4·3	5	1	1	-	-	3	-
Nervous Sys., Other Dis.	12·9	12	-	-	1	-	5	-
Valv. Dis., Endocarditis..	43·8	40	-	-	4	4	11	2
Cereb. Hæm. Cereb. Emb.	31·3	29	-	-	1	-	11	1
Apoplexy, Hemiplegia ..	11·3	5	-	-	-	-	2	-
Aneurysm	5·9	4	-	-	-	1	2	-
Embolism, Thrombosis (not Cerebral) ..	0·8	1	-	-	-	1	-	-
Heart & Blood Ves., Other Dis... ..	66·8	65	-	-	2	9	9	4
Croup (not Spasm: nor Memb.)	-	-	-	-	-	-	-	-
Bronchitis	47·5	37	10	2	1	1	10	1
Emphysema, Asthma ..	1·4	2	-	-	-	1	-	-
Pleurisy	2·7	8	1	1	-	3	-	-
Respiratory Dis., Other..	7·0	8	-	-	-	2	3	-
Tonsillitis, Quinsy.. ..	1·0	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	13·1	10	8	1	-	-	-	-
Gastro-enteritis	5·1	6	5	1	-	-	-	-
Peritonitis (not Puerp.) ..	2·0	6	-	1	-	-	4	-
Cirrhosis of Liver.. ..	10·4	10	-	-	-	1	6	-
Liver Dis., Other	5·7	3	-	-	-	-	3	-
Digestive Sys., Other Dis.	36·2	41	3	-	8	13	8	-
Acute Nephritis	7·0	8	-	1	-	2	3	-
Bright's Dis., Albuminuria	35·2	33	-	1	-	4	13	1
Urinary Sys., Other Dis.	11·1	10	-	-	-	2	1	-
Generative Organs Dis...	4·3	5	-	-	-	-	4	-
Childbirth (Accid. of) ..	2·9	2	-	-	-	1	1	-
Old Age	42·8	41	-	-	-	-	-	4
Other Diseases	82·3	63	38	4	4	2	4	1
ACCIDENT.								
By Railways	1·0	1	-	-	-	-	1	-
By Vehicles and Horses..	6·3	5	-	-	1	1	3	-
In Ships, Boats, Docks, (exclusive of Drowning)	-	-	-	-	-	-	-	-
In Building Operations..	0·4	1	-	-	-	-	1	-
In Conflagrations	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	3·3	4	-	3	1	-	-	-
By Drowning	5·9	8	-	-	5	-	2	-
By Suffocation in Bed ..	6·1	4	4	-	-	-	-	-
By Poisons or Poisonous Vapours	1·4	4	1	-	1	2	-	-
Other Deaths by Accident..	12·3	11	5	1	1	1	1	-
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	-	-	-	-	-	-	-
Suicide	10·4	11	-	-	-	4	5	-
Execution	0·2	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

E 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from MALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, IARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended aturday, 25th June, 1910.

ISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2260	983	177	292	-	35	3	2	25	1	11	87	49	101	464	-
EST DISTRICTS	805,311	310	168	32	47	-	3	1	-	3	-	1	16	9	16	84	-
ORTH DISTRICTS	1,055,908	483	215	28	77	-	4	1	1	6	1	2	22	11	20	107	-
ENTRAL DISTRICTS	209,465	94	54	11	5	-	2	-	-	2	-	2	4	2	6	33	-
AST DISTRICTS	715,739	410	162	42	38	-	6	-	-	7	-	2	8	11	24	90	-
OUTH DISTRICTS	1,749,844	963	356	64	116	-	20	1	1	7	-	4	33	15	34	122	-
ETROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	28	-	9	-	-	-	-	-	-	-	4	1	1	28	-
WEST DISTRICTS.																	
n Paddington *H*	63,603	31	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
al Paddington *W,3H*	50,053	19	15	3	1	-	-	-	-	-	-	1	-	3	5	13	-
n Paddington	30,320	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ington South† *W,3H*	85,610	13	18	1	8	-	-	-	-	-	-	-	4	-	-	9	-
ington Central† *W,H*	42,774	10	7	1	2	-	-	-	-	-	-	-	1	1	1	1	-
ington North† *w*	48,244	20	11	3	3	-	-	-	-	-	-	-	2	-	-	3	-
n Hammersmith *2W,w,H* ..	49,192	33	9	2	4	-	-	-	-	-	-	-	1	1	2	4	-
n Hammersmith *w,2H* ..	63,047	22	20	4	5	-	-	-	-	-	-	-	-	2	3	10	-
n-west Fulham *W*	45,180	36	17	6	4	-	-	-	-	1	-	-	1	-	-	12	-
n-east Fulham *F*	46,405	23	3	-	1	-	-	1	-	-	-	-	-	-	1	1	-
n Fulham *W*	45,704	23	7	2	-	-	3	-	-	-	-	-	-	-	-	-	-
ea North *W,w,3H*	42,514	13	20	2	9	-	-	-	-	1	-	-	4	-	1	15	-
ea South *W,2H*	31,328	21	10	1	4	-	-	-	-	1	-	-	-	-	1	4	-
air and Knightsbridge	28,743	3	3	-	2	-	-	-	-	-	-	-	1	1	1	-	-
ave *W,2H*	55,815	19	13	4	-	-	-	-	-	-	-	-	1	-	-	8	-
argaret & St. John *6H*	43,698	11	6	2	2	-	-	-	-	-	-	-	-	1	1	3	-
mes and St. Anne *W,6H* ..	33,081	10	3	-	1	-	-	-	-	-	-	-	1	-	-	1	-
NORTH DISTRICTS.																	
uls Marylebone *7H*	35,391	13	11	1	3	-	-	-	-	-	-	-	1	1	1	6	-
ary Marylebone *W,4H* ..	37,948	44	7	-	3	-	-	-	-	-	-	-	-	-	-	3	-
Church Marylebone *H* ..	39,536	14	5	-	2	-	-	-	-	-	-	-	1	-	-	1	-
hn Marylebone *2H*	20,426	6	6	-	3	-	-	-	-	-	-	-	1	-	1	1	-
ostead *W,F,6H*	81,942	32	25	1	6	-	-	-	-	1	-	-	6	2	2	12	-
St. Pancras *2H*	60,562	20	12	1	8	-	-	-	-	1	-	-	1	3	5	4	-
n St. Pancras *w,10H*	55,707	20	24	5	7	-	-	-	-	-	-	-	1	1	3	17	-
St. Pancras *W,H*	60,320	27	13	-	8	-	-	-	-	1	-	-	1	-	-	7	-
n St. Pancras *2W*	58,728	23	11	2	2	-	-	-	-	1	-	-	2	1	1	6	-
ell *W*	31,995	14	15	2	9	-	-	-	-	1	-	1	1	-	-	12	-
r Holloway *2W,w,H*	33,978	16	17	5	3	-	-	-	-	-	1	-	3	-	-	14	-
gton *W,w,H*	33,922	9	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
r Holloway	41,424	22	6	1	1	-	-	-	-	-	-	-	1	-	-	-	-
bury	54,478	30	6	1	1	-	-	-	-	1	-	-	-	1	1	-	-
ton South-east *F*	75,397	31	3	-	3	-	-	-	-	-	-	-	-	-	1	-	-
bury *2H*	63,797	24	7	3	1	-	-	-	-	-	-	-	1	1	2	1	-
Newington *H*	51,247	17	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Hackney	50,398	18	6	-	4	-	-	-	-	-	-	1	-	-	1	-	-
al Hackney *2w,F*	50,536	25	4	1	1	-	-	1	1	-	-	-	-	-	-	3	-
-west Hackney *3H*	59,921	38	11	2	3	-	1	-	-	-	-	-	-	-	1	7	-
-east Hackney *2W,w,H* ..	58,255	40	17	1	7	-	3	-	-	-	-	-	1	1	1	13	-
ey Union Workhouse, Brent-d	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

E.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, ly: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other cts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a istrict contains more than one institution of the same kind, the number is indicated by a figure prefixed to the .

e also note * on first page of this return.

n 1st May, 1910, the sub-district of Kensington Town was abolished, part being added to the sub-district of pton (re-named Kensington South), and the remainder forming the new sub-districts of Kensington Central and ington North.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, a from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVE DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturd 25th June, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	16	3	2	1	-	-	-	-	-	-	-	-	-	-	2
Strand *W*,4*H*	21,674	1	15	-	2	-	-	-	-	-	-	-	1	2	2	15
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	10	8	3	-	-	-	-	-	-	-	-	1	-	1	5
Clerkenwell *H*	63,704	26	8	3	-	-	-	-	-	2	-	-	-	-	1	-
St. Luke 3*H*,*L*	36,116	36	8	3	-	-	2	-	-	-	-	1	1	-	2	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	11	-	1	-	-	-	-	-	-	1	1	-	-	10
City of London Asylum, Stone	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	15	7	3	-	-	-	-	-	1	-	-	-	1	3	1
Shoreditch North-West *W*,*w*,*H* ..	36,127	30	20	2	7	-	1	-	-	1	-	-	1	1	6	14
Shoreditch North-East	36,148	17	3	1	1	-	-	-	-	-	-	-	-	-	1	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	45	25	8	4	-	-	-	-	1	-	-	1	2	3	19
Bethnal Green South-West *H* ..	64,542	38	7	3	2	-	2	-	-	-	-	-	1	1	1	-
Spitalfields..	27,969	10	2	-	-	-	1	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	25	29	6	5	-	-	-	-	-	-	1	1	3	4	28
Goodman's Fields	22,081	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	28	5	3	1	-	-	-	-	-	-	-	-	-	-	3
Shadwell and Ratcliff *w*,*H* ..	25,568	12	13	7	1	-	-	-	-	2	-	1	2	-	-	9
Limehouse *W*	32,369	14	4	3	-	-	1	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	57	9	-	6	-	-	-	-	-	-	-	1	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	21	9	1	1	-	1	-	-	1	-	-	-	1	1	4
Bow	41,989	28	5	2	-	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	30	15	3	6	-	-	-	-	1	-	-	-	2	3	9
Poplar *W*,*w*	58,514	31	6	-	2	-	-	-	-	-	-	-	1	-	2	2
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1

E 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and rom SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, IARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th June, 1910.

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
istchurch and St. Saviour uthwark *W,2H*	23,319	13	13	1	3	-	1	-	-	-	-	-	1	-	1	12	-
it-road	21,904	12	4	2	-	-	-	-	-	-	-	-	-	-	2	-	-
George the Martyr West *7,2H,L*	39,094	28	8	4	2	-	1	-	-	-	-	-	1	-	-	4	-
wington North	49,022	22	4	1	-	-	1	-	-	1	-	-	1	-	-	-	-
wington South *W*	72,841	56	11	4	2	-	2	-	-	1	-	1	1	1	1	-	-
Olave *2W*	9,817	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mondsey *W*	82,483	51	13	3	5	-	1	1	-	-	-	1	1	1	1	-	-
therhithe *W,F*	38,460	16	12	1	5	-	-	-	-	-	-	-	2	-	1	8	-
terloo *2H*	27,440	27	3	-	1	-	-	-	-	-	-	-	1	-	-	1	-
mbeth Church *H*	27,440	17	15	2	4	-	-	-	-	1	-	-	1	2	2	8	-
nington *2W*	52,518	22	15	2	5	-	-	-	-	-	-	-	1	-	1	9	-
ckwell *HF*	63,826	33	8	-	3	-	3	-	-	-	-	-	1	-	-	2	-
xton *H*	73,673	27	8	1	2	-	-	-	-	-	-	-	-	1	2	3	-
rwood *2WH*	56,998	19	10	1	5	-	-	-	-	-	-	-	-	-	-	-	-
st Battersea *H*	72,203	35	9	2	1	-	1	-	-	-	-	-	-	1	2	-	-
rth-west Battersea	49,656	35	3	-	1	-	-	-	-	-	-	-	1	1	1	-	-
rth-west Battersea *2W,H* ..	47,048	23	13	-	7	-	-	-	-	1	-	-	4	1	2	10	-
pham *2H*	51,361	23	11	1	4	-	-	-	-	-	-	-	1	-	1	3	-
eatham *W,2w,2F,2L*	88,019	57	29	4	13	-	1	-	-	-	-	1	1	-	2	10	-
ingfield *2W,L*	27,959	24	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-
thfields *H*	40,444	22	12	3	6	-	-	-	-	-	-	-	1	-	2	1	-
ney	24,139	12	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
lwich	13,359	7	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
nberwell South *W,w*	40,206	26	26	4	10	-	1	-	-	-	-	1	3	-	-	18	-
nberwell North *W,2L*	65,584	38	23	1	10	-	4	-	-	-	-	-	-	1	2	13	-
George	47,331	23	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
kham North	48,913	30	6	2	1	-	1	-	-	-	-	-	1	-	2	-	-
kham South *2W,w*	43,946	23	4	2	-	-	-	-	-	1	-	-	1	-	-	-	-
ptford North	37,613	28	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-
ptford Central *F*	45,481	23	7	2	2	-	-	-	1	-	-	-	1	-	-	1	-
ptford South	34,625	12	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-
enwich West *H*	23,456	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
enwich East *2W,H*	43,859	21	16	3	4	-	1	-	-	1	-	-	2	1	1	11	-
ham *w,H*	7,226	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
w,H	25,490	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
wisham *2W,w,F*	58,352	32	10	5	3	-	-	-	-	1	-	-	1	2	3	3	-
denham *H*	43,653	26	5	2	1	-	-	-	-	-	-	-	1	-	-	-	-
arlton *F,2H*	21,134	9	5	-	3	-	-	-	-	-	-	-	1	-	-	-	-
olwich *5H*	41,625	21	9	2	1	-	-	-	-	-	-	-	-	1	3	1	-
mstead West *W,H*	39,376	18	9	2	3	-	1	-	-	-	-	-	-	-	-	-	-
mstead East *2W*	28,951	13	6	-	1	-	-	-	-	-	-	-	-	1	1	4	-
rkhouses :—																	
elmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
entral London Sick Asylum ..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westminster, St. Giles, and trand Unions.)																	
A. B. Small-pox Hospitals:—																	
ong Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
yce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A. B. Fever Hospitals :—																	
ore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orth-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orthern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A. B. Children's Hospital:—																	
ildren's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A. B. Imbecile Asylums:—																	
aterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
arenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eavesden	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
ndon County Lunatic Asylums:—																	
anstead	—	-	4	-	-	-	-	-	-	-	-	-	2	1	1	4	-
well (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orton	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-
anor	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
ong Grove	—	-	5	-	3	-	-	-	-	-	-	-	1	-	-	5	-
ane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
artford Heath	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
anwell	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olney Hatch	—	-	6	-	2	-	-	-	-	-	-	-	1	-	-	6	-
aybury	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boa Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERAT POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 25th June, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1256	420	66	140	-	9	2	-	11	-	4	24	38	87
31 : 1	Carshalton 2F,3H	12,228	32,997	24	4	1	1	-	-	-	-	1	-	-	1	1	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	9	6	1	1	-	-	-	-	-	-	1	-	-	3
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	7	-	-	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	17	5	1	1	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	39	14	1	4	-	-	-	-	-	-	-	1	1	6
4	North Croydon H	2,644	41,698	26	6	1	2	-	-	-	-	-	-	-	-	-	1
5	Penge w	770	22,465	14	5	1	3	-	-	-	-	1	-	-	-	-	-
6	Mitcham w	11,711	30,015	33	9	1	3	-	-	-	-	-	-	-	-	1	-
40 : 1	Wimbledon F,3H	3,221	41,652	26	7	1	2	-	-	-	-	1	-	-	-	-	1
2	Kingston 2W,H	6,224	42,068	22	9	-	4	-	-	-	-	-	-	-	2	2	5
3	Surbiton F,H	3,046	15,017	7	4	1	-	-	-	-	-	-	-	-	-	-	1
4	Esher, *part of** H	5,402	13,100	4	4	1	1	-	-	-	-	-	-	-	1	1	-
5	Hampton H,F,L	4,564	23,456	17	3	-	1	-	-	-	-	-	-	-	-	-	-
41 : 1	Richmond W,H	2,491	31,672	12	6	1	5	-	-	-	-	-	-	-	-	-	1
2	Mortlake F	2,518	17,821	14	5	3	2	-	-	-	-	-	-	1	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	14	2	1	-	-	-	-	-	-	-	-	1	1	-
2	Beckenham H	7,832	28,454	8	4	-	3	-	-	-	-	-	-	-	-	-	1
3	Orpington, *part of** W,F ..	10,113	9,857	6	2	1	-	-	-	-	-	-	-	-	-	-	1
4	Chislehurst 2H	7,333	16,446	9	2	-	1	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	10	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,354	25,296	9	2	1	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
126 : 1	Sunbury w	11,054	18,683	9	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	7	5	-	2	-	-	-	-	-	-	-	-	-	-
127 : 1	Hillingdon W,F,H	8,035	13,661	6	3	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	3	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,666	16,358	19	5	2	2	-	1	-	-	-	-	-	1	1	5
128 : 1	Isleworth 3W,3F,H	6,859	30,863	24	13	1	5	-	-	-	-	-	-	-	-	-	-
2	Twickenham F,2H	2,421	20,991	17	14	3	5	-	1	-	-	1	-	-	2	1	-
3	Brentford 3F,2H	4,312	48,289	31	11	3	2	-	-	-	-	-	-	-	-	1	-
4	Chiswick H	1,249	29,809	19	5	1	2	-	-	-	-	1	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	34	15	3	5	-	-	-	-	1	-	1	2	2	2
129 : 1	Willesden W,F,2H	4,384	114,811	71	20	2	4	-	-	-	-	-	-	-	-	-	6
130 : 1	Harrow F,H	13,209	25,523	25	4	1	2	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	21	3	1	1	-	-	-	-	-	-	-	-	-	1
131 : 1	South Mimms 2F,H ..	17,755	7,308	3	2	-	1	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,979	10	3	-	2	-	-	-	-	-	-	-	-	-	2
3	Finchley F,3H	4,638	33,692	17	4	1	2	-	-	-	-	-	-	-	-	-	-
132 : 1	Hornsey F,H	2,875	72,056	17	10	-	4	-	-	1	-	-	-	-	-	1	1
2	Wood Green H	1,625	34,233	19	8	1	4	-	-	-	-	1	-	-	-	-	-
3	West Tottenham	995	48,741	35	5	2	1	-	-	-	-	-	-	-	1	2	-
4	East Tottenham 2H ..	2,919	53,962	43	16	2	7	-	-	-	-	1	-	-	1	1	3
5	Edmonton W,w,2F	7,491	61,892	46	15	1	6	-	-	-	-	1	-	1	-	1	6
6	Enfield 2W,F,H	12,601	42,738	19	6	-	2	-	-	-	-	-	-	-	-	1	3
7	Waltham Abbey F	11,017	6,549	3	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	7	2	-	1	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** H ..	9,195	7,051	3	3	1	1	-	-	-	-	-	-	-	2	2	-
2	Watford, *part of** W,2F ..	138	2,122	2	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	22	13	4	1	-	3	-	-	-	-	-	1	2	3
2	Forest Gate	787	52,745	17	6	2	1	-	-	-	-	-	-	-	1	1	-
3	Plaistow F,2H	1,249	90,921	64	18	5	5	-	-	-	-	-	-	-	1	4	1
4	Canning Town H	1,556	70,718	61	13	2	4	-	-	-	-	-	-	-	2	2	1
5	South East Ham 2F ..	1,991	37,342	34	7	-	1	-	-	-	-	-	-	-	2	2	-
6	North East Ham w,H ..	1,333	58,666	28	11	2	5	-	-	-	-	-	-	-	-	1	-
7	Wanstead F	1,679	9,179	1	2	-	1	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	32	7	1	4	-	1	-	-	-	-	-	-	-	4
9	North Leyton 2W,w,F ..	1,963	48,445	36	30	1	9	-	2	-	-	1	-	-	-	1	20
10	Walthamstow 2H,L ..	6,504	108,929	57	16	3	4	-	-	-	-	-	-	-	1	4	-
189 : 1	Chigwell 2F,3H	11,778	16,397	11	3	-	-	-	-	-	-	-	-	-	1	1	1
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	1	2	2	-	-	-	-	-	1	-	-	-	-	-
2	Ilford F,L	8,496	41,244	35	9	1	4	-	-	-	-	-	-	-	-	-	2
3	Barking Town F	3,805	21,547	15	5	-	2	-	1	1	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Herts County Lunatic Asylum, Hill End.	—	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esher parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting the part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
NDON* - -	4,872,702	June	25	2260	983	10·5	-	35	3	2	25	1	22
LCUTTA - -	1,009,008	May	28	-	318	19·6	-	1	-	1	-	6	9
MBAY - -	977,822	June	7	333	642	34·1	18	2	-	-	-	5	43
ADRAS - -	509,346	May	27	375	359	36·6	-	2	?	?	?	-	28
RIS* - -	2,772,467	June	18	887	824	15·6	-	23	2	6	11	2	18
USSELS* - -	720,030	"	18	209	179	12·9	-	-	-	-	-	2	17
TWERP* - -	317,171	"	18	109	77	12·7	-	6	-	1	1	-	8
STERDAM* -	570,149	"	11	254	143	13·1	-	2	-	1	2	1	6
PENHAGEN -	450,000	"	18	222	146	16·9	-	2	4	-	2	-	9
OCKHOLM -	341,816	"	11	179	100	15·2	-	1	1	-	-	-	4
RISTIANIA -	240,178	"	18	109	70	15·2	-	-	-	-	-	-	7
PETERSBURG	1,620,000	May	28	992	1006	32·4	8	74	9	14	5	10	66
SCOW - -	1,493,600	June	4	-	766	26·7	3	16	8	22	4	1	179
RLIN - -	2,119,607	"	4	791	580	14·3	-	15	10	10	2	1	44
MBURG - -	895,804	"	18	-	278	16·1	-	4	3	3	4	1	41
ESLAU - -	507,500	"	11	282	219	22·5	-	-	1	1	4	1	45
NICH - -	576,000	"	11	-	192	17·3	-	1	-	3	2	-	22
NNA* - -	2,107,981	"	18	832	590	14·6	-	23	4	-	1	-	46
AGUE* - -	497,905	May	28	187	177	18·5	-	2	1	2	-	1	12
DAPEST* -	833,703	June	11	419	285	17·7	-	7	6	6	-	1	18
ESTE* - -	221,124	"	18	145	84	19·8	-	2	-	-	4	1	4
ME - - -	587,096	April	30	286	246	21·9	-	23	4	9	2	2	14
NICE - -	183,224	May	21	78	69	19·6	-	-	-	1	-	-	4
UAREST - -	297,643	April	30	149	176	30·8	-	3	2	2	4	1	11
W YORK* -	4,711,956	June	4	2350	1348	14·9	1	21	21	40	5	7	57
CAGO* - -	2,282,927	"	4	-	581	13·3	1	4	8	10	3	2	38
LADELPHIA*	1,598,400	April	16	-	-	-	-	-	-	-	-	-	-
DE JANEIRO	842,822	May	22	-	371	23·0	-	2	-	-	-	1	?
RO:—*													
gyptians -	616,183	"	27	582	590	49·8	2	29	-	2	-	6	143
reigners -	61,480	"	27	10	16	13·5	-	1	-	-	-	2	3
XANDRIA:—*													
gyptians -	317,454	"	27	233	254	41·6	4	24	1	-	-	4	58
reigners -	67,966	"	27	4	14	10·7	-	-	-	-	-	1	5

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to dren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 46 deaths from *plague* in Calcutta, 83 in Bombay, and 1 in Rio de Janeiro, and from *Asiatic cholera*, 40 ths in Calcutta and 1 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 25th June, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
DON (Greenwich)	82·2	50·1	64·0	1·11	BRADFORD - -	75·7	46·5	59·3	2·08
HTON - -	73·0	49·2	59·7	0·41	YORK - - -	79·0	48·0	61·2	0·93
SMOUTH - -	73·7	48·5	61·2	0·42	HULL - - -	79·0	50·0	61·6	1·98
WICH - -	79·0	48·4	61·6	0·97	TYNEMOUTH - -	69·0	48·0	56·9	0·39
OUTH - .	75·8	50·4	59·3	0·82	CARDIFF - - -	76·8	49·2	60·2	0·73
TOL - - -	79·0	49·0	60·6	1·19	EDINBURGH - -	68·3	49·0	57·1	0·50
INGHAM - -	79·1	49·0	62·1	0·46	GLASGOW - -	71·4	46·5	60·1	2·40
INGHAM - -	80·0	49·0	61·8	0·66	DUBLIN Phœnix Park.	74·0	46·9	58·1	1·29
RPOOL OBSERVATORY.	77·0	51·0	60·7	0·66	DUBLIN Fitz-william Square.†	73·6	52·0	59·6	2·04
CHESTER -	78·4	48·8	61·0	0·84					
ILEY - -	73·4	44·0	58·7	0·78					
DERSFIELD -	78·0	48·2	59·9	2·58	BELFAST - - -	73·5	47·0	59·2	1·94

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The section applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the e was 1·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 25th June, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
JUNE.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 19	..	30·098	81·9	50·1	31·8	66·9	+ 7·4	50·9	16·0	28·4	0·8	57	134·6	39·4	58·18	SW., calm & variable	SW.	0·5	0·0	0·0	146	− 94	0·00	0·0
MONDAY - 20	..	29·960	82·2	52·0	30·2	68·6	+ 8·7	53·1	15·5	27·0	1·8	58	140·2	41·2	58·63	SW., calm & SSE.	S., SSE. & ESE.	1·5	0·0	0·1	166	− 75	0·00	0·8
TUESDAY - 21	..	29·685	80·0	58·1	21·9	66·6	+ 6·3	55·4	11·2	25·7	3·8	67	144·5	50·0	59·04	SE., S. & SW.	SW., WSW. & W.	1·7	0·0	0·1	258	+ 18	0·00	6·2
WEDNESDAY 22	Full	29·671	72·4	52·7	19·7	60·2	− 0·4	51·7	8·5	20·0	2·4	74	131·1	42·2	59·56	WSW. & SW.	SW. & W.	2·9	0·0	0·1	250	+ 10	0·00	8·7
THURSDAY - 23	Greatest Dec. S.	29·683	70·0	51·1	18·9	58·4	− 2·5	52·7	5·7	15·5	2·0	82	126·5	41·0	59·91	SSW., SW. & WSW.	SW. & WSW.	4·0	0·0	0·2	285	+ 45	0·20	3·6
FRIDAY - 24	..	29·454	70·7	54·1	16·6	58·6	− 2·6	56·7	1·9	13·1	1·0	94	127·9	49·8	59·85	SSW., SSE. & SW.	SW.	3·7	0·0	0·1	272	+ 31	0·14	15·4
SATURDAY - 25	..	29·297	67·9	52·6	15·3	56·5	− 4·9	54·6	1·9	14·0	0·0	93	133·0	47·1	59·74	SW. & WSW.	SW. & variable.	3·4	0·0	0·1	236	− 6	0·77	5·3
MEANS - -		29·693	75·0	53·0	22·1	62·3	+ 1·7	53·6	8·7	20·5	1·7	75	134·0	44·4	59·28	SW.		..	..	..	Sum 1613	Sum − 71	Sum 1·11	5·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 19	w. P. throughout.	14·9	16·6	Nearly cloudless; very fine and warm.
MONDAY - 20	w. P. throughout.	15·1	16·6	Cloudless with slight exceptions; a very fine, hot day.
TUESDAY - 21	w. P. generally.	6·6	16·6	Generally overcast till shortly after 10h. A.M.; fine and warm with variable amounts of cloud till evening; nearly overcast after 8h. 30m. P.M.
WEDNESDAY 22	w. P. generally; v. P. and s. N. between 2h. and 4h. P.M.	4·1	16·6	Generally overcast till noon: fine and partially cloudy afterwards with occasional light showers in afternoon; lightning and thunder at and about 2h. P.M. and distant thunder at intervals till 4h. P.M. Solar halo observed between 9h. A.M. and noon.
THURSDAY - 23	w. P. generally; v. P. and v. N. from noon to 6h. P.M.	5·6	16·6	Fine and variably cloudy; showers at 7h. 50m. A.M., 0h. 15m. P.M. and 2h. 20m. P.M.; occasional distant thunder between 2h and 3h. P.M.
FRIDAY - 24	w. P. generally; m. N. at 2h. 30m. P.M.	3·6	16·6	Generally overcast; fine intervals in afternoon and evening; rain between 3h. and 9h. A.M. followed by occasional showers till 3h. P.M. Solar halo observed at 5h. P.M.
SATURDAY - 25	w. P. till 10h. A.M.; s. P. and s. N. till 2h. P.M.; w. P. afterwards.	2·4	16·6	Variably cloudy with occasional slight rain till 10h. A.M.; generally overcast afterwards with frequent heavy showers accompanied by lightning and thunder till 5h. 30m. P.M.
		Sum 52·3	Sum 116·2	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·17 in. at the beginning of the week to 29·63 in. by 5h. P.M. on the 22nd; increased to 29·70 in. by 3h. P.M. on the 23rd; decreased to 29·27 in. by 8h. P.M. on the 25th; and was 29·29 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 18th June, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	2	1	-	-	-	-	1	-	1
Kensington	184,635	-	1	3	-	1	-	-	5	-	-
Hammersmith	127,413	-	10	3	-	-	-	-	-	-	-
Fulham	181,282	-	4	5	-	1	-	-	3	1	-
Chelsea	75,457	-	1	2	-	-	-	-	1	-	
City of Westminster ..	167,233	-	2	3	-	3	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	3	1	-	-	-	-	1	-	-
Hampstead	95,729	-	1	-	-	-	-	-	2	-	-
St. Pancras	237,792	-	11	4	-	2	-	-	4	-	-
Islington	353,356	-	12	6	-	2	-	-	6	-	-
Stoke Newington	54,838	-	1	-	-	-	-	-	-	-	-
Hackney	239,979	-	8	3	-	-	-	-	2	-	-
CENTRAL.											
Holborn	53,142	-	1	-	-	-	-	-	1	-	-
Finsbury	94,578	-	2	3	-	-	-	-	3	-	-
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	5	5	-	-	-	-	4	-	-
Bethnal Green	131,579	-	5	2	-	-	-	-	6	-	-
Stepney	314,379	-	12	10	-	1	-	-	5	1	-
Poplar	172,432	-	12	3	-	1	-	-	3	-	-
SOUTH.											
Southwark	211,832	-	5	9	-	-	-	-	2	-	-
Bermondsey	127,238	-	8	2	-	-	-	-	2	-	2
Lambeth	327,074	-	18	2	-	1	-	-	2	-	-
Battersea	188,222	-	10	5	-	-	-	-	5	-	-
Wandsworth	305,838	-	14	7	-	2	-	-	1	-	-
Camberwell	286,058	-	5	3	-	-	-	-	6	-	-
Deptford	119,642	-	7	-	-	-	-	-	3	-	-
Greenwich	112,935	-	2	1	-	-	-	-	2	-	-
Lewisham	164,899	-	7	3	-	-	-	-	1	-	-
Woolwich	135,422	-	3	4	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	172	99	-	14	-	-	73	2	3
Ages 0-1		-	1	2	-	-	-	-	1	-	1
" 1-5		-	57	41	-	-	-	-	3	-	1
" 5-		-	78	29	-	-	-	-	4	-	-
" 10-		-	19	9	-	5	-	-	2	-	-
" 15-		-	4	-	-	2	-	-	5	-	1
" 20-		-	6	3	-	2	-	-	4	1	-
" 25-		-	7	1	-	4	-	-	10	-	-
" 35-		-	-	3	-	1	-	-	16	1	-
" 45-		-	-	2	-	-	-	-	11	-	-
" 55-		-	-	-	-	-	-	-	6	-	-
" 65 and upwards		-	-	-	-	-	-	-	11	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns relating to Metropolitan Water London.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of May, 1910. The supply was in the ratio of 206 gallons to one service. The area of supply of the Metropolitan Water Board is much more extensive than that of the Administrative County of London, the Water Board's statutory area of supply being over 537 sq. miles, as against 117 sq. miles of the County.*

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	May, 1909.	May, 1910.	May, 1909.	May, 1910.
Total - - - - - -	1,090,588*	1,090,617*	239,336,682*	225,008,800*
New River - - - - - - -	215,103	217,219	45,215,593	43,843,300
Eastern - - - - - - -	244,712	247,269	46,174,452	45,496,100
Western { Chelsea, Grand Junction, West Middlesex } - -	223,296	225,287	59,660,464	57,867,600
Southern { Lambeth - - - Southwark and Vauxhall }	287,831*	280,195*	66,767,289*	57,498,300*
Kent - - - - - - - -	119,646	120,647	21,518,884	20,303,500

* The figures for May, 1910, are exclusive of bulk supply to the Cheshunt Urban District Council and the Corporations of Croydon and Richmond and of services under their control. Those for May, 1909, however, include supply and services in Croydon and Richmond but not in Cheshunt. The figures marked with an asterisk are, therefore, not strictly comparable.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 26. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, JULY 2. [Price 1½*d.*

General Register Office, Somerset House,
July 4th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 11·0 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 11·4, 11·1, and 11·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 16·0 in Liverpool, 16·1 in Middlesbrough, 16·2 in St. Helens, 17·1 in Huddersfield, 18·1 in Oldham, 19·2 in Warrington, and 21·3 in Tynemouth; from *measles*, 1·2 in Liverpool, 1·7 in Preston, 1·8 in Oldham, 2·0 in Merthyr Tydfil, and 3·3 in Barrow in Furness; from *whooping-cough*, 1·1 in Manchester, 1·4 in Ipswich, 1·5 in Stockport and in Bootle, and 2·1 in Warrington; and from *diarrhœa*, 2·1 in Grimsby. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2329 BIRTHS and 964 DEATHS were registered. Allowing for increase of population, the births were 119 and the deaths 121 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(16965—41.) Wt. 91—429. 700. 7/10. D & S. G. 31. Sch. 4. 2 C

causes, which had been 10·5, 10·6, and 10·5 per 1000 in the preceding three weeks, fell last week to 10·3. The death-rate in the four weeks ended last Saturday averaged 10·5 per 1000, being 1·5 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 964 deaths included 32 from measles, 2 from scarlet fever, 5 from diphtheria, 21 from whooping-cough, 2 from enteric fever, and 14 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 76 deaths were referred, being 29 below the corrected average number in the twenty-sixth week of the preceding five years.

The deaths from *measles*, which had been 47, 47, and 35 in the preceding three weeks, fell to 32 last week, and were 10 below the corrected average; 7 deaths belonged to the Borough of Southwark, and 3 each to Hackney, Stepney, Bermondsey, and Camberwell. The deaths from *scarlet fever*, which had been 5, 3, and 3 in the preceding three weeks, were 2 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 5, 7, and 2 in the preceding three weeks, rose to 5 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 23, 32, and 25 in the preceding three weeks, fell to 21 last week, the corrected average being 24; 4 deaths belonged to Southwark, and 3 to Hackney. Two deaths from *enteric fever* were registered last week, as compared with 3, 1, and 1 in the preceding three weeks, the corrected average being 3. The deaths from *diarrhœa*, which had been 8, 23, and 11 in the preceding three weeks, were 14 last week, and were 5 below the corrected average. Of the 14 deaths from diarrhœa 9 were those of children under 2 years of age; 9 other deaths at this age was certified as due to *enteritis* and 4 to *gastro-enteritis*. One death was attributed directly to *influenza*, as compared with 3, 5, 2 in the preceding three weeks.

Different forms of violence caused 55 deaths, concerning all of which inquests were held. Of these 55 deaths, 10 were cases of suicide, while the remaining 45 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, three to a conflagration, three to burns or scalds, six to drowning, and two, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 1378 cases of scarlet fever, 674 of diphtheria, 1 of typhus, and 47 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever 183 cases, against 181, 166, and 187; of diphtheria, 85 cases, against 85, 76, and 84; and of enteric fever, 9 cases, against 5, 9, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended June 25th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3550 births and 1379 deaths were registered. Allowing for increase of population, these numbers are 309 and 165 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 5 deaths from measles, 2 from diphtheria, 2 from whooping-cough, and 3 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·47 inches, and that of the Thermometer 56°·5, the latter being 5°·0 below the week's average in the 65 years ended 1905. The general direction of the wind was West-south-westerly, the horizontal movement of the air being 62 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 33·5 hours; the measured rainfall amounted to 1·00 inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 2nd July, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 11th June, 1910.	18th June, 1910.	25th June, 1910.	2nd July, 1910.	Rate from Diseases in Cols. 11-17 Week ended 2nd July 1910.	Registered during the Week ended 2nd July, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**11·4**	**11·1**	**11·2**	**11·0**	**1·0**	**8350**	**3588**	**694**	**981**	-	**113**	**20**	**25**	**110**	**13**	**55**	**172**	**328**	**1019**	**31**	**77 TOWNS.**
LONDON	4,872,702	10·5	10·6	10·5	10·3	0·8	2329	964	177	270	-	32	2	5	21	2	14	55	113	442	2	LONDON.
CROYDON	164,485	6·3	7·3	7·3	9·5	-	68	30	4	17	-	-	-	-	-	-	-	-	2	8	-	CROYDON.
WILLESDEN ..	166,088	7·5	4·4	6·3	6·3	0·3	89	20	4	9	-	-	-	-	1	-	-	1	3	3	-	WILLESDEN.
HORNSEY	98,561	4·8	6·9	5·3	6·3	-	25	12	1	8	-	-	-	-	-	-	-	-	-	3	-	HORNSEY.
TOTTENHAM ..	132,803	10·2	7·5	9·4	9·0	0·4	75	23	3	7	-	-	-	-	-	-	1	1	4	6	-	TOTTENHAM.
WEST HAM ..	328,585	8·7	8·4	9·5	10·8	0·6	154	68	17	15	-	1	-	2	-	-	1	6	10	16	-	WEST HAM.
EAST HAM.. ..	156,208	5·7	6·3	7·3	3·7	-	70	11	3	5	-	-	-	-	-	-	-	-	-	1	-	EAST HAM.
LEYTON	133,436	9·4	8·2	7·8	7·0	0·4	72	18	4	5	-	1	-	-	-	-	-	-	-	5	-	LEYTON.
WALTHAMSTOW	141,748	5·9	8·8	5·1	6·6	-	65	18	2	5	-	-	-	-	-	-	-	1	2	5	-	WALTHAMSTOW.
HASTINGS	68,520	10·7	7·6	9·9	13·7	1·5	17	18	3	8	-	1	-	-	1	-	-	4	4	5	-	HASTINGS.
BRIGHTON	131,900	9·1	11·1	12·3	8·3	0·8	43	21	1	9	-	-	-	-	1	1	-	2	2	5	1	BRIGHTON.
PORTSMOUTH ..	217,989	12·0	12·2	10·0	11·7	1·4	106	49	3	15	-	-	2	1	-	1	2	5	5	9	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	8·5	9·2	9·2	9·2	-	29	13	3	4	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	9·4	4·9	7·0	6·6	0·4	46	16	5	5	-	-	-	-	-	-	1	1	1	5	-	SOUTHAMPTON.
READING	84,355	2·5	6·2	8·0	10·5	-	39	17	4	8	-	-	-	-	-	-	-	-	-	3	-	READING.
NORTHAMPTON ..	99,113	6·3	8·4	6·3	9·5	-	31	18	2	7	-	-	-	-	-	-	-	1	2	1	1	NORTHAMPTON.
IPSWICH	75,936	13·7	8·2	17·2	11·7	2·7	40	17	4	4	-	1	-	-	2	-	1	-	1	2	-	IPSWICH.
GREAT YARMOUTH	53,715	10·7	12·6	10·7	11·6	-	24	12	-	7	-	-	-	-	-	-	-	-	-	2	-	GREAT YARMOUTH.
NORWICH	125,446	8·3	11·2	7·5	10·4	0·4	65	25	4	11	-	-	-	1	-	-	-	1	3	3	2	NORWICH.
PLYMOUTH	126,266	9·9	11·6	9·1	8·3	0·4	53	20	1	4	-	-	-	-	1	-	-	1	4	2	-	PLYMOUTH.
DEVONPORT	84,695	8·0	8·6	13·5	8·0	0·6	35	13	-	3	-	-	-	1	-	-	-	-	-	3	-	DEVONPORT.
BRISTOL	382,550	8·0	7·8	8·6	9·7	0·5	199	71	12	32	-	-	-	-	3	1	-	6	10	16	-	BRISTOL.
STOKE ON TRENT ..	245,726	17·2	14·0	10·8	10·0	1·9	147	47	8	7	-	4	1	1	2	-	1	2	2	8	2	STOKE ON TRENT.
BURTON ON TRENT	54,977	12·3	9·5	5·7	11·4	1·9	30	12	2	6	-	1	-	-	-	1	-	-	-	1	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	13·8	12·8	8·9	9·3	1·0	48	19	4	5	-	-	-	-	2	-	-	2	4	5	-	WOLVERHAMPTON.
WALSALL	101,035	15·0	9·3	9·3	12·4	2·1	64	24	10	4	-	2	-	-	-	-	2	-	-	2	1	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	5·8	5·8	9·4	7·2	-	31	10	1	3	-	-	-	-	-	-	-	-	-	-	1	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	9·5	12·5	12·5	9·5	0·7	29	13	3	1	-	-	1	-	-	-	-	2	2	4	-	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 11th June, 1910.	18th June, 1910.	25th June, 1910.	2nd July, 1910.	Rate from Diseases in Cols. 11-17. Week ended 2nd July, 1910.	Registered during the Week ended 2nd July, 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	9·8	11·5	11·2	11·1	0·7	281	121	18	37	-	-	1	1	5	-	1	10	11	37	1	Birmingham.
Kings Norton ..	84,673	4·3	8·0	8·0	6·8	0·6	22	11	1	5	-	-	-	-	1	-	-	1	1	-	1	Kings Norton.
Smethwick	72,350	9·4	11·5	8·6	10·1	0·7	40	14	2	5	-	-	-	1	-	-	-	1	2	3	1	Smethwick.
Aston Manor ..	86,269	7·3	10·9	10·3	6·6	0·6	52	11	-	4	-	-	-	1	-	-	-	-	1	2	-	Aston Manor.
Coventry	81,449	13·4	13·4	12·8	10·2	0·6	52	16	4	3	-	-	-	-	-	-	1	-	-	4	-	Coventry.
Leicester	248,374	6·9	6·9	8·6	9·7	0·4	100	46	14	14	-	-	-	-	2	-	-	4	6	9	-	Leicester.
Grimsby	74,283	13·3	4·9	7·7	13·3	2·8	37	19	6	-	-	-	-	-	1	-	3	-	-	1	-	Grimsby.
Nottingham ..	266,471	10·0	16·8	11·5	9·6	1·2	144	49	13	12	-	2	-	-	3	1	-	3	6	6	-	Nottingham.
Derby	131,256	10·7	6·4	10·7	6·4	-	68	16	3	6	-	-	-	-	-	-	-	-	1	3	-	Derby.
Stockport	105,087	11·9	16·9	12·4	12·4	3·0	44	25	4	4	-	2	-	-	3	-	1	1	1	7	-	Stockport.
Birkenhead ..	122,431	11·9	11·1	14·9	11·9	0·9	59	28	3	3	-	-	-	-	1	1	-	2	3	8	-	Birkenhead.
Wallasey ..	73,173	10·7	12·1	16·4	12·8	1·4	35	18	6	7	-	-	-	-	1	-	1	-	-	-	-	Wallasey.
Liverpool ..	767,606	18·0	16·4	16·0	16·0	2·4	465	235	53	46	-	17	2	2	11	-	3	10	22	86	1	Liverpool.
Bootle	70,548	14·0	11·1	14·0	13·3	1·5	40	18	3	4	-	-	-	-	2	-	-	2	2	3	1	Bootle.
St. Helens	96,523	13·0	10·8	10·8	16·2	1·1	62	30	7	3	-	-	1	-	1	-	-	1	2	4	1	St. Helens.
Wigan	91,732	14·8	11·4	14·8	9·7	-	50	17	5	4	-	-	-	-	-	-	-	1	4	3	-	Wigan.
Warrington ..	73,295	12·1	12·1	12·1	19·2	2·8	30	27	7	4	-	1	-	-	3	-	-	2	2	9	2	Warrington.
Bolton	190,315	11·0	11·2	11·8	11·5	1·1	68	42	10	15	-	-	1	-	2	-	1	3	4	9	1	Bolton.
Bury	59,409	16·7	11·4	10·5	12·3	0·9	30	14	1	5	-	-	1	-	-	-	-	-	-	4	-	Bury.
Manchester ..	716,354	14·9	13·2	14·3	13·4	2·5	405	184	34	35	-	9	3	2	15	1	4	3	8	46	4	Manchester.
Salford	244,636	14·7	13·6	13·2	14·7	2·1	129	69	15	15	-	4	1	-	4	1	-	1	5	14	-	Salford.
Oldham	144,111	16·3	14·5	15·9	18·1	2·9	79	50	8	8	-	5	-	-	1	-	2	4	4	7	-	Oldham.
Rochdale	90,497	15·6	16·7	10·9	9·2	0·6	35	16	1	5	-	-	-	-	1	-	-	1	1	2	-	Rochdale.
Burnley	107,448	8·2	6·3	10·7	11·6	0·5	46	24	4	7	-	-	-	-	1	-	-	-	-	4	-	Burnley.
Blackburn	137,972	14·7	8·7	12·8	9·8	0·8	47	26	6	7	-	-	1	-	-	-	1	1	2	2	1	Blackburn.
Preston	119,253	17·5	13·6	10·9	11·8	2·6	55	27	9	6	-	4	-	1	-	-	1	1	2	7	-	Preston.
Barrow in Furness.	63,689	11·5	10·6	11·5	13·9	3·3	31	17	5	6	-	4	-	-	-	-	-	-	-	2	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 2nd July, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 11th June, 1910.	18th June, 1910.	25th June, 1910.	2nd July, 1910.	Rate from Diseases in Cols 11–17. Week ended 2nd July, 1910.	Registered during the Week ended 2nd July, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	17·1	13·8	13·8	17·1	0·6	37	31	4	9	–	–	–	1	–	–	–	1	1	10	–	HUDDERSFIELD.
HALIFAX	112,818	12·5	10·2	7·9	8·8	–	41	19	–	7	–	–	–	–	–	–	–	–	–	4	–	HALIFAX.
BRADFORD	295,865	12·0	13·6	12·7	13·4	1·8	114	76	13	23	–	5	1	1	–	1	2	2	8	23	1	BRADFORD.
LEEDS	490,985	12·1	10·7	12·3	12·4	1·0	209	117	26	33	–	3	–	–	4	–	2	6	17	23	–	LEEDS.
DEWSBURY	51,224	9·2	8·1	7·1	13·2	–	21	13	5	6	–	–	–	–	–	–	–	–	–	2	–	DEWSBURY.
SHEFFIELD	478,763	11·9	8·9	12·1	11·0	1·4	244	101	19	28	–	2	1	–	6	–	4	2	2	33	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	16·5	11·8	11·8	9·4	0·8	35	12	2	2	–	–	–	–	1	–	–	1	1	5	–	ROTHERHAM.
YORK	88,159	11·8	8·3	9·5	7·7	0·6	34	13	1	7	–	–	–	–	–	–	1	–	1	3	–	YORK.
HULL	280,006	15·1	10·2	11·9	9·9	0·7	152	53	8	22	–	2	–	1	1	–	–	2	6	9	–	HULL.
MIDDLESBROUGH ..	107,014	9·7	15·6	15·1	16·1	1·0	72	33	5	8	–	–	–	–	1	–	1	2	2	6	–	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	15·5	14·6	14·6	15·5	–	34	16	4	6	–	–	–	–	–	–	–	–	1	1	–	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	8·3	8·3	8·9	11·5	–	37	18	8	1	–	–	–	–	–	–	–	–	1	2	–	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	10·7	13·3	10·7	11·3	1·3	87	35	9	7	–	3	–	–	–	1	–	–	1	5	–	SUNDERLAND.
SOUTH SHIELDS ..	119,737	14·8	11·3	15·7	13·1	0·9	64	30	2	0	–	–	–	–	2	–	–	4	4	9	1	SOUTH SHIELDS.
GATESHEAD	133,676	12·1	14·0	9·8	9·4	1·2	78	24	7	6	–	1	–	1	1	–	–	–	1	–	2	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	14·8	11·5	14·2	12·6	1·1	174	69	14	19	–	3	1	–	1	–	1	2	5	13	1	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	12·9	16·6	10·2	21·3	–	30	23	7	4	–	–	–	–	–	–	–	–	–	–	–	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	11·8	19·6	9·8	10·5	0·7	53	16	1	3	–	–	–	–	1	–	–	1	3	4	–	NEWPORT (MON.).
CARDIFF	199,189	9·2	8·9	10·7	11·5	0·3	105	44	10	8	–	–	–	–	–	1	–	2	4	6	–	CARDIFF.
RHONDDA	138,674	11·3	11·3	14·3	12·0	1·1	99	32	13	4	–	–	–	1	–	–	2	2	2	4	–	RHONDDA.
MERTHYR TYDFIL..	79,522	21·6	17·0	19·0	15·1	2·6	45	23	5	4	–	3	–	1	–	–	–	2	2	6	–	MERTHYR TYDFIL.
SWANSEA	98,817	13·2	20·1	14·8	11·1	–	56	21	4	6	–	–	–	–	–	–	–	–	2	2	–	SWANSEA.
GREATER LONDON	7,537,196	9·8	9·4	9·7	9·5	0·7	3550	1379	242	429	–	39	2	9	24	2	19	79	155	538	2	GREATER LONDON.
OUTER RING ..	2,664,494	8·4	7·3	8·2	8·1	0·4	1221	415	65	159	–	7	–	4	3	–	5	24	42	96	–	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	7·5	7·3	7·6	7·9	0·3	618	200	38	71	–	2	–	2	1	–	2	9	21	47	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	9·2	7·2	8·8	8·4	0·5	603	215	27	88	–	5	–	2	2	–	3	15	21	49	–	REMAINDER OF OUTER RING.
EDINBURGH	360,276	13·2	10·4	13·3	11·7	0·9	150	81	10	26	–	–	1	1	1	–	3	5	?	35	3	EDINBURGH.
GLASGOW	884,505	15·0	13·5	12·9	12·7	1·2	445	215§	50	57	–	1	2	2	5	–	10	7	?	82	4	GLASGOW.
DUBLIN (Registration Area).‡	402,928	16·4	17·1	15·5	15·3	0·8	223	118	14	38	–	–	1	1	3	–	1	2	2	62	3	DUBLIN (Registration Area).‡
BELFAST.‡	391,127	19·7	24·4	20·0	18·9	2·7	213	127	24	28	–	25	–	–	1	1	1	–	4	24	2	BELFAST.‡

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-SIXTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2483	2478	1980	2528	2514	2490	2386	2251	2497	2331	2448·2	2329
Males - - -	1257	1283	1007	1284	1274	1269	1242	1121	1248	1176	1240·2	1200
Females - -	1226	1195	973	1244	1240	1221	1144	1130	1249	1155	1208·0	1129
TOTAL **Deaths** -	1273	1210	1251	1234	1148	1080	1060	1138	991	1029	1085·0	964
Males - - -	699	643	657	659	604	592	562	593	525	558	579·6	498
Females - -	574	567	594	575	544	488	498	545	466	471	505·4	466

* The numbers in this column are the average weekly numbers in the Twenty-Sixth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	13 Weeks.
TOTAL **Births** -	2420	2372	2334	2372	2229	2529	1610	2697	2434	2243	2424	2260	2329	30253
TOTAL **Deaths** -	1377	1387	1226	1217	1167	1299	1062	1107	1036	984	993	983	964	14852
Ages at Death: Under 1 year -	260	218	233	230	210	243	212	224	199	183	162	177	177	2728
1—5 years -	120	146	115	125	126	134	129	124	110	102	119	97	114	1561
5—20 " -	67	74	59	67	63	79	61	54	59	65	58	57	51	814
20—40 " -	165	170	148	141	135	151	117	145	136	119	124	134	129	1814
40—60 " -	310	277	269	265	244	281	229	240	235	219	218	226	223	3236
60 yrs. & upwds.	455	502	402	389	389	411	314	320	347	296	312	292	270	4699
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	33	46	27	33	40	55	48	50	51	47	47	35	32	544
Scarlet Fever - -	4	5	6	-	6	3	4	3	6	5	3	3	2	50
Diphtheria - -	6	8	5	6	6	11	8	2	5	5	7	2	5	76
Whooping-cough -	45	41	38	42	46	32	42	36	29	23	32	25	21	452
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	8	3	2	1	2	1	2	1	3	1	1	2	29
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diarrhœa, Dysentery	11	9	10	8	11	15	14	15	21	8	23	11	14	170
All above diseases -	101	117	89	91	110	118	117	108	113	91	113	78	76	1322
Dis. of Resp. System	131	137	119	103	83	116	81	64	64	55	42	55	54	1104
Pneumonia - -	150	175	158	141	128	117	114	98	110	82	52	74	68	1467
Phthisis - - -	132	113	112	102	116	121	99	90	104	81	97	87	90	1344
Dis. of Circ. System -	219	183	181	178	148	173	143	127	145	154	153	144	138	2086
Violence - - -	46	64	52	46	60	48	58	57	49	56	48	49	55	688
Inquest Cases - -	133	129	132	141	130	120	130	130	106	118	109	101	113	1592
Deaths in Institutions	575	577	550	550	536	576	423	477	498	430	464	464	442	6562
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	42·8	48·8	49·3	45·4	46·3	47·5	58·9	57·8	56·9	62·2	58·8	62·3	56·5	53·3
Mean of Highest -	51·7	58·7	57·7	55·5	55·6	58·3	69·8	69·1	67·6	72·0	69·9	75·0	66·0	63·6
Mean of Lowest -	34·7	42·1	42·0	37·8	39·4	38·8	51·2	49·2	49·0	55·3	49·8	53·0	50·2	45·6
Mean Humidity of the Air.	79	79	82	73	77	76	84	75	77	88	77	75	76	78
Rain-fall (in inches) -	0·11	1·86	0·23	0·43	0·74	0·42	0·89	0·08	0·27	0·44	0·01	1·11	1·00	7·59
Registered Sunshine (in hours).	24·2	29·1	8·3	50·1	44·6	53·8	49·2	60·2	36·8	28·4	52·7	52·3	33·5	523·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Scarlet Fever - -	1554	1535	1510	1509	1506	1476	1476	1445	1461	1401	1363	1353	1378	1459
Diphtheria - - -	848	816	812	798	784	775	753	742	728	753	729	711	674	763
Typhus - - -	-	-	-	-	-	-	-	-	-	1	1	1	1	-
Enteric Fever - -	81	81	69	66	62	62	58	60	61	52	53	47	47	61

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford : Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SIXTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionab should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 26th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1085·0	964	177	114	51	129	223	270
Small-pox*	0·2	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	41·8	32	3	28	1	–	–	–
Scarlet Fever	8·2	2	1	1	–	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	7·0	1	–	–	–	1	–	–
Whooping-cough	23·8	21	9	10	2	–	–	–
Diphtheria	9·0	5	–	5	–	–	–	–
Cerebro-spinal Fever ..	–	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·1	2	–	–	–	1	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	10·2	5	3	2	–	–	–	–
Diarrhœa, Dysentery ..	8·8	9	6	–	–	3	–	–
Tetanus	0·2	2	–	–	–	1	1	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	0·2	–	–	–	–	–	–	–
Venereal Dis.	6·1	6	3	–	–	2	1	–
Puerperal Septicæmia ..	2·7	2	–	–	–	1	1	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·6	–	–	–	–	–	–	–
Infective Endocarditis ..	2·7	3	–	–	1	1	–	1
Pneumonia: Lobar ..	14·7	9	1	1	–	3	4	–
Pneumonia: Broncho ..	34·8	20	12	6	–	–	1	1
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	43·4	39	2	8	3	5	9	12
Erysipelas	3·3	4	–	–	–	–	–	4
Septicæmia (not Puerperal)	1·8	2	–	–	–	1	–	1
Pyæmia (not Puerperal)	0·6	1	–	–	–	–	1	–
Other Infective Processes	3·1	3	2	–	–	–	1	–
Tuberculous Phthisis ..	67·4	64	1	4	6	23	26	4
"*Phthisis*"	38·7	26	–	1	2	12	7	4
Tuberculous Meningitis ..	17·8	10	2	6	2	–	–	–
Tuberculous Peritonitis ..	7·0	6	–	3	2	1	–	–
Tabes Mesenterica	0·8	1	1	–	–	–	–	–
Tuberculous Dis., Other ..	13·7	13	–	7	2	3	1	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	6·6	4	–	–	–	2	2	–
Rheumatic Fever	4·7	1	–	–	1	–	–	–
Gout	1·6	1	–	–	–	–	1	–
Carcinoma	54·3	57	–	–	–	7	24	26
Sarcoma	5·5	7	–	1	1	1	3	1
Cancer (undefined) ..	30·1	31	–	–	–	2	12	17
Diabetes Mellitus	8·2	9	–	–	1	–	5	3
Premature Birth	41·6	44	44	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 26th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.
Meningitis (not tuberc.)..	10·2	7	2	3	1	1	–
Gen. Par. of Insane, Insanity	13·3	4	–	–	–	2	1
Epilepsy	5·3	2	–	–	–	2	–
Convulsions	13·7	9	9	–	–	–	–
Locomotor Ataxy.. ..	1·4	1	–	–	–	–	1
Paraplegia, Dis. of Cord.	4·9	2	–	–	–	–	–
Nervous Sys., Other Dis.	16·4	22	–	3	1	4	4
Valv. Dis., Endocarditis..	38·9	45	–	–	3	8	16
Cereb. Hæm. Cereb. Emb.	28·3	26	–	–	–	–	9
Apoplexy, Hemiplegia ..	12·1	9	–	–	–	–	3
Aneurysm	4·3	7	–	–	–	–	7
Embolism, Thrombosis (not Cerebral) ..	1·0	–	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	74·7	51	–	–	3	10	15
Croup (not Spasm: nor Memb.)	–	–	–	–	–	–	–
Bronchitis	36·9	41	5	4	–	–	8
Emphysema, Asthma ..	1·2	3	–	–	–	–	1
Pleurisy	4·5	2	–	1	1	–	–
Respiratory Dis., Other..	6·3	8	1	2	1	–	3
Tonsillitis, Quinsy.. ..	1·0	–	–	–	–	–	–
Enteritis (not Epid.) ..	5·7	10	8	2	–	–	–
Gastro-enteritis	4·9	7	4	2	–	–	–
Peritonitis (not Puerp.) ..	1·4	3	1	–	–	1	1
Cirrhosis of Liver.. ..	9·8	10	–	1	–	–	4
Liver Dis., Other	5·1	4	–	–	–	–	2
Digestive Sys., Other Dis.	33·6	39	2	–	4	5	16
Acute Nephritis	6·6	10	–	–	–	2	6
Bright's Dis., Albuminuria	30·9	22	–	1	2	4	4
Urinary Sys., Other Dis.	9·6	12	1	–	–	1	2
Generative Organs Dis...	1·8	1	–	–	–	–	1
Childbirth (Accid. of) ..	3·3	3	–	–	–	2	1
Old Age	40·5	37	–	–	–	–	–
Other Diseases	71·8	70	50	5	3	3	4
ACCIDENT.							
By Railways	0·6	1	–	–	–	–	1
By Vehicles and Horses..	8·8	6	–	–	3	1	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	–	–	–	–	–	–
In Building Operations..	0·6	2	–	–	–	1	1
In Conflagrations	0·6	3	–	1	–	1	1
By Burns, Scalds, Explosions	4·7	3	–	3	–	–	–
By Drowning	6·8	6	–	–	4	1	1
By Suffocation in Bed ..	5·1	2	2	–	–	–	–
By Poisons or Poisonous Vapours	3·7	8	–	–	–	4	1
Other Deaths by Accident..	14·5	14	2	3	1	2	2
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	0·8	–	–	–	–	–	–
Suicide	14·3	10	–	–	–	4	4
Execution	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the diffic lt experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2329	964	177	270	-	32	2	5	21	2	14	90	55	113	442	2
WEST DISTRICTS	805,311	331	179	34	58	-	3	-	1	3	-	4	18	11	20	87	-
NORTH DISTRICTS	1,055,908	496	215	34	72	-	5	1	-	4	1	2	23	11	22	88	-
CENTRAL DISTRICTS	209,465	137	50	10	9	-	-	-	-	1	-	-	1	4	7	31	-
EAST DISTRICTS	715,739	398	147	30	27	-	7	-	-	3	-	5	11	10	27	90	-
SOUTH DISTRICTS	1,749,844	967	339	68	97	-	17	1	4	10	-	1	31	19	37	112	2
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	34	1	7	-	-	-	-	-	1	2	6	-	-	34	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	28	9	2	3	-	-	-	-	1	-	-	1	-	-	-	-
entral Paddington *W,3H*	50,053	31	31	3	12	-	2	-	-	-	-	-	-	4	6	20	-
uth Paddington	30,320	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
ensington South *W,3H*	85,610	16	16	1	7	-	-	-	-	-	-	1	2	2	3	7	-
ensington Central *W,H*	42,774	20	7	2	1	-	-	-	-	-	-	-	1	-	-	3	-
ensington North *w*	48,244	34	15	4	5	-	-	-	-	-	-	1	1	-	-	8	-
orth Hammersmith *2W,w,H* ..	49,192	24	11	1	6	-	-	-	-	-	-	-	1	-	1	5	-
uth Hammersmith *w,2H* ..	63,047	30	15	6	2	-	-	-	-	-	-	-	-	2	4	6	-
orth-west Fulham *W*	45,180	34	8	3	3	-	1	-	-	-	-	-	1	-	-	3	-
orth-east Fulham *F*	46,405	18	4	1	-	-	-	-	1	-	-	-	1	-	-	1	-
uth Fulham *W*	45,704	26	4	1	2	-	-	-	-	-	-	-	1	-	1	-	-
elsea North *W,w,3H*	42,514	16	15	1	6	-	-	-	-	1	-	-	3	1	1	13	-
elsea South *W,2H*	31,328	7	11	4	3	-	-	-	-	-	-	1	2	-	-	6	-
ayfair and Knightsbridge	28,743	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
elgrave *W,2H*	55,815	15	14	2	1	-	-	-	-	1	-	1	1	1	2	7	-
. Margaret & St. John *6H*	43,698	20	12	3	2	-	-	-	-	-	-	-	2	1	1	6	-
. James and St. Anne *W,6H* ..	33,081	7	3	-	2	-	-	-	-	-	-	-	1	-	-	2	-
NORTH DISTRICTS.																	
ll Souls Marylebone *7H*	35,391	17	16	1	1	-	-	-	-	-	1	-	2	-	-	11	-
. Mary Marylebone *W,4H* ..	37,948	36	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ristchurch Marylebone *H* ..	39,536	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
. John Marylebone *2H*	20,426	6	3	-	-	-	-	-	-	-	-	-	-	2	2	-	-
ampstead *W,F,6H*	81,942	24	12	-	9	-	-	-	-	-	-	-	-	1	1	3	-
est St. Pancras *2H*	60,562	20	9	2	3	-	-	-	-	-	-	-	1	-	-	-	-
uth St. Pancras *w,10H*	55,707	16	23	2	7	-	-	-	-	-	-	-	2	3	5	18	-
ast St. Pancras *W,H*	60,320	32	14	2	5	-	-	-	-	-	-	-	1	-	2	5	-
orth St. Pancras *2W*	58,728	29	16	2	4	-	-	-	-	-	-	-	5	-	-	9	-
ufnell *W*	31,995	10	16	2	6	-	-	-	-	-	-	-	4	-	-	14	-
pper Holloway *2W,w,H*	33,978	11	15	2	7	-	-	-	-	-	-	-	1	-	1	11	-
ollington *W,w,H*	33,922	17	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-
ower Holloway	41,424	18	4	1	3	-	-	-	-	-	-	-	-	1	1	-	-
arnsbury	54,478	31	5	-	1	-	-	-	-	-	-	-	1	-	-	-	-
lington South-east *F*	75,397	41	10	3	3	-	2	-	-	-	-	-	-	2	2	-	-
ighbury *2H*	63,797	23	11	4	3	-	-	-	-	1	-	-	1	-	1	-	-
oke Newington *H*	51,247	20	9	1	4	-	-	-	-	-	-	-	2	1	1	-	-
orth Hackney	50,398	21	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
entral Hackney *2w,F*	50,536	29	10	2	4	-	-	1	-	-	-	-	1	-	-	2	-
uth-west Hackney *3H*	59,921	52	16	4	6	-	1	-	-	2	-	1	-	1	1	7	-
uth-east Hackney *2W,w,H* ..	58,255	30	16	4	5	-	2	-	-	1	-	1	1	-	4	8	-
ackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, amely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other istricts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a ub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the etter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	20	3	-	1	-	-	-	-	-	-	-	-	1	2	-	
Strand *W*,4*H*	21,674	4	10	-	3	-	-	-	-	-	-	-	-	1	2	8	
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn *W*,5*H*	29,612	10	11	2	1	-	-	-	-	1	-	-	-	-	-	10	
Clerkenwell *H*	63,704	39	8	3	2	-	-	-	-	-	-	-	1	-	-	-	
St. Luke 3*H*,*L*	36,116	52	4	4	-	-	-	-	-	-	-	-	-	-	-	2	
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph *H*	10,299	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows *W*,2*H*	16,624	7	14	1	2	-	-	-	-	-	-	-	-	2	3	11	
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	19	5	2	1	-	1	-	-	-	-	1	-	-	2	1	
Shoreditch North-West *W*,*w*,*H* ..	36,127	25	11	2	5	-	-	-	-	1	-	-	2	1	2	10	
Shoreditch North-East	36,148	20	2	1	-	-	-	-	-	-	-	-	-	-	1	-	
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	27	26	3	7	-	-	-	-	-	-	-	2	4	5	18	
Bethnal Green South-West *H* ..	64,542	43	9	5	1	-	1	-	-	-	-	2	-	1	4	-	
Spitalfields..	27,969	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mile End New Town *W*,*H*	28,718	16	33	6	2	-	1	-	-	-	-	1	1	1	4	31	
Goodman's Fields	22,081	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. George and St. John 2*W* ..	49,068	41	9	3	-	-	-	-	-	1	-	1	1	1	2	5	
Shadwell and Ratcliff *w*,*H* ..	25,568	11	10	3	-	-	-	-	-	1	-	-	1	1	2	8	
Limehouse *W*	32,369	13	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Mile End Old Town South-Western *H*	63,698	45	8	1	4	-	1	-	-	-	-	-	-	1	1	-	
Mile End Old Town North-Eastern *W*,*w*	49,129	34	9	-	2	-	-	-	-	-	-	-	2	-	2	3	
Bow	41,989	24	2	1	1	-	-	-	-	-	-	-	1	-	-	-	
Bromley 3*w*,*H*	68,319	47	16	3	1	-	3	-	-	-	-	-	1	-	1	14	
Poplar *W*,*w*	58,514	22	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	9	-	-	-	2	-	1	-	-	-	1	2	2	6	-
Kent-road	21,904	9	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	23	12	3	1	-	2	-	1	2	-	-	2	1	2	6	-
Newington North	49,022	29	5	1	-	-	1	-	-	1	-	-	-	-	-	-	-
Newington South *W*	72,841	39	16	4	3	-	-	-	-	1	-	-	3	1	2	4	2
St. Olave *2W*	9,817	6	3	3	-	-	-	-	-	-	-	-	-	-	-	2	-
Bermondsey *W*	82,483	61	15	2	3	-	2	-	-	-	-	-	2	2	5	-	-
Rotherhithe *W,F*	38,460	25	18	5	2	-	1	-	-		-	-	2	1	1	11	-
Waterloo *2H*	27,440	26	5	3	-	-	1	-	-	-	-	-	-	-	-	4	-
Lambeth Church *H*	27,440	12	14	5	1	-	1	-	-	-	-	-	-	2	2	12	-
Kennington *2W*	52,518	27	18	1	9	-	-	-	-	-	-	-	1	1	2	11	-
Stockwell *HF*	63,826	44	8	1	1	-	1	-	-	-	-	-	-	-	1	1	-
Brixton *H*	73,673	26	12	1	5	-	-	-	-	-	-	-	1	-	1	1	-
Norwood *2WH*	56,998	31	4	-	2	-	-	-	-	-	-	-	1	-	-	-	-
East Battersea *H*	72,203	41	8	3	3	-	-	-	-	-	-	-	2	-	-	-	-
North-west Battersea	49,656	25	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	16	11	2	-	-	1	-	-	2	-	-	1	1	1	6	-
Clapham *2H*	51,361	29	7	-	5	-	-	-	-	1	-	-	1	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	53	12	1	6	-	-	-	-	-	-	-	1	1	1	2	-
Springfield *2W,L*	27,959	20	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	37	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	20	22	2	10	-	-	-	-	-	-	-	2	2	3	20	-
Camberwell North *W,2L*	65,584	29	11	-	2	-	1	-	-	-	-	-	4	1	2	7	-
St. George	47,331	28	8	4	-	-	1	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	23	12	5	4	-	1	-	-	1	-	-	1	1	2	-	-
Peckham South *2W,w*	43,946	25	9	2	3	-	-	-	-	-	-	-	3	-	2	1	-
Deptford North	37,613	20	5	2	2	-	-	-	-	-	-	-	-	-	1	-	-
Deptford Central *F*	45,481	30	7	-	1	-	-	-	1	-	-	-	1	-	1	1	-
Deptford South	34,625	17	3	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West *H*	23,456	14	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	28	19	1	7	-	-	-	-	1	-	-	1	2	2	10	-
Eltham *w,H*	7,226	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	34	9	2	2	-	-	-	-	-	-	1	-	1	2	2	-
Sydenham *H*	43,653	18	7	1	2	-	-	-	-	-	-	-	1	-	-	-	-
Charlton *F,2H*	21,134	9	6	-	3	-	-	1	1	-	-	-	-	-	-	3	-
Woolwich *5H*	41,625	30	9	4	3	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	17	7	2	4	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	10	5	-	3	-	1	-	-	-	-	-	-	-	-	2	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	3	1	-	-	-	-	-	-	-	-	-	-	-	3	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	3	-	1	-	-	-	-	-	1	-	-	-	-	3	-
London County Lunatic Asylums:—																	
Banstead	—	-	3	-	1	-	-	-	-	-	-	-	2	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	5	-	1	-	-	-	-	-	-	-	1	-	-	5	-
Cane Hill	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	6	-	1	-	-	-	-	-	-	-	1	-	-	6	-
Hanwell	—	-	3	-	-	-	-	-	-	-	-	-	1	-	-	3	-
Colney Hatch	—	-	4	-	1	-	-	-	-	-	-	2	1	-	-	4	-
Claybury	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongin the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Bo Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERA POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday. 2nd July, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1221	415	65	159	-	7	-	4	3	-	5	24	42	96
31 : 1	Carshalton 2F,3H	12,228	32,997	18	4	1	2	-	-	-	1	-	-	-	-	-	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	6	6	1	3	-	1	-	-	-	-	-	1	1	2
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	2	2	-	1	-	-	-	-	-	-	-	-	-	2
39 : 1	Coulsdon	11,069	8,166	2	1	-	1	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	22	8	3	2	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	24	20	1	13	-	-	-	-	-	-	-	-	2	9
4	North Croydon H	2,644	41,698	22	4	-	4	-	-	-	-	-	-	-	-	-	1
5	Penge w	770	22,465	5	3	-	3	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	26	5	2	1	-	-	-	-	-	-	-	-	-	-
40 : 1	Wimbledon F,3H	3,221	41,652	14	8	-	3	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	10	8	-	2	-	-	-	-	-	-	-	1	1	4
3	Surbiton F,H	3,046	15,017	11	3	-	1	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	6	3	2	-	-	-	-	-	-	-	-	1	1	-
5	Hampton H,F,L	4,564	23,456	11	4	-	4	-	-	-	-	-	-	-	-	-	-
41 : 1	Richmond W,H	2,491	31,672	10	12	2	9	-	-	-	-	-	-	-	2	2	5
2	Mortlake F	2,518	17,821	10	7	2	1	-	-	-	-	-	-	1	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	11	5	-	2	-	-	-	-	-	-	-	-	1	1
2	Beckenham H	7,832	28,454	11	2	-	1	-	-	-	-	-	-	-	1	1	1
3	Orpington, *part of** W,F ..	10,113	9,857	5	3	1	1	-	-	-	-	-	-	-	-	-	1
4	Chislehurst 2H	7,335	16,446	7	2	-	2	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	8	6	-	2	-	-	-	-	-	-	-	1	1	1
2	Erith F,H	3,354	25,296	10	3	-	-	-	-	-	-	-	-	-	2	2	2
3	Dartford W,F, *part of** ..	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2
126 : 1	Sunbury w	11,054	18,683	13	3	-	3	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	12	1	-	-	-	-	-	-	-	-	-	-	-	-
127 : 1	Hillingdon W,F,H	6,035	13,661	3	5	1	2	-	-	-	-	-	-	-	1	1	1
2	Uxbridge H	12,757	8,984	3	2	-	2	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,666	16,358	9	7	3	1	-	1	-	-	-	-	-	1	1	-
128 : 1	Isleworth 3W,3F,H	6,859	30,863	30	15	2	2	-	1	-	-	-	-	-	1	-	8
2	Twickenham F,2H	2,421	20,991	13	2	1	-	-	1	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	33	12	-	5	-	-	-	-	-	-	-	-	2	-
4	Chiswick H	1,249	29,809	16	6	-	3	-	-	-	-	1	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	33	9	3	5	-	1	-	1	-	-	-	-	1	1
129 : 1	Willesden W,F,2H	4,384	114,811	89	20	4	9	-	-	-	-	1	-	-	1	3	3
130 : 1	Harrow F,H	13,809	25,523	25	3	-	1	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	13	5	1	2	-	-	-	-	-	-	-	1	1	1
131 : 1	South Mimms 2F,H ..	17,755	7,308	3	2	-	1	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	8	4	-	1	-	-	-	-	-	-	-	-	-	3
3	Finchley F,3H	4,638	33,692	22	6	1	3	-	-	-	-	-	-	-	-	-	-
132 : 1	Hornsey F,H	2,875	72,056	25	9	1	5	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	23	3	1	1	-	-	-	-	-	-	-	-	1	-
3	West Tottenham	995	48,741	40	7	3	1	-	-	-	-	-	-	-	1	2	-
4	East Tottenham 2H ..	2,019	53,963	35	15	-	5	-	-	-	-	-	-	1	2	4	5
5	Edmonton W,w,2F	7,491	61,892	53	11	1	6	-	-	-	-	-	-	1	-	-	7
6	Enfield 2W,F,H	12,601	42,738	25	7	1	1	-	-	-	-	-	-	1	-	2	-
7	Waltham Abbey F	11,017	6,549	3	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	10	-	-	-	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** H ..	9,195	7,051	5	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	28	13	6	2	-	1	-	-	-	-	1	2	3	-
2	Forest Gate	787	52,745	16	8	-	4	-	-	-	-	-	-	-	-	1	-
3	Plaistow F,2H	1,249	90,921	60	15	4	1	-	-	-	2	-	-	-	1	1	1
4	Canning Town H	1,556	70,718	50	19	6	2	-	-	-	-	-	-	-	3	5	2
5	South East Ham 2F ..	1,991	37,342	33	6	3	2	-	-	-	-	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	37	4	-	2	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	3	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	33	12	4	4	-	-	-	-	-	-	-	-	-	5
9	North Leyton 2W,w,F ..	1,963	48,445	39	23	1	10	-	1	-	-	-	-	-	-	-	17
10	Walthamstow 2H,L ..	6,504	108,929	69	16	2	5	-	-	-	-	-	-	-	1	2	-
189 : 1	Chigwell 2F,3H	11,778	16,397	5	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	6	5	-	3	-	-	-	-	1	-	-	-	-	4
2	Ilford F,L	8,496	41,244	37	6	-	1	-	-	-	-	-	-	-	-	-	1
3	Barking Town F	3,805	21,547	8	3	1	1	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2
	Essex County Lunatic Asylum, Brentwood.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Out Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esh parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting t part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ri

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
NDON* - -	4,872,702	July 2	2329	964	10·3	-	32	2	5	21	2	22
LCUTTA - -	1,009,008	June 4	-	379	19·5	-	5	-	1	1	1	13
MBAY - -	977,822	" 14	349	585	31·1	14	2	-	-	1	2	38
DRAS - -	509,346	" 3	407	376	38·3	1	1	?	?	?	-	31
RIS* - -	2,772,467	" 25	891	833	15·8	-	23	1	7	8	5	27
JSSELS* - -	720,030	" 25	259	180	13·0	-	2	-	2	2	1	22
TWERP* - -	317,171	" 25	126	69	11·3	-	3	-	1	3	-	7
STERDAM* -	570,149	" 18	252	118	10·8	-	2	-	-	1	-	7
PENHAGEN -	450,000	" 25	243	103	11·9	-	-	2	-	-	-	8
CKHOLM -	341,816	" 18	168	99	15·1	-	-	6	4	-	-	-
RISTIANIA -	240,178	" 25	120	49	10·6	-	-	-	1	-	-	3
PETERSBURG	1,620,000	" 4	872	948	30·5	10	79	16	9	8	11	80
SCOW - -	1,493,600	" 11	-	895	31·2	6	18	15	19	2	7	277
RLIN - -	2,118,508	" 11	859	668	16·4	-	12	4	7	6	-	80
MBURG - -	895,804	" 25	-	214	12·4	-	7	1	8	1	2	31
SLAU - -	507,500	" 18	-	256	26·3	-	2	-	1	4	1	54
NICH - -	576,000	" 18	246	134	12·1	-	2	-	1	1	-	17
NNA* - -	2,107,981	" 25	-	-	-	-	-	-	-	-	-	-
GUE* - -	497,905	" 4	201	227	23·7	-	6	-	-	-	1	12
DAPEST* -	833,703	" 18	426	324	20·2	-	6	7	3	7	-	26
ESTE* - -	221,124	" 25	133	95	22·3	-	-	-	-	-	-	14
IE - - -	587,096	May 7	251	230	20·4	-	21	1	2	2	5	16
RICE - -	183,224	" 28	75	47	13·4	-	1	-	1	-	-	4
ARREST - -	297,643	" 7	174	154	27·0	-	1	1	5	2	1	4
W YORK* -	4,711,956	June 11	2344	1398	15·5	-	21	17	40	9	10	47
DAGO* - -	2,282,927	" 11	-	600	13·7	-	11	6	6	2	2	42
LADELPHIA*	1,598,400	April 16	-	-	-	-	-	-	-	-	-	-
DE JANEIRO	842,822	May 29	-	335	20·7	-	1	-	-	4	3	?
RO :—*												
yptians -	616,183	June 3	600	631	53·2	-	29	-	7	-	4	167
reigners -	61,480	" 3	12	13	11·0	-	-	-	-	-	-	4
XANDRIA :—*												
yptians -	317,454	" 3	209	266	43·6	-	14	-	-	-	2	62
reigners -	67,966	" 3	5	22	16·8	-	-	-	-	-	-	4

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to dren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 28 deaths from *plague* in Calcutta and 72 in Bombay, and from *Asiatic cholera*, 27 deaths in Calcutta 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 2nd July, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
DON (Greenwich)	69·0	45·1	58·1	1·00	BRADFORD - -	60·5	43·1	52·6	0·93
HTON - -	61·0	49·6	57·9	0·17	YORK - - -	65·0	46·0	55·8	1·20
SMOUTH - -	65·0	48·0	58·4	0 39	HULL - - -	65·0	46·0	55·8	1·53
WICH - -	67·0	45·2	56·3	1·28	TYNEMOUTH - -	66·0	43·0	53·5	0·59
IOUTH - -	65·6	48·5	57·3	0·64	CARDIFF - - -	62·4	45·0	55·0	0·55
TOL - - -	63·5	46·2	56·4	0·55	EDINBURGH - -	59·6	43·6	52·4	0·53
TINGHAM - -	65·7	44·6	54·1	0·85	GLASGOW - -	63·2	42·0	51·0	0·38
TINGHAM - -	65·0	45·0	55·5	0·89	DUBLIN Phœnix Park.	62·8	47·1	54·7	1·73
RPOOL OBSERVATORY	63·0	48·0	51·2	1·23	DUBLIN Fitz-william Square,†	64·3	49·1	55·2	1·60
CHESTER -	62·6	43·6	53·4	2·26					
NLEY - -	60·0	43·0	52·2	1·88					
DERSFIELD -	62·5	44·0	53·7	0·97	BELFAST - - -	63·4	46·5	54·4	1·21

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The ection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the re was 1·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 2nd July, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 26	..	29·416	61·2	49·8	11·4	54·9	− 6·6	43·7	11·2	16·4	2·3	66	121·1	50·0	59·58	N.	NW.,NNW. & W.	2·5	0·0	0·2	292	+ 49	0·02	7·0
MONDAY - 27	..	29 538	64 8	45·1	19 7	54·7	− 6·9	48·2	6·5	13·5	2·5	79	103·2	36·1	59·40	W. & WSW.	WSW. & SW.	3·3	0·0	0·3	373	+129	0·05	5·2
TUESDAY - 28	..	29·461	69·0	54·1	14·9	60·5	− 1·1	50·9	9 6	16·6	1·6	71	131·0	50·0	59·17	SSW., SW. & WSW.	WSW. & SW.	8·3	0·0	0·9	574	+330	0·03	8·5
WEDNESDAY 29	..	29·486	68·0	52·3	15·7	58·2	− 3·4	51·7	6·5	14·9	3·4	79	130·5	47·9	59·01	SW. & WSW.	SW.	5·0	0·0	0·6	478	+234	0·11	15·3
THURSDAY - 30	Last Qr. In Eqr.	29·393	67·0	50·1	16·9	56·6	− 4 9	49 3	7 3	18 0	2·8	77	129·7	44·5	59·00	SW.,WSW. & W.	W. & WSW.	7·3	0·0	0·6	483	+239	0·14	5·2
JULY. FRIDAY - 1	..	29·527	65·8	51·3	14·5	56·2	− 5·3	51·2	5·0	13·3	2·2	83	116·2	47·3	58 89	SW. & WSW.	SW.	2·1	0·0	0·2	301	+ 54	0·10	6·8
SATURDAY - 2	..	29·439	66·3	48·7	17·6	54·6	− 7·0	48·3	6·3	16·2	0·0	79	127·2	43·4	58·63	SW. & WSW.	WSW. & SW.	3·6	0·0	0·2	278	+ 28	0·55	8·0
MEANS - -		29·466	66·0	50·2	15·8	56·5	− 5·0	49·0	7·5	15·6	2·1	76	123·4	45·6	59·10	WSW.		..	..	..	Sum 2779	Sum +1093	Sum 1·00	8·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 26	w.P. and w.N. till 2h. A.M.; w.P. till 7h. P.M.; m. P. afterwards.	1·9	16·6
MONDAY - 27	m. P. generally till noon; then w. P.	1·8	16·5
TUESDAY - 28	w. P. throughout.	8·3	16·5
WEDNESDAY 29	w. P. generally with occasional v. N.	8·3	16·5
THURSDAY - 30	w. P. generally till 5h. P.M.; v. P. and s. N. till 10h. P.M.; then w. P.	5·9	16·5
JULY. FRIDAY - 1	w. P. till 11h. A.M.; v. P. and v.N. till 6h. P.M.; w. P. afterwards.	1·6	16·5
SATURDAY - 2	w.P. till 9h. A.M.; v. P. and s. N. afterwards.	5·7	16·5
		Sum 33·5	Sum 115·6

GENERAL REMARKS.

Generally overcast; rain between 0h. 30m. and 2h. A.M.

Fine and partially cloudy till 6h. A.M.; overcast with slight exceptions afterwards; light rain between 5h. 55m. and 8h. 20m. P.M., and again after 11h. P.M.

Generally overcast till 7h. A.M.; variably cloudy with fine intervals afterwards; light rain in early morning, and a shower at 7h. P.M.; gusty wind prevalent after 10h. A.M.

Variable and showery; brisk wind at times till afternoon.

Fine and variably cloudy till 5h. P.M. with light shower at 10h. 25m. A.M.; then overcast with frequent rain; brisk wind prevalent between 11h. A.M. and 5h. 30m. P.M.

Generally overcast or very cloudy with frequent showers.

Variable; frequent heavy showers after 9h. A.M. accompanied at times by lightning and thunder; hail at 6h. 40m. P.M. Solar halo observed at 8h. 45m. A.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·29 in. at the beginning of the week to 29·56 in. by 2h P.M. on June 27th; decreased to 29·40 in. by 6h. A.M. on June 28th; increased to 29·52 in. by 9h. A.M. on June 29th; decreased to 29·35 in. by 6h. A.M. on June 30th; increased to 29·55 in. by 11h. A.M. on July 1st; decreased to 29·42 in. by 6h. P.M. on July 2nd; and was 29·45 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 25th June, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	8	1	-	-	-	-	3	-	-
Kensington	184,635	-	5	4	-	2	-	-	2	-	-
Hammersmith	127,413	-	3	4	-	-	-	-	-	-	-
Fulham	181,282	-	5	1	-	-	-	-	-	1	-
Chelsea	75,457	-	-	1	-	-	-	-	-	-	-
City of Westminster ..	167,233	1	3	2	-	3	-	-	1	1	-
NORTH.											
St. Marylebone	125,195	-	3	4	-	1	-	-	3	-	-
Hampstead	95,729	-	2	1	-	-	-	-	-	-	-
St. Pancras	237,792	-	11	2	-	3	-	-	4	-	-
Islington	353,356	-	8	6	-	3	-	-	5	1	1
Stoke Newington	54,838	-	4	-	-	-	-	-	2	1	-
Hackney	239,979	-	4	3	-	-	-	-	5	1	-
CENTRAL.											
Holborn	53,142	-	2	1	-	-	-	-	2	-	-
Finsbury	94,578	-	4	2	-	-	-	-	4	-	-
City of London	17,132	-	-	-	-	1	-	-	-	-	-
EAST.											
Shoreditch	114,387	1	6	3	-	-	-	-	1	-	-
Bethnal Green	131,579	-	13	6	-	1	-	-	5	-	-
Stepney	314,379	-	14	5	-	3	-	-	6	1	1
Poplar	172,432	-	9	2	-	-	-	-	2	-	1
SOUTH.											
Southwark	211,832	-	7	3	-	-	-	-	2	-	-
Bermondsey	127,238	-	4	3	-	1	-	-	2	-	-
Lambeth	327,074	-	17	3	-	-	-	-	1	1	-
Battersea	188,222	-	11	5	-	-	-	-	1	-	-
Wandsworth	305,838	-	14	9	-	-	-	-	2	1	-
Camberwell	288,058	-	8	7	-	1	-	-	5	-	-
Deptford	119,642	-	7	1	-	1	-	-	3	-	-
Greenwich	112,935	-	5	8	-	-	-	-	3	-	-
Lewisham	164,899	-	15	1	-	-	-	-	-	-	-
Woolwich	135,422	-	7	6	-	-	-	-	4	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	2	199	94	-	20	-	-	68	8	3
Ages 0-1		1	3	2	-	-	-	-	-	-	1
" 1-5		-	62	42	-	1	-	-	2	-	1
" 5-		-	78	29	-	-	-	-	4	-	-
" 10-		-	39	9	-	3	-	-	4	-	1
" 15-		-	10	4	-	4	-	-	4	-	-
" 20-		-	5	3	-	5	-	-	1	2	-
" 25-		-	1	3	-	3	-	-	10	2	-
" 35-		1	1	2	-	2	-	-	12	3	-
" 45-		-	-	-	-	2	-	-	17	1	-
" 55-		-	-	-	-	-	-	-	7	-	-
" 65 and upwards		-	-	-	-	-	-	-	7	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 27. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, JULY 9. [Price 1½*d.*

General Register Office, Somerset House,
July 11th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 11·0 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 11·1, 11·2, and 11·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 15·0 in Rhondda, 15·1 in St. Helens, 15·2 in Burton on Trent, 15·6 in Rochdale and in Middlesbrough, 17·1 in Huddersfield, 17·7 in Oldham, 18·3 in Dewsbury, 18·9 in Stockport, and 20·6 in Swansea; from *measles*, 1·3 in Sunderland, and 1·6 in Barrow in Furness; from *diphtheria*, 2·8 in Burton on Trent; from *whooping-cough*, 1·2 in Portsmouth, in Manchester, and in Rochdale, 1·3 in South Shields, 1·4 in Oldham, and 1·6 in Tottenham and in Gateshead; and from *diarrhœa*, 1·5 in Burnley and 3·3 in Merthyr Tydfil. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2274 BIRTHS and 997 DEATHS were registered. Allowing for increase of population, the births were 170 and the deaths 93 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17024—41.) Wt. 91—429. 700. 7/10. D & S. G. 31. Sch. 4. 2 D

weeks of the previous five years. The annual death-rate from all causes, which had been 10·6, 10·5, and 10·3 per 1000 in the preceding three weeks, rose last week to 10·7. The death-rate in the four weeks ended last Saturday averaged 10·5 per 1000, being 1·5 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 997 deaths included 37 from measles, 8 from scarlet fever, 3 from diphtheria, 23 from whooping-cough, 2 from enteric fever, and 17 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 90 deaths were referred, being 11 below the corrected average number in the twenty-seventh week of the preceding five years.

The deaths from *measles*, which had been 47, 35, and 32 in the preceding three weeks, were 37 last week, and were 3 above the corrected average; 4 deaths belonged to the Borough of Shoreditch, 4 to Southwark, and 3 each to Poplar, Bermondsey, and Camberwell. The deaths from *scarlet fever*, which had been 3, 3, and 2 in the preceding three weeks, rose to 8 last week, but were 4 below the corrected average. The deaths from *diphtheria*, which had been 7, 2, and 5 in the preceding three weeks, were 3 last week, and were 5 below the corrected average. The deaths from *whooping-cough*, which had been 32, 25, and 21 in the preceding three weeks, were 23 last week, and were 3 above the corrected average; 3 deaths belonged to Camberwell. The deaths from *enteric fever*, which had been 1, 1, and 2 in the preceding three weeks, were 2 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 23, 11, and 14 in the preceding three weeks, were 17 last week, and were 6 below the corrected average. Of the 17 deaths from diarrhœa, 15 were those of children under 5 years of age; 7 other deaths at this age was certified as due to *enteritis* and 3 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 4, having been 5, 2, and 1 in the preceding three weeks.

Different forms of violence caused 53 deaths, concerning all of which inquests were held. Of these 53 deaths, 14 were cases of suicide, while the remaining 39 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, four to burns or scalds, five to drowning, and eight, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 1439 cases of scarlet fever, 628 of diphtheria, 1 of typhus, and 49 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 0, 2, and 0; of scarlet fever, 188 cases, against 166, 187, and 183; of diphtheria, 73 cases, against 76, 84, and 85; and of enteric fever, 49 cases, against 9, 7, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended July 2nd, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3529 births and 1397 deaths were registered. Allowing for increase of population, these numbers are 317 and 143 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from measles, 1 from scarlet fever, 5 from diphtheria, 2 from whooping-cough, 1 from enteric fever, and 7 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·77 inches, and that of the Thermometer 55°·2, the latter being 7°·1 below the week's average in the 65 years ended 1905. The general direction of the wind was North-north-westerly, the horizontal movement of the air being 6 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 18·0 hours; the measured rainfall amounted to 1·29 inches.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 9th July, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 18th June, 1910.	25th June, 1910.	2nd July, 1910.	9th July, 1910.	Rate from Diseases in Cols. 11-17 Week ended 9th July 1910.	Registered during the Week ended 9th July, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**11·1**	**11·2**	**11·0**	**11·0**	**1·1**	**8344**	**3579**	**742**	**1052**	**-**	**115**	**28**	**28**	**109**	**7**	**71**	**146**	**281**	**1004**	**25**	**77 TOWNS.**
LONDON	4,872,702	10·6	10·5	10·3	10·7	1·0	2274	997	168	302	-	37	8	3	23	2	17	53	101	470	1	LONDON.
CROYDON	164,485	7·3	7·3	9·5	10·1	1·3	85	32	3	15	-	1	1	2	-	-	-	1	5	8	-	CROYDON.
WILLESDEN ..	166,088	4·4	6·3	6·3	5·7	0·3	66	18	3	8	-	-	-	-	1	-	-	1	1	4	-	WILLESDEN.
HORNSEY	98,561	6·9	5·3	6·3	3·2	0·5	28	6	3	1	-	-	-	1	-	-	-	-	-	1	-	HORNSEY.
TOTTENHAM ..	132,803	7·5	9·4	9·0	7·9	1·6	82	20	-	8	-	-	-	-	4	-	-	-	2	4	-	TOTTENHAM.
WEST HAM ..	328,585	8·4	9·5	10·8	6·8	0·2	151	43	13	12	-	-	-	1	-	-	-	2	6	5	-	WEST HAM.
EAST HAM.. ..	156,208	6·3	7·3	3·7	6·0	-	73	18	3	4	-	-	-	-	-	-	-	-	-	3	-	EAST HAM.
LEYTON	133,436	8·2	7·8	7·0	7·0	-	54	18	1	8	-	-	-	-	-	-	-	1	2	5	-	LEYTON.
WALTHAMSTOW	141,748	8·8	5·1	6·6	7·7	0·7	51	21	9	4	-	2	-	-	-	-	-	1	3	1	-	WALTHAMSTOW.
HASTINGS	68,520	7·6	9·9	13·7	9·1	1·5	16	12	1	7	-	-	-	1	1	-	-	-	1	1	1	HASTINGS.
BRIGHTON	131,900	11·1	12·3	8·3	12·7	-	50	32	3	17	-	-	-	-	-	-	-	1	4	6	-	BRIGHTON.
PORTSMOUTH ..	217,989	12·2	10·0	11·7	10·3	1·9	112	43	9	13	-	-	-	2	5	-	1	2	4	11	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	9·2	9·2	9·2	10·6	0·7	16	15	-	4	-	-	-	-	1	-	-	-	-	3	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	4·9	7·0	6·6	10·7	-	50	26	4	10	-	-	-	-	-	-	-	1	2	6	-	SOUTHAMPTON.
READING	84,355	6·2	8·0	10·5	9·3	-	32	15	4	3	-	-	-	-	-	-	-	1	1	-	-	READING.
NORTHAMPTON ..	99,113	8·4	6·3	9·5	10·0	-	37	19	1	7	-	-	-	-	-	-	-	1	1	5	-	NORTHAMPTON.
IPSWICH	75,936	8·2	17·2	11·7	6·9	-	34	10	3	4	-	-	-	-	-	-	-	-	-	-	-	IPSWICH.
GREAT YARMOUTH	53,715	12·6	10·7	11·6	10·7	1·9	20	11	3	4	-	1	-	-	1	-	-	-	2	3	-	GREAT YARMOUTH.
NORWICH	125,446	11·2	7·5	10·4	14·1	0·8	51	34	11	14	-	-	1	-	-	-	1	2	2	9	3	NORWICH.
PLYMOUTH	126,266	11·6	9·1	8·3	8·3	0·4	64	20	3	6	-	1	-	-	-	-	-	2	2	3	-	PLYMOUTH.
DEVONPORT	84,695	8·6	13·5	8·0	9·9	-	26	16	1	4	-	-	-	-	-	-	-	2	3	1	-	DEVONPORT.
BRISTOL	382,550	7·8	8·6	9·7	9·4	1·1	182	69	9	22	-	-	-	1	6	-	1	2	6	15	-	BRISTOL.
STOKE ON TRENT ..	245,726	14·0	10·8	10·0	13·2	1·5	118	62	20	14	-	-	2	1	1	-	3	4	5	5	1	STOKE ON TRENT.
BURTON ON TRENT	54,977	9·5	5·7	11·4	15·2	3·8	23	16	3	3	-	1	-	3	-	-	-	-	-	4	1	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	12·8	8·9	9·3	10·8	-	40	22	1	7	-	-	-	-	-	-	-	1	3	7	1	WOLVERHAMPTON.
WALSALL	101,035	9·3	9·3	12·4	8·8	0·5	56	17	2	7	-	1	-	-	-	-	-	2	2	4	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	5·8	9·4	7·2	9·4	1·4	24	13	3	4	-	-	1	-	1	-	-	-	1	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	12·5	12·5	9·5	8·1	-	30	11	2	8	-	-	-	-	-	-	-	1	1	2	-	WEST BROMWICH.

* See note † on first page of this return.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 18th June, 1910.	25th June, 1910.	2nd July, 1910.	9th July, 1910.	Rate from Diseases in Cols. 11–17. Week ended 9th July, 1910.	Registered during the Week ended 9th July, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	11·5	11·2	11·1	8·9	0·5	301	97	21	36	-	-	-	1	3	-	1	5	8	26	2	BIRMINGHAM.
KINGS NORTON ..	84,673	8·0	8·0	6·8	6·2	0·6	49	10	4	2	-	-	-	1	-	-	-	-	-	1	-	KINGS NORTON.
SMETHWICK	72,350	11·5	8·6	10·1	8·6	1·4	35	12	-	3	-	-	-	-	-	2	-	1	1	1	-	SMETHWICK.
ASTON MANOR ..	86,269	10·9	10·3	6·6	6·2	0·6	32	10	5	2	-	-	-	-	-	-	1	-	-	1	-	ASTON MANOR.
COVENTRY	81,449	13·4	12·8	10·2	10·9	-	52	17	3	7	-	-	-	-	-	-	-	1	1	3	-	COVENTRY.
LEICESTER	248,374	6·9	8·6	9·7	9·9	0·6	105	47	10	16	-	1	-	-	1	-	1	2	5	12	-	LEICESTER.
GRIMSBY	74,283	4·9	7·7	13·3	8·4	1·4	33	12	-	2	-	-	-	-	1	1	-	1	3	3	-	GRIMSBY.
NOTTINGHAM ..	266,471	16·8	11·5	9·6	11·2	1·6	112	57	11	19	-	1	-	-	4	-	3	-	1	13	-	NOTTINGHAM.
DERBY	131,256	6·4	10·7	6·4	8·3	0·4	68	21	10	5	-	-	-	-	1	-	-	3	4	2	-	DERBY.
STOCKPORT	105,087	16·9	12·4	12·4	18·9	1·5	55	38	11	3	-	1	-	-	1	-	1	-	-	6	-	STOCKPORT.
BIRKENHEAD ..	122,431	11·1	14·9	11·9	9·4	1·7	73	22	4	5	-	1	-	1	-	-	2	-	1	4	-	BIRKENHEAD.
WALLASEY ..	73,173	12·1	16·4	12·8	11·4	-	41	16	2	11	-	-	-	-	-	-	-	1	1	-	-	WALLASEY.
LIVERPOOL ..	767,606	16·4	16·0	16·0	14·8	1·9	481	218	50	47	-	15	3	1	6	-	3	8	15	83	4	LIVERPOOL.
BOOTLE	70,548	11·1	14·0	13·3	14·0	1·5	44	19	3	6	-	1	-	-	1	-	-	-	-	4	1	BOOTLE.
ST. HELENS	96,523	10·8	10·8	16·2	15·1	1·1	69	26	10	7	-	-	-	-	-	-	2	1	1	4	-	ST. HELENS.
WIGAN	91,732	11·4	14·8	9·7	13·6	1·1	58	24	4	6	-	-	1	-	-	-	1	1	1	4	-	WIGAN.
WARRINGTON ..	73,295	12·1	12·1	19·2	10·7	0·7	60	15	2	4	-	-	-	-	1	-	-	1	1	6	1	WARRINGTON.
BOLTON	190,315	11·2	11·8	11·5	11·2	0·3	109	41	6	14	-	-	-	-	1	-	-	1	2	5	-	BOLTON.
BURY	59,409	11·4	10·5	12·3	8·8	0·9	24	10	2	3	-	-	1	-	-	-	-	-	-	2	-	BURY.
MANCHESTER ..	716,354	13·2	14·3	13·4	13·5	3·1	372	186	48	37	-	15	2	1	16	1	8	3	5	47	1	MANCHESTER.
SALFORD	244,636	13·6	13·2	14·7	14·3	2·3	119	67	18	9	-	5	-	-	3	-	3	3	5	17	-	SALFORD.
OLDHAM	144,111	14·5	15·9	18·1	17·7	2·9	89	49	13	10	-	3	-	-	4	-	1	2	2	6	1	OLDHAM.
ROCHDALE	90,497	16·7	10·9	9·2	15·6	2·3	44	27	6	12	-	-	1	-	2	-	1	1	1	5	-	ROCHDALE.
BURNLEY	107,448	6·3	10·7	11·6	12·1	1·5	59	25	6	5	-	-	-	-	-	-	3	1	5	3	-	BURNLEY.
BLACKBURN	137,972	8·7	12·8	9·8	11·7	0·8	62	31	9	8	-	1	1	-	-	-	-	2	3	6	1	BLACKBURN.
PRESTON	119,253	13·6	10·9	11·8	10·5	0·4	47	24	5	9	-	1	-	-	-	-	-	-	1	6	-	PRESTON.
BARROW IN FURNESS.	63,689	10·6	11·5	13·9	12·3	1·6	33	15	3	6	-	2	-	-	-	-	-	1	1	3	-	BARROW IN FURNESS

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 9th July, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 18th June, 1910.	25th June, 1910.	2nd July, 1910.	9th July, 1910.	Rate from Diseases in Cols 11–17. Week ended 9th July, 1910.	Registered during the Week ended 9th July, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	13·8	13·8	17·1	17·1	2·2	46	31	8	5	-	-	1	2	-	1	-	2	3	6	-	HUDDERSFIELD.
HALIFAX	112,818	10·2	7·9	8·8	11·1	1·8	55	24	4	4	-	2	-	2	-	-	-	-	-	7	-	HALIFAX.
BRADFORD	295,865	13·6	12·7	13·4	11·5	1·4	125	65	11	22	-	5	-	2	-	-	1	2	5	22	-	BRADFORD.
LEEDS	490,985	10·7	12·3	12·4	10·8	1·0	219	102	24	32	-	2	-	-	5	-	2	4	6	16	-	LEEDS.
DEWSBURY	51,224	8·1	7·1	13·2	18·3	-	20	18	1	7	-	-	-	-	-	-	-	1	2	1	-	DEWSBURY.
SHEFFIELD	478,763	8·9	12·1	11·0	10·0	0·9	252	92	27	27	-	3	-	-	4	-	1	3	6	17	-	SHEFFIELD.
ROTHERHAM.. ..	66,414	11·8	11·8	9·4	12·6	0·8	29	16	5	4	-	-	-	-	1	-	-	1	1	3	-	ROTHERHAM.
YORK	88,159	8·3	9·5	7·7	8·3	0·6	38	14	4	4	-	1	-	-	-	-	-	1	1	3	-	YORK.
HULL	280,006	10·2	11·9	9·9	11·4	0·7	143	61	11	19	-	2	-	-	-	-	2	3	7	14	-	HULL.
MIDDLESBROUGH ..	107,014	15·6	15·1	16·1	15·6	1·9	69	32	14	6	-	-	1	1	-	-	2	1	3	6	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	14·6	14·6	15·5	13·6	1·0	38	14	1	5	-	-	-	-	1	-	-	-	-	1	1	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	8·3	8·9	11·5	10·2	-	45	16	5	7	-	-	-	-	-	-	-	1	1	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	13·3	10·7	11·3	12·6	1·3	97	39	9	14	-	4	-	-	-	-	-	1	2	8	2	SUNDERLAND.
SOUTH SHIELDS ..	119,737	11·3	15·7	13·1	11·3	1·7	63	26	7	6	-	-	1	-	3	-	-	-	-	6	-	SOUTH SHIELDS.
GATESHEAD	133,676	14·0	9·8	9·4	9·0	2·3	75	23	7	3	-	1	-	-	4	-	1	-	-	-	2	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	11·5	14·2	12·6	12·0	0·4	148	66	13	27	-	-	-	-	1	-	1	-	2	12	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	16·6	10·2	21·3	12·0	0·9	30	13	3	4	-	1	-	-	-	-	-	-	1	-	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	19·6	9·8	10·5	5·9	0·7	45	9	2	2	-	-	1	-	-	-	-	1	1	3	-	NEWPORT (MON.).
CARDIFF	199,189	8·9	10·7	11·5	11·3	1·6	95	43	10	12	-	2	1	1	1	-	1	2	4	8	-	CARDIFF.
RHONDDA	138,674	11·3	14·3	12·0	15·0	0·8	109	40	12	7	-	-	1	-	-	-	1	1	2	3	1	RHONDDA.
MERTHYR TYDFIL..	79,522	17·0	19·0	15·1	14·4	3·9	46	22	4	4	-	1	-	-	-	-	5	1	2	1	-	MERTHYR TYDFIL.
SWANSEA	98,817	20·1	14·8	11·1	20·6	-	86	39	8	12	-	-	-	-	-	-	-	1	4	6	-	SWANSEA.
GREATER LONDON	7,537,196	9·4	9·7	9·5	9·7	0·8	3529	1397	241	444	-	42	10	12	30	3	24	72	142	542	4	GREATER LONDON.
OUTER RING ..	2,664,494	7·3	8·2	8·1	7·8	0·6	1255	400	73	142	-	5	2	9	7	1	7	19	41	72	3	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	7·3	7·6	7·9	6·9	0·5	590	176	35	60	-	3	1	4	5	-	-	6	19	31	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	7·2	8·8	8·4	8·7	0·7	665	224	38	82	-	2	1	5	2	1	7	13	22	41	3	REMAINDER OF OUTER RING.
EDINBURGH	360,276	10·4	13·3	11·7	12·7	0·7	126	88	7	21	-	1	1	1	-	-	2	2	?	43	3	EDINBURGH.
GLASGOW	884,505	13·5	12·9	12·7	12·4	1·4	420	210	33	53	-	4	1	4	2	1	11	8	?	70	4	GLASGOW.
DUBLIN (Registration Area).†	402,928	17·1	15·5	15·3	16·8	1·2	229	130	34	33	-	1	-	2	-	-	6	7	9	46	5	DUBLIN (Registration Area).†
BELFAST †	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BELFAST †

ABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-SEVENTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2466	2413	2663	2597	2526	2509	2496	2309	2386	2236	2444·3	2274
Males - - -	1263	1287	1363	1290	1271	1277	1268	1164	1208	1146	1241·6	1177
Females - -	1203	1126	1300	1307	1255	1232	1228	1145	1178	1090	1202·7	1097
TOTAL **Deaths** -	1191	1256	1325	1176	1154	1006	1113	1089	1007	1109	1090·3	997
Males - - -	665	646	705	635	610	541	595	580	509	564	571·2	558
Females - -	526	610	620	541	544	465	518	509	498	545	519·1	439

* The numbers in this column are the average weekly numbers in the Twenty-Seventh week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	13 Weeks.
TOTAL **Births** -	2372	2334	2372	2229	2529	1610	2697	2434	2243	2424	2260	2329	2274	30107
TOTAL **Deaths** -	1387	1226	1217	1167	1299	1062	1107	1086	984	993	983	964	997	14472
Ages at Death: Under 1 year -	218	233	230	210	243	212	224	199	183	162	177	177	168	2636
1—5 years -	146	115	125	126	134	129	124	110	102	119	97	114	100	1541
5—20 " -	74	59	67	63	79	61	54	59	65	58	57	51	68	815
20—40 " -	170	148	141	135	151	117	145	136	119	124	134	129	142	1791
40—60 " -	277	269	265	244	281	229	240	235	219	218	226	223	217	3143
60 yrs. & upwds.	502	402	389	389	411	314	320	347	296	312	292	270	302	4546
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	46	27	33	40	55	48	50	51	47	47	35	32	37	548
Scarlet Fever - -	5	6	-	6	3	4	3	6	5	3	3	2	8	54
Diphtheria - -	8	5	6	6	11	8	2	5	5	7	2	5	3	73
Whooping-cough -	41	38	42	46	32	42	36	29	23	32	25	21	23	430
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	8	3	2	1	2	1	2	1	3	1	1	2	2	29
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diarrhœa, Dysentery	9	10	8	11	15	14	15	21	8	23	11	14	17	176
All above diseases -	117	89	91	110	118	117	108	113	91	113	78	76	90	1311
Dis. of Resp. System	137	119	103	83	116	81	64	64	55	42	55	54	44	1017
Pneumonia - -	175	158	141	128	117	114	98	110	82	52	74	68	73	1390
Phthisis - - -	113	112	102	116	121	99	90	104	81	97	87	90	94	1306
Dis. of Circ. System -	183	181	178	148	173	143	127	145	154	153	144	138	159	2026
Violence - - -	64	52	46	60	48	58	57	49	56	48	49	55	53	695
Inquest Cases - -	129	132	141	130	120	130	130	106	118	109	101	113	101	1560
Deaths in Institutions	577	550	550	536	576	423	477	498	430	464	464	442	470	6457
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	48·8	49·3	45·4	46·3	47·5	58·9	57·8	56·9	62·2	58·8	62·3	56·5	55·2	54·3
Mean of Highest -	58·7	57·7	55·5	55·6	58·3	69·8	69·1	67·6	72·0	69·9	75·0	66·0	63·7	64·5
Mean of Lowest -	42·1	42·0	37·8	39·4	38·8	51·2	49·2	49·0	55·3	49·8	53·0	50·2	50·2	46·8
Mean Humidity of the Air.	79	82	73	77	76	84	75	77	88	77	75	76	84	79
Rain-fall (in inches) -	1·86	0·23	0·43	0·74	0·42	0·89	0·08	0·27	0·44	0·01	1·11	1·00	1·29	8·77
Registered Sunshine (in hours).	29·1	8·3	50·1	44·6	53·8	19·2	60·2	36·8	28·4	52·7	52·3	33·5	18·0	517·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	2	1	3	-
Scarlet Fever - -	1535	1510	1509	1506	1476	1476	1445	1461	1401	1363	1353	1378	1439	1450
Diphtheria - - -	816	812	798	784	775	753	742	728	753	729	711	674	628	746
Typhus - - -	-	-	-	-	-	-	-	-	1	1	1	1	1	-
Enteric Fever - -	81	69	66	62	62	58	60	61	54	53	47	47	49	59

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SEVENTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objection should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 27th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1090·3	997	168	100	68	142	217	302
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	33·6	37	5	31	1	–	–	–
Scarlet Fever	12·1	8	–	5	3	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	6·3	4	1	–	–	–	1	2
Whooping-cough	19·9	23	13	10	–	–	–	–
Diphtheria	8·2	3	–	2	1	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	3·9	2	–	–	1	1	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	10·2	6	4	1	–	–	1	–
Diarrhœa, Dysentery ..	12·5	11	7	3	–	–	–	1
Tetanus	0·2	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	4·3	6	3	–	–	2	–	1
Puerperal Septicæmia ..	2·9	2	–	–	–	2	–	–
Puerperal Pyæmia.. .	0·6	–	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–	–	–
Infective Endocarditis ..	2·7	1	–	–	1	–	–	–
Pneumonia: Lobar ..	12·7	10	–	–	1	1	2	6
Pneumonia: Broncho ..	34·2	25	9	13	1	1	–	1
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	35·0	38	5	5	1	3	12	12
Erysipelas	2·9	3	1	–	–	–	1	1
Septicæmia (not Puerperal)	0·8	3	–	–	–	2	–	1
Pyæmia (not Puerperal)	1·2	–	–	–	–	–	–	–
Other Infective Processes	4·3	3	–	–	–	1	1	1
Tuberculous Phthisis ..	71·7	63	2	–	6	33	16	6
"*Phthisis*"	39·5	31	–	–	3	15	9	4
Tuberculous Meningitis ..	21·9	17	3	8	3	2	1	–
Tuberculous Peritonitis ..	6·1	11	3	3	1	2	1	1
Tabes Mesenterica	1·0	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	15·4	10	1	1	3	4	1	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	9·0	8	–	–	–	2	3	3
Rheumatic Fever	3·5	7	–	–	7	–	–	–
Gout	1·4	2	–	–	–	–	–	2
Carcinoma	56·3	70	–	–	1	2	31	36
Sarcoma	7·8	5	–	–	1	1	1	2
Cancer (undefined) ..	33·0	28	–	–	–	–	12	16
Diabetes Mellitus	8·0	4	–	–	–	–	1	3
Premature Birth	41·6	30	30	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 27th week of the 5 years 1905–1909.	1910—Deaths of Pers the Ages			
		ALL AGES.	Under 20.		20 and under 40.
			0–1.	1–5.	5–20.
Meningitis (not tuberc.)..	13·9	11	5	3	3
Gen. Par. of Insane, Insanity	9·6	17	–	–	–
Epilepsy	6·1	5	–	–	1
Convulsions	14·5	10	10	–	–
Locomotor Ataxy.. ..	1·0	1	–	–	–
Paraplegia, Dis. of Cord.	3·5	1	–	–	–
Nervous Sys., Other Dis.	13·5	17	1	–	1
Valv. Dis., Endocarditis..	37·5	48	–	–	3
Cereb. Hæm. Cereb. Emb.	35·2	41	–	–	–
Apoplexy, Hemiplegia ..	12·1	5	–	–	–
Aneurysm	4·1	4	–	–	–
Embolism, Thrombosis (not Cerebral) ..	1·8	1	–	–	–
Heart & Blood Ves., Other Dis... ..	71·3	60	1	–	2
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–
Bronchitis	35·2	34	6	1	–
Emphysema, Asthma ..	3·1	1	–	–	–
Pleurisy	2·9	3	–	–	–
Respiratory Dis., Other..	5·7	6	–	2	–
Tonsillitis, Quinsy.. ..	0·6	–	–	–	–
Enteritis (not Epid.) ..	12·1	11	7	–	–
Gastro-enteritis	5·3	3	3	–	–
Peritonitis (not Puerp.) ..	2·7	2	–	–	2
Cirrhosis of Liver.. ..	11·1	8	–	–	–
Liver Dis., Other	6·1	6	–	–	–
Digestive Sys., Other Dis.	33·6	35	4	1	3
Acute Nephritis	7·4	5	–	–	–
Bright's Dis., Albuminuria	31·1	33	–	–	1
Urinary Sys., Other Dis.	9·6	3	–	–	–
Generative Organs Dis...	3·7	–	–	–	–
Childbirth (Accid. of) ..	2·3	4	–	–	1
Old Age	39·7	35	–	–	–
Other Diseases	74·0	63	36	4	7
ACCIDENT.					
By Railways	1·0	–	–	–	–
By Vehicles and Horses..	7·4	4	–	–	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–
In Building Operations..	1·4	1	–	–	–
In Conflagrations	0·4	–	–	–	–
By Burns, Scalds, Explosions	1·6	4	–	4	–
By Drowning	5·5	5	–	1	1
By Suffocation in Bed ..	5·5	8	8	–	–
By Poisons or Poisonous Vapours	1·6	3	–	–	2
Other Deaths by Accident..	16·0	14	–	2	3
VIOLENCE OTHER THAN ACCIDENTAL.					
Homicide	1·8	–	–	–	–
Suicide	12·1	14	–	–	1
Execution	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the diffic experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2274	997	168	302	-	37	8	3	23	2	17	94	53	101	470	1
WEST DISTRICTS	805,311	328	178	28	53	-	4	-	1	5	-	6	13	14	22	78	-
NORTH DISTRICTS	1,055,908	477	213	27	69	-	5	2	1	5	2	3	19	11	20	98	-
CENTRAL DISTRICTS	209,465	109	56	11	14	-	-	-	-	-	-	1	5	3	5	37	-
EAST DISTRICTS	715,739	395	174	38	47	-	10	-	-	4	-	4	24	7	21	102	-
SOUTH DISTRICTS	1,749,844	965	338	64	112	-	16	5	1	9	-	3	26	17	32	117	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	38	-	7	-	2	1	-	-	-	-	7	1	1	38	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	22	6	1	3	-	-	-	-	1	-	-	-	1	1	-	-
entral Paddington *W,3H*	50,053	21	18	2	3	-	1	-	-	-	-	-	1	1	2	14	-
outh Paddington	30,320	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ensington South *W,3H*	85,610	22	13	1	4	-	-	-	-	-	-	-	2	-	1	6	-
ensington Central *W,H*	42,774	25	8	1	3	-	-	-	-	-	-	-	1	-	1	3	-
ensington North *w*	48,244	22	18	1	9	-	-	-	-	1	-	2	3	1	1	8	-
orth Hammersmith *2W,w,H* ..	49,192	22	13	4	5	-	-	-	-	1	-	1	1	2	2	4	-
outh Hammersmith *w,2H* ..	63,047	23	12	1	4	-	-	-	-	-	-	1	-	2	2	5	-
orth-west Fulham *W*	45,180	36	15	4	3	-	1	-	-	1	-	1	3	-	-	9	-
orth-east Fulham *F*	46,405	21	5	1	2	-	-	-	1	-	-	-	-	-	-	1	-
outh Fulham *W*	45,704	23	7	3	1	-	-	-	-	-	-	1	-	1	2	-	-
helsea North *W,w,3H*	42,514	17	20	1	8	-	-	-	-	1	-	-	2	-	2	14	-
helsea South *W,2H*	31,328	11	7	5	1	-	1	-	-	-	-	-	-	-	-	3	-
ayfair and Knightsbridge	28,743	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
elgrave *W,2H*	55,815	18	16	2	4	-	-	-	-	-	-	-	-	3	3	7	-
. Margaret & St. John *6H*	43,698	23	13	1	3	-	1	-	-	-	-	-	-	1	3	2	-
. James and St. Anne *W,6H* ..	33,081	11	5	-	-	-	-	-	-	-	-	-	-	2	2	2	-
NORTH DISTRICTS.																	
ll Souls Marylebone *7H*	35,391	11	13	1	-	-	-	-	-	1	-	-	-	-	-	10	-
. Mary Marylebone *W,4H* ..	37,948	44	7	-	2	-	-	-	-	-	-	-	-	2	2	2	-
ariston church Marylebone *H* ..	39,536	15	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
. John Marylebone *2H*	20,426	5	4	-	1	-	-	-	-	-	1	-	-	-	-	2	-
ampstead *W,F,6H*	81,942	30	20	2	9	-	-	-	1	2	-	-	2	1	1	6	-
est St. Pancras *2H*	60,562	29	6	-	1	-	1	-	-	-	-	-	-	-	-	1	-
outh St. Pancras *w,10H*	55,707	14	23	1	8	-	-	-	-	-	-	-	2	1	2	18	-
ast St. Pancras *W,H*	60,320	28	15	3	8	-	-	-	-	-	-	-	3	1	1	11	-
orth St. Pancras *2W*	58,728	29	9	2	2	-	1	1	-	-	-	-	-	-	-	1	-
ufnell *W*	31,995	12	19	4	8	-	-	-	-	-	1	1	1	1	3	16	-
pper Holloway *2W,w,H*	33,978	16	18	1	5	-	1	-	-	-	-	-	2	1	3	14	-
ollington *W,w,H*	33,922	12	6	2	2	-	-	-	-	-	-	1	1	1	1	-	-
ower Holloway	41,424	19	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-
arnsbury	54,478	26	3	2	1	-	-	-	-	-	-	-	-	1	1	-	-
lington South-east *F*	75,397	39	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ighbury *2H*	63,797	21	9	1	4	-	-	-	-	-	-	-	1	-	1	-	-
oke Newington *H*	51,247	19	9	1	3	-	-	-	-	1	-	-	1	-	1	-	-
orth Hackney	50,398	19	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-
entral Hackney *2w,F*	50,536	23	5	-	1	-	-	1	-	-	-	-	2	-	-	2	-
outh-west Hackney *3H*	59,921	28	14	3	3	-	-	-	-	-	-	1	2	1	1	5	-
outh-east Hackney *2W,w,H* ..	58,255	38	13	2	3	-	2	-	-	1	-	-	2	1	2	10	-
ackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	17	4	-	1	-	-	-	-	-	-	-	-	-	1	3	
Strand *W*,4*H*	21,674	2	9	2	2	-	-	-	-	-	-	-	2	-	1	5	
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn *W*,5*H*	29,612	9	15	6	3	-	-	-	-	-	-	-	1	-	-	12	
Clerkenwell *H*	63,704	39	6	-	2	-	-	-	-	-	-	-	-	-	-	1	
St. Luke 3*H*,*L*	36,116	35	3	1	1	-	-	-	-	-	-	-	2	1	1	-	
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	
St. Botolph *H*	10,299	4	2	-	1	-	-	-	-	-	-	-	-	1	1	-	
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	15	2	2	-	-	-	-	-	-	-	-	1	1	14	
City of London Asylum, Stone	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	23	3	2	-	-	1	-	-	-	-	-	-	-	-	-	
Shoreditch North-West *W*,*w*,*H* ..	36,127	18	17	3	8	-	1	-	-	-	-	1	2	-	1	12	
Shoreditch North-East	36,148	18	6	1	-	-	1	-	-	-	-	1	-	1	1	-	
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	37	25	8	7	-	2	-	-	2	-	-	4	1	1	20	
Bethnal Green South-West *H* ..	64,542	37	2	-	-	-	-	-	-	-	-	-	1	-	-	-	
Spitalfields..	27,969	10	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
Mile End New Town *W*,*H*	28,718	19	35	10	6	-	-	-	-	-	-	1	4	1	6	34	
Goodman's Fields	22,081	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St George and St. John 2*W* ..	49,068	38	8	1	3	-	-	-	-	-	-	-	2	-	-	5	
Shadwell and Ratcliff *w*,*H* ..	25,568	7	9	5	-	-	2	-	-	1	-	-	-	-	-	8	
Limehouse *W*	32,369	15	4	1	1	-	-	-	-	1	-	-	-	1	1	-	
Mile End Old Town South-Western *H*	63,698	46	3	-	1	-	-	-	-	-	-	-	1	-	-	-	
Mile End Old Town North-Eastern *W*,*w*	49,129	21	11	1	4	-	-	-	-	-	-	-	3	-	-	8	
Bow	41,989	25	10	2	2	-	-	-	-	-	-	-	1	-	1	-	
Bromley 3*w*,*H*	68,319	47	25	1	9	-	2	-	-	-	-	-	4	2	4	12	
Poplar *W*,*w*	58,514	24	13	3	6	-	1	-	-	-	-	1	2	1	4	2	
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	

LE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
ristchurch and St. Saviour Southwark *W,2H* ..	23,319	9	26	5	1	-	1	-	1	-	-	-	-	5	5	22	-
ent-road	21,904	9	2	-	2	-	-	-	-	-	-	-	1	-	-	-	-
. George the Martyr West *W,2H,L*	39,094	14	5	-	-	-	-	-	-	2	-	-	1	-	-	3	-
ewington North	49,022	20	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
ewington South *W*	72,841	48	14	6	3	-	1	-	-	1	-	-	-	2	3	1	-
. Olave *2W*	9,817	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ermondsey *W*	82,483	67	13	2	5	-	2	-	-	-	-	-	-	1	2	-	-
otherhithe *W,F*	38,460	21	10	1	3	-	-	-	-	-	-	-	1	2	2	5	-
aterloo *2H*	27,440	29	8	3	2	-	2	-	-	-	-	1	-	1	3	2	-
ambeth Church *H*	27,440	18	13	-	-	-	1	-	-	-	-	-	-	2	2	12	-
ennington *2W*	52,518	22	11	2	5	-	-	-	-	-	-	-	2	1	2	7	-
ockwell *HF*	63,826	36	13	4	4	-	-	2	-	-	-	1	2	-	-	2	-
rixton *H*	73,673	23	11	1	5	-	-	-	-	-	-	-	2	-	1	2	-
orwood *2WH*	56,998	33	13	3	7	-	-	-	-	-	-	-	-	-	1	-	-
ast Battersea *H*	72,203	44	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-
orth-west Battersea	49,656	35	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-
uth-west Battersea *2W,H* ..	47,048	19	3	-	5	-	1	-	-	-	-	-	1	-	-	6	-
apham *2H*	51,361	20	7	4	2	-	1	-	-	-	-	-	-	-	-	-	-
reatham *W,2w,2F,2L*	88,019	62	23	2	15	-	-	-	-	-	-	-	1	-	-	4	1
oringfield *2W,L*	27,959	13	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-
outhfields *H*	40,444	25	5	3	-	-	-	-	-	1	-	-	1	-	1	-	-
itney	24,139	16	5	1	1	-	-	-	-	1	-	-	1	-	-	-	-
ulwich	13,359	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
amberwell South *W,w*	40,206	12	13	1	4	-	2	-	-	-	-	-	2	-	1	11	-
amberwell North *W,2L*	65,584	33	21	2	9	-	2	-	-	1	-	-	2	-	1	11	-
. George	47,331	24	8	3	2	-	-	-	-	-	-	-	2	-	2	-	-
eckham North	48,913	35	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-
eckham South *2W,w*	43,946	18	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
eptford North	37,613	20	5	2	1	-	1	-	-	-	-	-	-	-	1	-	-
eptford Central *F*	45,481	31	4	1	2	-	-	1	-	-	-	-	-	-	-	1	-
eptford South	34,625	10	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-
reenwich West *H*	23,456	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
reenwich East *2W,H*	43,859	24	16	1	6	-	-	-	-	-	-	-	2	-	-	12	-
ltham *w,H*	7,226	6	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-
e *w,H*	25,490	6	4	-	-	-	-	-	-	-	-	-	2	-	-	1	-
ewisham *2W,w,F*	58,352	40	15	3	7	-	-	1	-	1	-	-	1	-	1	5	-
rdenham *H*	43,653	26	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-
arlton *F,2H*	21,134	7	4	-	1	-	-	1	-	-	-	-	-	1	1	2	-
oolwich *5H*	41,625	28	6	1	1	-	1	-	-	-	-	-	-	1	1	2	-
umstead West *W,H*	39,376	23	8	1	4	-	-	-	-	-	-	-	-	-	1	-	-
umstead East *2W*	28,951	17	6	1	2	-	-	-	-	-	-	-	-	1	1	3	-
orkhouses:—																	
elmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
entral London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
. A. B. Small-pox Hospitals:—																	
ong Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. A. B. Fever Hospitals:—																	
ore Farm (temporary)	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-
orth-Eastern	—	-	2	-	-	-	2	-	-	-	-	-	-	-	-	2	-
orthern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. A. B. Children's Hospital:—																	
hildren's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. A. B. Imbecile Asylums:—																	
aterham	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
arenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
eavesden	—	-	2	-	-	-	-	-	-	-	-	-	2	-	-	2	-
ndon County Lunatic Asylums:—																	
anstead	—	-	4	-	1	-	-	-	-	-	-	-	2	-	-	4	-
well (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orton	—	-	5	-	1	-	-	-	-	-	-	-	1	-	-	5	-
anor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ong Grove	—	-	6	-	-	-	-	-	-	-	-	-	1	-	-	6	-
ane Hill	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	5	-
artford Heath	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
anwell	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
olney Hatch	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4	-
laybury	—	-	3	-	1	-	-	-	-	-	-	-	-	1	1	3	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belong the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMER POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 9th July, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public
	LONDON—OUTER RING ..	368,603	2,045,135	1255	400	73	142	-	5	2	9	7	1	7	19	41	7
31 : 1	Carshalton *2F,3H*	12,228	32,997	20	6	-	5	-	-	-	-	-	-	-	-	1	
2	Epsom, *part of** *W,w,2F,H* ..	10,423	15,548	11	4	-	2	-	-	-	-	-	-	-	-	-	
38 : 1	Godstone, *part of** *W,F,L* ..	2,754	2,692	-	1	-	1	-	-	-	-	-	-	-	-	-	
39 : 1	Coulsdon	11,069	8,166	7	2	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon *w,H* ..	4,200	49,309	29	7	1	2	-	-	-	-	-	-	-	-	-	
3	West Croydon *3W,F,H* ..	2,168	42,888	31	23	2	10	-	-	1	2	-	-	-	2	5	1
4	North Croydon *H*	2,644	41,698	25	5	-	3	-	1	-	-	-	-	-	-	1	
5	Penge *w*	770	22,465	7	3	-	1	-	-	-	-	-	-	-	-	-	
6	Mitcham *w*	11,711	30,015	24	7	2	2	-	-	-	-	-	-	2	-	-	
40 : 1	Wimbledon *F,3H*	3,221	41,652	20	5	1	2	-	-	-	-	-	-	1	-	1	
2	Kingston *2W,H*	6,224	42,068	22	10	4	4	-	1	-	-	1	1	-	-	1	
3	Surbiton *F,H*	3,046	15,017	6	3	-	-	-	-	-	1	-	-	-	-	-	
4	Esher, *part of** *H*	5,402	13,100	8	1	-	1	-	-	-	-	-	-	-	-	-	
5	Hampton *H,F,L*	4,564	23,456	21	10	-	4	-	-	-	-	-	-	-	2	2	
41 : 1	Richmond *W,H*	2,491	31,672	8	5	-	3	-	-	-	-	-	-	-	-	-	
2	Mortlake *F*	2,518	17,821	16	4	-	2	-	-	-	-	-	-	-	-	-	
42 : 1	Bromley *F,3H*	4,696	27,397	15	5	1	3	-	-	-	1	-	-	-	-	-	
2	Beckenham *H*	7,832	28,454	9	-	-	-	-	-	-	-	-	-	-	-	-	
3	Orpington, *part of** *W,F* ..	10,113	9,857	3	2	-	1	-	-	-	-	-	-	-	1	1	
4	Chislehurst *2H*	7,338	16,446	11	2	1	-	-	-	1	-	-	-	-	-	-	
43 : 1	Bexley *w,F,H*	8,678	21,151	13	8	1	6	-	-	-	-	-	-	-	.	1	
2	Erith *F,H*	3,854	25,296	13	5	2	2	-	-	-	-	-	-	-	-	-	
3	Dartford *W,F, part of** ..	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	
126 : 1	Sunbury *w*	11,054	18,683	4	4	1	1	-	-	-	-	-	-	-	-	-	
2	Staines *W,H*	13,277	15,178	6	2	-	1	-	-	-	-	-	-	-	-	1	
127 : 1	Hillingdon *W,F,H*	6,035	13,661	6	6	1	2	-	-	-	-	-	-	-	-	-	
2	Uxbridge *H*	12,757	8,984	2	4	-	2	-	-	-	-	-	-	-	-	-	
3	Hayes *w 2F,H*	8,066	16,358	12	2	2	-	-	1	-	-	-	-	-	-	-	
128 : 1	Isleworth *3W,3F,H*	6,859	30,863	22	8	-	2	-	-	-	-	-	-	-	-	-	
2	Twickenham *F,2H*	2,421	20,991	9	6	-	4	-	-	-	-	-	-	-	1	1	
3	Brentford *3F,2H*	4,319	48,289	34	7	-	3	-	-	-	-	-	-	-	2	1	
4	Chiswick *H*	1,249	29,809	16	3	1	1	-	-	-	-	-	-	-	-	-	
5	Acton *w,F,3H*	6,132	48,914	42	7	4	1	-	-	-	-	-	3	-	-	-	
129 : 1	Willesden *W,F,2H*	4,384	114,811	66	18	3	8	-	-	-	-	1	-	-	1	1	
130 : 1	Harrow *F,H*	13,809	25,523	15	5	-	3	-	-	-	-	-	-	-	1	1	
2	Edgware *2F,2H*	6,994	4,521	-	1	-	1	-	-	-	-	-	-	-	-	-	
3	Hendon *W,F*	8,382	22,450	30	11	7	1	-	-	-	-	-	-	-	-	-	
131 : 1	South Mimms *2F,H* ..	17,755	7,308	8	2	1	-	-	-	-	-	-	-	-	-	1	
2	Barnet *W,2H*	3,324	17,970	8	4	1	2	-	-	-	-	-	-	-	-	-	
3	Finchley *F,3H*	4,668	33,692	25	6	-	-	-	-	-	-	-	-	-	1	2	
132 : 1	Hornsey *F,H*	2,875	72,056	28	7	3	1	-	-	-	2	-	-	-	-	-	
2	Wood Green *H*	1,625	34,233	21	6	-	3	-	-	-	1	-	-	-	-	-	
3	West Tottenham	995	48,741	36	13	-	6	-	-	-	-	3	-	-	-	1	
4	East Tottenham *2H* ..	2,019	53,962	46	6	-	1	-	-	-	-	1	-	-	1	1	
5	Edmonton *W,w,2F*	7,491	61,892	45	13	2	3	-	-	-	-	-	-	-	-	3	
6	Enfield *2W,F,H*	12,601	42,738	26	12	3	3	-	-	-	1	-	-	1	-	1	
7	Waltham Abbey *F*	11,017	6,549	5	1	-	1	-	-	-	-	-	-	-	-	1	
8	Cheshunt *F,H*	8,479	12,292	3	2	-	1	-	-	-	-	-	-	-	1	1	
138 : 1	Hatfield, *part of** *W* ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	
140 : 1	Bushey, *part of** *H* ..	9,195	7,051	4	2	1	1	-	-	-	-	-	-	-	-	-	
2	Watford, *part of** *W,2F* ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	
188 : 1	Stratford *H*	1,091	52,974	36	8	3	1	-	-	-	-	-	-	-	1	2	
2	Forest Gate	787	52,745	19	5	-	3	-	-	-	-	-	-	-	-	-	
3	Plaistow *F,2H*	1,249	90,931	57	18	6	2	-	-	-	1	-	-	-	1	2	
4	Canning Town *H*	1,556	70,718	39	10	3	5	-	-	-	-	-	-	-	-	2	
5	South East Ham *2F* ..	1,991	37,342	37	5	2	1	-	-	-	-	-	-	-	-	-	
6	North East Ham *w,H* ..	1,333	58,666	36	10	1	1	-	-	-	-	-	-	-	-	-	
7	Wanstead *F*	1,679	9,179	6	1	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton *2W*	631	50,467	21	8	-	4	-	-	-	-	-	-	-	1	1	
9	North Leyton *2W,w,F* ..	1,963	48,445	33	16	2	7	-	1	-	-	-	-	-	-	-	1
10	Walthamstow *2H,L* ..	6,504	108,929	65	22	10	4	-	1	-	-	1	-	-	1	3	
189 : 1	Chigwell *2F,3H*	11,778	16,397	10	1	-	-	-	-	-	-	-	-	-	1	1	
2	Epping *W,F, part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	
191 : 1	Romford, *part of** *W,2F* ..	6,556	6,091	3	2	-	1	-	-	-	-	-	-	-	-	-	
2	Ilford *F,L*	8,496	41,244	32	9	1	3	-	-	-	-	-	-	-	-	-	
3	Barking Town *F*	3,805	21,547	23	3	-	2	-	-	-	-	-	-	-	-	-	
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	1	1	
	Middlesex County Lunatic Asylum, Napsbury.	—	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the O Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting E parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting part in Watford Rural parish: 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 1

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
LONDON* - -	4,872,702	July 9	2274	997	10·7	-	37	8	3	23	2	25
CALCUTTA - -	1,009,008	June 11	-	359‡	18·5	-	1	-	1	2	6	18
BOMBAY - -	977,822	" 21	395	556‡	29·6	14	6	-	-	-	1	33
MADRAS - -	509,346	" 10	364	334	34·0	2	4	?	?	?	-	21
PARIS* - -	2,772,467	July 2	1083	779	14·8	-	17	1	3	10	1	17
BRUSSELS* - -	720,030	" 2	230	166	12·0	-	1	1	1	-	1	18
ANTWERP* - -	317,171	" 2	137	57	9·2	-	6	-	1	1	-	7
AMSTERDAM* -	570,149	June 25	259	127	11·6	-	3	-	-	-	-	11
COPENHAGEN -	450,000	July 2	222	111	12·9	-	1	1	-	-	-	8
STOCKHOLM -	341,816	June 25	152	107	16·3	-	-	3	3	2	-	6
CHRISTIANIA -	240,178	July 2	81	62	13·4	-	-	-	-	2	-	2
ST. PETERSBURG	1,620,000	June 11	962	889	28·6	13	66	16	13	6	17	83
MOSCOW - -	1,493,600	" 18	-	1186	41·4	8	19	16	30	5	-	526
BERLIN - -	2,119,207	" 18	786	579	14·2	-	11	3	7	6	1	86
HAMBURG - -	895,804	July 2	-	205	11·9	-	1	1	4	2	1	29
BREMEN - -	507,500	June 25	-	215	22·1	-	-	-	1	4	1	43
MUNICH - -	576,000	" 25	280	159	14·4	-	1	1	1	1	-	16
VIENNA* - -	2,107,981	" 25 July 2	818 891	588 601	14·5 14·8	- -	11 7	5 -	7 6	2 11	1 -	40 52
PRAGUE* - -	497,905	June 11	203	188	19·6	-	3	-	-	2	1	18
BUDAPEST* -	833,703	" 25	382	303	18·9	-	6	7	2	6	4	28
PRAGUE* - -	221,124	July 2	117	94	22·1	-	1	-	-	1	-	20
ROME - -	587,096	May 14	258	238	21·1	-	26	-	6	1	2	14
BERNE - -	183,224	June 4 " 11	91 84	53 76	16·5 21·6	- -	- 1	- 1	- -	- 1	- 3	8 4
BUCAREST - -	297,643	May 14	174	159	27·9	-	1	3	3	-	2	5
NEW YORK* -	4,711,956	June 18	2470	1394	15·4	1	20	24	38	7	8	105
CHICAGO* - -	2,282,927	" 18	-	626	14·3	-	5	10	16	4	1	43
PHILADELPHIA*	1,598,400	April 16	-	-	-	-	-	-	-	-	-	-
RIO JANEIRO	842,822	June 5	-	291‡	18·0	-	-	-	1	-	-	?
CAIRO :—*												
Egyptians -	616,183	" 10	523	609	51·4	-	28	-	10	-	10	154
Foreigners -	61,480	" 10	8	26	22·0	-	-	-	-	-	-	3
ALEXANDRIA :—*												
Egyptians -	317,454	" 10	226	248‡	40·6	-	8	-	-	-	4	61
Foreigners -	67,966	" 10	10	14	10·7	-	-	-	-	-	-	2

The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to n under two years of age.
Excluding deaths from croup in the Indian Cities.
Including 27 deaths from *plague* in Calcutta, 71 in Bombay, 1 in Rio de Janerio, and 1 in Alexandria, and from *Asiatic* , 31 deaths in Calcutta and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 9th July, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	67·0	48·1	56·9	1·29	BRADFORD - -	61·9	41·5	53·7	1·40
BRIGHTON - -	69·0	49·0	58·4	1·15	YORK - - -	65·0	44·0	55·7	1·29
PORTSMOUTH - -	68·0	46·0	58·4	0·47	HULL - - -	65·0	47·0	55·3	1·04
PORTSMOUTH - -	63·2	46·2	55·0	1·54	TYNEMOUTH - -	61·0	45·0	53·2	0·47
PLYMOUTH - -	65·0	49·5	57·8	0·38	CARDIFF - - -	69·5	47·6	57·5	0·33
BRISTOL - - -	73·0	45·0	58·7	0·91	EDINBURGH - -	70·0	47·1	55·4	1·27
BIRMINGHAM - -	65·7	47·3	55·9	1·20	GLASGOW - -	73·0	41·2	57·1	0·74
NOTTINGHAM - -	65·0	45·0	55·9	1·13	DUBLIN { Phœnix Park.	67·5	40·7	55·5	0·66
LIVERPOOL OBSERVATORY.	63·0	49·0	56·3	0·87	DUBLIN { Fitz-william Square.†	67·1	47·1	56·3	0·89
MANCHESTER -	70·2	41·8	56·2	1·38					
SURBITON - -	67·5	38·5	54·6	1·32					
HUDDERSFIELD -	64·3	44·2	55·7	1·35	BELFAST - - -	63·8	46·5	55·0	0·61

the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to enth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The ion applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the was 1·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
dly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 9th July, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	3	..	29·526	66·0	48·1	17·9	52·6	− 9·2	50·0	2·6	13·9	0·0	91	128·0	43·0	58·51	WSW., W. & variable	Variable & N.	2·4	0·0	0·1	238	− 16	0·61	0·0
MONDAY	4	Perigee	29·863	67·0	48·2	18·8	57·0	− 5·1	49·5	7·5	18·4	0·6	76	124·4	42·8	58·31	N.	NNW. & NW.	1·5	0·0	0·1	244	− 13	0·00	5·0
TUESDAY	5	..	29·883	67·0	49·9	17·1	57·5	− 4·8	51·0	6·5	14·2	0·4	79	117·2	40·4	58·11	NNW., WNW. & WSW.	WSW., SW. & S.	1·5	0·0	0·1	249	− 9	0·31	0·0
WEDNESDAY	6	Gr. Dec. N. New.	29·542	64·1	52·0	12·1	56·3	− 6·1	51·9	4·4	10·4	0·2	85	118·2	47·0	58·20	SW., WSW. & NW.	NW., NNW. & N.	9·4	0·0	0·6	440	+182	0·27	0·2
THURSDAY	7	..	29·827	60·9	50·7	10·2	54·5	− 7·9	49·0	5·5	11·6	1·0	82	104·6	46·1	58·25	NNW. & N.	NNW., NW. & calm.	2·0	0·0	0·1	213	− 44	0·09	0·8
FRIDAY	8	..	29·880	63·0	50·9	12·1	55·3	− 7·1	51·6	3·7	11·3	2·0	87	93·3	50·4	58·12	NW., NNW. & N.	N.	2·7	0·0	0·2	227	+ 33	0·01	0·0
SATURDAY	9	..	29·860	58·0	51·3	6·7	53·1	− 9·3	49·5	3·6	8·9	1·8	88	77·0	42·8	57·95	NNW., N. & NNE.	N., NNE, & NE.	1·7	0·0	0·1	227	− 25	0·00	0·2
MEANS			29·769	63·7	50·2	13·6	55·2	− 7·1	50·4	4·8	12·7	0·9	84	109·0	44·6	58·21	NNW.		..	..	..	Sum 1898	Sum +108	Sum 1·29	0·9
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY	3	w. P. generally with occasional v. N. till 10h. A.M.; v. P. and s. N. afterwards.	2·9	16·5
MONDAY	4	w. P. till 5h. P.M; m. P. till 9h. P.M.; then w. P.	6·1	16·4
TUESDAY	5	w. P. till 10h. A.M.; m. P. till 1h. P.M.; w. P. till 8h. P.M.; v. P. and w. P. afterwards.	4·1	16·4
WEDNESDAY	6	w. P. and w. N. till 2h. A.M.; then w. P.	1·2	16·4
THURSDAY	7	w. P. throughout.	3·6	16·4
FRIDAY	8	w. P. throughout.	0·0	16·4
SATURDAY	9	w. P. throughout.	0·1	16·3
			Sum 18·0	Sum 114·8

GENERAL REMARKS.

Generally overcast; fine intervals in afternoon; frequent heavy showers accompanied at times by lightning and thunder; hail at 10h. 15m. A.M.

Fine and variably cloudy.

Cloudy at first; very fine interval between 3h. and 9h. A.M.; overcast with slight exceptions afterwards; nearly continuous rain after 7h. P.M., falling sharply at times.

Generally overcast; fine interval between 9h. and 10h. A.M.; steady rain continuing till 3h. A.M. followed by occasional light showers till evening; strong gusty wind prevalent between 8h. 30m. A.M. and 4h. P.M.

Cloudy till 4h. A.M.; very fine and sunny till 8h. A.M.; generally overcast afterwards; very dull with frequent rain after 7h. 30m. P.M.

Overcast with very slight exceptions; occasional misty rain after 10h. A.M.

Generally overcast; a cold day.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·45 in. at the beginning of the week to 29·93 in. by 7h. A.M. on the 5th; decreased to 29·47 in. by 10h. A.M. on the 6th; increased to 29·92 in. by 11h. P.M. on the 8th; and decreased to 29·84 in. by midnight on the

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 2nd July, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	2	3	-	-	-	-	2	-	-
Kensington	184,635	-	3	1	-	1	-	-	-	-	-
Hammersmith	127,413	-	5	2	-	1	-	-	2	1	-
Fulham	181,282	-	4	2	-	1	-	-	1	-	-
Chelsea	75,457	-	1	2	-	-	-	-	1	-	-
City of Westminster ..	167,233	-	12	2	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	3	3	-	-	-	-	-	-	-
Hampstead	95,729	-	4	-	-	1	-	-	1	-	-
St. Pancras	237,792	-	12	6	-	-	-	-	3	-	-
Islington	353,356	-	8	7	-	2	-	-	2	1	1
Stoke Newington	54,838	-	2	1	-	-	-	-	-	-	-
Hackney	239,979	-	5	1	-	-	-	-	5	-	-
CENTRAL.											
Holborn	53,142	-	2	-	-	1	-	-	1	-	-
Finsbury	94,578	-	4	1	-	-	-	-	1	-	-
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	3	1	-	1	-	-	1	-	-
Bethnal Green	131,579	-	8	2	-	-	-	-	1	-	-
Stepney	314,379	-	19	9	-	-	-	-	5	-	-
Poplar	172,432	-	7	5	-	-	-	-	4	-	-
SOUTH.											
Southwark	211,832	-	4	7	-	-	-	-	6	1	-
Bermondsey	127,238	-	8	6	-	-	-	-	1	-	-
Lambeth	327,074	-	14	1	-	1	-	-	3	-	-
Battersea	188,222	-	19	5	-	1	-	-	3	-	-
Wandsworth	305,838	-	14	6	-	1	-	-	3	2	-
Camberwell	286,058	-	6	5	-	-	1	-	1	-	-
Deptford	119,642	-	6	5	-	1	-	-	3	-	-
Greenwich	112,935	-	3	1	-	-	-	-	1	-	-
Lewisham	164,899	-	9	3	-	-	-	-	1	-	-
Woolwich	135,422	-	9	4	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	196	91	-	12	1	-	54	5	1
Ages 0-1		-	-	2	-	-	-	-	2	-	1
" 1-5		-	62	38	-	-	-	-	2	-	-
" 5-		-	82	31	-	2	-	-	-	-	-
" 10-		-	27	10	-	1	-	-	2	-	-
" 15-		-	10	4	-	4	-	-	3	-	-
" 20-		-	9	1	-	3	-	-	1	2	-
" 25-		-	2	3	-	1	-	-	5	2	-
" 35-		-	4	1	-	-	1	-	8	1	-
" 45-		-	-	-	-	1	-	-	11	-	-
" 55-		-	-	1	-	-	-	-	10	-	-
" 65 and upwards		-	-	-	-	-	-	-	10	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 2nd JULY, 1910.

BOROUGHS.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	*Pyrexia** (origin uncertain).	Diarrhœa.	Phthisis.		
COUNTY OF LONDON -	14,094	-	542	50	72	446	-	28	1	165	1,288	2,651	88
West.													
PADDINGTON - - -	438	-	25	1	-	10	-	1	-	3	31	73	95
KENSINGTON - - -	501	-	9	-	4	9	-	-	-	2	36	79	99
HAMMERSMITH - -	346	-	8	3	4	7	-	1	-	6	33	70	99
FULHAM - - -	450	-	25	3	1	17	-	-	-	5	44	126	116
CHELSEA - - -	220	-	-	-	-	8	-	-	-	3	17	34	98
CITY OF WESTMINSTER -	477	-	6	3	2	10	-	3	-	6	56	53	93
North.													
ST. MARYLEBONE - -	391	-	11	2	2	11	-	1	-	5	37	51	48
HAMPSTEAD - - -	185	-	-	1	-	2	-	1	-	4	7	18	53
ST. PANCRAS - - -	799	-	31	5	6	49	-	-	-	8	74	147	104
ISLINGTON - - -	973	-	8	1	6	40	-	3	-	9	107	160	79
STOKE NEWINGTON - -	137	-	2	-	1	-	-	-	-	2	14	22	88
HACKNEY - - -	635	-	34	1	1	21	-	1	-	9	48	116	81
Central.													
HOLBORN - - -	194	-	3	-	1	4	-	1	-	2	25	31	82
FINSBURY - - -	386	-	14	1	2	16	-	2	-	7	35	88	101
CITY OF LONDON - -	65	-	-	1	-	1	-	-	-	2	9	5	77
East.													
SHOREDITCH - - -	421	-	25	1	2	18	-	-	-	6	37	107	120
BETHNAL GREEN - -	432	-	25	5	3	7	-	-	-	6	45	103	100
STEPNEY - - -	943	-	30	3	7	28	-	1	-	19	86	221	90
POPLAR - - -	570	-	15	-	5	26	-	1	-	5	45	118	92
South.													
SOUTHWARK - - -	754	-	65	3	1	22	-	1	-	10	97	151	102
BERMONDSEY - - -	531	-	30	4	3	13	-	2	-	8	49	118	120
LAMBETH - - -	895	-	32	2	2	17	-	2	-	7	84	137	62
BATTERSEA - - -	475	-	22	1	2	20	-	2	-	2	43	86	78
WANDSWORTH - -	726	-	17	1	1	22	-	1	-	8	67	128	67
CAMBERWELL - -	774	-	35	3	4	29	-	1	-	11	63	133	79
DEPTFORD - - -	351	-	24	-	4	8	-	2	-	3	23	78	97
GREENWICH - - -	333	-	29	1	3	11	-	1	-	-	23	68	104
LEWISHAM - - -	362	-	7	2	4	9	-	-	-	7	19	69	78
WOOLWICH - - -	330	-	10	2	1	11	-	-	1	-	34	61	79

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 571 London residents who died outside London in Metropolitan Workhouses, Hospitals, and Lunatic and Imbecile Asylums, have been similarly distributed. Of the deaths shown in Table 5 during the 13 weeks the previous residence was outside London in 758 cases and these have been excluded from this Table.

* Called "Simple Continued Fever" previous to 1901.

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 28. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, JULY 16. [Price 1½*d.*

General Register Office, Somerset House,
July 18th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 11·4 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 11·2, 11·0, and 11·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 14·8 in Halifax and in South Shields, 14·9 in Liverpool and in Preston, 15·3 in Dewsbury, 15·8 in Rhondda, 17·7 in Merthyr Tydfil, 18·1 in Rotherham, and 21·3 in Barrow in Furness; from *measles*, 1·1 in Bradford and in Newcastle on Tyne, 1·3 in Merthyr Tydfil, 1·4 in Grimsby, and 4·1 in Barrow in Furness; from *whooping-cough*, 1·5 in Burnley, 2·8 in Grimsby, and 4·7 in Rotherham; and from *enteric fever*, 1·5 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2163 BIRTHS and 1036 DEATHS were registered. Allowing for increase of population, the births were 280 and the deaths 29 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17095—41.) Wt. 91—429. 700. 7/10. D & S. G. 31. Sch. 4. 2 E

causes, which had been 10·5, 10·3, and 10·7 per 1000 in the preceding three weeks, rose last week to 11·1. The death-rate in the four weeks ended last Saturday averaged 10·7 per 1000, being 0·8 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1036 deaths included 31 from measles, 4 from scarlet fever, 7 from diphtheria, 19 from whooping-cough, 1 from enteric fever, and 14 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 76 deaths were referred, being 18 below the corrected average number in the twenty-eighth week of the preceding five years.

The deaths from *measles*, which had been 35, 32, and 37 in the preceding three weeks, fell to 31 last week, the corrected average being 30; 5 deaths belonged to the Borough of Islington, 4 to Bermondsey, and 3 to St. Pancras. The deaths from *scarlet fever*, which had been 3, 2, and 8 in the preceding three weeks, were 4 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 2, 5, and 3 in the preceding three weeks, rose to 7 last week, and were equal to the corrected average. The deaths from *whooping-cough*, which had been 25, 21, and 23 in the preceding three weeks, fell to 19 last week, and were equal to the corrected average; 3 deaths belonged to Stepney. One death from *enteric fever* was registered last week, as compared with 1, 2, and 2 in the preceding three weeks, the corrected average being 3. The deaths from *diarrhœa*, which had been 11, 14, and 17 in the preceding three weeks, were 14 last week, and were 15 below the corrected average. Of the 14 deaths from diarrhœa, 13 were those of children under 2 years of age; 2 other deaths at this age was certified as due to *enteritis* and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 4, having been 2, 1, and 4 in the preceding three weeks.

Different forms of violence caused 46 deaths, concerning all of which inquests were held. Of these 46 deaths, 8 were cases of suicide, while the remaining 38 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, two to burns or scalds, eight to drowning, and six, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 1530 cases of scarlet fever, 646 of diphtheria, 1 of typhus, and 50 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 249 cases, against 187, 183, and 188; of diphtheria, 90 cases, against 84, 85, and 73; and of enteric fever, 10 cases, against 7, 9, and 5. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended July 9th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3554 births and 1451 deaths were registered. Allowing for increase of population, these numbers are 259 and 61 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from diphtheria, 4 from whooping-cough, and 3 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·86 inches, and that of the Thermometer 57°·9, the latter being 5°·1 below the week's average in the 65 years ended 1905. The general direction of the wind was North-easterly, the horizontal movement of the air being 22 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 34·5 hours; the measured rainfall amounted to 0·01 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 16th July, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 25th June, 1910.	2nd July, 1910.	9th July, 1910.	16th July, 1910.	Rate from Diseases in Cols. 11–17 Week ended 16th July, 1910.	Registered during the Week ended 16th July, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**11·2**	**11·0**	**11·0**	**11·4**	**1·0**	**8142**	**3692**	**687**	**1150**	**-**	**105**	**24**	**25**	**88**	**14**	**68**	**174**	**342**	**1069**	**32**	**77 TOWNS.**
LONDON	4,872,702	10·5	10·3	10·7	11·1	0·8	2163	1036	172	345	-	31	4	7	19	1	14	46	114	455	1	LONDON.
† CROYDON	164,485	7·3	9·5	10·1	8·6	1·0	92	27	2	11	-	-	-	1	2	-	-	1	1	8	-	CROYDON.
† WILLESDEN ..	166,088	6·3	6·3	6·0	4·4	-	88	14	1	6	-	-	-	-	-	-	-	1	1	4	1	WILLESDEN.
† HORNSEY	98,561	5·3	6·3	3·2	7·4	1·1	36	14	2	6	-	-	1	-	1	-	-	2	2	3	-	HORNSEY.
† TOTTENHAM ..	132,803	9·4	9·0	7·9	7·5	0·4	91	19	1	9	-	-	-	1	-	-	-	-	3	6	-	TOTTENHAM.
† WEST HAM ..	328,585	9·5	10·8	6·8	7·0	0·5	163	44	11	15	-	-	1	1	-	-	1	3	6	15	-	WEST HAM.
† EAST HAM.. ..	156,208	7·3	3·7	6·0	9·0	-	71	27	7	5	-	-	-	-	-	-	-	4	6	3	-	EAST HAM.
† LEYTON	133,436	7·8	7·0	7·0	4·7	0·8	65	12	3	3	-	1	-	-	-	-	1	1	2	1	-	LEYTON.
† WALTHAMSTOW	141,748	5·1	6·6	7·7	6·6	-	76	18	3	8	-	-	-	-	-	-	-	1	3	2	-	WALTHAMSTOW.
HASTINGS	68,520	9·9	12·9	9·1	9·9	-	18	13	2	4	-	-	-	-	-	-	-	1	2	1	-	HASTINGS.
BRIGHTON	131,900	12·3	8·3	12·7	11·1	-	58	28	2	15	-	-	-	-	-	-	-	1	4	11	-	BRIGHTON.
PORTSMOUTH ..	217,989	10·0	11·7	10·3	10·8	0·7	103	45	8	13	-	2	-	-	-	1	-	1	4	8	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	9·2	9·2	10·6	9·9	-	17	14	1	4	-	-	-	-	-	-	-	1	1	5	1	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	7·0	6·6	10·7	9·0	-	56	22	3	10	-	-	-	-	-	-	-	-	-	6	-	SOUTHAMPTON.
READING	84,355	8·0	10·5	9·3	6·8	-	32	11	1	4	-	-	-	-	-	-	-	-	-	3	-	READING.
NORTHAMPTON ..	99,113	6·3	9·5	10·0	7·4	-	39	14	2	5	-	-	-	-	-	-	-	-	-	3	-	NORTHAMPTON.
IPSWICH	75,936	17·2	11·7	6·9	8·2	-	24	12	2	4	-	-	-	-	-	-	-	-	-	3	1	IPSWICH.
GREAT YARMOUTH	53,715	10·7	11·6	10·7	10·7	-	29	11	1	5	-	-	-	-	-	-	-	-	-	2	-	GREAT YARMOUTH.
NORWICH	125,446	7·5	10·4	14·1	10·4	-	61	25	3	11	-	-	-	-	-	-	-	3	4	4	-	NORWICH.
PLYMOUTH	126,266	9·1	8·3	8·3	12·4	-	58	30	4	15	-	-	-	-	-	-	-	-	4	6	-	PLYMOUTH.
DEVONPORT	84,695	13·5	8·0	9·9	6·8	0·6	38	11	4	4	-	-	-	-	-	-	1	-	1	1	-	DEVONPORT.
BRISTOL	382,550	8·6	9·7	9·4	10·0	0·3	148	73	10	26	-	1	-	-	1	-	-	-	6	14	-	BRISTOL.
STOKE ON TRENT ..	245,726	10·8	10·0	13·2	10·8	1·5	151	51	16	7	-	2	1	2	1	-	1	6	9	8	1	STOKE ON TRENT.
BURTON ON TRENT	54,977	5·7	11·4	15·2	8·5	0·9	23	9	2	2	-	-	-	1	-	-	-	-	-	-	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	8·9	9·3	10·8	10·3	2·0	37	21	8	9	-	1	-	-	1	1	1	2	4	4	-	WOLVERHAMPTON.
WALSALL	101,035	9·3	12·4	8·8	13·4	1·5	55	26	1	7	-	1	-	-	1	-	1	1	2	8	-	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	9·4	7·2	9·4	9·4	0·7	29	13	2	2	-	-	-	-	1	-	-	1	2	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	12·5	9·5	8·1	12·5	0·7	48	17	5	5	-	-	-	-	-	-	1	-	3	2	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

ended Saturday, 16th July, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 25th June, 1910.	2nd July, 1910.	9th July, 1910.	16th July, 1910.	Rate from Diseases in Cols. 11–17. Week ended 16th July, 1910.	Registered during the Week ended 16th July, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	11·2	11·1	8·9	14·6	1·1	321	160	27	51	–	–	1	2	4	2	3	8	10	47	4	BIRMINGHAM.
KINGS NORTON ..	84,673	8·0	6·8	6·2	4·9	–	37	8	2	2	–	–	–	–	–	–	–	1	1	–	–	KINGS NORTON.
SMETHWICK	72,350	8·6	10·1	8·6	6·5	1·4	34	9	1	3	–	–	1	1	–	–	–	–	–	–	–	SMETHWICK.
ASTON MANOR ..	86,269	10·3	6·6	6·2	7·9	0·6	38	13	4	7	–	–	–	–	–	–	1	2	2	1	–	ASTON MANOR.
COVENTRY	81,449	12·8	10·2	10·9	11·5	1·3	43	18	2	7	–	–	1	–	–	–	1	–	–	4	–	COVENTRY.
LEICESTER	248,374	8·6	9·7	9·9	10·7	0·2	74	51	9	15	–	–	–	–	–	1	–	2	2	14	2	LEICESTER.
GRIMSBY	74,283	7·7	13·3	8·4	13·3	4·2	31	19	4	4	–	2	–	–	4	–	–	–	1	–	–	GRIMSBY.
NOTTINGHAM ..	266,471	11·5	9·6	11·2	11·9	1·0	134	61	17	20	–	2	–	2	–	–	1	3	4	11	–	NOTTINGHAM.
DERBY	131,256	10·7	6·4	8·3	12·3	0·4	76	31	6	13	–	1	–	–	–	–	–	2	4	11	–	DERBY.
STOCKPORT	105,087	12·4	12·4	18·9	8·9	1·0	48	18	2	3	–	1	–	–	–	–	1	1	1	3	–	STOCKPORT.
BIRKENHEAD ..	122,431	14·9	11·9	9·4	14·5	1·7	82	34	4	13	–	1	–	1	1	–	1	1	2	10	–	BIRKENHEAD.
WALLASEY . ..	73,173	16·4	12·8	11·4	7·8	1·4	39	11	2	4	–	–	–	–	1	1	–	–	–	2	–	WALLASEY.
LIVERPOOL . ..	767,606	16·0	16·0	14·8	14·9	2·2	441	219	46	49	–	13	4	–	8	–	7	7	13	90	2	LIVERPOOL.
BOOTLE	70,548	14·0	13·3	14·0	14·0	3·0	29	19	5	4	–		–	–	1	1	2	–	1	6	1	BOOTLE.
ST. HELENS	96,523	10·8	16·2	15·1	11·3	1·6	55	21	7	5	–	–	1	–	–	–	2	–	–	2	2	ST. HELENS.
WIGAN	91,732	14·8	9·7	13·6	9·1	–	56	16	3	4	–	–	–	–	–	–	–	1	3	3	–	WIGAN.
WARRINGTON ..	73,295	12·1	19·2	10·7	10·7	–	40	15	1	10	–	–	–	–	–	–	–	1	1	3	1	WARRINGTON.
BOLTON	190,315	11·8	11·5	11·2	13·2	1·1	105	48	10	17	–	–	1	–	1	–	2	–	2	13	–	BOLTON.
BURY	59,409	10·5	12·3	8·8	13·2	0·9	23	15	1	10	–	–	1	–	–	–	–	1	1	2	–	BURY.
MANCHESTER ..	716,354	14·3	13·4	13·5	14·4	2·0	391	193	45	41	–	8	4	–	11	1	4	15	19	64	1	MANCHESTER.
SALFORD	244,636	13·2	14·7	14·3	13·4	0·9	125	63	11	17	–	2	–	–	1	–	1	2	2	12	–	SALFORD.
OLDHAM	144,111	15·9	18·1	17·7	13·7	1·1	71	38	6	15	–	2	–	–	–	–	1	1	2	9	–	OLDHAM.
ROCHDALE	90,497	10·9	9·2	15·6	11·5	–	38	20	2	9	–	–	–	–	–	–	–	–	–	1	1	ROCHDALE.
BURNLEY	107,448	10·7	11·6	12·1	13·1	2·4	26	27	6	9	–	–	–	–	3	–	2	4	5	4	–	BURNLEY.
BLACKBURN	137,972	12·8	9·8	11·7	14·0	1·1	53	37	6	10	–	–	–	–	1	–	2	–	2	6	–	BLACKBURN.
PRESTON	119,253	10·9	11·8	10·5	14·9	1·3	64	34	4	9	–	2	–	–	1	–	–	2	3	8	2	PRESTON.
BARROW IN FURNESS.	63,689	11·5	13·9	12·3	21·3	4·9	32	26	4	5	–	5	–	1	–	–	–	2	3	5	1	BARROW IN FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 16th July, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 25th June, 1910.	2nd July, 1910.	9th July, 1910.	16th July, 1910.	Rate from Diseases in Cols 11-17. Week ended 16th July, 1910.	Registered during the Week ended 16th July, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	13·8	17·1	17·1	13·2	–	36	24	1	5	–	–	–	–	–	–	–	–	–	4	–	HUDDERSFIELD.
HALIFAX	112,818	7·9	8·8	11·1	14·8	1·4	38	32	3	9	–	2	–	–	1	–	–	1	2	12	1	HALIFAX.
BRADFORD	295,865	12·7	13·4	11·5	12 3	1·4	103	70	10	20	–	6	–	–	–	1	1	2	9	15	2	BRADFORD.
LEEDS	490,985	12·3	12·4	10·6	9·9	0·5	196	93	15	28	–	2	–	1	2	–	–	6	12	17	–	LEEDS.
DEWSBURY	51,224	7·1	13·2	18·3	15·3	2·0	19	15	2	7	–	–	–	–	1	1	–	1	1	2	–	DEWSBURY.
SHEFFIELD	478,763	12·1	11·0	10·0	11 7	1·5	235	107	22	38	–	3	–	–	8	–	3	–	2	20	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	11·8	9·4	12·6	18·1	4·7	32	23	6	7	–	–	–	–	6	–	–	2	2	3	–	ROTHERHAM.
YORK	88,159	9·5	7·7	8·3	5·9	0·6	46	10	3	3	–	–	–	–	–	–	1	1	1	3	–	YORK.
HULL	280,006	11·9	9·9	11·4	8·4	1·3	152	45	10	13	–	2	1	2	1	–	1	4	6	10	–	HULL.
MIDDLESBROUGH ..	107,014	15·1	16·1	15·6	12·2	2·4	69	25	4	8	–	–	–	1	1	3	–	2	2	5	1	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	14·6	15·5	13·6	14·6	1·0	28	15	2	2	–	–	–	–	1	–	–	2	2	4	–	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	8·9	11·5	10·2	14·0	0·6	49	22	9	2	–	–	–	–	–	–	1	1	1	1	–	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	10·7	11·3	12·6	12·3	0·6	117	38	11	11	–	1	–	–	–	–	1	3	4	10	1	SUNDERLAND.
SOUTH SHIELDS ..	119,737	15·7	13·1	11·3	14·8	1·7	58	34	6	12	–	–	1	–	1	–	2	3	5	9	1	SOUTH SHIELDS.
GATESHEAD	133,676	9·8	9·4	9·0	12·1	0·4	61	31	5	12	–	–	–	–	1	–	–	1	1	2	1	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	14·2	12·6	12·0	12·8	1·6	125	70	16	23	–	6	1	–	1	–	1	2	6	14	–	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	10·2	21·3	12·0	10·2	0·9	38	11	4	3	–	1	–	–	–	–	–	–	1	5	–	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	9·8	10·5	5·9	7·8	0·7	52	12	5	3	–	–	–	–	–	–	1	1	2	3	–	NEWPORT (MON.).
CARDIFF	199,189	10·7	11·5	11·3	8 6	1·0	93	33	8	7	–	1	–	–	–	–	3	4	5	6	–	CARDIFF.
RHONDDA	138,674	14·3	12·0	15·0	15·8	0·8	96	42	15	2	–	1	–	1	–	–	–	2	4	2	–	RHONDDA.
MERTHYR TYDFIL..	79,522	19·0	15·1	14·4	17·7	2·0	61	27	9	7	–	2	–	–	–	–	1	2	2	2	–	MERTHYR TYDFIL.
SWANSEA	98,817	14·8	11·1	20·6	14·2	–	58	27	5	7	–	–	–	–	–	–	–	2	4	3	–	SWANSEA.
GREATER LONDON	7,537,196	9·7	9·5	9 7	10·0	0·7	3554	1451	248	501	–	32	6	12	23	1	19	72	160	539	3	GREATER LONDON.
OUTER RING ..	2,664,494	8·2	8·1	7·8	8·1	0·4	1391	415	76	156	–	1	2	5	7	–	5	26	46	84	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	7·6	7·9	7·0	6·9	0·4	687	175	30	63	–	1	2	3	3	–	2	13	24	42	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·8	8·4	8·7	9·3	0·3	704	240	46	93	–	–	–	2	4	–	3	13	22	42	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	13·3	11·7	12·7	11·6	0·6	132	80	13	25	–	1	–	1	–	–	2	7	?	33	2	EDINBURGH.
GLASGOW	884,505	12·9	12·7	12·4	11·9	0·8	423	202‡	48	44	–	1	2	2	2	–	6	16	?	80	10	GLASGOW.
DUBLIN (Registration Area).†	402,928	15·5	15·3	16·8	14·8	0·9	272	114	18	35	–	–	1	1	1	1	3	2	5	63	–	DUBLIN (Registration Area).†
BELFAST†	391,187	20·9	18·3	19·3	18·1	3·2	259	136	26	26	–	20	–	1	1	–	2	2	2	28	3	BELFAST†

ABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-EIGHTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2479	2526	2530	2581	2450	2363	2413	2292	2569	2292	2442·9	2163
Males - - -	1296	1251	1305	1265	1246	1186	1253	1135	1336	1185	1248·2	1118
Females - -	1183	1275	1225	1316	1204	1177	1160	1157	1233	1107	1194·7	1045
TOTAL **Deaths** -	1252	1237	1280	1145	1152	1047	1072	1115	989	979	1065·3	1036
Males - - -	666	652	699	601	605	546	577	585	526	521	564·2	546
Females - -	586	585	581	544	547	501	495	530	463	458	501·1	490

* The numbers in this column are the average weekly numbers in the Twenty-Eighth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	13 Weeks.
TOTAL **Births** -	2334	2372	2229	2529	1610	2701	2434	2243	2424	2260	2329	2272	2163	29900
TOTAL **Deaths** -	1226	1217	1167	1299	1062	1107	1036	984	993	983	964	997	1036	14121
Ages at Death: Under 1 year -	233	230	210	243	212	224	199	183	162	177	177	168	172	2590
1—5 years -	115	125	126	134	129	124	110	102	119	97	114	100	99	1494
5—20 " -	59	67	63	79	61	54	59	65	58	57	51	68	70	811
20—40 " -	148	141	135	151	117	145	136	119	124	134	129	142	120	1741
40—60 " -	269	265	244	281	229	240	235	219	218	226	223	217	230	3096
60 yrs. & upwds.	402	389	389	411	314	320	347	296	312	292	270	302	345	4389
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	27	33	40	55	48	50	51	47	47	35	32	37	31	533
Scarlet Fever - -	6	-	6	3	4	3	6	5	3	3	2	8	4	53
Diphtheria - -	5	6	6	11	8	2	5	5	7	2	5	3	7	72
Whooping-cough -	38	42	46	32	42	36	29	23	32	25	21	23	19	408
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	2	1	2	1	2	1	3	1	1	2	2	1	22
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhœa, Dysentery	10	8	11	15	14	15	21	8	23	11	14	17	14	181
All above diseases -	89	91	110	118	117	108	113	91	113	78	76	90	76	1270
Dis. of Resp. System	119	103	83	116	81	64	61	55	42	55	54	44	51	931
Pneumonia - -	158	141	128	117	114	98	110	82	52	74	68	73	80	1295
Phthisis - - -	112	102	116	121	99	90	104	81	97	87	90	94	84	1277
Dis. of Circ. System -	181	178	148	173	143	127	145	154	153	144	138	159	183	2026
Violence - - -	52	46	60	48	58	57	49	56	48	49	55	53	46	677
Inquest Cases - -	132	141	130	120	130	130	106	118	109	101	113	101	114	1545
Deaths in Institutions	550	550	536	576	423	477	498	430	464	464	442	471	455	6336
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	49·3	45·4	46·3	47·5	58·9	57·8	56·9	62·2	58·8	62·3	56·5	55·2	57·9	55·0
Mean of Highest -	57·7	55·5	55·6	58·3	69·8	69·1	67·6	72·0	69·9	75·0	66·0	63·7	67·4	65·2
Mean of Lowest -	42·0	37·8	39·4	38·8	51·2	49·2	49·0	55·3	49·8	53·0	50·2	50·2	52·2	47·5
Mean Humidity of the Air.	82	73	77	76	84	75	77	88	77	75	76	84	84	79
Rain-fall (in inches) -	0·23	0·43	0·74	0·42	0·89	0·08	0·27	0·44	0·01	1·11	1·00	1·29	0·01	6·92
Registered Sunshine (in hours).	8·3	50·1	44·6	53·8	49·2	60·2	36·8	28·4	52·7	52·3	33·5	18·0	34·5	522·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	2	1	3	3	1
Scarlet Fever - -	1510	1509	1506	1476	1476	1445	1461	1401	1363	1353	1378	1439	1530	1450
Diphtheria - - -	812	798	784	775	753	742	728	753	729	711	674	628	646	733
Typhus - - -	-	-	-	-	-	-	-	1	1	1	1	1	1	-
Enteric Fever - -	69	66	62	62	58	60	61	54	53	47	47	49	50	57

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-EIGHTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectio should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 28th week of the 5 years 1905-1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES	1065·3	1036	172	99	70	120	230	345
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	29·5	31	5	23	3	-	-	-
Scarlet Fever	7·0	4	-	2	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	4·5	4	-	-	-	-	3	1
Whooping-cough	19·0	19	8	10	1	-	-	-
Diphtheria	7·2	7	-	3	4	-	-	-
Cerebro-spinal Fever ..	-	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	2·5	1	-	-	-	1	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	15·6	6	5	1	-	-	-	-
Diarrhœa, Dysentery ..	12·9	8	7	-	-	-	-	1
Tetanus	0·4	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	4·5	7	4	1	-	-	2	-
Puerperal Septicæmia ..	1·0	2	-	-	-	1	1	-
Puerperal Pyæmia.. .	-	1	-	-	-	1	-	-
Puerperal Fever	0·4	-	-	-	-	-	-	-
Infective Endocarditis ..	3·1	3	-	-	-	2	1	-
Pneumonia: Lobar ..	12·3	11	1	1	1	-	4	4
Pneumonia: Broncho ..	25·4	35	13	12	2	2	2	4
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	33·6	34	5	4	2	3	8	12
Erysipelas	2·3	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	0·6	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	1·2	1	-	-	1	-	-	-
Other Infective Processes	2·9	3	-	1	-	-	-	2
Tuberculous Phthisis ..	65·3	47	1	2	2	19	18	5
"*Phthisis*"	38·7	37	-	-	2	14	19	2
Tuberculous Meningitis ..	19·9	25	1	14	10	-	-	-
Tuberculous Peritonitis ..	7·0	4	2	1	1	-	-	-
Tabes Mesenterica	1·4	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	17·4	14	3	3	4	2	-	2
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	6·3	8	-	-	-	3	2	3
Rheumatic Fever	4·1	2	-	1	1	-	-	-
Gout	1·2	1	-	-	-	-	-	1
Carcinoma	55·9	77	-	-	-	8	39	30
Sarcoma	5·5	10	-	-	1	1	4	4
Cancer (undefined) .	29·7	25	-	-	-	-	11	14
Diabetes Mellitus .. .	7·4	7	-	-	-	2	1	4
Premature Birth	42·8	37	37	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 28th week of the 5 years 1905-1909.	1910—Deaths of Persons of the Ages				
		ALL AGES.	Under 20.			20 and under 40.
			0-1.	1-5.	5-20.	
Meningitis (not tuberc.)..	12·1	8	1	-	4	-
Gen. Par. of Insane, Insanity	11·7	13	-	-	-	1
Epilepsy	6·6	4	-	-	-	3
Convulsions	14·3	9	8	1	-	-
Locomotor Ataxy.. ..	2·3	2	-	-	-	1
Paraplegia, Dis. of Cord.	6·1	6	-	-	1	-
Nervous Sys., Other Dis.	16·6	14	-	1	3	2
Valv. Dis., Endocarditis..	41·2	50	-	-	2	10
Cereb. Hæm. Cereb. Emb.	31·9	39	-	-	-	-
Apoplexy, Hemiplegia ..	10·2	8	-	-	-	-
Aneurysm	3·5	5	-	-	-	2
Embolism, Thrombosis (not Cerebral) ..	1·6	1	-	-	-	-
Heart & Blood Ves., Other Dis... ..	64·5	80	-	-	5	7
Croup (not Spasm: nor Memb.)	0·2	-	-	-	-	-
Bronchitis	34·8	35	3	5	-	-
Emphysema, Asthma ..	2·0	3	-	-	-	-
Pleurisy	3·3	7	1	2	-	-
Respiratory Dis., Other..	5·9	6	2	-	1	-
Tonsillitis, Quinsy.. ..	1·2	1	-	1	-	-
Enteritis (not Epid.) ..	7·2	4	2	-	-	1
Gastro-enteritis	5·1	6	3	3	-	-
Peritonitis (not Puerp.) ..	2·9	1	1	-	-	-
Cirrhosis of Liver.. ..	13·3	14	-	-	-	2
Liver Dis., Other	5·3	3	-	-	-	1
Digestive Sys., Other Dis.	35·6	36	6	1	1	5
Acute Nephritis	5·9	19	-	-	3	5
Bright's Dis., Albuminuria	29·7	14	-	-	-	2
Urinary Sys., Other Dis.	11·9	10	-	-	-	-
Generative Organs Dis...	4·5	3	-	-	-	2
Childbirth (Accid. of) ..	5·5	3	-	-	-	3
Old Age	44·2	51	-	-	-	-
Other Diseases	75·0	63	46	2	4	3
ACCIDENT.						
By Railways	1·8	1	-	-	-	1
By Vehicles and Horses..	8·2	8	-	2	3	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	1	-	-	-	-
In Building Operations..	1·8	2	-	-	-	1
In Conflagrations	-	-	-	-	-	-
By Burns, Scalds, Explosions	3·9	2	-	1	-	1
By Drowning	6·1	8	-	-	4	2
By Suffocation in Bed ..	5·1	6	6	-	-	-
By Poisons or Poisonous Vapours	3·1	3	-	-	1	-
Other Deaths by Accident..	17·4	7	-	1	1	1
VIOLENCE OTHER THAN ACCIDENTAL.						
Homicide	1·4	-	-	-	-	-
Suicide	11·3	8	-	-	-	3
Execution	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the diffic experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2163	1036	172	315	-	31	4	7	19	1	14	84	46	114	455	1
WEST DISTRICTS	805,311	301	174	24	57	-	5	-	1	3	-	2	13	7	12	79	1
NORTH DISTRICTS	1,055,908	487	213	29	84	-	9	1	1	2	-	1	17	8	24	91	-
CENTRAL DISTRICTS	209,465	90	53	10	16	-	-	-	1	-	-	-	2	3	8	26	-
EAST DISTRICTS	715,739	420	175	43	47	-	5	-	-	7	1	4	16	8	24	91	-
SOUTH DISTRICTS	1,749,844	865	389	66	130	-	12	2	3	7	-	7	33	20	46	136	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	32	-	11	-	-	1	1	-	-	-	3	-	-	32	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	27	9	2	3	-	-	-	-	1	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	19	22	4	4	-	2	-	-	-	-	1	1	2	2	16	-
South Paddington	30,320	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Kensington South *W,3H*	85,610	15	20	2	10	-	-	-	-	-	-	-	1	1	2	6	-
Kensington Central *W,H*	42,774	10	7	1	3	-	-	-	-	-	-	-	-	-	-	1	-
Kensington North *w*	48,244	30	13	1	5	-	-	-	-	1	-	-	-	-	1	4	-
North Hammersmith *2W,w,H* ..	49,192	29	12	2	5	-	-	-	-	-	-	1	1	-	1	10	-
South Hammersmith *w,2H* ..	63,047	29	13	3	3	-	-	-	-	-	-	-	-	-	-	9	1
North-west Fulham *W*	45,180	30	18	3	4	-	-	-	-	-	-	-	3	1	2	9	-
North-east Fulham *F*	46,405	12	4	-	1	-	1	-	-	-	-	-	-	-	-	1	-
South Fulham *W*	45,704	19	5	1	1	-	-	-	-	-	-	-	2	-	-	-	-
Chelsea North *W,w,3H*	42,514	14	15	2	7	-	-	-	-	-	-	-	4	-	-	10	-
Chelsea South *W,2H*	31,328	15	7	1	3	-	1	-	1	-	-	-	-	-	-	2	-
Mayfair and Knightsbridge	28,743	4	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	19	9	-	4	-	-	-	-	-	-	-	-	1	1	4	-
St. Margaret & St. John *6H*	43,698	15	12	1	1	-	-	-	-	1	-	-	1	2	2	7	-
St. James and St. Anne *W,6H* ..	33,081	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	10	17	1	3	-	-	-	-	-	-	-	1	2	2	11	-
St. Mary Marylebone *W,4H* ..	37,948	39	4	1	-	-	1	-	-	-	-	-	-	1	1	-	-
Christchurch Marylebone *H* ..	39,536	16	6	2	1	-	-	-	-	-	-	-	1	-	-	-	-
St. John Marylebone *2H*	20,426	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	25	15	3	5	-	-	1	1	-	-	-	1	-	-	8	-
West St. Pancras *2H*	60,562	25	11	2	1	-	1	-	-	1	-	-	1	-	1	1	-
South St. Pancras *w,10H*	55,707	21	11	2	4	-	-	-	-	1	-	-	-	1	2	8	-
East St. Pancras *W,H*	60,320	30	11	1	8	-	2	-	-	-	-	-	-	-	-	9	-
North St. Pancras *2W*	58,728	30	14	-	8	-	-	-	-	-	-	-	1	-	-	7	-
Tufnell *W*	31,995	15	20	2	10	-	1	-	-	-	-	-	2	-	-	14	-
Upper Holloway *2W,w,H*	33,978	29	13	1	7	-	-	-	-	-	-	-	4	-	-	8	-
Collington *W,w,H*	33,922	19	5	-	1	-	-	-	-	-	-	-	1	1	2	-	-
Lower Holloway	41,424	25	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	35	9	2	3	-	1	-	-	-	-	-	-	-	2	-	-
Islington South-east *F*	75,397	28	6	1	4	-	1	-	-	-	-	-	-	-	2	-	-
Highbury *2H*	63,797	31	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	13	5	1	3	-	-	-	-	-	-	-	-	1	1	-	-
North Hackney	50,398	13	7	1	6	-	-	-	-	-	-	1	-	-	2	-	-
Central Hackney *2w,F*	50,536	24	8	2	2	-	-	-	-	-	-	-	1	-	1	1	-
South-west Hackney *3H*	59,921	26	14	4	3	-	-	-	-	-	-	-	-	2	6	8	-
South-east Hackney *2W,w,H* ..	58,255	26	22	2	8	-	-	-	-	-	-	-	4	-	2	15	-
Hackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	15	8	-	6	-	-	-	-	-	-	-	-	-	3	2
Strand *W*,4*H*	21,674	2	4	1	1	-	-	-	-	-	-	-	-	1	1	2
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Holborn *W*,5*H*	29,612	7	12	5	1	-	-	-	-	-	-	-	1	-	1	9
Clerkenwell *H*	63,704	25	8	2	-	-	-	-	-	-	-	-	1	-	-	-
St. Luke 3*H*,*L*	36,116	36	4	2	1	-	-	-	-	-	-	-	-	1	2	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
St. Botolph *H*	10,299	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	14	-	4	-	-	-	1	-	-	-	-	1	1	11
City of London Asylum Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	21	8	3	1	-	-	-	-	-	-	1	-	-	-	1
Shoreditch North-West *W*,*w*,*H* ..	36,127	19	16	2	7	-	-	-	-	-	-	-	3	2	4	12
Shoreditch North-East	36,148	12	4	2	-	-	-	-	-	-	-	1	-	1	2	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	41	22	5	4	-	1	-	-	1	-	1	1	-	2	16
Bethnal Green South-West *H* ..	64,542	46	7	1	4	-	-	-	-	1	-	-	1	-	1	-
Spitalfields..	27,969	12	3	1	-	-	-	-	-	-	-	-	1	-	1	-
Mile End New Town *W*,*H*	28,718	17	25	6	4	-	-	-	-	-	-	-	2	-	1	22
Goodman's Fields	22,081	9	6	3	3	-	1	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	38	8	2	1	-	1	-	-	-	1	-	1	-	2	4
Shadwell and Ratcliff *w*,*H* ..	25,568	22	14	5	-	-	-	-	-	4	-	-	-	3	3	10
Limehouse *W*	32,369	25	3	2	1	-	-	-	-	-	-	1	-	-	-	-
Mile End Old Town South-Western *H*	63,698	44	4	1	1	-	-	-	-	-	-	-	1	-	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	28	16	4	5	-	-	-	-	-	-	-	-	1	3	6
Bow	41,989	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	39	28	2	14	-	2	-	-	-	-	-	5	-	3	20
Poplar *W*,*w*	58,514	34	10	3	2	-	-	-	-	1	-	-	1	1	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

BLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
ristchurch and St. Saviour Southwark *W,2H* ..	23,319	14	19	4	3	-	1	-	-	1	-	-	1	2	3	16	-
ent-road	21,904	7	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
., George the Martyr West *W,2H,L*	39,094	15	7	3	1	-	-	-	-	1	-	1	-	-	-	6	-
ewington North	49,022	26	6	3	-	-	-	-	-	-	-	-	1	-	-	-	-
ewington South *W*	72,841	27	13	2	7	-	1	-	-	-	-	-	-	1	2	2	-
., Olave 2*W*	9,817	-	3	-	1	-	-	-	-	-	-	-	-	2	2	-	-
ermondsey *W*	82,483	37	7	1	4	-	1	-	-	-	-	-	1	-	2	-	-
otherhithe *W,F*	38,460	32	17	2	3	-	3	-	-	1	-	-	1	-	-	9	-
'aterloo 2*H*	27,440	21	4	2	1	-	-	-	-	-	-	-	-	-	1	2	-
ambeth Church *H*	27,440	9	11	1	3	-	-	-	-	-	-	-	-	2	2	9	-
ennington 2*W*	52,518	31	21	3	9	-	-	-	-	-	-	1	4	-	2	8	-
ockwell *HF*	63,826	37	12	5	3	-	1	-	-	-	-	-	-	1	1	2	-
rixton *H*	73,673	21	6	1	2	-	-	-	-	-	-	-	1	-	1	-	-
orwood 2*WH*	56,998	20	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-
ast Battersea *H*	72,203	34	14	4	6	-	-	-	-	-	-	-	-	1	5	-	-
orth-west Battersea	49,656	27	10	5	1	-	1	-	-	-	-	2	1	1	1	-	-
outh-west Battersea 2*W,H* ..	47,048	20	16	3	6	-	-	-	-	-	-	-	1	-	4	13	-
lapham 2*H*	51,361	23	9	1	2	-	-	-	-	-	-	-	3	1	1	1	-
reatham *W,2w,2F,2L*	88,019	54	21	4	8	-	-	1	-	1	-	-	-	-	2	6	-
oringfield 2*W,L*	27,959	24	7	1	1	-	-	-	-	-	-	-	2	-	1	2	-
outhfields *H*	40,444	22	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-
utney	24,139	12	6	-	3	-	-	-	-	-	-	-	2	-	-	-	-
ulwich	13,359	2	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-
amberwell South *W,w*	40,206	11	25	5	8	-	-	-	-	1	-	1	3	2	2	20	-
amberwell North *W,2L*	65,584	30	31	2	10	-	2	-	-	-	-	-	3	2	3	19	-
., George	47,331	21	9	3	1	-	-	-	-	1	-	1	-	-	1	2	-
eckham North	48,913	31	8	2	2	-	-	-	1	-	-	-	-	-	1	-	-
eckham South 2*W,w*	43,946	18	6	-	5	-	-	-	-	-	-	-	1	-	1	-	-
eptford North	37,613	26	8	2	2	-	1	-	-	-	-	-	1	1	2	-	-
eptford Central *F*	45,481	28	5	1	2	-	-	-	1	-	-	-	-	-	-	1	-
eptford South	34,625	17	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
reenwich West *H*	23,456	12	2	-	1	-	-	-	-	-	-	-	1	-	1	-	-
reenwich East 2*W,H*	43,859	19	15	-	5	-	-	-	-	-	-	-	2	-	-	11	-
ltham *w,H*	7,226	7	2	1	-	-	-	-	-	-	-	-	-	1	1	1	-
ee *w,H*	25,490	14	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
ewisham 2*W,w,F*	58,352	41	16	3	8	-	-	-	1	1	-	-	1	-	1	4	-
ydenham *H*	43,653	19	5	-	3	-	-	-	-	-	-	1	-	1	1	-	-
harlton *F,2H*	21,134	3	5	-	2	-	-	1	-	-	-	-	1	1	1	2	-
oolwich 5*H*	41,625	23	5	-	3	-	1	-	-	-	-	-	-	-	-	-	-
lumstead West *W,H*	39,376	12	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
lumstead East 2*W*	28,951	18	5	-	1	-	-	-	-	-	-	-	1	-	-	1	-
orkhouses:—																	
elmont Workhouse	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
entral London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
. A. B. Small-pox Hospitals:—																	
ong Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. A. B. Fever Hospitals:—																	
ore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orth-Eastern	—	-	2	-	-	-	-	1	1	-	-	-	-	-	-	2	-
orthern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. A. B. Children's Hospital:—																	
hildren's Infirmary, Carshalton..	—	-	3	-	-	-	-	-	-	-	-	-	1	-	-	3	-
. A. B. Imbecile Asylums:—																	
aterham	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
arenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
ondon County Lunatic Asylums:—																	
anstead	—	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
well (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orton	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
anor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ong Grove	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	5	-
ane Hill	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
artford Heath	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-
anwell	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
olney Hatch	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
laybury	—	-	4	-	2	-	-	-	-	-	-	-	1	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belo the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylum Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUM POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 16th July, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.
	LONDON—OUTER RING ..	368,603	2,045,135	1391	415	76	156	-	1	2	5	7	-	5	26	46
31 : 1	Carshalton 2F,3H	12,228	32,997	13	9	-	5	-	-	-	-	-	-	-	-	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	3	-	2	-	-	-	-	-	-	-	1	1
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	4	7	3	2	-	-	-	-	-	-	-	-	1
39 : 1	Coulsdon	11,069	8,166	11	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	23	6	-	3	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	45	13	1	4	-	-	-	1	2	-	-	1	1
4	North Croydon H	2,644	41,698	24	7	1	2	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	7	3	-	3	-	-	-	-	-	-	-	1	1
6	Mitcham w	11,711	30,015	26	2	-	1	-	-	-	-	-	-	-	-	-
40 : 1	Wimbledon F,3H	3,221	41,652	24	2	-	1	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	23	12	2	7	-	-	-	-	-	-	-	-	1
3	Surbiton F,H	3,046	15,017	5	1	1	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	7	2	1	1	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	9	3	-	1	-	-	-	-	-	-	-	-	1
41 : 1	Richmond W,H	2,491	31,672	15	8	4	1	-	-	-	-	-	-	-	-	-
2	Mortlake F	2,518	17,821	18	3	1	1	-	-	-	-	-	-	-	1	1
42 : 1	Bromley F,3H	4,696	27,397	14	1	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,832	28,454	17	3	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	5	4	-	3	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,333	16,446	9	5	1	-	-	-	-	-	1	-	-	-	1
43 : 1	Bexley w,F,H	8,678	21,151	12	2	1	1	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,354	25,296	11	6	-	4	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-
126 : 1	Sunbury w	11,054	18,683	17	5	1	1	-	-	-	-	-	-	-	2	2
2	Staines W,H	13,277	15,178	8	3	1	-	-	-	-	-	-	-	-	-	-
127 : 1	Hillingdon W,F,H	6,035	13,661	9	4	1	3	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	5	2	-	1	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	16	4	-	2	-	-	-	1	-	-	-	-	1
128 : 1	Isleworth 3W,3F,H	6,859	30,863	19	17	1	9	-	-	-	-	-	-	1	-	-
2	Twickenham F,2H	2,421	20,991	16	4	-	2	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	34	16	3	6	-	-	-	1	-	-	-	-	-
4	Chiswick H	1,249	29,809	22	8	-	1	-	-	-	-	-	-	-	1	1
5	Acton w,F,3H	6,132	48,914	30	10	4	3	-	-	-	-	-	-	1	-	1
129 : 1	Willesden W,F,2H	4,384	111,811	88	14	1	6	-	-	-	-	-	-	-	1	1
130 : 1	Harrow F,H	13,809	25,523	32	6	4	-	-	-	-	-	-	-	-	1	1
2	Edgware 2F,2H	6,994	4,521	3	1	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	17	6	1	4	-	-	-	-	-	-	-	1	1
131 : 1	South Mimms 2F,H ..	17,755	7,308	1	1	-	1	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	7	5	-	2	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,688	33,692	27	8	-	3	-	-	-	-	-	-	-	-	-
132 : 1	Hornsey F,H	2,875	72,056	36	12	2	5	-	-	1	-	1	-	-	2	2
2	Wood Green H	1,625	34,233	18	11	2	6	-	-	-	-	1	-	-	-	-
3	West Tottenham	995	48,741	38	4	-	3	-	-	-	-	-	-	-	-	2
4	East Tottenham 2H ..	2,019	53,962	53	11	1	4	-	-	-	-	-	-	1	-	1
5	Edmonton W,w,2F	7,491	61,892	57	15	3	7	-	-	-	-	1	-	-	-	1
6	Enfield 2W,F,H	12,601	42,738	33	10	6	3	-	-	-	-	-	-	-	-	1
7	Waltham Abbey F	11,017	6,549	4	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	6	2	1	-	-	-	-	-	-	-	-	1	1
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** H ..	9,195	7,051	8	1	-	1	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	1	-	1	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	27	8	2	1	-	-	-	-	-	-	-	3	3
2	Forest Gate	787	52,745	23	7	1	5	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	72	11	4	4	-	-	1	1	-	-	1	-	2
4	Canning Town H	1,556	70,718	46	8	3	2	-	-	-	-	-	-	-	-	1
5	South East Ham 2F ..	1,991	37,342	33	11	3	3	-	-	-	-	-	-	-	-	1
6	North East Ham w,H ..	1,333	58,666	38	14	4	2	-	-	-	-	-	-	-	4	5
7	Wanstead F	1,679	9,179	5	2	-	-	-	-	-	-	1	-	-	-	-
8	South Leyton 2W	631	50,467	37	7	1	2	-	-	-	-	-	-	-	-	1
9	North Leyton 2W,w,F ..	1,963	48,445	28	20	3	5	-	1	-	-	-	-	1	1	1
10	Walthamstow 2H,L ..	6,504	108,929	82	20	4	8	-	-	-	-	-	-	-	1	3
189 : 1	Chigwell 2F,3H	11,778	16,397	9	1	-	1	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	7	4	1	1	-	-	-	-	-	-	-	1	1
2	Ilford F,L	8,496	41,244	33	10	1	3	-	-	-	-	-	-	-	1	1
3	Barking Town F	3,805	21,547	16	3	1	-	-	-	-	-	-	-	-	2	2
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepti part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : ", and

BLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

TIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
N* - -	4,872,702	July	16	2163	1036	11·1	-	31	4	7	19	1	19
TA - -	1,009,008	June	18	-	373‡	19·2	1	1	-	1	-	3	18
Y - -	977,822	"	28	354	536‡	28·5	4	-	-	-	-	-	33
S - -	509,346	"	17	336	295	30·1	1	2	?	?	?	-	29
- -	2,772,467	July	9	-	-	-	-	-	-	-	-	-	-
LS* - -	720,030	"	9	248	165	11·9	-	-	-	-	4	2	16
RP* - -	317,171	"	9	123	61	10·5	-	4	-	-	1	-	8
DAM* -	570,149	"	2	239	104	9·5	-	-	-	-	1	2	8
AGEN -	450,000	"	9	208	106	12·3	-	-	2	1	-	-	10
OLM -	341,816	"	2	176	84	12·8	-	1	-	1	-	1	4
ANIA -	240,178	"	9	104	60	13·0	-	-	-	-	1	-	1
ERSBURG	1,620,000	June	18	823	866	27·9	8	59	12	18	3	11	136
- -	1,493,600	"	25	-	1121	39·1	3	11	15	31	7	3	524
- -	2,119,804	"	25	795	502	12·3	-	8	2	13	6	1	53
RG - -	895,804	July	9	-	225	13·1	-	5	1	3	3	-	20
U - -	507,500	"	2	-	212	21·8	-	-	1	-	2	1	29
- -	576,000	"	2	259	161	14·6	-	4	-	-	3	-	28
* - -	2,107,931	"	9	713	567	14·0	-	9	1	2	7	1	52
* - -	497,995	June	18	193	161	16·8	-	3	1	-	-	-	11
ST* -	833,703	July	2	411	310	19·3	-	6	4	-	4	1	36
* - -	221,124	"	9	123	96	22·6	-	1	-	-	2	-	15
- -	587,096	May	21	232	233	20·7	-	21	-	2	2	-	18
- -	183,224	June	18	81	55	15·7	-	-	-	-	-	3	13
ST - -	297,613	May	21	166	151	26·5	-	1	5	1	4	1	5
		"	28	146	156	27·3	-	-	4	1	1	1	5
RK* -	4,711,956	June	25	2111	1425	15·8	-	20	20	37	3	7	131
* - -	2,282,927	"	25	-	631	14·4	-	5	10	15	3	2	56
LPHIA*	1,598,400	April	16	-	556	18·1	-	1	2	10	3	7	12
ANEIRO	842,822	June	12	-	-	-	-	-	-	-	-	-	?
*													
ans -	616,213	"	17	599	710	59·5	1	49	1	8	-	5	206
ers -	61,480	"	17	6	17	14·4	1	-	1	-	-	1	4
ORIA :—*													
ans -	317,454	"	17	207	233	38·2	2	7	-	1	-	2	68
ers -	67,966	"	17	11	12	9·2	-	-	-	-	-	-	1

e deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to nder two years of age.
luding deaths from croup in the Indian Cities.
luding 25 deaths from *plague* in Calcutta and 41 in Bombay, and from *Asiatic cholera*, 16 deaths in Calcutta.

ABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 16th July, 1910.

WNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
enwich)	71·0	50·1	59·8	0·01	BRADFORD - -	74·9	46·9	57·6	0·01
- -	70·4	49·8	59·0	0·19	YORK - - -	74·0	43·0	58·8	0·03
UTH - -	72·4	47·0	60·2	0·18	HULL - - -	69·0	47·0	56·3	0·04
- -	64·6	50·5	57·6	0·05	TYNEMOUTH - -	53·0	45·0	52·4	0·03
- -	73·9	51·0	60·1	0·41	CARDIFF - - -	74·9	49·8	59·6	0·24
- -	78·0	45·7	60·9	0·04					
AM - -	73·9	46·8	59·2	0·00	EDINBURGH - -	64·8	48·1	54·1	0·03
AM - -	75·0	46·0	58·9	0·00	GLASGOW - -	?	?	?	?
L ATORY	77·0	49·0	61·7	0·00	DUBLIN { Phœnix Park.	72·6	40·5	57·1	0·00
TER -	75·4	44·5	59·9	0·00	DUBLIN { Fitz-william Square.†	71·2	49·1	59·9	0·00
- -	78·5	42·0	57·9	0·00					
FIELD -	75·0	46·2	58·4	0·01	BELFAST - - -	75·0	47·0	59·9	0·00

e English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to th page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The n applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the s 1·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
ly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 16th July, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 10	..	29·808	60·0	50·1	9·9	53·6	− 8·9	47·2	6·4	9·9	3·4	79	92·3	47·7	57·82	NNE., NE. & N.	N. & NNE.	0·6	0·0	0·0	125	−125	0·00	0·8
MONDAY - 11	..	29·876	68·0	52·5	15·5	57·7	− 5·0	51·6	6·1	15·7	0·0	80	134·0	43·0	57·70	NE. & ENE.	NE., ENE. & ESE.	1·1	0·0	0·1	183	− 65	0·00	3·0
TUESDAY - 12	..	29·931	71·0	50·6	20·4	58·9	− 4·0	54·9	4·0	14·8	0·0	87	139·7	40·8	57·70	ENE., NE. & NNE.	NE. & E.	0·7	0·0	0·0	180	− 65	0·00	1·0
WEDNESDAY 13	In Eqr.	30·016	69·1	53·7	15·4	58·9	− 4·2	54·9	4·0	12·8	0·0	87	123·3	43·4	57·80	E., NE. & NNE.	NE. & calm	0·2	0·0	0·0	107	−136	0·00	0·0
THURSDAY - 14	First Qr.	29·925	69·2	50·3	18·9	58·9	− 4·4	55·9	3·0	12·8	0·6	90	122·0	40·0	58·10	Calm & NE.	NE., ENE. & ESE.	0·6	0·0	0·0	126	−114	0·00	0·0
FRIDAY - 15	Apogee.	29·736	66·8	54·9	11·9	58·4	− 5·0	53·3	5·1	12·4	3·8	83	119·5	51·3	58·30	ENE. & NE.	NE. & ENE.	2·0	0·0	0·1	259	+ 20	0·00	4·0
SATURDAY - 16	..	29·721	68·0	53·5	14·5	59·1	− 4·3	53·1	6·0	12·6	0·0	81	128·0	51·7	58·51	NE.	ENE., E. & NE.	3·4	0·0	0·3	342	+104	0·01	6·0
MEANS - -		29·859	67·4	52·2	15·2	57·9	− 5·1	53·0	4·9	13·0	1·1	84	122·7	45·4	57·99	NE.		..	..	..	Sum 1322	Sum −331	Sum 0·01	2·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	10	w. P. throughout.	0·0	16·3	Overcast with very slight exceptions.
MONDAY -	11	w. P. throughout.	6·8	16·3	Overcast till 0h. 40m. P.M.; very fine afterwards with variable amounts of cloud.
TUESDAY -	12	w. P. throughout.	5·6	16·3	Partially cloudy till 3h. A.M.; generally overcast till noon; very fine till 10h. 30m. P.M.; then overcast; low mist about 5h. A.M.
WEDNESDAY	13	w. P. throughout.	6·7	16·2	Overcast till 0h. 15m. P.M.; very fine afterwards and nearly cloudless at night.
THURSDAY -	14	w. P. throughout.	7·6	16·2	Fine in early morning; overcast between 4h. and 11h. 30m. A.M.; very fine till shortly before 10h. P.M.; then overcast; fog prevalent between 4h. and 7h. A.M.
FRIDAY -	15	w. P. throughout.	1·9	16·2	Generally overcast; fine intervals in afternoon.
SATURDAY -	16	w. P. throughout.	5·9	16·1	Overcast till 11h. 15m. A.M. with occasional slight rain in early morning; very fine till 5h. 30m. P.M.; then cloudy to overcast.
			Sum 34·5	Sum 113·6	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1908.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·84 in. at the beginning of the week to 29·80 in. by 6h. P.M. on the 10th; increased to 30·04 in. by noon on the 13th; decreased to 29·70 in. by 6h. P.M. on the 15th; and was 29·89 in. at midnight on the 16th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 9th July, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	3	3	-	-	-	-	2	-	-
Kensington	184,635	-	10	2	-	1	-	-	5	-	-
Hammersmith	127,413	-	8	4	-	-	-	-	3	-	-
Fulham	181,282	-	6	5	-	-	-	-	1	-	-
Chelsea	75,457	-	1	3	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	8	1	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	3	1	-	-	-	-	1	-	-
Hampstead	95,729	-	2	2	-	-	-	-	2	-	-
St. Pancras	237,792	-	16	3	-	-	-	-	5	-	-
Islington	353,356	-	15	7	-	1	-	-	-	-	-
Stoke Newington	54,838	-	2	2	-	-	-	-	1	-	-
Hackney	239,979	-	3	1	-	1	-	-	3	1	-
CENTRAL.											
Holborn	53,142	-	-	1	-	-	-	-	-	-	-
Finsbury	94,578	-	1	1	-	-	-	-	7	1	-
City of London	17,132	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	1	3	-	-	-	-	-	3	-	-
Bethnal Green	131,579	-	5	9	-	1	-	-	1	-	-
Stepney	314,379	-	12	11	-	2	-	-	4	-	-
Poplar	172,432	-	9	1	-	-	-	-	5	-	1
SOUTH.											
Southwark	211,832	-	2	10	-	2	-	-	3	-	-
Bermondsey	127,238	-	10	5	-	2	-	-	2	1	-
Lambeth	327,074	-	13	4	-	-	-	-	6	-	1
Battersea	188,222	-	11	1	-	1	-	-	2	-	-
Wandsworth	305,838	-	9	2	-	-	-	-	2	-	-
Camberwell	286,058	-	10	3	-	3	-	-	6	-	1
Deptford	119,642	-	3	4	-	1	-	-	-	-	-
Greenwich	112,935	-	-	3	-	-	-	-	3	-	-
Lewisham	164,899	-	14	2	-	-	-	-	-	-	-
Woolwich	135,422	1	6	2	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	2	186	93	-	15	-	-	69	3	3
Ages 0-1		-	1	3	-	-	-	-	1	-	2
„ 1-5		-	49	46	-	1	-	-	-	-	1
„ 5-		-	70	27	-	4	-	-	3	-	-
„ 10-		-	37	9	-	3	-	-	1	-	-
„ 15-		-	10	3	-	1	-	-	1	-	-
„ 20-		-	7	2	-	-	-	-	3	-	-
„ 25-		-	6	3	-	2	-	-	11	2	-
„ 35-		1	6	-	-	4	-	-	16	1	-
„ 45-		-	-	-	-	-	-	-	16	-	-
„ 55-		1	-	-	-	-	-	-	8	-	-
„ 65 and upwards		-	-	-	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 29. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, JULY 23. [Price 1½*d.*

General Register Office, Somerset House,
July 25th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 11·1 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 11·0, 11·0, and 11·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 14·5 in Birkenhead, 14·6 in Middlesbrough, 14·7 in Coventry, 14·9 in Preston, 15·1 in Bolton, 15·7 in Tynemouth, 15·9 in Wigan, 17·7 in Liverpool, 20·5 in Barrow in Furness, and 22·3 in Stockton on Tees; from *measles*, 1·4 in Oldham and 2·5 in Barrow in Furness; from *whooping-cough*, 1·4 in Halifax, 1·7 in Birkenhead and in Salford, and 1·8 in Oldham and in Tynemouth; and from *diarrhœa*, 1·5 in Rhondda and 1·7 in Wigan. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2175 BIRTHS and 962 DEATHS were registered. Allowing for increase of population, the births were 226 and the deaths 93 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17182—41.) Wt. 91—429. 700. 7/10. D & S. G. 31. Sch. 4 2 F

causes, which had been 10·3, 10·7, and 11·1 per 1000 in the preceding three weeks, was 10·3 last week. The death-rate in the four weeks ended last Saturday averaged 10·6 per 1000, being 0·7 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 962 deaths included 36 from measles, 5 from scarlet fever, 8 from diphtheria, 27 from whooping-cough, 2 from enteric fever, and 18 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 96 deaths were referred, being 24 below the corrected average number in the twenty-ninth week of the preceding five years.

The deaths from *measles*, which had been 32, 37, and 31 in the preceding three weeks, were 36 last week, and were 4 above the corrected average; 5 deaths belonged to the Borough of Camberwell, 4 to St. Pancras, and 3 each to Kensington and Stepney. The deaths from *scarlet fever*, which had been 2, 8, and 4 in the preceding three weeks, were 5 last week, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 5, 3, and 7 in the preceding three weeks, rose to 8 last week, the corrected average being 9. The deaths from *whooping-cough*, which had been 21, 23, and 19 in the preceding three weeks, rose to 27 last week, and were 4 above the corrected average; 3 deaths belonged to St. Pancras and 3 to Lambeth. The deaths from *enteric fever*, which had been 2, 2, and 1 in the preceding three weeks, were 2 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 14, 17, and 14 in the preceding three weeks, rose to 18 last week, but were 26 below the corrected average; 3 deaths belonged to Paddington. Of the 18 deaths from diarrhœa, 15 were those of children under 2 years of age; 3 other deaths at this age were certified as due to *enteritis* and 3 to *gastro-enteritis*. No death was attributed directly to *influenza* last week, the numbers having been 1, 4, and 4 in the preceding three weeks.

Different forms of violence caused 44 deaths, concerning all of which inquests were held. Of these 44 deaths, 13 were cases of suicide, and 1 of homicide, while the remaining 30 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, two to burns or scalds, four to drowning, and three, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 1548 cases of scarlet fever, 626 of diphtheria, 1 of typhus, and 50 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 173 cases, against 183, 188, and 249; of diphtheria, 84 cases, against 85, 73, and 90; and of enteric fever, 7 cases, against 9, 5, and 10. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended July 16th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3469 births and 1357 deaths were registered. Allowing for increase of population, these numbers are 319 and 149 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from measles, 2 from scarlet fever, 4 from diphtheria, 6 from whooping-cough, 1 from enteric fever, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·66 inches, and that of the Thermometer 59°·2, the latter being 4°·0 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 43 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 17·6 hours; the measured rainfall amounted to 1·22 inches.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 23rd July, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 2nd July, 1910.	9th July, 1910.	16th July, 1910.	23rd July, 1910.	Rate from Diseases in Ccls. 11-17 Week ended 23rd July, 1910.	Registered during the Week ended 23rd July, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**11·0**	**11·0**	**11·4**	**11·1**	**1·1**	**8164**	**3620**	**739**	**1022**	**-**	**97**	**19**	**24**	**105**	**11**	**104**	**144**	**283**	**1077**	**24**	**77 TOWNS.**
LONDON	4,872,702	10·3	10·7	11·1	10·3	1·0	2175	362	187	278	-	36	5	8	27	2	18	44	95	446	-	LONDON.
† CROYDON	164,485	9·5	10·1	8·6	7·9	0·3	77	25	3	12	-	-	-	-	1	-	-	-	1	8	-	CROYDON.
WILLESDEN ..	166,088	6·3	6·0	4·4	6·0	0·3	68	19	2	7	-	-	-	-	1	-	-	-	-	8	-	WILLESDEN.
HORNSEY	98,561	6·3	3·2	7·4	7·4	1·1	33	14	3	7	-	-	-	-	-	-	2	-	-	3	-	HORNSEY.
TOTTENHAM ..	132,803	9·0	7·9	7·5	5·5	0·4	75	14	5	5	-	-	-	-	-	-	1	2	5	2	-	TOTTENHAM.
WEST HAM ..	328,585	10·8	6·8	7·0	10·6	1·0	157	67	9	12	-	2	-	-	2	-	2	7	12	20	1	WEST HAM.
EAST HAM.. ..	156,208	3·7	6·0	9·0	7·3	0·3	81	22	5	7	-	-	-	-	1	-	-	1	1	3	-	EAST HAM.
LEYTON	133,436	7·0	7·0	4·7	5·9	0·4	61	15	2	4	-	-	1	-	-	-	-	-	-	4	-	LEYTON.
WALTHAMSTOW	141,748	6·6	7·7	6·6	4·8	-	52	13	2	4	-	-	-	-	-	-	-	-	1	3	-	WALTHAMSTOW.
HASTINGS	68,520	12·9	9·1	9·9	12·9	0·8	20	17	-	8	-	1	-	-	-	-	-	1	1	1	-	HASTINGS.
BRIGHTON	131,900	8·3	12·7	11·1	6·7	-	48	17	1	10	-	-	-	-	-	-	-	-	1	8	-	BRIGHTON.
PORTSMOUTH ..	217,989	11·7	10·3	10·8	11·7	1·2	90	49	10	17	-	2	-	-	1	1	1	2	3	10	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	9·2	10·6	9·9	12·7	-	38	18	-	8	-	-	-	-	-	-	-	-	-	8	1	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	6·6	10·7	9·0	11·9	-	54	29	5	7	-	-	-	-	-	-	-	4	5	10	-	SOUTHAMPTON.
READING	84,355	10·5	9·3	6·8	9·3	-	31	15	1	6	-	-	-	-	-	-	-	-	-	4	-	READING.
NORTHAMPTON ..	99,113	9·5	10·0	7·4	10·0	0·5	42	19	3	7	-	1	-	-	-	-	-	-	-	7	-	NORTHAMPTON.
IPSWICH	75,936	11·7	6·9	8·2	11·0	-	34	16	2	8	-	-	-	-	-	-	-	-	-	3	-	IPSWICH.
GREAT YARMOUTH	53,715	11·6	10·7	10·7	10·7	-	22	11	-	4	-	-	-	-	-	-	-	1	1	2	-	GREAT YARMOUTH.
NORWICH	125,446	10·4	14·1	10·4	10·0	-	60	24	4	10	-	-	-	-	-	-	-	-	-	5	-	NORWICH.
PLYMOUTH	126,266	8·3	8·3	12·4	8·3	0·4	55	20	5	5	-	-	-	-	-	1	-	1	2	4	-	PLYMOUTH.
DEVONPORT	84,695	8·0	9·9	6·8	7·4	1·2	39	12	3	4	-	-	-	1	-	1	-	-	-	4	-	DEVONPORT.
BRISTOL	382,550	9·7	9·4	10·0	8·9	0·3	158	65	9	27	-	-	-	-	-	-	2	-	3	21	-	BRISTOL.
STOKE ON TRENT ..	245,726	10·0	13·2	10·8	14·0	1·5	156	66	20	12	-	1	1	-	-	1	4	3	6	15	-	STOKE ON TRENT.
BURTON ON TRENT	54,977	11·4	15·2	8·5	2·8	-	23	3	-	1	-	-	-	-	-	-	-	-	-	1	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	9·3	10·8	10·3	12·8	0·5	45	26	6	9	-	1	-	-	-	-	-	1	1	5	1	WOLVERHAMPTON.
WALSALL	101,035	12·4	8·8	13·4	12·4	2·1	56	24	7	7	-	-	2	-	-	-	2	1	4	6	1	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	7·2	9·4	9·4	7·9	0·7	31	11	3	2	-	-	1	-	-	-	-	-	-	2	1	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	9·5	8·1	12·5	6·6	0·7	39	9	2	1	-	-	-	-	-	-	1	-	1	1	-	WEST BROMWICH.

TABLE I (*cont.*).—77 GREAT TOWNS, ended Saturday, 23rd July, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 2nd July, 1910.	9th July, 1910.	16th July, 1910.	23rd July, 1910.	Rate from Diseases in Cols. 11–17. Week ended 23rd July, 1910.	Registered during the Week ended 23rd July, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	11·1	8·9	14·6	9·1	0·6	266	100	28	26	-	-	-	-	3	1	3	4	5	26	1	BIRMINGHAM.
KINGS NORTON ..	84,673	6·8	6·2	4·9	9·2	-	36	15	3	5	-	-	-	-	-	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK	72,350	10·1	8·6	6·5	10·8	1·4	50	15	5	7	-	-	-	1	-	-	1	-	-	-	-	SMETHWICK.
ASTON MANOR ..	86,269	6·6	6·0	7·9	6·6	1·8	46	11	3	2	-	-	1	-	-	-	2	-	-	2	-	ASTON MANOR.
COVENTRY	81,449	10·2	10·9	11·5	14·7	1·9	43	23	7	6	-	-	-	-	-	1	2	2	2	2	-	COVENTRY.
LEICESTER	248,374	9·7	9·9	10·7	9·7	0·6	103	46	10	15	-	-	-	1	-	-	2	2	5	11	-	LEICESTER.
GRIMSBY	74,283	13·3	8·4	13·3	9·1	-	41	13	4	5	-	-	-	-	-	-	-	-	-	3	-	GRIMSBY.
NOTTINGHAM ..	266,471	9·6	11·2	11·9	9·6	0·8	132	49	12	14	-	-	-	1	2	-	1	-	1	13	-	NOTTINGHAM.
DERBY	131,256	6·4	8·3	12·3	9·1	0·8	60	23	6	6	-	1	-	-	-	-	1	2	5	7	-	DERBY.
STOCKPORT	105,087	12·4	18·9	8·9	13·9	1·5	60	28	6	11	-	-	-	1	1	-	1	-	1	7	-	STOCKPORT.
BIRKENHEAD ..	122,431	11·9	9·4	14·5	14·5	2·1	89	34	12	5	-	-	-	-	4	-	1	1	3	2	-	BIRKENHEAD.
WALLASEY . ..	73,173	12·8	11·4	7·8	7·8	0·7	28	11	3	4	-	-	-	-	1	-	-	2	3	2	-	WALLASEY.
LIVERPOOL . ..	767,606	16·0	14·8	14·9	17·7	2·2	478	260	62	59	-	11	1	3	8	-	10	7	11	93	3	LIVERPOOL.
BOOTLE	70,548	13·3	14·0	14·0	14·0	0·7	30	19	1	6	-	1	-	-	-	-	-	-	-	4	2	BOOTLE.
ST. HELENS	96,523	16·2	15·1	11·3	11·9	1·1	65	22	7	7	-	1	-	-	-	-	1	-	-	3	3	ST. HELENS.
WIGAN	91,732	9·7	13·6	9·1	15·9	1·7	44	28	8	4	-	-	-	-	-	-	3	-	2	5	-	WIGAN.
WARRINGTON ..	73,295	19·2	10·7	10·7	12·8	1·4	40	18	2	5	-	-	-	-	1	1	-	-	-	1	-	WARRINGTON.
BOLTON	190,315	11·5	11·2	13·2	15·1	1·6	99	55	9	21	-	-	1	-	3	-	2	-	3	11	-	BOLTON.
BURY	59,409	12·3	8·8	13·2	11·4	0·9	18	13	-	6	-	-	1	-	-	-	-	-	-	3	-	BURY.
MANCHESTER ..	716,354	13·4	13·5	14·4	13·8	2·5	389	189	35	40	-	8	2	2	10	1	12	5	11	47	2	MANCHESTER.
SALFORD	244,636	14·7	14·3	13·4	12·8	2·6	124	60	16	10	-	1	-	1	8	1	1	3	7	21	-	SALFORD.
OLDHAM	144,111	18·1	17·7	13·7	14·1	4·0	65	39	7	13	-	4	-	-	5	-	2	1	3	5	-	OLDHAM.
ROCHDALE	90,497	9·2	15·6	11·5	14·4	0·6	45	25	4	7	-	-	-	-	1	-	-	-	1	2	-	ROCHDALE.
BURNLEY	107,448	11·6	12·1	13·1	9·7	0·5	58	20	5	7	-	-	-	-	-	-	1	-	1	1	-	BURNLEY.
BLACKBURN	137,972	9·8	11·7	14·0	11·3	0·8	54	30	4	8	-	1	-	-	1	-	-	-	-	3	-	BLACKBURN.
PRESTON	119,253	11·8	10·5	14·9	14·9	2·2	56	34	9	9	-	1	-	1	-	-	3	1	1	6	1	PRESTON.
BARROW IN FURNESS.	63,689	13·9	12·3	21·3	20·5	2·5	33	25	2	10	-	3	-	-	-	-	-	2	2	5	2	BARROW IN FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 23rd July, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 2nd July, 1910.	9th July, 1910.	16th July, 1910.	23rd July, 1910.	Rate from Diseases in Cols 11-17. Week ended 23rd July, 1910.	Registered during the Week ended 23rd July, 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	17·1	17·1	13·2	12·1	1·7	38	22	5	5	-	-	1	-	1	-	1	-	-	2	-	HUDDERSFIELD.
HALIFAX	112,818	8·8	11·1	14·8	11·6	1·8	39	25	5	7	-	1	-	-	3	-	-	1	2	5	-	HALIFAX.
BRADFORD	295,865	13·4	11·5	12·3	11·6	1·2	110	66	13	19	-	5	-	1	-	-	1	2	5	15	-	BRADFORD.
LEEDS	490,985	12·4	10·6	9·9	13·0	1·0	222	122	23	30	-	3	-	1	3	-	2	7	11	27	-	LEEDS.
DEWSBURY	51,224	13·2	18·3	15·3	10·2	1·0	20	10	2	2	-	-	-	-	-	-	1	1	1	2	-	DEWSBURY.
SHEFFIELD	478,763	11·0	10·0	11·7	12·2	1·5	255	112	26	28	-	1	1	-	6	-	6	5	10	36	1	SHEFFIELD.
ROTHERHAM.. ..	66,414	9·4	12·6	18·1	7·9	-	36	10	1	3	-	-	-	-	-	-	-	-	-	1	-	ROTHERHAM.
YORK	88,159	7·7	8·3	5·9	5·9	-	33	10	-	6	-	-	-	-	-	-	-	1	1	1	-	YORK.
HULL	280,006	9·9	11·4	8·4	13·2	0·9	180	71	14	20	-	2	-	1	1	-	1	5	9	13	-	HULL.
MIDDLESBROUGH ..	107,014	16·1	15·6	12·2	14·6	1·9	55	30	6	6	-	-	-	1	1	-	2	4	4	5	1	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	15·5	13·6	14·6	22·3	1·0	19	23	6	7	-	1	-	-	-	-	-	2	2	6	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	11·5	10·2	14·0	9·6	0·6	30	15	2	3	-	-	-	-	1	-	-	-	-	3	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	11·3	12·6	12·3	13·3	1·0	89	41	7	13	-	2	-	-	-	-	1	3	4	9	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	13·1	11·3	14·8	8·3	-	56	19	1	9	-	-	-	-	-	-	-	1	1	8	-	SOUTH SHIELDS.
GATESHEAD	133,676	9·4	9·0	12·1	9·4	1·2	62	24	3	10	-	-	-	-	2	-	1	-	-	1	1	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	12·6	12·0	12·8	13·5	0·9	155	74	24	11	-	1	-	-	3	-	1	5	13	14	1	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	21·3	12·0	10·2	15·7	1·8	32	17	3	2	-	-	-	-	2	-	-	-	-	4	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	10·5	5·9	7·8	7·8	-	50	12	3	5	-	-	-	-	-	-	-	1	2	3	-	NEWPORT (MON.).
CARDIFF	199,189	11·5	11·3	8·6	10·2	0·8	93	39	8	11	-	2	-	-	1	-	-	2	2	8	-	CARDIFF.
RHONDDA	138,674	12·0	15·0	15·8	11·3	2·3	98	30	10	5	-	1	1	-	-	-	4	3	4	2	-	RHONDDA.
MERTHYR TYDFIL..	79,522	15·1	14·4	17·7	11·8	1·3	45	18	2	7	-	1	-	-	-	-	1	1	1	5	-	MERTHYR TYDFIL.
SWANSEA	98,817	11·1	20·6	14·2	12·1	0·5	75	23	6	5	-	1	-	-	-	-	-	-	1	8	-	SWANSEA.
GREATER LONDON	7,537,196	9·5	9·7	10·0	9·4	0·9	3469	1357	265	408	-	39	8	12	38	3	25	63	131	531	1	GREATER LONDON.
OUTER RING ..	2,664,494	8·1	7·8	8·1	7·7	0·6	1294	395	78	130	-	3	3	4	11	1	7	19	36	88	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	7·9	7·0	6·9	7·5	0·5	604	189	31	58	-	2	1	-	5	-	5	10	20	51	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·4	8·7	9·3	8·0	0·6	690	206	47	72	-	1	2	4	6	1	2	9	16	37	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	11·7	12·7	11·6	12·2	1·2	125	84	11	25	-	1	2	1	1	1	2	3	?	42	3	EDINBURGH.
GLASGOW	884,505	12·7	12·4	11·9	12·3	2·1	444	208‡	46	50	-	2	3	4	10	3	13	9	?	75	9	GLASGOW.
DUBLIN (Registration Area).†	402,928	15·3	16·8	14·8	17·2	1·6	225	133	35	40	-	1	3	-	1	2	5	7	10	59	4	DUBLIN (Registration Area).†
BELFAST†	391,167	18·3	19·3	18·1	15·6	3·9	239	117	25	16	-	21	-	1	1	1	5	-	3	31	3	BELFAST†

* See note † on first page of this return. ‡ Excluding deaths of persons attended in public institutions from whatever districts they belonged to.

ABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-NINTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2384	2519	2657	2442	2472	2466	2468	2266	2318	2206	2400·9	2175
Males - - -	1239	1261	1379	1199	1273	1217	1215	1131	1159	1156	1203·7	1133
Females - -	1145	1258	1278	1243	1199	1249	1253	1135	1159	1050	1197·2	1042
TOTAL **Deaths** -	1417	1411	1236	1128	1320	1137	1054	1077	957	926	1054·9	962
Males - - -	777	709	690	605	689	607	572	550	505	513	562·6	502
Females - -	640	702	546	523	631	530	482	527	452	413	492·3	460

* The numbers in this column are the average weekly numbers in the Twenty-Ninth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	13 Weeks.
TOTAL **Births** -	2372	2229	2529	1610	2701	2434	2243	2424	2260	2329	2272	2163	2175	29741
TOTAL **Deaths** -	1217	1167	1299	1062	1107	1056	984	993	983	964	997	1036	962	13857
Ages at Death: Under 1 year -	230	210	243	212	224	199	183	162	177	177	168	172	187	2544
1—5 years -	125	126	134	129	124	110	102	119	97	114	100	99	104	1483
5—20 " -	67	63	79	61	54	59	65	58	57	51	68	70	61	813
20—40 " -	141	135	151	117	145	136	119	124	134	129	142	120	132	1725
40—60 " -	265	244	281	229	240	235	219	218	226	223	217	230	200	3027
60 yrs. & upwds.	389	389	411	314	320	347	296	312	292	270	302	345	278	4265
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	33	40	55	48	50	51	47	47	35	32	37	31	36	542
Scarlet Fever - -	-	6	3	4	3	6	5	3	3	2	8	4	5	52
Diphtheria - -	6	6	11	8	2	5	5	7	2	5	3	7	8	75
Whooping-cough -	42	46	32	42	36	29	23	32	25	21	23	19	27	397
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	1	2	1	2	1	3	1	1	2	2	1	2	21
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Diarrhœa, Dysentery	8	11	15	14	15	21	8	23	11	14	17	14	18	189
All above diseases -	91	110	118	117	108	113	91	113	78	76	90	76	96	1277
Dis. of Resp. System	103	83	116	81	64	64	55	42	55	54	44	51	46	858
Pneumonia - -	141	128	117	114	98	110	82	52	74	68	73	80	85	1222
Phthisis - - -	102	116	121	99	90	104	81	97	87	90	94	84	78	1243
Dis. of Circ. System -	178	148	173	143	127	145	154	153	144	138	159	183	123	1973
Violence - - -	46	60	48	58	57	49	56	48	49	55	53	46	44	669
Inquest Cases - -	141	130	120	130	130	106	118	109	101	113	101	114	95	1508
Deaths in Institutions	550	536	576	423	477	498	430	464	464	442	471	455	446	6232
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	45·4	46·3	47·5	58·9	57·8	56·9	62·2	58·8	62·3	56·5	55·2	57·9	52·2	55·8
Mean of Highest -	55·5	55·6	58·3	69·8	69·1	67·6	72·0	69·9	75·0	66·0	63·7	67·4	67·7	66·0
Mean of Lowest -	37·8	39·4	38·8	51·2	49·2	49·0	55·3	49·8	53·0	50·2	50·2	52·2	53·2	48·4
Mean Humidity of the Air.	73	77	76	84	75	77	88	77	75	76	84	84	85	79
Rain-fall (in inches) -	0·43	0·74	0·42	0·89	0·08	0·27	0·44	0·01	1·11	1·00	1·29	0·01	1·22	7·91
Registered Sunshine (in hours).	50·1	44·6	53·8	49·2	60·2	36·8	28·4	52·7	52·3	33·5	18·0	34·5	17·6	531·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	2	1	3	3	3	1
Scarlet Fever - -	1509	1506	1476	1476	1445	1461	1401	1363	1353	1378	1439	1530	1548	1453
Diphtheria - - -	798	784	775	753	742	728	753	729	711	674	628	646	626	719
Typhus - - -	-	-	-	-	-	-	1	1	1	1	1	1	1	1
Enteric Fever - -	66	62	62	58	60	61	54	53	47	47	49	50	50	55

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-NINTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectiona should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 29th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1054·9	962	187	104	61	132	200	278
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	31·5	36	6	28	1	1	–	–
Scarlet Fever	9·6	5	–	4	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	4·5	–	–	–	–	–	–	–
Whooping-cough	22·5	27	14	12	1	–	–	–
Diphtheria	8·6	8	–	2	6	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	3·7	2	–	–	–	1	–	1
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	25·6	7	5	1	–	–	–	1
Diarrhœa, Dysentery ..	18·6	11	7	2	1	1	–	–
Tetanus	0·4	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	4·5	7	4	–	–	–	3	–
Puerperal Septicæmia ..	2·5	4	–	–	–	3	1	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·2	–	–	–	–	–	–	–
Infective Endocarditis ..	2·0	2	–	–	–	2	–	–
Pneumonia: Lobar ..	14·7	12	–	–	–	4	3	5
Pneumonia: Broncho ..	30·3	39	15	12	1	–	4	7
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	33·0	34	9	3	2	6	7	7
Erysipelas	2·3	2	–	–	–	–	1	1
Septicæmia (not Puerperal)	1·8	2	–	–	–	1	1	–
Pyæmia (not Puerperal)	1·4	–	–	–	–	–	–	–
Other Infective Processes	3·9	4	1	–	–	–	1	2
Tuberculous Phthisis ..	66·8	52	1	1	3	23	15	9
"*Phthisis*"	28·9	26	–	–	4	7	10	5
Tuberculous Meningitis ..	21·1	12	2	5	3	2	–	–
Tuberculous Peritonitis ..	6·3	8	3	2	2	1	–	–
Tabes Mesenterica	1·8	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	16·8	19	1	9	4	3	1	1
Scrofula..	–	1	1	–	–	–	–	–
Alcoholism	8·0	8	–	–	–	3	4	1
Rheumatic Fever . ..	4·5	2	–	–	–	1	1	–
Gout	1·0	1	–	–	–	–	–	1
Carcinoma	56·5	67	–	–	–	3	34	30
Sarcoma	6·1	7	1	–	2	2	1	1
Cancer (undefined) ..	34 4	19	–	–	–	2	2	15
Diabetes Mellitus	8·8	7	–	–	1	–	5	1
Premature Birth	40·8	53	53	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 29th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	12·3	11	2	3	2	3	
Gen. Par. of Insane, Insanity	14·5	7	–	–	–	2	
Epilepsy	6·3	1	–	–	–	1	–
Convulsions	14·9	13	12	1	–	–	–
Locomotor Ataxy.. ..	1·6	3	–	–	–	1	–
Paraplegia, Dis. of Cord.	3·5	6	–	1	1	2	–
Nervous Sys., Other Dis.	14·5	15	–	–	–	2	–
Valv. Dis., Endocarditis..	36·2	36	–	–	7	6	1
Cereb. Hæm. Cereb. Emb.	25·6	32	–	–	–	3	1
Apoplexy, Hemiplegia ..	11·1	8	–	–	–	–	–
Aneurysm	4·3	5	–	–	–	2	–
Embolism, Thrombosis (not Cerebral) ..	0·8	1	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	60·0	46	–	–	3	4	1
Croup (not Spasm: nor Memb.)	–	–	–	–	–	–	–
Bronchitis	35·8	32	3	3	–	–	
Emphysema, Asthma ..	1·0	2	–	–	–	–	–
Pleurisy	3·3	1	–	1	–	–	–
Respiratory Dis., Other..	7·2	11	1	–	1	2	
Tonsillitis, Quinsy.. ..	1·2	–	–	–	–	–	–
Enteritis (not Epid.) ..	12·7	5	3	–	–	–	–
Gastro-enteritis	5·7	4	3	–	–	–	–
Peritonitis (not Puerp.) ..	1·8	2	–	–	–	1	
Cirrhosis of Liver.. ..	11·1	8	–	–	–	1	
Liver Dis., Other	5·1	2	–	–	–	–	
Digestive Sys., Other Dis.	33·6	25	2	3	2	8	
Acute Nephritis	4·9	7	–	–	1	1	
Bright's Dis., Albuminuria	27·9	33	–	–	1	4	1
Urinary Sys., Other Dis.	9·6	9	–	–	–	–	
Generative Organs Dis...	5·3	3	–	–	–	1	
Childbirth (Accid. of) ..	2·3	7	–	–	1	6	–
Old Age	38·5	44	–	–	–	–	–
Other Diseases	70·7	55	32	7	4	5	
ACCIDENT.							
By Railways	1·2	2	–	–	–	1	–
By Vehicles and Horses..	5·3	7	–	2	2	–	
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–	–
In Building Operations..	0·8	–	–	–	–	–	–
In Conflagrations	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	3·9	2	–	1	–	1	–
By Drowning	7·0	4	–	–	2	1	
By Suffocation in Bed ..	3·5	3	3	–	–	–	–
By Poisons or Poisonous Vapours	1·0	4	1	–	2	–	
Other Deaths by Accident..	14·7	8	–	1	–	2	
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	1·4	1	1	–	–	–	–
Suicide	8·4	13	–	–	–	6	–
Execution	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the diffic experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2175	962	187	278	-	36	5	8	27	2	18	78	44	95	446	-
WEST DISTRICTS	805,311	310	168	35	54	-	5	-	2	3	-	4	14	4	7	72	-
NORTH DISTRICTS	1,055,908	481	196	30	58	-	9	2	-	6	2	2	18	14	22	88	-
CENTRAL DISTRICTS	209,465	96	46	9	11	-	-	-	-	1	-	1	-	5	6	25	-
EAST DISTRICTS	715,739	417	164	50	35	-	7	-	1	4	-	5	12	10	28	92	-
SOUTH DISTRICTS	1,749,844	871	353	63	106	-	15	3	4	13	-	5	28	11	32	134	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	35	-	14	-	-	-	1	-	-	1	6	-	-	35	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	26	9	5	1	-	-	-	-	1	-	2	1	-	-	-	-
Central Paddington *W,3H*	50,053	34	26	7	5	-	1	-	-	-	-	1	4	-	-	19	-
South Paddington	30,320	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington South *W,3H*	85,610	20	13	1	6	-	-	-	-	-	-	-	-	-	-	5	-
Kensington Central *W,H*	42,774	22	9	3	3	-	1	-	-	-	-	-	1	-	1	1	-
Kensington North *w*	48,244	20	15	1	7	-	2	-	-	-	-	-	2	-	-	8	-
North Hammersmith *2W,w,H* ..	49,192	20	10	1	4	-	-	-	-	-	-	-	-	1	2	5	-
South Hammersmith *w,2H* ..	63,047	34	18	6	6	-	-	-	-	1	-	-	2	1	1	4	-
North-west Fulham *W*	45,180	38	16	3	4	-	-	-	-	1	-	1	1	-	-	8	-
North-east Fulham *F*	46,405	14	8	-	3	-	-	-	2	-	-	-	-	-	-	2	-
South Fulham *W*	45,704	24	6	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Chelsea North *W,w,3H*	42,514	9	18	1	11	-	-	-	-	-	-	-	2	-	-	10	-
Chelsea South *W,2H*	31,328	11	2	-	-	-	1	-	-	-	-	-	-	1	1	-	-
Mayfair and Knightsbridge	28,743	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	17	11	4	2	-	-	-	-	-	-	-	-	-	-	7	-
St. Margaret & St. John *6H*	43,698	8	4	2	-	-	-	-	-	-	-	-	-	1	2	2	-
St. James and St. Anne *W,6H* ..	33,081	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	11	12	2	3	-	-	-	-	-	-	1	-	2	2	8	-
St. Mary Marylebone *W,4H* ..	37,948	35	5	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Christchurch Marylebone *H* ..	39,536	16	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-
St. John Marylebone *2H*	20,426	9	8	2	2	-	1	-	-	-	-	-	1	-	1	3	-
Hampstead *W,F,6H*	81,942	35	15	1	3	-	-	2	-	1	-	-	1	2	2	8	-
West St. Pancras *2H*	60,562	26	10	2	3	-	-	-	-	1	-	-	1	1	1	2	-
South St. Pancras *w,10H*	55,707	21	12	1	4	-	-	-	-	-	-	-	-	1	2	10	-
East St. Pancras *W,H*	60,320	33	14	4	4	-	2	-	-	1	-	-	1	-	-	6	-
North St. Pancras *2W*	58,728	29	15	2	6	-	1	-	-	1	-	-	3	2	2	8	-
Tufnell *W*	31,995	16	13	1	3	-	-	-	-	-	-	-	3	-	1	11	-
Upper Holloway *2W,w,H*	33,978	23	15	1	6	-	-	-	-	-	1	-	1	-	-	10	-
Tollington *W,w,H*	33,922	15	7	1	4	-	-	-	-	-	-	-	-	1	1	-	-
Lower Holloway	41,424	25	4	1	-	-	-	-	-	-	-	-	1	1	1	-	-
Barnsbury	54,478	29	7	3	-	-	1	-	-	-	-	1	-	-	2	-	-
Islington South-east *F*	75,397	30	6	1	2	-	-	-	-	1	-	-	-	-	-	-	-
Highbury *2H*	63,797	22	3	-	2	-	-	-	-	-	-	-	2	-	-	1	-
Stoke Newington *H*	51,247	20	10	1	1	-	2	-	-	1	-	-	1	2	3	-	-
North Hackney	50,398	22	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	20	7	1	4	-	-	-	-	-	1	-	1	-	-	2	-
South-west Hackney *3H*	59,921	19	15	5	1	-	-	-	-	-	-	-	-	1	2	11	-
South-east Hackney *2W,w,H* ..	58,255	25	10	-	6	-	1	-	-	-	-	-	1	1	1	8	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS: DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	11	4	-	4	-	-	-	-	-	-	-	-	-	-	1	-
Strand *W*,4*H*	21,674	3	4	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	10	17	3	1	-	-	-	-	1	-	1		2	2	11	-
Clerkenwell *H*	63,704	35	9	3	3	-	-	-	-	-	-	-	-	1	1	-	-
St. Luke 3*H*,*L*	36,116	35	5	2	1	-	-	-	-	-	-	-	-	1	1	3	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	7	1	2	-	-	-	-	-	-	-	-	1	2	7	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	28	6	-	3	-	1	-	-	-	-	-	-	1	2	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	18	15	1	8	-	-	-	-	-	-	-	2	1	4	12	-
Shoreditch North-East	36,148	17	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	30	25	10	7	-	1	-	-	-	-	2	2	1	1	19	-
Bethnal Green South-West *H* ..	64,542	36	8	2	3	-	1	-	-	-	-	-	1	1	3	-	-
Spitalfields..	27,969	16	3	3	-	-	-	-	-	-	-	-	-	-	3	-	-
Mile End New Town *W*,*H*	28,718	30	32	8	2	-	-	-	-	-	-	2	1	3	4	30	-
Goodman's Fields	22,081	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	49	8	2	1	-	3	-	-	1	-	-	-	-	-	6	-
Shadwell and Ratcliff *w*,*H* ..	25,568	18	14	8	-	-	-	-	1	-	-	1	1	-	-	10	-
Limehouse *W*	32,369	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	40	4	3	-	-	-	-	-	1	-	-	1	-	1	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	18	6	-	2	-	-	-	-	-	-	-	1	-	1	4	-
Bow	41,989	25	5	3	-	-	-	-	-	-	-	-	1	-	1	-	-
Bromley 3*w*,*H*	68,319	42	20	3	6	-	1	-	-	2	-	-	1	2	4	10	-
Poplar *W*,*w*	58,514	29	11	3	3	-	-	-	-	-	-	-	1	1	3	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

BLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS: DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd July, 1910.

EGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
ristchurch and St. Saviour } outhwark *W,2H* .. .. }	23,319	11	20	3	7	-	1	-	-	1	-	-	-	1	3	18	-
nt-road	21,904	10	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
George the Martyr West } *V,2H,L* .. .. }	39,094	15	9	2	2	-	1	-	-	-	-	-	1	-	1	4	-
wington North	49,022	24	11	5	-	-	-	-	-	-	-	2	1	-	1	-	-
wington South *W*	72,841	40	11	3	3	-	-	-	-	-	-	-	-	-	1	1	-
Olave *2W*	9,817	3	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-
rmondsey *W*	82,483	40	8	4	1	-	-	-	-	-	-	-	1	1	4	-	-
therhithe *W,F*	38,460	25	14	5	4	-	-	-	-	2	-	-	2	-	-	6	-
aterloo *2H*	27,440	45	3	2	-	-	-	-	-	-	-	-	-	1	1	2	-
mbeth Church *H*	27,440	17	18	3	4	-	1	-	-	-	-	-	1	2	4	14	-
nnington *2W*	52,518	24	15	3	6	-	-	-	-	1	-	-	2	-	-	12	-
ckwell *HF*	63,826	34	8	2	2	-	-	-	1	-	-	-	-	-	-	1	-
ixton *H*	73,673	22	11	2	1	-	1	-	-	1	-	-	-	-	1	1	-
rwood *2WH*	56,998	18	9	1	7	-	-	-	-	1	-	-	-	-	1	1	-
st Battersea *H*	72,203	31	10	3	3	-	-	-	-	2	-	-	-	3	4	-	-
rth-west Battersea	49,656	30	10	1	1	-	-	-	-	-	-	-	4	-	1	-	-
uth-west Battersea *2W,H* ..	47,048	23	15	2	4	-	-	-	-	-	-	-	3	1	1	10	-
pham *2H*	51,361	17	7	-	6	-	1	-	-	-	-	-	-	-	-	1	-
eatham *W,2w,2F,2L*	88,019	57	17	2	7	-	-	1	1	-	-	-	1	-	-	4	-
ringfield *2W,L*	27,959	14	5	1	1	-	-	-	-	-	-	-	-	-	-	2	-
uthfields *H*	40,444	23	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
tney	24,139	8	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-
lwich	13,359	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mberwell South *W,w*	40,206	19	24	-	13	-	-	-	-	-	-	-	5	-	-	21	-
mberwell North *W,2L*	65,584	32	21	1	7	-	2	-	-	-	-	-	-	-	2	11	-
George	47,331	23	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-
ckham North	48,913	28	10	4	1	-	2	-	-	1	-	1	-	1	1	-	-
ckham South *2W,w*	43,946	19	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-
ptford North	37,613	24	9	2	1	-	2	-	-	-	-	2	2	-	2	-	-
ptford Central *F*	45,481	23	5	2	1	-	-	-	2	1	-	-	-	-	-	2	-
ptford South	34,625	15	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
eenwich West *H*	23,456	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
eenwich East *2W,H*	43,859	15	13	-	2	-	-	-	-	-	-	-	1	-	1	9	-
tham *w,H*	7,226	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
e *w,H*	25,490	5	2	-	1	-	-	-	-	-	-	-	-	1	1	1	-
wisham *2W,w,F*	58,352	36	17	3	8	-	-	-	-	2	-	-	1	-	-	5	-
denham *H*	43,653	18	5	1	2	-	-	-	-	-	-	-	-	-	1	-	-
arlton *F,2H*	21,134	9	4	-	1	-	-	1	-	-	-	-	-	-	-	2	-
olwich *5H*	41,625	25	6	-	-	-	1	-	-	-	-	-	-	-	-	1	-
umstead West *W,H*	39,376	18	5	2	2	-	-	-	-	1	-	-	-	-	1	-	-
umstead East *2W*	28,951	14	7	-	3	-	1	-	-	-	-	-	1	-	-	4	-
orkhouses:—																	
elmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
entral London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
A. B. Small-pox Hospitals:—																	
ong Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A. B. Fever Hospitals:—																	
ore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orth-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
orthern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A. B. Children's Hospital:—																	
hildren's Infirmary, Carshalton..	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
A. B. Imbecile Asylums:—																	
aterham	—	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
arenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eavesden	—	-	7	-	1	-	-	-	-	-	-	-	3	-	-	7	-
ndon County Lunatic Asylums:—																	
anstead	—	-	7	-	7	-	-	-	-	-	-	-	1	-	-	7	-
well (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lanor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ong Grove	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
ane Hill	—	-	3	-	2	-	-	-	-	-	-	-	1	-	-	3	-
artford Heath	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
anwell	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
olney Hatch	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
laybury	—	-	5	-	1	-	-	-	-	-	-	1	-	-	-	5	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongi the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMER POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 23rd July, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public
	LONDON—OUTER RING ..	368,603	2,045,135	1294	395	78	130	-	3	3	4	11	1	7	19	36	88
31 : 1	Carshalton 2F,3H	12,228	32,997	23	9	1	3	-	-	-	-	2	-	-	1	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	4	5	-	1	-	-	1	1	-	-	-	-	-	4
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	4	1	-	-	-	-	-	-	-	-	-	-	-	1
39 : 1	Coulsdon	11,069	8,166	7	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	16	4	1	1	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	34	18	2	8	-	-	-	-	1	-	-	-	-	1
4	North Croydon H	2,644	41,698	27	5	-	4	-	-	-	-	-	-	-	-	1	-
5	Penge w	770	22,465	11	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	26	6	3	2	-	-	-	-	-	-	-	-	-	-
40 : 1	Wimbledon F,3H	3,221	41,652	32	6	3	-	-	1	-	-	-	-	-	1	1	2
2	Kingston 2W,H	6,224	42,068	19	12	2	6	-	-	-	-	-	-	-	1	1	6
3	Surbiton F,H	3,046	15,017	1	1	-	-	-	-	-	1	-	-	-	-	-	1
4	Esher, *part of** H	5,402	13,100	6	2	1	1	-	-	-	-	-	-	-	1	1	-
5	Hampton H,F,L	4,564	23,456	19	5	-	3	-	-	-	-	-	-	-	-	1	-
41 : 1	Richmond W,H	2,491	31,672	15	3	-	1	-	-	-	-	-	-	-	1	2	1
2	Mortlake F	2,518	17,821	15	2	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	7	7	3	2	-	-	-	1	-	-	-	-	-	3
2	Beckenham H	7,832	28,454	14	5	1	1	-	-	-	-	-	-	-	-	1	2
3	Orpington, *part of** W,F ..	10,113	9,857	4	5	2	3	-	-	-	-	-	-	1	-	-	2
4	Chislehurst 2H	7,333	16,446	4	3	2	1	-	-	-	-	-	-	1	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	16	3	1	-	-	-	-	-	-	-	-	-	2	-
2	Erith F,H	3,854	25,296	16	2	-	1	-	-	-	-	-	-	-	1	1	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Sunbury w	11,054	18,683	9	2	1	1	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	14	2	1	-	-	-	-	-	-	-	-	-	-	-
127 : 1	Hillingdon W,F,H	8,035	13,661	8	6	-	4	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	8	3	-	2	-	-	-	-	-	-	-	1	1	-
3	Hayes w 2F,H	8,066	16,358	20	3	2	-	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	50,863	19	10	3	3	-	-	-	-	-	-	-	-	-	-
2	Twickenham F,2H	2,421	26,991	15	7	4	1	-	-	-	-	1	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	31	10	1	4	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	10	4	-	1	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,122	48,914	31	13	1	7	-	-	-	-	1	-	-	-	-	-
129 : 1	Willesden W,F,2H	4,384	114,811	68	17	2	7	-	-	-	-	1	-	-	-	-	-
130 : 1	Harrow F,H	13,209	25,523	26	5	1	1	-	-	-	-	-	-	-	-	1	-
2	Edgware 2F,2H	6,994	4,521	4	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	16	4	1	2	-	-	-	-	-	-	-	-	-	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	2	2	1	1	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	13	2	-	2	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,638	33,692	24	5	2	1	-	-	-	-	-	-	-	-	-	-
132 : 1	Hornsey F,H	2,875	72,056	32	14	3	7	-	-	-	-	-	-	2	-	-	-
2	Wood Green H	1,625	34,233	24	8	-	4	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	40	7	3	2	-	-	-	-	-	-	-	2	3	-
4	East Tottenham 2H ..	2,019	53,962	35	8	2	4	-	-	-	-	-	-	1	-	2	-
5	Edmonton W,w,2F	7,491	61,892	51	11	2	2	-	-	-	1	-	1	-	1	2	-
6	Enfield 2W,F,H	12,601	42,738	29	4	1	1	-	-	-	-	-	-	-	-	-	-
7	Waltham Abbey F	11,017	6,549	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	5	3	-	1	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** H ..	9,195	7,051	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	22	5	1	-	-	-	-	-	-	-	-	1	2	-
2	Forest Gate	787	52,745	18	9	1	4	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	64	22	5	3	-	-	-	-	1	-	1	3	4	-
4	Canning Town H	1,556	70,718	53	16	2	-	-	2	-	-	1	-	1	2	5	-
5	South East Ham 2F ..	1,991	37,342	46	10	3	2	-	-	-	-	1	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	35	10	2	4	-	-	-	-	-	-	-	1	1	-
7	Wanstead F	1,679	9,179	5	2	-	1	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	29	4	-	2	-	-	1	-	-	-	-	-	-	-
9	North Leyton 2W,w,F ..	1,963	48,445	32	28	2	8	-	-	-	-	-	-	-	1	1	-
10	Walthamstow 2H,L ..	6,504	108,929	64	13	3	4	-	-	-	-	-	-	-	-	1	-
189 : 1	Chigwell 2F,3H	11,778	16,397	11	2	1	-	-	-	-	-	1	-	-	1	1	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	2	1	1	-	-	-	-	1	-	-	-	-	-
2	Ilford F,L	8,496	41,244	38	7	2	3	-	-	1	-	-	-	-	-	-	-
3	Barking Town F	3,805	21,547	15	3	1	1	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	London County Lunatic Asylum, Colney Hatch.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, exceptin part in Watford Rural parish; 140 : 2, Oxhey parish: 191 : 1, Dagenham parish. Deaths belonging to the Outer in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
DON* - -	4,872,702	July	23	2175	962	10·3	-	36	5	8	27	2	21
UTTA - -	1,009,008	June	25	-	369‡	19·0	-	-	-	1	-	5	8
BAY - -	977,822	July	5	380	618‡	32·9	5	-	-	-	-	4	50
RAS - -	509,346	June	24	376	311‡	31·7	2	1	?	?	?	-	22
IS* - -	2,772,467	July	9	988	786	15·0	-	19	-	5	5	3	36
SSELS*- -	720,030	"	16	254	141	10·2	-	-	-	-	2	1	15
WERP*- -	317,171	"	16	118	69	11·3	-	2	1	-	-	2	8
TERDAM* -	570,669	"	9	276	95	8·7	-	-	-	1	1	-	6
ENHAGEN -	450,000	"	16	224	116	13·4	-	-	2	-	-	1	12
EKHOLM -	341,816	"	9	154	72	11·0	-	-	-	1	-	-	2
ISTIANIA -	240,178	"	16	93	54	11·7	-	-	-	2	-	-	4
ETERSBURG	1,620,000	June	25	1008	830‡	26·7	12	51	18	11	6	9	183
COW - -	1,493,600	July	2	-	1138	39·7	10	16	19	18	4	2	476
LIN - -	2,120,186	"	2	845	521	12·8	-	7	8	5	5	1	66
IBURG - -	895,804	"	16	-	234	13·6	-	3	1	4	1	1	32
SLAU - -	507,500	"	9	-	173	17·8	-	-	-	-	1	2	23
NICH - -	576,000	"	9	252	173	15·6	-	4	-	2	2	-	20
NNA* - -	2,107,981	"	16	773	553	13·6	-	8	1	6	4	1	42
GUE* - -	497,905	June	25	202	150	15·7	-	2	-	-	1	1	13
APEST* -	833,703	July	9	430	318	19·9	-	2	5	5	4	7	37
ESTE* - -	221,124	"	16	130	98	23·0	-	-	-	-	3	1	20
E - - -	587,096	May	28	242	215	19·1	-	17	1	5	2	-	16
ICE - -	183,224	June	25	66	62	17·6	-	1	-	1	-	2	12
AREST - -	297,643	"	4	161	163	28·6	-	1	6	3	1	-	8
		"	11	189	146	25·6	-	1	5	-	-	1	10
YORK* -	4,711,956	July	2	2589	1359	15·0	-	20	13	26	4	13	179
AGO* - -	2,282,927	"	2	-	586	13·4	-	12	7	15	3	7	50
LADELPHIA*	1,598,400	April	23	-	551	17·9	1	3	2	10	7	4	22
		"	30	-	503	16·4	1	5	5	5	5	3	12
DE JANEIRO	842,822	June	12	-	-	-	-	-	-	-	-	-	?
O :—*													
yptians -	616,213	"	24	593	617	54·6	-	49	-	10	-	5	164
reigners -	61,480	"	24	8	21	17·8	-	1	2	-	-	-	5
XANDRIA :—*													
yptians -	317,454	"	24	222	283‡	47·2	-	9	-	-	-	2	88
reigners -	67,966	"	24	5	17	13·0	-	-	1	-	-	-	4

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.

† Excluding deaths from croup in the Indian Cities.

‡ Including 25 deaths from *plague* in Calcutta, 44 in Bombay, and 2 in Alexandria, and from *Asiatic cholera*, 42 deaths in Calcutta, 1 in Bombay, 1 in Madras, and 1 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 23rd July, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
DON (Greenwich)	73·2	47·9	60·5	1·22	BRADFORD - -	64·9	44·7	56·2	0·53
HTON - -	71·8	51·4	61·1	0·44	YORK - - -	70·0	48·0	53·5	0·74
TSMOUTH - -	-	-	-	-	HULL - - -	72·0	51·0	59·5	0·40
WICH - -	73·0	49·0	60·5	0·96	TYNEMOUTH - -	67·0	49·0	56·5	0·38
MOUTH -	66·4	55·0	60·3	1·18	CARDIFF - - -	65·8	48·8	58·3	0·45
TOL - - -	67·9	45·0	59·3	0·52					
MINGHAM - -	67·7	48·8	58·3	0·59	EDINBURGH - -	64·3	48·1	55·1	0·68
TTINGHAM - -	68·0	47·0	58·9	0·38	GLASGOW - - -	?	?	?	?
ERPOOL OBSERVATORY	66·0	48·0	57·6	0·92	DUBLIN Phœnix Park.	67·1	44·7	56·9	0·84
CHESTER -	67·2	46·4	57·5	1·12	DUBLIN Fitzwilliam Square.†	67·5	51·0	58·3	0·76
NLEY - -	64·0	43·5	56·3	0·88					
DERSFIELD -	65·7	45·0	56·8	0·58	BELFAST - - -	66·0	48·0	57·2	1·26

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The reection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the ove was 1·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 23rd July, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	17	..	29·610	67·6	54·7	12·9	60·6	− 2·8	58·2	2·4	7·6	2·1	92	104·2	52·4	58·70	NE.	ENE. & NE.	3·2	0·0	0·3	342	+104	0·13	0·0
MONDAY -	18	..	29·742	57·9	52·8	5·1	54·9	− 8·4	53·7	1·2	3·8	0·6	96	66·0	51·0	58·74	NNE. & N.	N. & NNE.	2·2	0·0	0·3	345	+106	0·73	0·0
TUESDAY -	19	..	29·841	71·0	47·9	23·1	58·9	− 4·3	50·4	8·5	16·7	1·7	73	121·0	41·6	58·78	N., NNE. & NE.	Variable, WSW. & SW.	1·7	0·0	0·1	187	− 54	0·00	4·0
WEDNESDAY	20	Greatest Dec. S.	29·704	67·8	52·9	14·9	59·8	− 3·4	56·4	3·4	11·3	1·3	89	125·6	43·5	58·67	SW. & WSW.	SSW. & SW.	1·2	0·0	0·2	274	+ 30	0·09	7·5
THURSDAY -	21	..	29·497	73·2	56·9	16·3	62·6	− 0·6	57·4	5·2	13·8	1·0	83	130·0	55·2	58·77	SW.	WSW. & SW.	7·6	0·0	0·9	496	+249	0·11	6·5
FRIDAY -	22	Full	29·487	68·8	54·8	14·0	59·3	− 3·8	54·8	4·5	13·3	1·6	85	124·5	50·1	58·97	SW.	SW.	3·9	0·0	0·4	386	+136	0·16	15·0
SATURDAY -	23	..	29·721	67·8	52·7	15·1	58·5	− 4·5	50·3	8·2	17·8	2·4	74	122·3	44·5	59·13	WSW., W. & NW.	NW. & NNW.	5·0	0·0	0·5	417	+165	0·00	3·0
MEANS - -			29·657	67·7	53·2	14·5	59·2	− 4·0	54·5	4·8	12·0	1·5	85	113·4	48·3	58·82	NE. & SW.		..	..	..	Sum 2447	Sum +736	Sum 1·22	5·1
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY -	17	w. P. till 9h. A.M.; v. P. and v. N. till 11h. A.M.; w. P. afterwards.	0·1	16·1	Overcast with very slight exceptions; occasional rain between 9h. A.M. and 3h. P.M.
MONDAY -	18	w. P. till 9h. A.M.; w. P. and v. N. till noon; then w. P.	0·0	16·0	Generally overcast: heavy showers between 9h. A.M. and noon.
TUESDAY -	19	w. P. throughout.	8·7	16·0	Sky gradually clearing till 3h. A.M.; very fine till noon; then variably cloudy. Partial solar halo observed at 4h. 30m. P.M.
WEDNESDAY	20	w. P. throughout.	0·2	16·0	Generally overcast; a little sunshine between 9h. and 10h. A.M.; nearly continuous rain after 5h. P.M.
THURSDAY -	21	w. P. throughout.	1·8	15·9	Generally overcast in morning with frequent rain till about 7h. 30m. A.M.; variably cloudy with fine intervals between 10h. A.M. and 5h. P.M.; then overcast with frequent light rain after 8h. P.M.; brisk wind prevalent between 5h. A.M. and 6h. P.M.
FRIDAY -	22	w. P. generally; s. P. and s. N. between 7h. and 8h. 30m. P.M.	3·3	15·9	Overcast with occasional light rain till 9h. A.M.; cloudy with fine intervals generally afterwards; sharp showers between 7h. 15m. and 8h. 15m. P.M. Solar halo and parhelion observed at 6h. 50m. P.M.
SATURDAY -	23	w. P. generally.	3·5	15·8	Overcast with slight exceptions till afternoon; then fine and partially cloudy; a little rain about 8h. A.M.
			Sum 17·6	Sum 111·7	
No. of Col. -		21	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·69 in. at the beginning of the week to 29·57 in. by 11h. A.M. on the 17th; increased to 29·87 in. by 9h. A.M. on the 19th; decreased to 29·46 in. by 7h. A.M. on the 21st; increased to 29·55 in. by 11h. P.M. on the same day; decreased to 29·44 in. by 7h. P.M. on the 22nd; and increased to 29·86 in. by midnight on the 23rd.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th July, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	9	-	-	-	-	-	-	-	-
Kensington	184,635	-	6	1	-	-	-	-	4	-	-
Hammersmith	127,413	-	6	3	-	1	1	-	4	-	-
Fulham	181,282	-	7	6	-	-	-	-	1	-	-
Chelsea	75,457	-	2	1	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	6	4	-	2	-	-	-	-	-
NORTH.											
St. Marylebone	125,195	-	9	1	-	1	-	-	3	-	-
Hampstead	95,729	-	1	-	-	-	-	-	-	-	-
St. Pancras	237,792	-	16	3	-	-	-	-	1	1	-
Islington	353,356	-	16	7	-	2	-	-	-	-	-
Stoke Newington	54,838	-	5	2	-	-	-	-	-	-	-
Hackney	239,979	-	10	2	-	2	-	-	1	-	-
CENTRAL.											
Holborn	53,142	-	1	-	-	1	-	-	-	-	-
Finsbury	94,578	-	8	2	-	-	-	-	1	-	-
City of London	17,132	-	1	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	7	3	-	-	-	-	2	-	-
Bethnal Green	131,579	-	4	2	-	-	-	-	7	3	-
Stepney	314,379	-	7	6	-	2	-	-	2	-	1
Poplar	172,432	-	14	3	-	2	-	-	3	-	-
SOUTH.											
Southwark	211,832	-	9	4	-	-	-	-	4	-	-
Bermondsey	127,238	-	12	5	-	-	-	-	2	-	-
Lambeth	327,074	-	25	4	-	-	1†	-	1	-	-
Battersea	188,222	-	14	1	-	-	-	-	1	-	-
Wandsworth	305,838	-	14	4	-	1	-	-	2	-	-
Camberwell	286,058	-	3	7	-	3	-	-	5	1	-
Deptford	119,642	-	9	3	-	1	-	-	5	-	-
Greenwich	112,935	-	3	4	-	-	-	-	2	-	-
Lewisham	164,899	-	16	4	-	1	-	-	1	-	-
Woolwich	135,422	-	7	9	-	-	-	-	3	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	247	92	-	19	2	-	55	5	1
Ages 0-1		-	4	1	-	-	-	-	5	-	-
„ 1-5		-	73	31	-	-	-	-	2	-	-
„ 5-		-	107	34	-	2	-	-	2	-	-
„ 10-		-	47	13	-	2	-	-	1	-	1
„ 15-		-	7	5	-	3	-	-	2	-	-
„ 20-		-	4	1	-	3	-	-	3	1	-
„ 25-		-	5	3	-	7	2	-	9	3	-
„ 35-		-	-	4	-	1	-	-	6	1	-
„ 45-		-	-	-	-	-	-	-	13	-	-
„ 55-		-	-	-	-	-	-	-	4	-	-
„ 65 and upwards		-	-	-	-	1	-	-	8	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

† Relapsing Fever.

Returns relating to Metropolitan Water London.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of June, 1910. The supply was in the ratio of 226 gallons to one service. The area of supply of the Metropolitan Water Board is much more extensive than that of the Administrative County of London, the Water Board's statutory area of supply being over 537 sq. miles, as against 117 sq. miles of the County.*

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	June, 1909.	June, 1910.	June, 1909.	June, 1910.
Total - - - - - -	1,091,871*	1,091,795*	234,581,558*	247,061,000*
New River - - - - - - -	215,296	217,465	44,471,062	48,520,400
Eastern - - - - - - -	245,037	247,516	45,658,867	50,822,400
Western { Chelsea, Grand Junction, West Middlesex } - -	223,543	225,569	58,676,214	63,833,500
Southern { Lambeth - - - Southwark and Vauxhall }	288,221*	280,493*	64,191,856*	62,030,400*
Kent - - - - - - - -	119,774	120,752	21,583,559	21,854,300

* The figures for June, 1910, are exclusive of bulk supply to the Cheshunt Urban District Council and the Corporations of Croydon and Richmond and of services under their control. Those for June, 1909, however, include supply and services in Croydon and Richmond but not in Cheshunt. The figures marked with an asterisk are, therefore, not strictly comparable.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 30. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, JULY 30. [Price 1½*d.*

General Register Office, Somerset House,
August 2nd, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 11·3 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 11·0, 11·4, and 11·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 16·0 in Liverpool, 16·7 in Bury, 17·1 in Salford, 17·5 in Norwich, 17·7 in Bootle, 18·5 in Swansea, 18·7 in Huddersfield, and 19·0 in Middlesbrough; from *measles*, 1·0 in Nottingham, 1·1 in Liverpool, 1·3 in Merthyr Tydfil, and 3·3 in Barrow in Furness; from *whooping-cough*, 1·7 in Salford and 1·9 in Burnley; and from *diarrhœa*, 1·5 in Rhondda, 1·7 in Wigan, 2·1 in Birkenhead, 2·6 in Walsall, and 3·0 in Bootle. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2429 BIRTHS and 957 DEATHS were registered. Allowing for increase of population, the births were 20 above and the deaths 156 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17256—41.) Wt. 91—429. 700. 8/10. D & S. G. 31. Sch. 4. 2 G

causes, which had been 10·7, 11·1, and 10·3 per 1000 in the preceding three weeks, fell last week to 10·2. The death-rate in the four weeks ended last Saturday averaged 10·6 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 957 deaths included 23 from measles, 2 from scarlet fever, 4 from diphtheria, 14 from whooping-cough, 4 from enteric fever, and 12 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 59 deaths were referred, being 86 below the corrected average number in the thirtieth week of the preceding five years.

The deaths from *measles*, which had been 37, 31, and 36 in the preceding three weeks, fell to 23 last week, and were 4 below the corrected average; 5 deaths belonged to the Borough of St. Pancras, and 4 to Camberwell. The deaths from *scarlet fever*, which had been 8, 4, and 5 in the preceding three weeks, fell to 2 last week, and were 8 below the corrected average. The deaths from *diphtheria*, which had been 3, 7, and 8 in the preceding three weeks, were 4 last week, and were 7 below the corrected average. The deaths from *whooping-cough*, which had been 23, 19, and 27 in the preceding three weeks, fell to 14 last week, and were 8 below the corrected average The deaths from *enteric fever*, which had been 2, 1, and 2 in the preceding three weeks, rose to 4 last week, the corrected average being 3. The deaths from *diarrhœa*, which had been 17, 14, and 18 in the preceding three weeks, fell to 12 last week, and were 60 below the corrected average Of the 12 deaths from diarrhœa, 9 were those of children under 2 years of age; 3 other deaths at this age were certified as due to *enteritis* and 3 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 2, having been 4, 4, and 0 in the preceding three weeks.

Different forms of violence caused 48 deaths, concerning all of which inquests were held. Of these 48 deaths, 14 were cases of suicide, and 2 of homicide, while the remaining 32 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, three to burns or scalds, and 1, of an infant under one year of age, to suffocation in bed. Four deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 1563 cases of scarlet fever, 619 of diphtheria, and 46 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 179 cases, against 188, 249, and 173; of diphtheria, 100 cases, against 73, 90, and 84; and of enteric fever, 4 cases, against 5, 10, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended July 23rd, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3780 births and 1305 deaths were registered. Allowing for increase of population, these numbers are 49 and 278 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from measles, 3 from diphtheria, 3 from whooping-cough, 1 from enteric fever and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·61 inches, and that of the Thermometer 58°·8, the latter being 3°·7 below the week's average in the 65 years ended 1905. The general direction of the wind was South-westerly, the horizontal movement of the air being 41 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 29·5 hours; the measured rainfall amounted to 0·35 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 30th July, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 9th July, 1910.	16th July, 1910.	23rd July, 1910.	30th July, 1910.	Rate from Diseases in Ccls. 11-17 Week ended 30th July, 1910.	Registered during the Week ended 30th July, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**11·0**	**11·4**	**11·1**	**11·3**	**1·1**	**8900**	**3665**	**778**	**1036**	**-**	**85**	**18**	**31**	**87**	**12**	**120**	**162**	**309**	**1055**	**30**	**77 TOWNS.**
LONDON	4,872,702	10·7	11·1	10·3	10·2	0·6	2429	357	151	313	-	23	2	4	14	4	12	48	103	436	-	LONDON.
CROYDON	164,485	10·1	8·6	8·2	9·5	0·3	82	30	6	12	-	-	-	-	-	-	1	-	3	3	-	CROYDON.
WILLESDEN ..	166,088	6·0	4·4	6·0	6·9	0·3	79	22	3	11	-	-	-	1	-	-	-	-	-	5	-	WILLESDEN.
HORNSEY	98,561	3·2	7·4	7·4	2·1	-	35	4	1	2	-	-	-	-	-	-	-	-	-	-	-	HORNSEY.
TOTTENHAM ..	132,803	7·9	7·5	5·5	10·6	2·0	68	27	6	7	-	2	-	-	2	1	-	1	5	5	-	TOTTENHAM.
WEST HAM ..	328,585	6·8	7·0	10·5	6·7	0·3	192	42	7	7	-	-	-	-	2	-	-	1	3	9	-	WEST HAM.
EAST HAM.. ..	156,208	6·0	9·0	7·3	6·3	1·0	66	19	8	4	-	-	-	1	1	-	1	-	1	4	-	EAST HAM.
LEYTON	133,436	7·0	4·7	5·9	4·3	0·8	64	11	2	3	-	1	-	-	-	1	-	-	1	3	-	LEYTON.
WALTHAMSTOW	141,748	7·7	6·6	4·8	7·4	0·7	77	20	4	3	-	1	-	-	-	-	1	-	-	5	-	WALTHAMSTOW.
HASTINGS	68,520	9·1	9·9	12·9	6·8	-	14	9	1	3	-	-	-	-	-	-	-	-	1	-	-	HASTINGS.
BRIGHTON	131,900	12·7	11·1	6·7	11·9	0·8	56	30	3	13	-	-	-	-	2	-	-	1	6	9	-	BRIGHTON.
PORTSMOUTH ..	217,989	10·3	10·8	11·7	9·6	0·7	112	40	5	13	-	-	1	2	-	-	-	2	6	12	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	10·6	9·9	12·7	7·1	-	18	10	-	5	-	-	-	-	-	-	-	1	1	1	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	10·7	9·0	11·9	11·5	-	68	28	3	11	-	-	-	-	-	-	-	4	5	10	-	SOUTHAMPTON.
READING	84,355	9·3	6·8	9·3	9·3	-	34	15	3	5	-	-	-	-	-	-	-	-	1	2	-	READING.
NORTHAMPTON ..	99,113	10·0	7·4	10·0	9·5	-	41	18	3	5	-	-	-	-	-	-	-	2	2	5	1	NORTHAMPTON.
IPSWICH	75,936	6·9	8·2	11·0	13·7	-	42	20	1	11	-	-	-	-	-	-	-	1	2	3	-	IPSWICH.
GREAT YARMOUTH	53,715	10·7	10·7	10·7	15·5	-	23	16	4	6	-	-	-	-	-	-	-	2	3	3	-	GREAT YARMOUTH.
NORWICH	125,446	14·1	10·4	10·0	17·5	0·8	59	42	10	19	-	-	-	-	-	-	2	3	3	8	1	NORWICH.
PLYMOUTH	126,266	8·3	12·4	8·3	7·4	-	50	18	5	8	-	-	-	-	-	-	-	-	-	6	-	PLYMOUTH.
DEVONPORT	84,695	9·9	6·8	7·4	7·4	-	47	12	4	2	-	-	-	-	-	-	-	-	2	4	-	DEVONPORT.
BRISTOL	382,550	9·4	10·0	8·9	11·9	0·5	184	87	17	24	-	-	1	1	-	-	2	2	6	21	-	BRISTOL.
STOKE ON TRENT ..	245,726	13·2	10·8	14·0	15·3	1·7	176	72	26	19	-	1	3	1	2	-	1	3	6	10	1	STOKE ON TRENT.
BURTON ON TRENT	54,977	15·2	8·5	2·8	10·4	0·9	25	11	-	1	-	-	-	1	-	-	-	1	1	5	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	10·8	10·3	12·8	12·8	0·5	55	26	5	9	-	-	-	1	-	-	-	3	4	5	-	WOLVERHAMPTON.
WALSALL	101,035	8·8	13·4	12·4	10·8	3·1	59	21	9	1	-	-	-	-	-	1	5	2	3	2	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	9·4	9·4	7·9	6·5	-	32	9	-	2	-	-	-	-	-	-	-	-	1	2	-	HANDSWORTH (STAFFS.).
WEST BROMWICH.	[illegible]	[illegible]	10·5	[illegible]	12·5	1·5	42	17	2	5	-	-	-	1	-	-	1	-	-	4	1	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 9th July, 1910.	16th July, 1910.	23rd July, 1910.	30th July, 1910.	Rate from Diseases in Cols. 11-17. Week ended 30th July, 1910.	Registered during the Week ended 30th July, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	8·9	14·6	9·1	10·3	0·9	312	113	21	34	-	-	-	1	1	-	8	5	6	32	2	Birmingham.
Kings Norton ..	84,673	6·2	4·9	9·2	6·2	0·6	50	10	2	1	-	-	-	-	1	-	-	1	2	-	-	Kings Norton.
Smethwick	72,350	8·6	6·5	10·8	8·6	0·7	37	12	5	5	-	-	1	-	-	-	-	-	1	2	-	Smethwick.
Aston Manor ..	86,269	6·9	7·9	6·6	8·5	1·2	46	14	2	3	-	-	1	-	-	-	1	1	1	2	-	Aston Manor.
Coventry	81,449	10·9	11·5	14·7	11·5	-	53	18	3	5	-	-	-	-	-	-	-	1	2	5	-	Coventry.
Leicester	248,374	9·9	10·7	9·7	10·1	0·2	110	48	11	16	-	-	-	-	-	-	1	1	3	15	-	Leicester.
Grimsby	74,283	8·4	13·3	9·1	14·0	1·4	62	20	7	5	-	-	-	-	2	-	-	1	2	4	1	Grimsby.
Nottingham ..	266,471	11·2	11·9	9·6	13·1	2·2	141	67	17	17	-	5	-	1	2	-	3	1	4	16	1	Nottingham.
Derby	131,256	8·3	12·3	9·1	10·7	0·4	59	27	9	6	-	-	-	-	-	-	1	1	3	8	-	Derby.
Stockport	105,087	18·9	8·9	13·9	8·4	1·0	42	17	2	9	-	-	-	-	2	-	-	-	-	7	-	Stockport.
Birkenhead ..	122,431	9·4	14·5	14·5	11·1	3·0	82	26	8	5	-	-	-	2	-	-	5	2	3	6	1	Birkenhead.
Wallasey ..	73,173	11·4	7·8	7·8	9·3	0·7	43	13	1	2	-	-	-	-	1	-	-	-	2	1	1	Wallasey.
Liverpool	767,606	14·8	14·9	17·7	16·0	2·8	457	235	50	58	-	16	1	3	8	-	13	10	13	97	4	Liverpool.
Bootle	70,548	14·0	14·0	14·0	17·7	3·7	45	24	7	5	-	-	-	-	1	-	4	-	1	6	-	Bootle.
St. Helens	96,523	15·1	11·3	11·9	10·8	0·5	49	20	4	5	-	-	-	-	1	-	-	-	-	5	-	St. Helens.
Wigan	91,732	13·6	9·1	15·9	14·8	1·7	47	26	9	4	-	-	-	-	-	-	3	1	2	3	-	Wigan.
Warrington ..	73,295	10·7	10·7	12·8	8·5	0·7	40	12	4	4	-	-	-	-	-	-	1	2	2	4	-	Warrington.
Bolton	190,315	11·2	13·2	15·1	12·6	0·8	88	46	14	15	-	-	1	1	1	-	-	-	1	6	1	Bolton.
Bury	59,409	8·8	13·2	11·4	16·7	2·6	28	19	7	5	-	1	1	1	-	-	-	-	-	2	-	Bury.
Manchester ..	716,354	13·5	14·4	13·8	14·2	2·4	368	195	55	40	-	5	-	1	12	1	14	13	13	44	1	Manchester.
Salford	244,636	14·3	13·4	12·8	17·1	3·0	166	80	24	13	-	3	1	-	8	-	2	1	5	13	-	Salford.
Oldham	144,111	17·7	13·7	14·1	11·9	1·4	87	33	8	12	-	1	-	-	3	-	-	-	1	5	-	Oldham.
Rochdale	90,497	15·6	11·5	14·4	9·8	1·7	38	17	6	4	-	-	-	1	-	-	2	-	-	1	-	Rochdale.
Burnley	107,448	12·1	13·1	9·7	15·0	3·4	54	31	10	7	-	-	-	1	4	-	2	-	1	3	-	Burnley.
Blackburn	137,972	11·7	14·0	11·3	11·3	0·8	62	30	6	9	-	-	-	1	-	-	1	4	5	7	-	Blackburn.
Preston	119,253	10·5	14·9	14·9	14·0	1·7	61	32	8	8	-	2	-	-	-	-	2	1	-	4	2	Preston.
Barrow in Furness.	63,689	12·3	21·3	20·5	13·9	4·1	34	17	3	2	-	4	-	-	-	-	1	1	1	1	1	Barrow in Furness

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 30th July, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 9th July, 1910.	16th July, 1910.	23rd July, 1910.	30th July, 1910.	Rate from Diseases in Cols 11–17. Week ended 30th July, 1910.	Registered during the Week ended 30th July, 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	17·1	13·2	12·1	18·7	–	50	34	3	13	–	–	–	–	–	–	–	1	2	9	1	HUDDERSFIELD.
HALIFAX	112,818	11·1	14·8	11·6	13·4	0·9	33	29	3	11	–	1	–	–	–	1	–	2	2	4	–	HALIFAX.
BRADFORD	295,865	11·5	12·3	11·8	10·0	0·9	123	57	12	18	–	4	–	–	–	–	1	2	6	16	–	BRADFORD.
LEEDS	490,985	10·6	9·9	13·0	12·2	1·8	241	115	21	24	–	5	2	2	3	–	5	3	6	23	–	LEEDS.
DEWSBURY	51,224	18·3	15·3	11·2	10·2	1·0	19	10	2	3	–	–	1	–	–	–	–	–	–	1	–	DEWSBURY.
SHEFFIELD	478,763	10·0	11·7	12·2	13·5	1·5	256	124	31	39	–	1	–	–	7	–	6	–	6	34	4	SHEFFIELD.
ROTHERHAM.. ..	66,414	12·6	18·1	7·9	8·6	1·6	43	11	4	4	–	–	–	–	2	–	–	1	1	1	–	ROTHERHAM.
YORK	88,159	8·3	5·9	5·9	14·2	0·6	49	24	2	7	–	–	–	–	1	–	–	1	1	5	–	YORK.
HULL	280,006	11·4	8·4	13·2	10·4	1·3	158	56	13	12	–	2	–	2	–	–	3	2	6	10	2	HULL.
MIDDLESBROUGH ..	107,014	15·6	12·2	14·6	19·0	1·0	84	39	7	10	–	–	–	–	1	–	1	4	4	13	–	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	13·6	14·6	22·3	4·9	–	33	5	–	–	–	–	–	–	–	–	–	–	1	1	–	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	10·2	14·0	9·6	9·6	1·3	39	15	7	2	–	–	–	–	–	1	1	–	–	1	–	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	12·6	12·3	13·3	10·7	0·6	113	33	11	7	–	–	–	–	–	–	2	–	–	9	–	SUNDERLAND.
SOUTH SHIELDS ..	119,737	11·3	14·8	8·3	11·3	0·4	78	26	4	5	–	–	–	–	–	1	–	3	3	4	1	SOUTH SHIELDS.
GATESHEAD	133,676	9·0	12·1	9·4	9·8	0·4	64	25	10	5	–	1	–	–	–	–	–	2	2	1	2	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	12·0	12·8	13·5	12·6	1·1	175	69	16	16	–	3	–	–	2	–	1	5	10	15	–	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	12·0	10·2	15·7	8·3	0·9	43	9	1	2	–	–	–	–	1	–	–	–	–	2	–	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	5·9	7·8	7·8	15·0	1·3	47	23	4	5	–	1	–	–	–	–	1	2	3	4	–	NEWPORT (MON.).
CARDIFF	199,189	11·3	8·6	10·2	8·6	1·0	107	33	9	8	–	–	–	–	–	–	4	3	4	7	–	CARDIFF.
RHONDDA	138,674	15·0	15·8	11·3	14·3	1·9	129	38	11	6	–	–	1	–	–	–	4	3	3	2	–	RHONDDA.
MERTHYR TYDFIL..	79,522	14·4	17·7	11·8	13·1	2·6	50	20	5	7	–	2	–	–	–	1	1	1	1	3	–	MERTHYR TYDFIL.
SWANSEA	98,817	20·6	14·2	12·1	18·5	1·1	76	35	10	6	–	–	1	1	–	–	–	3	5	9	–	SWANSEA.
GREATER LONDON	7,537,196	9·7	10·0	9·4	9·0	0·6	3780	1305	216	430	–	28	2	9	22	7	17	60	130	508	2	GREATER LONDON.
OUTER RING ..	2,664,494	7·8	8·1	7·7	6·8	0·5	1351	348	65	117	–	5	–	5	8	3	5	12	27	72	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	7·0	6·9	7·5	6·9	0·6	663	175	37	49	–	4	–	2	5	2	3	2	13	34	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·7	9·3	8·0	6·7	0·4	688	173	28	68	–	1	–	3	3	1	2	10	14	38	2	REMAINDER OF OUTER RING.
EDINBURGH	360,276	12·7	11·6	12·2	11·3	0·4	127	78	9	25	–	–	–	1	1	–	1	–	?	30	2	EDINBURGH.
GLASGOW	884,505	12·4	11·9	12·3	13·9	2·1	429	236‡	50	47	–	3	1	3	9	3	17	7	?	69	9	GLASGOW.
DUBLIN (Registration Area).†	402,928	16·8	14·8	17·2	15·5	1·0	243	120	16	34	–	–	3	4	–	1	–	5	6	52	7	DUBLIN (Registration Area).†
BELFAST†	391,167	19·3	18·1	15·6	18·0	2·3	214	135	35	28	–	8	–	1	–	2	6	1	4	32	1	BELFAST†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTIETH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2507	2384	2521	2519	2467	2480	2352	2273	2368	2280	2408·7	2429
Males - - -	1267	1234	1274	1280	1293	1285	1186	1160	1176	1184	1226·9	1195
Females - -	1240	1150	1247	1239	1174	1195	1166	1113	1192	1105	1181·8	1234
TOTAL **Deaths** -	1816	1582	1260	1191	1423	1285	1056	1101	1034	957	1112·6	957
Males - - -	938	817	649	670	786	682	549	584	558	520	592·4	509
Females - -	878	765	611	521	637	603	507	517	476	437	520·2	448

* The numbers in this column are the average weekly numbers in the Thirtieth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	13 Weeks.
TOTAL **Births** -	2229	2529	1610	2701	2434	2243	2424	2260	2329	2272	2163	2176	2429	29799
TOTAL **Deaths** -	1167	1299	1062	1107	1056	984	993	983	964	997	1036	962	957	13597
Ages at Death: Under 1 year -	210	243	212	224	199	183	162	177	177	168	172	187	151	2465
1—5 years -	126	134	129	124	110	102	119	97	114	100	99	104	89	1447
5—20 " -	63	79	61	54	59	65	58	57	51	68	70	61	52	798
20—40 " -	135	151	117	145	136	119	124	134	129	142	120	132	124	1708
40—60 " -	244	281	229	240	235	219	218	226	223	217	230	200	228	2990
60 yrs. & upwds.	389	411	314	320	347	296	312	292	270	302	345	278	313	4189
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	40	55	48	50	51	47	47	35	32	37	31	36	23	532
Scarlet Fever - -	6	3	4	3	6	5	3	3	2	8	4	5	2	54
Diphtheria - -	6	11	8	2	5	5	7	2	5	3	7	8	4	73
Whooping-cough -	46	32	42	26	29	23	32	25	21	23	19	27	14	369
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	2	1	2	1	3	1	1	2	2	1	2	4	23
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Diarrhœa, Dysentery	11	15	14	15	21	8	23	11	14	17	14	18	12	193
All above diseases -	110	118	117	108	113	91	113	78	76	90	76	96	59	1245
Dis. of Resp. System	83	116	81	64	64	55	42	55	54	44	51	46	48	803
Pneumonia - -	128	117	114	98	110	82	52	74	68	73	80	85	63	1144
Phthisis - - -	116	121	99	90	104	81	97	87	90	94	84	78	82	1223
Dis. of Circ. System -	148	173	143	127	145	154	153	144	138	159	183	128	158	1953
Violence - - -	60	48	58	57	49	56	48	49	55	53	46	44	48	671
Inquest Cases - -	130	120	130	130	106	118	109	101	113	101	114	95	103	1470
Deaths in Institutions	536	576	423	477	498	430	464	464	442	471	455	416	436	6118
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	46·3	47·5	58·9	57·8	56·9	62·2	58·8	62·3	56·5	55·2	57·9	59·2	58·8	56·8
Mean of Highest -	55·6	58·3	69·8	69·1	67·6	72·0	69·9	75·0	66·0	63·7	67·4	67·7	65·3	67·0
Mean of Lowest -	39·4	38·8	51·2	46·2	49·0	55·3	49·8	53·0	50·2	50·2	52·2	53·2	52·0	49·5
Mean Humidity of the Air.	77	76	84	75	77	88	77	75	76	84	84	85	77	80
Rain-fall (in inches) -	0·74	0·42	0·89	0·08	0·27	0·44	0·01	1·11	1·00	1·29	0·01	1·22	0·35	7·83
Registered Sunshine (in hours).	44·6	53·8	49·2	60·2	56·8	28·4	52·7	52·3	33·5	18·0	34·5	17·6	29·5	511·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	2	1	3	3	3	1	1
Scarlet Fever - -	1506	1476	1476	1445	1461	1401	1363	1353	1378	1439	1530	1548	1563	1457
Diphtheria - - -	784	775	753	742	728	753	729	711	674	628	646	626	619	705
Typhus - - -	-	-	-	-	-	1	1	1	1	1	1	1	-	1
Enteric Fever - -	62	62	58	60	61	52	53	47	47	49	50	50	46	54

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTIETH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 30th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1112·6	957	151	89	52	124	228	313
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	27·0	23	7	15	1	–	–	–
Scarlet Fever	9·6	2	–	1	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	3·5	2	–	–	–	1	–	1
Whooping-cough	22·3	14	6	8	–	–	–	–
Diphtheria	10·9	4	–	1	3	–	–	–
Cerebro-spinal Fever ..	0·6	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·1	4	–	–	–	3	–	1
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	45·9	5	3	2	–	–	–	–
Diarrhœa, Dysentery ..	26·2	7	4	–	–	–	2	1
Tetanus	1·0	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	3·7	5	2	–	–	1	2	–
Puerperal Septicæmia ..	2·9	1	–	–	–	1	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·6	–	–	–	–	–	–	–
Infective Endocarditis ..	2·5	3	–	–	1	1	1	–
Pneumonia: Lobar ..	11·5	9	–	2	–	3	3	1
Pneumonia: Broncho ..	27·6	24	8	8	–	1	3	4
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	34·4	30	2	9	4	2	6	7
Erysipelas	2·9	1	–	–	–	–	–	1
Septicæmia (not Puerperal)	0·6	1	–	–	–	–	–	1
Pyæmia (not Puerperal)	0·6	1	–	–	–	1	–	–
Other Infective Processes	4·7	7	2	–	1	2	1	1
Tuberculous Phthisis ..	68·0	61	–	1	2	28	26	4
"*Phthisis*"	35·0	21	–	–	3	9	6	3
Tuberculous Meningitis ..	21·1	14	3	9	2	–	–	–
Tuberculous Peritonitis ..	10·0	4	1	2	1	–	–	–
Tabes Mesenterica	2·7	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	13·7	6	2	1	1	1	1	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	7·0	10	–	–	–	2	4	4
Rheumatic Fever	4·1	3	–	–	1	2	–	–
Gout	1·2	–	–	–	–	–	–	–
Carcinoma	63·5	60	–	–	–	6	25	29
Sarcoma	7·0	7	1	–	1	2	1	2
Cancer (undefined) ..	32·2	32	–	–	–	2	13	17
Diabetes Mellitus	4·9	8	–	–	1	3	2	2
Premature Birth	38·5	35	35	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 30th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	11·5	9	2	2	3	–	2
Gen. Par. of Insane, Insanity	13·1	12	–	1	–	3	5
Epilepsy	5·7	5	–	–	2	1	–
Convulsions	15·4	11	10	1	–	–	–
Locomotor Ataxy.. ..	0·8	–	–	–	–	–	–
Paraplegia, Dis. of Cord.	5·3	5	–	1	–	1	1
Nervous Sys., Other Dis.	16·0	13	2	1	–	2	3
Valv. Dis., Endocarditis..	39·5	40	–	–	2	7	19
Cereb. Hæm. Cereb. Emb.	27·4	33	–	–	–	1	9
Apoplexy, Hemiplegia ..	10·6	9	–	–	–	–	3
Aneurysm	5·3	2	–	–	–	–	1
Embolism, Thrombosis (not Cerebral) ..	1·8	1	–	–	–	–	1
Heart & Blood Ves., Other Dis... ..	61·6	73	–	–	2	3	17
Croup (not Spasm: nor Memb.)	–	–	–	–	–	–	–
Bronchitis	34·8	35	8	2	1	–	4
Emphysema, Asthma ..	0·6	1	–	–	–	–	–
Pleurisy	3·7	5	1	1	–	1	1
Respiratory Dis., Other..	6·1	7	–	1	–	–	2
Tonsillitis, Quinsy.. ..	0·8	–	–	–	–	–	–
Enteritis (not Epid.) ..	16·6	5	1	3	–	–	–
Gastro-enteritis	9·4	4	2	1	–	–	–
Peritonitis (not Puerp.) ..	2·5	3	–	–	2	–	1
Cirrhosis of Liver.. ..	15·2	14	–	–	–	1	6
Liver Dis., Other	5·5	7	–	–	–	–	3
Digestive Sys., Other Dis.	29·1	30	2	2	4	5	12
Acute Nephritis	5·9	12	–	–	2	3	4
Bright's Dis., Albuminuria	29·3	26	–	–	–	2	9
Urinary Sys., Other Dis.	9·0	10	–	–	–	2	1
Generative Organs Dis...	4·7	2	–	–	–	–	1
Childbirth (Accid. of) ..	2·9	–	–	–	–	–	–
Old Age	37·9	42	–	–	–	–	–
Other Diseases	75·3	89	45	7	4	8	12
ACCIDENT.							
By Railways	1·8	4	–	–	–	1	2
By Vehicles and Horses..	7·8	6	–	1	3	1	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	1	–	–	–	–	1
In Building Operations..	0·8	–	–	–	–	–	–
In Conflagrations	0·4	–	–	–	–	–	–
By Burns, Scalds, Explosions	3·7	3	–	3	–	–	–
By Drowning	6·8	–	–	–	–	–	–
By Suffocation in Bed ..	7·8	1	1	–	–	–	–
By Poisons or Poisonous Vapours	4·1	5	–	–	–	3	2
Other Deaths by Accident..	14·9	12	–	3	3	3	2
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	0·4	2	1	–	–	–	1
Suicide	9·2	14	–	–	1	5	6
Execution	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2429	957	151	313	-	23	2	4	14	4	12	82	48	103	436	-
WEST DISTRICTS	805,311	354	178	32	67	-	2	-	-	2	1	3	15	9	20	73	-
NORTH DISTRICTS	1,055,908	562	187	18	62	-	7	-	1	3	2	1	19	12	25	79	-
CENTRAL DISTRICTS	209,465	93	42	8	9	-	-	-	-	2	-	1	2	2	6	30	-
EAST DISTRICTS	715,739	422	167	39	38	-	4	-	-	3	-	3	18	9	25	80	-
SOUTH DISTRICTS	1,749,844	998	349	54	126	-	10	2	3	4	1	4	23	15	26	140	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	34	-	11	-	-	-	-	-	-	-	5	1	1	34	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	28	14	3	6	-	-	-	-	1	-	-	1	-	1	-	-
entral Paddington *W,3H*	50,053	22	16	5	3	-	1	-	-	-	-	1	1	2	7	8	-
outh Paddington	30,320	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
ensington South *W,3H*	85,610	21	12	-	7	-	-	-	-	-	-	-	1	-	-	5	-
ensington Central *W,H*	42,774	14	7	1	1	-	-	-	-	-	-	-	1	-	-	5	-
ensington North *w*	48,244	34	17	2	8	-	-	-	-	-	-	-	4	-	-	9	-
orth Hammersmith *2W,w,H* ..	49,192	43	15	5	7	-	-	-	-	-	-	1	-	2	2	5	-
outh Hammersmith *w,2H* ..	63,047	29	16	6	1	-	-	-	-	1	-	-	2	1	1	8	-
orth-west Fulham *W*	45,180	41	16	3	4	-	-	-	-	-	-	1	-	1	1	11	-
orth-east Fulham *F*	46,405	26	11	2	7	-	1	-	-	-	-	-	-	-	-	-	-
outh Fulham *W*	45,704	23	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-
helsea North *W,w,3H*	42,514	15	14	-	4	-	-	-	-	-	-	-	4	-	-	13	-
helsea South *W,2H*	31,328	11	4	1	-	-	-	-	-	-	-	-	1	1	1	1	-
ayfair and Knightsbridge	28,743	3	3	1	1	-	-	-	-	-	-	-	-	1	2	-	-
elgrave *W,2H*	55,815	15	12	1	5	-	-	-	-	-	1	-	-	-	4	5	-
. Margaret & St. John *6H*	43,698	16	9	2	4	-	-	-	-	-	-	-	-	1	1	3	-
. James and St. Anne *W,6H* ..	33,081	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
l Souls Marylebone *7H*	35,391	17	15	1	6	-	-	-	-	-	1	-	1	1	1	8	-
. Mary Marylebone *W,4H* ..	37,948	43	5	1	2	-	-	-	-	-	-	-	-	-	1	2	-
hristchurch Marylebone *H* ..	39,536	19	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. John Marylebone *2H*	20,426	9	4	-	2	-	-	-	-	-	-	-	1	-	1	1	-
ampstead *W,F,6H*	81,942	26	15	-	5	-	-	-	1	-	-	-	2	-	-	8	-
est St. Pancras *2H*	60,562	27	9	-	1	-	1	-	-	-	-	-	-	1	1	3	-
uth St. Pancras *w,10H*	55,707	33	21	1	9	-	-	-	-	-	-	-	3	1	4	12	-
ast St. Pancras *W,H*	60,320	30	15	4	7	-	2	-	-	-	-	1	-	2	4	5	-
orth St. Pancras *2W*	58,728	29	12	2	5	-	2	-	-	-	-	-	2	-	-	5	-
ufnell *W*	31,995	18	8	-	3	-	-	-	-	-	-	-	1	1	1	7	-
pper Holloway *2W,w,H*	33,978	18	9	2	2	-	1	-	-	1	-	-	2	-	-	6	-
llington *2W,w,H*	33,922	11	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-
wer Holloway	41,424	30	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
rnsbury	54,478	31	7	-	3	-	-	-	-	1	-	-	-	1	3	-	-
ington South-east *F*	75,397	34	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-
ghbury *2H*	63,797	35	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
oke Newington *H*	51,247	26	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
orth Hackney	50,398	22	5	1	1	-	-	-	-	-	-	-	1	-	1	-	-
ntral Hackney *2w,F*	50,536	27	12	2	2	-	-	-	-	1	1	-	3	1	1	5	-
uth-west Hackney *3H*	59,921	41	15	2	4	-	-	-	-	-	-	-	-	2	3	8	-
uth-east Hackney *2W,w,H* ..	58,255	36	13	1	3	-	-	-	-	-	-	-	3	2	3	9	-
ckney Union Workhouse, Brent-ood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein mely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other stricts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a b-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the ter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	13	2	-	2	-	-	-	-	-	-	-	1	-	-	2	-
Strand *W*,4*H*	21,674	6	11	1	4	-	-	-	-	-	-	-	-	-	-	10	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	6	6	2	-	-	-	-	-	2	-	-	-	-	-	3	-
Clerkenwell *H*	63,704	36	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-
St. Luke 3*H*,*L*	36,116	30	5	2	1	-	-	-	-	-	-	-	1	-	1	2	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	15	2	1	-	-	-	-	-	-	1	-	2	5	12	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	30	5	2	1	-	1	-	-	-	-	-	-	2	2	1	
Shoreditch North-West *W*,*w*,*H* ..	36,127	18	18	4	8	-	1	-	-	2	-	-	1	-	2	8	
Shoreditch North-East	36,148	23	5	2	-	-	-	-	-	-	-	-	1	-	-	-	
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	39	15	5	1	-	-	-	-	-	-	-	1	-	1	9	
Bethnal Green South-West *H* ..	64,542	43	3	1	2	-	-	-	-	-	-	-	-	-	1	-	
Spitalfields..	27,969	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Mile End New Town *W*,*H*	28,718	18	28	4	3	-	-	-	-	-	-	1	2	2	4	24	
Goodman's Fields	22,081	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. George and St. John 2*W* ..	49,068	26	19	4	3	-	2	-	-	-	-	-	5	1	4	8	
Shadwell and Ratcliff *w*,*H* ..	25,568	12	14	7	2	-	-	-	-	1	-	-	-	-	1	10	
Limehouse *W*	32,369	25	5	2	-	-	-	-	-	-	-	-	-	-	-	-	
Mile End Old Town South-Western *H*	63,698	46	4	1	-	-	-	-	-	-	-	1	-	-	2	-	
Mile End Old Town North-Eastern *W*,*w*	49,129	29	9	1	5	-	-	-	-	-	-	-	-	-	1	4	
Bow	41,989	20	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
Bromley 3*w*,*H*	68,319	38	25	4	7	-	-	-	-	-	-	-	6	2	5	14	
Poplar *W*,*w*	58,514	31	10	1	3	-	-	-	-	-	-	1	2	2	2	2	
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th July, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	14	18	3	2	-	1	-	-	-	-	-	1	4	4	17	-
Kent-road	21,904	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	19	13	3	3	-	-	-	-	-	-	2	-	-	2	6	-
Newington North	49,022	35	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	41	10	2	5	-	1	-	-	-	-	-	-	1	1	2	-
St. Olave *2W*	9,817	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	31	11	-	5	-	-	-	-	-	-	-	1	2	2	-	-
Rotherhithe *W,F*	38,460	15	8	1	2	-	-	-	-	-	-	1	1	-	-	6	-
Waterloo *2H*	27,440	18	3	2	-	-	-	-	-	-	-	-	-	1	1	1	-
Lambeth Church *H*	27,440	15	14	1	1	-	-	-	-	-	-	-	1	1	2	13	-
Kennington *2W*	52,518	35	25	-	12	-	1	-	-	-	-	-	3	-	-	22	-
Stockwell *HF*	63,826	39	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *H*	73,673	48	13	3	5	-	-	-	-	-	-	-	-	1	3	3	-
Norwood *2WH*	56,998	17	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	44	10	5	1	-	-	-	-	1	-	1	1	-	1	-	-
North-west Battersea	49,656	34	8	2	2	-	-	-	-	-	-	-	-	1	1	-	-
South-west Battersea *2W,H*	47,048	29	17	2	7	-	-	-	-	-	-	-	1	1	3	13	-
Clapham *2H*	51,361	27	6	1	3	-	-	-	-	1	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	62	18	4	7	-	-	-	-	1	-	-	3	-	-	4	-
Springfield *2W,L*	27,959	23	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Southfields *H*	40,444	34	8	2	3	-	-	-	-	-	-	-	1	-	-	-	-
Putney	24,139	8	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich	13,359	3	5	-	3	-	-	-	-	-	-	-	1	-	-	-	-
Camberwell South *W,w*	40,206	29	22	2	9	-	-	-	-	-	-	-	3	-	-	17	-
Camberwell North *W,2L*	65,584	36	20	1	11	-	1	-	-	-	-	-	2	-	-	14	-
St. George	47,331	31	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Peckham North	48,913	32	8	-	3	-	3	-	-	-	-	-	1	-	-	-	-
Peckham South *2W,w*	43,946	19	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Deptford North	37,613	23	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford Central *F*	45,481	25	9	1	4	-	-	1	1	1	1	-	-	-	-	3	-
Deptford South	34,625	14	4	1	2	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich West *H*	23,456	17	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	26	13	2	3	-	1	-	-	-	-	-	-	-	1	8	-
Eltham *w,H*	7,226	5	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	12	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	40	14	2	4	-	-	1	1	-	-	-	-	-	1	6	-
Sydenham *H*	43,653	20	8	1	6	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	7	4	1	1	-	-	-	1	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	24	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	22	9	2	4	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead East *2W*	28,951	8	4	-	2	-	-	-	-	-	-	-	-	1	1	3	-
Workhouses:—																	
Belmont Workhouse	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Darenth	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	4	-	2	-	-	-	-	-	-	-	1	-	-	4	-
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	5	-	1	-	-	-	-	-	-	-	2	-	-	5	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	1	-	1	-	-	-	-	-	-	-	-	1	1	1	-
Hanwell	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	5	-
Colney Hatch	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Claybury	—	-	4	-	-	-	-	-	-	-	-	-	1	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongi the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums B Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERA POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 30th July, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
	LONDON—OUTER RING ..	368,603	2,045,135	1351	348	65	117	-	5	-	5	8	3	5	12	27	72
31 : 1	Carshalton 2F3H	12,228	32,997	22	4	-	1	-	-	-	1	-	-	-	-	-	2
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	2	1	1	-	-	-	-	-	-	-	-	-	1
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	2	-	2	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	2	1	-	-	-	-	-	-	-	-	-	1	1	-
2	South Croydon w,H ..	4,200	49,309	20	6	2	3	-	-	-	-	-	-	1	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	34	16	3	6	-	-	-	-	-	-	-	-	1	4
4	North Croydon H	2,644	41,698	28	10	1	3	-	-	-	-	-	-	-	-	2	1
5	Penge w	770	22,465	8	4	-	3	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	27	9	2	3	-	-	-	1	-	-	1	-	-	-
40 : 1	Wimbledon F,3H	3,221	41,652	22	6	1	1	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	21	6	-	3	-	-	-	-	-	-	-	1	1	2
3	Surbiton F,H	3,046	15,017	7	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	11	2	1	1	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	15	3	-	2	-	-	-	-	-	-	-	-	1	-
41 : 1	Richmond W,H	2,491	31,672	19	8	1	4	-	-	-	-	1	-	-	1	1	3
2	Mortlake F	2,518	17,821	9	2	-	1	-	-	-	-	-	-	-	-	-	1
42 : 1	Bromley F,3H	4,696	27,397	16	2	-	1	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,832	28,454	11	4	1	2	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	4	3	2	1	-	-	-	-	-	-	-	-	-	1
4	Chislehurst 2H	7,338	16,446	6	-	-	-	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	7	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	15	3	-	1	-	-	-	-	-	-	-	1	1	1
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
126 : 1	Sunbury w	11,054	18,683	10	4	1	1	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	12	1	-	-	-	-	-	-	-	-	-	-	-	-
127 : 1	Hillingdon W,F,H	8,035	13,661	11	5	1	1	-	-	-	-	-	-	-	-	-	1
2	Uxbridge H	12,757	8,984	1	1	-	-	-	-	-	-	-	-	-	1	1	-
3	Hayes w 2F,H	8,666	16,358	14	2	1	-	-	-	-	-	-	-	-	-	-	2
128 : 1	Isleworth 3W,3F,H	6,859	30,863	26	10	-	6	-	-	-	-	-	-	-	-	-	-
2	Twickenham F,2H	2,421	20,991	16	3	1	1	-	-	-	-	-	-	-	-	-	1
3	Brentford 3F,2H	4,319	48,289	44	7	2	3	-	-	-	1	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	18	6	3	1	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	49	5	1	2	-	-	-	-	-	-	-	-	-	-
129 : 1	Willesden W,F,2H	4,384	114,811	79	22	3	11	-	-	-	1	-	-	-	-	-	5
130 : 1	Harrow F,H	13,809	25,523	25	3	1	1	-	-	-	-	-	-	-	-	1	-
2	Edgware 2F,2H	6,994	4,521	1	2	-	-	-	-	-	-	-	-	-	-	1	-
3	Hendon W,F	8,382	22,450	10	2	1	-	-	-	-	-	-	-	-	-	-	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	1	2	1	-	-	-	-	-	-	-	-	2	2	-
2	Barnet W,2H	3,324	17,970	10	4	1	3	-	1	-	-	-	-	-	-	-	2
3	Finchley F,3H	4,668	33,692	29	7	-	3	-	-	-	-	1	-	-	-	-	1
132 : 1	Hornsey F,H	2,875	72,056	35	5	1	2	-	-	-	-	-	1	-	-	-	1
2	Wood Green H	1,625	34,233	21	3	-	1	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	26	9	3	4	-	1	-	-	-	-	-	-	3	-
4	East Tottenham 2H ..	2,019	53,962	42	19	3	2	-	1	-	-	2	-	-	2	3	6
5	Edmonton W,w,2F	7,491	61,892	53	13	1	6	-	-	-	-	-	-	-	-	1	4
6	Enfield 2W,F,H	12,691	42,738	28	11	3	4	-	-	-	-	-	-	1	-	-	2
7	Waltham Abbey F	11,017	6,549	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	2	3	-	3	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** H ..	9,195	7,051	7	1	-	1	-	-	-	-	-	-	-	-	-	1
2	Watford, *part of** W,2F ..	138	2,122	1	1	-	1	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	31	8	1	1	-	-	-	-	1	-	-	-	-	-
2	Forest Gate	787	52,745	20	3	-	2	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	87	15	3	3	-	-	-	-	-	-	-	1	2	-
4	Canning Town H	1,556	70,718	54	7	2	-	-	-	-	-	1	-	-	-	1	-
5	South East Ham 2F ..	1,991	37,342	35	6	3	-	-	-	-	1	-	-	1	-	-	-
6	North East Ham w,H ..	1,333	58,666	31	10	5	3	-	-	-	-	1	-	-	-	1	-
7	Wanstead F	1,679	9,179	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	26	5	-	3	-	-	-	-	-	-	-	-	-	-
9	North Leyton 2W,w,F ..	1,963	48,445	38	21	3	2	-	1	-	-	-	1	-	-	1	1
10	Walthamstow 2H,L ..	6,504	108,929	89	17	4	2	-	1	-	-	-	-	1	1	1	-
189 : 1	Chigwell 2F,3H	11,778	16,397	5	1	-	-	-	-	-	-	1	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	1	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	33	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Barking Town F	3,805	21,547	16	1	1	-	-	-	-	-	-	-	-	-	-	-
	Eastern Hospital, Hackney	—	—	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Herts County Lunatic Asylum, Hill End.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the G Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting K parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, exceptin part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer R Hospitals and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 19

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
DON* - -	4,872,702	July	30	2429	957	10·2	–	23	2	4	14	4	15
CUTTA - -	1,009,008	July	2	–	343‡	17·6	–	–	1	–	3	4	12
BAY - -	977,822	„	12	339	651‡	34·6	5	4	–	–	–	2	61
DRAS - -	509,346	„	1	440	304‡	31·0	1	4	?	?	?	1	23
IS* - -	2,772,467	„	16	864	825	15·6	–	15	5	3	7	2	23
SSELS* - -	720,030	„	23	236	170	12·3	–	–	–	2	1	–	21
WERP* - -	317,171	„	23	118	75	12·3	–	2	–	–	1	–	10
TERDAM* -	570,669	„	16	261	114	10·4	–	2	–	1	2	–	5
ENHAGEN -	450,000	„	23	255	115	13·3	–	–	–	–	–	1	8
CKHOLM -	341,816	„	16	169	78	11·9	–	–	2	2	1	–	1
ISTIANIA -	240,178	„	23	110	41	8·9	–	–	1	–	–	–	4
PETERSBURG	1,620,000	„	2	851	767‡	24·7	11	46	17	12	4	10	136
SCOW - -	1,493,600	„	9	–	988	34·5	5	14	19	23	2	3	391
LIN - -	2,118,225	„	9	763	529	13·0	–	9	6	15	4	–	43
MBURG - -	895,804	„	23	–	215	12·5	–	–	–	7	3	–	36
SLAU - -	507,500	„	16	–	169	17·4	–	2	–	–	2	–	20
NICH - -	576,000	„	16	282	179	16·2	–	5	1	1	1	–	22
NNA* - -	2,107,981	„	23	869	597	14·7	–	13	1	3	10	2	68
GUE* - -	497,905	„	2	169	156	16·3	–	–	–	1	–	1	8
DAPEST* -	833,703	„	16	427	331	20·6	–	9	4	1	4	12	38
ESTE* - -	221,124	„	23	135	101	23·8	–	–	–	–	3	–	16
IE - - -	587,096	June	4	225	217	19·3	–	17	1	4	–	1	29
ICE - -	183,224	July	2	103	66	18·8	–	–	–	–	–	–	8
ARREST - -	297,643	June	18	185	136	23·8	–	–	3	–	3	1	13
		„	25	126	175	30·7	–	1	2	1	2	–	9
W YORK* -	4,711,956	July	9	2521	1472	16·3	–	13	14	36	15	10	266
CAGO* - -	2,282,927	„	9	–	581	13·3	–	4	7	9	4	5	104
LADELPHIA*	1,598,400	May	7	–	454	14·7	–	1	–	10	9	–	14
DE JANEIRO	842,822	June	12	–	–	–	–	–	–	–	–	–	–
RO:—*													
gyptians -	616,213	July	1	525	673	56·8	1	49	–	9	–	5	189
reigners -	61,480	„	1	6	17	14·4	–	–	–	–	–	–	5
XANDRIA:—*													
gyptians -	317,454	„	1	230	242	39·6	1	12	–	2	–	2	75
reigners -	67,966	„	1	1	12	9·2	–	–	–	1	–	–	3

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to dren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 31 deaths from *plague* in Calcutta, 53 in Bombay, and 1 in Madras, and from *Asiatic cholera*, 29 deaths in utta, 4 in Bombay, and 2 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 30th July, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
DON (Greenwich)	75·7	47·4	60·1	0·35	BRADFORD - -	67·1	44·3	57·8	0·42
HTON - -	68·2	49·4	59·1	0·60	YORK - - -	71·0	48·0	59·8	0·45
TSMOUTH - -	65·3	49·5	58·6	0·60	HULL - - -	72·0	49·0	60·5	0·60
WICH - -	–	–	–	–	TYNEMOUTH - -	70·0	49·0	57·3	0·77
MOUTH - -	63·0	52·3	58·3	1·25	CARDIFF - - -	63·4	48·7	53·1	1·42
TOL - - -	71·0	49·0	58·9	0·97					
TINGHAM - -	72·7	45·8	57·8	0·45	EDINBURGH - -	63·0	46·3	56·1	1·88
TINGHAM - -	72·0	44·0	58·3	0·54	GLASGOW - -	63·0	49·2	57·1	1·79
RPOOL OBSERVATORY	71·0	49·0	58·5	0·82	DUBLIN Phœnix Park	71·3	46·9	57·8	0·36
CHESTER -	69·0	43·8	58·2	0·81	DUBLIN Fitz-william Square.†	72·2	48·3	58·6	0·56
NLEY - -	68·0	43·0	57·3	0·87					
DERSFIELD -	69·2	44·0	58·3	0·47	BELFAST - - -	70·0	46·0	55·5	1·36

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The rection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the ve was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 30th July, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surfaces 5 inches above the Ground.	Ozone.
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 24	..	29·718	63·5	47·4	16·1	54·6	− 8·3	50·7	3·9	13·7	0·4	87	114·0	41·4	59·18	W. & WSW.	SW. & SSW.	5·8	0·0	0·4	380	+128	0·10	14·2
MONDAY - 25	..	29·328	67·0	53·4	13·6	57·0	− 5·7	54·3	2·7	12·4	1·9	91	127·0	49·0	59·10	SSW. & SW.	WSW.	7·5	0·0	0·8	523	+273	0·14	14·3
TUESDAY - 26	..	29·655	63·4	51·0	12·4	55·5	− 7·0	48·3	7·2	13·1	3·2	77	115·6	46·0	59·01	WSW. & W.	W., WNW. & WSW.	7·5	0·0	0·7	506	+258	0·02	4·5
WEDNESDAY 27	In Eqr.	29·815	67·8	49·8	18·0	58·5	− 3·9	52·2	6·3	15·1	1·7	80	120·0	44·0	58·90	WSW. & SW.	SW. & SSW.	2·5	0·0	0·2	243	− 1	0·00	5·5
THURSDAY - 28	..	29·546	75·7	55·1	20·6	64·9	+ 2·6	53·8	11·1	21·3	0·0	67	134·1	53·5	58·90	S. & SSE.	SSE., S. & SSW.	2·5	0·0	0·1	214	− 26	0·09	20·5
FRIDAY - 29	Last Qr.	29·575	69·6	54·8	14·8	60·0	− 2·3	50·6	9·4	21·0	0·0	71	118·2	49·2	59·01	SW. & WSW.	WSW., SW. & SSW.	3·7	0·0	0·4	370	+133	0·00	7·0
SATURDAY - 30	Perigee	29·626	71·2	52·2	19·0	61·3	− 1·0	51·0	10·3	17·4	0·4	69	126·4	48·4	59·34	SSW. & SW.	SSE., SE. & SW.	1·0	0·0	0·0	166	− 72	0·00	3·0
MEANS - -		29·609	68·3	52·0	16·4	58·8	− 3·7	51·6	7·3	16·3	1·1	77	122·2	47·4	59·06	SW.		..	..	..	Sum 2402	Sum +693	Sum 0·35	9·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.	ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 24	w. P. till 6h. P.M.; w. P. and m. N. till 8h. P.M.; w.P. afterwards.	4·0	15·8
MONDAY - 25	w. P. till 8h. A.M.; v. P. and v. N. till 1h. P.M.; then w. P. generally.	4·9	15·7
TUESDAY - 26	w. P. generally; occasional m. P.	1·0	15·7
WEDNESDAY 27	w. P. throughout.	2·2	15·6
THURSDAY - 28	w. P. generally; w. N. at 6h. A.M. and 11h. P.M.	7·5	15·6
FRIDAY - 29	w. P. throughout.	5·2	15·5
SATURDAY - 30	w. P. throughout.	4·7	15·5
		Sum 29·5	Sum 109·4

GENERAL REMARKS.

Very fine generally till 8h. A.M.; partially cloudy till 9h. 30m. A.M.; then overcast with frequent rain after 0h. 15m. P.M.; brisk wind in evening.

Generally overcast in morning; variable with occasional showers till evening; fine at night; gusty wind prevalent after 9h. A.M.; lightning and thunder at 10h. 56m. A.M.

Cloudy till 3h. A.M.; overcast till 2h. 30m. P.M. with occasional slight showers; variably cloudy afterwards; gusty wind prevalent till 4h. P.M.

Generally overcast; occasional fine intervals.

Overcast generally with occasional light showers in morning; very fine between 9h. A.M. and 9h. P.M.; cloudy and showery at night. Solar halo observed at intervals between 9h. A.M. and 5h. P.M.

Fine and partially cloudy; occasional light showers in morning.

Generally cloudy with occasional fine intervals; light shower (immeasurable) at and about 7h. 30m. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·86 in. at the beginning of the week to 29·28 in. by 11h. A.M. on the 25th; increased to 29·84 in. by 9h. A.M. on the 27th; decreased to 29·41 in. by 4h. A.M. on the 29th; increased to 29·69 in. by 7h. A.M. on the 30th; and decreased to 29·57 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 23rd July, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	6	2	-	-	-	-	1	-	1
Kensington	184,635	-	4	2	-	-	-	-	4	1	-
Hammersmith	127,413	-	7	4	-	3	-	-	1	1	-
Fulham	181,282	-	4	3	-	-	-	-	-	1	-
Chelsea	75,457	-	4	2	-	-	-	-	1	-	-
City of Westminster ..	167,233	-	2	4	-	1	-	-	2	-	-
NORTH.											
St. Marylebone	125,195	-	6	2	-	1	-	-	4	-	-
Hampstead	95,729	-	4	-	-	1	-	-	-	-	-
St. Pancras	237,792	-	18	10	-	1	-	-	1	-	-
Islington	353,356	-	8	7	-	2	-	-	4	2	-
Stoke Newington	54,838	-	-	-	-	1	-	-	1	-	-
Hackney	239,979	-	5	4	-	2	-	-	2	-	1
CENTRAL.											
Holborn	53,142	-	1	-	-	-	-	-	-	-	-
Finsbury	94,578	-	5	2	-	1	-	-	1	-	-
City of London	17,132	-	-	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	4	-	-	-	-	-	-	-	-
Bethnal Green	131,579	-	5	3	-	1	-	-	2	-	-
Stepney	314,379	-	8	6	-	1	-	-	2	-	1
Poplar	172,432	-	9	1	-	1	-	-	3	1	-
SOUTH.											
Southwark	211,832	-	10	4	-	-	-	-	4	-	1
Bermondsey	127,238	-	15	5	-	-	-	-	5	-	-
Lambeth	327,074	-	13	5	-	1	-	-	3	-	-
Battersea	188,222	-	7	4	-	-	-	-	4	-	-
Wandsworth	305,838	-	10	1	-	1	-	-	-	2	-
Camberwell	286,058	-	3	10	-	-	-	-	5	-	-
Deptford	119,642	-	6	2	-	-	-	-	1	-	-
Greenwich	112,935	-	1	3	-	-	-	-	-	-	-
Lewisham	164,899	-	10	9	-	1	-	-	6	-	-
Woolwich	135,422	-	10	2	-	1	-	-	1	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,372,702	-	185	99	-	20	-	-	58	9	4
Ages 0-1		-	1	-	-	-	-	-	2	-	1
„ 1-5		-	56	37	-	1	-	-	2	-	2
„ 5-		-	92	47	-	4	-	-	3	-	-
„ 10-		-	22	7	-	3	-	-	4	-	-
„ 15-		-	7	2	-	1	-	-	3	-	-
„ 20-		-	3	1	-	-	-	-	4	3	-
„ 25-		-	3	5	-	4	-	-	8	6	-
„ 35-		-	1	-	-	2	-	-	7	-	-
„ 45-		-	-	-	-	2	-	-	10	-	1
„ 55-		-	-	-	-	2	-	-	6	-	-
„ 65 and upwards		-	-	-	-	1	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 31. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, AUG. 6. [Price 1½*d.*

General Register Office, Somerset House,
August 8th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 10·7 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 11·4, 11·1, and 11·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 15·4 in Huddersfield and in Rhondda, 15·6 in Oldham and in Barrow in Furness, 15·7 in St. Helens, 15·9 in Sunderland, 16·2 in Brighton, 16·3 in Dewsbury, and 17·0 in Merthyr Tydfil; from *measles*, 1·4 in Oldham and 4·9 in Barrow in Furness; and from *diarrhœa*, 1·5 in Middlesbrough, 1·8 in Aston Manor, and 1·9 in Burnley. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 1855 BIRTHS and 956 DEATHS were registered. Allowing for increase of population, the births were 607 and the deaths 215 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17312—41.) Wt. 91—429. 700. 8/10. D & S. G. 31. Sch. 4. 2 H

causes, which had been 11·1, 10·3, and 10·2 per 1000 in the preceding three weeks, was again 10·2 last week. The death-rate in the four weeks ended last Saturday averaged 10·5 per 1000, being 1·3 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 956 deaths included 30 from measles, 5 from scarlet fever, 8 from diphtheria, 18 from whooping-cough, 2 from enteric fever, and 23 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 86 deaths were referred, being 102 below the corrected average number in the thirty-first week of the preceding five years.

The deaths from *measles*, which had been 31, 36, and 23 in the preceding three weeks, were 30 last week, and were 4 above the corrected average; 6 deaths belonged to the Borough of Bermondsey, 5 each to St. Pancras and to Southwark, and 3 each to Shoreditch and to Stepney. The deaths from *scarlet fever*, which had been 4, 5, and 2 in the preceding three weeks, were 5 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 7, 8, and 4 in the preceding three weeks, were 8 last week, and were 2 below the corrected average. The deaths from *whooping-cough*, which had been 19, 27, and 14 in the preceding three weeks, were 18 last week, the corrected average being 19; 3 deaths belonged to St. Pancras. The deaths from *enteric fever*, which had been 1, 2, and 4 in the preceding three weeks, were 2 last week, the corrected average being 3. The deaths from *diarrhœa*, which had been 14, 18, and 12 in the preceding three weeks, rose to 23 last week, but were 98 below the corrected average; 4 deaths belonged to Fulham and 4 to Stepney, Of the 23 deaths from diarrhœa, 20 were those of children under 2 years of age; 5 other deaths at this age were certified as due to *enteritis* and 5 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 4, having been 4, 0, and 2 in the preceding three weeks.

Different forms of violence caused 50 deaths, concerning all of which inquests were held. Of these 50 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 38 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, two to burns or scalds, five to drowning and 6, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 1523 cases of scarlet fever, 584 of diphtheria, and 46 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 165 cases, against 249, 173, and 179; of diphtheria, 64 cases, against 90, 84, and 100; and of enteric fever, 7 cases, against 10, 7, and 4. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended July 30th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 2935 births and 1357 deaths were registered. Allowing for increase of population, these numbers are 982 and 332 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from diphtheria, 1 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·62 inches, and that of the Thermometer 60°·2, the latter being 2°·0 below the week's average in the 65 years ended 1905. The direction of the wind was Variable, the horizontal movement of the air being 8 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 49·6 hours; the measured rainfall amounted to 0·85 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 6th August, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 16th July, 1910.	23rd July, 1910.	30th July, 1910.	6th Aug., 1910.	Rate from Diseases in Cols. 11-17 Week ended 6th Aug., 1910.	Registered during the Week ended 6th Aug., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**11·4**	**11·1**	**11·3**	**10·7**	**1·1**	**7014**	**3476**	**715**	**1025**	**-**	**87**	**19**	**33**	**78**	**15**	**115**	**148**	**297**	**1019**	**37**	**77 TOWNS.**
LONDON	4,872,702	11·1	10·3	10·2	10·2	0·9	1855	956	173	290	-	30	5	8	18	2	23	50	119	459	2	LONDON.
CROYDON	164,485	8·6	8·2	9·5	8·2	0·3	65	26	4	8	-	-	-	-	1	-	-	1	2	3	-	CROYDON.
WILLESDEN ..	166,088	4·4	6·0	6·9	9·4	0·9	62	30	9	9	-	-	-	1	2	-	-	3	4	3	1	WILLESDEN.
HORNSEY	98,561	7·4	7·4	2·1	5·8	0·5	18	11	1	6	-	-	-	1	-	-	-	-	-	3	-	HORNSEY.
TOTTENHAM ..	132,803	7·5	5·5	10·6	11·4	0·4	53	29	2	10	-	-	1	-	-	-	-	4	6	7	-	TOTTENHAM.
WEST HAM ..	328,585	7·0	10·5	6·7	8·4	0·3	134	53	13	13	-	-	-	-	1	-	1	1	4	15	-	WEST HAM.
EAST HAM.. ..	156,208	9·0	7·3	6·3	6·3	1·0	60	19	3	5	-	1	-	-	1	1	-	1	1	6	-	EAST HAM.
LEYTON	133,436	4·7	5·9	4·3	4·7	0·4	59	12	1	4	-	-	-	1	-	-	-	1	1	2	-	LEYTON.
WALTHAMSTOW	141,748	6·6	4·8	7·4	5·5	0·4	56	15	4	7	-	-	-	-	-	-	1	-	-	4	-	WALTHAMSTOW.
HASTINGS	68,520	9·9	12·9	6·8	8·4	0·8	14	11	2	5	-	1	-	-	-	-	-	-	-	2	-	HASTINGS.
BRIGHTON	131,900	11·1	6·7	11·9	16·2	-	32	41	4	20	-	-	-	-	-	-	-	1	5	12	-	BRIGHTON.
PORTSMOUTH ..	217,989	10·8	11·7	9·6	9·6	1·2	90	40	10	13	-	1	-	1	1	1	1	4	7	9	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	9·9	12·7	7·1	7·1	-	24	10	1	5	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	9·0	11·9	11·5	11·1	0·4	52	27	5	7	-	1	-	-	-	-	-	1	2	7	-	SOUTHAMPTON.
READING	84,355	6·8	9·3	9·3	6·2	-	27	10	2	3	-	-	-	-	-	-	-	1	2	2	1	READING.
NORTHAMPTON ..	99,113	7·4	10·0	9·5	11·6	-	32	22	7	12	-	-	-	-	-	-	-	2	2	5	-	NORTHAMPTON.
IPSWICH	75,936	8·2	11·0	13·7	8·9	-	27	13	1	6	-	-	-	-	-	-	-	-	1	4	-	IPSWICH.
GREAT YARMOUTH	53,715	10·7	10·7	15·5	11·6	1·0	19	12	2	6	-	-	-	-	-	-	1	2	2	4	-	GREAT YARMOUTH.
NORWICH	125,446	10·4	10·0	17·5	7·1	-	63	17	3	6	-	-	-	-	-	-	-	1	1	5	-	NORWICH.
PLYMOUTH	126,266	12·4	8·3	7·4	6·2	-	41	15	2	6	-	-	-	-	-	-	-	-	1	4	-	PLYMOUTH.
DEVONPORT	84,695	6·8	7·4	7·4	6·8	0·6	36	11	1	4	-	-	-	1	-	-	-	-	-	2	-	DEVONPORT.
BRISTOL	382,550	10·0	8·9	11·9	8·2	0·1	131	60	16	19	-	-	-	-	1	-	-	3	11	20	-	BRISTOL.
STOKE ON TRENT ..	245,726	10·8	14·0	15·3	11·5	1·3	80	54	14	10	-	1	-	2	1	-	2	4	4	11	2	STOKE ON TRENT.
BURTON ON TRENT	54,977	8·5	2·8	10·4	7·6	-	23	8	1	4	-	-	-	-	-	-	-	-	-	-	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	10·3	12·8	12·8	12·8	1·5	47	26	3	11	-	2	-	-	1	-	-	2	2	4	-	WOLVERHAMPTON.
WALSALL	101,035	13·4	12·4	10·8	11·4	1·0	47	22	6	4	-	1	-	-	-	-	1	-	-	2	2	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	9·4	7·9	6·5	4·3	0·7	26	6	-	1	-	-	1	-	-	-	-	-	-	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH	71,138	12·5	6·6	12·5	14·7	-	22	20	3	9	-	-	-	-	-	-	-	1	2	5	-	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 16th July, 1910.	23rd July, 1910.	30th July, 1910.	6th Aug., 1910.	Rate from Diseases in Cols. 11–17. Week ended 6th Aug., 1910.	Registered during the Week ended 6th Aug., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	14·6	9·1	10·3	10·1	0·9	229	110	26	31	-	-	2	2	2	-	4	3	5	28	6	Birmingham.
Kings Norton ..	84,673	4·9	9·2	6·2	6·2	0·6	26	10	3	4	-	-	1	-	-	-	-	1	1	4	1	Kings Norton.
Smethwick	72,350	6·5	10·8	8·6	10·1	1·4	38	14	4	3	-	-	1	-	1	-	-	-	1	2	-	Smethwick.
Aston Manor ..	86,269	7·9	6·6	8·5	12·1	1·8	33	20	2	5	-	-	-	-	-	-	3	2	2	3	-	Aston Manor.
Coventry	81,449	11·5	14·7	11·5	9·6	0·6	59	15	2	6	-	-	-	-	-	-	1	-	-	4	1	Coventry.
Leicester	248,374	10·7	9·7	10·1	10·1	0·6	81	48	10	13	-	1	1	-	-	-	1	1	2	8	-	Leicester.
Grimsby	74,283	13·3	9·1	14·0	10·5	-	29	15	4	3	-	-	-	-	-	-	-	2	2	5	-	Grimsby.
Nottingham ..	266,471	11·9	9·6	13·1	9·6	0·4	110	49	10	15	-	-	-	-	2	-	-	1	3	7	-	Nottingham.
Derby	131,256	12·3	9·1	10·7	8·7	1·2	51	22	2	6	-	2	-	1	-	-	-	1	2	5	-	Derby.
Stockport	105,087	8·9	13·9	8·4	13·4	1·5	44	27	7	9	-	-	-	-	1	1	1	1	3	2	-	Stockport.
Birkenhead ..	122,431	14·5	14·5	11·1	13·2	0·9	85	31	13	5	-	-	-	-	-	-	2	2	2	11	-	Birkenhead.
Wallasey ..	73,173	7·8	7·8	9·3	10·7	-	26	15	4	3	-	-	-	-	-	-	-	-	-	2	1	Wallasey.
Liverpool ..	767,606	14·9	17·7	16·0	13·7	2·8	382	202	58	47	-	9	2	1	12	1	16	5	5	75	3	Liverpool.
Bootle	70,548	14·0	14·0	17·7	7·4	-	31	10	1	5	-	-	-	-	-	-	-	1	1	4	-	Bootle.
St. Helens	96,523	11·3	11·9	10·8	15·7	1·1	43	29	9	7	-	-	-	-	-	1	1	2	2	6	-	St. Helens.
Wigan	91,732	9·1	15·9	14·8	10·2	1·1	40	18	2	4	-	1	-	-	-	-	1	-	1	3	-	Wigan.
Warrington ..	73,295	10·7	12·8	8·5	12·1	2·1	31	17	6	2	-	1	-	-	-	-	2	2	2	4	-	Warrington.
Bolton	190,315	13·2	15·1	12·6	10·7	1·1	78	39	8	10	-	-	-	1	-	1	2	1	2	4	-	Bolton.
Bury	59,409	13·2	11·4	16·7	10·5	0·9	31	12	5	2	-	-	1	-	-	-	-	-	1	1	1	Bury.
Manchester ..	716,354	14·4	13·8	14·2	12·4	2·1	308	170	43	42	-	4	-	-	14	1	10	4	8	40	1	Manchester.
Salford	244,636	13·4	12·8	17·1	11·3	2·1	112	53	8	11	-	1	1	4	2	-	2	-	4	15	1	Salford.
Oldham	144,111	13·7	14·1	11·9	15·6	1·8	82	43	6	6	-	4	-	-	1	-	-	2	4	2	-	Oldham.
Rochdale	90,497	11·5	14·4	9·8	14·4	0·6	36	25	3	11	-	-	-	1	-	-	-	1	2	3	1	Rochdale.
Burnley	107,448	13·1	9·7	15·0	12·6	3·4	67	26	5	4	-	-	1	-	2	-	4	2	3	5	-	Burnley.
Blackburn	137,972	14·0	11·3	11·3	10·2	0·8	63	27	6	13	-	-	-	1	-	-	1	-	-	3	3	Blackburn.
Preston	119,253	14·9	14·9	14·0	12·2	2·6	48	28	6	7	-	2	-	1	-	-	3	1	1	7	2	Preston.
Barrow in Furness.	63,689	21·3	20·5	13·9	15·6	4·9	32	19	5	3	-	6	-	-	-	-	-	-	-	3	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 6th August, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 16th July, 1910.	23rd July, 1910.	30th July, 1910.	6th Aug., 1910.	Rate from Diseases in Cols 11–17. Week ended 6th Aug., 1910.	Registered during the Week ended 6th Aug., 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	13·2	12·1	18·7	15·4	0·6	43	28	7	8	-	-	-	-	-	-	1	-	-	4	-	HUDDERSFIELD.
HALIFAX	112,818	14·8	11·6	13·4	13·9	0·9	30	30	3	14	-	-	-	-	-	2	-	3	4	8	-	HALIFAX.
BRADFORD	295,865	12·3	11·8	10·0	13·9	1·6	99	79	18	29	-	4	1	-	2	-	2	3	8	19	-	BRADFORD.
LEEDS	490,985	9·9	13·0	12·2	12·0	1·3	192	113	26	31	-	3	-	-	3	-	6	6	14	24	-	LEEDS.
DEWSBURY	51,224	15·3	11·2	10·2	16·3	2·0	17	16	1	10	-	1	-	1	-	-	-	-	1	3	-	DEWSBURY.
SHEFFIELD	478,763	11·7	12·2	13·5	10·1	1·4	233	93	20	27	-	2	-	-	4	2	5	2	4	21	2	SHEFFIELD.
ROTHERHAM	66,414	18·1	7·9	8·6	7·9	0·8	28	10	2	2	-	-	-	-	1	-	-	-	-	2	-	ROTHERHAM.
YORK	88,159	5·9	5·9	14·2	6·5	-	36	11	2	6	-	-	-	-	-	-	-	-	-	2	-	YORK.
HULL	280,006	8·4	13·2	10·4	11·7	1·7	128	63	11	19	-	3	-	2	-	-	4	3	6	13	-	HULL.
MIDDLESBROUGH ..	107,014	12·2	14·6	19·0	12·2	1·9	67	25	5	5	-	-	-	-	-	1	3	1	1	5	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	14·6	22·3	4·9	9·7	-	27	10	1	3	-	-	-	-	-	-	-	1	1	3	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	14·0	9·6	9·6	10·2	0·6	30	16	2	3	-	-	-	-	-	1	-	-	1	3	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	12·3	13·3	10·7	15·9	1·3	93	49	15	14	-	2	-	-	1	-	1	2	2	15	4	SUNDERLAND.
SOUTH SHIELDS ..	119,737	14·8	8·3	11·3	10·5	0·4	51	24	2	10	-	-	-	-	1	-	-	1	1	5	2	SOUTH SHIELDS.
GATESHEAD	133,676	12·1	9·4	9·8	10·1	1·2	71	26	5	8	-	1	-	-	-	-	2	1	2	2	-	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	12·8	13·5	12·6	12·6	0·9	139	69	15	19	-	-	-	1	-	-	4	1	4	12	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	10·2	15·7	8·3	12·0	0·9	32	13	2	5	-	1	-	-	-	-	-	1	1	1	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	7·8	7·8	15·0	8·5	0·7	44	13	2	2	-	-	-	-	1	-	-	1	1	2	-	NEWPORT (MON.).
CARDIFF	199,189	8·6	10·2	8·6	6·5	0·3	79	25	3	12	-	-	-	-	-	-	1	-	1	7	-	CARDIFF.
RHONDDA	138,674	15·8	11·3	14·3	15·4	1·9	94	41	13	6	-	1	1	1	1	-	1	1	2	2	-	RHONDDA.
MERTHYR TYDFIL ..	79,522	17·7	11·8	13·1	17·0	0·7	42	26	5	4	-	-	-	1	-	-	-	1	2	5	-	MERTHYR TYDFIL.
SWANSEA	98,817	14·2	12·1	18·5	13·7	0·5	49	26	4	8	-	-	-	-	-	-	1	2	2	3	-	SWANSEA.
GREATER LONDON	7,537,196	10·0	9·4	9·0	9·4	0·7	2935	1357	236	432	-	31	6	14	24	3	27	71	161	553	3	GREATER LONDON.
OUTER RING ..	2,664,494	8·1	7·7	6·8	7·8	0·4	1080	401	63	142	-	1	1	6	6	1	4	21	42	94	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	6·9	7·5	6·9	7·7	0·5	507	195	37	62	-	1	1	3	5	1	2	11	18	43	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	9·3	8·0	6·7	8·0	0·2	573	206	26	80	-	-	-	3	1	-	2	10	24	51	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	11·6	12·2	11·3	11·3	0·6	135	78	16	22	-	-	-	1	1	-	2	3	?	34	2	EDINBURGH.
GLASGOW	884,505	11·9	12·3	13·9	12·0	1·4	408	204‡	38	46	-	2	1	2	1	-	17	9	?	72	6	GLASGOW.
DUBLIN (Registration Area).†	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	192	133	20	38	-	-	1	1	3	-	2	3	1	64	2	DUBLIN (Registra-

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FIRST Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2701	2844	2719	2481	2302	2522	2576	2500	2370	2054	2462·0	1855
Males - - -	1387	1414	1395	1303	1161	1315	1300	1307	1150	1019	1247·4	917
Females - -	1314	1430	1324	1178	1141	1207	1276	1193	1220	1035	1214·6	938
TOTAL **Deaths** -	1768	1747	1164	1149	1745	1404	1272	1052	1057	933	1171·0	956
Males - - -	921	959	627	640	930	721	680	579	539	501	618·5	507
Females - -	847	788	537	509	815	683	592	473	518	432	552·5	449

* The numbers in this column are the average weekly numbers in the Thirty-First week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	13 Weeks.
TOTAL **Births** -	2529	1610	2701	2434	2243	2424	2260	2329	2272	2163	2176	2429	1855	29425
TOTAL **Deaths** -	1299	1062	1107	1086	984	993	983	964	997	1036	962	957	956	13386
Ages at Death: Under 1 year -	243	212	224	199	183	162	177	177	168	172	187	151	173	2428
1—5 years -	134	129	124	110	102	119	97	114	100	99	104	89	107	1428
5—20 " -	79	61	54	59	65	58	57	51	68	70	61	52	54	789
20—40 " -	151	117	145	136	119	124	134	129	142	120	132	124	122	1695
40—60 " -	281	229	240	235	219	218	226	223	217	230	200	229	210	2957
60 yrs. & upwds.	411	314	320	347	296	312	292	270	302	345	278	312	290	4089
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	55	48	50	51	47	47	35	32	37	31	36	23	30	522
Scarlet Fever - -	3	4	3	6	5	3	3	2	8	4	5	2	5	53
Diphtheria - -	11	8	2	5	5	7	2	5	3	7	8	4	8	75
Whooping-cough -	32	42	36	29	23	32	25	21	23	19	27	14	18	341
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	1	2	1	3	1	1	2	2	1	2	4	2	24
Pyrexia (origin uncertain).	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Diarrhœa, Dysentery	15	14	15	21	8	23	11	14	17	14	18	12	23	205
All above diseases -	118	117	108	113	91	113	78	76	90	76	96	59	86	1221
Dis. of Resp. System	116	81	64	64	55	42	55	54	44	51	46	48	50	770
Pneumonia - -	117	114	98	110	82	52	74	68	73	80	85	63	74	1090
Phthisis - - -	121	99	90	104	81	97	87	90	94	84	78	82	99	1206
Dis. of Circ. System -	173	143	127	145	154	153	144	138	159	183	128	158	150	1955
Violence - - -	48	58	57	49	56	48	49	55	53	46	44	43	50	661
Inquest Cases - -	120	130	130	106	118	109	101	113	101	114	95	103	119	1459
Deaths in Institutions	576	423	477	498	430	464	464	442	471	455	446	437	459	6042
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	47·5	58·9	57·8	56·9	62·2	58·8	62·3	56·5	55·2	57·9	59·2	58·8	60·2	57·9
Mean of Highest -	58·3	69·8	69·1	67·6	72·0	69·9	75·0	66·0	63·7	67·4	67·7	68·3	71·5	68·2
Mean of Lowest -	38·8	51·2	49·2	49·0	55·3	49·8	53·0	50·2	50·2	52·2	53·2	52·0	52·2	50·5
Mean Humidity of the Air.	76	84	75	77	88	77	75	76	84	84	85	77	77	80
Rain-fall (in inches) -	0·42	0·89	0·08	0·27	0·44	0·01	1·11	1·00	1·29	0·01	1·22	0·35	0·85	7·94
Registered Sunshine (in hours).	53·8	19·2	60·2	36·8	28·4	52·7	52·3	33·5	18·0	34·5	17·6	29·5	49·6	516·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	2	1	3	3	3	1	1	1
Scarlet Fever - -	1476	1476	1445	1461	1401	1363	1353	1378	1439	1530	1548	1563	1523	1458
Diphtheria - - -	775	753	742	728	753	729	711	674	628	646	626	619	584	690
Typhus - - -	-	-	-	-	1	1	1	1	1	1	1	-	-	1
Enteric Fever - -	62	58	60	61	52	53	47	47	49	50	50	46	46	52

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FIRST Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 31st week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1171·0	956	173	107	54	122	210	290
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	25·6	30	5	25	–	–	–	–
Scarlet Fever	8·6	5	–	2	2	–	–	1
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	2·9	4	–	–	–	–	–	4
Whooping-cough	19·3	18	8	10	–	–	–	–
Diphtheria	10·0	8	2	5	–	–	–	1
Cerebro-spinal Fever ..	0·4	1	–	–	1	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·3	2	–	–	–	2	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	77·6	11	7	4	–	–	–	–
Diarrhœa, Dysentery ..	43·8	12	9	–	–	2	–	1
Tetanus	0·8	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	7·8	2	1	–	–	–	–	1
Puerperal Septicæmia ..	3·5	2	–	–	–	2	–	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·2	–	–	–	–	–	–	–
Infective Endocarditis ..	2·5	3	–	–	1	1	–	1
Pneumonia: Lobar ..	9·6	10	–	3	–	2	3	2
Pneumonia: Broncho ..	28·9	32	7	17	–	–	3	5
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	34·4	32	2	2	1	3	12	12
Erysipelas	3·9	1	–	–	–	1	–	–
Septicæmia (not Puerperal)	0·4	2	–	–	–	–	–	2
Pyæmia (not Puerperal)	1·2	–	–	–	–	–	–	–
Other Infective Processes	2·0	2	–	–	–	2	–	–
Tuberculous Phthisis ..	67·0	76	2	5	10	26	28	5
"*Phthisis*"	38·3	23	–	–	3	11	6	3
Tuberculous Meningitis ..	24·2	14	4	7	3	–	–	–
Tuberculous Peritonitis ..	8·2	7	2	3	1	1	–	–
Tabes Mesenterica	1·4	3	2	–	–	–	1	–
Tuberculous Dis., Other ..	14·9	13	1	–	3	6	1	2
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	6·6	7	–	–	–	1	6	–
Rheumatic Fever	2·9	1	–	–	–	1	–	–
Gout	1·4	–	–	–	–	–	–	–
Carcinoma	59·0	62	–	–	–	3	34	25
Sarcoma	5·3	4	–	–	–	–	3	1
Cancer (undefined) ..	29·9	23	–	–	–	3	9	11
Diabetes Mellitus	6·1	7	–	–	1	–	4	2
Premature Birth	46·5	44	44	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 31st week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and
			0–1.	1–5.	5–20.			
Meningitis (not tuberc.)..	13·5	7	2	4	–	1	–	
Gen. Par. of Insane, Insanity	11·1	10	–	–	–	5	4	
Epilepsy	3·1	1	–	–	–	–	1	
Convulsions	13·3	9	7	2	–	–	–	
Locomotor Ataxy.. ..	1·4	2	–	–	–	1	1	
Paraplegia, Dis. of Cord.	4·5	4	–	–	–	2	2	
Nervous Sys., Other Dis.	14·7	9	–	–	3	–	2	
Valv. Dis., Endocarditis..	34·0	36	–	–	4	4	15	
Cereb. Hæm. Cereb. Emb.	26·8	39	–	–	1	1	13	
Apoplexy, Hemiplegia ..	10·4	5	–	–	–	–	1	
Aneurysm	5·1	5	–	–	–	2	2	
Embolism, Thrombosis (not Cerebral) ..	1·2	1	–	–	–	–	–	
Heart & Blood Ves., Other Dis... ..	65·7	64	–	–	2	6	17	
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–	
Bronchitis	38·1	40	7	5	1	2	2	
Emphysema, Asthma ..	1·6	3	–	–	–	–	1	
Pleurisy	3·9	2	–	1	–	1	–	
Respiratory Dis., Other..	7·2	5	–	1	–	1	2	
Tonsillitis, Quinsy.. ..	1·0	–	–	–	–	–	–	
Enteritis (not Epid.) ..	13·1	9	3	2	1	–	2	
Gastro-enteritis	12·5	6	4	2	–	–	–	
Peritonitis (not Puerp.) ..	2·5	2	–	–	–	–	–	
Cirrhosis of Liver.. ..	13·7	4	–	–	–	–	3	
Liver Dis., Other	4·9	2	–	–	–	–	1	
Digestive Sys., Other Dis.	34·4	28	–	2	6	6	8	
Acute Nephritis	6·1	7	–	1	1	1	2	
Bright's Dis., Albuminuria	30·1	22	–	–	1	1	5	1
Urinary Sys., Other Dis.	10·0	10	–	–	–	1	2	
Generative Organs Dis...	5·7	3	–	–	–	1	1	1
Childbirth (Accid. of) ..	4·9	2	–	–	–	2	–	
Old Age	42·2	45	–	–	–	–	–	4
Other Diseases	81·1	63	46	4	2	3	5	
ACCIDENT.								
By Railways	1·2	1	–	–	–	1	–	
By Vehicles and Horses..	6·3	10	–	–	2	2	3	
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	–	–	–	–	–	–	
In Building Operations..	1·2	1	–	–	–	1	–	
In Conflagrations	0·6	1	1	–	–	–	–	
By Burns, Scalds, Explosions	3·1	2	1	–	–	–	–	
By Drowning	6·6	5	–	–	2	2	1	
By Suffocation in Bed ..	6·1	6	6	–	–	–	–	
By Poisons or Poisonous Vapours	3·7	2	–	–	–	2	–	
Other Deaths by Accident..	12·3	10	–	–	1	1	2	
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	1	–	–	–	1	–	
Suicide	12·1	11	–	–	1	4	2	
Execution	–	–	–	–	–	–	–	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

§ 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from MALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, IARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th August, 1910.

ISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	1855	956	173	290	-	30	5	8	18	2	23	99	50	119	459	2
EST DISTRICTS	805,311	262	168	34	61	-	-	-	1	5	1	8	9	7	20	73	1
ORTH DISTRICTS	1,055,908	434	212	27	77	-	7	1	1	6	1	2	22	14	25	93	-
ENTRAL DISTRICTS	209,465	97	33	11	7	-	-	-	2	1	-	-	2	1	2	21	-
AST DISTRICTS	715,739	344	173	45	35	-	7	-	2	2	-	7	17	11	33	102	-
OUTH DISTRICTS	1,749,844	718	332	55	104	-	16	2	2	4	-	5	38	17	37	132	1
ETROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	38	1	6	-	-	2	-	-	-	1	11	-	2	38	-
WEST DISTRICTS.																	
h Paddington *H*	63,603	26	15	2	7	-	-	-	-	-	-	-	1	-	2	-	-
ral Paddington *W,3H*	50,053	14	12	1	5	-	-	-	-	-	-	1	2	1	1	6	1
n Paddington	30,320	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
ington South *W,3H*	85,610	11	17	2	9	-	-	-	-	-	-	1	1	-	1	9	-
ington Central *W,H*	42,774	11	4	-	2	-	-	-	-	-	-	-	-	-	-	2	-
ington North *w*	48,244	13	13	4	3	-	-	-	-	1	-	-	1	-	2	6	-
h Hammersmith *2W,w,H* ..	49,192	24	9	2	3	-	-	-	-	1	-	-	-	-	1	3	-
n Hammersmith *w,2H* ..	63,047	31	15	4	5	-	-	-	-	1	-	2	-	2	3	7	-
h-west Fulham *W*	45,180	22	19	5	4	-	-	-	-	2	-	2	2	1	4	11	-
n-east Fulham *F*	46,405	19	14	4	4	-	-	-	1	-	1	1	2	-	-	2	-
n Fulham *W*	45,704	20	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
sea North *W,w,3H*	42,514	10	13	-	7	-	-	-	-	-	-	1	-	-	-	11	-
sea South *W,2H*	31,328	11	12	4	5	-	-	-	-	-	-	-	-	-	1	1	-
Clair and Knightsbridge	28,743	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cave *W,2H*	55,815	18	9	1	3	-	-	-	-	-	-	-	-	3	4	5	-
Margaret & St. John *6H*	43,698	14	11	5	1	-	-	-	-	-	-	-	-	-	1	9	-
mes and St. Anne *W,6H* ..	33,081	11	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
ouls Marylebone *7H*	35,391	16	12	-	3	-	-	1	-	-	-	-	1	1	3	6	-
ary Marylebone *W,4H* ..	37,948	37	4	-	3	-	-	-	1	-	-	-	-	-	-	-	-
stchurch Marylebone *H* ..	39,536	8	3	1	1	-	-	-	-	-	-	-	1	-	1	-	-
ohn Marylebone *2H*	20,426	5	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
pstead *W,F,6H*	81,942	25	16	-	6	-	-	-	-	-	-	-	3	-	-	8	-
St. Pancras *2H*	60,562	17	12	2	3	-	1	-	-	2	-	-	1	-	2	4	-
h St. Pancras *w,10H*	55,707	15	18	3	2	-	2	-	-	-	-	-	1	2	3	12	-
St. Pancras *W,H*	60,320	33	17	4	7	-	1	-	-	1	-	-	3	4	4	6	-
h St. Pancras *2W*	58,728	25	14	3	4	-	1	-	-	-	-	1	3	-	-	8	-
ell *W*	31,995	15	11	2	4	-	-	-	-	-	-	1	1	-	-	7	-
er Holloway *2W,w,H*	33,978	17	12	1	6	-	-	-	-	1	-	-	1	-	1	8	-
ington *2W,w,H*	33,922	8	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
er Holloway	41,424	20	4	1	3	-	-	-	-	1	-	-	-	-	-	-	-
sbury	54,478	24	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
gton South-east *F*	75,397	33	5	-	2	-	-	-	-	-	-	-	-	1	2	-	-
bury *2H*	63,797	21	18	2	9	-	-	-	-	-	-	-	2	1	1	5	-
e Newington *H*	51,247	19	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-
h Hackney	50,398	13	3	-	2	-	-	-	-	-	-	-	-	1	1	-	-
ral Hackney *2w,F*	50,536	21	10	2	4	-	-	-	-	1	1	-	-	1	1	3	-
h-west Hackney *3H*	59,921	33	9	1	-	-	-	-	-	-	-	-	1	1	2	7	-
h-east Hackney *2W,w,H* ..	58,255	29	22	1	5	-	2	-	-	-	-	-	4	2	4	18	-
ney Union Workhouse, Brentford	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-

OTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein ely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other ricts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the r.

See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th August, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	8	3	2	-	-	-	-	-	1	-	-	-	-	-	1
Strand *W*,4*H*	21,674	7	3	-	2	-	-	-	-	-	-	-	-	-	-	2
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	14	12	5	1	-	-	-	1	-	-	-	2	-	-	9
Clerkenwell *H*	63,704	31	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Luke 3*H*,*L*	36,116	31	3	1	2	-	-	-	-	-	-	-	-	-	1	1
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	5	9	-	2	-	-	-	1	-	-	-	-	1	1	8
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	16	5	3	-	-	1	-	-	-	-	-	1	-	-	1
Shoreditch North-West *W*,*w*,*H* ..	36,127	17	14	2	4	-	2	-	-	-	-	-	1	-	2	11
Shoreditch North-East	36,148	17	5	3	2	-	-	-	-	-	-	-	-	-	1	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	28	24	6	3	-	1	-	1	1	-	1	2	1	3	19
Bethnal Green South-West *H* ..	64,542	29	5	3	1	-	-	-	-	-	-	1	-	-	1	-
Spitalfields..	27,969	12	4	2	1	-	-	-	-	-	-	1	-	-	2	-
Mile End New Town *W*,*H*	28,718	10	35	3	4	-	2	-	-	-	-	-	2	3	5	30
Goodman's Fields	22,081	9	4	1	2	-	-	-	-	-	-	1	-	-	1	-
St. George and St. John 2*W* ..	49,068	28	11	5	2	-	1	-	-	-	-	-	-	2	3	7
Shadwell and Ratcliff *w*,*H* ..	25,568	6	13	5	-	-	-	-	1	-	-	2	3	-	1	10
Limehouse *W*	32,369	18	3	3	-	-	-	-	-	-	-	-	-	1	2	-
Mile End Old Town South-Western *H*	63,698	54	2	-	1	-	-	-	-	-	-	-	-	1	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	22	10	3	2	-	-	-	-	-	-	-	2	-	1	7
Bow	41,989	25	6	-	3	-	-	-	-	-	-	-	-	-	2	-
Bromley 3*w*,*H*	68,319	27	25	6	9	-	-	-	-	1	-	1	5	1	4	16
Poplar *W*,*w*	58,514	26	7	-	1	-	-	-	-	-	-	-	1	2	4	1
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

BLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th August, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	17	2	4	-	1	-	-	-	-	-	-	1	3	13	-
Kent-road	21,904	5	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	17	9	3	2	-	2	-	-	1	-	1	-	-	1	6	-
Newington North	49,022	23	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Newington South *W*	72,841	30	8	3	-	-	1	-	-	-	-	1	-	1	1	-	-
St. Olave *2W*	9,817	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	25	11	2	3	-	3	-	-	-	-	-	1	-	3	-	-
Rotherhithe *W,F*	38,460	11	19	3	5	-	2	-	-	-	-	-	3	2	2	12	-
Waterloo *2H*	27,440	20	6	1	1	-	1	-	-	-	-	-	1	-	2	1	-
Lambeth Church *H*	27,440	10	20	1	3	-	-	-	-	-	-	-	2	4	6	17	-
Kennington *2W*	52,518	19	20	-	9	-	-	-	-	-	-	1	6	-	1	16	-
Stockwell *HF*	63,326	26	8	2	2	-	-	-	1	-	-	-	-	1	2	1	-
Brixton *H*	73,673	17	7	1	4	-	-	-	-	-	-	-	1	1	1	-	-
Norwood *2WH*	56,998	22	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
East Battersea *H*	72,203	28	7	2	1	-	-	-	-	-	-	2	-	-	-	1	-
North-west Battersea	49,656	27	8	4	2	-	-	-	-	-	-	-	1	1	1	-	-
South-west Battersea *2W,H*	47,048	19	18	3	5	-	1	-	-	-	-	-	1	2	2	11	-
Clapham *2H*	51,361	22	6	-	4	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	50	17	3	7	-	1	1	1	-	-	-	2	-	-	4	-
Springfield *2W,L*	27,959	12	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	14	4	-	2	-	-	-	-	-	-	-	1	-	-	-	-
Putney	24,139	10	3	-	1	-	-	-	-	-	-	-	1	1	1	-	-
Dulwich	13,359	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	24	1	11	-	-	-	-	-	-	-	6	-	1	22	-
Camberwell North *W,2L*	65,584	32	15	2	5	-	-	-	-	1	-	-	4	-	-	7	1
St. George	47,331	30	8	1	4	-	1	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	27	9	4	4	-	-	-	-	-	-	-	-	-	1	-	-
Peckham South *2W,w*	43,946	18	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North* *F*	49,004	18	5	-	-	-	1	-	-	-	-	-	1	1	1	1	-
Deptford East*	29,781	9	9	3	1	-	-	-	-	1	-	-	-	1	3	-	-
Deptford South*	38,934	9	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	10	7	1	1	-	1	-	-	1	-	-	1	-	-	1	-
Greenwich East *2W,H*	43,859	14	9	-	4	-	-	-	-	-	-	-	2	-	-	7	-
Eltham *w,H*	7,226	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	11	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	40	18	1	6	-	-	1	-	-	-	-	2	1	4	8	-
Sydenham *H*	43,653	19	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich *5H*	41,625	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	10	6	-	2	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead East *2W*	28,951	10	5	1	1	-	-	-	-	-	-	-	-	-	-	2	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	1	-	-	-	-	-	-	-	1	-	-	2	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	2	-	-	-	-	-	-	1	3	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton	—	-	4	1	-	-	-	-	-	-	-	-	1	-	-	4	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	2	-	-	-	-	-	-	-	-	-	2	-	-	2	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	4	-	-	-	-	-	-	-	-	-	2	-	-	4	-
London County Lunatic Asylums:—																	
Banstead	—	-	6	-	1	-	-	-	-	-	-	-	3	-	-	6	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	1	-	-	-	-	-	-	1	-	-	-	2	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Dartford Heath	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Claybury	—	-	7	-	1	-	-	-	-	-	-	-	1	-	1	7	-

* On 1st August, 1910, the boundaries of the sub-districts of Deptford North, Deptford Central, and Deptford South were altered, the sub-district of Deptford Central being re-named Deptford East.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Bo Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERAT POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 6th August, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1080	401	63	142	-	1	1	6	6	1	4	21	42	94
31 : 1	Carshalton 2F,3H	12,228	32,997	20	6	1	-	-	-	-	2	-	-	-	-	-	3
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	1	-	1	-	-	-	-	-	-	-	-	-	1
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	2	-	-	-	-	-	-	-	-	-	-	-	2
39 : 1	Coulsdon	11,069	8,166	6	2	-	1	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	19	6	1	2	-	-	-	-	1	-	-	-	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	28	17	3	5	-	-	-	-	-	-	-	2	2	5
4	North Croydon H	2,644	41,698	18	5	-	3	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	10	1	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	23	12	3	3	-	-	-	-	-	-	-	1	2	-
40 : 1	Wimbledon F,3H	3,221	41,652	13	8	1	4	-	-	-	-	-	-	-	1	1	1
2	Kingston 2W,H	6,224	42,068	26	11	1	5	-	-	-	1	-	-	-	-	1	3
3	Surbiton F,H	3,046	15,017	2	3	-	1	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	8	3	-	2	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	9	1	-	1	-	-	-	-	-	-	-	-	-	-
41 : 1	Richmond W,H	2,491	31,672	10	6	1	-	-	-	-	-	-	-	-	2	4	3
2	Mortlake F	2,518	17,821	6	2	1	1	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	8	5	-	3	-	-	-	-	-	-	-	-	-	1
2	Beckenham H	7,832	28,454	14	3	1	1	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	9	4	2	1	-	-	-	-	-	-	-	-	-	1
4	Chislehurst 2H	7,333	16,446	6	4	-	1	-	-	-	-	-	-	-	-	-	1
43 : 1	Bexley w,F,H	8,678	21,151	12	4	-	2	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	15	4	-	2	-	-	-	-	-	-	-	1	1	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
126 : 1	Sunbury w	11,054	18,683	12	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	4	2	-	1	-	-	-	-	-	-	-	-	-	1
127 : 1	Hillingdon W,F,H	8,035	13,661	8	3	1	1	-	-	-	-	-	-	1	-	-	1
2	Uxbridge H	12,757	8,984	4	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	20	1	-	1	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	30,863	12	6	1	2	-	-	-	-	-	-	-	-	1	3
2	Twickenham F,2H	2,421	20,991	11	3	1	-	-	-	-	-	-	-	-	-	1	-
3	Hanwell† w,2H	4,108	11,257	6	1	-	-	-	-	-	-	-	-	-	-	-	1
4	Brentford† 3F,2H	4,038	48,202	21	9	-	5	-	-	-	-	-	-	-	-	-	1
5	Chiswick H	1,249	29,809	13	2	-	-	-	-	-	-	-	-	-	-	-	-
6	Acton† F,H	2,305	37,744	21	4	1	2	-	-	-	-	-	-	-	-	1	-
129 : 1	Willesden W,F,2H	4,384	114,811	62	30	9	9	-	-	-	1	2	-	-	3	4	3
130 : 1	Harrow F,H	13,809	25,523	25	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	19	3	-	1	-	-	-	-	-	-	-	-	-	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	4	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	3	2	-	1	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,638	33,692	24	8	1	4	-	-	-	-	-	-	-	-	2	-
132 : 1	Hornsey F,H	2,875	72,056	18	10	-	5	-	-	-	1	-	-	-	-	-	2
2	Wood Green H	1,625	34,233	13	7	2	2	-	-	-	-	1	-	-	1	1	1
3	West Tottenham	995	48,741	23	7	-	3	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	30	23	2	7	-	-	-	-	-	-	-	3	5	8
5	Edmonton W,w,2F	7,491	61,892	47	22	3	11	-	-	-	-	-	-	1	1	4	11
6	Enfield 2W,F,H	12,601	42,738	24	8	1	2	-	-	-	-	-	-	-	1	1	3
7	Waltham Abbey F	11,017	6,549	-	2	-	2	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	7	-	-	-	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** H ..	9,195	7,051	8	3	-	3	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	3	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	24	5	2	1	-	-	-	-	-	-	-	-	-	-
2	Forest Gate	787	52,745	12	7	-	3	-	-	-	-	-	-	-	-	1	-
3	Plaistow F,2H	1,249	90,921	46	15	6	3	-	-	-	-	-	-	1	-	-	3
4	Canning Town H	1,556	70,718	52	14	4	2	-	-	-	-	1	-	-	1	2	-
5	South East Ham 2F ..	1,991	37,342	30	5	1	-	-	1	-	-	-	1	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	30	8	1	2	-	-	-	-	1	-	-	1	1	-
7	Wanstead F	1,679	9,179	4	4	1	2	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	31	10	1	6	-	-	-	-	-	-	-	-	-	6
9	North Leyton 2W,w,F ..	1,963	48,445	28	21	4	5	-	-	-	1	-	-	-	1	2	15
10	Walthamstow 2H,L ..	6,504	108,929	59	12	2	7	-	-	-	-	-	-	1	-	-	-
189 : 1	Chigwell 2F,3H	11,778	16,397	6	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	8	2	-	1	-	-	-	-	-	-	-	1	1	2
2	Ilford F,L	8,496	41,244	22	13	3	1	-	-	-	-	-	-	-	-	-	2
3	Barking Town F	3,805	21,547	14	4	-	3	-	-	-	-	-	-	-	1	2	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3
	Metropolitan Imbecile Asylum, Caterham.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esher parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting the part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : 1, and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
NDON* - -	4,872,702	August 6	1855	956	10·2	–	30	5	8	18	2	30
LCUTTA - -	1,009,008	July 9	–	342‡	17·6	–	–	–	–	4	4	9
MBAY - -	977,822	„ 19	360	703‡	37·4	3	1	–	–	–	1	63
DRAS - -	509,346	„ 8	312	322	32·8	1	1	?	?	?	–	20
RIS* - -	2,772,467	„ 23	991	778	14·7	–	8	–	6	5	5	29
USSELS* - -	720,030	„ 30	243	181	13·1	–	–	–	1	–	–	16
TWERP* - -	317,171	„ 30	114	65	10·7	–	2	–	–	–	1	14
STERDAM* -	570,669	„ 23	244	130	11·9	–	2	–	2	1	1	8
PENHAGEN -	450,000	„ 30	226	100	11·6	–	–	2	–	–	–	17
CKHOLM -	341,816	„ 23	129	70	10·6	–	–	–	1	–	–	4
RISTIANIA -	240,178	„ 30	80	63	13·6	–	–	–	1	–	–	3
PETERSBURG	1,620,000	„ 9	645	716‡	23·1	2	36	15	12	2	12	121
SCOW - -	1,493,600	„ 16	–	1034	36·1	9	15	13	22	2	7	429
RLIN - -	2,118,601	„ 16	813	581	14·3	–	13	6	13	3	2	82
MBURG - -	895,804	„ 30	–	224	13·0	–	–	1	8	–	2	38
ESLAU - -	507,500	„ 23	–	196	20·1	–	–	–	1	3	–	32
NICH - -	576,000	„ 23	266	164	14·8	–	1	2	–	3	–	13
NNA* - -	2,107,981	„ 30	815	530	13·1	–	9	3	3	3	3	45
AGUE* - -	497,905	„ 9	188	176	18·4	–	2	1	1	–	–	10
DAPEST* -	833,703	„ 23	411	312	19·4	–	1	4	4	1	15	36
ESTE* - -	221,124	„ 30	131	79	18·6	–	–	–	–	2	1	12
ME - - -	587,096	June 11	224	229	20·3	–	23	–	2	2	–	27
NICE - -	183,224	July 9	101	71	20·2	–	–	–	–	1	2	7
CAREST - -	297,643	„ 2	183	153	23·8	–	–	1	1	3	1	24
W YORK* -	4,711,956	„ 16	2579	1705	18·9	–	21	10	24	8	15	424
CAGO* - -	2,282,927	„ 16	–	644	14·8	–	7	2	18	3	4	136
LADELPHIA*	1,598,400	May 21	–	475	15·5	1	7	5	10	4	1	22
DE JANEIRO	842,822	June 19	–	325	20·1	–	–	–	1	4	–	?
RO:—*												
gyptians -	616,213	July 8	–	–	–	–	–	–	–	–	–	–
oreigners -	61,480	„ 8	–	–	–	–	–	–	–	–	–	–
EXANDRIA:—*												
gyptians -	317,454	„ 8	–	–	–	–	–	–	–	–	–	–
oreigners -	67,966	„ 8	–	–	–	–	–	–	–	–	–	–

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to ldren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 22 deaths from *plague* in Calcutta and 50 in Bombay, and from *Asiatic cholera*, 11 deaths in Calcutta, 8 in mbay, and 2 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 6th August, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
DON (Greenwich)	74·0	49·2	61·8	0·85	BRADFORD - -	67·9	46·1	53·4	0·16
GHTON - -	67·0	52·8	60·5	0·85	YORK - - -	71·0	49·0	60·9	0·15
TSMOUTH - -	68·3	53·0	60·4	1·03	HULL - - -	74·0	50·0	62·2	0·55
WICH - -	–	–	–	–	TYNEMOUTH - -	70·0	47·0	57·2	0·26
MOUTH - -	64·3	51·3	58·6	1·09	CARDIFF - - -	67·3	49·0	57·9	0·99
STOL - - -	67·2	48·0	57·5	0·90	EDINBURGH - -	66·2	48·3	57·8	0·31
MINGHAM - -	67·9	48·0	58·0	0·37	GLASGOW - -	67·0	48·3	57·7	0·73
TTINGHAM - -	72·0	47·0	59·7	0·18	DUBLIN { Phœnix Park.	66·2	46·4	56·5	0·94
ERPOOL OBSERVATORY.	67·0	50·0	58·9	0·21	DUBLIN { Fitz-william Square.†	65·7	50·1	57·5	1·17
NCHESTER -	67·5	45·8	58·6	0·74					
NLEY - -	66·0	45·5	57·1	0·47					
DDERSFIELD -	69·7	47·7	59·0	0·15	BELFAST - - -	65·8	47·0	56·9	3·07

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The rection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the ove was 1·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 6th August, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	31	..	29·604	74·0	55·3	18·7	63·2	+ 1·0	52·5	10·7	20·1	4·5	68	121·8	46·8	59·52	NW., calm & WSW.	W., WSW. & SW.	1·2	0·0	0·0	197	− 42	0·01	0·0
AUGUST. MONDAY	1	..	29·683	73·1	49·8	23·3	61·2	− 1·0	49·8	11·4	20·1	0·8	66	141·1	41·3	59·87	SW.	SSW., S. & ESE.	1·2	0·0	0·1	191	− 51	0·00	10·7
TUESDAY	2	Greatest Dec. N.	29·540	67·0	53·3	13·7	59·0	− 3·1	53·1	5·9	12·4	0·5	81	126·0	46·0	60·10	SE., SW. & SSW.	SSW. & SW.	4·9	0·0	0·4	365	+119	0·09	13·0
WEDNESDAY	3	..	29·601	72·0	49·2	22·8	59·8	− 2·3	52·1	7·7	19·2	0·2	76	133·0	40·7	60·23	SSW. & SW.	SSW. & S.	2·7	0·0	0·2	302	+ 52	0·01	7·3
THURSDAY	4	..	29·504	73·7	50·3	23·4	59·3	− 2·8	54·6	4·7	16·7	0·0	85	136·6	44·0	60·30	SSW. & S.	Variable & calm.	1·9	0·0	0·0	149	−103	0·63	12·0
FRIDAY	5	New	29·611	72·2	55·2	17·0	59·7	− 2·4	55·9	3·8	17·3	0·4	87	130·1	53·2	60·40	W., N. & E.	SE., W. & WSW.	1·5	0·0	0·0	175	− 80	0·11	0·0
SATURDAY	6	..	29·802	68·2	52·1	16·1	58·9	− 3·3	51·0	7·9	15·6	0·8	75	125·0	44·5	60·42	W. & WSW.	WNW., W. & WSW.	1·7	0·0	0·1	230	− 27	0·00	0·0
MEANS			29·621	71·5	52·2	19·3	60·2	− 2·0	52·7	7·4	17·3	1·0	77	130·5	45·2	60·12	SW. & variable		..	..	..	Sum 1609	Sum −132	Sum 0·85	6·1
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY	31	w. P. throughout.	6·0	15·4	Overcast with light showers in early morning; generally very cloudy between 4h. and 11h. A.M.; afterwards fine.
AUGUST. MONDAY	1	w. P. throughout.	10·4	15·4	Very fine and bright generally; cloudy at night. Solar halo observed at 3h. P.M.
TUESDAY	2	w. P. generally; v. P. and v. N. between 1h. and 4h. A.M.	7·6	15·3	Generally overcast till 5h. A.M. with occasional sharp showers between 1h. and 4h. A.M.; fine and partially cloudy afterwards with occasional light showers between 10h. A.M. and 3h. P.M.; brisk wind prevalent 9h. A.M. to 5h. P.M.
WEDNESDAY	3	w. P. generally.	12·5	15·3	Very fine till evening; cloudy at night; occasional short showers.
THURSDAY	4	w. P. till 11h. A.M.; v. P. and v. N. afterwards.	6·4	15·2	Variable and showery; distant thunder shortly after noon; sharp thunderstorm with heavy rain at and about 7h. P.M.; very slight mist at night.
FRIDAY	5	w. P. generally; occasional v. P. and v. N. after 11h. A.M.	2·1	15·2	Generally overcast: fine interval between noon and 2h. P.M.; frequent distant thunder between 11h. A.M. and 2h. P.M.; occasional showers.
SATURDAY	6	w. P. generally; m. P. in evening.	4·6	15·1	Generally cloudy till shortly before 10h. A.M.; then very fine with slight exceptions and cloudless at night.
			Sum 49·6	Sum 106·9	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·57 in. at the beginning of the week to 29·56 in. by 4h. A.M. on July 31st; increased to 29·73 in. by 7h. A.M. on August 1st; decreased to 29·51 in. by 6h. A.M. on August 2nd; increased to 29·62 in. by 8h. A.M. on August 3rd; decreased to 29·48 in. by 5h. P.M. on August 4th; and increased to 29·63 in. by midnight on August 6th.

ERRATA.—Report for week ending 9th July, 1910.—July 4th. Cols. 8, 9, 10, 11 and 14.—*For* 57°·0, − 5°·1, 49°·5, 7°·5 and 76, *read* 58°·0,

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 30th July, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	7	3	-	-	-	-	-	1	-
Kensington	184,635	-	7	4	-	1	-	-	1	-	-
Hammersmith	127,413	-	5	4	-	-	-	-	-	-	-
Fulham	181,282	-	2	3	-	-	-	-	2	-	-
Chelsea	75,457	-	2	1	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	2	1	-	-	-	-	1	1	-
NORTH.											
St. Marylebone	125,195	-	4	-	-	1	-	-	-	-	-
Hampstead	95,729	-	2	1	-	-	-	-	1	-	-
St. Pancras	237,792	-	15	8	-	2	-	-	3	1	-
Islington	353,356	-	16	7	-	-	-	-	3	1	-
Stoke Newington	54,838	-	3	3	-	-	-	-	-	-	-
Hackney	239,979	-	5	5	-	-	-	-	2	-	-
CENTRAL.											
Holborn	53,142	-	-	-	-	-	-	-	1	-	-
Finsbury	94,578	-	5	4	-	-	-	-	-	-	-
City of London	17,132	-	-	1	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,387	-	3	1	-	-	-	-	-	-	-
Bethnal Green	131,579	-	7	4	-	-	-	-	3	1	1
Stepney	314,379	-	15	8	-	2	-	-	9	1	-
Poplar	172,432	-	13	3	-	-	-	-	7	-	-
SOUTH.											
Southwark	211,832	-	6	4	-	3	-	-	4	-	-
Bermondsey	127,238	-	7	1	-	-	-	-	1	-	-
Lambeth	327,074	-	25	6	-	1	-	-	1	-	-
Battersea	188,222	-	2	5	-	2	-	-	1	-	-
Wandsworth	305,838	-	12	4	-	2	-	-	6	-	-
Camberwell	286,058	-	10	7	-	-	-	-	5	-	-
Deptford	119,642	-	9	-	-	-	-	-	1	-	-
Greenwich	112,935	-	-	4	-	1	-	-	1	-	-
Lewisham	164,899	-	10	4	-	-	-	-	4	-	-
Woolwich	135,422	-	5	5	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	199	101	-	15	-	-	59	6	1
Ages 0-1		-	2	1	-	-	-	-	2	-	-
„ 1-5		-	66	43	-	1	-	-	2	-	-
„ 5-		-	79	41	-	2	-	-	3	-	-
„ 10-		-	29	10	-	3	-	-	5	-	-
„ 15-		-	7	2	-	1	-	-	2	-	1
„ 20-		-	9	1	-	-	-	-	4	-	-
„ 25-		-	5	-	-	5	-	-	9	5	-
„ 35-		-	2	3	-	2	-	-	11	1	-
„ 45-		-	-	-	-	1	-	-	7	-	-
„ 55-		-	-	-	-	-	-	-	8	-	-
„ 65 and upwards		-	-	-	-	-	-	-	6	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 32. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, AUG. 13. [Price 1½*d.*

General Register Office, Somerset House,
August 15th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 11·1 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 11·1, 11·3, and 10·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 16·2 in Rhondda, 16·4 in Swansea, 16·5 in Great Yarmouth and in Wigan, 17·8 in Sunderland, 18·8 in Barrow in Furness, 20·3 in Tynemouth, and 20·7 in Bootle; from *measles*, 1·0 in Leeds, 1·1 in Oldham, 1·3 in Sunderland, 1·8 in Tynemouth, and 4·1 in Barrow in Furness; from *scarlet fever*, 1·1 in Rhondda; from *whooping-cough*, 2·8 in Tynemouth; and from *diarrhœa*, 1·6 in St. Helens and in Gateshead, 2·1 in Warrington, 2·4 in Burnley and in Middlesbrough, 2·6 in Rhondda, 3·4 in Wigan, and 4·4 in Bootle. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2368 BIRTHS and 962 DEATHS were registered. Allowing for increase of population, the births were 154 above and the deaths 303 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17351—41.) Wt. 91—429. 700. 8/10. D & S. G. 31. Sch. 4. 2 I

weeks of the previous five years. The annual death-rate from all causes, which had been 10·3, 10·2, and 10·2 per 1000 in the preceding three weeks, was 10·3 last week. The death-rate in the four weeks ended last Saturday averaged 10·3 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 962 deaths included 28 from measles, 1 from scarlet fever, 6 from diphtheria, 19 from whooping-cough, 4 from enteric fever, and 26 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 84 deaths were referred, being 160 below the corrected average number in the thirty-second week of the preceding five years.

The deaths from *measles*, which had been 36, 23, and 30 in the preceding three weeks, were 28 last week, and were the same as the corrected average; 5 deaths belonged to the Borough of Southwark, 4 to Bermondsey, and 3 each to St. Pancras, Bethnal Green, and Camberwell. One death from *scarlet fever* was registered, as compared with 5, 2, and 5 in the preceding three weeks, the corrected average being 12. The deaths from *diphtheria*, which had been 8, 4, and 8 in the preceding three weeks, were 6 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 27, 14, and 18 in the preceding three weeks, were 19 last week, the corrected average being 20; 3 deaths belonged to Kensington. The deaths from *enteric fever*, which had been 2, 4, and 2 in the preceding three weeks, were 4 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 18, 12, and 23 in the preceding three weeks, rose to 26 last week, but were 143 below the corrected average; 4 deaths belonged to Poplar, and 3 each to Bethnal Green and Stepney. Of the 26 deaths from diarrhœa, 23 were those of children under 2 years of age; 8 other deaths at this age were certified as due to *enteritis* and 3 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 3, having been 0, 2, and 4 in the preceding three weeks.

Different forms of violence caused 43 deaths, concerning all of which inquests were held. Of these 43 deaths, 8 were cases of suicide, while the remaining 35 were attributed to accident or negligence. Eleven of these latter were referred to vehicles in the streets, and 2, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1490 cases of scarlet fever, 584 of diphtheria, and 46 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 163 cases, against 173, 179, and 165; of diphtheria, 80 cases, against 84, 100, and 64; and of enteric fever, 7 cases, against 7, 4, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended August 6th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3778 births and 1362 deaths were registered. Allowing for increase of population, these numbers are 302 above and 453 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from measles, 2 from scarlet fever, 2 from whooping-cough, and 3 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·83 inches, and that of the Thermometer 60°·7, the latter being 1°·6 below the week's average in the 65 years ended 1905. The direction of the wind was Variable, the horizontal movement of the air being 18 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 27·7 hours; the measured rainfall amounted to 0·18 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 13th August, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 23rd July, 1910.	30th July, 1910.	6th Aug., 1910.	13th Aug., 1910.	Rate from Diseases in Cols. 11–17 Week ended 13th Aug., 1910.	Registered during the Week ended 13th Aug., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**11·1**	**11·3**	**10·7**	**11·1**	**1·3**	**8678**	**3603**	**779**	**971**	**-**	**95**	**26**	**30**	**79**	**12**	**192**	**166**	**315**	**1033**	**23**	**77 TOWNS.**
LONDON	4,872,702	10·3	10·2	10·2	10·3	0·9	2368	362	174	287	-	28	1	6	19	4	26	43	94	437	-	LONDON.
CROYDON	164,485	8·2	9·5	8·2	8·6	0·3	84	27	2	10	-	-	-	-	-	-	1	1	2	6	-	CROYDON.
WILLESDEN ..	166,088	6·0	6·9	9·4	7·2	0·6	90	23	2	8	-	-	-	-	1	-	1	1	2	2	-	WILLESDEN.
HORNSEY	98,561	7·4	2·1	5·8	5·3	-	27	10	1	6	-	-	-	-	-	-	-	-	-	3	-	HORNSEY.
† TOTTENHAM ..	132,803	5·5	10·6	11·4	10·6	0·4	73	27	5	5	-	-	-	-	1	-	-	3	7	9	-	TOTTENHAM.
WEST HAM ..	328,585	10·5	6·7	8·4	9·2	0·5	188	58	11	12	-	1	-	-	-	-	2	1	5	14	-	WEST HAM.
EAST HAM.. ..	156,208	7·3	6·3	6·3	8·3	0·3	70	25	6	7	-	-	-	-	1	-	-	1	4	4	-	EAST HAM.
LEYTON	133,436	5·9	4·3	4·7	3·5	0·4	59	9	-	2	-	-	1	-	-	-	-	-	1	2	-	LEYTON.
WALTHAMSTOW	141,748	4·8	7·4	5·5	5·1	-	71	14	4	3	-	-	-	-	-	-	-	-	-	1	-	WALTHAMSTOW.
HASTINGS	68,520	12·9	6·8	8·4	10·7	0·8	21	14	-	8	-	-	-	-	1	-	-	2	3	2	-	HASTINGS.
BRIGHTON	131,900	6·7	11·9	16·2	10·3	1·2	55	26	1	8	-	1	-	-	-	1	1	-	5	7	-	BRIGHTON.
PORTSMOUTH ..	217,989	11·7	9·6	9·6	13·9	1·0	117	58	7	23	-	1	2	1	-	-	-	8	8	17	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	12·7	7·1	7·1	11·3	-	24	16	2	8	-	-	-	-	-	-	-	1	1	4	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·9	11·5	11·1	10·7	-	66	26	3	8	-	-	-	-	-	-	-	1	4	8	-	SOUTHAMPTON.
READING	84,355	9·3	9·3	6·2	12·4	0·6	31	20	1	8	-	-	-	-	1	-	-	2	2	6	1	READING.
NORTHAMPTON ..	99,113	10·0	9·5	11·6	8·9	-	25	17	2	7	-	-	-	-	-	-	-	2	2	3	-	NORTHAMPTON.
IPSWICH	75,936	11·0	13·7	8·9	7·6	-	35	11	-	6	-	-	-	-	-	-	-	-	-	2	-	IPSWICH.
GREAT YARMOUTH	53,715	10·7	15·5	11·6	16·5	1·0	20	17	3	5	-	-	-	-	1	-	-	5	5	2	-	GREAT YARMOUTH.
NORWICH	125,446	10·0	17·5	7·1	9·1	-	52	22	4	7	-	-	-	-	-	-	-	-	2	4	-	NORWICH.
PLYMOUTH	126,266	8·3	7·4	6·2	10·3	-	50	25	8	8	-	-	-	-	-	-	-	1	5	2	-	PLYMOUTH.
DEVONPORT	84,695	7·4	7·4	6·8	5·5	0·6	34	9	2	3	-	-	-	-	1	-	-	-	-	-	-	DEVONPORT.
BRISTOL	382,550	8·9	11·9	8·2	8·6	0·3	170	63	12	19	-	-	-	1	-	-	1	2	7	25	-	BRISTOL.
STOKE ON TRENT ..	245,726	14·0	15·3	11·5	10·8	1·5	191	51	8	9	-	1	2	1	-	-	3	5	5	11	1	STOKE ON TRENT.
BURTON ON TRENT	54,977	2·8	10·4	7·6	15·2	-	27	16	2	4	-	-	-	-	-	-	-	1	1	1	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	12·8	12·8	12·8	12·8	1·5	52	26	5	8	-	1	-	-	-	-	2	2	3	6	-	WOLVERHAMPTON.
WALSALL	101,035	12·4	10·8	11·4	9·8	1·5	62	19	6	5	-	-	1	-	-	-	2	2	4	2	-	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	7·9	6·5	4·3	8·7	2·9	21	12	2	4	-	-	-	-	1	1	2	1	1	1	-	HANDSWORTH (STAFFS.).
							[illegible]	[illegible]		[illegible]								1	2	2	-	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 23rd July, 1910.	30th July, 1910.	6th Aug., 1910.	13th Aug., 1910.	Rate from Diseases in Cols. 11-17. Week ended 13th Aug., 1910.	Registered during the Week ended 13th Aug., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	9·1	10·3	10·1	9·9	0·9	344	108	27	30	-	-	1	2	1	-	6	4	4	34	1	Birmingham.
Kings Norton ..	84,673	9·2	6·2	6·2	6·2	0·6	47	10	3	6	-	-	-	-	1	-	-	1	1	-	-	Kings Norton.
Smethwick	72,350	10·8	8·6	10·1	5·8	-	37	8	3	-	-	-	-	-	-	-	-	-	-	-	1	Smethwick.
Aston Manor ..	86,269	6·6	8·5	12·1	7·9	0·6	37	13	4	4	-	-	-	-	-	-	1	1	1	2	-	Aston Manor.
Coventry	81,449	14·7	11·5	9·6	11·5	0·6	46	18	3	8	-	-	-	-	1	-	-	1	1	4	-	Coventry.
Leicester	248,374	9·7	10·1	10·1	8·8	0·6	122	42	12	14	-	-	-	1	1	-	1	2	3	14	1	Leicester.
Grimsby	74,283	9·1	14·0	10·5	9·1	2·8	47	13	7	3	-	-	-	1	1	-	2	1	1	-	-	Grimsby.
Nottingham ..	266,471	9·6	13·1	9·6	11·2	1·6	150	57	11	17	-	1	-	1	2	2	2	3	3	19	-	Nottingham.
Derby	131,256	9·1	10·7	8·7	10·3	0·8	64	26	5	7	-	1	-	1	-	-	-	-	2	1	-	Derby.
Stockport	105,087	13·9	8·4	13·4	12·9	1·0	45	26	4	8	-	-	-	-	1	-	1	-	1	4	-	Stockport.
Birkenhead ..	122,431	14·5	11·1	13·2	14·1	2·1	94	33	12	6	-	-	-	-	1	1	3	-	1	7	-	Birkenhead.
Wallasey . ..	73,173	7·8	9·3	10·7	11·4	1·4	36	16	4	7	-	1	-	-	-	-	1	1	2	1	1	Wallasey.
Liverpool . ..	767,606	17·6	16·0	13·7	13·5	2·2	467	199	58	40	-	6	-	1	6	-	20	7	11	75	3	Liverpool.
Bootle	70,548	14·0	17·7	7·4	20·7	4·4	49	28	9	6	-	-	-	-	-	-	6	-	-	7	-	Bootle.
St. Helens	96,523	11·9	10·8	15·7	9·7	2·2	51	18	8	-	-	-	1	-	-	-	3	1	1	4	2	St. Helens.
Wigan	91,732	15·9	14·8	10·2	16·5	4·5	32	29	11	3	-	1	-	-	1	-	6	1	2	3	-	Wigan.
Warrington ..	73,295	12·8	8·5	12·1	11·4	2·8	34	16	7	3	-	1	-	-	-	-	3	-	-	4	-	Warrington.
Bolton	190,315	15·1	12·6	10·7	10·7	1·4	85	39	6	12	-	-	1	-	2	-	2	2	3	4	-	Bolton.
Bury	59,409	11·4	16·7	10·5	14·0	0·9	19	16	2	4	-	-	1	-	-	-	-	-	1	4	2	Bury.
Manchester ..	716,354	13·8	14·2	12·4	14·6	2·8	417	201	40	43	-	9	2	4	12	-	12	13	27	49	1	Manchester.
Salford	244,636	12·6	17·1	11·3	14·9	2·1	117	70	21	20	-	2	-	-	2	-	6	2	6	17	-	Salford.
Oldham	144,111	14·1	11·9	15·6	13·0	2·5	75	36	7	9	-	3	1	1	1	-	1	-	1	6	-	Oldham.
Rochdale	90,497	14·4	9·8	14·4	9·8	0·6	45	17	2	8	-	-	1	-	-	-	-	1	1	6	-	Rochdale.
Burnley	107,448	9·7	15·0	12·6	13·6	2·9	45	28	9	6	-	-	1	-	-	-	5	2	2	5	-	Burnley.
Blackburn	137,972	11·3	11·3	10·2	9·8	1·1	39	26	4	7	-	-	1	1	-	-	1	-	2	6	-	Blackburn.
Preston	119,253	14·9	14·0	12·2	12·7	0·9	34	29	8	12	-	-	-	-	-	-	2	1	2	2	-	Preston.
Barrow in Furness.	63,689	20·5	13·9	15·6	18·8	4·9	31	23	2	5	-	5	-	-	-	-	1	-	-	5	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 13th August, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 23rd July, 1910.	30th July, 1910.	6th Aug., 1910.	13th Aug., 1910.	Rate from Diseases in Cols 11-17. Week ended 13th Aug., 1910.	Registered during the Week ended 13th Aug., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	12·1	18·7	15·4	10·5	-	49	19	2	6	-	-	-	-	-	-	-	-	-	-	2	HUDDERSFIELD.
HALIFAX	112,818	11·6	13·4	13·9	12·9	1·4	38	28	5	10	-	1	-	-	1	-	1	1	2	5	-	HALIFAX.
BRADFORD	295,865	11·8	10·0	13·9	12·5	1·9	116	71	10	20	-	4	1	-	-	1	5	3	5	21	-	BRADFORD.
LEEDS	490,985	13·0	12·2	12·0	13·4	2·9	227	126	36	27	-	9	1	2	5	-	10	6	11	26	-	LEEDS.
DEWSBURY	51,224	11·2	10·2	16·3	14·3	-	18	14	2	5	-	-	-	-	-	-	-	1	2	1	-	DEWSBURY.
SHEFFIELD	478,763	12·2	13·5	10·1	11·2	2·2	280	103	38	18	-	1	2	-	3	-	14	4	7	29	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	7·9	8·6	7·9	6·3	-	36	8	2	2	-	-	-	-	-	-	-	1	1	2	-	ROTHERHAM.
YORK	88,159	5·9	14·2	6·5	9·5	0·6	40	16	4	5	-	-	-	-	-	-	1	2	3	-	-	YORK.
HULL	280,006	13·2	10·4	11·7	11·5	2·8	161	62	20	16	-	4	-	3	-	-	8	5	6	10	2	HULL.
MIDDLESBROUGH ..	107,014	14·6	19·0	12·2	15·6	3·4	76	32	8	6	-	-	-	1	-	1	5	2	3	7	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	22·3	4·9	9·7	9·7	-	24	10	-	1	-	-	-	-	-	-	-	1	1	1	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	9·6	9·6	10·2	8·9	1·9	46	14	4	6	-	1	-	-	-	-	2	-	-	5	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	13·3	10·7	15·9	17·8	2·9	85	55	9	11	-	4	1	1	-	-	3	1	2	13	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	8·3	11·3	10·5	9·6	1·3	68	22	8	4	-	-	-	-	2	-	1	1	1	-	2	SOUTH SHIELDS.
GATESHEAD	133,676	9·4	9·8	10·1	11·7	2·3	78	30	9	5	-	-	-	-	2	-	4	-	-	7	-	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	13·5	12·6	12·6	14·0	2·2	168	77	18	16	-	5	-	-	3	1	3	4	9	14	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	15·7	8·3	12·0	20·3	4·6	40	22	7	5	-	2	-	-	3	-	-	-	1	1	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	7·8	15·0	8·5	9·2	-	56	14	3	5	-	-	-	-	-	-	-	-	-	3	-	NEWPORT (MON.).
CARDIFF	199,189	10·2	8·6	6·5	7·3	0·5	104	28	11	3	-	-	1	-	-	-	1	1	1	9	-	CARDIFF.
RHONDDA	138,674	11·3	14·3	15·4	16·2	3·8	124	43	7	8	-	-	3	-	-	-	7	3	4	6	-	RHONDDA.
MERTHYR TYDFIL..	79,522	11·8	13·1	17·0	10·5	1·3	45	16	6	4	-	1	-	-	-	-	1	-	-	2	-	MERTHYR TYDFIL.
SWANSEA	98,817	12·1	18·5	13·7	16·4	0·5	61	31	8	5	-	-	-	1	-	-	-	-	2	5	-	SWANSEA.
GREATER LONDON	7,537,196	9·4	9·0	9·4	9·4	0·7	3778	1362	246	417	-	30	4	6	24	4	33	61	136	523	1	GREATER LONDON.
OUTER RING ..	2,664,494	7·7	6·8	7·8	7·8	0·3	1410	400	72	130	-	2	3	-	5	-	7	13	42	86	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	7·5	6·9	7·7	7·6	0·4	662	193	31	53	-	1	1	-	3	-	4	7	21	41	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·0	6·7	8·0	8·0	0·3	748	207	41	77	-	1	2	-	2	-	3	11	21	45	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	12·2	11·3	11·3	11·4	0·7	135	79	15	23	-	1	-	-	1	-	3	4	?	35	2	EDINBURGH.
GLASGOW	884,505	12·3	13·9	12·0	13·0	2·0	389	221‡	40	53	-	2	2	2	6	1	21	19	?	79	6	GLASGOW.
DUBLIN (Registra-	402,928	17·2	15·5	17·2	17·9	2·5	209	138	43	28	-	1	1	-	3	-	14	6	7	59	3	DUBLIN (Registra-
BELFAST†	391,167	15·9	18·0	19·3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SECOND Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2332	2322	1929	2563	2730	2215	2155	2055	2072	2316	2214·4	2368
Males - - -	1188	1240	940	1329	1369	1124	1149	1045	1064	1172	1137·4	1171
Females - -	1144	1082	989	1234	1361	1091	1006	1010	1008	1144	1077·0	1197
TOTAL **Deaths** -	1804	1636	1176	1255	1912	1535	1352	1097	1126	1047	1265·0	962
Males - - -	1015	882	607	650	992	834	767	579	613	537	682·0	494
Females - -	789	754	569	605	920	721	585	518	513	510	583·0	468

* The numbers in this column are the average weekly numbers in the Thirty-Second week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6	Aug. 13.	13 Weeks.
TOTAL **Births** -	1610	2701	2434	2243	2424	2260	2329	2272	2163	2176	2429	1854	2368	29263
TOTAL **Deaths** -	1062	1107	1036	984	993	983	964	997	1036	962	957	956	962	13049
Ages at Death: Under 1 year -	212	224	199	183	162	177	177	168	172	187	151	173	174	2359
1—5 years -	129	124	110	102	119	97	114	100	99	104	89	107	90	1384
5—20 " -	61	54	59	65	58	57	51	68	70	61	52	54	52	762
20—40 " -	117	145	136	119	124	134	129	142	120	132	124	122	136	1680
40—60 " -	229	240	235	219	218	226	223	217	230	200	229	210	223	2899
60 yrs. & upwds.	314	320	347	296	312	292	270	302	345	278	312	290	287	3965
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	48	50	51	47	47	35	32	37	31	36	23	30	28	495
Scarlet Fever - -	4	3	6	5	3	3	2	8	4	5	2	5	1	51
Diphtheria - -	8	2	5	5	7	2	5	3	7	8	4	8	6	70
Whooping-cough -	42	37	29	23	32	25	21	23	19	27	14	18	19	329
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	2	1	3	1	1	2	2	1	2	4	2	4	26
Pyrexia (origin uncertain).	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	14	15	21	8	23	11	14	17	14	18	12	23	26	216
All above diseases -	117	109	113	91	113	78	76	90	76	96	59	86	84	1188
Dis. of Resp. System	81	64	64	55	42	55	54	44	51	46	48	50	48	702
Pneumonia - -	114	98	110	82	52	74	68	73	80	85	63	74	65	1038
Phthisis - - -	99	89	104	81	97	87	90	94	84	78	82	99	81	1165
Dis. of Circ. System -	143	127	145	154	153	144	138	159	183	128	158	150	138	1920
Violence - - -	58	57	49	56	48	49	55	53	46	44	43	50	43	656
Inquest Cases - -	130	130	106	118	109	101	113	101	114	95	103	119	94	1433
Deaths in Institutions	423	477	498	430	464	464	442	471	455	446	437	459	437	5903
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	58·9	57·8	56·9	62·2	58·8	62·3	56·5	55·2	57·9	59·2	58·8	60·2	60·7	58·9
Mean of Highest -	69·8	69·1	67·6	72·0	69·9	75·0	66·0	63·7	67·4	67·7	68·3	71·5	70·8	69·1
Mean of Lowest -	51·2	49·2	49·0	55·3	49·8	53·0	50·2	50·2	52·2	53·2	52·0	52·2	51·1	51·7
Mean Humidity of the Air.	84	75	77	88	77	75	76	84	84	85	77	77	85	80
Rain-fall (in inches) -	0·89	0·08	0·27	0·44	0·01	1·11	1·00	1·29	0·01	1·22	0·35	0·85	0·18	7·70
Registered Sunshine (in hours).	19·2	60·2	26·8	28·4	52·7	52·3	33·5	18·0	34·5	17·6	29·5	49·6	27·7	490·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	2	1	3	3	3	1	1	-	1
Scarlet Fever - -	1476	1445	1461	1401	1363	1353	1378	1439	1530	1548	1563	1523	1490	1459
Diphtheria - - -	753	742	728	753	729	711	674	628	646	626	619	584	534	675
Typhus - - -	-	-	-	1	1	1	1	1	1	1	-	-	-	1
Enteric Fever - -	58	60	61	52	53	47	47	49	50	50	46	46	46	51

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

Table 4. LONDON.—Deaths Registered in the Thirty-Second Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

Causes of Death	Corrected Average for the 32nd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1265·0	962	174	90	52	136	223	287
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	27·9	28	5	22	1	-	-	-
Scarlet Fever	12·3	1	-	1	-	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	3·1	3	-	-	-	-	2	1
Whooping-cough	20·3	19	10	8	1	-	-	-
Diphtheria	10·0	6	2	3	1	-	-	-
Cerebro-spinal Fever ..	0·2	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	0·4	-	-	-	-	-	-	-
Enteric Fever	3·9	4	-	-	1	3	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	112·4	12	5	6	-	-	1	-
Diarrhœa, Dysentery ..	56·9	14	10	2	1	-	1	-
Tetanus	0·4	1	-	-	-	1	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	7·2	2	1	-	-	-	1	-
Puerperal Septicæmia ..	3·3	3	-	-	-	3	-	-
Puerperal Pyæmia.. .	-	-	-	-	-	-	-	-
Puerperal Fever	0·2	-	-	-	-	-	-	-
Infective Endocarditis ..	2·3	3	-	-	1	2	-	-
Pneumonia: Lobar ..	10·6	5	-	-	-	-	2	3
Pneumonia: Broncho ..	30·7	28	11	9	3	2	1	2
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	35·4	32	4	4	1	7	12	4
Erysipelas	2·9	2	-	-	-	1	-	1
Septicæmia (not Puerperal)	0·8	2	-	-	-	-	2	-
Pyæmia (not Puerperal)	0·8	-	-	-	-	-	-	-
Other Infective Processes	3·3	1	-	-	-	-	-	1
Tuberculous Phthisis ..	71·1	63	1	4	6	23	20	9
"*Phthisis*"	36·5	18	-	-	3	14	1	-
Tuberculous Meningitis ..	23·8	23	3	12	7	1	-	-
Tuberculous Peritonitis ..	11·3	8	1	3	4	-	-	-
Tabes Mesenterica	1·6	-	-	-	-	-	-	-
Tuberculous Dis., Other ..	17·2	16	2	2	3	4	2	3
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	9·0	8	-	-	-	5	3	-
Rheumatic Fever ..	2·9	1	-	-	-	-	1	-
Gout	1·4	2	-	-	-	-	2	-
Carcinoma	58·2	71	-	-	-	4	29	38
Sarcoma	6·3	11	-	1	-	4	6	-
Cancer (undefined) ..	30·3	27	-	-	-	5	11	11
Diabetes Mellitus	6·6	12	-	-	-	6	1	5
Premature Birth	41·8	41	41	-	-	-	-	-

Causes of Death	Corrected Average for the 32nd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.
Meningitis (not tuberc.)..	12·7	7	3	1	-	-	3
Gen. Par. of Insane, Insanity	11·3	11	-	-	-	5	3
Epilepsy	5·7	5	-	-	-	1	1
Convulsions	12·7	9	8	1	-	-	-
Locomotor Ataxy.. ..	1·2	1	-	-	-	1	-
Paraplegia, Dis. of Cord.	3·7	6	-	-	-	2	3
Nervous Sys., Other Dis.	14·9	10	-	1	2	2	2
Valv. Dis., Endocarditis..	39·5	41	-	1	-	8	17
Cereb. Hæm. Cereb. Emb.	28·7	30	-	-	-	2	12
Apoplexy, Hemiplegia ..	11·3	13	-	-	-	-	1
Aneurysm	4·1	6	-	-	-	1	3
Embolism, Thrombosis (not Cerebral) ..	0·6	1	-	-	-	1	-
Heart & Blood Ves., Other Dis... ..	69·0	47	-	-	2	3	13
Croup (not Spasm: nor Memb.)	0·4	-	-	-	-	-	-
Bronchitis	38·3	32	4	-	-	1	4
Emphysema, Asthma ..	2·0	4	-	-	-	-	3
Pleurisy	3·3	6	-	1	2	1	1
Respiratory Dis., Other..	6·1	6	-	-	-	-	1
Tonsillitis, Quinsy.. ..	1·0	3	-	1	-	-	2
Enteritis (not Epid.) ..	22·1	10	7	1	1	-	-
Gastro-enteritis	19·0	3	3	-	-	-	-
Peritonitis (not Puerp.) ..	2·5	2	-	-	-	-	2
Cirrhosis of Liver.. ..	12·1	8	-	-	-	1	5
Liver Dis., Other	6·1	1	-	-	-	-	-
Digestive Sys., Other Dis.	34·8	27	5	-	1	3	8
Acute Nephritis	5·1	9	-	1	2	2	1
Bright's Dis., Albuminuria	30·1	32	-	-	-	4	14
Urinary Sys., Other Dis.	11·1	10	-	-	-	-	1
Generative Organs Dis...	3·1	3	-	-	-	-	2
Childbirth (Accid. of) ..	3·3	7	-	-	-	4	3
Old Age	40·5	42	-	-	-	-	-
Other Diseases	83·2	60	45	3	1	1	7
ACCIDENT.							
By Railways	0·8	-	-	-	-	-	-
By Vehicles and Horses..	8·4	11	-	-	7	-	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	4	-	-	-	-	3
In Building Operations..	1·6	2	-	-	-	1	1
In Conflagrations	-	1	-	-	-	1	-
By Burns, Scalds, Explosions	3·5	1	-	-	-	1	-
By Drowning	8·0	1	-	-	1	-	-
By Suffocation in Bed ..	8·0	2	2	-	-	-	-
By Poisons or Poisonous Vapours	1·8	1	-	1	-	-	-
Other Deaths by Accident..	16·8	12	1	1	-	2	5
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	1·0	-	-	-	-	-	-
Suicide	11·7	8	-	-	-	3	2
Execution	0·2	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficul experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th August, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2368	962	174	287	-	28	1	6	19	4	26	81	43	94	437	-
WEST DISTRICTS	805,311	364	148	30	44	-	1	-	2	3	-	3	19	5	9	60	-
NORTH DISTRICTS	1,055,908	488	216	31	70	-	6	1	1	3	1	3	17	16	28	87	-
CENTRAL DISTRICTS	209,465	113	46	9	7	-	-	-	-	5	1	-	4	2	8	27	-
EAST DISTRICTS	715,739	444	189	50	49	-	7	-	2	4	-	11	7	10	26	105	-
SOUTH DISTRICTS	1,749,844	959	336	51	109	-	14	-	1	4	2	9	29	10	23	131	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	27	-	8	-	-	-	-	-	-	-	5	-	-	27	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	34	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
entral Paddington *W,3H*	50,053	20	15	2	3	-	-	-	-	-	-	1	3	-	-	10	-
outh Paddington	30,320	7	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
ensington South *W,3H*	85,610	15	15	2	9	-	-	-	-	1	-	-	-	1	1	5	-
ensington Central *W,H*	42,774	20	6	4	1	-	-	-	-	-	-	1	1	-	-	1	-
ensington North *w*	48,244	32	9	2	5	-	-	-	-	1	-	-	1	-	-	1	-
orth Hammersmith *2W,w,H* ..	49,192	35	9	1	3	-	-	-	-	-	-	-	2	-	1	5	-
outh Hammersmith *w,2H* ..	63,047	22	18	1	5	-	-	-	-	-	-	1	3	3	4	5	-
orth-west Fulham *W*	45,180	48	16	6	3	-	-	-	-	1	-	-	4	-	-	9	-
orth-east Fulham *F*	46,405	19	4	-	-	-	-	-	2	-	-	-	2	-	-	2	-
outh Fulham *W*	45,704	26	6	1	2	-	-	-	-	-	-	-	-	1	1	-	-
helsea North *W,w,3H*	42,514	16	10	2	5	-	-	-	-	-	-	-	2	-	2	5	-
helsea South *W,2H*	31,328	21	8	3	1	-	-	-	-	-	-	-	1	-	-	4	-
ayfair and Knightsbridge	28,743	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
elgrave *W,2H*	55,815	16	7	2	1	-	-	-	-	-	-	-	-	-	-	4	-
t. Margaret & St. John *6H*	43,698	19	13	2	2	-	1	-	-	-	-	-	-	-	-	9	-
t. James and St. Anne *W,6H* ..	33,081	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
ll Souls Marylebone *7H*	35,391	13	19	3	3	-	-	-	-	-	-	-	-	3	3	16	-
t. Mary Marylebone *W,4H* ..	37,948	44	9	3	3	-	-	-	-	-	-	-	1	-	-	4	-
hristchurch Marylebone *H* ..	39,536	21	4	-	1	-	-	-	-	-	-	-	-	1	1	-	-
t. John Marylebone *2H*	20,426	5	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
ampstead *W,F,6H*	81,942	23	20	1	4	-	1	1	1	-	-	-	3	2	2	11	-
est St. Pancras *2H*	60,562	27	6	-	3	-	-	-	-	1	-	-	-	-	-	-	-
outh St. Pancras *w,10H*	55,707	11	14	-	2	-	1	-	-	-	-	-	1	-	1	10	-
ast St. Pancras *W,H*	60,320	30	14	3	4	-	1	-	-	1	-	-	-	2	3	7	-
orth St. Pancras *2W*	58,728	25	9	-	2	-	1	-	-	-	-	-	2	-	-	6	-
ufnell *W*	31,995	16	19	2	10	-	-	-	-	-	-	-	2	1	3	13	-
pper Holloway *2W,w,H*	33,978	20	7	1	2	-	-	-	-	1	-	-	-	-	-	4	-
ollington *2W,w,H*	33,922	13	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
ower Holloway	41,424	23	11	4	4	-	-	-	-	-	-	-	-	-	1	-	-
arnsbury	54,478	25	13	2	4	-	1	-	-	-	-	-	1	1	3	-	-
lington South-east *F*	75,397	29	12	5	5	-	-	-	-	-	-	1	2	3	7	-	-
ighbury *2H*	63,797	27	7	1	5	-	-	-	-	-	-	-	-	-	-	-	-
oke Newington *H*	51,247	22	4	-	2	-	1	-	-	-	-	-	1	-	-	-	-
orth Hackney	50,398	18	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
entral Hackney *2w,F*	50,536	33	10	-	5	-	-	-	-	-	1	-	1	-	-	3	-
outh-west Hackney *3H*	59,921	29	14	2	3	-	-	-	-	-	-	1	-	1	1	6	-
outh-east Hackney *2W,w,H* ..	58,255	34	13	4	2	-	-	-	-	-	-	1	3	2	3	6	-
ackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, a from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVE DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturd 13th August, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	17	5	2	2	-	-	-	-	-	-	-	1	1	1	2
Strand *W*,4*H*	21,674	5	6	-	1	-	-	-	-	-	-	-	-	-	-	6
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	21	14	3	1	-	-	-	-	4	-	-	1	-	2	9
Clerkenwell *H*	63,704	34	7	1	2	-	-	-	-	1	-	-	1	-	2	-
St. Luke 3*H*,*L*	36,116	30	4	2	-	-	-	-	-	-	-	-	-	-	1	1
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	8	1	-	-	-	-	-	-	-	-	1	1	1	8
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	23	5	2	3	-	-	-	-	-	-	1	-	-	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	15	15	3	7	-	1	-	1	-	-	-	-	2	3	11
Shoreditch North-East	36,148	20	8	1	1	-	1	-	-	-	-	-	1	-	1	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	36	31	12	4	-	3	-	-	-	-	1	1	2	4	20
Bethnal Green South-West *H* ..	64,542	43	7	1	-	-	-	-	-	-	-	2	-	-	-	-
Spitalfields..	27,969	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	31	37	5	7	-	-	-	-	-	-	1	-	2	5	35
Goodman's Fields	22,081	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St George and St. John 2*W* ..	49,068	44	13	8	2	-	1	-	-	1	-	1	-	-	2	6
Shadwell and Ratcliff *w*,*H* ..	25,568	8	7	6	-	-	1	-	1	1	-	1	-	-	-	6
Limehouse *W*	32,369	22	3	-	1	-	-	-	-	-	-	-	1	-	1	-
Mile End Old Town South-Western *H*	63,698	51	9	3	2	-	-	-	-	-	-	1	1	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	29	6	1	3	-	-	-	-	-	-	-	1	-	-	3
Bow	41,989	24	3	1	1	-	-	-	-	-	-	-	-	-	1	-
Bromley 3*w*,*H*	68,319	39	35	3	15	-	-	-	-	2	-	1	2	3	7	24
Poplar *W*,*w*	58,514	37	8	4	1	-	-	-	-	-	-	2	-	1	2	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th August, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	10	18	2	3	-	1	-	-	1	-	2	2	2	2	14	-
Kent-road	21,904	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	20	6	1	1	-	1	-	-	1	-	-	-	-	1	2	-
Newington North	49,022	25	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	40	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave *2W*	9,817	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	43	20	3	3	-	4	-	-	-	-	-	3	-	-	-	-
Rotherhithe *W,F*	38,460	25	7	1	1	-	-	-	-	-	-	-	-	-	-	6	-
Waterloo *2H*	27,440	27	2	2	-	-	1	-	-	-	-	-	-	-	-	1	-
Lambeth Church *H*	27,440	19	15	4	1	-	-	-	-	-	-	-	1	3	3	12	-
Kennington *2W*	52,518	28	19	1	8	-	-	-	-	-	-	-	1	1	1	13	-
Stockwell *HF*	63,826	44	8	2	3	-	-	-	1	1	-	1	-	-	-	2	-
Brixton *H*	73,673	32	8	3	2	-	1	-	-	-	-	1	-	-	-	-	-
Norwood *2WH*	56,998	25	8	-	5	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	53	8	4	2	-	-	-	-	-	-	2	1	-	-	1	-
North-west Battersea	49,656	25	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	15	21	2	7	-	-	-	-	1	-	-	3	2	5	16	-
Clapham *2H*	51,361	30	7	-	5	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	57	20	1	10	-	-	-	-	-	-	-	2	-	1	5	-
Springfield *2W,L*	27,959	28	6	2	1	-	-	-	-	-	-	-	2	-	1	1	-
Southfields *H*	40,444	29	10	3	5	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	12	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	22	-	7	-	2	-	-	-	1	1	2	-	2	17	-
Camberwell North *W,2L*	65,584	40	19	1	8	-	1	-	-	-	-	-	2	-	1	10	-
St. George	47,331	26	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Peckham North	48,913	30	3	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Peckham South *2W,w*	43,946	13	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North* *F*	49,004	30	10	2	1	-	-	-	-	-	1	-	3	1	2	1	-
Deptford East*	29,781	22	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Deptford South*	38,934	14	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	8	6	1	3	-	-	-	-	-	-	-	1	-	1	2	-
Greenwich East *2W,H*	43,859	21	17	2	4	-	-	-	-	-	-	-	4	1	3	13	-
Eltham *w,H*	7,226	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	8	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-
Lewisham *2W,w,F*	58,352	34	12	1	4	-	-	-	-	-	-	-	-	-	-	7	-
Sydenham *H*	43,653	22	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	7	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	21	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	18	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	13	8	1	4	-	-	-	-	-	-	-	-	-	-	6	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Lunatic Asylums:—																	
Banstead	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	5	-	1	-	-	-	-	-	-	-	1	-	-	5	-
Manor	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-
Long Grove	—	-	5	-	1	-	-	-	-	-	-	-	1	-	-	5	-
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Hanwell	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	5	-
Claybury	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-

* On 1st August, 1910, the boundaries of the sub-districts of Deptford North, Deptford Central, and Deptford South were altered, the sub-district of Deptford Central being re-named Deptford East.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Bo Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERAT POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 13th August, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1410	400	72	130	-	2	3	-	5	-	7	18	42	86
31 : 1	Carshalton 2F,3H	12,228	32,997	17	6	1	3	-	-	1	-	-	-	-	-	-	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	4	3	-	1	-	-	-	-	-	-	-	-	-	2
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	5	2	-	1	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	20	7	-	3	-	-	-	-	-	-	1	-	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	35	15	3	4	-	-	-	-	-	-	-	-	-	10
4	North Croydon H	2,644	41,698	29	9	-	4	-	-	-	-	-	-	-	1	1	-
5	Penge w	770	22,465	7	4	-	2	-	-	-	-	-	-	-	-	1	-
6	Mitcham w	11,711	30,015	33	7	3	-	-	-	-	-	-	-	-	-	1	-
40 : 1	Wimbledon F,3H	3,221	41,652	26	7	2	2	-	-	-	-	-	-	-	-	2	1
2	Kingston 2W,H	6,224	42,068	24	9	1	3	-	-	-	-	-	-	-	-	-	4
3	Surbiton F,H	3,046	15,017	8	3	-	2	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	6	3	-	2	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	14	3	-	1	-	-	-	-	-	-	-	2	2	2
41 : 1	Richmond W,H	2,491	31,672	14	9	2	3	-	-	-	-	-	-	1	-	1	4
2	Mortlake F	2,518	17,821	15	3	2	1	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	13	4	-	2	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,832	28,454	15	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	5	2	-	1	-	-	-	-	-	-	-	-	1	1
4	Chislehurst 2H	7,333	16,446	8	-	-	-	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	13	4	-	2	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,354	25,296	15	4	3	1	-	-	-	-	-	-	-	-	1	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Sunbury w	11,054	18,683	9	3	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	8	4	1	3	-	-	-	-	-	-	-	-	-	2
127 : 1	Hillingdon W,F,H	8,035	13,661	10	5	-	5	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	4	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	20	4	1	-	-	-	-	-	-	-	-	-	1	-
128 : 1	Isleworth 3W,3F,H	6,859	30,863	28	10	1	4	-	1	-	-	1	-	-	-	-	7
2	Twickenham F,2H	2,421	20,991	9	4	-	2	-	-	1	-	-	-	-	-	-	1
3	Hanwell† w,2H	4,108	11,257	10	2	-	-	-	-	-	-	-	-	-	-	-	-
4	Brentford† 3F,2H	4,038	48,202	36	8	4	2	-	-	-	-	-	-	1	-	-	-
5	Chiswick H	1,249	29,809	15	4	-	1	-	-	-	-	-	-	-	1	1	-
6	Acton† F,H	2,305	37,714	36	8	3	2	-	-	-	-	-	-	1	-	-	-
129 : 1	Willesden W,F,2H	4,384	114,811	90	23	2	8	-	-	-	-	1	-	1	1	2	2
130 : 1	Harrow F,H	13,809	25,523	17	6	-	2	-	-	-	-	-	-	-	1	1	1
2	Edgware 2F,2H	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	19	3	1	1	-	-	-	-	-	-	-	-	-	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	7	2	1	1	-	-	-	-	-	-	-	1	1	-
2	Barnet W,2H	3,324	17,979	11	5	1	2	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,638	33,692	36	6	-	4	-	-	-	-	-	-	-	1	1	-
132 : 1	Hornsey F,H	2,875	72,056	27	8	1	5	-	-	-	-	-	-	-	-	-	1
2	Wood Green H	1,625	34,233	21	9	2	4	-	-	-	-	-	-	-	2	3	-
3	West Tottenham	995	48,741	32	5	2	-	-	-	-	-	-	-	-	2	3	-
4	East Tottenham 2H ..	2,019	53,962	41	13	3	3	-	-	-	-	1	-	-	-	2	-
5	Edmonton W,w,2F	7,491	61,892	65	23	4	7	-	-	-	-	1	-	-	1	4	11
6	Enfield 2W,F,H	12,801	42,738	38	4	1	3	-	-	-	-	-	-	-	-	-	1
7	Waltham Abbey F	11,017	6,549	3	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	7	1	-	-	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** H ..	9,195	7,051	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	33	8	1	1	-	-	-	-	-	-	2	1	4	3
2	Forest Gate	787	52,745	18	4	-	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	79	20	6	4	-	1	-	-	-	-	-	-	1	3
4	Canning Town H	1,556	70,718	58	16	4	2	-	-	-	-	-	-	-	1	1	-
5	South East Ham 2F ..	1,991	37,342	31	7	3	2	-	-	-	-	-	-	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	39	14	2	5	-	-	-	-	1	-	-	1	3	-
7	Wanstead F	1,679	9,179	5	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	23	7	1	4	-	-	-	-	-	-	-	-	-	6
9	North Leyton 2W,w,F ..	1,963	48,445	36	18	1	2	-	-	1	-	-	-	-	-	1	12
10	Walthamstow 2H,L ..	6,504	108,929	74	16	4	4	-	-	-	-	-	-	-	-	-	-
189 : 1	Chigwell 2F,3H	11,778	16,397	12	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	5	3	-	2	-	-	-	-	-	-	-	-	-	3
2	Ilford F,L	8,496	41,244	38	11	3	4	-	-	-	-	-	-	-	-	-	1
3	Barking Town F	3,805	21,547	26	2	-	-	-	-	-	-	-	-	-	-	-	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3
	Essex County Lunatic Asylum, Brentwood.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Ou Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esh parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting e part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Rg in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
NDON* - -	4,872,702	August 13	2368	962	10·3	-	28	1	6	19	4	34
LCUTTA - -	1,009,008	July 16	-	365‡	18·8	1	-	-	-	2	5	18
MBAY - -	977,822	„ 26	402	802‡	42·6	2	3	-	-	1	7	80
DRAS - -	509,346	„ 15	362	335	34·2	-	2	?	?	?	-	29
RIS* - -	2,772,467	„ 30	920	795	15·2	-	10	1	9	11	5	35
USSELS* - -	720,030	August 6	235	169	12·2	-	-	-	1	-	1	20
TWERP* - -	317,171	„ 6	99	75	12·3	-	4	-	2	-	1	11
STERDAM* -	570,669	July 30	280	113	10·3	-	-	-	-	-	-	6
PENHAGEN -	450,000	August 6	215	148	17·1	-	1	1	-	2	1	19
OCKHOLM -	341,816	July 30	132	74	11·3	-	-	2	2	1	-	2
RISTIANIA -	240,178	August 6	112	47	10 2	-	-	-	-	-	-	2
PETERSBURG	1,620,000	July 16	1005	710‡	22·9	8	33	11	9	6	25	151
OSCOW - -	1,493,600	„ 23	-	888‡	31·0	4	21	20	17	-	7	378
RLIN - -	2,119,540	„ 23	810	554	13·6	-	11	3	12	6	2	66
MBURG - -	895,804	August 6	-	249	14·5	-	1	-	14	2	3	52
ESLAU - -	507,500	July 30	-	182	18·7	-	-	-	2	1	-	28
UNICH - -	576,000	„ 30	252	151	13·6	-	1	-	-	1	-	20
ENNA* - -	2,107,981	August 6	772	561	13·8	-	5	6	4	3	2	51
AGUE* - -	497,905	July 16	175	189	19·7	-	-	-	2	-	2	8
DAPEST* -	833,703	„ 30	416	315	19·6	-	2	9	-	-	14	46
IESTE* - -	221,124	August 6	175	99	23·3	-	1	-	2	-	1	15
ME - - -	587,096	June 18	255	231	20·5	-	13	1	-	4	4	31
NICE - -	183,224	July 16	73	59	16·8	-	-	-	-	-	3	11
CAREST - -	297,643	„ 9	-	-	-	-	-	-	-	-	-	-
W YORK* -	4,711,956	„ 23	2750	1552	17·2	-	11	9	25	6	6	373
ICAGO* - -	2,282,927	„ 23	-	585	13·4	-	4	3	15	3	5	139
ILADELPHIA*	1,598,400	May 28	-	467	15·2	-	5	6	12	3	5	24
O DE JANEIRO	842,822	June 26	-	285	17·6	-	1	-	1	1	1	?
IRO:—*												
Egyptians -	616,213	July 8	557	629	52·7	-	25	-	6	?	12	201
Foreigners -	61,480	„ 8	5	21	17·5	-	-	-	1	?	1	3
EXANDRIA:—*												
Egyptians -	317,454	„ 8	205	249‡	40·6	-	4	-	1	?	4	75
Foreigners -	67,966	„ 8	5	15	11·3	-	-	-	-	?	1	1

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to ildren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 18 deaths from *plague* in Calcutta, 56 in Bombay, and 2 in Alexandria, and from *Asiatic cholera*, 14 deaths Calcutta, 3 in Bombay, 17 in St. Petersburg, and 2 in Moscow.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 13th August, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
ONDON (Greenwich)	77·4	49·1	62·4	0·18	BRADFORD - -	72·8	50·8	61·5	0·08
RIGHTON - -	73·8	48·2	60·9	0·16	YORK - - -	74·0	48·0	63·4	0·19
ORTSMOUTH - -	72·3	51·0	62·6	0·10	HULL - - -	74·0	53·0	62·2	0·39
ORWICH - -	73·0	50·0	60·9	0·20	TYNEMOUTH - -	73·0	47·0	58·0	0·11
LYMOUTH - -	70·2	53·7	62·2	0·17	CARDIFF - - -	72·0	50·5	60·7	0·20
RISTOL - - -	74·0	48·3	61·3	0·36	EDINBURGH - -	71·2	47·6	58·4	0·45
RMINGHAM - -	73·5	48·9	60·5	0·16	GLASGOW - -	73·5	49·0	62·2	0·28
OTTINGHAM - -	75·0	48·0	61·0	0·44	DUBLIN { Phœnix Park.	69·7	43·9	59·2	0·21
VERPOOL OBSERVATORY.	74·0	52·0	60·6	0·27	DUBLIN { Fitzwilliam Square.†	69·5	52·0	60·9	0·22
ANCHESTER -	75·5	48·8	60·4	0·52					
URNLEY - -	73·5	44·0	59·3	0·36					
UDDERSFIELD -	75·3	50·4	60·9	0·13	BELFAST - - -	72·2	48·0	60·3	0·08

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to he seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The orrection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the bove was 1·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 13th August, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 7	..	29·772	73·3	49·1	24·2	60·5	− 1·7	53·4	7·1	18·2	0·6	77	128·8	41·1	60·43	SW. & WSW.	SW., W. & NW.	1·0	0·0	0·0	199	− 60	0·00	3·0
MONDAY - 8	..	29·699	67·0	58·7	8·3	61·2	− 1·1	56·5	4·7	10·8	1·3	84	95·7	54·2	60·36	NW., NNW. & N.	N., NNE. & NE.	0·3	0·0	0·0	156	−104	0·02	0·0
TUESDAY - 9	In Eqr.	29·722	67·3	56·4	10·9	58·8	− 3·5	57·7	1·1	9·2	0·0	·96	109·0	50·5	60·47	NE. & NNE.	NE. & NNE.	1·5	0·0	0·1	239	− 23	0·10	0·0
WEDNESDAY 10	..	29·869	73·1	52·3	20·8	60·8	− 1·5	53·7	7·1	18·9	1·2	77	131·9	46·0	60·54	NNE. & N.	NNE. & N.	2·5	0·0	0·2	259	− 3	0·00	5·0
THURSDAY - 11	..	29·965	73·1	52·6	20·5	61·5	− 0·9	53·3	8·2	17·7	1·4	75	124·3	45·9	60·47	NE. & NNE.	Variable, calm & SW.	0·6	0·0	0·0	128	−134	0·00	6·7
FRIDAY - 12	Apogee	29·816	77·4	55·3	22·1	63·3	+ 0·8	59·1	4·2	15·0	1·2	86	133·5	50·0	60·47	SW. & SSW.	SW., W. & WSW.	5·0	0·0	0·4	367	+106	0·02	9·3
SATURDAY - 13	First Qr.	29·930	64·1	54·3	9·8	59·0	− 3·5	58·1	0·9	7·0	0·4	97	84·7	49·2	60·60	WSW. & SW.	Calm	0·7	0·0	0·0	153	−106	0·04	3·0
MEANS - -		29·825	70·8	54·1	16·7	60·7	− 1·6	56·0	4·8	13·8	0·9	85	115·4	48·1	60·48	SW. & NNE.		..	..	..	Sum 1501	Sum −324	Sum 0·18	3·9
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 7	w. P. throughout.	4·3	15·1	Generally very fine till about 2h. P.M.; then overcast with slight exceptions; light shower at 6h. P.M.
MONDAY - 8	w. P. throughout.	0·1	15·0	Generally overcast; occasional light showers; small range of temperature.
TUESDAY - 9	w. P. generally.	0·1	15·0	Overcast generally and very dull till 6h. P.M.; fine and partially cloudy afterwards; sharp shower shortly after 2h. P.M. Partial solar halo observed at 1h. P.M.
WEDNESDAY 10	w. P. throughout.	11·3	14·9	Very fine generally with occasional cloudy intervals.
THURSDAY - 11	w. P. throughout.	8·0	14·9	Generally overcast till 8h. A.M.; then very fine with varying amounts of light cloud; lightning seen at and about 10h. P.M.
FRIDAY - 12	w. P. throughout.	3·9	14·8	Overcast with occasional light showers till 1h. P.M.; afterwards fine with large amounts of light cloud; warm in afternoon. Solar halos and parhelion observed at 5h. 0m. and 6h. 40m. P.M.
SATURDAY - 13	w. P. throughout.	0·0	14·7	Fine and partially cloudy till 4h. A.M.; overcast till 11h. P.M. with frequent misty rain after 10h. A.M.; then fine; small range of temperature.
		Sum 27·7	Sum 104·4	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·83 in. at the beginning of the week to 29·68 in. by 6h. P.M. on the 8th; increased to 29·98 in. by 10h. A.M. on the 11th; decreased to 29·77 in. by 4h. P.M. on the 12th; increased to 29·95 in. by 9h. P.M. on the 13th; and was 29·93 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 6th August, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	4	3	-	-	-	-	4	-	-
Kensington	184,635	-	4	5	-	-	-	-	1	-	-
Hammersmith	127,413	-	11	2	-	-	-	-	-	-	-
Fulham	181,282	-	3	6	-	-	-	-	2	1	-
Chelsea	75,457	-	-	3	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	2	2	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	125,195	-	4	1	-	-	-	-	2	-	-
Hampstead	95,729	-	2	1	-	-	-	-	1	-	-
St. Pancras	237,792	-	11	8	-	-	-	-	6	-	-
Islington	353,356	-	11	1	-	1	-	-	2	-	-
Stoke Newington	54,838	-	2	1	-	-	-	-	1	-	-
Hackney	239,979	-	6	3	-	-	-	-	3	-	-
CENTRAL.											
Holborn	53,142	-	1	2	-	-	-	-	1	-	-
Finsbury	94,578	-	5	1	-	-	-	-	3	-	-
City of London	17,132	-	1	1	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,387	-	6	2	-	1	-	-	1	1	-
Bethnal Green	131,579	-	6	2	-	2	-	-	4	-	-
Stepney	314,379	-	20	2	-	1	-	-	10	1	-
Poplar	172,432	-	6	4	-	1	-	-	6	-	-
SOUTH.											
Southwark	211,832	-	2	5	-	1	-	-	8	-	-
Bermondsey	127,238	-	5	2	-	-	-	-	1	-	-
Lambeth	327,074	-	15	5	-	-	.	-	5	-	-
Battersea	188,222	-	8	2	-	-	1	-	2	-	-
Wandsworth	305,838	-	8	4	-	-	-	-	2	-	-
Camberwell	286,058	-	3	2	-	1	-	-	5	-	-
Deptford	119,642	-	8	1	-	-	-	-	2	-	-
Greenwich	112,935	-	-	2	-	-	-	-	1	-	-
Lewisham	164,899	-	6	3	-	1	-	-	-	-	1
Woolwich	135,422	-	10	1	-	-	-	-	3	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	170	77	-	9	1	-	79	3	1
Ages 0-1		-	4	3	-	-	-	-	3	-	-
„ 1-5		-	65	29	-	-	-	-	4	-	-
„ 5-		-	66	20	-	1	1	-	-	-	-
„ 10-		-	17	11	-	1	-	-	.	-	1
„ 15-		-	8	3	-	1	-	-	6	-	-
„ 20-		-	5	7	-	-	-	-	6	-	-
„ 25-		-	4	1	-	3	-	-	14	3	-
„ 35-		-	1	1	-	1	-	-	18	-	-
„ 45-		-	-	-	-	2	-	-	11	-	-
„ 55-		-	-	2	-	-	-	-	9	-	-
„ 65 and upwards		-	-	-	-	-	-	-	8	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 33. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, AUG. 20. [Price 1½*d.*

General Register Office, Somerset House,
August 22nd, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 11·5 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 11·3, 10·7, and 11·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·5 in Great Yarmouth, 17·7 in York, 18·0 in Burnley and in Middlesbrough, 18·1 in Hull, 19·2 in Bootle, 19·7 in Sunderland, and 20·1 in Preston; from *measles*, 1·2 in Brighton, 1·8 in Tynemouth, and 4·1 in Barrow in Furness; from *whooping-cough*, 1·2 in Gateshead and 1·4 in Wallasey; and from *diarrhœa*, 3·1 in Dewsbury, 3·4 in Wigan, 3·9 in Middlesbrough, 4·1 in Hull, 4·3 in St. Helens, 4·8 in Preston, 5·8 in Burnley, and 7·4 in Bootle. One death from *small-pox* was registered in Hornsey, but none in any other of the seventy-seven towns.

LONDON.*

In LONDON 2303 BIRTHS and 952 DEATHS were registered. Allowing for increase of population, the births were 197 and the deaths 367 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17422—41.) Wt. 91—429. 700. 8/10. D & S. G. 31. Sch. 4. 2 K

weeks of the previous five years. The annual death-rate from all causes, which had been 10·2, 10·2, and 10·3 per 1000 in the preceding three weeks, was 10·2 last week. The death-rate in the four weeks ended last Saturday averaged 10·2 per 1000, being 2·9 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 952 deaths included 27 from measles, 4 from scarlet fever, 6 from diphtheria, 13 from whooping-cough, 1 from enteric fever, and 37 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 88 deaths were referred, being 209 below the corrected average number in the thirty-third week of the preceding five years.

The deaths from *measles*, which had been 23, 30, and 28 in the preceding three weeks, were 27 last week, the corrected average being 28; 6 deaths belonged to the Borough of St. Pancras, 5 to Southwark, and 3 each to Bermondsey and Lambeth. The deaths from *scarlet fever*, which had been 2, 5, and 1 in the preceding three weeks, were 4 last week, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 4, 8 and 6 in the preceding three weeks, were again 6 last week, and were 5 below the corrected average. The deaths from *whooping-cough*, which had been 14, 18, and 19 in the preceding three weeks, fell to 13 last week, and were 6 below the corrected average. One death from *enteric fever* was registered last week, as compared with 4, 2, and 4 in the preceding three weeks, the corrected average being 4. The deaths from *diarrhœa*, which had been 12, 23, and 26 in the preceding three weeks, further rose to 37 last week, but were 190 below the corrected average; 6 deaths belonged to Stepney, 4 to Bermondsey, and 3 each to Fulham and Poplar. Of the 37 deaths from diarrhœa, 28 were those of children under 2 years of age; 5 other deaths at this age were certified as due to *enteritis* and 7 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 5, having been 2, 4, and 3 in the preceding three weeks.

Different forms of violence caused 48 deaths, concerning all of which inquests were held. Of these 48 deaths, 14 were cases of suicide, while the remaining 34 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 5 to drowning, and 5, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1423 cases of scarlet fever, 591 of diphtheria, and 52 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 143 cases, against 179, 165, and 163; of diphtheria, 77 cases, against 100, 64, and 80; and of enteric fever, 19 cases, against 4, 7, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended August 13th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3639 births and 1350 deaths were registered. Allowing for increase of population, these numbers are 337 and 561 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from measles, 1 from scarlet fever, 5 from whooping-cough, 1 from enteric fever, and 9 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·79 inches, and that of the Thermometer 62°·7, the latter being 0°·6 above the week's average in the 65 years ended 1905. The direction of the wind was South-westerly, the horizontal movement of the air being 40 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 52·7 hours; the measured rainfall amounted to 0·19 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 20th August, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 30th July, 1910.	6th Aug., 1910.	13th Aug., 1910.	20th Aug., 1910.	Rate from Diseases in Cols. 11-17 Week ended 20th Aug., 1910.	Registered during the Week ended 20th Aug., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**11·3**	**10·7**	**11·1**	**11·5**	**1·5**	**8346**	**3724**	**897**	**994**	**1**	**65**	**18**	**36**	**67**	**8**	**304**	**153**	**310**	**1060**	**33**	**77 TOWNS.**
LONDON	4,872,702	10·2	10·2	10·3	10·2	0·9	2303	352	184	268	-	27	4	6	13	1	37	48	112	438	4	LONDON.
CROYDON	164,485	9·5	8·2	8·6	8·9	-	69	28	7	7	-	-	-	-	-	-	-	1	5	6	-	CROYDON.
WILLESDEN ..	166,088	6·9	9·4	7·2	5·7	0·3	75	18	4	4	-	-	-	-	-	-	1	1	2	1	-	WILLESDEN.
HORNSEY	98,561	2·1	5·8	5·3	2·1	1·1	29	4	-	2	1	-	-	1	-	-	-	-	-	2	-	HORNSEY.
TOTTENHAM ..	132,803	10·6	11·4	10·6	11·4	0·4	89	29	8	7	-	-	-	1	-	-	-	3	3	11	-	TOTTENHAM.
WEST HAM ..	328,585	6·7	8·4	9·2	8·9	0·5	158	56	18	12	-	-	-	-	1	-	2	3	7	12	-	WEST HAM.
EAST HAM.. ..	156,208	6·3	6·3	8·3	6·3	0·3	74	19	1	5	-	-	-	-	-	-	1	1	1	3	1	EAST HAM.
LEYTON	133,436	4·3	4·7	3·5	7·4	-	80	19	1	9	-	-	-	-	-	-	-	-	2	3	-	LEYTON.
WALTHAMSTOW	141,748	7·4	5·5	5·1	5·9	-	63	16	1	4	-	-	-	-	-	-	-	-	1	6	-	WALTHAMSTOW.
HASTINGS	68,520	6·8	8·4	10·7	9·9	0·8	21	13	1	2	-	1	-	-	-	-	-	2	3	3	-	HASTINGS.
BRIGHTON	131,900	11·9	16·2	10·3	15·4	1·2	48	39	2	9	-	3	-	-	-	-	-	2	3	13	-	BRIGHTON.
PORTSMOUTH ..	217,989	9·6	9·6	13·9	9·1	1·0	128	38	8	13	-	-	2	2	-	-	-	-	3	16	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	7·1	7·1	11·3	6·3	-	31	9	1	7	-	-	-	-	-	-	-	-	-	3	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·5	11·1	10·7	11·1	0·4	58	27	5	10	-	-	-	1	-	-	-	-	1	9	-	SOUTHAMPTON.
READING	84,355	9·3	6·2	12·4	9·3	-	30	15	2	6	-	-	-	-	-	-	-	-	-	5	1	READING.
NORTHAMPTON ..	99,113	9·5	11·6	8·9	8·4	1·1	34	16	5	7	-	-	-	-	2	-	-	-	-	3	-	NORTHAMPTON.
IPSWICH	75,936	13·7	8·9	7·6	7·6	-	37	11	2	5	-	-	-	-	-	-	-	1	1	4	-	IPSWICH.
GREAT YARMOUTH	53,715	15·5	11·6	16·5	17·5	1·9	39	18	3	9	-	-	-	-	-	-	2	-	1	3	-	GREAT YARMOUTH.
NORWICH	125,446	17·5	7·1	9·1	12·5	0·4	53	30	7	16	-	-	-	-	-	-	1	1	2	6	1	NORWICH.
PLYMOUTH	126,266	7·4	6·2	10·3	10·7	0·8	43	26	4	3	-	-	-	-	-	1	1	-	1	3	-	PLYMOUTH.
DEVONPORT	84,695	7·4	6·8	5·5	8·0	-	37	13	2	3	-	-	-	-	-	-	-	2	2	5	-	DEVONPORT.
BRISTOL	382,550	11·9	8·2	8·6	7·9	0·7	173	58	11	26	-	-	-	1	1	-	3	3	7	23	-	BRISTOL.
STOKE ON TRENT ..	245,726	15·3	11·5	10·8	12·5	2·3	153	59	17	6	-	1	-	5	3	1	1	3	4	13	1	STOKE ON TRENT.
BURTON ON TRENT	54,977	10·4	7·6	15·2	8·5	-	23	9	1	1	-	-	-	-	-	-	-	-	-	2	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	12·8	12·8	12·8	7·4	-	51	15	2	7	-	-	-	-	-	-	-	-	2	4	-	WOLVERHAMPTON.
WALSALL	101,035	10·8	11·4	9·8	9·3	0·5	44	18	10	4	-	-	-	-	-	-	1	1	1	3	-	WALSALL.
HANDSWORTH (STAFFS.)	72,335	6·5	4·3	8·7	6·5	-	20	9	1	6	-	-	-	-	-	-	-	2	2	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH	71,138	12·5	14·7	10·3	14·7	2·2	39	20	7	4	-	-	-	-	-	-	3	3	4	5	-	WEST BROMWICH.

* See note † on first page of this return.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 30th July, 1910.	6th Aug., 1910.	13th Aug., 1910.	20th Aug., 1910.	Rate from Diseases in Cols. 11–17. Week ended 20th Aug., 1910.	Registered during the Week ended 20th Aug., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	10·3	10·1	9·9	12·0	1·0	293	131	31	34	-	-	-	-	-	1	10	6	7	45	3	Birmingham.
Kings Norton ..	84,673	6·2	6·2	6·2	7·4	0·6	30	12	2	2	-	-	-	-	-	-	1	-	-	1	-	Kings Norton.
Smethwick	72,350	8·6	10·1	5·8	7·2	1·4	45	10	2	2	-	-	-	-	1	-	1	2	2	-	-	Smethwick.
Aston Manor ..	86,269	8·5	12·1	7·9	11·5	1·2	40	19	8	7	-	-	-	-	-	1	1	-	-	3	-	Aston Manor.
Coventry	81,449	11·5	9·6	11·5	9·6	-	48	15	1	5	-	-	-	-	-	-	-	-	-	5	1	Coventry.
Leicester	248,374	10·1	10·1	8·8	9·7	0·8	112	46	10	14	-	-	-	-	1	-	3	-	2	7	1	Leicester.
Grimsby	74,283	14·0	10·5	9·1	16·1	2·8	44	23	2	5	-	-	-	-	-	-	4	-	-	7	-	Grimsby.
Nottingham ..	266,471	13·1	9·6	11·2	12·3	1·6	141	63	21	14	-	1	-	1	2	-	4	3	6	10	-	Nottingham.
Derby	131,256	10·7	8·7	10·3	8·3	1·2	50	21	1	5	-	1	1	1	-	-	-	4	7	8	-	Derby.
Stockport	105,087	8·4	13·4	12·9	9·9	0·5	44	20	3	7	-	-	-	-	-	-	1	2	3	2	-	Stockport.
Birkenhead ..	122,431	11·1	13·2	14·1	11·1	2·6	71	26	7	8	-	-	-	-	1	-	5	1	3	4	-	Birkenhead.
Wallasey . ..	73,173	9·3	10·7	11·4	15·7	4·3	30	22	6	5	-	-	-	1	2	-	3	-	1	3	-	Wallasey.
Liverpool . ..	767,606	16·0	13·7	13·5	16·4	2·7	473	242	61	52	-	4	4	2	4	-	26	4	10	93	4	Liverpool.
Bootle	70,548	17·7	7·4	20·7	19·2	7·4	42	26	17	3	-	-	-	-	-	-	10	-	1	5	1	Bootle.
St. Helens	96,523	10·8	15·7	9·7	15·7	4·9	70	29	11	9	-	-	-	-	1	-	8	2	2	4	2	St. Helens.
Wigan	91,732	14·8	10·2	16·5	13·6	5·1	53	24	8	5	-	-	1	1	-	1	6	-	1	4	-	Wigan.
Warrington ..	73,295	8·5	12·1	11·4	14·9	1·4	49	21	5	8	-	-	-	-	-	-	2	1	2	6	-	Warrington.
Bolton	190,315	12·6	10·7	10·7	7·4	0·8	62	27	4	12	-	-	1	-	-	-	2	1	2	5	-	Bolton.
Bury	59,409	16·7	10·5	14·0	12·3	1·8	25	14	5	3	-	-	2	-	-	-	-	1	2	3	-	Bury.
Manchester ..	716,354	14·2	12·4	14·6	12·7	2·2	339	175	48	49	-	6	1	-	10	1	12	4	9	46	1	Manchester.
Salford	244,636	17·1	11·3	14·9	14·3	2·1	102	67	13	11	-	1	1	-	3	-	5	4	4	18	-	Salford.
Oldham	144,111	11·9	15·6	13·0	12·3	1·4	69	34	10	8	-	1	-	-	2	-	1	2	2	3	-	Oldham.
Rochdale	90,497	9·8	14·4	9·8	4·0	-	36	7	-	6	-	-	-	-	-	-	-	-	-	1	-	Rochdale.
Burnley	107,448	15·0	12·6	13·6	18·0	7·3	59	37	18	4	-	-	-	1	2	-	12	1	1	4	1	Burnley.
Blackburn	137,972	11·3	10·2	9·8	17·0	1·5	60	45	10	13	-	-	-	1	1	-	2	2	3	12	-	Blackburn.
Preston	119,253	14·0	12·2	12·7	20·1	5·7	76	46	16	11	-	1	-	1	-	-	11	1	2	2	-	Preston.
Barrow in Furness.	63,689	13·9	15·6	18·8	17·2	4·1	23	21	1	6	-	5	-	-	-	-	-	2	3	4	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 20th August, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 30th July, 1910.	6th Aug., 1910.	13th Aug., 1910.	20th Aug., 1910.	Rate from Diseases in Cols 11-17. Week ended 20th Aug., 1910.	Registered during the Week ended 20th Aug., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	18·7	15·4	10·5	12·7	0·6	34	23	4	10	-	-	-	-	1	-	-	1	2	2	1	HUDDERSFIELD.
HALIFAX	112,818	13·4	13·9	12·9	8·8	-	32	19	1	11	-	-	-	-	-	-	-	-	1	2	-	HALIFAX.
BRADFORD	295,865	10·0	13·9	12·5	13·9	2·5	113	79	16	13	-	1	-	1	1	-	11	1	7	25	-	BRADFORD.
LEEDS	490,985	12·2	12·0	13·4	13·0	3·6	240	122	35	26	-	4	-	1	3	-	26	5	9	21	-	LEEDS.
DEWSBURY	51,224	10·2	16·3	14·3	17·3	6·1	23	17	6	2	-	1	-	1	1	-	3	-	1	3	-	DEWSBURY.
SHEFFIELD	478,763	13·5	10·1	11·2	11·9	2·5	268	109	39	27	-	-	-	-	2	-	21	5	8	16	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	8·6	7·9	6·3	9·4	-	42	12	3	4	-	-	-	-	-	-	-	-	-	2	-	ROTHERHAM.
YORK	88,159	14·2	6·5	9·5	17·7	1·2	34	30	9	12	-	-	-	-	-	-	2	-	-	3	-	YORK.
HULL	280,006	10·4	11·7	11·5	18·1	4·7	164	97	34	23	-	1	-	1	1	-	22	7	11	16	1	HULL.
MIDDLESBROUGH ..	107,014	19·0	12·2	15·6	18·0	3·9	71	37	14	8	-	-	-	-	-	-	8	2	3	4	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	4·9	9·7	9·7	15·5	1·0	20	16	6	5	-	-	-	-	1	-	-	-	-	1	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	9·6	10·2	8·9	7·6	1·3	38	12	2	5	-	-	-	1	-	-	1	-	-	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	10·7	15·9	17·8	19·7	2·6	90	61	14	17	-	-	-	1	1	-	6	-	2	12	3	SUNDERLAND.
SOUTH SHIELDS ..	119,737	11·3	10·5	9·6	10·9	1·7	79	25	10	3	-	-	-	-	1	-	3	-	-	6	2	SOUTH SHIELDS.
GATESHEAD	133,676	9·8	10·1	11·7	12·7	2·0	67	35	8	8	-	-	-	-	3	-	2	-	1	6	2	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	12·6	12·6	14·0	14·6	1·6	140	80	13	27	-	3	-	1	1	-	4	2	7	14	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	8·3	12·0	20·3	10·2	5·5	34	11	3	1	-	2	-	-	1	1	2	-	-	1	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	15·0	8·5	9·2	9·8	2·0	59	15	7	4	-	-	-	1	-	-	2	-	-	3	-	NEWPORT (MON.).
CARDIFF	199,189	8·6	6·5	7·3	8·9	-	88	34	9	6	-	-	-	-	-	-	-	4	6	6	-	CARDIFF.
RHONDDA	138,674	14·3	15·4	16·2	16·2	2·3	112	43	15	6	-	-	-	-	-	-	6	3	3	-	-	RHONDDA.
MERTHYR TYDFIL..	79,522	13·1	17·0	10·5	13·8	2·0	56	21	9	4	-	1	1	-	-	-	1	1	2	1	-	MERTHYR TYDFIL.
SWANSEA	98,817	18·5	13·7	16·4	10·0	1·6	54	19	4	2	-	-	-	2	-	-	1	2	2	4	-	SWANSEA.
GREATER LONDON	7,537,196	9·0	9·4	9·4	9·3	0·8	3639	1350	263	395	1	28	5	8	19	2	50	70	158	533	5	GREATER LONDON.
OUTER RING ..	2,664,494	6·8	7·8	7·8	7·8	0·5	1336	398	79	127	1	1	1	2	6	1	13	22	46	95	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	6·9	7·7	7·6	7·5	0·3	637	189	40	50	1	-	-	2	1	-	4	9	21	44	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	6·7	8·0	8·0	8·1	0·7	699	209	39	77	-	1	1	-	5	1	9	13	25	51	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	11·3	11·3	11·4	14·9	1·3	119	103	13	31	-	1	3	1	1	-	3	10	?	37	3	EDINBURGH.
GLASGOW	884,505	13·9	12·0	13·0	13·6	2·4	395	230	68	48	-	-	2	3	4	-	32	13	?	73	7	GLASGOW.
tion Area).†																						
																		6	2	1	59	4

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-THIRD Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2621	2659	2821	2748	2525	2549	2550	2507	2434	2169	2500·3	2303
Males - - -	1301	1339	1340	1331	1315	1314	1308	1223	1235	1130	1271·8	1173
Females - -	1320	1320	1481	1417	1210	1235	1242	1284	1199	1039	1228·5	1130
TOTAL **Deaths** -	1766	1705	1385	1272	1923	1523	1584	1093	1215	1027	1319·2	952
Males - - -	894	882	773	661	1027	835	814	550	642	572	698·9	527
Females - -	812	823	612	611	896	688	770	543	573	455	620·3	425

* The numbers in this column are the average weekly numbers in the Thirty-Third week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	13 Weeks.
TOTAL **Births** -	2701	2434	2243	2424	2260	2329	2272	2163	2176	2429	1854	2367	2303	29955
TOTAL **Deaths** -	1107	1086	984	993	983	964	997	1036	962	957	956	962	952	12939
Ages at Death: Under 1 year -	224	199	183	162	177	177	168	172	187	151	173	174	184	2331
1—5 years -	124	110	102	119	97	114	100	99	104	89	107	90	110	1365
5—20 " -	54	59	65	58	57	51	68	70	61	52	51	52	58	759
20—40 " -	145	136	119	124	134	129	142	120	132	124	122	136	130	1693
40—60 " -	240	235	219	218	226	223	217	230	200	229	210	223	202	2872
60 yrs. & upwds.	320	347	296	312	292	270	302	345	278	312	290	287	268	3919
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	50	51	47	47	35	32	37	31	36	23	30	28	27	474
Scarlet Fever - -	3	6	5	3	3	2	8	4	5	2	5	1	4	51
Diphtheria - -	2	5	5	7	2	5	3	7	8	4	8	6	6	62
Whooping-cough -	37	29	23	32	25	21	23	19	27	14	18	19	13	300
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	1	3	1	1	2	2	1	2	4	2	4	1	26
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	15	21	8	23	11	14	17	14	18	12	23	26	37	239
All above diseases -	109	113	91	113	78	76	90	76	96	59	86	84	88	1159
Dis. of Resp. System	64	64	55	42	55	54	44	51	46	48	50	48	48	669
Pneumonia - -	98	110	82	52	74	68	73	80	85	63	74	65	73	997
Phthisis - - -	89	104	81	97	87	90	94	84	78	82	99	81	83	1154
Dis. of Circ. System -	127	145	154	153	144	138	159	183	128	158	150	138	121	1898
Violence - - -	57	49	56	48	49	55	53	46	44	43	50	43	48	646
Inquest Cases - -	130	106	118	109	101	113	101	114	95	103	119	94	112	1415
Deaths in Institutions	477	498	430	464	464	442	471	455	446	437	459	437	438	5918
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	57·8	56·9	62·2	58·8	62·3	56·5	55·2	57·9	59·2	58·8	60·2	60·7	62·7	59·2
Mean of Highest -	69·1	67·6	72·0	68·9	75·0	66·0	63·7	67·4	67·7	68·3	71·5	70·8	73·7	69·4
Mean of Lowest -	49·2	49·0	55·3	49·8	53·0	50·2	50·2	52·2	53·2	52·0	52·2	51·1	53·5	51·8
Mean Humidity of the Air.	75	77	86	77	75	76	84	81	85	77	77	85	75	80
Rain-fall (in inches) -	0·08	0·27	0·44	0·01	1·11	1·00	1·29	0·01	1·22	0·35	0·85	0·18	0·19	7·00
Registered Sunshine (in hours).	60·2	26·8	28·4	52·7	52·3	33·5	18·0	31·5	17·6	29·5	49·6	27·7	52·7	493·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	2	1	3	3	3	1	1	-	-	1
Scarlet Fever - -	1445	1461	1401	1563	1353	1378	1439	1530	1548	1563	1523	1490	1423	1455
Diphtheria - - -	742	728	753	729	711	674	628	646	626	619	584	534	591	663
Typhus - - -	-	-	1	1	1	1	1	1	1	-	-	-	-	1
Enteric Fever - -	60	61	54	53	47	47	49	50	50	46	46	46	52	51

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull: the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-THIRD Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectio should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 33rd week of the 5 years 1905-1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES	1319·2	952	184	110	58	130	202	268
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	28·1	27	4	22	1	–	–	–
Scarlet Fever	8·6	4	–	2	2	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	2·7	5	2	–	–	–	1	2
Whooping-cough	18·6	13	5	8	–	–	–	–
Diphtheria	10·6	6	–	5	1	–	–	–
Cerebro-spinal Fever ..	0·6	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·5	1	–	–	–	1	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	147·8	20	10	6	3	1	–	–
Diarrhœa, Dysentery ..	79·3	17	11	3	–	–	1	2
Tetanus	0·6	2	–	–	1	–	1	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·4	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	8·0	4	3	–	–	1	–	–
Puerperal Septicæmia ..	1·6	1	–	–		1	–	–
Puerperal Pyæmia.. .	0·4	–	–	–	–	–		
Puerperal Fever	0·4	–	–	–	–	–	–	–
Infective Endocarditis ..	2·5	8	–	–	1	5	2	–
Pneumonia: Lobar ..	10·9	11	–	3	–	1	2	5
Pneumonia: Broncho ..	31·1	34	13	15	–	2	2	2
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	34·6	28	7	3	2	4	8	4
Erysipelas	3·7	1	1	–	–	–	–	–
Septicæmia (not Puerperal)	0·6	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	0·6	1	–	–	1	–	–	–
Other Infective Processes	3·3	2	1	–	–	–	1	–
Tuberculous Phthisis ..	69·4	66	2	1	4	38	17	4
"*Phthisis*"	36·9	22	–	–	2	8	11	1
Tuberculous Meningitis ..	21·9	15	2	8	3	1	1	–
Tuberculous Peritonitis ..	10·0	9	4	3	1	–	1	–
Tabes Mesenterica	2·5	2	1	1	–	–	–	–
Tuberculous Dis., Other ..	15·2	10	1	3	4	1	1	–
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	9·0	10	–	–	–	2	6	2
Rheumatic Fever	3·7	8	–	–	4	1	2	1
Gout	1·2	–	–	–	–	–	–	–
Carcinoma	60·0	53	–	–	–	3	25	25
Sarcoma	5·7	6	–	2	–	1	3	–
Cancer (undefined) ..	28·3	25	1	–	–	1	16	7
Diabetes Mellitus	6·8	9	–	–	–	–	2	7
Premature Birth	44·0	35	35	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 33rd week of the 5 years 1905-1909.	1910—Deaths of Persons of the Ages				
		ALL AGES.	Under 20.			20 and under 40.
			0-1.	1-5.	5-20.	
Meningitis (not tuberc.)..	14·7	14	2	4	5	–
Gen. Par. of Insane, Insanity	14·1	9	–	–	–	5
Epilepsy	6·3	5	–	1	–	2
Convulsions	12·7	10	9	1	–	–
Locomotor Ataxy.. ..	1·6	1	–	–	–	–
Paraplegia, Dis. of Cord.	5·7	2	–	–	–	1
Nervous Sys., Other Dis.	15·6	10	–	–	–	1
Valv. Dis., Endocarditis..	37·1	29	–	–	6	3
Cereb. Hæm. Cereb. Emb.	27·6	25	–	–	1	1
Apoplexy, Hemiplegia ..	9·4	6	–	–	–	–
Aneurysm	3·7	–	–	–	–	–
Embolism, Thrombosis (not Cerebral) ..	0·8	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	59·4	61	–	–	–	6
Croup (not Spasm: nor Memb.)	0·4	1	–	1	–	–
Bronchitis	35·4	36	10	2	–	–
Emphysema, Asthma ..	2·0	2	–	–	–	–
Pleurisy	4·1	6	–	1	2	1
Respiratory Dis., Other..	7·2	3	–	1	–	–
Tonsillitis, Quinsy.. ..	0·8	–	–	–	–	–
Enteritis (not Epid.) ..	24·4	6	5	1	–	–
Gastro-enteritis	27·2	12	6	1	1	1
Peritonitis (not Puerp.) ..	1·6	1	–	–	–	–
Cirrhosis of Liver.. ..	13·1	15	–	–	–	2
Liver Dis., Other	6·3	5	–	–	–	–
Digestive Sys., Other Dis.	36·0	24	4	1	5	4
Acute Nephritis	5·9	11	–	1	–	1
Bright's Dis., Albuminuria	30·3	27	–	1	–	4
Urinary Sys., Other Dis.	7·2	9	–	–	–	–
Generative Organs Dis...	3·9	3	–	–	–	2
Childbirth (Accid. of) ..	3·5	3	–	–	–	3
Old Age	39·9	40	–	–	–	–
Other Diseases	94·9	73	40	7	5	7
ACCIDENT.						
By Railways	1·2	3	–	–	–	1
By Vehicles and Horses..	7·0	9	–	2	–	4
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–
In Building Operations..	1·2	2	–	–	–	–
In Conflagrations	–	–	–	–	–	–
By Burns, Scalds, Explosions	3·3	1	–	–	1	–
By Drowning	7·6	5	–	–	2	–
By Suffocation in Bed ..	3·7	5	5	–	–	–
By Poisons or Poisonous Vapours	1·8	–	–	–	–	–
Other Deaths by Accident..	14·9	9	–	–	–	3
VIOLENCE OTHER THAN ACCIDENTAL.						
Homicide	0·8	–	–	–	–	–
Suicide	10·6	14	–	–	–	6
Execution	0·6	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the diffic y experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th August, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
LONDON	4,536,267	2303	952	184	268	-	27	4	6	13	1	37	88	48	112	438	4
WEST DISTRICTS	805,311	317	167	36	46	-	5	1	1	4	-	7	13	11	19	85	-
NORTH DISTRICTS	1,055,908	500	192	30	72	-	9	-	-	3	-	4	19	6	13	98	-
CENTRAL DISTRICTS	209,465	97	64	16	10	-	1	-	1	1	-	2	5	3	7	36	-
EAST DISTRICTS	715,739	472	161	43	31	-	1	-	1	3	-	7	12	7	25	89	-
SOUTH DISTRICTS	1,749,844	917	341	58	100	-	11	3	3	2	1	16	34	21	48	103	4
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	27	1	9	-	-	-	-	-	-	1	5	-	-	27	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	37	8	1	6	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	20	20	4	7	-	-	-	-	-	-	2	2	-	2	16	-
South Paddington	30,320	4	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-
Kensington South *W,3H*	85,610	16	13	2	6	-	-	-	-	1	-	-	-	-	1	9	-
Kensington Central *W,H*	42,774	19	7	-	1	-	1	-	-	-	-	-	2	-	-	2	-
Kensington North *w*	48,244	20	13	2	4	-	-	-	-	1	-	-	1	-	-	5	-
North Hammersmith 2*W,w,H* ..	49,192	40	5	2	1	-	-	-	-	1	-	-	-	-	-	2	-
South Hammersmith *w,2H* ..	63,047	22	10	2	1	-	-	-	-	-	-	-	-	2	2	7	-
North-west Fulham *W*	45,180	40	12	5	1	-	-	-	-	-	-	3	1	2	2	10	-
North-east Fulham *F*	46,405	28	14	5	1	-	3	1	1	1	-	-	1	1	4	3	-
South Fulham *W*	45,704	19	8	1	3	-	-	-	-	-	-	-	1	-	-	-	-
Chelsea North *W,w,3H*	42,514	12	[illegible]	-	[illegible]	-	-	-	-	-	-	-	4	2	2	10	-
Chelsea South *W,2H*	31,328	10	[illegible]	3	-	-	1	-	-	-	-	1	-	1	1	5	-
Mayfair and Knightsbridge	28,743	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	14	10	1	1	-	-	-	-	-	-	-	1	2	2	7	-
St. Margaret & St. John *6H*	43,698	14	16	6	4	-	-	-	-	-	-	1	-	-	2	9	-
St. James and St. Anne *W,6H* ..	33,081	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	9	17	1	8	-	-	-	-	-	-	-	2	1	2	13	-
St. Mary Marylebone *W,4H* ..	37,948	45	4	1	3	-	-	-	-	-	-	1	-	-	-	1	-
Christchurch Marylebone *H* ..	39,536	21	4	1	2	-	-	-	-	-	-	1	-	1	1	-	-
St. John Marylebone *2H*	20,426	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	30	12	1	2	-	1	-	-	-	-	-	3	-	-	7	-
West St. Pancras *2H*	60,562	34	8	3	2	-	-	-	-	-	-	-	-	-	1	4	-
South St. Pancras *w,10H*	55,707	25	14	2	4	-	-	-	-	-	-	-	2	-	-	12	-
East St. Pancras *W,H*	60,320	32	15	2	4	-	4	-	-	-	-	-	-	1	1	7	-
North St. Pancras *2W*	58,728	20	16	4	6	-	1	-	-	1	-	1	2	-	1	7	-
Tufnell *W*	31,995	17	18	-	11	-	-	-	-	-	-	-	3	1	1	15	-
Upper Holloway *2W,w,H*	33,978	16	11	1	6	-	-	-	-	-	-	1	2	-	2	9	-
Pollington *2W,w,H*	33,922	14	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Lower Holloway	41,424	25	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Barnsbury	54,478	34	6	3	-	-	2	-	-	-	-	-	1	-	-	-	-
Islington South-east *F*	75,397	32	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Highbury *2H*	63,797	11	6	1	2	-	-	-	-	1	-	-	-	-	-	1	-
Stoke Newington *H*	51,247	24	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	19	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	24	5	-	4	-	-	-	-	-	-	-	1	-	1	-	-
South-west Hackney *3H*	59,921	25	12	3	2	-	-	-	-	-	-	-	1	1	1	8	-
South-east Hackney *2W,w,H* ..	58,255	35	19	6	6	-	-	-	-	1	-	-	1	1	2	13	-
Hackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, a from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEV DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturd 20th August, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	16	5	1	1	-	1	-	-	-	-	-	1	-	1	2
Strand *W*,4*H*	21,674	2	7	-	-	-	-	-	-	-	-	-	1	-	-	6
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Holborn *W*,5*H*	29,612	11	20	7	1	-	-	-	-	1	-	2	3	-	1	17
Clerkenwell *H*	63,704	42	8	3	3	-	-	-	-	-	-	-	-	-	-	-
St. Luke 3*H*,*L*	36,116	25	8	4	1	-	-	-	-	-	-	-	-	-	1	1
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	-	15	1	3	-	-	-	1	-	-	-	-	3	4	9
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	25	6	4	2	-	-	-	-	-	-	-	-	1	2	1
Shoreditch North-West *W*,*w*,*H* ..	36,127	25	11	1	1	-	-	-	-	-	-	-	2	1	2	8
Shoreditch North-East	36,148	22	3	1	2	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	46	24	6	6	-	-	-	1	-	-	-	3	2	3	14
Bethnal Green South-West *H* ..	64,542	33	6	3	1	-	-	-	-	1	-	-	-	-	1	-
Spitalfields..	27,969	13	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Mile End New Town *W*,*H*	28,718	23	39	9	3	-	-	-	-	-	-	1	-	1	4	37
Goodman's Fields	22,081	10	1	-	-	-	-	-	-	-	-	-	1	-	-	-
St. George and St. John 2*W* ..	49,068	50	7	3	-	-	-	-	-	-	-	-	1	-	-	3
Shadwell and Ratcliff *w*,*H* ..	25,568	11	8	2	1	-	1	-	-	2	-	1	-	-	3	3
Limehouse *W*	32,369	29	3	1	1	-	-	-	-	-	-	-	-	1	1	-
Mile End Old Town South-Western *H*	63,698	49	6	3	1	-	-	-	-	-	-	-	1	-		1
Mile End Old Town North-Eastern *W*,*w*	49,129	29	8	1	2	-	-	-	-	-	-	1	1	-	-	4
Bow	41,989	35	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Bromley 3*w*,*H*	68,319	47	28	6	8	-	-	-	-	-	-	3	2	1	6	17
Poplar *W*,*w*	58,514	25	7	2	2	-	-	-	-	-	-	-	1	-	1	1
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

BLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th August, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	7	18	3	2	-	2	-	-	-	-	1	-	4	5	14	-
Kent-road	21,904	12	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	18	14	2	3	-	2	-	-	1	-	1	1	-	2	9	-
Newington North	49,022	24	10	6	-	-	1	-	-	-	-	-	1	1	3	-	1
Newington South *W*	72,841	37	7	1	1	-	1	-	-	-	-	-	1	-	-	1	-
St. Olave *2W*	9,817	4	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Bermondsey *W*	82,483	40	18	6	3	-	1	-	-	-	-	3	1	2	3	-	-
Rotherhithe *W,F*	38,460	18	11	1	2	-	-	-	-	-	-	1	3	-	-	9	-
Waterloo *2H*	27,440	37	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-
Lambeth Church *H*	27,440	12	12	3	1	-	-	-	-	-	-	1	-	1	3	6	-
Kennington *2W*	52,518	30	15	-	8	-	1	-	-	-	-	-	1	1	1	13	-
Stockwell *HF*	63,826	43	15	2	5	-	1	1	2	-	-	-	-	-	-	4	-
Brixton *H*	73,673	36	10	2	4	-	-	-	-	-	-	-	1	-	2	2	-
Norwood *2WH*	56,998	28	9	1	5	-	-	-	-	-	-	-	1	-	1	-	-
East Battersea *H*	72,203	40	3	1	2	-	-	-	-	-	-	-	-	-	2	-	-
North-west Battersea	49,656	30	10	3	-	-	-	-	-	-	-	2	2	1	1	-	-
South-west Battersea *2W,H* ..	47,048	20	14	1	6	-	-	-	-	1	-	-	3	2	2	6	-
Clapham *2H*	51,361	27	7	1	3	-	-	-	-	-	-	-	2	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	63	21	3	9	-	-	-	1	-	-	-	1	3	4	3	1
Springfield *2W,L*	27,959	19	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-
Southfields *H*	40,444	20	4	2	1	-	-	-	-	-	-	2	-	-	1	1	-
Putney	24,139	10	9	-	4	-	-	-	-	-	-	-	1	1	1	-	-
Dulwich	13,359	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	22	17	-	9	-	1	-	-	-	-	-	1	1	1	9	-
Camberwell North *W,2L*	65,584	26	14	2	2	-	-	-	-	-	-	1	3	-	1	8	1
St. George	47,331	29	5	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Peckham North	48,913	28	5	-	2	-	-	-	-	-	-	-	1	-	-	-	-
Peckham South *2W,w*	43,946	23	5	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Deptford North* *F*	49,004	24	6	-	2	-	-	1	-	-	-	-	1	-	-	1	1
Deptford East*	29,781	20	6	4	-	-	-	-	-	-	-	1	-	2	2	-	-
Deptford South*	38,934	13	6	1	1	-	-	-	-	-	-	1	1	-	1	-	-
Greenwich West *H*	23,456	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	17	16	1	3	-	-	-	-	-	1	1	2	1	3	9	-
Eltham *w,H*	7,226	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	6	5	-	3	-	-	-	-	-	-	-	2	-	1	-	-
Lewisham *2W,w,F*	58,352	36	12	5	1	-	-	-	-	-	-	-	1	1	1	4	-
Sydenham *H*	43,653	23	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	5	3	-	2	-	-	1	-	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	22	6	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead West *W,H*	39,376	15	5	-	2	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead East *2W*	28,951	13	7	1	2	-	-	-	-	-	-	1	-	-	3	2	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	6	-	4	-	-	-	-	-	-	-	2	-	-	6	-
London County Lunatic Asylums:—																	
Banstead	—	-	3	-	-	-	-	-	-	-	-	-	1	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	2	-	1	-	-	-	-	-	-	-	1	-	-	2	-
Cane Hill	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell	—	-	3	-	1	-	-	-	-	-	-	-	1	-	-	3	-
Colney Hatch	—	-	6	-	2	-	-	-	-	-	-	1	-	-	-	6	-
Claybury	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-

* On 1st August, 1910, the boundaries of the sub-districts of Deptford North, Deptford Central, and Deptford South were altered, the sub-district of Deptford Central being re-named Deptford East.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongi the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums H Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMER POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 20 th August, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
	LONDON—OUTER RING ..	368,603	2,045,135	1336	398	79	127	1	1	1	2	6	1	13	22	46	95
31 : 1	Carshalton 2F,3H	12,228	32,997	10	7	-	2	-	-	-	-	-	-	-	1	1	2
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	11	4	1	1	-	-	-	-	-	-	-	-	1	-
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	5	2	-	1	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	7	2	1	-	-	-	-	-	-	-	-	-	1	-
2	South Croydon w,H ..	4,200	49,309	15	5	-	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	30	14	5	4	-	-	-	-	-	-	-	1	3	7
4	North Croydon H	2,644	41,698	24	10	2	3	-	-	-	-	-	-	-	-	2	-
5	Penge w	770	22,465	13	2	-	-	-	-	-	-	-	-	-	-	1	-
6	Mitcham w	11,711	30,015	23	9	3	3	-	-	-	-	2	-	1	-	-	-
40 : 1	Wimbledon F,3H	3,221	41,652	26	9	1	5	-	-	-	-	-	-	1	-	2	3
2	Kingston 2W,H	6,224	42,068	19	12	2	3	-	-	-	-	-	-	-	-	-	6
3	Surbiton F,H	3,046	15,017	8	1	-	1	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	16	2	-	2	-	-	-	-	-	-	-	-	-	1
5	Hampton H,F,L	4,564	23,456	16	3	-	2	-	-	-	-	-	-	-	-	1	-
41 : 1	Richmond W,H	2,491	31,672	14	7	-	5	-	-	-	-	-	-	-	2	3	2
2	Mortlake F	2,518	17,821	19	2	-	1	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	18	5	-	2	-	-	-	-	-	-	-	-	-	1
2	Beckenham H	7,832	28,454	15	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	11	6	1	2	-	-	-	-	-	-	-	-	1	4
4	Chislehurst 2H	7,333	16,446	5	4	2	2	-	-	-	-	-	-	-	1	1	1
43 : 1	Bexley w,F,H	8,678	21,151	10	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,354	25,296	18	2	1	1	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
126 : 1	Sunbury w	11,054	18,683	13	3	-	2	-	-	-	-	-	1	-	-	-	-
2	Staines W,H	13,277	15,178	11	4	2	-	-	-	-	-	-	-	1	1	1	-
127 : 1	Hillingdon W,F,H	6,035	13,661	5	3	-	1	-	-	-	-	-	-	-	-	-	1
2	Uxbridge H	12,757	8,984	3	2	1	1	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	15	2	-	1	-	-	-	-	-	-	-	-	1	-
128 : 1	Isleworth 3W,3F,H	6,859	30,863	24	9	4	3	-	-	-	-	-	-	2	-	-	3
2	Twickenham F,2H	2,421	20,991	20	2	-	-	-	1	-	-	-	-	-	-	-	-
3	Hanwell† w,2H	4,108	11,257	7	2	-	2	-	-	-	-	-	-	-	-	-	-
4	Brentford† 3F,2H	4,038	48,202	34	10	2	3	-	-	-	-	-	-	1	3	3	3
5	Chiswick H	1,249	29,809	23	4	1	2	-	-	-	-	-	-	-	-	-	-
6	Acton† F,H	2,305	37,744	21	8	1	4	-	-	1	-	-	-	-	1	1	2
129 : 1	Willesden W,F,2H	4,384	114,811	75	18	4	4	-	-	-	-	-	-	1	1	2	1
130 : 1	Harrow F,H	13,809	25,523	23	3	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	20	9	2	4	-	-	-	-	-	-	-	-	-	6
131 : 1	South Mimms 2F,H ..	17,755	7,308	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	2	-	2	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,668	33,692	14	4	-	3	-	-	-	-	-	-	-	-	-	-
132 : 1	Hornsey F,H	2,875	72,056	29	3	-	1	1	-	-	1	-	-	-	-	-	1
2	Wood Green H	1,625	34,233	29	5	2	1	-	-	-	-	1	-	-	-	-	-
3	West Tottenham	995	48,741	40	3	1	1	-	-	-	1	-	-	-	1	1	-
4	East Tottenham 2H ..	2,013	53,962	49	19	5	5	-	-	-	-	-	-	-	3	3	4
5	Edmonton W,w,2F	7,491	61,892	52	22	8	5	-	-	-	-	2	-	1	-	1	12
6	Enfield 2W,F,H	12,661	42,738	23	11	1	4	-	-	-	-	-	-	1	1	2	-
7	Waltham Abbey F	11,017	6,549	5	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	6	2	-	-	-	-	-	-	-	-	-	-	-	1
138 : 1	Hatfield, *part of** W ..	3,305	664	1	1	-	1	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** H ..	9,195	7,051	3	1	-	-	-	-	-	-	-	-	-	-	-	1
2	Watford, *part of** W,2F ..	138	2,122	1	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	53,974	30	8	2	1	-	-	-	-	-	-	-	2	4	1
2	Forest Gate	787	52,745	21	10	4	3	-	-	-	-	-	-	-	-	1	-
3	Plaistow F,2H	1,243	90,921	56	11	6	3	-	-	-	-	1	-	-	1	1	2
4	Canning Town H	1,556	70,718	51	20	5	1	-	-	-	-	-	-	2	1	2	2
5	South East Ham 2F ..	1,991	37,342	47	8	-	2	-	-	-	-	-	-	-	1	1	1
6	North East Ham w,H ..	1,333	58,666	27	9	1	2	-	-	-	-	-	-	1	-	-	1
7	Wanstead F	1,679	9,179	6	1	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	34	11	-	7	-	-	-	-	-	-	-	-	1	4
9	North Leyton 2W,w,F ..	1,963	48,445	46	24	3	9	-	-	-	-	-	-	-	-	1	15
10	Walthamstow 2H,L ..	6,504	108,929	71	14	2	1	-	-	-	-	-	-	1	1	2	1
189 : 1	Chigwell 2F,3H	11,778	16,397	7	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	-	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	26	6	2	2	-	-	-	-	-	-	-	-	-	1
3	Barking Town F	3,805	21,547	23	4	-	2	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	3	-	-	-	-	-	-	-	-	-	-	-	3

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Out Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Est parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting t part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ri in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
NDON* - -	4,872,702	August 20	2303	952	10·2	-	27	4	7	13	1	40
LCUTTA - -	1,009,008	July 23	-	317‡	16·3	-	-	-	-	-	5	7
MBAY - -	977,822	August 2	387	658‡	35·0	4	3	-	-	-	10	74
DRAS - -	509,346	July 22	391	372	37 9	-	-	?	?	?	-	42
RIS* - -	2,772,467	August 6	944	720	13·6	-	6	3	7	5	4	28
JSSELS* - -	720,030	" 13	201	164	11·8	-	-	-	-	1	2	18
WERP* - -	317,171	" 13	96	50	8·2	-	-	2	-	-	-	6
STERDAM* -	570,669	" 6	289	100	9·1	-	4	-	-	1	1	3
ENHAGEN -	450,000	" 13	246	116	13·4	-	2	2	-	1	-	36
CKHOLM -	341,816	" 6	172	100	15·2	-	-	1	-	1	1	5
RISTIANIA -	240,178	" 13	95	50	10·8	-	-	-	-	-	-	4
PETERSBURG	1,620,000	July 23	713	734‡	23·6	8	21	9	9	2	18	140
SCOW - -	1,493,600	" 30	-	889‡	31·0	4	11	15	20	3	3	334
		August 6	-	859‡	30·0	4	15	15	18	1	4	314
LIN - -	2,120,562	July 30	757	538	13·2	-	7	1	5	6	5	96
MBURG - -	895,804	August 13	-	244	14·2	-	1	-	1	2	4	66
SLAU - -	507,500	" 6	-	194	19·9	-	3	1	2	2	1	31
NICH - -	576,000	" 6	272	167	15·1	-	3	1	-	5	-	16
NNA* - -	2,107,981	" 13	820	553	13·6	-	2	1	3	2	1	68
GUE* - -	497,905	July 23	148	113	14·9	-	-	-	2	-	2	7
		" 30	183	130	13·6	-	2	1	1	-	2	7
APEST* -	833,703	August 6	404	334	20·8	-	5	8	2	1	10	53
ESTE* - -	221,124	" 13	112	88	20·7	-	-	1	-	1	1	22
E - - -	587,096	June 25	258	204	18·1	-	10	-	2	-	2	28
ICE - -	183,224	July 23	82	82	23·3	-	-	-	1	2	1	13
		" 30	95	64	18·2	-	-	-	-	-	-	17
AREST - -	297,643	" 9	154	170	29·8	-	-	-	-	-	-	40
		" 16	169	180	31·5	-	-	11	-	1	3	46
W YORK* -	4,711,956	" 30	2,477	1698	18·8	-	8	3	21	14	17	384
AGO* - -	2,282,927	" 30	-	701	16·0	-	6	5	14	1	9	181
LADELPHIA*	1,598,400	June 4	-	433	14·1	-	1	5	10	3	4	24
		" 11	-	526	17·1	-	5	1	7	7	5	38
DE JANEIRO	842,822	July 3	-	339	21·0	-	9	-	1	4	-	?
		" 10	-	310	19·2	-	1	-	-	-	2	-
AO :—*												
yptians -	616,213	" 15	571	618	51·8	-	20	-	3	?	3	191
reigners -	61,480	" 15	3	9	7·5	-	-	-	-	?	-	2
XANDRIA :—*												
yptians -	317,454	" 15	219	233	38·0	-	4	-	-	?	3	75
reigners -	67,966	" 15	7	21	15·9	-	-	-	1	?	1	2

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to ren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 19 deaths from *plague* in Calcutta and 38 in Bombay, and from *Asiatic cholera*, 18 deaths in Calcutta, 1 in bay, 54 in St. Petersburg, and 1 and 6 in Moscow.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 20th August, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
ON (Greenwich)	75·8	51·4	63·6	0·19	BRADFORD - -	71·9	52·1	60·5	0·98
HTON - -	72·0	53·6	62·3	0·13	YORK - - -	75·0	47·0	60·8	0·84
SMOUTH - -	71·0	53·0	64·0	0·16	HULL - - -	75·0	52·0	62·6	0·90
VICH - -	73·0	51·0	62·6	0·17	TYNEMOUTH - -	70·0	50·0	59·2	0·72
OUTH - -	72·0	54·5	62·7	0·91	CARDIFF - - -	72·7	51·6	61·8	1·82
OL - - -	74·0	53·0	62·5	1·77	EDINBURGH - -	68·8	50·7	59·2	0·85
INGHAM - -	70·7	50·6	61·2	0·86	GLASGOW - -	70·0	51·2	59·9	1·47
INGHAM - -	74·0	49·0	62·2	0·77	DUBLIN Phœnix Park.	71·0	41·8	58·8	1·18
RPOOL SERVATORY.	71·0	52·0	61·2	0·92	DUBLIN Fitzwilliam Square.†	69·2	52·1	60·3	1·12
HESTER -	74·0	49·7	61·5	1·36					
LLEY - -	72·0	52·8	60·1	1·81					
DERSFIELD -	73·8	52·0	60·9	0·87	BELFAST - - -	69·0	51·8	60 1	1·31

t the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to eventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The ection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the 3 was 1·7 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 20th August, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.		in.	°	°	°	°		°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 14	..	29·812	75·0	52·1	22·9	63·4	+ 0·9	59·1	4·3	13·4	0·2	86	137·5	47·0	60·78	Calm & SE.	SE., E. & ESE.	2·0	0·0	0·1	168	− 88	0·00	11·3
MONDAY - 15	..	29·716	74·5	56·7	17·8	65·0	+ 2·6	51·7	13·3	20·9	1·9	62	130·8	46·8	60·88	SE., ESE. & WSW.	W. & WSW.	4·8	0·0	0·5	397	+145	0·00	8·2
TUESDAY - 16	..	29·914	75·8	51·4	24·4	62·3	0·0	52·8	9·5	21·5	0·6	71	139·3	41·0	61·10	SW. & WSW.	SW. & SSW.	2·1	0·0	0·1	265	+ 17	0·00	10·8
WEDNESDAY 17	Greatest Dec. S.	29·820	70·1	53·3	16·8	60·4	− 1·7	56·6	3·8	14·2	1·4	87	116·4	40·2	61·20	SSE., S. & SSW.	SSW. & SW.	4·8	0·0	0·3	324	+ 80	0·01	12·5
THURSDAY - 18	..	29·806	73·1	52·1	21·0	61·6	− 0·3	51·9	9·7	19·6	1·2	70	134·4	45·1	61·30	WSW. & SW.	SW. & SSW.	3·1	0·0	0·2	317	+ 78	0·00	13·4
FRIDAY - 19	..	29·646	74·0	56·0	18·0	63·5	+ 1·8	51·9	11·6	22·1	5·3	66	136·2	48·5	61·30	SSW. & WSW.	WSW. & SW.	7·7	0·0	0·9	544	+307	0·17	12·8
SATURDAY - 20	Full	29·787	73·5	53·1	20·4	62·7	+ 1·2	57·0	5·7	12·2	2·0	82	130·3	47·1	61·35	SW. & SSW.	SSW. & SW.	5·6	0·0	0·3	384	+148	0·01	18·3
MEANS - -		29·786	73·7	53·5	20·2	62·7	+ 0·6	54·4	8·3	17·7	1·8	75	132·1	45·1	61·13	SW.		..	..	..	Sum 2399	Sum +687	Sum 0·19	12·5
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 14	w. P. throughout.	5·6	14·7	Very fine until sunrise; generally cloudy afterwards; overcast occasionally in morning; warm evening.
MONDAY - 15	w. P. till 4h. P.M.; afterwards m. P.	10·6	14·6	Very cloudy until 10h. A.M. after a warm night; afterwards fine and partially cloudy. Solar halo in afternoon; rather windy.
TUESDAY - 16	w. P. and m. P. generally.	9·5	14·6	Fine and partially cloudy throughout. Solar halo in afternoon; lunar halo in evening.
WEDNESDAY 17	w. P. throughout.	2·4	14·5	Nearly cloudless until 6h. A.M.; then nearly overcast with a few fine intervals; occasional light showers morning and afternoon; fine again after 7h. P.M. with very little cloud.
THURSDAY - 18	w. P. throughout.	8·9	14·4	Very fine in early morning; gradually clouding up by noon and becoming overcast generally after 3h. P.M. Solar halo morning and afternoon.
FRIDAY - 19	w. P. generally; a little m. P.	10·9	14·4	Overcast until 6h. A.M. with rain at 2h. A.M. and after 3h. 30m. A.M.; fine and partially cloudy after 6h. A.M.; breezy until evening; nearly cloudless by 9h. P.M.
SATURDAY - 20	w. P. generally.	4·8	14·3	Fine generally with cloudy intervals; nearly cloudless before 2h. A.M. and after 9h. P.M.; breezy during day time; misty rain in afternoon; close in evening.
		Sum 52·7	Sum 101·5	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·93 in. at the beginning of the week to 29·55 in. by 6h. A.M. on 15th; increased to 29·94 in. by 11h. P.M. on 16th; decreased to 29·79 in. by 7h. P.M. on 17th; increased to 29·87 in. by 9h. A.M. on 18th; decreased to 29·54 in. by 6h. A.M. on 19th; increased to 29·84 in. by 9h. A.M. on 20th; and decreased to 29·73 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 13th August, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	3	2	-	1	-	-	1	-	-
Kensington	184,635	-	2	4	-	3	-	-	3	-	-
Hammersmith	127,413	-	4	1	-	-	-	-	1	-	-
Fulham	181,282	-	3	5	-	-	-	-	2	-	-
Chelsea	75,457	-	1	1	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	6	5	-	3	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	6	1	-	-	-	-	6	-	-
Hampstead	95,729	-	-	-	-	-	-	-	-	-	-
St. Pancras	237,792	-	8	5	-	4	-	-	4	-	-
Islington	353,356	-	11	2	-	1	-	-	4	1	-
Stoke Newington	54,838	-	3	1	-	-	-	-	-	-	-
Hackney	239,979	-	6	4	-	-	-	-	4	-	-
CENTRAL.											
Holborn	53,142	-	3	-	-	1	-	-	-	-	-
Finsbury	94,578	-	-	4	-	-	-	-	4	-	-
City of London	17,132	-	-	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	1	2	-	-	-	-	3	-	-
Bethnal Green	131,579	-	6	6	-	-	-	-	2	-	-
Stepney	314,379	-	14	8	-	2	-	-	7	1	-
Poplar	172,432	-	11	5	-	-	-	-	6	-	-
SOUTH.											
Southwark	211,832	-	8	4	-	1	-	-	5	1	-
Bermondsey	127,238	-	7	4	-	-	-	-	4	-	-
Lambeth	327,074	-	20	8	-	1	-	-	6	-	-
Battersea	188,222	-	9	2	-	-	-	-	2	2	-
Wandsworth	305,838	-	9	3	-	1	-	-	1	1	-
Camberwell	286,058	-	10	2	-	1	-	-	5	-	-
Deptford	119,642	-	1	2	-	-	1	-	3	-	-
Greenwich	112,935	-	4	4	-	-	-	-	2	-	-
Lewisham	164,899	-	8	2	-	-	-	-	-	-	-
Woolwich	135,422	-	12	2	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	176	90	-	19	1	-	77	6	-
Ages 0-1		-	-	3	-	-	-	-	1	-	-
" 1-5		-	53	37	-	2	1	-	4	-	-
" 5-		-	80	21	-	1	-	-	2	-	-
" 10-		-	21	13	-	1	-	-	3	-	-
" 15-		-	9	8	-	4	-	-	4	-	-
" 20-		-	5	2	-	4	-	-	3	2	-
" 25-		-	3	6	-	3	-	-	4	1	-
" 35-		-	4	-	-	2	-	-	16	3	-
" 45-		-	1	-	-	2	-	-	16	-	-
" 55-		-	-	-	-	-	-	-	9	-	-
" 65 and upwards		-	-	-	-	-	-	-	15	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns relating to Metropolitan Water London.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of July, 1910. The supply was in the ratio of 216 gallons to one service. The area of supply of the Metropolitan Water Board is much more extensive than that of the Administrative County of London, the Water Board's statutory area of supply being over 537 sq. miles, as against 117 sq. miles of the County.*

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	July, 1909.	July, 1910.	July, 1909.	July, 1910.
Total - - - - - -	1,092,780*	1,092,412*	238,629,453*	236,057,400*
New River - - - - - - -	215,461	217,544	46,058,329	45,857,300
Eastern - - - - - - -	245,309	247,739	47,084,838	49,128,600
Western { Chelsea, Grand Junction, West Middlesex } - -	223,656	225,606	59,372,203	60,311,300
Southern { Lambeth - - - Southwark and Vauxhall }	288,502*	280,746*	64,209,917*	60,485,800*
Kent - - - - - - - -	119,852	120,777	21,904,166	20,274,400

* The figures for July, 1910, are exclusive of bulk supply to the Cheshunt Urban District Council and the Corporations of Croydon and Richmond and of services under their control. Those for July, 1909, however, include supply and services in Croydon and Richmond but not in Cheshunt. The figures marked with an asterisk are, therefore, not strictly comparable.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 34. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, AUG. 27. [Price 1½*d.*

General Register Office, Somerset House,
August 29th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 12·1 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 10·7, 11·1, and 11·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 16·4 in Newcastle on Tyne, 16·6 in Smethwick, in Blackburn, and in Tynemouth, 17·0 in Birkenhead, 17·1 in Preston, 18·6 in Coventry, 19·3 in Huddersfield, 19·4 in Liverpool, 20·5 in Middlesbrough, and 20·7 in Hull; from *measles*, 1·1 in Oldham and in Rhondda, 1·8 in Tynemouth, and 2·5 in Barrow in Furness; from *whooping-cough*, 1·1 in Huddersfield and in Sheffield, and 1·6 in Northampton; and from *diarrhœa*, 4·1 in York, 4·3 in St. Helens, 5·2 in Bootle, 5·8 in Burnley, 6·0 in Birkenhead, 6·6 in Preston, 8·2 in Hull, and 8·8 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2268 BIRTHS and 1009 DEATHS were registered. Allowing for increase of population, the births were 182 and the deaths 356 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17459—41.) Wt. 91—429. 700. 8/10. D & S. G. 31. Sch. 4. 2 L

weeks of the previous five years. The annual death-rate from all causes, which had been 10·2, 10·3, and 10·2 per 1000 in the preceding three weeks, rose last week to 10·8. The death-rate in the four weeks ended last Saturday averaged 10·4 per 1000, being 3·6 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1009 deaths included 35 from measles, 3 from scarlet fever, 10 from diphtheria, 11 from whooping-cough, 1 from enteric fever, and 65 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 125 deaths were referred, being 201 below the corrected average number in the thirty-fourth week of the preceding five years.

The deaths from *measles*, which had been 30, 28, and 27 in the preceding three weeks, rose to 35 last week, and were 15 above the corrected average; 7 deaths belonged to the Borough of Bermondsey, 6 each to Stepney and Southwark, and 5 to St. Pancras. The deaths from *scarlet fever*, which had been 5, 1, and 4 in the preceding three weeks, were 3 last week, the corrected average being 8. The deaths from *diphtheria*, which had been 8, 6, and 6 in the preceding three weeks, rose to 10 last week, the corrected average being 11; 2 deaths belonged to Bethnal Green. The deaths from *whooping-cough*, which had been 18, 19, and 13 in the preceding three weeks, fell to 11 last week, and were 6 below the corrected average. One death from *enteric fever* was registered last week, as compared with 2, 4, and 1 in the preceding three weeks, the corrected average being 4. The deaths from *diarrhœa*, which had been 23, 26, and 37 in the preceding three weeks, further rose to 65 last week, but were 201 below the corrected average; 8 deaths belonged to Stepney, 7 to Poplar, and 6 each to Islington and Southwark. Of the 65 deaths from diarrhœa, 55 were those of children under 2 years of age; 12 other deaths at this age were certified as due to *enteritis* and 15 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 4, having been 4, 3, and 5 in the preceding three weeks.

Different forms of violence caused 34 deaths, concerning all of which inquests were held. Of these 34 deaths, 8 were cases of suicide, while the remaining 26 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 6 to drowning, and 3, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1447 cases of scarlet fever, 578 of diphtheria, 1 of typhus, and 59 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 159 cases, against 165, 163, and 143; of diphtheria, 76 cases, against 64, 80, and 77; and of enteric fever, 15 cases, against 7, 7, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended August 20th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3507 births and 1371 deaths were registered. Allowing for increase of population, these numbers are 391 and 609 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from measles, 1 from diphtheria, 2 from whooping-cough, 1 from enteric fever, and 15 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·69 inches, and that of the Thermometer 59°·9, the latter being 1°·0 below the week's average in the 65 years ended 1905. The general direction of the wind was South-westerly, the horizontal movement of the air being 29 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 37·1 hours; the measured rainfall amounted to 0·80 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 27th August, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 6th Aug., 1910.	13th Aug., 1910.	20th Aug., 1910.	27th Aug., 1910.	Rate from Diseases in Ocls. 11-17 Week ended 27th Aug., 1910.	Registered during the Week ended 27th Aug., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS‡	**16,940,895**	**10·7**	**11·1**	**11·5**	**12·1**	**2·2**	**3116**	**3930**	**1091**	**1013**	**–**	**77**	**22**	**33**	**65**	**7**	**516**	**113**	**249**	**1051**	**28**	**77 TOWNS.‡**
LONDON	4,872,702	10·2	10·3	10·2	10·8	1·3	2268	1009	214	313	–	35	3	10	11	1	65	34	80	466	1	LONDON.
CROYDON	164,485	8·2	8·6	8·9	7·6	1·0	69	24	5	11	–	–	–	2	–	–	1	1	2	7	–	CROYDON.
WILLESDEN ..	166,088	9·4	7·2	5·7	6·0	–	75	19	2	5	–	–	–	–	–	–	–	–	–	2	–	WILLESDEN.
HORNSEY‡.. ..	98,561	5·8	5·3	2·1	3·7	0·5	34	7	–	5	–	–	–	–	1	–	–	–	–	2	–	HORNSEY.‡
TOTTENHAM ..	132,803	11·4	10·6	11·4	8·6	–	61	22	4	5	–	–	–	–	–	–	–	3	7	7	–	TOTTENHAM.
WEST HAM ..	328,585	8·4	9·2	8·9	9·0	1·6	171	57	7	17	–	2	–	1	1	–	6	1	2	20	–	WEST HAM.
EAST HAM.. ..	156,208	6·3	8·3	6·3	6·0	1·0	70	18	1	7	–	1	–	1	–	–	1	–	3	5	–	EAST HAM.
LEYTON	133,436	4·7	3·5	7·4	5·5	0·8	45	14	1	5	–	1	–	–	1	–	–	3	4	5	–	LEYTON.
WALTHAMSTOW	141,748	5·5	5·1	5·9	5·1	0·4	65	14	4	4	–	–	–	–	–	–	1	1	3	2	–	WALTHAMSTOW.
HASTINGS	68,520	8·4	10·7	9·9	6·8	–	16	9	–	6	–	–	–	–	–	–	–	2	2	1	1	HASTINGS.
BRIGHTON	131,900	16·2	10·3	15·4	13·4	1·2	53	34	6	10	–	1	–	–	–	–	2	3	5	7	–	BRIGHTON.
PORTSMOUTH ..	217,989	9·6	13·9	9·1	10·3	1·2	113	43	10	13	–	–	1	2	–	–	2	–	2	8	–	PORTSMOUTH.
BOURNEMOUTH ..	73,947	7·1	11·3	6·3	10·6	–	29	15	1	4	–	–	–	–	–	–	–	–	1	3	–	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·1	10·7	11·1	11·1	1·6	55	27	4	10	–	–	–	–	1	1	2	–	1	10	–	SOUTHAMPTON.
READING	84,355	6·2	12·4	9·3	7·4	–	35	12	3	5	–	–	–	–	–	–	–	–	–	1	1	READING.
NORTHAMPTON ..	99,113	11·6	8·9	8·4	10·5	2·6	39	20	6	8	–	–	–	–	3	–	2	–	2	1	–	NORTHAMPTON.
IPSWICH	75,936	8·9	7·6	7·6	8·9	–	44	13	4	4	–	–	–	–	–	–	–	–	2	3	–	IPSWICH.
GREAT YARMOUTH	53,715	11·6	16·5	17·5	12·6	–	20	13	1	8	–	–	–	–	–	–	–	–	–	5	–	GREAT YARMOUTH.
NORWICH	125,446	7·1	9·1	12·5	8·3	–	56	20	1	10	–	–	–	–	–	–	–	–	1	4	–	NORWICH.
PLYMOUTH	126,266	6·2	10·3	10·7	11·6	0·8	33	28	3	12	–	–	–	–	–	–	2	3	3	8	–	PLYMOUTH.
DEVONPORT	84,695	6·8	5·5	8·0	7·4	–	40	12	3	3	–	–	–	–	–	–	–	–	2	2	–	DEVONPORT.
BRISTOL	382,550	8·2	8·6	7·9	9·4	0·5	157	69	10	24	–	–	1	–	1	–	2	2	6	16	–	BRISTOL.
STOKE ON TRENT ..	245,726	11·5	10·8	12·5	15·3	2·8	132	72	24	15	–	–	1	3	1	–	8	1	2	12	3	STOKE ON TRENT.
BURTON ON TRENT	54,977	7·6	15·2	8·5	12·3	–	24	13	2	6	–	–	–	–	–	–	–	–	–	2	–	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	12·8	12·8	7·4	7·9	0·5	53	16	4	4	–	1	–	–	–	–	–	–	1	4	–	WOLVERHAMPTON.
WALSALL	101,035	11·4	9·8	9·3	7·2	2·6	50	14	7	3	–	–	1	–	–	–	4	–	1	2	–	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	4·3	8·7	6·5	10·8	–	27	15	2	8	–	–	–	–	–	–	–	2	3	1	–	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	14·7	10·3	14·7	8·1	0·7	44	11	2	4	–	–	–	–	–	–	1	–	–	1	–	WEST BROMWICH.

* See note † on first page of this return.

ended Saturday, 27th August, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 6th Aug., 1910.	13th Aug., 1910.	20th Aug., 1910.	27th Aug., 1910.	Rate from Diseases in Cols. 11–17. Week ended 27th Aug., 1910.	Registered during the Week ended 27th Aug., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	10·1	9·9	12·0	13·1	3·5	273	143	44	42	-	-	3	1	1	-	33	4	5	41	4	BIRMINGHAM.
KINGS NORTON ..	84,673	6·2	6·2	7·4	8·0	0·6	35	13	3	3	-	-	-	-	-	-	1	-	-	2	-	KINGS NORTON.
SMETHWICK	72,350	10·1	5·8	7·2	16·6	2·2	30	23	10	2	-	-	1	-	-	1	1	1	2	2	-	SMETHWICK.
ASTON MANOR ..	86,269	12·1	7·9	11·5	13·9	4·2	41	23	6	4	-	-	1	-	1	-	5	1	1	2	-	ASTON MANOR.
COVENTRY	81,449	9·6	11·5	9·6	18·6	1·9	47	29	6	11	-	-	-	1	1	-	1	-	-	7	-	COVENTRY.
LEICESTER	248,374	10·1	8·8	9·7	7·6	1·0	110	36	11	12	-	-	-	-	-	-	5	1	1	6	-	LEICESTER.
GRIMSBY	74,283	10·5	9·1	16·1	11·9	2·8	39	17	6	6	-	-	-	-	1	-	3	-	2	3	-	GRIMSBY.
NOTTINGHAM ..	266,471	9·6	11·2	12·3	9·8	0·8	132	50	12	16	-	-	-	-	-	-	4	3	5	12	1	NOTTINGHAM.
DERBY	131,256	8·7	10·3	8·3	8·7	0·8	89	22	1	12	-	1	-	-	-	1	-	-	2	8	-	DERBY.
STOCKPORT	105,087	13·4	12·9	9·9	14·4	2·0	60	29	9	9	-	-	-	-	-	-	4	1	2	5	1	STOCKPORT.
BIRKENHEAD ..	122,431	13·2	14·1	11·1	17·0	6·0	74	40	16	9	-	-	-	-	-	-	14	-	2	9	-	BIRKENHEAD.
WALLASEY . ..	73,173	10·7	11·4	15·7	9·3	0·7	36	13	4	4	-	-	-	-	-	-	1	-	-	1	-	WALLASEY.
LIVERPOOL . ..	767,606	13·7	13·5	16·4	19·4	4·8	456	285	108	51	-	5	5	1	5	-	54	9	18	93	7	LIVERPOOL.
BOOTLE	70,548	7·4	20·7	19·2	13·3	5·9	23	18	4	4	-	-	1	-	-	-	7	-	-	1	-	BOOTLE.
ST. HELENS	96,523	15·7	9·7	15·7	14·6	4·3	49	27	9	2	-	-	-	-	-	-	8	1	1	3	-	ST. HELENS.
WIGAN	91,732	10·2	16·5	13·6	12·5	3·4	48	22	9	1	-	-	-	-	-	-	6	1	1	3	-	WIGAN.
WARRINGTON ..	73,295	12·1	11·4	14·9	8·5	2·1	53	12	1	-	-	1	-	-	-	-	2	-	-	4	-	WARRINGTON.
BOLTON	190,315	10·7	10·7	7·4	12·1	1·4	93	44	9	12	-	-	-	-	2	-	3	-	1	4	-	BOLTON.
BURY	59,409	10·5	14·0	12·3	14·9	2·6	29	17	6	4	-	-	-	-	-	-	3	1	2	1	-	BURY.
MANCHESTER ..	716,354	12·4	14·6	12·7	15·5	3·7	308	213	65	43	-	3	2	1	6	1	38	6	8	54	2	MANCHESTER.
SALFORD	244,636	11·3	14·9	14·3	13·6	4 3	139	64	21	11	-	1	-	1	2	-	16	1	2	8	-	SALFORD.
OLDHAM	144,111	15·6	13·0	12 3	13·7	2·2	77	38	9	7	-	3	-	-	1	-	2	3	5	6	-	OLDHAM.
ROCHDALE	90,497	14·4	9·8	4·0	9·8	-	31	17	4	6	-	-	-	-	-	-	-	-	-	4	-	ROCHDALE.
BURNLEY	107,448	12·6	13·6	18·0	14·6	5·8	51	30	14	7	-	-	-	-	-	-	12	1	2	2	-	BURNLEY.
BLACKBURN	137,972	10·2	9·8	17·0	16·6	1·5	44	44	10	10	-	-	-	1	-	-	3	1	5	4	2	BLACKBURN.
PRESTON	119,253	12·2	12·7	20·1	17·1	7·0	64	39	20	6	-	-	-	1	-	-	15	-	-	4	-	PRESTON.
BARROW IN FURNESS.	63,689	15·6	18·8	17·2	14·7	4·9	34	18	6	4	-	3	-	-	1	-	2	-	-	-	-	BARROW IN FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 27th August, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 6th Aug., 1910.	13th Aug., 1910.	20th Aug., 1910.	27th Aug., 1910.	Rate from Diseases in Cols 11-17. Week ended 27th Aug., 1910.	Registered during the Week ended 27th Aug., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	15·4	10·5	12·7	19·3	2·2	59	35	5	10	-	-	-	-	2	-	2	1	3	3	-	HUDDERSFIELD.
HALIFAX	112,818	13·9	12·9	8·8	12·9	0·5	36	28	3	9	-	-	-	1	-	-	-	1	3	9	1	HALIFAX.
BRADFORD	295,865	13·9	12·5	13·9	12·0	1·6	134	68	22	19	-	-	-	1	-	-	8	-	2	9	-	BRADFORD.
LEEDS	490,985	12·0	13·4	13·0	12·0	2·8	210	113	46	16	-	3	1	1	3	-	18	1	6	14	1	LEEDS.
DEWSBURY	51,224	16·3	14·3	17·3	5·1	1·0	18	5	1	1	-	1	-	-	-	-	-	1	1	-	-	DEWSBURY.
SHEFFIELD	478,763	10·1	11·2	11·9	14·9	4·6	240	137	48	29	-	2	-	-	10	-	30	2	3	31	-	SHEFFIELD.
ROTHERHAM.. ..	66,414	7·9	6·3	9·4	7·1	-	48	9	4	1	-	-	-	-	-	-	-	-	-	2	-	ROTHERHAM.
YORK	88,159	6·5	9·5	17·7	10·1	4·1	30	17	6	5	-	-	-	-	-	-	7	-	-	1	-	YORK.
HULL	280,006	11·7	11·5	18·1	20·7	8·6	158	111	54	14	-	-	-	-	2	-	44	2	4	15	-	HULL.
MIDDLESBROUGH ..	107,014	12·2	15·6	18·0	20·5	8·8	54	42	21	6	-	-	-	-	-	-	18	2	3	2	1	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	9·7	9·7	15·5	15·5	1·0	23	16	1	6	-	-	-	1	-	-	-	-	-	3	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	10·2	8·9	7·6	6·4	1·3	30	10	5	-	-	1	-	1	-	-	-	1	1	1	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	15·9	17·8	19·7	15·2	4·9	76	47	15	5	-	1	-	-	2	1	11	-	1	9	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	10·5	9·6	10·9	14·4	2·6	72	33	9	11	-	-	-	-	-	-	6	1	1	4	1	SOUTH SHIELDS.
GATESHEAD	133,676	10·1	11·7	12·7	12·1	1·2	72	31	7	7	-	-	-	-	-	-	3	1	2	4	1	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	12·6	14·0	14·6	16·4	4·0	135	90	35	16	-	5	-	-	4	-	13	2	4	15	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	12·0	20·3	10·2	16·6	4·6	34	18	5	2	-	2	-	-	1	-	2	1	3	1	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	8·5	9·2	9·8	15·0	1·3	45	23	7	6	-	-	-	1	-	-	1	-	2	10	-	NEWPORT (MON.).
CARDIFF	199,189	6·5	7·3	8·9	9·9	1·8	111	38	14	4	-	1	-	-	-	-	6	-	1	7	-	CARDIFF.
RHONDDA	138,674	15·4	16·2	16·2	15·8	3·0	95	42	19	5	-	3	-	-	-	1	4	2	3	-	-	RHONDDA.
MERTHYR TYDFIL..	79,522	17·0	10·5	13·8	15·7	2·0	50	24	5	6	-	-	1	1	-	-	1	1	1	6	-	MERTHYR TYDFIL.
SWANSEA	98,817	13·7	16·4	10·0	14·2	-	43	27	5	8	-	-	-	-	-	-	-	3	3	9	-	SWANSEA.
GREATER LONDON‡	7,537,196	9·4	9·4	9·3	9·5	1·1	3507	1371	287	431	-	41	3	15	16	2	89	49	118	548	1	GREATER LONDON.‡
OUTER RING‡ ..	2,664,494	7·8	7·8	7·8	7·1	0·8	1239	362	73	118	-	6	-	5	5	1	24	15	38	82	-	OUTER RING.‡
8 TOWNS IN OUTER RING.‡	1,321,914	7·7	7·6	7·5	6·9	0·8	590	175	24	59	-	4	-	4	3	-	9	9	21	50	-	8 TOWNS IN OUTER RING.‡
REMAINDER OF OUTER RING.	1,342,580	8·0	8·0	8·1	7·3	0·8	649	187	49	59	-	2	-	1	2	1	15	6	17	32	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	11·3	11·4	14·9	9·7	0·4	122	67	11	23	-	-	1	-	-	-	2	4	?	29	-	EDINBURGH.
GLASGOW	884,505	12·0	13·0	13·6	15·0	3·1	362	254	74	38	-	-	3	4	3	-	43	5	?	83	8	GLASGOW.
DUBLIN (Registration Area).†	402,928	17·2	17·9	15·8	17·9	3·0	194	138	39	38	-	-	2	4	-	-	17	4	5	65	4	DUBLIN (Registration Area).†
BELFAST†	391,167	15·3	13·6	16·5	17·5	4·9	159	131	49	20	-	3	-	-	5	-	29	3	6	24	-	BELFAST †

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FOURTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2677	2643	2538	2473	2575	2530	2466	2307	2276	2386	2450·3	2268
Males - - -	1349	1347	1316	1255	1323	1282	1243	1208	1166	1205	1250·0	1181
Females - -	1328	1296	1252	1218	1252	1248	1223	1099	1110	1181	1200·3	1087
TOTAL **Deaths** -	1691	1676	1269	1266	1682	1497	1651	1056	1306	1153	1365·1	1009
Males - - -	905	895	676	668	878	813	871	564	708	623	732·9	505
Females - -	786	781	593	598	804	684	783	492	598	530	632·2	504

* The numbers in this column are the average weekly numbers in the Thirty-Fourth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	13 Weeks.
TOTAL **Births** -	2434	2243	2424	2260	2329	2272	2163	2176	2429	1854	2367	2303	2268	29522
TOTAL **Deaths** -	1036	984	993	983	964	997	1036	962	957	956	962	952	1009	12841
Ages at Death: Under 1 year -	199	183	162	177	177	168	172	187	151	173	174	184	214	2321
1—5 years -	110	102	119	97	114	100	99	104	89	107	90	110	116	1357
5—20 " -	59	65	58	57	51	68	70	61	52	54	52	58	37	742
20—40 " -	136	119	124	134	129	142	120	132	124	122	136	130	122	1670
40—60 " -	235	219	218	226	223	217	230	200	229	210	223	202	207	2839
60 yrs. & upwds.	347	296	312	292	270	302	345	278	312	290	287	268	313	3912
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	51	47	47	35	32	37	31	36	23	30	28	27	35	459
Scarlet Fever - -	6	5	3	3	2	8	4	5	2	5	1	4	3	51
Diphtheria - -	5	5	7	2	5	3	7	8	4	8	6	6	10	76
Whooping-cough -	29	23	32	25	21	23	19	27	14	18	19	13	11	274
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	3	1	1	2	2	1	2	4	2	4	1	1	25
Pyrexia (origin uncertain).	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	21	8	23	11	14	17	14	18	12	23	26	37	65	289
All above diseases -	113	91	113	78	76	90	76	96	59	86	84	88	125	1175
Dis. of Resp. System	64	55	42	55	54	44	51	46	48	50	48	48	42	647
Pneumonia - -	110	82	52	74	68	73	80	85	63	74	65	73	87	986
Phthisis - - -	104	81	97	87	90	94	84	78	82	99	81	88	77	1142
Dis. of Circ. System -	145	154	153	144	138	159	183	128	158	150	138	121	142	1913
Violence - - -	49	56	48	49	55	53	46	44	48	50	43	48	34	623
Inquest Cases - -	106	118	109	101	113	101	114	95	103	119	94	112	80	1365
Deaths in Institutions	498	430	464	464	442	471	455	446	437	459	438	438	466	5908
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	56·9	62·2	58·8	62·3	56·5	55·2	57·9	59·2	58·8	60·2	60·7	62·7	59·9	59·3
Mean of Highest -	67·6	72·0	69·9	75·0	66·0	63·7	67·4	67·7	68·3	71·5	70·8	73·7	70·2	69·5
Mean of Lowest -	49·0	55·3	49·8	53·0	50·2	50·2	52·2	53·2	52·0	52·2	54·1	53·5	52·4	52·1
Mean Humidity of the Air.	77	88	77	75	76	84	84	85	77	77	85	75	77	80
Rain-fall (in inches) -	0·27	0·44	0·01	1·11	1·00	1·29	0·01	1·22	0·35	0·85	0·18	0·19	0·80	7·72
Registered Sunshine (in hours).	36·8	28·4	52·7	52·3	33·5	18·0	34·5	17·6	29·5	49·6	27·7	52·7	37·1	470·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	2	1	3	3	3	1	1	-	-	-	1
Scarlet Fever - -	1461	1401	1363	1353	1378	1439	1530	1548	1563	1523	1490	1423	1447	1455
Diphtheria - - -	728	753	729	711	674	628	646	626	619	584	584	591	578	650
Typhus - - -	-	1	1	1	1	1	1	1	-	-	-	1	1	1
Enteric Fever - -	61	52	53	47	47	49	50	50	46	46	46	51	59	51

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled by the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and T. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FOURTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectio should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 34th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1365·1	1009	214	116	37	122	207	313
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	19·9	35	9	24	2	-	-	-
Scarlet Fever	7·8	3	-	3	-	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	4·9	4	-	-	-	1	1	2
Whooping-cough	17·4	11	3	8	-	-	-	-
Diphtheria	11·1	10	-	7	3	-	-	-
Cerebro-spinal Fever ..	0·4	1	1	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	3·9	1	-	-	-	1	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	176·7	36	25	7	1	-	2	1
Diarrhœa, Dysentery ..	89·3	29	20	6	-	-	1	2
Tetanus	1·0	1	-	-	-	-	-	1
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	0·2	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	7·4	1	-	-	-	-	1	-
Puerperal Septicæmia ..	2·0	3	-	-	-	3	-	-
Puerperal Pyæmia.. .	0·4	-	-	-	-	-	-	-
Puerperal Fever	0·4	-	-	-	-	-	-	-
Infective Endocarditis ..	3·7	3	-	-	-	1	2	-
Pneumonia: Lobar ..	7·4	15	1	-	-	2	5	7
Pneumonia: Broncho ..	28·9	43	20	14	1	2	3	3
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	30·9	29	1	5	3	5	8	7
Erysipelas	1·8	2	1	-	-	-	-	1
Septicæmia (not Puerperal)	1·2	1	-	-	-	-	1	-
Pyæmia (not Puerperal)	1·0	-	-	-	-	-	-	-
Other Infective Processes	2·7	2	-	-	-	1	1	-
Tuberculous Phthisis ..	80·3	48	-	-	3	27	14	4
"*Phthisis*"	34·8	29	-	-	3	11	11	4
Tuberculous Meningitis ..	14·9	11	3	4	3	1	-	-
Tuberculous Peritonitis ..	12·5	4	2	-	1	1	-	-
Tabes Mesenterica	2·0	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	16·0	10	3	2	1	2	2	-
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	10·2	1	-	-	-	-	1	-
Rheumatic Feve	4·3	5	-	-	1	2	2	-
Gout	1·2	1	-	-	-	-	-	1
Carcinoma	62·5	70	-	-	-	5	20	45
Sarcoma	5·1	6	-	-	-	1	5	-
Cancer (undefined) ..	35·4	24	-	-	1	1	10	12
Diabetes Mellitus	8·8	9	-	-	-	-	5	4
Premature Birth	51·6	29	29	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 34th week of the 5 years 1905–1909.	1910—Deaths of Per the Ages				
		ALL AGES.	Under 20.			20 and under 40.
			0–1.	1–5.	5–20.	
Meningitis (not tuberc.)..	14·3	6	4	1	-	1
Gen. Par. of Insane, Insanity	8·4	14	-	-	-	2
Epilepsy	5·7	9	-	1	-	4
Convulsions	14·1	12	10	2	-	-
Locomotor Ataxy.. ..	0·8	-	-	-	-	-
Paraplegia, Dis. of Cord.	4·7	5	-	-	-	1
Nervous Sys., Other Dis.	14·9	7	2	-	1	-
Valv. Dis., Endocarditis..	39·5	44	-	-	4	10
Cereb. Hæm. Cereb. Emb.	31·3	35	-	-	-	-
Apoplexy, Hemiplegia ..	11·5	11	-	-	-	-
Aneurysm	3·7	3	-	-	-	-
Embolism, Thrombosis (not Cerebral) ..	0·6	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	61·4	49	-	-	1	5
Croup (not Spasm: nor Memb.)	0·2	-	-	-	-	-
Bronchitis	28·9	30	4	3	-	-
Emphysema, Asthma ..	2·0	2	-	-	-	-
Pleurisy	3·5	1	1	-	-	-
Respiratory Dis., Other..	6·1	9	-	2	-	1
Tonsillitis, Quinsy.. ..	0·8	1	-	-	-	1
Enteritis (not Epid.) ..	26·8	15	11	3	-	-
Gastro-enteritis	33·6	18	11	7	-	-
Peritonitis (not Puerp.) ..	2·3	4	-	1	1	-
Cirrhosis of Liver.. ..	13·5	12	-	-	-	1
Liver Dis., Other	6·6	5	-	-	1	-
Digestive Sys., Other Dis.	33·0	36	6	2	1	10
Acute Nephritis	6·3	4	-	-	-	-
Bright's Dis., Albuminuria	27·4	33	-	-	-	6
Urinary Sys., Other Dis.	9·4	8	-	-	-	-
Generative Organs Dis...	3·9	1	-	-	-	-
Childbirth (Accid. of) ..	2·5	4	-	-	1	3
Old Age	41·8	52	-	-	-	-
Other Diseases	90·5	67	43	9	-	3
ACCIDENT.						
By Railways	1·4	1	-	-	-	-
By Vehicles and Horses..	7·0	3	-	1	1	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	1	-	-	-	-
In Building Operations..	1·6	2	-	-	-	1
In Conflagrations	-	-	-	-	-	-
By Burns, Scalds, Explosions	4·5	2	-	1	-	1
By Drowning	4·9	6	-	-	1	3
By Suffocation in Bed ..	5·5	3	3	-	-	-
By Poisons or Poisonous Vapours	3·1	-	-	-	-	-
Other Deaths by Accident..	15·6	8	-	3	2	-
VIOLENCE OTHER THAN ACCIDENTAL.						
Homicide	11·1	-	-	-	-	-
Suicide	-	8	-	-	-	2
Execution	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficu experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th August 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2268	1009	214	313	-	35	3	10	11	1	65	77	34	80	466	1
WEST DISTRICTS	805,311	329	153	31	43	-	1	-	1	3	-	7	13	6	11	74	-
NORTH DISTRICTS	1,055,908	486	218	33	80	-	7	-	2	5	1	8	17	5	17	84	-
CENTRAL DISTRICTS	209,465	83	50	11	10	-	-	-	1	-	-	1	4	1	4	27	-
EAST DISTRICTS	715,739	454	193	68	38	-	10	-	-	2	-	25	15	8	24	115	-
SOUTH DISTRICTS	1,749,844	916	368	70	136	-	17	3	4	1	-	24	26	14	24	139	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	27	1	6	-	-	-	2	-	-	-	2	-	-	27	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	43	5	2	2	-	-	-	-	-	-	1	-	-	-	-	-
entral Paddington *W,3H*	50,053	24	8	3	1	-	-	-	-	-	-	1	-	1	1	5	-
outh Paddington	30,320	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ensington South *W,3H*	85,610	17	17	1	10	-	-	-	-	-	-	-	3	1	1	7	-
ensington Central *W,H*	42,774	19	11	1	-	-	-	-	-	-	-	-	1	-	1	2	-
ensington North *w*	48,244	24	14	2	4	-	-	-	-	1	-	-	2	-	-	8	-
orth Hammersmith *2W,w,H* ..	49,192	26	9	4	3	-	-	-	-	1	-	-	-	-	-	4	-
outh Hammersmith *w,2H* ..	63,047	27	11	4	1	-	-	-	-	-	-	1	-	-	1	8	-
orth-west Fulham *W*	45,180	37	9	1	4	-	-	-	-	-	-	1	2	1	1	5	-
orth-east Fulham *F*	46,405	26	4	1	1	-	-	-	1	-	-	-	-	-	-	1	-
outh Fulham *W*	45,704	20	8	2	2	-	-	-	-	1	-	1	-	-	2	-	-
helsea North *W,w,3H*	42,514	11	22	4	9	-	-	-	-	-	-	-	3	-	-	16	-
helsea South *W,2H*	31,328	13	6	4	-	-	-	-	-	-	-	1	-	-	1	3	-
ayfair and Knightsbridge	28,743	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
elgrave *W,2H*	55,815	16	12	2	4	-	-	-	-	-	-	-	-	1	1	7	-
. Margaret & St. John *6H*	43,698	10	11	1	1	-	1	-	-	-	-	-	1	1	1	7	-
. James and St. Anne *W,6H* ..	33,081	7	4	-	-	-	-	-	-	-	-	1	1	1	1	1	-
NORTH DISTRICTS.																	
l Souls Marylebone *7H*	35,391	9	9	-	3	-	-	-	-	-	-	-	-	-	1	6	-
. Mary Marylebone *W,4H* ..	37,948	37	4	1	-	-	-	-	-	-	-	-	-	-	-	2	-
ristchurch Marylebone *H* ..	39,536	16	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
. John Marylebone *2H*	20,426	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ampstead *W,F,6H*	81,942	24	17	3	8	-	-	-	-	-	-	-	1	-	-	5	-
est St. Pancras *2H*	60,562	35	14	3	3	-	-	-	-	1	1	-	2	-	2	1	-
uth St. Pancras *w,10H*	55,707	19	17	4	1	-	3	-	-	-	-	1	-	-	-	13	-
ast St. Pancras *W,H*	60,320	25	10	3	4	-	2	-	-	-	-	-	1	-	-	3	-
orth St. Pancras *2W*	58,728	31	13	-	5	-	-	-	-	-	-	-	5	-	-	7	-
ufnell *W*	31,995	18	20	1	14	-	-	-	-	-	-	3	2	-	-	16	-
pper Holloway *2W,w,H*	33,978	17	18	1	8	-	-	-	-	1	-	-	-	1	1	14	-
llington *2W,w,H*	33,922	8	5	1	3	-	-	-	-	-	-	1	-	-	1	-	-
wer Holloway	41,424	13	9	3	2	-	1	-	-	-	-	1	-	-	2	-	-
rnsbury	54,478	26	8	1	1	-	-	-	-	1	-	1	-	-	-	-	-
ington South-east *F*	75,397	37	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-
ghbury *2H*	63,797	27	10	2	3	-	-	-	-	-	-	-	-	1	2	-	-
oke Newington *H*	51,247	16	11	1	6	-	1	-	-	1	-	-	2	-	-	-	-
orth Hackney	50,398	20	6	-	3	-	-	-	-	-	-	-	-	1	1	-	-
ntral Hackney *2 w,F*	50,536	31	11	3	1	-	-	-	2	1	-	-	1	1	1	3	-
uth-west Hackney *3H*	59,921	46	9	2	5	-	-	-	-	-	-	-	1	1	2	3	-
uth-east Hackney *2W,w,H* ..	58,255	24	15	-	6	-	-	-	-	-	-	1	2	-	4	10	-
ackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th August, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	10	4	1	1	-	-	-	-	-	-	-	-	-	-	3	-
Strand *W*,4*H*	21,674	2	7	2	2	-	-	-	-	-	-	-	-	-	-	6	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	6	7	-	-	-	-	-	-	-	-	-	-	1	1	4	-
Clerkenwell *H*	63,704	33	12	3	3	-	-	-	-	-	-	-	2	-	1	-	-
St. Luke 3*H*,*L*	36,116	24	5	4	-	-	-	-	-	-	-	1	1	-	1	1	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-
St. Botolph *H*	10,299	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	5	10	-	2	-	-	-	1	-	-	-	1	-	-	9	-
City of London Asylum, Stone	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	27	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	21	22	8	8	-	1	-	-	-	-	3	1	-	7	15	-
Shoreditch North-East	36,148	20	3	1	2	-	-	-	-	-	-	1	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	35	20	7	4	-	2	-	-	-	-	2	1	-	3	14	-
Bethnal Green South-West *H* ..	64,542	41	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Spitalfields..	27,969	9	4	2	-	-	-	-	-	-	-	1	1	-	-	-	-
Mile End New Town *W*,*H*	28,718	29	45	12	5	-	-	-	-	-	-	9	1	3	4	43	-
Goodman's Fields	22,081	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	39	12	3	4	-	3	-	-	-	-	-	2	1	1	4	-
Shadwell and Ratcliff *w*,*H* ..	25,568	12	15	7	2	-	3	-	-	2	-	3	-	-	-	11	-
Limehouse *W*	32,369	14	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	67	5	2	1	-	-	-	-	-	-	-	1	1	1	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	27	9	2	2	-	1	-	-	-	-	-	3	-	1	4	-
Bow	41,989	19	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	44	30	7	9	-	-	-	-	-	-	4	3	2	4	23	-
Poplar *W*,*w*	58,514	40	9	7	-	-	-	-	-	-	-	1	-	1	2	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th August, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
hristchurch and St. Saviour Southwark *W,2H*	23,319	10	17	3	-	-	1	-	2	-	-	1	-	2	2	15	-
Kent-road	21,904	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	23	14	6	1	-	4	-	-	-	-	3	-	-	-	6	-
Newington North	49,022	28	4	1	-	-	-	-	-	-	-	2	2	-	-	-	-
Newington South *W*	72,841	47	10	3	3	-	-	-	-	-	-	2	-	-	-	-	-
St. Olave *2W*	9,817	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Bermondsey *W*	82,483	45	10	5	2	-	3	-	-	-	-	3	-	-	1	-	-
Rotherhithe *W,F*	38,460	26	15	3	1	-	2	-	-	-	-	-	2	1	2	8	-
Waterloo *2H*	27,440	23	5	3	2	-	-	-	-	-	-	-	-	-	-	2	-
Lambeth Church *H*	27,440	19	11	2	-	-	-	-	-	-	-	-	-	-	-	8	-
Kennington *2W*	52,518	29	14	2	6	-	1	-	-	-	-	-	-	-	-	11	-
Stockwell *HF*	63,826	45	9	1	5	-	1	-	-	-	-	-	-	-	-	2	-
Brixton *H*	73,673	31	11	-	8	-	-	-	-	-	-	-	1	-	-	-	-
Norwood *2WH*	56,998	23	11	1	5	-	-	-	-	-	-	1	-	-	-	-	-
East Battersea *H*	72,203	36	5	1	2	-	-	-	-	-	-	1	-	-	-	-	-
North-west Battersea	49,656	27	8	4	1	-	-	-	-	-	-	3	2	-	-	-	-
South-west Battersea *2W,H*	47,048	13	11	-	6	-	-	-	-	-	-	-	-	1	1	11	-
Clapham *2H*	51,361	21	8	1	3	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	51	30	5	16	-	-	-	1	-	-	-	1	-	1	12	1
Springfield *2W,L*	27,959	16	3	-	2	-	1	-	-	-	-	-	-	-	-	1	-
Southfields *H*	40,444	26	9	1	3	-	-	-	-	-	-	1	2	1	1	-	-
Putney	24,139	6	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-
Dulwich	13,359	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	14	18	2	8	-	2	-	-	-	-	1	2	-	1	11	-
Camberwell North *W,2L*	65,584	34	16	2	4	-	-	-	-	-	-	-	3	-	-	10	-
St. George	47,331	25	10	4	3	-	-	-	-	-	-	1	-	3	3	-	-
Peckham North	48,913	24	8	2	4	-	-	-	-	-	-	1	-	-	-	-	-
Peckham South *2W,w*	43,946	14	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Deptford North* *F*	49,004	32	8	3	-	-	1	1	1	1	-	1	-	-	1	3	-
Deptford East*	29,781	19	15	6	2	-	-	-	-	-	-	3	-	1	1	-	-
Deptford South*	38,934	14	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-
Greenwich West *H*	23,456	18	7	-	6	-	-	-	-	-	-	-	1	-	-	-	-
Greenwich East *2W,H*	43,859	16	23	2	14	-	-	-	-	-	-	-	3	1	1	18	-
Eltham *w,H*	7,226	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	9	4	-	3	-	-	-	-	-	-	-	1	-	2	1	-
Lewisham *2W,w,F*	58,352	43	15	3	10	-	-	-	-	-	-	-	-	2	2	9	-
Sydenham *H*	43,653	19	5	-	2	-	-	-	-	-	-	-	1	-	-	1	-
Charlton *F,2H*	21,134	3	4	-	2	-	-	2	-	-	-	-	-	-	-	2	-
Woolwich *5H*	41,625	23	5	-	2	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead West *W,H*	39,376	18	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	15	8	1	3	-	-	-	-	-	-	-	2	1	2	4	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	-	2	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton	—	-	3	1	-	-	-	-	-	-	-	-	-	-	-	3	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	6	-	2	-	-	-	-	-	-	-	1	-	-	6	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Dartford Heath	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch	—	-	4	-	-	-	-	-	-	-	-	-	1	-	-	4	-
Claybury	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-

* On 1st August, 1910, the boundaries of the sub-districts of Deptford North, Deptford Central, and Deptford South were altered, the sub-district of Deptford Central being re-named Deptford East.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongi the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMER POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 27th August, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public
	LONDON—OUTER RING‡ ..	368,603	2,045,135	1239	362	73	118	-	6	-	5	5	1	24	15	38	8
31 : 1	Carshalton 2F,3H	12,228	32,997	22	3	-	1	-	-	-	-	-	-	-	-	-	
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	5	6	1	3	-	-	-	1	-	-	-	-	-	
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	1	-	-	-	-	-	-	-	-	-	-	-	
39 : 1	Coulsdon	11,069	8,166	7	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w,H ..	4,200	49,309	22	7	1	4	-	-	-	-	-	-	-	1	1	
3	West Croydon 3W,F,H ..	2,168	42,888	19	13	1	6	-	-	-	2	-	-	1	-	1	
4	North Croydon H	2,644	41,698	28	4	3	1	-	-	-	-	-	-	-	-	-	
5	Penge w	770	22,465	8	2	-	1	-	-	-	-	-	-	-	-	-	
6	Mitcham w	11,711	30,015	29	10	4	2	-	-	-	-	-	-	1	1	2	
40 : 1	Wimbledon F,3H	3,221	41,652	26	5	-	4	-	-	-	-	-	-	-	-	-	
2	Kingston 2W,H	6,224	42,068	20	8	2	1	-	-	-	-	-	-	1	-	-	
3	Surbiton F,H	3,046	15,017	5	1	-	1	-	-	-	-	-	-	-	-	-	
4	Esher, *part of** H	5,402	13,100	4	5	1	1	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,456	12	-	-	-	-	-	-	-	-	-	-	-	-	
41 : 1	Richmond W,H	2,491	31,672	10	7	1	3	-	-	-	-	-	-	-	-	2	
2	Mortlake F	2,518	17,821	20	4	2	2	-	-	-	-	-	-	1	-	-	
42 : 1	Bromley F,3H	4,696	27,397	20	5	2	1	-	-	-	-	-	-	-	1	1	
2	Beckenham H	7,832	28,454	8	3	2	-	-	-	-	-	-	-	-	-	-	
3	Orpington, *part of** W,F ..	10,113	9,857	4	1	-	1	-	-	-	-	-	-	-	-	-	
4	Chislehurst 2H	7,333	16,446	7	3	-	2	-	-	-	-	-	-	-	-	1	
43 : 1	Bexley w,F,H	8,678	21,151	8	2	-	1	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	11	-	-	-	-	-	-	-	-	-	-	-	-	
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	
126 : 1	Sunbury w	11,054	18,683	8	7	2	2	-	-	-	-	-	-	-	-	1	
2	Staines W,H	12,277	15,178	19	2	1	-	-	-	-	-	-	-	1	-	-	
127 : 1	Hillingdon W,F,H	8,035	13,661	7	2	-	-	-	1	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	5	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w 2F,H	8,066	16,358	19	6	3	1	-	-	-	-	-	-	1	1	1	
128 : 1	Isleworth 3W,3F,H	6,859	30,863	22	10	1	3	-	-	-	-	-	-	-	-	-	
2	Twickenham F,2H	2,421	20,991	11	8	3	3	-	-	-	-	-	-	-	-	1	
3	Hanwell† w,2H	4,108	11,257	11	4	-	3	-	-	-	-	-	-	-	-	-	
4	Brentford† 3F,2H	4,038	48,202	31	6	2	2	-	-	-	-	-	-	2	-	-	
5	Chiswick H	1,249	29,809	17	5	1	2	-	-	-	-	-	-	-	1	1	
6	Acton† F,H	2,305	37,744	23	4	1	-	-	-	-	-	1	-	-	-	1	
129 : 1	Willesden W,F,2H	4,384	114,811	75	19	2	5	-	-	-	-	-	-	-	-	-	
130 : 1	Harrow F,H	13,809	25,523	20	3	-	2	-	-	-	-	-	-	-	1	1	
2	Edgware 2F,2H	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hendon W,F	8,382	22,450	17	5	1	1	-	-	-	-	1	-	-	1	1	
131 : 1	South Mimms 2F,H ..	17,765	7,308	3	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,979	7	-	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,3H	4,638	33,692	21	5	3	-	-	-	-	-	-	-	-	-	-	
132 : 1	Hornsey‡ F,H..	2,875	72,056	34	5	-	3	-	-	-	-	1	-	-	-	-	
2	Wood Green H	1,625	34,233	22	6	2	2	-	1	-	-	-	-	1	-	-	
3	West Tottenham	995	48,741	30	8	3	2	-	-	-	-	-	-	-	2	3	
4	East Tottenham 2H ..	2,019	53,962	31	11	1	2	-	-	-	-	-	1	-	1	3	
5	Edmonton W,w,2F	7,491	61,892	47	20	5	7	-	-	-	-	-	-	2	-	4	
6	Enfield 2W,F,H	12,661	42,738	33	7	3	-	-	-	-	-	-	-	2	-	-	
7	Waltham Abbey F	11,017	6,549	4	1	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	10	1	-	-	-	-	-	-	-	-	-	-	-	
138 : 1	Hatfield, *part of** W ..	3,305	664	-	1	-	1	-	-	-	-	-	-	-	-	-	
140 : 1	Bushey, *part of** H ..	9,195	7,051	2	1	-	-	-	-	-	-	-	-	-	-	-	
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	
188 : 1	Stratford H	1,091	52,974	33	5	2	1	-	-	-	-	-	-	1	-	-	
2	Forest Gate	787	52,745	19	5	-	2	-	-	-	-	-	-	-	-	-	
3	Plaistow F,2H	1,249	90,921	67	16	2	3	-	-	-	1	-	-	3	-	-	
4	Canning Town H	1,556	70,718	52	15	2	2	-	2	-	-	-	-	2	-	1	
5	South East Ham 2F ..	1,991	37,342	33	5	1	-	-	1	-	1	-	-	1	-	-	
6	North East Ham w,H ..	1,333	58,666	37	10	-	4	-	-	-	-	-	-	-	-	3	
7	Wanstead F	1,679	9,179	4	1	-	1	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	17	11	1	7	-	1	-	-	1	-	-	-	-	
9	North Leyton 2W,w,F ..	1,963	48,445	28	20	1	9	-	-	-	-	1	-	-	4	5	
10	Walthamstow 2H,L ..	6,504	108,929	70	16	5	6	-	-	-	-	-	-	1	1	3	
189 : 1	Chigwell 2F,3H	11,778	16,397	12	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	4	1	-	1	-	-	-	-	-	-	-	-	-	
2	Ilford F,L	8,496	41,244	23	14	5	3	-	-	-	-	-	-	3	-	1	
3	Barking Town F	3,805	21,547	15	2	-	1	-	-	-	-	-	-	-	-	-	
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	
	Essex County Lunatic Asylum, Brentwood.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the O Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting E parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 1 and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
NDON* - -	4,872,702	August 27	2268	1009	10·8	-	35	3	10	11	1	82
LCUTTA - -	1,009,008	July 30	-	355‡	18·2	-	-	-	-	-	6	13
MBAY - -	977,822	August 9	347	705‡	37·5	2	3	-	-	-	3	55
DRAS - -	509,346	July 29	413	414	42·2	2	1	?	?	?	1	49
RIS* - -	2,772,467	August 13	986	759	14·4	-	6	1	3	11	3	39
		" 20	994	767	14·5	-	6	-	5	7	3	51
JSSELS* - -	720,030	" 20	225	183	13·2	-	1	-	3	1	1	21
TWERP* - -	317,171	" 20	117	80	13·1	-	-	-	-	1	-	12
STERDAM* -	571,225	" 13	248	103	9·4	-	2	-	-	1	-	6
		" 20	240	88	8·0	-	1	-	-	-	-	4
PENHAGEN -	450,000	" 20	237	127	14·7	-	1	1	1	-	2	36
CKHOLM -	341,816	" 13	150	76	11·6	-	-	-	2	-	1	4
RISTIANIA -	240,178	" 20	112	51	11·0	-	-	-	1	1	-	5
PETERSBURG	1,620,000	July 30	981	788‡	25·4	7	20	7	15	4	13	130
SCOW - -	1,493,600	August 13	-	815‡	23·5	2	7	14	15	1	7	260
RLIN - -	2,121,111	" 6	805	598	14·7	-	6	4	5	5	-	105
MBURG - -	895,804	" 20	-	248	14·4	-	2	-	3	5	1	57
ESLAU - -	509,992	" 13	248	173	17·7	-	-	-	-	3	3	26
NICH - -	576,000	" 13	-	188	17·0	-	2	1	-	-	1	30
NNA* - -	2,107,981	" 20	835	552	13·6	-	4	4	3	1	1	85
AGUE* - -	497,905	" 6	167	137	14·3	-	-	-	1	1	1	12
DAPEST*	833,703	" 13	349	255	15·9	-	2	4	1	1	9	38
ESTE* - -	221,124	" 20	145	80	18·8	-	-	1	-	-	1	14
ME - - -	587,096	July 2	-	-	-	-	-	-	-	-	-	-
NICE - -	183,224	August 6	96	69	19·6	-	-	1	1	-	1	8
		" 13	85	52	14·8	-	-	-	-	-	1	10
CAREST - -	297,643	July 23	157	171	30·0	-	-	5	-	1	3	45
		" 30	234	159	27·9	-	-	6	1	3	2	56
W YORK* -	4,711,956	August 6	2694	1413	15·6	-	11	2	17	9	9	288
CAGO* - -	2,282,927	" 6	-	605	13·9	-	1	5	11	4	5	143
LADELPHIA*	1,598,400	June 18	-	479	15·6	-	5	7	10	10	2	30
		" 25	-	525	17·1	-	6	-	12	6	2	76
DE JANEIRO	842,822	July 17	-	343	21·2	-	2	-	1	1	-	?
		" 24	-	371	22·9	-	6	-	3	1	-	?
RO:—*												
gyptians -	616,213	" 22	564	654	54·8	-	23	-	7	-	7	138
reigners -	61,480	" 22	6	18	15·0	-	-	-	-	-	2	5
EXANDRIA:—*												
gyptians -	317,454	" 22	195	266‡	43·3	2	3	-	-	-	-	84
reigners -	67,966	" 22	15	20	15·1	-	1	-	-	-	2	5

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to ildren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 11 deaths from *plague* in Calcutta, 36 in Bombay, and 4 in Alexandria, and from *Asiatic cholera*, 9 deaths Calcutta, 130 in St. Petersburg, and 7 in Moscow.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 27th August, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
NDON (Greenwich)	75·0	49·1	61·3	0·80	BRADFORD - -	61·1	45·9	53·3	2·06
GHTON - -	67·0	49·6	60·4	0·49	YORK - - -	63·0	45·0	53·0	1·10
RTSMOUTH - -	68·0	48·0	61·4	0·53	HULL - - -	70·0	47·0	59·2	1·22
RWICH - -	70·1	49·0	60·8	0·79	TYNEMOUTH - -	65·0	46·0	55·6	0·77
MOUTH - -	66·0	52·2	59·9	2·37	CARDIFF - - -	67·9	47·8	58·2	0·79
STOL - - -	70·0	47·5	59·9	1·01	EDINBURGH - -	61·5	45·1	54·0	2·90
MINGHAM - -	66·9	47·5	57·8	1·83	GLASGOW - -	66·8	41·0	55·2	1·44
TTINGHAM - -	69·0	46·0	58·3	1·62	DUBLIN: Phœnix Park	64·8	44·0	56·6	0·41
ERPOOL OBSERVATORY	64·0	50·0	57·3	1·12	DUBLIN: Fitzwilliam Square†	65·2	49·1	57·4	0·51
NCHESTER -	64·8	44·7	56·7	1·82					
RNLEY - -	64·0	44·6	56·3	1·96					
DDERSFIELD -	67·0	45·2	56·5	2·28	BELFAST - - -	65·2	49·8	57·0	1·51

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to e seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The rrection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the ove was 1·6 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 27th August, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 21	..	29·728	73·4	55·3	18·1	62·9	+ 1·6	52·0	10·9	17·9	3·9	68	126·1	49·0	61·35	SW.	WSW.	6·6	0·0	0·6	475	+239	0·00	7·7
MONDAY - 22	..	29·811	66·0	52·1	13·9	57·5	- 3·6	52·9	4 6	12·6	1·6	85	114·2	46·0	61·36	SW., WSW. & NNW.	NNW., WSW. & SW.	1·8	0·0	0·0	189	- 50	0·03	0·0
TUESDAY - 23	In Eqr.	29·787	70·2	49·1	21·1	58·8	- 2·1	50·7	8·1	18·5	2·0	75	138·5	41·9	61·33	NNW., WSW. & SW.	SSW. & S.	2·1	0·0	0·1	216	- 28	0·08	11·5
WEDNESDAY 24	..	29·615	75·0	53·3	21·7	62·8	+ 2·0	53·5	9·3	18·6	0·6	72	136 2	47·1	61·23	SSE. & WSW.	WSW. & SW.	3·5	0·0	0·2	302	+ 53	0·00	10·3
THURSDAY - 25	Perigee	29·747	70·8	51·6	19·2	60·0	- 0·7	56·4	3 6	13·6	1·7	88	122·0	46·0	61·18	SW. & SSW.	SSW. & SSE.	2·2	0·0	0·1	250	- 8	0·00	11·5
FRIDAY - 26	..	29·459	70·0	54·7	15·3	60·4	- 0·3	54·8	5·6	16·9	1·9	82	112·7	48·8	61·20	SSE. & SSW.	SW. & WSW.	5·1	0·0	0·4	392	+123	0·69	16·7
SATURDAY - 27	Last Qr.	29·704	66·0	50·6	15·4	56·9	- 3·7	47·7	9·2	16·6	0·8	71	116·5	44·7	61·20	SW. & WSW.	WSW., SSW. & S.	7·8	0·0	0·5	469	+193	0·00	11·3
MEANS - -		29·693	70·2	52·4	17·8	59·9	- 1·0	52·6	7·3	16 4	1·8	77	123·7	46·2	61·26	SW.		..	..	..	Sum 2293	Sum +522	Sum 0·80	9·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 21	w. P. throughout.	8·6	14·3	Fine generally but variably cloudy throughout with gusty wind. Solar halo observed in afternoon and lunar halo at night.
MONDAY - 22	w.P. generally until noon; afterwards m. P. generally.	1·3	14·2	Cloudy until 4h. A.M.; afterwards nearly overcast with a few slight breaks; fine rain after 7h. P.M. with showers at times.
TUESDAY - 23	m.P. generally until noon; afterwards m P. and w. P. with a little v. N.	5·6	14·1	Overcast generally until 6h. A.M. and after 2h. P.M.; otherwise cloudy with fine intervals; frequent light showers; a heavier one just before 6h. P.M.
WEDNESDAY 24	w. P. generally.	6·6	14·1	Overcast with slight exceptions until 9h. 30m. A.M.; afterwards fine and partially cloudy; nearly cloudless after 8h. 30m. P.M.
THURSDAY - 25	w. P. generally.	1·8	14·0	Fine with gradually increasing cloud until 9h. A.M.; afterwards overcast generally until 8h. P.M.; then becoming cloudy; a few spots of rain at times during the day.
FRIDAY - 26	v. P. and v. N. from 3h. to 6h. A.M.; otherwise w. P.	5·6	13·9	Overcast by 2h. A.M.; rain from 3h. A.M. to 6h. A.M. with sharp thunderstorm from about 4h. A.M.; then showery with fine intervals until 1h. P.M.; afterwards very fine; nearly cloudless by 8h. P.M.; gusty wind throughout.
SATURDAY - 27	w.P. and m.P. generally.	7·6	13·9	Fine and variably cloudy with brisk wind until 1h. P.M.; then becoming overcast gradually; fine after 6h. P.M. but sky very hazy.
		Sum 37·1	Sum 98·5	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·73 in. at the beginning of the week to 29·84 in. by 9h. P.M. on 22nd; decreased to 29·58 in. by 6a. A.M. on 24th; increased to 29·79 in. by noon on 25th; decreased to 29·44 in. by 11h. A.M. on 26th: increased to 29·74 in. by 10h. P.M. on 27th; and was 29·72 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 20th August, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	4	2	-	2	-	-	1	-	-
Kensington	184,635	-	1	1	-	-	-	-	3	-	-
Hammersmith	127,413	-	5	1	-	-	-	-	1	-	1
Fulham	181,282	-	7	4	-	1	-	-	3	1	-
Chelsea	75,457	-	6	1	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	2	8	-	-	-	-	-	-	-
NORTH.											
St. Marylebone	125,195	-	3	2	-	-	-	-	2	-	-
Hampstead	95,729	-	2	1	-	-	-	-	-	-	-
St. Pancras	237,792	-	8	2	-	2	-	-	1	-	-
Islington	353,356	-	7	11	-	3	-	-	2	-	-
Stoke Newington	54,838	-	-	1	-	-	-	-	1	-	-
Hackney	239,979	-	7	4	-	2	-	-	2	-	-
CENTRAL.											
Holborn	53,142	-	-	1	-	1	-	-	-	-	-
Finsbury	94,578	-	3	2	-	-	-	-	-	-	-
City of London	17,132	-	-	1	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,387	-	6	1	-	4	-	-	7	-	-
Bethnal Green	131,579	-	5	4	-	2	-	-	1	1	-
Stepney	314,379	-	10	4	-	1	-	-	11	-	-
Poplar	172,432	-	4	4	-	1	-	-	4	-	-
SOUTH.											
Southwark	211,832	-	8	6	-	3	-	-	6	-	-
Bermondsey	127,238	-	13	6	-	1	-	-	1	-	-
Lambeth	327,074	-	18	3	-	2	-	-	1	1	1
Battersea	188,222	-	4	2	-	-	-	-	2	-	-
Wandsworth	305,838	-	11	8	-	2	-	-	5	1	-
Camberwell	286,058	-	7	-	-	2	-	-	6	-	-
Deptford	119,642	-	1	-	-	-	-	-	-	-	-
Greenwich	112,935	-	4	5	-	1	-	-	-	-	-
Lewisham	164,899	-	12	4	-	-	-	-	1	-	-
Woolwich	135,422	-	6	-	-	1	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	164	89	-	31	-	-	63	4	2
Ages 0-1		-	3	1	-	-	-	-	2	-	1
" 1-5		-	57	30	-	5	-	-	-	-	-
" 5-		-	62	29	-	2	-	-	1	-	-
" 10-		-	29	6	-	3	-	-	3	-	1
" 15-		-	9	7	-	5	-	-	5	-	-
" 20-		-	1	10	-	7	-	-	1	1	-
" 25-		-	1	4	-	5	-	-	9	3	-
" 35-		-	-	1	-	3	-	-	17	-	-
" 45-		-	1	1	-	1	-	-	9	-	-
" 55-		-	1	-	-	-	-	-	8	-	-
" 65 and upwards		-	-	-	-	-	-	-	8	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 35. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, SEPT. 3. [Price 1½*d.*

General Register Office, Somerset House,
September 5th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 12·1 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 11·1, 11·5, and 12·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·0 in Burnley, 17·3 in Dewsbury, 17·5 in Stockton on Tees, 17·8 in Brighton, 19·2 in Hull, 19·7 in Preston, 20·4 in Grimsby and in Sunderland, 24·7 in Birkenhead, and 25·0 in Tynemouth; from *measles*, 2·9 in Oldham; from *whooping-cough*, 1·6 in Rotherham and in Gateshead, and 2·1 in Grimsby; and from *diarrhœa*, 4·3 in Wallasey, 4·6 in Walsall, 5·1 in Wigan, 5·2 in Preston, 5·3 in Burnley, 5·9 in Bootle, 6·3 in Hull, and 6·4 in Birkenhead. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2118 BIRTHS and 1005 DEATHS were registered. Allowing for increase of population, the births were 284 and the deaths 359 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17496—41.) Wt. 91—429. 700. 9/10. D & S. G. 31. Sch. 4. 2 M

weeks of the previous five years. The annual death-rate from all causes, which had been 10·3, 10·2, and 10·8 per 1000 in the preceding three weeks, was again 10·8 last week. The death-rate in the four weeks ended last Saturday averaged 10·5 per 1000, being 3·9 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1005 deaths included 23 from measles, 5 from scarlet fever, 5 from diphtheria, 8 from whooping-cough, 3 from enteric fever, and 96 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 140 deaths were referred, being 176 below the corrected average number in the thirty-fifth week of the preceding five years.

The deaths from *measles*, which had been 28, 27, and 35 in the preceding three weeks, fell to 23 last week, but were 4 above the corrected average; 5 deaths belonged to the Borough of St. Pancras, 4 to Stepney, and 3 each to Bermondsey and to Camberwell. The deaths from *scarlet fever*, which had been 1, 4, and 3 in the preceding three weeks, rose to 5 last week, but were 5 below the corrected average. The deaths from *diphtheria*, which had been 6, 6, and 10 in the preceding three weeks, fell to 5 last week, and were 6 below the corrected average. The deaths from *whooping-cough*, which had been 19, 13, and 11 in the preceding three weeks, further fell to 8 last week, and were 12 below the corrected average. The deaths from *enteric fever*, which had been 4, 1, and 1 in the preceding three weeks, were 3 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 26, 37, and 65 in the preceding three weeks, further rose to 96 last week, but were 157 below the corrected average; 10 deaths belonged to Bermondsey, 10 to Lambeth, 9 to Deptford, 8 each to Stepney and to Battersea, 7 to Poplar, and 6 to Southwark. Of the 96 deaths from diarrhœa, 89 were those of children under 2 years of age; 14 other deaths at this age were certified as due to *enteritis*, and 11 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 3, having been 3, 5, and 4 in the preceding three weeks.

Different forms of violence caused 43 deaths, concerning all of which inquests were held. Of these 43 deaths, 12 were cases of suicide, while the remaining 31 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, four to drowning, and five, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1455 cases of scarlet fever, 592 of diphtheria, 1 of typhus, and 60 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 183 cases, against 163, 143, and 159; of diphtheria, 88 cases, against 80, 77, and 76; and of enteric fever, 10 cases, against 7, 18, and 15. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended August 27th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3405 births and 1402 deaths were registered. Allowing for increase of population, these numbers are 390 and 581 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from measles, 1 from scarlet fever, 1 from diphtheria, 1 from whooping-cough, and 14 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·84 inches, and that of the Thermometer 58°·3, the latter being 1°·7 below the week's average in the 65 years ended 1905. The general direction of the wind was West-south-westerly, the horizontal movement of the air being 12 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 38·6 hours; the measured rainfall amounted to 0·41 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 3rd September, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 13th Aug., 1910.	20th Aug., 1910.	27th Aug., 1910.	3rd Sept., 1910.	Rate from Diseases in Cols. 11–17 Week ended 3rd Sept., 1910.	Registered during the Week ended 3rd Sept., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**11·1**	**11·5**	**12·1**	**12·1**	**2·2**	**7906**	**3940**	**1098**	**1013**	**–**	**68**	**18**	**16**	**57**	**17**	**527**	**141**	**295**	**966**	**33**	**77 TOWNS.**
LONDON	4,872,702	10·3	10·2	10·8	10·8	1·5	2118	1005	222	299	–	23	5	5	8	3	96	43	109	418	–	LONDON.
CROYDON	164,485	8·6	8·9	7·6	7·6	–	57	24	2	8	–	–	–	–	–	–	–	1	5	6	–	CROYDON.
WILLESDEN ..	166,088	7·2	5·7	6·0	7·8	–	63	25	4	7	–	–	–	–	–	–	–	–	1	6	–	WILLESDEN.
HORNSEY	98,561	5·3	2·1	3·7	2·6	–	21	5	–	3	–	–	–	–	–	–	–	1	1	–	–	HORNSEY.
TOTTENHAM ..	132,803	10·6	11·4	8·6	9·0	0·8	89	23	6	8	–	–	–	–	–	–	2	–	3	4	–	TOTTENHAM.
WEST HAM ..	328,585	9·2	8·9	9·0	10·0	2·1	171	63	17	12	–	1	2	1	–	–	9	4	5	19	1	WEST HAM.
EAST HAM.. ..	156,208	8·3	6·3	6·0	6·0	0·7	70	18	4	6	–	–	–	–	–	–	2	1	1	6	–	EAST HAM.
LEYTON	133,436	3·5	7·4	5·5	4·7	0·4	57	12	2	2	–	–	–	–	1	–	–	–	–	3	–	LEYTON.
WALTHAMSTOW	141,748	5·1	5·9	5·1	5·5	–	56	15	6	5	–	–	–	–	–	–	–	–	1	1	–	WALTHAMSTOW.
HASTINGS	68,520	10·7	9·9	6·8	12·9	–	21	17	2	8	–	–	–	–	–	–	–	–	3	4	1	HASTINGS.
BRIGHTON	131,900	10·3	15·4	13·4	17·8	3·6	65	45	14	12	–	2	–	–	–	1	6	1	5	7	1	BRIGHTON.
PORTSMOUTH ..	217,989	13·9	9·1	10·3	14·1	1·4	137	59	19	15	–	–	–	1	1	2	2	1	4	16	2	PORTSMOUTH.
BOURNEMOUTH ..	73,947	11·3	6·3	10·6	4·9	–	13	7	1	4	–	–	–	–	–	–	–	–	1	1	–	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	10·7	11·1	11·1	7·0	–	41	17	3	8	–	–	–	–	–	–	–	–	4	4	–	SOUTHAMPTON.
READING	84,355	12·4	9·3	7·4	6·8	–	28	11	2	2	–	–	–	–	–	–	–	–	1	1	1	READING.
NORTHAMPTON ..	99,113	8·9	8·4	10·5	7·9	1·6	26	15	3	4	–	–	–	–	1	–	2	–	–	2	–	NORTHAMPTON.
IPSWICH	75,936	7·6	7·6	8·9	14·4	–	43	21	3	11	–	–	–	–	–	–	–	–	2	5	–	IPSWICH.
GREAT YARMOUTH	53,715	16·5	17·5	12·6	14·6	–	34	15	6	6	–	–	–	–	–	–	–	–	–	2	–	GREAT YARMOUTH.
NORWICH	125,446	9·1	12·5	8·3	14·5	1·2	48	35	6	14	–	–	–	–	1	–	2	–	1	4	1	NORWICH.
PLYMOUTH	126,266	10·3	10·7	11·6	10·7	2·1	51	26	8	8	–	–	–	–	–	1	4	3	5	4	–	PLYMOUTH.
DEVONPORT	84,695	5·5	8·0	7·4	10·5	–	42	17	6	5	–	–	–	–	–	–	–	1	1	3	–	DEVONPORT.
BRISTOL	382,550	8·6	7·9	9·4	10·1	1·1	175	74	16	21	–	1	–	1	2	–	4	6	7	20	–	BRISTOL.
STOKE ON TRENT ..	245,726	10·8	12·5	15·3	12·1	1·7	119	57	14	9	–	–	1	–	–	–	7	3	5	9	4	STOKE ON TRENT.
BURTON ON TRENT	54,977	15·2	8·5	12·3	8·5	–	24	9	–	3	–	–	–	–	–	–	–	1	1	2	–	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	12·8	7·4	7·9	8·9	2·0	51	18	4	5	–	1	–	–	–	–	3	–	–	7	–	WOLVERHAMPTON.
WALSALL	101,035	9·8	9·3	7·2	14·5	5·2	48	28	11	3	–	–	–	1	–	–	9	1	2	3	1	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	8·7	6·5	10·8	5·0	–	30	7	–	2	–	–	–	–	–	–	–	–	–	1	–	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	10·3	14·7	8·1	8·1	1·5	35	11	4	1	–	–	–	–	–	–	2	–	–	1	–	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 12th Aug., 1910.	20th Aug., 1910.	27th Aug., 1910.	3rd Sept., 1910.	Rate from Diseases in Cols. 11-17. Week ended 3rd Sept., 1910.	Registered during the Week ended 3rd Sept., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	9·9	12·0	13·1	11·1	1·5	281	121	42	25	-	-	-	-	2	-	14	5	6	40	3	Birmingham.
Kings Norton ..	84,673	6·2	7·4	8·0	8·6	0·6	40	14	4	2	-	-	-	-	-	-	1	-	-	2	-	Kings Norton.
Smethwick	72,350	5·8	7·2	16·6	4·3	0·7	42	6	2	-	-	-	-	-	-	-	1	1	1	-	-	Smethwick.
Aston Manor ..	86,269	7·9	11·5	13·9	11·5	3·0	43	19	6	4	-	-	-	-	-	-	5	-	-	2	-	Aston Manor.
Coventry	81,449	11·5	9·6	18·6	8·3	1·3	57	13	2	5	-	-	2	-	-	-	-	-	-	3	-	Coventry.
Leicester	248,374	8·8	9·7	7·6	10·9	0·8	91	52	17	14	-	-	-	-	-	-	4	1	1	3	-	Leicester.
Grimsby	74,283	9·1	16·1	11·9	20·4	4·9	41	29	12	4	-	-	-	-	3	1	3	-	1	3	-	Grimsby.
Nottingham ..	266,471	11·2	12·3	9·8	11·5	0·8	129	59	18	21	-	-	-	-	2	-	2	2	4	6	-	Nottingham.
Derby	131,256	10·3	8·3	8·7	7·9	1·2	63	20	5	9	-	-	-	1	-	-	2	1	3	6	-	Derby.
Stockport	105,087	12·9	9·9	14·4	12·9	1·0	49	26	5	8	-	-	-	-	-	-	2	-	1	6	-	Stockport.
Birkenhead ..	122,431	14·1	11·1	17·0	24·7	6·8	69	58	25	9	-	-	-	-	1	-	15	-	2	12	-	Birkenhead.
Wallasey . ..	73,173	11·4	15·7	9·3	14·3	5·0	34	20	10	6	-	-	-	-	1	-	6	-	2	-	-	Wallasey.
Liverpool . ..	767,606	13·5	16·4	19·4	16·6	3·9	433	245	72	49	-	2	3	1	8	-	44	6	9	75	6	Liverpool.
Bootle	70,548	20·7	19·2	13·3	16·3	6·7	35	22	8	2	-	-	-	-	1	-	8	2	2	2	1	Bootle.
St. Helens	96,523	9·7	15·7	14·6	13·5	3·8	51	25	4	10	-	-	-	-	-	-	7	1	1	1	-	St. Helens.
Wigan	91,732	16·5	13·6	12·5	14·8	5·1	49	26	8	7	-	-	-	-	-	-	9	1	1	1	-	Wigan.
Warrington ..	73,295	11·4	14·9	8·5	10·0	1·4	45	14	5	2	-	-	-	-	-	1	1	1	1	4	-	Warrington.
Bolton	190,315	10·7	7·4	12·1	12·9	1·9	71	47	11	14	-	-	-	-	1	-	6	-	1	5	-	Bolton.
Bury	59,409	14·0	12·3	14·9	7·9	2·6	32	9	4	5	-	-	-	-	-	-	3	-	-	-	-	Bury.
Manchester ..	716,354	14·6	12·7	15·5	16·1	3·8	375	221	60	62	-	7	2	1	4	-	38	8	14	52	2	Manchester.
Salford	244,636	14·9	14·3	13·6	14·5	3·6	111	68	17	21	-	1	-	1	1	1	13	3	5	14	-	Salford.
Oldham	144,111	13·0	12·3	13·7	11·2	4·0	35	31	3	5	-	8	-	-	1	-	2	1	2	1	-	Oldham.
Rochdale	90,497	9·8	4·0	9·8	13·3	0·6	41	23	4	6	-	-	-	-	-	-	1	-	1	1	1	Rochdale.
Burnley	107,448	13·6	18·0	14·6	17·0	5 3	51	35	15	-	-	-	-	-	-	-	11	1	2	3	-	Burnley.
Blackburn	137,972	9·8	17·0	16·6	9·1	0·4	40	24	5	8	-	-	-	-	-	-	1	-	-	4	-	Blackburn.
Preston	119,253	12·7	20·1	17·1	19·7	6·6	47	45	19	8	-	2	-	-	-	1	12	1	1	5	1	Preston.
Barrow in Furness.	63,689	18·8	17·2	14·7	10·6	1·6	28	13	1	4	-	-	-	-	-	1	1	-	-	4	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 3rd September, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 13th Aug., 1910.	20th Aug., 1910.	27th Aug., 1910.	3rd Sept., 1910.	Rate from Diseases in Cols 11-17. Week ended 3rd Sept., 1910.	Registered during the Week ended 3rd Sept., 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	10·5	12·7	19·3	13·8	1·7	56	25	4	6	-	-	-	-	-	1	2	1	1	3	-	HUDDERSFIELD.
HALIFAX	112,818	12·9	8·8	12·9	5·1	-	38	11	1	5	-	-	-	-	-	-	-	-	-	6	-	HALIFAX.
BRADFORD	295,865	12·5	13·9	12·0	12·3	2·3	100	70	20	16	-	-	-	-	1	1	11	2	5	13	-	BRADFORD.
LEEDS	490,985	13·4	13·0	12·0	13·5	3·2	199	127	37	26	-	5	1	-	3	-	21	3	8	10	-	LEEDS.
DEWSBURY	51,224	14·3	17·3	5·1	17·3	4·1	35	17	-	8	-	1	-	-	1	1	1	-	1	2	-	DEWSBURY.
SHEFFIELD	478,763	11 2	11·9	14·9	14·6	3·6	237	134	55	31	-	5	1	-	1	-	26	3	6	29	3	SHEFFIELD.
ROTHERHAM.. ..	66,414	6·3	9·4	7·1	8·6	2·4	33	11	3	2	-	-	-	-	2	-	1	2	2	1	-	ROTHERHAM.
YORK	88,159	9·5	17·7	10·1	14·2	2·4	41	24	7	3	-	-	-	-	-	-	4	1	1	4	-	YORK.
HULL	280,006	11·5	18·1	20·7	19·2	7·1	169	103	52	17	-	2	1	-	1	-	34	5	6	15	1	HULL.
MIDDLESBROUGH ..	107,014	15·6	18·0	20·5	14·1	4·4	62	29	10	6	-	-	-	1	-	-	8	-	1	3	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	9·7	15·5	15·5	17·5	3·9	23	18	7	5	-	-	-	-	1	1	2	1	1	2	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	8·9	7·6	6·4	14·0	1·3	45	22	7	5	-	-	-	1	-	-	1	-	-	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	17·8	19·7	15·2	20·4	3·6	76	63	17	14	-	2	-	-	-	1	8	5	5	15	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	9·6	10·9	14·4	16·5	2·2	69	38	10	10	-	-	-	-	-	-	5	2	2	6	-	SOUTH SHIELDS.
GATESHEAD	133,676	11·7	12·7	12·1	15·6	5·5	72	40	18	3	-	-	-	-	4	-	10	1	1	1	2	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	14·0	14·6	16·4	13·1	2·9	149	72	25	15	-	3	-	1	1	-	11	5	8	18	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	20·3	10·2	16·6	25·0	2·8	30	27	6	8	-	1	-	-	1	-	1	2	4	3	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	9·2	9·8	15·0	13·1	0·7	44	20	7	7	-	-	-	-	-	-	1	-	2	2	-	NEWPORT (MON.).
CARDIFF	199,189	7·3	8·9	9·9	12·0	2·1	94	46	15	10	-	-	-	-	-	-	8	-	3	7	-	CARDIFF.
RHONDDA	138,674	16·2	16·2	15·8	12·8	3·4	117	34	15	4	-	1	-	-	1	-	7	1	1	3	-	RHONDDA.
MERTHYR TYDFIL..	79,522	10·5	13·8	15·7	10·5	2·0	52	16	7	4	-	-	-	-	-	-	3	1	2	2	-	MERTHYR TYDFIL.
SWANSEA	98,817	16·4	10·0	14·2	15·3	0·5	49	29	6	7	-	-	-	-	1	-	-	4	6	5	-	SWANSEA.
GREATER LONDON	7,537,196	9·4	9·3	9·5	9·7	1·2	3405	1402	315	426	-	25	8	7	10	3	123	60	145	500	2	GREATER LONDON.
OUTER RING ..	2,664,494	7·8	7·8	7·1	7·8	0·7	1287	397	93	127	-	2	3	2	2	-	27	17	36	82	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	7·6	7·5	6·9	7·3	0·7	584	185	41	51	-	1	2	1	1	-	13	7	17	45	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·0	8·1	7·3	8·2	0·7	703	212	52	76	-	1	1	1	1	-	14	10	19	37	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	11·4	14·9	9·7	10·9	0·9	121	75	8	23	-	-	1	2	1	-	2	3	?	29	-	EDINBURGH.
GLASGOW	884,505	13·0	13·6	15·0	14·0	3·2	370	237	66	50	-	-	3	3	6	1	41	13	?	61	8	GLASGOW.
DUBLIN (Registration Area).†	402,928	17·9	15·8	17·9	14·9	2·5	228	115	29	32	-	-	1	1	4	1	12	5	6	35	3	DUBLIN (Registration Area).†
BELFAST†	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BELFAST†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FIFTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2763	2483	2633	2454	2160	2372	2475	2346	2221	2317	2402·4	2118
Males - - -	1443	1284	1328	1248	1161	1198	1232	1154	1164	1178	1213·6	1081
Females - -	1320	1199	1305	1206	999	1174	1243	1192	1057	1139	1188·8	1037
TOTAL **Deaths** -	1776	1623	1385	1245	1459	1548	1570	1068	1327	1149	1364·3	1095
Males - - -	943	866	779	662	767	821	823	572	696	594	718·0	552
Females - -	833	757	606	583	692	727	747	495	631	555	643·3	453

* The numbers in this column are the average weekly numbers in the Thirty-Fifth week of the five years 1905–1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	13 Weeks.
TOTAL **Births** -	2243	2424	2260	2329	2272	2163	2176	2429	1854	2367	2303	2268	2118	29206
TOTAL **Deaths** -	984	993	983	964	997	1036	962	957	956	962	952	1009	1005	12760
Ages at Death: Under 1 year -	183	162	177	177	168	172	187	151	173	174	184	214	222	2344
1—5 years -	102	119	97	114	100	99	104	89	107	90	110	116	101	1348
5—20 " -	65	58	57	51	68	70	61	52	54	52	58	37	69	752
20—40 " -	119	124	134	129	142	120	132	124	122	136	130	122	116	1650
40—60 " -	219	218	226	223	217	230	200	229	210	223	202	207	198	2802
60 yrs. & upwds.	296	312	292	270	302	345	278	312	290	287	268	313	299	3864
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	47	47	35	32	37	31	36	23	30	28	27	35	23	431
Scarlet Fever - -	5	3	3	2	8	4	5	2	5	1	4	3	5	50
Diphtheria - -	5	7	2	5	3	7	8	4	8	6	6	10	5	76
Whooping-cough -	23	32	25	21	23	19	27	14	18	19	13	11	8	253
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	1	1	2	2	1	2	4	2	4	1	1	3	27
Pyrexia (origin uncertain).	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	8	23	11	14	17	14	18	12	23	26	37	65	96	364
All above diseases -	91	113	78	76	90	76	96	59	86	84	88	125	140	1202
Dis. of Resp. System	55	42	55	54	44	51	46	48	50	48	48	42	50	633
Pneumonia - -	82	52	74	68	73	80	85	63	74	65	73	87	65	941
Phthisis - - -	81	97	87	90	94	84	78	82	99	81	88	77	87	1125
Dis. of Circ. System -	154	153	144	138	159	183	128	158	150	138	121	142	145	1913
Violence - - -	56	48	49	55	53	46	44	43	50	43	48	34	43	617
Inquest Cases - -	118	109	101	113	101	114	95	103	119	94	112	80	109	1368
Deaths in Institutions	430	464	464	442	471	455	446	437	459	438	438	466	418	5828
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	62·2	58·8	62·3	56·5	55·2	57·9	59·2	58·8	60·2	60·7	62·7	59·9	58·3	59·4
Mean of Highest -	72·0	69·9	75·0	66·0	63·7	67·4	67·7	65·3	71·5	70·8	73·7	70·2	67·4	69·5
Mean of Lowest -	55·3	49·8	53·0	50·2	50·2	52·2	53·2	52·0	52·2	54·1	53·5	52·4	50·8	52·2
Mean Humidity of the Air.	86	77	75	76	84	84	85	77	77	85	75	77	77	80
Rain-fall (in inches) -	0·44	0·01	1·11	1·00	1·29	0·01	1·22	0·35	0·85	0·18	0·19	0·80	0·41	7·86
Registered Sunshine (in hours).	28·4	52·7	52·3	33·5	18·0	34·5	17·6	29·5	49·6	27·7	52·7	37·1	38·6	472·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	2	1	3	3	3	1	1	-	-	-	-	1
Scarlet Fever - -	1401	1363	1353	1378	1439	1530	1548	1563	1523	1490	1423	1447	1455	1455
Diphtheria - - -	753	729	711	674	628	646	626	619	584	534	591	578	592	640
Typhus - - -	1	1	1	1	1	1	1	-	-	-	1	1	1	1
Enteric Fever - -	52	53	47	47	49	50	50	46	46	46	51	59	60	50

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FIFTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectional should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 35th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1364·3	1005	222	101	69	116	198	299
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	0·2	–	–	–	–	–	–	–
Measles (Morbilli)	18·6	23	4	19	–	–	–	–
Scarlet Fever	9·6	5	–	4	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	3·1	3	–	–	–	–	2	1
Whooping-cough	19·9	8	3	5	–	–	–	–
Diphtheria	10·9	5	1	2	2	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	4·3	3	–	–	1	1	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	174·3	53	37	15	–	–	1	–
Diarrhœa, Dysentery ..	78·6	43	29	10	–	1	–	3
Tetanus	1·0	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·4	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	5·5	6	6	–	–	–	–	–
Puerperal Septicæmia ..	1·0	4	–	–	1	2	1	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·2	–	–	–	–	–	–	–
Infective Endocarditis ..	2·5	2	–	–	1	1	–	–
Pneumonia — Lobar ..	9·8	10	1	–	1	–	7	1
Pneumonia — Broncho ..	30·5	27	8	8	3	2	2	4
Pneumonia — Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia — Not defined	31·3	28	3	3	2	3	3	14
Erysipelas	3·7	–	–	–	–	–	–	–
Septicæmia (not Puerperal)	1·8	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	1·0	–	–	–	–	–	–	–
Other Infective Processes	2·5	2	–	1	–	–	–	1
Tuberculous Phthisis ..	75·0	54	1	–	3	25	19	6
"*Phthisis*"	34·0	33	–	–	1	16	14	2
Tuberculous Meningitis ..	17·6	24	8	5	10	1	–	–
Tuberculous Peritonitis ..	13·9	8	3	–	3	–	1	1
Tabes Mesenterica	2·0	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	18·6	12	1	3	2	3	2	1
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	7·6	10	–	–	–	5	4	1
Rheumatic Feve	3·7	6	–	1	1	3	1	–
Gout	1·0	1	–	–	–	–	–	1
Carcinoma	63·7	59	–	–	–	1	18	40
Sarcoma	8·0	6	–	–	2	1	2	1
Cancer (undefined) ..	30·5	24	–	–	1	–	10	13
Diabetes Mellitus	9·0	5	–	–	–	–	2	3
Premature Birth	45·7	40	40	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 35th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	14·7	10	2	3	2	1	2
Gen. Par. of Insane, Insanity	11·9	8	–	–	–	–	5
Epilepsy	4·9	5	–	–	–	1	3
Convulsions	18·4	6	6	–	–	–	–
Locomotor Ataxy.. ..	0·6	–	–	–	–	–	–
Paraplegia, Dis. of Cord.	4·7	4	–	–	–	–	2
Nervous Sys., Other Dis.	16·8	3	–	–	–	–	1
Valv. Dis., Endocarditis..	41·2	37	–	–	3	5	15
Cereb. Hæm. Cereb. Emb.	32·8	30	–	–	–	2	11
Apoplexy, Hemiplegia ..	14·3	9	–	–	–	1	2
Aneurysm	4·1	8	–	–	1	3	3
Embolism, Thrombosis (not Cerebral) ..	1·0	–	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	59·8	61	–	1	2	4	12
Croup (not Spasm : nor Memb.)	0·2	–	–	–	–	–	–
Bronchitis	37·9	35	8	2	1	–	2
Emphysema, Asthma ..	1·6	3	–	1	–	–	1
Pleurisy	4·3	3	1	–	–	1	–
Respiratory Dis., Other..	7·8	9	2	–	1	–	2
Tonsillitis, Quinsy.. ..	0·8	–	–	–	–	–	–
Enteritis (not Epid.) ..	25·6	15	12	2	–	–	–
Gastro-enteritis	27·6	11	7	4	–	–	–
Peritonitis (not Puerp.) ..	1·6	–	–	–	–	–	–
Cirrhosis of Liver.. ..	11·9	8	–	–	–	1	5
Liver Dis., Other	5·1	5	–	–	1	1	2
Digestive Sys., Other Dis.	37·5	40	4	1	4	11	8
Acute Nephritis	5·3	8	–	–	3	–	4
Bright's Dis., Albuminuria	29·1	20	–	–	1	3	8
Urinary Sys., Other Dis.	8·8	9	–	–	–	–	3
Generative Organs Dis...	2·9	–	–	–	–	–	–
Childbirth (Accid. of) ..	4·5	5	–	–	1	4	–
Old Age	40·3	42	–	–	–	–	–
Other Diseases	93·9	64	28	10	7	4	6
ACCIDENT.							
By Railways	1·0	–	–	–	–	–	–
By Vehicles and Horses..	8·0	7	–	–	2	2	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	2	–	–	–	–	2
In Building Operations..	0·6	–	–	–	–	–	–
In Conflagrations	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	3·9	–	–	–	–	–	–
By Drowning	4·7	4	1	–	2	1	–
By Suffocation in Bed ..	6·8	5	5	–	–	–	–
By Poisons or Poisonous Vapours	2·3	3	–	–	–	1	1
Other Deaths by Accident..	11·5	10	1	1	1	–	2
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	1·4	–	–	–	–	–	–
Suicide	9·8	12	–	–	2	5	4
Execution	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd September 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2118	1005	222	299	-	23	5	5	8	3	96	87	43	109	418	-
WEST DISTRICTS	805,311	323	153	35	51	-	1	-	1	2	1	10	13	8	20	61	-
NORTH DISTRICTS	1,055,908	451	181	26	54	-	7	-	-	2	1	5	22	7	16	87	-
CENTRAL DISTRICTS	209,465	84	51	12	14	-	1	-	-	-	-	4	2	5	10	24	-
EAST DISTRICTS	715,739	408	202	56	50	-	4	-	-	1	-	24	11	11	35	98	-
SOUTH DISTRICTS	1,749,844	852	376	93	114	-	10	3	4	3	-	51	31	11	27	106	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	42	-	16	-	-	2	-	-	1	2	8	1	1	42	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	24	10	1	6	-	-	-	-	-	-	1	1	-	-	-	-
entral Paddington *W,3H*	50,053	15	12	1	1	-	-	-	-	-	-	1	1	1	2	6	-
outh Paddington	30,320	3	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-
ensington South *W,3H*	85,610	18	14	2	5	-	-	-	-	-	-	-	3	-	-	10	-
ensington Central *W,H*	42,774	14	12	2	4	-	1	-	-	-	-	-	2	-	3	2	-
ensington North *w*	48,244	19	8	5	1	-	-	-	-	1	-	1	-	1	1	1	-
orth Hammersmith *2W,w,H* ..	49,192	30	8	2	2	-	-	-	-	-	-	2	4	-	-	4	-
outh Hammersmith *w,2H* ..	63,047	23	12	4	4	-	-	-	-	-	-	2	-	-	1	6	-
orth-west Fulham *W*	45,180	54	12	3	5	-	-	-	-	-	-	2	-	2	4	5	-
orth-east Fulham *F*	46,405	20	10	1	4	-	-	-	1	-	1	1	1	-	2	2	-
outh Fulham *W*	45,704	33	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
helsea North *W,w,3H*	42,514	10	9	-	3	-	-	-	-	-	-	-	-	-	2	5	-
helsea South *W,2H*	31,328	6	5	1	3	-	-	-	-	-	-	-	-	1	1	1	-
ayfair and Knightsbridge	28,743	4	3	-	2	-	-	-	-	-	-	-	-	1	1	-	-
elgrave *W,2H*	55,815	20	12	1	5	-	-	-	-	-	-	-	1	2	2	5	-
. Margaret & St. John *6H*	43,698	21	19	11	3	-	-	-	-	1	-	-	-	-	-	14	-
. James and St. Anne *W,6H* ..	33,081	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
ll Souls Marylebone *7H*	35,391	14	7	-	2	-	-	-	-	-	-	-	-	-	1	5	-
. Mary Marylebone *W,4H* ..	37,948	37	5	3	-	-	-	-	-	-	-	-	-	-	1	4	-
ristchurch Marylebone *H* ..	39,536	15	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
. John Marylebone *2H*	20,426	9	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-
ampstead *W,F,6H*	81,942	24	6	-	2	-	-	-	-	-	-	-	3	-	-	3	-
est St. Pancras *2H*	60,562	24	5	2	1	-	-	-	-	-	-	-	-	-	-	3	-
outh St. Pancras *w,10H*	55,707	15	22	-	6	-	1	-	-	-	-	-	1	2	2	18	-
ast St. Pancras *W,H*	60,320	34	15	2	5	-	3	-	-	-	-	-	4	1	2	7	-
orth St. Pancras *2W*	58,728	25	10	4	2	-	1	-	-	-	-	1	-	-	1	4	-
ilnell *W*	31,995	16	15	1	6	-	-	-	-	-	-	-	3	-	-	12	-
pper Holloway *2W,w,H*	33,978	10	13	-	3	-	-	-	-	-	-	-	2	-	-	12	-
llington *2W,w,H*	33,922	16	6	1	3	-	-	-	-	-	-	1	-	-	-	-	-
wer Holloway	41,424	14	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
rnsbury	54,478	41	6	2	1	-	-	-	-	1	-	1	-	1	1	-	-
lington South-east *F*	75,397	28	7	1	1	-	1	-	-	-	-	-	1	1	1	-	-
ighbury *2H*	63,797	14	10	1	5	-	-	-	-	-	-	-	-	-	1	-	-
oke Newington *H*	51,247	25	5	-	3	-	-	-	-	-	-	-	1	-	-	-	-
orth Hackney	50,398	8	7	-	5	-	-	-	-	-	-	-	2	-	-	-	-
entral Hackney *2w,F*	50,536	25	6	-	1	-	-	-	-	-	1	-	-	1	3	1	-
outh-west Hackney *3H*	59,921	21	10	1	1	-	-	-	-	1	-	-	1	1	1	7	-
outh-east Hackney *2W,w,H* ..	58,255	36	20	7	4	-	-	-	-	-	-	2	3	-	2	11	-
ackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein amely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other istricts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a ub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the tter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, a from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVE DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturda 3rd September, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	9	6	1	3	-	-	-	-	-	-	-	-	-	-	2
Strand *W*,4*H*	21,674	2	5	1	-	-	-	-	-	-	-	-	1	1	1	4
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	10	7	3	1	-	-	-	-	-	-	-	1	-	-	5
Clerkenwell *H*	63,704	26	8	2	4	-	-	-	-	-	-	-	-	-	1	1
St. Luke 3*H*,*L*	36,116	31	6	1	1	-	1	-	-	-	-	2	-	-	1	2
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	6	17	4	4	-	-	-	-	-	-	2	-	4	6	10
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	22	6	3	1	-	-	-	-	1	-	1	-	1	2	2
Shoreditch North-West *W*,*w*,*H* ..	36,127	21	18	4	3	-	-	-	-	-	-	2	1	1	5	9
Shoreditch North-East	36,148	21	6	3	1	-	-	-	-	-	-	-	1	-	1	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	26	24	6	10	-	-	-	-	-	-	1	2	1	1	12
Bethnal Green South-West *H* ..	64,542	49	7	5	-	-	-	-	-	-	-	1	-	1	2	-
Spitalfields..	27,969	8	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Mile End New Town *W*,*H*	28,718	24	34	6	5	-	1	-	-	-	-	2	1	2	4	33
Goodman's Fields	22,081	10	6	-	4	-	-	-	-	-	-	-	1	-	1	-
St. George and St. John 2*W* ..	49,068	28	13	2	5	-	2	-	-	-	-	2	-	1	3	6
Shadwell and Ratcliff *w*,*H* ..	25,568	16	15	7	1	-	1	-	-	-	-	5	-	1	3	9
Limehouse *W*	32,369	16	5	3	-	-	-	-	-	-	-	-	-	1	2	-
Mile End Old Town South-Western *H*	63,698	54	8	1	2	-	-	-	-	-	-	1	2	-	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	26	15	4	4	-	-	-	-	-	-	1	-	1	2	9
Bow	41,989	21	5	2	-	-	-	-	-	-	-	1	-	-	2	-
Bromley 3*w*,*H*	68,319	36	31	8	11	-	-	-	-	-	-	4	3	-	3	16
Poplar *W*,*w*	58,514	30	8	2	3	-	-	-	-	-	-	3	-	-	2	2
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd September, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	10	14	2	5	-	1	-	-	-	-	-	1	-	-	11	-
Kent-road	21,904	14	3	2	-	-	1	-	-	-	-	2	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	30	11	5	1	-	-	-	-	-	-	2	1	1	2	4	-
Newington North	49,022	21	7	3	1	-	-	-	-	-	-	1	1	-	-	-	-
Newington South *W*	72,841	33	7	2	1	-	-	-	-	-	-	-	1	1	2	1	-
St. Olave *2W*	9,817	4	4	1	1	-	-	-	-	-	-	3	-	-	-	1	-
Bermondsey *W*	82,483	48	17	8	1	-	2	-	-	-	-	4	1	3	3	-	-
Rotherhithe *W,F*	38,460	24	10	3	3	-	1	-	-	-	-	2	1	-	2	5	-
Waterloo *2H*	27,440	23	9	3	3	-	-	-	-	-	-	2	-	1	3	2	-
Lambeth Church *H*	27,440	9	15	2	4	-	-	-	-	-	-	1	-	-	1	11	-
Kennington *2W*	52,518	23	23	7	9	-	1	-	-	-	-	5	4	-	1	10	-
Stockwell *HF*	63,826	28	15	3	3	-	-	1	1	-	-	-	2	1	1	2	-
Brixton *H*	73,673	30	15	3	6	-	-	-	-	-	-	1	1	-	-	3	-
Norwood *2WH*	56,998	20	8	1	4	-	-	-	-	-	-	1	1	-	-	-	-
East Battersea *H*	72,203	36	9	4	2	-	-	-	-	-	-	4	1	-	-	-	-
North-west Battersea	49,656	31	10	3	2	-	-	-	-	1	-	3	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	23	14	2	4	-	-	-	-	-	-	1	-	-	-	8	-
Clapham *2H*	51,361	17	4	-	1	-	-	-	-	1	-	-	1	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	37	24	2	13	-	-	-	2	-	-	-	4	-	1	12	-
Springfield *2W,L*	27,959	17	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Southfields *H*	40,444	29	5	2	-	-	-	-	-	-	-	2	-	-	-	-	-
Putney	24,139	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	18	12	2	6	-	-	-	-	-	-	1	1	-	-	9	-
Camberwell North *W,2L*	65,584	33	16	5	4	-	-	-	-	1	-	1	2	1	1	8	-
St. George	47,331	24	8	2	-	-	2	-	-	-	-	1	1	1	2	-	-
Peckham North	48,913	29	7	2	2	-	1	-	-	-	-	1	1	-	-	-	-
Peckham South *2W,w*	43,946	24	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North *F*	49,004	19	18	9	3	-	-	1	1	-	-	7	2	-	1	2	-
Deptford East	29,781	18	12	5	1	-	1	-	-	-	-	2	-	-	-	-	-
Deptford South	38,934	9	10	2	4	-	-	-	-	-	-	1	1	-	-	-	-
Greenwich West *H*	23,456	7	4	-	-	-	-	-	-	-	-	-	-	1	2	2	-
Greenwich East *2W,H*	43,859	19	9	2	5	-	-	-	-	-	-	2	-	-	-	4	-
Eltham *w,H*	7,226	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	34	14	1	9	-	-	-	-	-	-	1	-	1	3	5	-
Sydenham *H*	43,653	19	10	2	6	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	11	3	-	1	-	-	-	-	-	-	-	1	-	-	1	-
Woolwich *5H*	41,625	22	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead West *W,H*	39,376	14	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	17	9	1	2	-	-	1	-	-	-	-	2	-	-	3	-
Workhouses:—																	
Belmont Workhouse	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-
North-Eastern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-
London County Lunatic Asylums:—																	
Banstead	—	-	4	-	2	-	-	-	-	-	-	-	1	-	-	4	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	4	-	2	-	-	-	-	-	-	1	1	-	-	4	-
Manor	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	5	-
Long Grove	—	-	5	-	1	-	-	-	-	-	1	-	1	-	-	5	-
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell	—	-	4	-	-	-	-	-	-	-	-	-	2	-	-	4	-
Colney Hatch	—	-	4	-	1	-	-	-	-	-	-	1	1	1	1	4	-
Claybury	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongin the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Bo Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERA POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 3rd September, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Public Deaths in Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1287	397	93	127	-	2	3	2	2	-	27	17	36	82
31 : 1	Carshalton 2F,3H	12,228	32,997	15	7	2	3	-	-	-	1	-	-	-	-	-	1
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	6	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	3	1	-	1	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	19	8	1	3	-	-	-	-	-	-	-	-	2	-
3	West Croydon 3W,F,H ..	2,168	42,888	21	14	1	6	-	-	-	-	-	-	-	-	2	9
4	North Croydon H	2,644	41,698	17	5	1	1	-	-	-	-	-	-	-	1	1	-
5	Penge w	770	22,465	12	3	1	2	-	-	-	-	-	-	1	-	-	-
6	Mitcham w	11,711	30,015	29	8	3	1	-	-	-	-	-	-	1	-	1	-
40 : 1	Wimbledon F,3H	3,221	41,652	24	11	2	2	-	-	-	-	-	-	1	-	-	1
2	Kingston 2W,H	6,224	42,068	22	9	1	3	-	-	-	-	1	-	-	-	-	5
3	Surbiton F,H	3,046	15,017	12	4	2	1	-	-	-	-	-	-	-	1	1	-
4	Esher, *part of** H	5,402	13,100	7	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	16	5	1	2	-	-	-	-	-	-	-	-	-	-
41 : 1	Richmond W,H	2,491	31,672	14	3	-	2	-	-	-	-	-	-	-	-	-	1
2	Mortlake F	2,518	17,821	21	5	1	1	-	-	-	-	-	-	-	1	2	-
42 : 1	Bromley F,3H	4,696	27,397	17	6	1	1	-	-	-	-	-	-	-	-	1	4
2	Beckenham H	7,832	28,454	7	3	-	1	-	-	-	-	-	-	-	1	1	1
3	Orpington, *part of** W,F ..	10,113	9,857	5	4	-	1	-	-	-	-	-	-	-	-	-	2
4	Chislehurst 2H	7,333	16,446	4	2	-	2	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	15	3	1	1	-	-	-	-	-	-	1	1	1	-
2	Erith F,H	3,854	25,236	14	5	1	1	-	1	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Sunbury w	11,054	18,683	8	5	3	2	-	-	-	-	-	-	-	-	1	-
2	Staines W,H	13,277	15,178	6	1	-	1	-	-	-	-	-	-	-	-	-	-
127 : 1	Hillingdon W,F,H	8,035	13,661	7	1	-	-	-	-	1	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	5	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	15	3	2	-	-	-	-	-	-	-	1	1	1	-
128 : 1	Isleworth 3W,3F,H	6,859	50,863	27	14	2	8	-	-	-	-	-	-	-	-	1	8
2	Twickenham F,2H	2,421	26,991	13	2	1	1	-	-	-	-	-	-	1	-	-	-
3	Hanwell w,2H	4,108	11,257	8	3	-	-	-	-	-	-	-	-	-	1	1	-
4	Brentford 3F,2H	4,038	48,202	39	13	6	2	-	-	-	-	-	-	3	2	1	-
5	Chiswick H	1,249	29,809	25	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Acton F,H	2,305	37,744	31	10	6	2	-	-	-	-	-	-	3	-	1	-
129 : 1	Willesden W,F,2H	4,384	114,811	63	25	4	7	-	-	-	-	-	-	-	-	1	6
130 : 1	Harrow F,H	13,809	25,523	23	6	-	3	-	-	-	-	-	-	-	1	1	-
2	Edgware 2F,2H	6,994	4,521	1	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	20	1	-	-	-	-	-	-	-	-	-	-	1	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	3	3	-	2	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	2	-	1	-	-	-	-	-	-	-	-	-	1
3	Finchley F,3H	4,668	33,692	24	7	2	2	-	-	-	-	-	-	-	1	2	1
132 : 1	Hornsey F,H	2,875	72,056	21	5	-	3	-	-	-	-	-	-	-	1	1	-
2	Wood Green H	1,625	34,233	26	4	1	2	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	39	11	4	4	-	-	-	-	-	-	2	-	2	-
4	East Tottenham 2H ..	2,019	53,962	50	10	2	3	-	-	-	-	-	-	-	-	-	2
5	Edmonton W,w,2F	7,491	61,892	39	16	3	4	-	-	-	-	-	-	-	-	2	6
6	Enfield 2W,F,H	12,661	42,738	30	4	-	3	-	-	-	-	-	-	-	-	-	-
7	Waltham Abbey F	11,017	6,549	2	1	-	1	-	-	-	-	-	-	-	-	1	-
8	Cheshunt F,H	8,479	12,292	4	3	1	1	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** H ..	9,195	7,051	7	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	24	10	3	-	-	-	-	-	-	-	2	1	1	1
2	Forest Gate	787	52,745	21	9	1	4	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	70	15	2	3	-	-	2	1	-	-	1	-	-	6
4	Canning Town H	1,556	70,718	56	17	10	1	-	1	-	-	-	-	6	1	2	-
5	South East Ham 2F ..	1,991	37,342	42	6	3	2	-	-	-	-	-	-	2	1	1	-
6	North East Ham w,H ..	1,333	58,666	28	6	1	3	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	4	2	-	2	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	25	10	2	5	-	-	-	-	-	-	-	-	-	6
9	North Leyton 2W,w,F ..	1,963	48,445	32	20	-	4	-	-	-	-	1	-	-	1	1	15
10	Walthamstow 2H,L ..	6,504	108,929	60	17	6	6	-	-	-	-	-	-	-	-	1	-
189 : 1	Chigwell 2F,3H	11,778	16,397	9	2	-	1	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	6	2	-	1	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	41	12	3	4	-	-	-	-	-	-	2	-	-	1
3	Barking Town F	3,805	21,547	20	6	5	1	-	-	-	-	-	-	-	-	-	-
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Central London Sick Asylum, Hendon.	—	—	-	1	1	-	-	-	-	-	-	-	-	1	1	1
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Ou Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esh parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting t part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ri in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ONDON* - -	4,872,702	September 3	2118	1005	10·8	-	23	5	5	8	3	114
ALCUTTA - -	1,009,008	August 6	-	360‡	18·5	-	2	-	1	3	2	16
OMBAY - -	977,822	" 16	384	661‡	35·2	2	2	-	-	-	2	63
ADRAS - -	509,346	" 5	383	432	44·1	2	1	?	?	?	3	38
RIS* - -	2,772,467	" 27	907	713	13·5	-	7	-	3	6	2	37
USSELS* - -	720,030	" 27	217	181	13·1	-	1	-	1	-	1	29
TWERP* - -	317,171	" 27	129	64	10·5	-	-	-	-	1	-	16
ISTERDAM* -	571,225	" 27	257	132	12·0	-	3	-	-	-	1	9
PENHAGEN -	450,000	" 27	212	131	15·2	-	-	1	1	1	-	36
OCKHOLM -	341,816	" 20	125	69	10·5	-	-	-	-	1	-	2
RISTIANIA -	240,178	" 27	98	49	10·6	-	-	-	-	-	-	4
PETERSBURG	1,620,000	" 6	713	810‡	26·1	4	9	10	12	4	13	121
		" 13	827	828‡	26·7	5	12	7	9	6	13	137
OSCOW - -	1,493,600	" 20	-	792‡	27·6	2	5	15	21	2	4	248
RLIN - -	2,119,984	" 13	785	535	13·2	-	1	2	5	1	2	113
MBURG - -	895,804	" 27	-	238	13·8	-	4	1	6	4	2	57
ESLAU - -	509,992	" 20	-	158	16·2	-	-	-	-	-	1	19
UNICH - -	576,000	" 20	284	175	15·8	-	2	2	3	-	-	27
		" 27	-	168	15·2	-	2	-	1	-	-	27
ENNA* - -	2,107,981	" 27	706	545‡	13·4	-	3	4	1	2	1	67
AGUE* - -	497,905	" 13	-	-	-	-	-	-	-	-	-	-
DAPEST* -	833,703	" 20	387	317	19·8	-	2	1	2	1	7	36
IESTE* - -	221,124	" 27	136	83	20·2	-	-	-	-	1	1	16
ME - - -	587,096	July 2	264	233	20·7	-	9	2	3	1	2	37
NICE - -	183,224	August 20	-	-	-	-	-	-	-	-	-	-
CAREST - -	297,643	" 6	116	125	21·9	-	-	4	1	6	-	27
W YORK* -	4,711,956	" 13	2550	1399	15·5	-	13	5	25	10	12	270
ICAGO* - -	2,282,927	" 13	-	595	13·6	-	2	7	8	7	6	159
ILADELPHIA*	1,598,400	July 2	-	495	16·1	-	7	-	2	8	3	104
		" 9	-	510	16·6	-	3	-	7	11	3	146
O DE JANEIRO	842,822	" 31	-	321	19·9	-	8	-	2	-	-	?
IRO :—*												
gyptians -	616,213	" 29	625	758	65·7	-	13	-	13	-	3	269
oreigners -	61,480	" 29	11	26	21·6	-	2	-	-	-	2	8
EXANDRIA :—*												
gyptians -	317,454	" 29	225	267‡	43·5	1	4	-	1	-	1	92
oreigners -	67,966	" 29	7	25	18·9	-	-	-	1	-	-	6

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to ldren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 7 deaths from *plague* in Calcutta, 26 in Bombay, and 1 in Alexandria, and from *Asiatic cholera*, 6 deaths Calcutta, 4 in Bombay, 173 and 179 in St. Petersburg, 17 in Moscow, and 1 in Vienna.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 3rd September, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
NDON (Greenwich)	69·5	48·9	59·1	0·41	BRADFORD - -	62·3	46·1	55·7	0·94
GHTON - -	70·4	51·8	60·3	0·66	YORK - - -	67·0	45·0	57·9	0·61
RTSMOUTH - -	70·0	53·5	61·0	0·78	HULL - - -	67·0	47·0	53·2	0·57
RWICH - -	-	-	-	-	TYNEMOUTH - -	65·0	44·0	55·5	0·95
MOUTH - -	67·0	53·2	59·7	0·84	CARDIFF - - -	67·1	50·3	57·0	1·51
STOL - - -	68·0	48·3	58·4	2·42	EDINBURGH - -	62·4	47·3	55·4	0·91
MINGHAM - -	69·2	49·1	57·4	1·70	GLASGOW - -	63·0	47·3	55·7	1·08
TTINGHAM - -	67·0	47·0	57·2	0·38	DUBLIN Phœnix Park.	67·0	46·5	57·2	0·19
ERPOOL OBSERVATORY.	63·0	48·0	56·4	1·15	DUBLIN Fitz-william Square.†	67·2	52·0	53·4	0·35
NCHESTER -	66·3	44·8	55·7	1·60					
NLEY - -	62·0	40·0	54·6	2·59					
ODERSFIELD -	63·5	42·8	55·3	0·92	BELFAST - - -	62·0	47·0	55·4	1·25

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The rection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the ve was 1°·5 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 3rd September, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 28	..	29·462	66·1	50·1	16·0	58·4	− 2·0	51·6	6·8	14·5	0·4	78	105·8	44·5	61·10	SSE. & S.	SSE., SE. & SW.	6·2	0·0	0·4	351	+ 72	0·10	14·2
MONDAY - 29	..	29·463	66·0	48·9	17·1	56·5	− 3·8	52·3	4 2	12·9	1·6	86	127·0	43·0	60·89	SSW. & S.	S. & SSW.	4·6	0·0	0·3	337	+ 56	0·28	17·5
TUESDAY - 30	Greatest Dec. N.	29·772	67·9	53·1	14·8	59·5	− 0·6	53·1	6·4	12·5	1·4	79	121·5	49·2	60·67	SSW. & SW.	WSW. & W.	4·5	0·0	0·3	382	+104	0·03	6·0
WEDNESDAY 31	..	30·085	66·8	51·2	15·6	58·0	− 1·9	51·3	6·7	15·3	1·2	78	119·8	46·9	60·50	WSW. & W.	WSW.	1·9	0·0	0·1	302	+ 30	0·00	0·0
SEPTEMBER. THURSDAY - 1	..	30·115	69·2	49·9	19·3	57·8	− 2 0	46·6	11·2	20·8	0·2	66	118·9	42·7	60·40	WSW., NW. & NNW.	NNW. & calm.	2·5	0·0	0·0	189	− 76	0·00	5·0
FRIDAY - 2	..	30·025	69·5	50·3	19·2	59·9	+ 0·2	56·3	3·6	11·6	2·3	88	114·7	42·7	60·30	SW. & NW.	NW., WSW. & W.	1·6	0·0	0·0	198	− 61	0·00	0·0
SATURDAY - 3	New	29·986	66·3	52·1	14·2	58·1	− 1·5	46·3	11·8	18·3	4·5	65	119·4	44·5	60·30	W. & NW.	NNW. & NW.	2·3	0·0	0·3	343	+ 92	0·00	4·0
MEANS - -		29·844	67·4	50·8	16·6	58·3	− 1·7	51·1	7·2	15·1	1·7	77	118·2	44·8	60·59	WSW.		..	..	..	Sum 2102	Sum +217	Sum 0·41	6·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	28	w. P. until 2h. P.M.; w. P. and w. N. afterwards.	0·0	13·8
MONDAY -	29	w. P. generally, but v. P. and v. N. from noon to 4h. P.M. and after 10h. P.M.	6·9	13·8
TUESDAY -	30	v. P. and v. N. until 3h. A.M.; afterwards w. P. generally.	5·9	13·7
WEDNESDAY	31	w. P. throughout.	3·1	13·6
SEPTEMBER. THURSDAY -	1	w. P. till 9h. A.M.; afterwards m P.	10·7	13·6
FRIDAY -	2	w. P. throughout.	0·4	13·5
SATURDAY -	3	w. P. till 9h. A.M.; afterwards m.P. generally.	11·6	13·4
			Sum 38·6	Sum 95·4
No. of Col.		27	28	29

GENERAL REMARKS.

Nearly overcast generally; a little weak sunshine in morning; generally rainy with gusty wind from 3h. P.M.

Nearly overcast until 6h. A.M.; then fine with gusty wind until noon; overcast with rain until 2h. 30m. P.M.; then clearing gradually by 5h. P.M.; overcast again with occasional rain after 9h. P.M.

Very cloudy with occasional showers before 6h. A.M.; afterwards cloudy with fine intervals and occasional light showers until noon; finer in afternoon and evening but overcast from 5h. P.M. to 8h. P.M.

Nearly overcast until 5h. A.M. and generally cloudy afterwards with fine intervals; nearly overcast by 8h. P.M.

Nearly overcast until 5h. A.M.; afterwards very fine and partially cloudy; sky becoming hazy at night. Solar halo observed in morning.

Nearly overcast generally with frequent slight misty rain in morning; rather close.

Overcast until nearly 6h. A.M.; afterwards fine with little cloud; nearly cloudless from 6h. 30m. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·72 in. at the beginning of the week to 29·30 in. by 10h. P.M. on 28th; increased to 30·13 in. by 9h. A.M. on September 1st; decreased to 29·97 in. by midnight on 2nd; and was 29·98 in. at midnight on 3rd.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 27th August, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	3	4	-	1	-	-	1	-	-
Kensington	184,635	-	2	3	-	1	-	-	3	-	-
Hammersmith	127,413	-	1	-	-	2	1	-	3	-	-
Fulham	181,282	-	3	2	-	-	-	-	5	1	-
Chelsea	75,457	-	-	-	-	1	-	-	1	-	-
City of Westminster ..	167,233	-	2	-	-	-	-	-	-	-	-
NORTH.											
St. Marylebone	125,195	-	2	2	-	-	-	-	1	-	-
Hampstead	95,729	-	-	1	-	1	-	-	1	-	-
St. Pancras	237,792	-	10	5	-	1	-	-	4	-	-
Islington	353,356	-	14	17	1	2	-	-	9	-	-
Stoke Newington	54,838	-	3	2	-	-	-	-	1	-	-
Hackney	239,979	-	4	1	-	2	-	-	6	-	-
CENTRAL.											
Holborn	53,142	-	-	-	-	-	-	-	-	-	-
Finsbury	94,578	-	4	-	-	2	-	-	3	1	2
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	4	2	-	2	-	-	1	-	-
Bethnal Green	131,579	-	9	4	-	2	-	-	5	-	-
Stepney	314,379	-	11	3	-	1	-	-	4	2	-
Poplar	172,432	-	9	3	-	1	-	-	8	-	-
SOUTH.											
Southwark	211,832	-	14	2	-	2	-	-	4	1	-
Bermondsey	127,238	-	8	4	-	-	-	-	1	-	-
Lambeth	327,074	-	13	6	-	1	-	-	7	-	-
Battersea	188,222	-	11	7	-	-	-	-	3	-	-
Wandsworth	305,838	-	14	3	-	1	-	-	4	1	-
Camberwell	286,058	-	7	3	-	-	-	-	4	-	-
Deptford	119,642	-	5	1	-	1	-	-	2	-	-
Greenwich	112,935	-	2	1	-	-	-	-	1	-	-
Lewisham	164,899	-	4	2	-	1	-	-	-	-	-
Woolwich	135,422	-	9	1	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	168	79	1	25	1	-	84	6	2
Ages 0-1		-	2	3	-	-	-	-	3	-	1
„ 1-5		-	51	43	-	1	-	-	1	-	-
„ 5-		-	77	17	-	4	-	-	1	-	1
„ 10-		-	22	6	-	1	-	-	5	-	-
„ 15-		-	3	2	1	5	-	-	4	-	-
„ 20-		-	7	5	-	3	-	-	4	1	-
„ 25-		-	4	1	-	7	-	-	6	3	-
„ 35-		-	2	1	-	1	1	-	19	2	-
„ 45-		-	-	1	-	3	-	-	17	-	-
„ 55-		-	-	-	-	-	-	-	14	-	-
„ 65 and upwards		-	-	-	-	-	-	-	10	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 36. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, SEPT. 10. [Price 1½*d.*

General Register Office, Somerset House,
September 12th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 11·7 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 11·5, 12·1, and 12·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·2 in Sunderland, 17·5 in Great Yarmouth, 17·9 in Birkenhead, 18·5 in Stockton on Tees, 20·5 in Hull, 21·3 in Tynemouth, 21·4 in Preston, 22·5 in Grimsby, and 24·4 in Middlesbrough; from *measles*, 1·1 in Oldham and 1·3 in West Hartlepool; from *whooping-cough*, 1·6 in Gateshead; and from *diarrhœa*, 3·3 in Barrow in Furness and in Sheffield, 3·4 in Wigan, 5·6 in Grimsby, 6·5 in Hull, 6·8 in Middlesbrough, and 7·4 in Preston. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2087 BIRTHS and 1009 DEATHS were registered. Allowing for increase of population, the births were 183 and the deaths 380 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17557—41.) Wt. 91—429. 700. 9/10. D & S. G. 31. Sch. 4. 2 N

causes, which had been 10·2, 10·8, and 10·8 per 1000 in the preceding three weeks, was again 10·8 last week. The death-rate in the four weeks ended last Saturday averaged 10·7 per 1000, being 3·9 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1009 deaths included 21 from measles, 2 from scarlet fever, 10 from diphtheria, 12 from whooping-cough, 3 from enteric fever, 1 from ill-defined pyrexia, and 94 from diarrhœa; but not one death from small-pox or from typhus; thus, to these diseases in the aggregate 143 deaths were referred, being 166 below the corrected average number in the thirty-sixth week of the preceding five years.

The deaths from *measles*, which had been 27, 35, and 23 in the preceding three weeks, fell to 21 last week, but were 5 above the corrected average; 5 deaths belonged to the Borough of St. Pancras, and 3 each to Shoreditch, Bermondsey, and Lambeth. The deaths from *scarlet fever*, which had been 4, 3, and 5 in the preceding three weeks, were 2 last week, and were 7 below the corrected average. The deaths from *diphtheria*, which had been 6, 10, and 5 in the preceding three weeks, were 10 last week, being equal to the corrected average. The deaths from *whooping-cough*, which had been 13, 11, and 8 in the preceding three weeks, rose to 12 last week, but were 6 below the corrected average; 3 deaths belonged to Bermondsey. The deaths from *enteric fever*, which had been 1, 1, and 3 in the preceding three weeks, were again 3 last week, the corrected average being 5. The deaths from *diarrhœa*, which had been 37, 65, and 96 in the preceding three weeks, were 94 last week, but were 158 below the corrected average; 8 deaths belonged to Stepney, 8 to Deptford, 7 each to Shoreditch and to Poplar, 6 each to Southwark and to Lambeth, and 5 each to Islington and to Bethnal Green. Of the 94 deaths from diarrhœa, 89 were those of children under 2 years of age; 16 other deaths at this age were certified as due to *enteritis*, and 18 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 5, having been 5, 4, and 3 in the preceding three weeks. The death of a house-decorator, aged 59 years, was certified as due to chronic *lead-poisoning*.

Different forms of violence caused 53 deaths, concerning all but 1 of which inquests were held. Of these 53 deaths, 9 were cases of suicide, while the remaining 44 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, twelve to burns or scalds, three to drowning, and four, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1462 cases of scarlet fever, 630 of diphtheria, 1 of typhus, and 79 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 183 cases, against 143, 159, and 183; of diphtheria, 112 cases, against 77, 76, and 88; and of enteric fever, 30 cases, against 18, 15, and 10. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended September 3rd, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3324 births and 1405 deaths were registered. Allowing for increase of population, these numbers are 295 and 613 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from diphtheria, 3 from whooping-cough, 1 from enteric fever, and 14 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·06 inches, and that of the Thermometer 54°·7, the latter being 4°·2 below the week's average in the 65 years ended 1905. The general direction of the wind was Northerly, the horizontal movement of the air being 4 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 15·7 hours; the measured rainfall amounted to 0·02 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 10th September, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 20th Aug., 1910.	27th Aug., 1910.	3rd Sept., 1910.	10th Sept., 1910.	Rate from Diseases in Cols. 11–17 Week ended 10th Sept., 1910.	Registered during the Week ended 10th Sept., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	16,940,895	11·5	12·1	12·1	11·7	1·9	7921	3795	1031	1001	–	51	17	28	50	12	465	140	311	1112	24	77 TOWNS.
LONDON	4,872,702	10·2	10·8	10·8	10·8	1·5	2087	1009	253	272	–	21	2	10	12	3	94	53	112	523	2	LONDON.
CROYDON	164,485	8·9	7·6	7·6	7·3	1·6	74	23	9	6	–	1	1	–	–	–	3	2	3	6	–	CROYDON.
WILLESDEN ..	166,088	5·7	6·0	7·8	6·6	1·3	70	21	6	6	–	–	–	–	–	–	4	1	2	3	–	WILLESDEN.
HORNSEY	98,561	2·1	3·7	2·6	3·2	–	29	6	1	3	–	–	–	–	–	–	–	–	–	1	–	HORNSEY.
TOTTENHAM ..	132,803	11·4	8·6	9·0	8·2	0·4	78	21	4	6	–	–	–	–	1	–	–	–	3	5	–	TOTTENHAM.
WEST HAM ..	328,585	8·9	9·0	10·0	7·9	1·0	173	50	15	12	–	–	–	–	2	–	4	1	3	10	–	WEST HAM.
EAST HAM.. ..	156,208	6·3	6·0	6·0	9·3	1·7	56	28	12	7	–	–	–	1	1	–	3	–	–	3	–	EAST HAM.
LEYTON	133,436	7·4	5·5	4·7	7·0	0·4	60	18	5	7	–	1	–	–	–	–	–	–	1	2	–	LEYTON.
WALTHAMSTOW	141,748	5·9	5·1	5·5	6·3	0·7	55	17	4	2	–	–	–	2	–	–	–	1	3	4	–	WALTHAMSTOW.
HASTINGS	68,520	9·9	6·8	12·9	8·4	–	12	11	1	4	–	–	–	–	–	–	–	–	–	1	–	HASTINGS.
BRIGHTON	131,900	15·4	13·4	17·8	11·1	2·4	50	28	11	7	–	–	–	–	–	1	5	–	1	4	–	BRIGHTON.
PORTSMOUTH ..	217,989	9·1	10·3	14·1	10·3	1·9	113	43	12	15	–	–	–	1	1	–	6	3	5	14	–	PORTSMOUTH.
BOURNEMOUTH ..	73,947	6·3	10·6	4·9	12·0	–	23	17	1	7	–	–	–	–	–	–	–	2	3	2	–	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·1	11·1	7·0	11·1	0·8	65	27	11	3	–	–	–	–	–	–	2	1	2	9	–	SOUTHAMPTON.
READING	84,355	9·3	7·4	6·8	8·7	–	33	14	–	9	–	–	–	–	–	–	–	1	1	4	1	READING.
NORTHAMPTON ..	99,113	8·4	10·5	7·9	8·9	2·1	37	17	7	4	–	–	–	–	1	–	3	2	2	2	–	NORTHAMPTON.
IPSWICH	75,936	7·6	8·9	14·4	13·0	0·7	32	19	3	9	–	–	–	–	–	–	1	–	1	6	–	IPSWICH.
GREAT YARMOUTH	53,715	17·5	12·6	14·6	17·5	1·0	32	18	2	8	–	–	–	–	1	–	–	2	2	4	–	GREAT YARMOUTH.
NORWICH	125,446	12·5	8·3	14·5	15·0	1·7	51	36	6	9	–	–	–	–	–	1	3	–	1	13	–	NORWICH.
PLYMOUTH	126,266	10·7	11·6	10·7	9·9	0·8	49	24	6	11	–	–	–	–	–	–	2	–	1	6	–	PLYMOUTH.
DEVONPORT.. ..	84,695	8·0	7·4	10·5	8·6	1·8	49	14	3	4	–	–	–	1	–	–	2	–	1	1	–	DEVONPORT.
BRISTOL	382,550	7·9	9·4	10·1	10·0	0·8	173	73	14	31	–	–	–	–	–	–	6	1	8	24	–	BRISTOL.
STOKE ON TRENT ..	245,726	12·5	15·3	12·1	14·2	2·3	169	67	13	15	–	–	–	–	2	2	7	–	4	8	–	STOKE ON TRENT.
BURTON ON TRENT	54,977	8·5	12·3	8·5	13·3	0·9	22	14	1	7	–	–	–	–	1	–	–	–	–	4	–	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	7·4	7·9	8·9	8·4	0·5	49	17	2	6	–	–	–	–	–	–	1	1	1	6	–	WOLVERHAMPTON.
WALSALL	101,035	9·3	7·2	14·5	5·2	1·0	48	10	4	3	–	–	–	–	–	–	2	–	–	2	1	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	6·5	10·8	5·0	7·9	0·7	31	11	1	4	–	–	–	–	–	–	1	–	–	–	–	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	14·7	8·1	8·1	13·2	3·7	37	18	5	3	–	–	1	–	–	1	3	–	1	4	–	WEST BROMWICH.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 10th September, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 20th Aug., 1910.	27th Aug., 1910.	3rd Sept., 1910.	10th Sept., 1910.	Rate from Diseases in Cols. 11-17. Week ended 10th Sept., 1910.	Registered during the Week ended 10th Sept., 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	12·0	13·1	11·1	10·0	1·2	265	109	33	27	-	-	-	1	1	-	11	2	6	25	3	BIRMINGHAM.
KINGS NORTON ..	84,673	7·4	8·0	8·6	5·5	0·6	48	9	2	1	-	-	1	-	-	-	-	-	-	3	-	KINGS NORTON.
SMETHWICK	72,350	7·2	16·6	4·3	8·6	-	43	12	1	5	-	-	-	-	-	-	-	-	1	1	-	SMETHWICK.
ASTON MANOR ..	86,269	11·5	13·9	11·5	12·1	3·6	33	20	11	4	-	-	1	1	-	-	4	1	4	1	-	ASTON MANOR.
COVENTRY	81,449	9·6	18·6	8·3	9·6	1·9	53	15	3	6	-	-	-	-	-	-	3	-	-	3	-	COVENTRY.
LEICESTER	248,374	9·7	7·6	10·9	12·4	2·9	99	59	19	15	-	-	-	-	-	1	13	-	3	9	1	LEICESTER.
GRIMSBY	74,283	16·1	11·9	20·4	22·5	6·3	50	32	13	5	-	-	-	-	1	-	8	1	3	6	-	GRIMSBY.
NOTTINGHAM ..	266,471	12·3	9·8	11·5	12·3	0·8	124	63	12	26	-	1	-	-	-	-	3	2	2	17	-	NOTTINGHAM.
DERBY	131,256	8·3	8·7	7·9	10·3	0·4	50	26	6	10	-	-	-	-	1	-	-	2	6	7	-	DERBY.
STOCKPORT	105,087	9·9	14·4	12·9	13·9	2·5	59	28	8	6	-	-	-	-	1	-	4	3	5	9	-	STOCKPORT.
BIRKENHEAD ..	122,431	11·1	17·0	24·7	17·9	1·7	64	42	12	15	-	-	-	-	-	-	4	1	2	11	-	BIRKENHEAD.
WALLASEY . ..	73,173	15·7	9·3	14·3	7·8	-	38	11	2	3	-	-	-	-	-	-	-	-	-	2	-	WALLASEY.
LIVERPOOL . ..	767,606	16·4	19·2	16·6	15·1	2·6	422	222	75	42	-	4	3	-	2	-	30	8	13	73	3	LIVERPOOL.
BOOTLE	70,548	19·2	13·3	16·3	14·0	0·7	42	19	2	7	-	-	-	-	-	-	1	-	-	9	1	BOOTLE.
ST. HELENS	96,523	15·7	14·6	13·5	14·6	3·2	63	27	11	6	-	1	-	-	1	-	4	-	-	2	1	ST. HELENS.
WIGAN	91,732	13·6	12·5	14·8	13·6	3·4	37	24	6	4	-	-	-	-	-	-	6	-	-	-	-	WIGAN.
WARRINGTON ..	73,295	14·9	8·5	10·0	12·8	2·8	40	18	7	3	-	-	-	-	-	-	4	1	2	4	1	WARRINGTON.
BOLTON	190,315	7·4	12·1	12·9	11·5	2·5	67	42	10	19	-	-	2	1	-	-	6	2	4	6	-	BOLTON.
BURY	59,409	12·3	14·9	7·9	9·7	1·8	27	11	2	4	-	1	-	-	-	-	1	1	2	1	-	BURY.
MANCHESTER ..	716,354	12·7	15·5	16·1	12·1	2·3	336	166	51	36	-	3	-	2	1	-	25	5	11	40	-	MANCHESTER.
SALFORD	244,636	14·3	13·6	14·5	12·4	3·0	122	58	17	12	-	1	-	1	3	-	9	2	3	19	-	SALFORD.
OLDHAM	144,111	12·3	13·7	11·2	11·6	2·2	82	32	6	10	-	3	-	-	1	-	2	2	3	1	-	OLDHAM.
ROCHDALE	90,497	4·0	9·8	13·3	11·5	-	41	20	1	9	-	-	-	-	-	-	-	3	4	6	-	ROCHDALE.
BURNLEY	107,448	18·0	14·6	17·0	9·7	2·4	39	20	7	4	-	-	-	-	-	-	5	2	3	7	-	BURNLEY.
BLACKBURN	137,972	17·0	16·6	9·1	12·8	2·3	76	34	6	11	-	2	1	1	1	-	1	-	3	8	1	BLACKBURN.
PRESTON	119,253	20·1	17·1	19·7	21·4	7·4	47	49	22	14	-	-	-	-	-	-	17	1	2	4	1	PRESTON.
BARROW IN FURNESS.	63,689	17·2	14·7	10·6	13·1	3·3	29	16	3	3	-	-	-	-	-	-	4	1	1	-	-	BARROW IN FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 10th September, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 20th Aug., 1910.	27th Aug., 1910.	3rd Sept., 1910.	10th Sept., 1910.	Rate from Diseases in Cols 11–17. Week ended 10th Sept., 1910.	Registered during the Week ended 10th Sept., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	12·7	19·3	13·8	12·7	1·7	43	23	7	10	–	–	–	–	–	–	3	2	3	3	–	HUDDERSFIELD.
HALIFAX	112,818	8·8	12·9	5·1	14·8	1·4	33	32	6	8	–	1	–	–	1	–	1	–	1	8	–	HALIFAX.
BRADFORD	295,865	13·9	12·0	12·3	13·7	1·8	106	78	13	24	–	–	–	1	2	–	7	2	5	15	–	BRADFORD.
LEEDS	490,985	13·0	12·0	13·5	12·5	2·2	201	118	28	33	–	2	1	1	1	–	16	6	15	17	–	LEEDS.
DEWSBURY	51,224	17·3	5·1	17·3	13·2	–	25	13	2	2	–	–	–	–	–	–	–	–	–	4	–	DEWSBURY.
SHEFFIELD	478,763	11·9	14·9	14·6	13·5	4·0	235	124	45	31	–	2	1	–	3	1	30	2	4	36	–	SHEFFIELD.
ROTHERHAM.. ..	66,414	9·4	7·1	8·6	9·4	1·6	30	12	7	1	–	–	–	–	1	–	1	–	–	2	–	ROTHERHAM.
YORK	88,159	17·7	10·1	14·2	10·1	0·6	31	17	4	6	–	–	–	–	–	–	1	–	3	1	–	YORK.
HULL	280,006	18·1	20·7	19·2	20·5	7·3	148	110	37	17	–	–	2	–	1	1	35	5	7	23	2	HULL.
MIDDLESBROUGH ..	107,014	18·0	20·5	14·1	24·4	8·3	63	50	17	9	–	1	–	–	1	1	14	1	3	6	1	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	15·5	15·5	17·5	18·5	2·9	32	19	5	6	–	–	–	–	–	–	3	–	–	3	–	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	7·6	6·4	14·0	8·9	1·3	32	14	3	4	–	2	–	–	–	–	–	1	1	3	–	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	19·7	15·2	20·4	17·2	2·9	79	53	17	12	–	1	–	1	–	–	7	1	3	13	2	SUNDERLAND.
SOUTH SHIELDS ..	119,737	10·9	14·4	16·5	11·8	2·2	72	27	10	5	–	–	–	–	–	–	5	1	1	3	1	SOUTH SHIELDS.
GATESHEAD	133,676	12·7	12·1	15·6	12·1	3·5	84	31	10	7	–	–	–	1	4	–	4	1	1	3	1	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	14·6	16·4	13·1	12·4	2·4	150	68	12	12	–	3	–	2	1	–	7	3	9	10	–	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	10·2	16·6	25·0	21·3	1·8	35	23	5	6	–	–	–	–	–	–	2	1	1	3	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	9·8	15·0	13·1	11·8	0·7	49	18	8	5	–	–	–	–	–	–	1	1	1	5	–	NEWPORT (MON.).
CARDIFF	199,189	8·9	9·9	12·0	8·6	0·8	90	33	9	6	–	–	–	–	–	–	3	1	8	1	–	CARDIFF.
RHONDDA	138,674	16·2	15·8	12·8	10·9	2·3	102	29	16	2	–	–	–	–	–	–	6	–	–	1	–	RHONDDA.
MERTHYR TYDFIL..	79,522	13·8	15·7	10·5	12·5	0·7	55	19	4	4	–	–	1	–	–	–	–	1	1	2	–	MERTHYR TYDFIL.
SWANSEA	98,817	10·0	14·2	15·3	15·3	1·1	73	29	6	4	–	–	–	–	–	–	2	–	–	5	–	SWANSEA.
GREATER LONDON	7,537,196	9·3	9·5	9·7	9·7	1·3	3324	1405	363	401	–	23	3	16	19	4	122	72	149	593	3	GREATER LONDON.
OUTER RING ..	2,664,494	7·8	7·1	7·8	7·7	0·9	1237	396	110	129	–	2	1	6	7	1	28	19	37	70	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	7·5	6·9	7·3	7·3	0·9	595	184	56	49	–	2	1	3	4	–	14	5	15	34	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·1	7·3	8·2	8·2	0·8	642	212	54	80	–	–	–	3	3	1	14	14	22	36	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	14·9	9·7	10·9	12·3	0·7	129	85	15	26	–	–	–	1	1	–	3	4	?	29	4	EDINBURGH.
GLASGOW	884,505	13·6	15·0	14·0	12·9	2·4	422	218	56	47	–	–	3	2	6	–	29	9	?	71	4	GLASGOW.
DUBLIN (Registration Area).†	402,928	15·8	17·9	14·9	17 0	1·8	260	131	27	33	–	–	–	–	3	1	10	3	3	57	2	DUBLIN (Registration Area).†
BELFAST†	391,167	16·5	17·5	16·1	13·7	2·3	190	103	28	21	–	3	–	–	1	–	13	1	4	23	2	BELFAST†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SIXTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2628	2582	2515	2505	2504	2328	2329	2207	2124	2096	2269·9	2087
Males - - -	1307	1369	1280	1300	1291	1194	1185	1142	1087	1033	1155·2	1014
Females - -	1321	1213	1235	1205	1213	1134	1144	1065	1037	1063	1114·7	1073
TOTAL **Deaths** -	1582	1471	1477	1344	1354	1432	1892	1080	1240	1139	1389·1	1009
Males - - -	861	759	786	735	754	757	972	560	700	586	732·1	523
Females - -	721	712	691	609	600	675	920	520	540	553	657·0	486

* The numbers in this column are the average weekly numbers in the Thirty-Sixth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	13 Weeks.
TOTAL **Births** -	2424	2260	2329	2272	2163	2176	2429	1854	2367	2303	2268	2118	2087	29050
TOTAL **Deaths** -	993	983	964	997	1036	962	957	956	962	952	1009	1005	1009	12785
Ages at Death: Under 1 year -	162	177	177	168	172	187	151	173	174	184	214	223	253	2415
1—5 years -	119	97	114	100	99	104	89	107	90	110	116	100	121	1366
5—20 " -	58	57	51	68	70	61	52	51	52	58	37	69	46	733
20—40 " -	124	134	129	142	120	132	124	122	136	130	122	116	111	1642
40—60 " -	218	226	223	217	230	200	229	210	223	202	207	198	206	2789
60 yrs. & upwds.	312	292	270	302	345	278	312	290	287	268	313	299	272	3840
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	47	35	32	37	31	36	23	30	28	27	35	23	21	405
Scarlet Fever - -	3	3	2	8	4	5	2	5	1	4	3	5	2	47
Diphtheria - -	7	2	5	3	7	8	4	8	6	6	10	5	10	81
Whooping-cough -	32	25	21	23	19	27	14	18	19	13	11	8	12	242
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	1	2	2	1	2	4	2	4	1	1	3	3	27
Pyrexia (origin uncertain).	-	1	-	-	-	-	-	-	-	-	-	-	1	2
Diarrhœa, Dysentery	23	11	14	17	14	18	12	23	26	37	65	96	94	450
All above diseases -	113	78	76	90	76	96	59	86	84	88	125	140	143	1254
Dis. of Resp. System	42	55	54	44	51	46	48	50	48	48	42	50	47	625
Pneumonia - -	52	74	68	73	80	85	63	74	65	73	87	65	67	926
Phthisis - - -	97	87	90	94	84	78	82	99	81	88	77	87	91	1135
Dis. of Circ. System -	153	144	138	159	183	128	158	150	138	121	142	145	147	1906
Violence - - -	48	49	55	53	46	44	43	50	43	48	34	43	53	614
Inquest Cases - -	109	101	113	101	114	95	103	119	94	112	80	109	112	1362
Deaths in Institutions	464	464	442	471	455	446	437	459	438	438	466	418	523	5921
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	58·8	62·3	56·5	55·2	57·9	59·2	58·8	60·2	60·7	62·7	59·9	58·3	54·7	58·9
Mean of Highest -	69·9	75·0	66·0	63·7	67·4	67·7	68·3	71·5	70·8	73·7	70·2	67·4	61·8	68·7
Mean of Lowest -	49·8	53·0	50·2	50·2	52·2	53·2	52·0	52·2	54·1	53·5	52·4	50·8	49·1	51·7
Mean Humidity of the Air.	77	75	76	84	81	85	77	77	85	75	77	77	79	79
Rain-fall (in inches) -	0·01	1·11	1·00	1·29	0·01	1·22	0·35	0·85	0·18	0·19	0·80	0·41	0·02	7·44
Registered Sunshine (in hours).	52·7	52·3	33·5	18·0	34·5	17·6	29·5	49·6	27·7	52·7	37·1	28·6	15·7	459·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	2	1	3	3	3	1	1	-	-	-	-	-	1
Scarlet Fever - -	1363	1353	1378	1439	1530	1548	1563	1523	1490	1423	1447	1455	1462	1460
Diphtheria - - -	729	711	674	628	646	626	619	584	584	591	578	592	630	630
Typhus - - -	1	1	1	1	1	1	-	-	-	1	1	1	1	1
Enteric Fever - -	53	47	47	49	50	50	46	46	46	51	59	60	79	53

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SIXTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 36th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1389·1	1009	253	121	46	111	206	272
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	15·8	21	4	17	-	-	-	-
Scarlet Fever	8·6	2	2	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	2·9	5	3	-	-	-	1	1
Whooping-cough	18·0	12	3	9	-	-	-	-
Diphtheria	9·6	10	1	8	1	-	-	-
Cerebro-spinal Fever ..	0·2	2	1	1	-	-	-	-
Pyrexia† (origin uncertain)	-	1	-	1	-	-	-	-
Enteric Fever	5·3	3	-	-	1	1	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	168·3	59	46	13	-	-	-	-
Diarrhœa, Dysentery ..	83·6	35	25	10	-	-	-	-
Tetanus	0·4	1	-	-	-	-	1	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	10·6	5	5	-	-	-	-	-
Puerperal Septicæmia ..	2·5	1	-	-	-	-	1	-
Puerperal Pyæmia.. .	0·6	-	-	-	-	-	-	-
Puerperal Fever	-	-	-	-	-	-	-	-
Infective Endocarditis ..	2·5	1	-	-	-	1	-	-
Pneumonia: Lobar ..	11·1	7	2	-	-	2	1	2
Pneumonia: Broncho ..	28·9	34	12	13	-	-	4	5
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	34·4	26	4	2	3	7	5	5
Erysipelas	4·1	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	0·8	2	-	1	-	1	-	-
Pyæmia (not Puerperal)	0·6	1	-	-	1	-	-	-
Other Infective Processes	3·5	5	2	-	-	1	1	1
Tuberculous Phthisis ..	73·1	61	1	2	9	28	18	3
"*Phthisis*"	45·1	30	-	-	3	10	12	5
Tuberculous Meningitis ..	21·1	7	-	7	-	-	-	-
Tuberculous Peritonitis ..	11·5	4	2	1	-	-	-	1
Tabes Mesenterica	1·6	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	17·4	14	-	2	7	4	-	1
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	10·9	7	-	-	-	-	7	-
Rheumatic Feve	4·5	-	-	-	-	-	-	-
Gout	1·2	-	-	-	-	-	-	-
Carcinoma	61·9	55	-	-	-	5	26	24
Sarcoma	5·7	2	-	-	-	-	1	1
Cancer (undefined) ..	33·6	28	-	-	-	1	11	16
Diabetes Mellitus	6·1	9	-	1	-	1	3	4
Premature Birth	43·6	31	31	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 36th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	15·4	5	1	1	1	1	1	-
Gen. Par. of Insane, Insanity	11·3	7	-	-	-	3	2	-
Epilepsy	4·7	1	-	-	-	-	1	-
Convulsions	13·7	8	7	1	-	-	-	-
Locomotor Ataxy.. ..	2·5	2	-	-	-	-	2	-
Paraplegia, Dis. of Cord.	4·5	4	-	-	1	1	1	-
Nervous Sys., Other Dis.	13·9	11	-	2	-	3	2	-
Valv. Dis., Endocarditis..	36·2	41	-	-	2	5	14	20
Cereb. Hæm. Cereb. Emb.	30·5	35	-	1	-	-	11	23
Apoplexy, Hemiplegia ..	14·1	6	-	-	-	-	-	6
Aneurysm	6·1	9	-	-	-	1	7	1
Embolism, Thrombosis (not Cerebral) ..	1·0	1	-	-	1	-	-	-
Heart & Blood Ves., Other Dis... ..	62·1	55	-	-	3	1	18	33
Croup (not Spasm: nor Memb.)	-	-	-	-	-	-	-	-
Bronchitis	37·3	34	7	2	1	1	3	20
Emphysema, Asthma ..	1·6	2	-	-	-	-	-	2
Pleurisy	2·7	5	-	1	1	1	-	2
Respiratory Dis., Other..	6·8	6	1	-	-	2	1	2
Tonsillitis, Quinsy.. ..	0·6	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	30·7	17	15	1	-	1	-	-
Gastro-enteritis	26·8	19	16	2	-	1	-	-
Peritonitis (not Puerp.) ..	2·7	3	-	1	1	-	1	-
Cirrhosis of Liver.. ..	16·4	13	-	-	-	1	7	5
Liver Dis., Other	4·5	3	-	-	-	1	-	2
Digestive Sys., Other Dis.	40·1	32	5	1	4	6	7	9
Acute Nephritis	5·1	6	-	-	1	1	2	2
Bright's Dis., Albuminuria	30·3	19	-	-	-	1	8	10
Urinary Sys., Other Dis.	12·1	10	-	-	-	2	2	6
Generative Organs Dis...	3·3	6	-	-	-	-	3	3
Childbirth (Accid. of) ..	2·5	1	-	-	-	-	1	-
Old Age	44·0	36	-	-	-	-	-	36
Other Diseases	101·4	77	48	10	1	5	6	7
ACCIDENT.								
By Railways	1·4	2	-	-	-	1	1	-
By Vehicles and Horses..	6·3	7	-	1	2	2	1	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	1	-	-	-	-	1	-
In Building Operations..	2·3	1	-	-	-	1	-	-
In Conflagrations	0·2	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	4·9	12	2	8	1	-	-	1
By Drowning	5·1	3	-	-	-	3	-	-
By Suffocation in Bed ..	5·3	4	4	-	-	-	-	-
By Poisons or Poisonous Vapours	2·5	1	-	-	-	-	1	-
Other Deaths by Accident..	17·6	13	2	1	1	3	3	3
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	-	-	-	-	-	-	-
Suicide	8·2	9	-	-	-	1	6	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th September 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2087	1009	253	272	-	21	2	10	12	3	94	91	53	112	523	2
WEST DISTRICTS	805,311	345	156	42	47	-	-	-	3	3	-	12	11	5	13	67	1
NORTH DISTRICTS	1,055,908	437	192	35	57	-	5	-	1	2	-	11	23	14	25	98	-
CENTRAL DISTRICTS	209,465	93	52	15	7	-	1	-	-	-	-	5	6	4	7	31	-
EAST DISTRICTS	715,739	377	205	71	44	-	5	-	-	1	3	32	14	7	23	134	-
SOUTH DISTRICTS	1,749,844	835	379	87	108	-	9	2	6	6	-	34	34	23	43	168	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	25	3	9	-	1	-	-	-	-	-	3	-	1	25	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	27	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	30	26	7	5	-	-	-	1	1	-	4	4	-	-	16	-
South Paddington	30,320	2	4	-	2	-	-	-	-	-	-	-	-	-	1	-	-
Kensington South *W,3H*	85,610	16	18	3	6	-	-	-	-	-	-	-	2	-	1	10	-
Kensington Central *W,H*	42,774	13	7	-	2	-	-	-	-	1	-	1	1	-	-	1	-
Kensington North *w*	48,244	40	7	1	4	-	-	-	-	-	-	1	-	-	1	3	-
North Hammersmith *2W,w,H* ..	49,192	30	13	5	3	-	-	-	-	-	-	1	2	-	2	6	-
South Hammersmith *w,2H* ..	63,047	21	7	2	1	-	-	-	-	-	-	-	-	2	2	3	-
North-west Fulham *W*	45,180	44	8	5	3	-	-	-	1	1	-	-	-	-	-	3	-
North-east Fulham *F*	46,405	19	3	-	1	-	-	-	1	-	-	-	-	1	1	1	-
South Fulham *W*	45,704	28	6	3	2	-	-	-	-	-	-	1	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	12	11	2	4	-	-	-	-	-	-	-	1	-	-	6	-
Chelsea South *W,2H*	31,328	13	10	5	2	-	-	-	-	-	-	3	1	-	1	4	-
Mayfair and Knightsbridge	28,743	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Belgrave *W,2H*	55,815	15	16	-	6	-	-	-	-	-	-	-	-	2	3	9	1
St. Margaret & St. John *6H*	43,698	26	9	6	1	-	-	-	-	-	-	1	-	-	-	4	-
St. James and St. Anne *W,6H* ..	33,081	6	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	10	11	4	-	-	-	-	-	-	-	-	-	1	2	7	-
St. Mary Marylebone *W,4H* ..	37,948	31	4	1	1	-	-	-	-	-	-	-	-	1	1	2	-
Christchurch Marylebone *H* ..	39,536	13	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Hampstead *W,F,6H*	81,942	19	17	-	7	-	-	-	1	-	-	-	4	1	1	13	-
West St. Pancras *2H*	60,562	18	7	1	2	-	-	-	-	-	-	-	-	2	2	4	-
South St. Pancras *w,10H*	55,707	32	20	5	1	-	-	-	-	-	-	2	-	5	10	15	-
East St. Pancras *W,H*	60,320	26	14	4	4	-	5	-	-	-	-	1	-	-	2	5	-
North St. Pancras *2W*	58,728	34	12	1	2	-	-	-	-	-	-	-	1	2	1	7	-
Tufnell *W*	31,995	10	20	3	10	-	-	-	-	-	-	2	5	-	-	18	-
Upper Holloway *2W,w,H*	33,978	15	17	1	7	-	-	-	-	-	-	1	2	-	-	12	-
Tollington *2W,w,H*	33,922	9	4	-	1	-	-	-	-	-	-	-	3	-	2	-	-
Lower Holloway	41,424	23	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Barnsbury	54,478	21	5	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Islington South-east *F*	75,397	36	11	3	4	-	-	-	-	1	-	1	-	-	-	-	-
Highbury *2H*	63,797	24	7	1	3	-	-	-	-	-	-	-	1	1	1	-	-
Stoke Newington *H*	51,247	11	4	-	2	-	-	-	-	1	-	-	-	-	-	-	-
North Hackney	50,398	25	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *2w,F*	50,536	15	6	2	1	-	-	-	-	-	-	2	1	-	-	-	-
South-west Hackney *3H*	59,921	37	6	2	2	-	-	-	-	-	-	-	1	1	1	4	-
South-east Hackney *2W,w,H* ..	58,255	27	16	3	4	-	-	-	-	-	-	1	4	-	1	11	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday 10th September, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	10	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Strand *W*,4*H*	21,674	4	11	3	-	-	-	-	-	-	-	2	2	2	3	7	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	8	13	5	1	-	-	-	-	-	-	1	1	-	1	9	-
Clerkenwell *H*	63,704	24	6	3	-	-	1	-	-	-	-	1	1	-	1	-	-
St. Luke 3*H*,*L*	36,116	40	5	2	1	-	-	-	-	-	-	1	1	-	-	-	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-
St. Botolph *H*	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	5	14	2	2	-	-	-	-	-	-	-	-	2	2	12	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	21	8	4	1	-	2	-	-	-	-	1	-	-	-	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	23	21	9	6	-	1	-	-	-	-	1	2	-	3	16	-
Shoreditch North-East	36,148	19	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	40	29	11	6	-	-	-	-	-	1	9	2	-	1	24	-
Bethnal Green South-West *H* ..	64,542	35	6	3	1	-	1	-	-	-	-	1	-	-	3	-	-
Spitalfields..	27,969	16	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	16	55	15	8	-	-	-	-	-	2	5	2	3	9	52	-
Goodman's Fields	22,081	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	22	11	1	5	-	-	-	-	-	-	-	2	-	-	6	-
Shadwell and Ratcliff *w*,*H* ..	25,568	13	12	7	-	-	1	-	-	-	-	6	-	-	-	11	-
Limehouse *W*	32,369	14	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Mile End Old Town South-Western *H*	63,698	52	6	2	1	-	-	-	-	-	-	2	-	-	1	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	17	11	3	4	-	-	-	-	-	-	1	1	-	2	5	-
Bow	41,989	11	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Bromley 3*w*,*H*	68,319	32	25	8	8	-	-	-	-	-	-	5	2	4	4	17	-
Poplar *W*,*w*	58,514	36	8	1	2	-	-	-	-	1	-	1	-	-	-	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-

LE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th September, 1910.

EGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
ristchurch and St. Saviour Southwark *W,2H*	23,319	9	18	6	2	-	-	-	2	-	-	1	3	-	-	14	-
ont-road	21,904	7	4	1	2	-	-	-	-	-	-	-	1	1	1	-	-
George the Martyr West *W,2H,L*	39,094	13	12	3	2	-	-	-	-	1	-	5	1	1	1	5	-
ewington North	49,022	29	4	1	-	-	2	-	-	-	-	1	-	-	-	-	-
ewington South *W*	72,841	44	7	2	2	-	-	-	-	-	-	-	1	-	1	-	-
Olave *2W*	9,817	6	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
ermondsey *W*	82,483	56	10	2	2	-	2	-	-	-	-	1	2	1	1	-	-
otherhithe *W,F*	38,460	18	21	5	7	-	1	-	-	2	-	1	1	2	5	11	-
aterloo *2H*	27,440	28	9	3	1	-	1	-	-	-	-	1	-	-	1	4	-
ambeth Church *H*	27,440	16	17	3	2	-	-	-	2	-	-	1	1	3	3	14	-
ennington *2W*	52,518	27	23	4	5	-	1	-	-	1	-	2	4	3	6	15	-
ockwell *HF*	63,826	32	13	4	3	-	1	2	1	-	-	1	-	2	3	4	-
ixton *H*	73,673	31	16	9	1	-	-	-	-	-	-	-	1	-	1	7	1
orwood *2WH*	56,998	13	6	-	3	-	-	-	-	-	-	-	2	-	-	-	-
ast Battersea *H*	72,203	32	5	-	2	-	-	-	-	-	-	1	1	-	1	-	-
orth-west Battersea	49,656	23	7	2	2	-	-	-	-	-	-	1	1	-	-	-	-
uth-west Battersea *2W,H* ..	47,048	21	19	4	2	-	-	-	-	-	-	-	4	2	5	15	-
apham *2H*	51,361	17	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-
reatham *W,2w,2F,2L*	88,019	52	15	3	5	-	-	-	-	-	-	1	3	-	-	4	-
ringfield *2W,L*	27,959	14	6	3	1	-	-	-	-	-	-	-	-	-	-	2	-
uthfields *H*	40,444	24	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
itney	24,139	9	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
ulwich	13,359	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
amberwell South *W,w*	40,206	21	19	1	9	-	-	-	-	-	-	-	1	3	3	17	-
amberwell North *W,2L*	65,584	27	14	-	9	-	-	-	-	-	-	-	-	-	-	12	-
. George	47 331	24	7	3	2	-	-	-	-	-	-	2	-	-	-	-	-
eckham North	48,913	27	9	4	3	-	1	-	-	-	-	-	-	1	3	-	-
eckham South *2W,w*	43,946	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
eptford North *F*	49,004	22	11	4	2	-	-	-	-	-	-	3	-	-	-	3	-
eptford East	29,781	14	8	6	-	-	-	-	-	-	-	4	-	-	-	-	-
eptford South	38,934	16	4	-	1	-	-	-	-	-	-	1	-	-	-	-	-
reenwich West *H*	23,456	13	7	3	2	-	-	-	-	-	-	2	-	-	-	2	-
reenwich East *2W,H*	43,859	17	22	2	10	-	-	-	-	-	-	1	2	1	2	16	-
lham *w,H*	7,226	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
ee *w,H*	25,490	11	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-
ewisham *2W,w,F*	58,352	40	17	2	9	-	-	-	-	-	-	3	1	2	2	12	-
ydenham *H*	43,653	16	6	1	1	-	-	-	-	-	-	-	1	-	-	2	-
harlton *F,2H*	21,134	7	6	-	2	-	-	-	1	1	-	-	-	-	-	1	-
oolwich *5H*	41,625	14	4	1	1	-	-	-	-	-	-	-	-	-	-	2	-
lumstead West *W,H*	39,376	12	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
lumstead East *2W*	28,951	14	10	1	2	-	-	-	-	-	-	1	2	1	2	4	-
orkhouses:—																	
elmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
entral London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. A. B. Small-pox Hospitals:—																	
ong Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. A. B. Fever Hospitals:—																	
ore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orth-Eastern	—	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-
orthern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. A. B. Children's Hospital:—																	
hildren's Infirmary, Carshalton..	—	-	4	3	-	-	-	-	-	-	-	-	-	-	-	4	-
. A. B. Imbecile Asylums:—																	
aterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
arenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
eavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ondon County Lunatic Asylums:—																	
anstead	—	-	2	-	1	-	-	-	-	-	-	-	1	-	-	2	-
well (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orton	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
anor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ong Grove	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ane Hill	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
artford Heath	—	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-
anwell	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
olney Hatch	—	-	4	-	3	-	-	-	-	-	-	-	-	-	1	4	-
laybury	—	-	2	-	1	-	-	-	-	-	-	-	1	-	-	2	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongi the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums B Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERA POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 10th September, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1237	396	110	129	-	2	1	6	7	1	28	19	37	70
31 : 1	Carshalton 2F,3H	12,228	32,997	16	3	-	3	-	-	-	-	-	-	-	1	1	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	6	4	2	2	-	-	-	-	-	-	-	-	-	1
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	5	2	-	2	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	25	4	3	1	-	-	-	-	-	-	1	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	36	15	4	5	-	1	1	-	-	-	-	1	2	7
4	North Croydon H	2,644	41,698	13	5	2	-	-	-	-	-	-	-	2	1	1	-
5	Penge w	770	22,465	7	2	1	-	-	-	-	-	-	-	-	-	1	-
6	Mitcham w	11,711	30,015	26	4	1	2	-	-	-	-	-	-	-	-	-	-
40 : 1	Wimbledon F,3H	3,221	41,652	21	8	1	1	-	-	-	-	-	-	-	-	1	-
2	Kingston 2W,H	6,224	42,068	25	8	1	4	-	-	-	-	-	-	-	1	1	1
3	Surbiton F,H	3,046	15,017	5	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	14	1	-	-	-	-	-	-	-	-	-	1	1	-
5	Hampton H,F,L	4,564	23,456	8	3	-	2	-	-	-	-	-	-	-	-	-	-
41 : 1	Richmond W,H	2,491	31,672	14	10	2	5	-	-	-	-	-	-	1	-	1	3
2	Mortlake F	2,518	17,821	9	2	-	1	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	7	5	1	2	-	-	-	-	-	-	-	1	1	-
2	Beckenham H	7,832	28,454	14	3	-	1	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	3	3	1	2	-	-	-	-	-	-	1	-	-	1
4	Chislehurst 2H	7,333	16,446	2	2	-	1	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	9	6	2	2	-	-	-	-	-	-	-	1	1	-
2	Erith F,H	3,854	25,296	14	4	1	2	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	2	-	1	-	-	-	1	-	-	-	-	-	2
126 : 1	Sunbury w	11,054	18,683	14	4	2	1	-	-	-	1	-	-	-	-	-	-
2	Staines W,H	12,277	15,178	10	7	1	4	-	-	-	-	1	-	-	-	-	1
127 : 1	Hillingdon W,F,H	8,035	13,661	7	2	1	1	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	6	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	15	4	1	-	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	50,863	23	17	3	6	-	-	-	-	1	-	1	1	2	8
2	Twickenham F,2H	2,421	20,991	10	5	2	2	-	-	-	1	-	-	1	-	1	-
3	Hanwell w,2H	4,108	11,257	6	7	1	4	-	-	-	-	-	-	1	2	2	-
4	Brentford 3F,2H	4,038	48,202	24	6	4	-	-	-	-	-	-	-	1	-	-	-
5	Chiswick H	1,240	29,809	15	5	1	1	-	-	-	-	-	-	-	1	1	1
6	Acton F,H	2,305	37,744	31	6	2	2	-	-	-	-	-	-	1	-	-	-
129 : 1	Willesden W,F,2H	4,384	114,811	70	21	6	6	-	-	-	-	-	-	4	1	2	3
130 : 1	Harrow F,H	13,809	25,523	18	3	-	2	-	-	-	-	-	-	-	-	1	-
2	Edgware 2F,2H	6,994	4,521	2	2	1	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	12	3	-	1	-	-	-	-	-	-	-	-	-	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	10	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	13	2	-	-	-	-	-	-	-	-	-	1	1	-
3	Finchley F,3H	4,638	33,692	17	5	-	3	-	-	-	-	-	-	-	-	-	1
132 : 1	Hornsey F,H	2,875	72,056	29	6	-	3	-	-	-	-	-	1	-	-	-	1
2	Wood Green H	1,625	34,233	19	4	-	3	-	-	-	-	1	-	-	-	-	-
3	West Tottenham	995	48,741	29	8	1	2	-	-	-	-	-	-	-	-	2	-
4	East Tottenham 2H ..	2,019	53,962	49	10	3	2	-	-	-	-	1	-	-	-	1	2
5	Edmonton W,w,2F	7,491	61,892	63	22	11	5	-	-	-	-	-	-	1	-	1	11
6	Enfield 2W,F,H	12,601	42,738	39	10	3	5	-	-	-	-	-	-	1	1	1	1
7	Waltham Abbey F	11,017	6,549	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	6	-	-	-	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	1	4	1	-	-	-	-	-	-	-	-	2	2	2
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	29	11	4	2	-	-	-	-	1	-	1	1	2	-
2	Forest Gate	787	52,745	28	2	-	1	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	56	13	4	6	-	-	-	-	1	-	-	-	-	1
4	Canning Town H	1,556	70,718	60	16	6	2	-	-	-	-	-	-	3	-	-	1
5	South East Ham 2F ..	1,991	37,342	25	13	7	3	-	-	-	1	-	-	1	-	-	-
6	North East Ham w,H ..	1,333	58,666	31	12	5	4	-	-	-	-	1	-	2	-	-	-
7	Wanstead F	1,679	9,179	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	27	8	2	5	-	-	-	-	-	-	-	-	-	-
9	North Leyton 2W,w,F ..	1,963	48,445	33	22	4	3	-	1	-	-	-	-	-	1	3	15
10	Walthamstow 2H L ..	6,504	108,929	60	13	4	2	-	-	-	-	-	-	-	-	2	-
189 : 1	Chigwell 2F,3H	11,778	16,397	8	6	2	2	-	-	-	2	-	-	-	1	1	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	2	3	-	1	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	29	6	2	3	-	-	-	-	-	-	1	-	1	-
3	Barking Town F	3,805	21,547	28	8	4	1	-	-	-	-	-	-	4	-	-	-
	London County Lunatic Asylum, Cane Hill.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the O Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting E parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer R in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 19 and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
DON* - -	4,872,702	September 10	2087	1009	10·8	-	21	2	10	12	3	123
UTTA - -	1,009,008	August 13	-	335‡	17·2	-	2	-	3	2	11	17
BAY - -	977,822	" 23	390	610‡	32·4	-	2	-	-	-	3	51
RAS - -	509,346	" 12	409	409‡	41·7	4	3	?	?	?	1	37
S* - -	2,772,467	September 3	886	710	13·4	-	7	-	8	6	2	48
SELS* - -	720,030	" 3	209	176	12·7	-	1	1	-	2	4	26
VERP* - -	317,171	" 3	112	71	11·6	-	3	1	1	-	-	12
ERDAM* -	571,225	" 3	231	98	8·9	-	"	-	1	1	2	5
NHAGEN -	450,000	" 3	212	127	14·7	-	-	3	1	1	1	33
KHOLM -	341,816	August 27	150	77	11·7	-	-	-	2	-	-	4
STIANIA -	240,178	September 3	89	46	9·1	-	-	1	2	-	-	8
ETERSBURG	1,620,000	August 20	813	761‡	24·5	7	11	7	10	6	4	99
OW - -	1,493,600	" 27	-	712‡	24·9	1	2	17	20	2	3	219
IN - -	2,121,523	" 20	772	518	12·7	-	5	3	8	4	5	100
BURG - -	895,804	September 3	-	241	14·0	-	2	-	8	3	1	40
LAU - -	509,992	August 27	-	172	17·6	-	-	-	-	-	-	37
ICH - -	576,000	September 3	-	144	13·0	-	1	-	1	2	-	24
NA* - -	2,107,981	" 3	740	505	12·5	-	2	5	4	3	3	52
UE* - -	497,905	August 13	167	121	12·6	-	-	-	-	1	-	7
PEST* -	833,703	" 27	452	252	15·7	-	2	9	2	-	10	27
TE* - -	221,124	September 3	141	91	21·4	-	-	-	-	-	-	20
- - -	587,096	July 9	-	-	-	-	-	-	-	-	-	-
CE - -	183,224	August 20	-	-	-	-	-	-	-	-	-	-
REST - -	297,643	" 13	-	-	-	-	-	-	-	-	-	-
YORK* -	4,711,956	" 20	2411	1312	14·9	-	5	1	17	9	12	237
GO* - -	2,282,927	" 20	-	630	14·4	-	2	2	11	5	7	136
DELPHIA*	1,598,400	July 16	-	584	18·9	-	3	1	10	13	-	149
		" 23	-	592	19·2	-	2	1	6	13	1	172
E JANEIRO	842,822	August 7	-	339	21·0	-	5	-	-	-	2	?
):—*												
ptians -	620,443	" 5	578	620	52·0	-	11	1	7	-	4	225
eigners -	62,510	" 5	6	14	11·6	-	-	-	-	-	1	3
ANDRIA :—*												
ptians -	319,087	" 5	239	248	40·4	-	1	-	-	-	3	91
eigners -	68,829	" 5	12	12	9·1	-	-	-	-	-	1	3

The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to en under two years of age.
Excluding deaths from croup in the Indian Cities.
Including 4 deaths from *plague* in Calcutta and 29 in Bombay, and from *Asiatic cholera*, 13 deaths in Calcutta, 1 in bay, 3 in Madras, 117 in St. Petersburg, and 7 in Moscow.

BLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 10th September, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
ON (Greenwich)	65·6	39·1	55·5	0·02	BRADFORD - -	65·1	42·9	53·2	0·02
ITON - -	66·8	47·1	57·2	0·00	YORK - - -	66·0	47·0	54·9	0·09
MOUTH - -	67·6	45·0	57·5	0·00	HULL - - -	63·0	44·0	55·2	0·11
ICH - -	-	-	-	-	TYNEMOUTH - -	64·0	43·0	52·5	0·18
DUTH - -	66·3	48·8	57·2	0·03	CARDIFF - - -	65·4	46·1	55·8	0·02
OL - - -	67·0	46·0	56·3	0·02	EDINBURGH - -	62·7	44·0	53·8	0·23
NGHAM - -	63·2	46·9	55·3	0·00	GLASGOW - -	71·0	39·0	55·3	0·51
NGHAM - -	64·0	38·0	54·7	0·03	DUBLIN (Phœnix Park)	65·8	41·9	54·8	0·15
POOL OBSERVATORY	62·0	48·0	55·6	0·06	DUBLIN (Fitzwilliam Square.†)	63·4	48·8	56·7	0·30
HESTER -	66·2	43·7	54·5	0·00					
LEY - -	63·0	38·0	52·1	0·00					
ERSFIELD -	63·3	45·0	54·1	0·04	BELFAST - - -	64·5	42·0	56·0	0·10

t the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to eventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The ction applied by the late Mr. Glaisher in the returns up to the 31st March 1902, for the corresponding period to the was 1·4 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 10th September, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 4	..	30·007	60·1	49·7	10·4	54·8	− 4·7	45·6	9·2	12·7	5·5	71	81·3	43·0	60·20	NNW. & N.	N.	4·2	0·0	0·4	373	+129	0·00	0·0
MONDAY - 5	In Eqr.	30·050	59·2	52·3	6·9	54·8	− 4·6	47·9	6·9	11·2	4·6	78	75·2	51·0	60·03	NNW. & N.	N., NNW. & NNE.	2·0	0·0	0·2	289	+ 48	0·00	0·0
TUESDAY - 6	..	30·045	60·3	52·6	7·7	55·2	− 4·0	47·8	7·4	11·4	5·2	76	98·0	47·0	59·84	NNW. & N.	N. & NNE.	1·8	0·0	0·2	258	+ 18	0·00	3·0
WEDNESDAY 7	..	30·070	61·0	50·4	10·6	54·5	− 4·5	51·7	2·8	8·2	1·2	90	102·0	43·7	59·63	N. & NNE.	N.	2·6	0·0	0·3	291	+ 50	0·02	0·0
THURSDAY - 8	..	30·053	65·4	53·2	12·2	57·9	− 0·2	51·1	6·8	14·4	0·8	78	128·5	47·0	59·51	N. & NNE.	NNE. & NE.	4·3	0·0	0·2	291	+ 46	0·00	1·0
FRIDAY - 9	Apogee	30·096	61·0	46·7	14·3	52·6	− 6·0	46·4	6·2	15·6	1·1	80	108·5	36·3	59·31	NNE., NNW. & N.	N.	1·3	0·0	0·1	186	− 64	0·00	0·0
SATURDAY - 10	..	30·066	65·6	39·1	26·5	53·4	− 5·0	46·8	6·6	17·1	0·6	78	116·2	31·8	59·23	Calm & N.	NNW. & variable.	0·2	0·0	0·0	95	−157	0·00	0·0
MEANS - -		30·056	61·8	49·1	12·7	54·7	− 4·2	48·2	6·6	12·9	2·7	79	101·4	42·8	59·68	N.		..	..	..	Sum 1783	Sum + 70	Sum 0·02	0·6
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 4	w. P. generally.	1·4	13·4	Very fine and nearly cloudless till 7h. A.M.; then overcast generally.
MONDAY - 5	w. P. till 9h. A.M.; then m. P.	0·0	13·3	Generally overcast.
TUESDAY - 6	w. P. principally till 9h. A.M.; m. P. generally afterwards.	0·1	13·2	Overcast with slight exceptions.
WEDNESDAY 7	w. P. generally.	0·2	13·2	Generally overcast; occasional slight rain.
THURSDAY - 8	w. P. throughout.	5·9	13·1	Overcast till about 6h. A.M.; fine and partially cloudy till evening; generally overcast after 7h. 30m. P.M.
FRIDAY - 9	w. P. till 10h. A.M.; m. P. principally afterwards.	2·2	13·0	Variably cloudy till evening; cloudless at night.
SATURDAY - 10	w. P. generally; occasional m. P.	5·9	13·0	Very fine and partially cloudy till 5h. P.M.; then generally overcast. Solar halos and parhelia observed shortly after noon; slight mist at night.
		Sum 15·7	Sum 92·2	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·98 in. at the beginning of the week to 30·09 in. by 11h. A.M. on the 7th; decreased to 30·04 in. by 5h. A.M. on the 8th; increased to 30·12 in. by midnight on the 9th; and decreased to 30·01 in. by midnight on the 10th.

ERRATA.—Report for week ending 1909, July 3. Col. 16. June 27, *for* 28°·7 *read* 38°·7. Mean for week, *for* 37°·3 *read* 38°·8.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 3rd September, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	7	1	-	1	-	-	3	-	1
Kensington	184,635	-	4	5	-	2	1	-	2	-	-
Hammersmith	127,413	-	9	3	-	-	-	-	-	1	-
Fulham	181,282	-	5	4	-	-	-	-	4	-	-
Chelsea	75,457	-	1	2	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	9	-	-	2	-	-	-	-	-
NORTH.											
St. Marylebone	125,195	-	-	1	-	1	-	-	2	1	-
Hampstead	95,729	-	3	1	-	1	-	-	-	-	-
St. Pancras	237,792	-	13	5	-	2	-	-	2	-	-
Islington	353,356	-	11	6	-	-	-	-	4	-	-
Stoke Newington	54,838	-	1	1	-	-	-	-	-	-	-
Hackney	239,979	-	8	1	-	1	-	-	3	1	-
CENTRAL.											
Holborn	53,142	-	1	3	-	1	-	-	1	-	-
Finsbury	94,578	-	3	7	-	1	-	-	5	-	-
City of London	17,132	-	-	-	-	-	-	-	3	-	-
EAST.											
Shoreditch	114,387	-	1	1	-	3	-	-	3	1	1
Bethnal Green	131,579	-	6	4	-	2	-	-	6	-	1
Stepney	314,379	-	8	5	-	3	-	-	14	-	-
Poplar	172,432	-	12	2	-	-	-	-	5	-	-
SOUTH.											
Southwark	211,832	-	11	9	-	-	-	-	6	-	-
Bermondsey	127,238	-	13	8	-	1	-	-	4	-	-
Lambeth	327,074	-	11	4	-	3	.	-	1	-	-
Battersea	188,222	-	5	8	-	1	-	-	-	1	-
Wandsworth	305,838	-	9	4	-	1	-	-	2	-	-
Camberwell	286,058	-	8	5	-	2	-	-	5	1	-
Deptford	119,642	-	6	1	-	1	-	-	2	-	-
Greenwich	112,935	-	4	7	-	-	-	-	1	-	-
Lewisham	164,899	-	6	3	-	1	-	-	1	-	-
Woolwich	135,422	-	15	-	-	-	-	-	3	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	190	101	-	30	1	-	82	6	3
Ages 0-1		-	2	3	-	-	-	-	4	-	2
„ 1-5		-	56	41	-	-	-	-	2	-	-
„ 5-		-	91	35	-	2	-	-	4	-	.
„ 10-		-	22	9	-	3	-	-	3	-	1
„ 15-		-	6	6	-	5	-	-	3	-	-
„ 20-		-	5	1	-	7	-	-	7	1	-
„ 25-		-	5	5	-	9	-	-	9	1	-
„ 35-		-	2	1	-	3	1	-	14	4	-
„ 45-		-	1	-	-	1	-	-	13	-	-
„ 55-		-	-	-	-	-	-	-	12	-	-
„ 65 and upwards		-	-	-	-	-	-	-	11	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 37. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, SEPT. 17. [Price 1½*d.*

General Register Office, Somerset House,
September 19th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 12·6 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 12·1, 12·1, and 11·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 17·0 in Birkenhead, 17·1 in Preston, 17·5 in Grimsby and in Hull, 17·6 in Stoke on Trent, 17·7 in Bootle, 18·5 in Liverpool, 21·9 in Middlesbrough, and 23·1 in Tynemouth ; from *measles*, 2·5 in Barrow in Furness ; from *whooping-cough*, 1·2 in Kings Norton, 1·3 in Coventry, and 1·9 in Great Yarmouth ; from *enteric fever*, 1·1 in St. Helens ; and from *diarrhœa*, 3·0 in Rhondda, 3·3 in Sheffield, 3·5 in South Shields, 3·9 in Stockton on Tees, 4·4 in Bury, 5·2 in Bootle, 5·6 in Hull, and 7·3 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2050 BIRTHS and 1140 DEATHS were registered. Allowing for increase of population, the births were 321 and the deaths 136 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17593—41.) Wt. 91—429. 700. 9/10. D & S. G. 31. Sch. 4. 2 O

weeks of the previous five years. The annual death-rate from all causes, which had been 10·8 per 1000 in each of the preceding three weeks, rose last week to 12·2. The death-rate in the four weeks ended last Saturday averaged 11·2 per 1000, being 3·3 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1140 deaths included 27 from measles, 4 from scarlet fever, 5 from diphtheria, 15 from whooping-cough, 6 from enteric fever, and 104 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 161 deaths were referred, being 81 below the corrected average number in the thirty-seventh week of the preceding five years.

The deaths from *measles*, which had been 35, 23, and 21 in the preceding three weeks, rose to 27 last week, and were 20 above the corrected average; 5 deaths belonged to the Borough of St. Pancras, 4 to Southwark, 3 to Chelsea, and 3 to Islington. The deaths from *scarlet fever*, which had been 3, 5, and 2 in the preceding three weeks, were 4 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 10, 5, and 10 in the preceding three weeks, fell to 5 last week, and were 5 below the corrected average. The deaths from *whooping-cough*, which had been 11, 8, and 12 in the preceding three weeks, rose to 15 last week, but were 3 below the corrected average; 3 deaths belonged to Lewisham. The deaths from *enteric fever*, which had been 1, 3, and 3 in the preceding three weeks, further rose to 6 last week, the corrected average being 5. The deaths from *diarrhœa*, which had been 65, 96, and 94 in the preceding three weeks, rose to 104 last week, but were 92 below the corrected average; 13 deaths belonged to Stepney, 11 to Poplar, 11 to Lambeth, and 10 each to Southwark, Bermondsey, and Deptford. Of the 104 deaths from diarrhœa, 95 were those of children under 2 years of age; 20 other deaths at this age were certified as due to *enteritis*, and 20 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 4, having been 4, 3, and 5 in the preceding three weeks.

Different forms of violence caused 38 deaths, concerning all of which inquests were held. Of these 38 deaths, 12 were cases of suicide, and 2 of homicide, while the remaining 24 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, three to drowning, and one, of an infant under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1509 cases of scarlet fever, 672 of diphtheria, 1 of typhus, and 102 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 201 cases, against 159, 183, and 183; of diphtheria, 104 cases, against 76, 88, and 112; and of enteric fever, 33 cases, against 15, 10, and 30. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended September 10th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3213 births and 1548 deaths were registered. Allowing for increase of population, these numbers are 558 and 315 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from measles, 3 from scarlet fever, 4 from diphtheria, 2 from whooping-cough, and 17 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·05 inches, and that of the Thermometer 56°·1, the latter being 1°·6 below the week's average in the 65 years ended 1905. The general direction of the wind was North-north-easterly, the horizontal movement of the air being 11 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 21·2 hours; the measured rainfall amounted to 0·66 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 17th September, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 27th Aug., 1910.	3rd Sept., 1910.	10th Sept., 1910.	17th Sept., 1910.	Rate from Diseases in Cols. 11-17 Week ended 17th Sept., 1910.	Registered during the Week ended 17th Sept., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**12·1**	**12·1**	**11·7**	**12·6**	**2·0**	**7577**	**4085**	**1065**	**1146**	-	**52**	**18**	**19**	**56**	**22**	**476**	**132**	**317**	**1125**	**31**	**77 TOWNS.**
LONDON	4,872,702	10·8	10·8	10·8	12·2	1·7	2050	1140	275	335	-	27	4	5	15	6	104	38	107	528	-	LONDON.
CROYDON	164,485	7·6	7·6	7·3	7·9	0·3	67	25	4	15	-	-	-	-	-	-	1	1	3	6	-	CROYDON.
WILLESDEN ..	166,088	6·0	7·8	6·6	5·0	0·6	61	16	5	5	-	-	-	-	1	-	1	-	1	5	-	WILLESDEN.
HORNSEY	98,561	3·7	2·6	3·2	3·2	1·1	20	6	2	1	-	-	-	-	-	1	1	-	-	2	-	HORNSEY.
TOTTENHAM ..	132,803	8·6	9·0	8·2	9·4	-	61	24	7	8	-	-	-	-	-	-	-	-	3	7	-	TOTTENHAM.
WEST HAM ..	328,585	9·0	10·0	7·9	10·0	2·2	170	63	19	16	-	1	-	-	-	-	13	1	5	15	-	WEST HAM.
EAST HAM.. ..	156,208	6·0	6·0	9·3	6·7	0·3	52	20	5	2	-	-	-	1	-	-	-	-	2	3	-	EAST HAM.
LEYTON	133,436	5·5	4·7	7·0	8·2	0·8	65	21	2	12	-	-	-	1	-	-	1	-	-	4	-	LEYTON.
WALTHAMSTOW	141,748	5·1	5·5	6·3	8·5	0·4	52	23	4	6	-	-	-	-	-	1	-	-	2	5	-	WALTHAMSTOW.
HASTINGS	68,520	6·8	12·9	8·4	12·2	1·5	19	16	1	9	-	1	-	-	-	-	1	1	1	5	-	HASTINGS.
BRIGHTON	131,900	13·4	17·8	11·1	10·3	1·6	36	26	4	12	-	2	-	-	-	-	2	1	2	8	-	BRIGHTON.
PORTSMOUTH ..	217,989	10·3	14·1	10·3	10·8	1·0	108	45	12	12	-	-	-	-	1	-	3	1	4	10	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	10·6	4·9	12·0	10·6	0·7	19	15	2	10	-	-	-	-	-	-	1	-	1	3	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·1	7·0	11·1	8·2	1·2	53	20	5	4	-	1	-	-	-	-	2	1	1	7	-	SOUTHAMPTON.
READING	84,355	7·4	6·8	8·7	11·1	-	33	18	1	12	-	-	-	-	-	-	-	1	2	2	1	READING.
NORTHAMPTON ..	99,113	10·5	7·9	8·9	9·5	0·5	44	18	3	6	-	-	-	-	1	-	-	1	1	2	-	NORTHAMPTON.
IPSWICH	75,936	8·9	14·4	13·0	9·6	2·1	32	14	5	5	-	-	-	-	-	-	3	2	2	4	-	IPSWICH.
GREAT YARMOUTH	53,715	12·6	14·6	17·5	14·6	3·9	24	15	4	6	-	-	-	-	2	-	2	1	3	1	-	GREAT YARMOUTH.
NORWICH	125,446	8·3	14·5	15·0	10·8	0·8	50	26	1	12	-	-	-	-	1	1	-	-	-	7	1	NORWICH.
PLYMOUTH	126,266	11·6	10·7	9·9	12·0	0·8	46	29	6	11	-	-	-	-	-	-	2	1	3	5	-	PLYMOUTH.
DEVONPORT	84,695	7·4	10·5	8·6	8·0	0·6	31	13	2	5	-	1	-	-	-	-	-	2	2	3	-	DEVONPORT.
BRISTOL	382,550	9·4	10·1	10·0	9·7	0·8	138	71	16	23	-	-	-	-	-	-	6	1	8	17	-	BRISTOL.
STOKE ON TRENT ..	245,726	15·3	12·1	14·2	17·6	2·3	142	83	28	19	-	-	2	-	2	-	7	5	8	12	1	STOKE ON TRENT.
BURTON ON TRENT	54,977	12·3	8·5	13·3	9·5	-	24	10	1	5	-	-	-	-	-	-	-	1	1	1	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	7·9	8·9	8·4	9·3	1·0	42	19	2	8	-	-	-	-	-	-	2	-	1	5	-	WOLVERHAMPTON.
WALSALL	101,035	7·2	14·5	5·2	7·7	0·5	45	15	3	6	-	-	-	-	-	-	1	-	1	1	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	10·8	5·0	7·9	5·0	-	27	7	-	4	-	-	-	-	-	-	-	1	1	1	-	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	8·1	8·1	13·2	5·9	1·5	28	8	1	3	-	-	-	-	-	-	2	-	1	3	-	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 27th Aug., 1910.	3rd Sept., 1910.	10th Sept., 1910.	17th Sept., 1910.	Rate from Diseases in Cols. 11–17. Week ended 17th Sept., 1910.	Registered during the Week ended 17th Sept., 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	13·1	11·1	10·0	10·9	1·4	252	119	28	34	-	-	1	-	-	1	13	6	6	29	6	Birmingham.
Kings Norton ..	84,673	8·0	8·6	5·5	11·1	1·8	33	18	4	6	-	-	-	1	2	-	-	1	1	1	-	Kings Norton.
Smethwick	72,350	16·6	4·3	8·6	13·7	-	39	19	4	6	-	-	-	-	-	-	-	-	4	3	-	Smethwick.
Aston Manor ..	86,269	13·9	11·5	12·1	6·0	1·8	41	10	4	1	-	-	-	-	-	-	3	-	-	1	1	Aston Manor.
Coventry	81,449	18·6	8·3	9·6	12·2	2·6	57	19	1	6	-	-	-	-	2	-	2	-	-	5	-	Coventry.
Leicester	248,374	7·6	10·9	12·4	9·7	1·0	96	46	16	12	-	-	-	1	-	-	4	3	5	6	-	Leicester.
Grimsby	74,283	11·9	20·4	22·5	17·5	3·5	42	25	10	6	-	-	-	-	1	-	4	-	-	4	1	Grimsby.
Nottingham ..	266,471	9·8	11·5	12·3	14·1	1·6	117	72	20	14	-	-	-	-	-	1	7	-	6	15	-	Nottingham.
Derby	131,256	8·7	7·9	10·3	7·2	-	58	18	3	9	-	-	-	-	-	-	-	1	2	8	-	Derby.
Stockport	105,087	14·4	12·9	13·9	14·4	1·5	53	29	6	14	-	-	-	1	-	-	2	1	2	7	-	Stockport.
Birkenhead ..	122,431	17·0	24·7	17·9	17·0	2·6	86	40	17	4	-	-	-	-	-	-	6	-	1	6	1	Birkenhead.
Wallasey . ..	73,173	9·3	14·3	7·8	11·4	2·9	24	16	3	6	-	-	-	-	1	-	3	2	3	2	-	Wallasey.
Liverpool . ..	767,606	19·2	16·6	15·1	18·5	3·7	445	273	80	59	-	4	6	1	5	-	39	8	14	88	5	Liverpool.
Bootle	70,548	13·3	16·3	14·0	17·7	5·9	37	24	7	5	-	-	-	-	1	-	7	-	-	4	-	Bootle.
St. Helens	96,523	14·6	13·5	14·6	12·4	2·2	59	23	4	6	-	1	-	-	-	2	1	2	3	6	-	St. Helens.
Wigan	91,732	12·5	14·8	13·6	9·7	1·7	45	17	4	3	-	-	-	-	-	-	3	-	-	2	-	Wigan.
Warrington ..	73,295	8·5	10·0	12·8	10·7	1·4	40	15	1	6	-	-	-	-	-	1	1	-	-	3	1	Warrington.
Bolton	190,315	12·1	12·9	11·5	16·2	2·5	72	59	18	15	-	-	-	-	-	-	9	2	2	7	-	Bolton.
Bury	59,409	14·9	7·9	9·7	15·8	4·4	26	18	9	6	-	-	-	-	-	-	5	-	-	2	-	Bury.
Manchester ..	716,354	15·5	16·1	12·1	14·2	2·8	323	195	48	61	-	2	-	2	7	1	27	8	13	56	1	Manchester.
Salford	244,636	13·6	14·5	12·4	16·0	2·8	138	75	28	10	-	-	-	2	-	1	10	-	2	21	-	Salford.
Oldham	144,111	13·7	11·2	11·6	13·4	1·4	62	37	6	10	-	2	-	-	1	-	1	-	3	3	-	Oldham.
Rochdale	90,497	9·8	13·3	11·5	13·8	1·2	31	24	1	7	-	-	-	-	-	-	2	-	3	5	-	Rochdale.
Burnley	107,448	14·6	17·0	9·7	15·5	4·4	57	32	11	5	-	-	-	1	2	-	6	3	3	6	-	Burnley.
Blackburn	137,972	16·6	9·1	12·8	14·7	3·0	51	39	6	8	-	-	1	-	-	-	7	1	4	4	2	Blackburn.
Preston	119,253	17·1	19·7	21·4	17·1	3·1	61	39	8	16	-	-	-	-	-	1	6	2	3	5	2	Preston.
Barrow in Furness.	63,689	14·7	10·6	13·1	11·5	4·1	23	14	1	5	-	3	-	-	-	-	2	-	-	1	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 17th September, 1910, and DEATH-RATES in each of the preceding three Weeks.

OWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 27th Aug., 1910.	3rd Sept., 1910.	10th Sept., 1910.	17th Sept., 1910.	Rate from Diseases in Cols 11-17. Week ended 17th Sept., 1910.	Registered during the Week ended 17th Sept., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	19·3	13·8	12·7	15·4	2·2	32	28	1	10	-	-	1	-	-	1	2	1	4	5	2	HUDDERSFIELD.
HALIFAX	112,818	12·9	5·1	14·8	14·8	0·9	28	32	6	12	-	-	-	1	-	-	1	1	2	9	-	HALIFAX.
BRADFORD	295,865	12·0	12·3	13·7	13·2	0·9	109	75	17	25	-	-	-	-	1	1	3	5	11	15	1	BRADFORD.
LEEDS	490,985	12·0	13·5	12·5	15·5	2·7	183	146	41	40	-	4	-	-	1	1	19	3	14	20	-	LEEDS.
DEWSBURY	51,224	5·1	17·3	13·2	10·2	-	17	10	3	3	-	-	-	-	-	-	-	1	1	-	-	DEWSBURY.
SHEFFIELD	478,763	14·9	14·6	13·5	14·6	3·8	232	134	43	27	-	1	1	-	2	1	30	4	9	26	-	SHEFFIELD.
ROTHERHAM.. ..	66,414	7·1	8·6	9·4	12·6	0·8	44	16	4	6	-	-	-	-	1	-	-	-	-	3	-	ROTHERHAM.
YORK	88,159	10·1	14·2	10·1	7·7	1·2	40	13	3	3	-	-	-	-	-	-	2	-	-	5	-	YORK.
HULL	280,006	20·7	19·2	20·5	17·5	6·1	159	94	42	18	-	-	2	-	-	1	30	5	6	19	2	HULL.
MIDDLESBROUGH ..	107,014	20·5	14·1	24·4	21·9	7·8	59	45	20	6	-	-	-	-	1	-	15	1	4	6	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	15·5	17·5	18·5	16·5	3·9	30	17	4	3	-	-	-	-	-	-	4	-	-	3	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	6·4	14·0	8·9	12·1	1·3	29	19	4	9	-	-	-	-	-	-	2	-	1	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	15·2	20·4	17·2	15·9	1·6	94	49	12	8	-	1	-	-	-	-	4	4	4	9	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	14·4	16·5	11·8	10·9	4·4	74	25	10	4	-	-	-	-	2	-	8	-	-	1	1	SOUTH SHIELDS.
GATESHEAD	133,676	12·1	15·6	12·1	9·8	2·7	56	25	11	3	-	-	-	-	1	-	6	-	-	1	-	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	16·4	13·1	12·4	12·2	2·0	115	67	22	19	-	-	-	-	1	-	10	3	5	13	1	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	16·6	25·0	21·3	22·1	2·8	33	25	5	4	-	1	-	-	1	-	1	-	-	4	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	15·0	13·1	11·8	12·4	-	45	19	9	3	-	-	-	-	-	-	-	-	1	2	-	NEWPORT (MON.).
CARDIFF	199,189	9·9	12·0	8·6	11·0	1·0	81	42	13	15	-	-	-	-	-	-	4	1	5	7	-	CARDIFF.
RHONDDA	138,674	15·8	12·8	10·9	13·9	3·8	120	37	15	4	-	-	-	2	-	-	8	1	1	-	1	RHONDDA.
MERTHYR TYDFIL..	79,522	15·7	10·5	12·5	11·8	-	38	18	4	2	-	-	-	-	-	-	-	2	2	2	-	MERTHYR TYDFIL.
SWANSEA	98,817	14·2	15·3	15·3	14·8	1·1	52	28	8	10	-	-	-	-	-	-	2	-	1	1	-	SWANSEA.
GREATER LONDON	7,537,196	9·5	9·7	9·7	10·7	1·5	3213	1548	365	474	-	29	7	11	18	8	138	48	139	615	-	GREATER LONDON.
OUTER RING ..	2,664,494	7·1	7·8	7·7	8·0	1·0	1163	408	90	139	-	2	3	6	3	2	34	10	32	87	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	6·9	7·3	7·3	7·8	0·9	548	198	48	65	-	1	-	2	1	2	17	2	16	47	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	7·3	8·2	8·2	8·2	1·0	615	210	42	74	-	1	3	4	2	-	17	8	16	40	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	9·7	10·9	12·3	11·7	1·4	113	81	10	29	-	-	1	2	1	-	6	1	?	34	3	EDINBURGH.
GLASGOW	884,505	15·0	14·0	12·9	13·3	2·6	416	226	51	48	-	-	4	3	9	3	25	11	?	77	6	GLASGOW.
DUBLIN (Registration Area).	402,928	17·9	14·9	17·0	18·8	3·6	235	145	46	33	-	-	2	2	2	1	21	6	5	60	1	DUBLIN (Registration Area).†
BELFAST																				20	2	BELFAST.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SEVENTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2519	2442	2370	2584	2514	2374	2319	2333	2330	2223	2371·2	2050
Males - - -	1296	1227	1251	1319	1287	1215	1178	1198	1204	1145	1216·4	1053
Females - -	1223	1215	1119	1265	1227	1159	1141	1135	1126	1078	1154·8	997
TOTAL **Deaths** -	1470	1398	1471	1402	1360	1187	1589	1083	1221	1151	1276·0	1140
Males - - -	789	758	786	736	703	633	831	562	647	581	665·3	590
Females - -	681	640	685	666	657	554	758	521	574	570	609·7	550

* The numbers in this column are the average weekly numbers in the Thirty-Seventh week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	13 Weeks.
TOTAL **Births** -	2260	2329	2272	2163	2176	2429	1854	2367	2303	2268	2118	2088	2050	28677
TOTAL **Deaths** -	983	964	997	1036	962	957	956	962	952	1009	1005	1009	1140	12932
Ages at Death: Under 1 year -	177	177	168	172	187	151	173	174	184	214	223	253	275	2528
1—5 years -	97	114	100	99	104	89	107	90	110	116	100	121	95	1342
5—20 " -	57	51	68	70	61	52	54	52	58	37	69	46	63	738
20—40 " -	134	129	142	120	132	124	122	136	130	122	116	111	147	1665
40—60 " -	226	223	217	230	200	229	210	223	202	207	198	206	225	2796
60 yrs. & upwds.	292	270	302	345	278	312	290	287	268	313	299	272	335	3863
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	35	32	37	31	36	23	30	28	27	35	23	21	27	385
Scarlet Fever - -	3	2	8	4	5	2	5	1	4	3	5	2	4	48
Diphtheria - -	2	5	3	7	8	4	8	6	6	10	5	10	5	79
Whooping-cough -	25	21	23	19	27	14	18	19	13	11	8	12	15	225
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	2	2	1	2	4	2	4	1	1	3	3	6	32
Pyrexia (origin uncertain).	1	-	-	-	-	-	-	-	-	-	-	1	-	2
Diarrhœa, Dysentery	11	14	17	14	18	12	23	26	37	65	96	94	104	531
All above diseases -	78	76	90	76	96	59	86	84	88	125	140	143	161	1302
Dis. of Resp. System	55	54	44	51	46	48	50	48	48	42	50	47	51	634
Pneumonia - -	74	68	73	80	85	63	74	65	73	87	65	67	69	943
Phthisis - - -	87	90	94	84	78	82	99	81	88	77	87	91	113	1151
Dis. of Circ. System -	144	138	159	183	128	158	150	138	121	142	145	147	180	1933
Violence - - -	49	55	53	46	44	43	50	43	48	34	43	53	38	604
Inquest Cases - -	101	113	101	114	95	103	119	94	112	80	109	112	107	1360
Deaths in Institutions	464	442	471	455	446	437	459	438	438	466	418	523	528	5985
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	62·3	56·5	55·2	57·9	59·2	58·8	60·2	60·7	62·7	59·9	58·3	54·7	56·1	58·7
Mean of Highest -	75·0	66·0	65·7	67·4	67·7	68·3	71·5	70·8	73·7	70·2	67·4	61·8	63·8	68·3
Mean of Lowest -	53·0	50·2	50·2	52·2	53·2	52·0	52·2	54·1	53·5	52·4	50·8	49·1	50·4	51·8
Mean Humidity of the Air.	75	76	84	84	85	77	77	85	75	77	77	79	81	79
Rain-fall (in inches) -	1·11	1·00	1·29	0·01	1·22	0·35	0·85	0·18	0·19	0·80	0·41	0·02	0·66	8·09
Registered Sunshine (in hours).	52·3	33·5	18·0	34·5	17·6	29·5	49·6	27·7	52·7	37·1	8·6	15·7	21·2	428·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	2	1	3	3	3	1	1	-	-	-	-	-	-	1
Scarlet Fever - -	1353	1378	1439	1530	1548	1563	1523	1490	1423	1447	1455	1462	1509	1471
Diphtheria - - -	711	674	628	646	626	619	584	584	591	578	592	630	672	626
Typhus - - -	1	1	1	1	1	-	-	-	1	1	1	1	1	1
Enteric Fever - -	47	47	49	50	50	46	46	46	51	59	60	79	102	56

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SEVENTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 37th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1276·0	1140	275	95	63	147	225	335
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	7·4	27	8	19	–	–	–	–
Scarlet Fever	6·6	4	–	2	2	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	3·9	4	–	–	–	1	2	1
Whooping-cough	17·8	15	5	10	–	–	–	–
Diphtheria	10·0	5	–	2	3	–	–	–
Cerebro-spinal Fever ..	–	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	4·5	6	–	–	–	3	3	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	133·7	63	52	11	–	–	–	–
Diarrhœa, Dysentery ..	61·9	41	34	3	–	1	–	3
Tetanus	0·4	1	–	–	–	–	1	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·2	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	9·2	7	6	1	–	–	–	–
Puerperal Septicæmia ..	2·3	5	–	–	1	4	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·6	–	–	–	–	–	–	–
Infective Endocarditis ..	2·7	4	–	–	1	1	2	–
Pneumonia: Lobar ..	8·8	6	–	–	2	1	1	2
Pneumonia: Broncho ..	29·1	33	13	9	1	3	5	2
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	35·4	30	–	4	3	8	6	9
Erysipelas	4·3	–	–	–	–	–	–	–
Septicæmia (not Puerperal)	1·2	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	0·8	–	–	–	–	–	–	–
Other Infective Processes	2·9	4	1	–	–	1	1	1
Tuberculous Phthisis ..	78·2	84	–	3	6	33	32	10
"*Phthisis*"	39·9	29	–	–	4	15	8	2
Tuberculous Meningitis ..	19·7	15	3	6	5	1	–	–
Tuberculous Peritonitis ..	11·5	7	3	1	3	–	–	–
Tabes Mesenterica	4·1	1	–	–	–	1	–	–
Tuberculous Dis., Other ..	15·8	15	2	1	5	2	4	1
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	9·8	6	–	–	–	4	2	–
Rheumatic Fever	3·7	2	–	1	–	1	–	–
Gout	1·6	2	–	–	–	–	–	2
Carcinoma	53·7	70	–	–	–	7	29	34
Sarcoma	4·3	5	–	–	–	2	2	1
Cancer (undefined) ..	34·6	30	–	–	–	1	18	11
Diabetes Mellitus	6·1	4	–	–	1	1	1	1
Premature Birth	45·1	34	34	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 37th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and
Meningitis (not tuberc.)..	12·9	6	1	3	1	–	1	–
Gen. Par. of Insane, Insanity	10·6	19	–	–	–	6	8	
Epilepsy	4·7	2	–	–	–	1	1	–
Convulsions	13·7	12	12	–	–	–	–	–
Locomotor Ataxy.. ..	1·6	1	–	–	–	–	1	–
Paraplegia, Dis. of Cord.	3·5	9	–	–	–	3	1	
Apoplexy, *Hemiplegia* ..	11·7	7	–	–	–	–	1	
Aneurysm	4·7	2	–	–	–	–	1	
Embolism, Thrombosis (not Cerebral) ..	0·4	1	–	–	–	1	–	–
Heart & Blood Ves., Other Dis... ..	64·9	75	–	–	3	6	14	5
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–	–
Bronchitis	37·1	44	11	–	–	2	4	2
Emphysema, Asthma ..	1·6	1	–	–	–	–	–	
Pleurisy	2·3	4	–	1	–	1	1	
Respiratory Dis., Other..	6·3	2	–	–	2	–	–	–
Tonsillitis, Quinsy.. ..	0·6	2	–	–	2	–	–	–
Enteritis (not Epid.) ..	23·1	22	17	3	–	1	–	
Gastro-enteritis	26·0	20	14	6	–	–	–	–
Peritonitis (not Puerp.) ..	1·2	–	–	–	–	–	–	–
Cirrhosis of Liver.. ..	11·5	7	–	–	–	–	5	
Liver Dis., Other	4·9	10	–	–	–	1	1	
Digestive Sys., Other Dis.	34·6	33	3	1	4	5	10	1
Acute Nephritis	6·3	7	–	–	2	2	1	
Bright's Dis., Albuminuria	34·8	30	–	–	–	1	12	1
Urinary Sys., Other Dis.	9·2	6	–	–	–	–	1	
Generative Organs Dis...	4·7	3	–	–	–	–	2	
Childbirth (Accid. of) ..	3·1	4	–	–	–	2	2	–
Old Age	41·0	36	–	–	–	–	–	3
Other Diseases	85·8	75	51	5	1	2	6	
ACCIDENT.								
By Railways	1·6	–	–	–	–	–	–	–
By Vehicles and Horses..	6·3	5	–	–	3	1	–	
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	–	–	–	–	–	–	–
In Building Operations..	1·4	1	–	–	–	–	1	–
In Conflagrations	–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	3·1	1	–	1	–	–	–	–
By Drowning	3·7	3	–	1	1	–	–	
By Suffocation in Bed ..	5·5	1	1	–	–	–	–	–
By Poisons or Poisonous Vapours	2·5	–	–	–	–	–	–	–
Other Deaths by Accident..	13·1	13	1	1	–	2	2	
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·6	2	–	–	–	2	–	–
Suicide	10·6	12	–	–	–	8	4	–
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th September 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2050	1140	275	335	-	27	4	5	15	6	104	113	38	107	528	-
WEST DISTRICTS	805,311	289	162	34	49	-	5	-	-	3	1	12	15	4	14	70	-
NORTH DISTRICTS	1,055,908	451	216	31	85	-	8	1	1	3	-	6	24	11	22	99	-
CENTRAL DISTRICTS	209,465	99	50	6	12	-	1	-	-	-	-	1	5	2	6	34	-
EAST DISTRICTS	715,739	418	243	92	56	-	2	-	-	3	1	34	17	10	35	136	-
SOUTH DISTRICTS	1,749,844	793	424	109	123	-	11	3	3	6	4	49	45	11	29	144	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	45	3	10	-	-	-	1	-	-	2	7	-	1	45	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	26	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-
entral Paddington *W,3H*	50,053	20	15	4	7	-	-	-	-	-	-	1	4	-	-	8	-
uth Paddington	30,320	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ensington South *W,3H*	85,610	19	25	2	13	-	-	-	-	-	1	-	1	1	3	14	-
ensington Central *W,H*	42,774	7	6	1	-	-	1	-	-	1	-	1	-	-	2	1	-
ensington North *w*	48,244	23	13	5	3	-	-	-	-	-	-	3	1	-	-	7	-
orth Hammersmith *2W,w,H* ..	49,192	25	11	3	2	-	-	-	-	-	-	1	1	-	1	3	-
uth Hammersmith *w,2H* ..	63,047	23	10	2	2	-	-	-	-	-	-	1	-	-	2	4	-
orth-west Fulham *W*	45,180	33	12	5	1	-	-	-	-	1	-	2	1	-	-	8	-
orth-east Fulham *F*	46,405	23	5	2	1	-	-	-	-	-	-	-	1	-	-	-	-
uth Fulham *W*	45,704	25	11	2	2	-	-	-	-	1	-	1	3	-	-	-	-
elsea North *W,w,3H*	42,514	16	15	3	5	-	4	-	-	-	-	-	-	-	-	13	-
elsea South *W,2H*	31,328	9	11	3	3	-	-	-	-	-	-	2	1	1	1	5	-
yfair and Knightsbridge ..	28,743	4	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
lgrave *W,2H*	55,815	13	11	-	4	-	-	-	-	-	-	-	1	-	2	6	-
. Margaret & St. John *6H*	43,698	16	4	1	1	-	-	-	-	-	-	-	1	1	1	1	-
. James and St. Anne *W,6H* ..	33,081	3	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-
NORTH DISTRICTS.																	
l Souls Marylebone *7H*	35,391	14	12	2	6	-	-	-	-	-	-	-	1	-	1	6	-
. Mary Marylebone *W,4H* ..	37,948	40	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-
ristchurch Marylebone *H* ..	39,536	14	9	2	3	-	-	-	-	-	-	1	-	-	-	-	-
. John Marylebone *2H*	20,426	5	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
mpstead *W,F,6H*	81,942	17	15	1	7	-	1	1	1	-	-	-	-	2	2	7	-
est St. Pancras *2H*	60,562	23	12	1	7	-	2	-	-	-	-	-	3	-	-	4	-
uth St. Pancras *w,10H*	55,707	12	13	2	2	-	2	-	-	-	-	1	2	-	-	8	-
st St. Pancras *W,H*	60,320	39	14	2	7	-	-	-	-	-	-	-	2	1	2	7	-
orth St. Pancras *2W*	58,728	12	13	1	4	-	-	-	-	1	-	-	3	-	1	9	-
finell *W*	31,995	16	21	3	11	-	1	-	-	-	-	-	1	-	1	15	-
pper Holloway *2W,w,H*	33,978	21	19	-	5	-	-	-	-	-	-	-	4	1	1	18	-
llington *2W,w,H*	33,922	7	2	-	1	-	-	-	-	-	-	-	-	1	2	-	-
wer Holloway	41,424	26	6	4	1	-	1	-	-	-	-	-	-	-	-	-	-
rnsbury	54,478	37	4	-	1	-	1	-	-	1	-	-	-	-	-	-	-
ington South-east *F*	75,397	26	6	-	4	-	-	-	-	-	-	-	1	-	2	-	-
ghbury *2H*	63,797	21	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
oke Newington *H*	51,247	19	10	2	6	-	-	-	-	1	-	-	-	1	4	-	-
orth Hackney	50,398	24	7	-	4	-	-	-	-	-	-	-	1	-	-	-	-
ntral Hackney *2w,F*	50,536	15	10	3	4	-	-	-	-	-	-	-	1	2	2	3	-
uth-west Hackney *3H*	59,921	37	9	3	2	-	-	-	-	-	-	1	-	-	-	2	-
uth-east Hackney *2W,w,H* ..	58,255	26	24	4	7	-	-	-	-	-	-	3	5	3	4	17	-
ackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein mely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other stricts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a b-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the ter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th September, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	21	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-
Strand *W*,4*H*	21,674	-	13	-	3	-	-	-	-	-	-	-	2	1	3	11	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	11	9	2	1	-	-	-	-	-	-	1	1	-	-	7	-
Clerkenwell *H*	63,704	30	6	1	2	-	-	-	-	-	-	-	2	-	1	1	-
St. Luke 3*H*,*L*	36,116	33	3	1	-	-	-	-	-	-	-	-	-	1	1	1	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	15	1	4	-	1	-	-	-	-	-	-	-	1	13	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	22	10	5	2	-	-	-	-	-	-	1	-	1	1	6	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	25	20	7	9	-	-	-	-	1	-	2	2	3	3	13	-
Shoreditch North-East	36,148	28	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	30	38	20	6	-	-	-	-	1	-	7	4	-	2	25	-
Bethnal Green South-West *H* ..	64,542	36	8	2	3	-	-	-	-	-	-	1	-	-	3	1	-
Spitalfields..	27,969	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	34	44	15	5	-	-	-	-	-	1	6	-	4	8	39	-
Goodman's Fields	22,081	10	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	34	14	4	3	-	-	-	-	-	-	-	3	-	2	6	-
Shadwell and Ratcliff *w*,*H* ..	25,568	10	16	14	-	-	1	-	-	-	-	4	-	-	-	14	-
Limehouse *W*	32,369	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	51	13	3	6	-	-	-	-	-	-	-	2	-	2	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	23	17	2	6	-	-	-	-	-	-	1	3	1	1	9	-
Bow	41,989	25	8	1	2	-	-	-	-	-	-	1	-	-	3	-	-
Bromley 3*w*,*H*	68,319	41	34	9	8	-	1	-	-	-	-	5	3	1	6	21	-
Poplar *W*,*w*	58,514	30	15	8	2	-	-	-	-	1	-	5	-	-	4	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th September, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	7	12	2	-	-	2	-	-	-	-	2	-	1	1	9	-
Kent-road	21,904	6	6	3	-	-	-	-	-	-	-	3	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	16	17	7	4	-	1	-	-	2	-	6	-	-	-	8	-
Newington North	49,022	21	6	3	2	-	-	-	-	-	-	2	1	-	-	-	-
Newington South *W*	72,841	44	9	2	3	-	1	-	-	-	-	-	-	1	3	2	-
St. Olave *2W*	9,817	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Bermondsey *W*	82,483	44	18	7	3	-	1	-	-	-	-	6	3	1	3	-	-
Rotherhithe *W,F*	38,460	18	23	2	9	-	1	-	-	-	-	1	3	1	1	16	-
Waterloo *2H*	27,440	27	3	2	1	-	-	-	-	-	-	1	-	-	-	-	-
Lambeth Church *H*	27,440	10	13	4	2	-	-	-	1	-	-	3	-	1	2	5	-
Kennington *2W*	52,518	25	29	5	6	-	-	-	-	-	1	3	7	-	1	18	-
Stockwell *HF*	63,826	34	8	5	1	-	1	1	1	-	-	1	-	-	-	2	-
Brixton *H*	73,673	21	10	2	2	-	-	-	-	-	-	2	3	-	-	1	-
Norwood *2WH*	56,998	27	9	1	7	-	-	-	-	-	-	-	1	-	-	1	-
East Battersea *H*	72,203	38	12	4	3	-	-	-	-	-	-	1	-	1	4	-	-
North-west Battersea	49,656	23	13	4	2	-	-	-	-	-	-	2	1	-	1	-	-
South-west Battersea *2W,H* ..	47,048	14	19	10	3	-	-	-	-	-	-	1	-	1	2	15	-
Clapham *2H*	51,361	19	13	2	4	-	-	-	-	-	-	-	-	-	1	2	-
Streatham *W,2w,2F,2L*	88,019	47	18	3	8	-	-	-	-	-	-	3	2	-	1	7	-
Springfield *2W,L*	27,959	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	16	18	7	5	-	-	-	-	-	-	1	2	-	-	-	-
Putney	24,139	9	8	-	5	-	1	-	-	-	-	-	-	1	1	-	-
Dulwich	13,359	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Camberwell South *W,w*	40,206	20	20	2	12	-	-	-	-	-	-	1	4	-	-	15	-
Camberwell North *W,2L*	65,584	24	16	2	6	-	-	-	-	-	-		3	-	1	11	-
St. George	47,331	24	5	1	-	-	-	-	-	-	-	-	2	-	-	-	-
Peckham North	48,913	18	9	3	3	-	1	-	-	-	-	1	-	1	1	-	-
Peckham South *2W,w*	43,946	17	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North *F*	49,004	24	19	8	1	-	-	1	-	-	3	6	-	-	-	5	-
Deptford East	29,781	12	10	5	-	-	-	-	-	-	-	1	1	-	2	-	-
Deptford South	38,934	11	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	17	3	1	-	-	-	-	-	-	-	1	-	-	-	2	-
Greenwich East *2W,H*	43,859	16	18	4	6	-	1	-	-	-	-	1	5	2	2	12	-
Eltham *w,H*	7,226	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	33	17	1	10	-	-	-	-	1	-	-	1	-	-	6	-
Sydenham *H*	43,653	21	7	1	4	-	-	-	-	2	-	-	2	-	-	-	-
Charlton *F,2H*	21,134	12	5	1	1	-	-	1	1	-	-	-	1	-	-	2	-
Woolwich *5H*	41,625	21	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-
Plumstead West *W,H*	39,376	18	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	7	9	1	3	-	-	-	-	-	-	-	2	-	-	5	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	5	3	-	-	-	-	-	-	-	-	-	-	-	5	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	1	-	-	2	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
London County Lunatic Asylums:—																	
Banstead	—	-	4	-	-	-	-	-	-	-	-	-	1	-	-	4	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	6	-
Manor	—	-	3	-	1	-	-	-	-	-	-	-	1	-	-	3	-
Long Grove	—	-	2	-	-	-	-	-	-	-	-	-	2	-	-	2	-
Cane Hill	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Dartford Heath	—	-	5	-	1	-	-	-	-	-	-	-	1	-	1	5	-
Hanwell	—	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-
Colney Hatch	—	-	8	-	4	-	-	-	-	-	-	2	-	-	-	8	-
Claybury	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging t the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boar Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATE POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 17th September, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include — Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
	LONDON—OUTER RING ..	368,603	2,045,135	1163	408	90	139	-	2	3	6	3	2	34	10	32	87	-
31 : 1	Carshalton 2F,3H	12,228	32,997	16	4	2	1	-	-	-	1	-	-	1	-	-	1	-
2	Epsom, *part of** W,w,3F,H..	10,423	15,548	11	5	-	4	-	-	-	-	-	-	-	-	-	1	-
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	17	7	1	3	-	-	-	-	-	-	-	-	-	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	32	15	3	7	-	-	-	-	-	-	1	1	2	8	-
4	North Croydon H	2,644	41,698	18	6	-	5	-	-	-	-	-	-	-	-	1	-	-
5	Penge w	770	22,465	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	32	5	1	3	-	1	-	-	-	-	1	-	-	-	-
40 : 1	Wimbledon F,3H	3,221	41,652	20	4	-	1	-	-	-	-	-	-	-	1	2	-	-
2	Kingston 2W,H	6,224	42,068	24	9	1	5	-	-	-	-	-	-	2	-	-	2	-
3	Surbiton F,H	3,046	15,017	7	5	2	1	-	-	-	1	-	-	-	-	1	1	-
4	Esher, *part of** H	5,402	13,100	7	3	-	3	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	8	3	1	-	-	-	-	-	-	-	-	-	1	-	-
41 : 1	Richmond W,H	2,491	31,672	12	6	1	3	-	-	-	-	-	-	-	1	1	3	-
2	Mortlake F	2,518	17,821	14	4	1	3	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	9	4	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,832	28,454	10	5	-	2	-	-	-	-	-	-	-	-	1	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	3	6	-	3	-	-	-	-	1	-	-	1	1	2	-
4	Chislehurst 2H	7,333	16,446	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	7	4	1	1	-	-	-	-	-	-	2	-	-	-	-
2	Erith F,H	3,354	25,296	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Sunbury w	11,054	18,683	6	6	-	3	-	-	1	-	-	-	-	-	-	-	-
2	Staines W,H	12,277	15,178	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
127 : 1	Hillingdon W,F,H	6,035	13,661	7	6	-	3	-	-	1	-	-	-	-	-	-	2	-
2	Uxbridge H	12,757	8,984	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	30,863	15	11	1	4	-	-	-	-	-	-	-	-	-	5	-
2	Twickenham F,2H	2,421	20,991	8	2	-	-	-	-	-	-	-	-	-	1	1	-	-
3	Hanwell w,2H	4,108	11,257	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Brentford 3F,2H	4,038	48,202	30	14	2	5	-	-	-	1	-	-	1	-	-	-	-
5	Chiswick H	1,249	29,809	18	4	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Acton F,H	2,305	37,744	32	9	3	1	-	-	-	1	1	-	1	-	-	1	-
129 : 1	Willesden W,F,2H	4,384	114,811	61	16	5	5	-	-	-	-	1	-	1	-	1	5	-
130 : 1	Harrow F,H	13,809	25,523	25	3	1	-	-	-	-	-	-	-	1	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-
3	Hendon W,F	8,382	22,450	18	3	-	1	-	-	-	-	-	-	-	-	-	2	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	9	6	2	3	-	-	-	-	-	-	1	-	-	2	-
3	Finchley F,3H	4,638	33,692	25	8	1	4	-	-	-	-	-	-	-	1	2	3	-
132 : 1	Hornsey F,H	2,875	72,056	20	5	2	1	-	-	-	-	-	1	1	-	-	1	-
2	Wood Green H	1,625	34,233	13	3	1	-	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	28	9	3	4	-	-	-	-	-	-	-	-	1	-	-
4	East Tottenham 2H ..	2,019	53,962	33	10	3	3	-	-	-	-	-	-	-	-	1	2	-
5	Edmonton W,w,2F	7,491	61,892	45	20	7	7	-	-	-	-	-	-	5	-	3	8	-
6	Enfield 2W,F,H	12,601	42,738	31	14	2	1	-	-	1	-	-	-	1	2	3	4	-
7	Waltham Abbey F	11,017	6,549	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	18	12	2	6	-	1	-	-	-	-	2	-	1	2	-
2	Forest Gate	787	52,745	24	4	1	1	-	-	-	-	-	-	-	-	1	-	-
3	Plaistow F,2H	1,249	90,921	76	25	11	4	-	-	-	-	-	-	8	1	2	1	-
4	Canning Town H	1,556	70,718	52	10	4	2	-	-	-	-	-	-	3	-	1	-	-
5	South East Ham 2F ..	1,991	37,342	31	6	1	-	-	-	-	1	-	-	-	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	21	12	3	2	-	-	-	-	-	-	-	-	2	-	-
7	Wanstead F	1,679	9,179	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	30	10	-	7	-	-	-	-	-	-	-	-	-	4	-
9	North Leyton 2W,w,F ..	1,963	48,445	35	31	6	11	-	-	-	1	-	-	1	-	-	20	-
10	Walthamstow 2H L ..	6,504	108,929	59	20	2	4	-	-	-	-	-	1	-	-	2	-	-
189 : 1	Chigwell 2F,3H	11,778	16,397	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	5	2	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	34	7	5	1	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town F	3,805	21,547	12	4	1	1	-	-	-	-	-	-	-	1	1	-	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esher parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting the part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : 1

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ONDON* - -	4,872,702	September 17	2050	1140	12·2	-	27	4	5	15	6	135
ALCUTTA - -	1,009,008	August 20	-	342‡	17·6	1	1	-	-	2	4	16
OMBAY - -	977,822	„ 30	383	566‡	30·1	-	1	-	1	-	6	45
ADRAS - -	509,346	„ 19	465	413‡	42·1	4	1	?	?	?	3	41
ARIS* - -	2,772,467	September 10	883	748	14·2	-	5	-	1	4	3	45
RUSSELS* - -	720,030	„ 10	225	184	13·3	-	-	1	-	1	12	21
NTWERP* - -	317,171	„ 10	115	75	12·8	-	1	-	-	1	-	16
MSTERDAM* -	572,074	„ 10	223	110	10·0	-	1	-	-	-	1	6
OPENHAGEN -	450,000	„ 10	228	111	12·9	-	-	2	2	2	-	25
OCKHOLM -	341,816	„ 3	155	82	12·5	-	-	1	-	1	-	1
HRISTIANIA -	240,178	„ 10	88	53	11·5	-	1	1	1	-	-	4
. PETERSBURG	1,620,000	August 27	790	748‡	24·1	6	5	13	7	4	6	93
OSCOW - -	1,493,600	September 3	-	718‡	25·1	-	1	14	21	6	5	169
ERLIN - -	2,122,839	August 27	791	591	14·5	-	-	3	13	3	2	86
AMBURG - -	895,804	September 10	-	263	15·3	-	2	-	10	1	2	43
RESLAU - -	509,992	„ 3	-	150	15·3	-	-	-	-	-	1	22
UNICH - -	576,000	„ 10	-	176	15·9	-	6	-	-	-	-	25
IENNA* - -	2,107,981	„ 10	793	561‡	13·8	-	2	2	7	1	-	45
RAGUE* - -	497,905	August 20	191	126	13·1	-	1	-	-	-	-	8
UDAPEST* -	833,703	September 3	367	267	16·6	-	1	4	2	2	4	32
RIESTE* - -	221,124	„ 10	134	81	19·1	-	-	-	-	1	-	11
OME - - -	590,113	July 9	241	210	18·6	-	10	-	2	4	4	30
ENICE - -	183,224	August 20	-	-	-	-	-	-	-	-	-	-
UCAREST - -	297,643	„ 13	-	-	-	-	-	-	-	-	-	-
EW YORK* -	4,711,956	„ 27	-	-	-	-	-	-	-	-	-	-
HICAGO* - -	2,282,927	„ 27	-	639	14·5	-	-	4	10	12	5	144
HILADELPHIA*	1,598,400	July 30	-	611	19·9	-	6	1	6	19	4	162
O DE JANEIRO	842,822	August 14	-	346	21·4	-	16	-	1	2	-	?
IRO :—*												
Egyptians -	620,443	„ 12	608	673	56·4	-	15	-	9	-	7	217
Foreigners -	62,510	„ 12	7	13	10·8	-	-	-	-	-	1	-
EXANDRIA :—*												
Egyptians -	319,087	„ 12	264	287‡	46·8	-	4	-	-	-	3	104
Foreigners -	68,829	„ 12	8	24	18·1	-	-	-	-	-	-	7

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to ildren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 12 deaths from *plague* in Calcutta, 25 in Bombay, and 1 in Alexandria, and from *Asiatic cholera*, 12 deaths Calcutta, 2 in Bombay, 2 in Madras, 147 in St. Petersburg, 12 in Moscow, and 1 in Vienna.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 17th September, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
NDON (Greenwich)	67·0	45·7	57·1	0·66	BRADFORD - -	-	-	-	-
IGHTON - -	68·6	45·7	58·5	0·13	YORK - - -	66·0	41·0	53·6	0·03
RTSMOUTH - -	68·0	48·0	58·2	0·06	HULL - - -	60·0	39·0	53·8	0·03
RWICH - -	62·8	44·8	55·6	1·23	TYNEMOUTH - -	62·0	42·0	52·3	0·10
MOUTH - -	67·5	43·9	58·0	0·19	CARDIFF - - -	65·1	45·0	55·2	0·12
ISTOL - - -	67·6	44·0	55·7	0·35	EDINBURGH - -	63·6	43·8	52·3	0·13
MINGHAM - -	64·3	46·7	53·9	0·90	GLASGOW - -	63·3	39·0	51·6	0·00
TTINGHAM - -	63·0	42·0	53·5	0·67	DUBLIN Phœnix Park.	63·3	40·1	52·0	0·02
ERPOOL OBSERVATORY	62·0	46·0	54·8	0·06	DUBLIN Fitzwilliam Square.†	62·1	49·0	55·1	0·05
NCHESTER -	64·0	37·8	53·6	0·00					
RNLEY - -	63·2	36·2	52·7	0·00					
DDERSFIELD -	61·5	37·0	52·5	0·02	BELFAST - - -	65·5	33·0	55·0	0·00

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to e seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The rrection applied by the late Mr. Glaisher in the returns up to the 31st March 1902, for the corresponding period to the ove was 1·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 17th September, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit)	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 11	First Qr.	29·988	67·0	51·3	15·7	58·0	− 0·1	51·5	6·5	14·8	0·6	79	121·0	40·5	59·01	Calm & NE.	ENE., SE. & NE.	1·4	0·0	0·1	144	−109	0·00	1·0
MONDAY - 12	..	29·991	65·1	47·8	17·3	54·8	− 3·2	48·1	6·7	11·2	0·0	78	119·2	36·7	59·00	N. & NNE.	N., NNE. & NE.	3·8	0·0	0·2	241	− 12	0·00	0·0
TUESDAY - 13	Greatest Dec. S.	29·992	63·8	45·7	18·1	51·2	− 3·6	43·3	10·9	18·9	3·4	67	117·0	36·3	58·95	N.	N.	2·6	0·0	0·2	264	+ 14	0·00	4·0
WEDNESDAY 14	..	29·863	60·1	50·3	9·8	54·3	− 3·4	51·1	3·2	9·8	0·0	89	96·1	46·5	58·70	NNW. & N.	N., ENE. & NE.	8·8	0·0	0·5	381	+133	0·66	1·0
THURSDAY - 15	..	30·045	65·0	51·8	13·2	57·5	− 0·1	56·4	1·1	7·2	0·6	96	89·9	46·1	58·50	NE. & NNE.	NNE.	3·3	0·0	0·3	306	+ 59	0·00	0·0
FRIDAY - 16	..	30·202	64·6	53·4	11·2	57·3	− 0·2	52·3	5·0	9·7	1·8	84	109·0	51·3	58·41	NNE.	NNE. & NE.	3·1	0·0	0·3	335	+ 89	0·00	0·2
SATURDAY - 17	..	30·285	61·1	52·3	8·8	56·5	− 0·7	49·2	7·3	12·0	3·2	77	116·0	50·1	58·40	NNE. & NE.	ENE. & NE.	2·1	0·0	0·2	256	+ 11	0·00	0·8
MEANS - -		30·052	63·8	50·4	13·4	56·1	− 1·6	50·3	5·8	11·9	1·4	81	109·7	43·9	58·71	NNE.		..	..	..	Sum 1927	Sum +185	Sum 0·66	1·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.	Electricity (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 11	w. P. throughout.	3·6	12·9	Generally overcast till 9h. A.M.; fine and partially cloudy afterwards; light shower shortly after 6h. P.M.
MONDAY - 12	w. P. till 5h. P.M.; m. P. afterwards.	2·9	12·9	Generally overcast till 8h. A.M.; variably cloudy till evening; cloudless with slight exceptions at night.
TUESDAY - 13	w. P. till 7h. A.M.; m. P. afterwards.	10·4	12·8	Very fine and bright till 6h. P.M.; very cloudy to overcast afterwards; a little misty rain at 11h. 30m. P.M.
WEDNESDAY 14	w. P. till 5h. A.M.; v. P. and v. N. till 9h. A.M.; w. P. generally afterwards.	0·5	12·8	Overcast with slight exceptions; heavy rain between 5h. and 9h. A.M. followed by brisk wind till 1h. P.M.
THURSDAY - 15	w. P. throughout.	0·3	12·7	Generally overcast and very dull; occasional slight misty rain.
FRIDAY - 16	w. P. throughout.	1·9	12·6	Overcast with exception of fine interval between 11h. A.M. and 2h. P.M.; a little misty rain at and about 1h. A.M.
SATURDAY 17	w. P. throughout.	1·6	12·5	Generally overcast; fine interval between 9h. and 11h. A.M.
		Sum 21·2	Sum 89·2	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·01 in. at the beginning of the week to 29·97 in. by 5h. A.M. on the 11th; increased to 30·02 in. by 10h. P.M. on the same day; decreased to 29·97 in. by 1h. P.M. on the 12th; increased to 30·02 in. by 11h. P.M. on the same day; decreased to 29·84 in. by 2h. P.M. on the 14th; increased to 30·31 in. by 11h. A.M. on the 17th; and decreased to 30·25 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 10th September, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	5	1	-	2	-	-	3	1	-
Kensington	184,635	-	7	3	-	1	1	-	4	-	-
Hammersmith	127,413	-	7	3	-	1	-	-	1	-	-
Fulham	181,282	-	9	7	-	-	-	-	1	-	1
Chelsea	75,457	-	1	2	-	-	-	-	-	1	-
City of Westminster ..	167,233	-	1	5	-	3	-	-	3	1	-
NORTH.											
St. Marylebone	125,195	-	2	2	-	1	-	-	1	-	-
Hampstead	95,729	-	8	-	-	-	-	-	-	-	-
St. Pancras	237,792	-	12	5	-	1	-	-	4	-	-
Islington	353,356	-	9	8	-	1	-	-	4	-	-
Stoke Newington	54,838	-	-	1	-	1	-	-	-	-	-
Hackney	239,979	-	4	7	-	-	-	-	3	-	1
CENTRAL.											
Holborn	53,142	-	2	3	-	1	-	-	1	-	-
Finsbury	94,578	-	4	4	-	1	-	-	3	-	-
City of London	17,132	-	-	-	-	1	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	7	5	-	1	-	-	3	-	-
Bethnal Green	131,579	-	7	3	-	13	-	-	4	-	-
Stepney	314,379	-	11	7	-	12	-	-	11	-	-
Poplar	172,432	-	11	6	-	5	-	-	5	-	-
SOUTH.											
Southwark	211,832	-	9	8	-	1	-	-	1	-	-
Bermondsey	127,238	-	9	4	-	1	-	-	5	1	-
Lambeth	327,074	-	18	5	-	3	-	-	2	1	-
Battersea	188,222	-	3	4	-	-	-	-	6	1	-
Wandsworth	305,838	-	15	4	-	2	-	-	4	-	-
Camberwell	286,058	-	9	6	-	1	-	-	3	-	-
Deptford	119,642	-	3	5	-	2	-	-	3	-	-
Greenwich	112,935	-	4	10	-	1	-	-	-	-	1
Lewisham	164,899	-	7	-	-	1	-	-	1	-	-
Woolwich	135,422	-	19	3	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	203	121	-	57	1	-	77	6	3
Ages 0-1		-	1	5	-	-	-	-	4	-	-
„ 1-5		-	58	40	-	2	-	-	2	-	3
„ 5-		-	104	47	-	6	-	-	3	-	-
„ 10-		-	20	13	-	6	1	-	4	-	-
„ 15-		-	5	4	-	9	-	-	4	-	-
„ 20-		-	6	3	-	9	-	-	2	-	-
„ 25-		-	8	6	-	14	-	-	13	3	-
„ 35-		-	1	2	-	6	-	-	12	3	-
„ 45-		-	-	1	-	5	-	-	18	-	-
„ 55-		-	-	-	-	-	-	-	8	-	-
„ 65 and upwards		-	-	-	-	-	-	-	7	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 38. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, SEPT. 24. [Price 1½*d.*

General Register Office, Somerset House,
September 26th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 13·0 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 12·1, 11·7, and 12·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 18·0 in Middlesbrough, 18·2 in Liverpool, 18·4 in Great Yarmouth, 18·5 in Bootle, 19·4 in St. Helens and in Halifax, 20·3 in Oldham, 20·4 in Dewsbury, and 22·7 in Swansea; from *measles*, 1·4 in Oldham and 2·8 in Tynemouth; from *scarlet fever*, 1·0 in Walsall and 1·1 in Huddersfield; from *diphtheria*, 1·2 in Kings Norton; from *whooping-cough*, 1·1 in Blackburn; and from *diarrhœa*, 3·0 in Bootle and in Sheffield, 3·5 in Stockport and in Preston, and 3·9 in Hull and in Newport (Mon.) No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2079 BIRTHS and 1118 DEATHS were registered. Allowing for increase of population, the births were 232 and the deaths 179 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17640—41.) Wt. 91—429. 700. 9/10. D & S. G. 31. Sch. 4. 2 P

weeks of the previous five years. The annual death-rate from all causes, which had been 10·8, 10·8, and 12·2 per 1000 in the preceding three weeks, fell last week to 12·0. The death-rate in the four weeks ended last Saturday averaged 11·5 per 1000, being 2·7 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1118 deaths included 18 from measles, 3 from scarlet fever, 9 from diphtheria, 11 from whooping-cough, 12 from enteric fever, and 76 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 129 deaths were referred, being 88 below the corrected average number in the thirty-eighth week of the preceding five years.

The deaths from *measles*, which had been 23, 21, and 27 in the preceding three weeks, fell to 18 last week, but were 9 above the corrected average; 5 deaths belonged to the Borough of Lambeth. The deaths from *scarlet fever*, which had been 5, 2, and 4 in the preceding three weeks, were 3 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 5, 10, and 5 in the preceding three weeks, rose to 9 last week, but were 6 below the corrected average; 3 deaths belonged to Finsbury. The deaths from *whooping-cough*, which had been 8, 12, and 15 in the preceding three weeks, were 11 last week, and were 7 below the corrected average. The deaths from *enteric fever*, which had been 3, 3, and 6 in the preceding three weeks, further rose to 12 last week, and were 7 above the corrected average; 3 deaths belonged to Bethnal Green. The deaths from *diarrhœa*, which had been 96, 94, and 104 in the preceding three weeks, fell to 76 last week, and were 85 below the corrected average; 8 deaths belonged to Stepney, 7 to Poplar, 6 each to Shoreditch and Bermondsey, and 5 each to Islington and Southwark. Of the 76 deaths from diarrhœa, 68 were those of children under 2 years of age; 13 other deaths at this age were certified as due to *enteritis*, and 15 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 5, having been 3, 5, and 4 in the preceding three weeks.

Different forms of violence caused 50 deaths, concerning all of which inquests were held. Of these 50 deaths, 19 were cases of suicide, and 1 of homicide, while the remaining 30 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, four to burns or scalds, two to drowning, and four, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1560 cases of scarlet fever, 709 of diphtheria, 1 of typhus, and 123 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 210 cases, against 183, 183, and 201; of diphtheria, 105 cases, against 88, 112, and 104; and of enteric fever, 33 cases, against 10, 30, and 33. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended September 17th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3287 births and 1555 deaths were registered. Allowing for increase of population, these numbers are 371 and 316 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from scarlet fever, 2 from diphtheria, 2 from whooping-cough, 2 from enteric fever, and 13 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·11 inches, and that of the Thermometer 53°·8, the latter being 2°·2 below the week's average in the 65 years ended 1905. The general direction of the wind was Northerly, the horizontal movement of the air being 11 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 55·4 hours; no rain was measured during the week.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 24th September, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 3rd Sept., 1910.	10th Sept., 1910.	17th Sept., 1910.	24th Sept., 1910.	Rate from Diseases in Cols. 11–17 Week ended 24th Sept., 1910.	Registered during the Week ended 24th Sept., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**12·1**	**11·7**	**12·6**	**13·0**	**1·8**	**7692**	**4235**	**1069**	**1134**	–	**42**	**27**	**32**	**64**	**25**	**399**	**167**	**340**	**1182**	**37**	**77 TOWNS.**
LONDON	4,872,702	10·8	10·8	12·2	12·0	1·4	2079	1118	249	334	–	18	3	9	11	12	76	50	125	528	1	LONDON.
CROYDON	164,485	7·6	7·3	7·9	12·7	0·6	62	40	12	14	–	–	–	–	–	–	2	2	5	9	–	CROYDON.
WILLESDEN ..	166,088	7·8	6·6	5·0	6·6	0·9	65	21	6	6	–	–	–	–	1	–	2	–	2	10	–	WILLESDEN.
HORNSEY	98,561	2·6	3·2	3·2	7·4	–	33	14	–	10	–	–	–	–	–	–	–	–	1	2	–	HORNSEY.
TOTTENHAM ..	132,803	9·0	8·2	9·4	8·2	0·4	66	21	4	4	–	–	–	–	–	–	1	–	2	2	–	TOTTENHAM.
WEST HAM ..	328,585	10·0	7·9	10·0	9·7	2·5	167	61	21	14	–	1	–	–	–	1	14	1	4	13	–	WEST HAM.
EAST HAM.. ..	156,208	6·0	9·3	6·7	6·0	0·7	81	18	5	4	–	–	–	–	–	–	2	–	1	2	–	EAST HAM.
LEYTON	133,436	4·7	7·0	8·2	4·7	0·4	45	12	4	4	–	–	–	1	–	–	–	–	–	2	–	LEYTON.
WALTHAMSTOW	141,748	5·5	6·3	8·5	8·1	–	65	22	9	3	–	–	–	–	–	–	–	3	3	5	–	WALTHAMSTOW.
HASTINGS	68,520	12·9	8·4	12·2	9·9	0·8	16	13	2	5	–	–	–	–	–	–	1	2	2	4	1	HASTINGS.
BRIGHTON	131,900	17·8	11·1	10·3	15·8	0·8	55	40	13	17	–	–	–	–	–	–	2	–	1	6	–	BRIGHTON.
PORTSMOUTH ..	217,989	14·1	10·3	10·8	12·0	2·4	107	50	15	10	–	–	1	–	1	–	8	2	4	9	–	PORTSMOUTH.
BOURNEMOUTH ..	73,947	4·9	12·0	10·6	12·0	–	25	17	1	9	–	–	–	–	–	–	–	–	–	1	–	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	7·0	11·1	8·2	7·4	1·2	42	18	3	8	–	–	–	–	1	1	1	2	3	8	–	SOUTHAMPTON.
READING	84,355	6·8	8·7	11·1	8·7	–	24	14	1	8	–	–	–	–	–	–	–	–	–	3	–	READING.
NORTHAMPTON ..	99,113	7·9	8·9	9·5	11·6	0·5	42	22	6	8	–	–	–	1	–	–	–	–	–	2	1	NORTHAMPTON.
IPSWICH	75,936	14·4	13·0	9·6	9·6	–	36	14	2	5	–	–	–	–	–	–	–	2	2	1	–	IPSWICH.
GREAT YARMOUTH	53,715	14·6	17·5	14·6	18·4	1·0	26	19	6	8	–	–	–	–	–	–	1	2	2	1	–	GREAT YARMOUTH.
NORWICH	125,446	14·5	15·0	10·8	11·6	0·8	49	28	7	11	–	–	–	1	–	–	1	–	1	5	–	NORWICH.
PLYMOUTH	126,266	10·7	9·9	12·0	15·7	2·1	49	38	13	12	–	–	–	–	–	–	5	2	4	4	–	PLYMOUTH.
DEVONPORT	84,695	10·5	8·6	8·0	9·9	1·8	42	16	6	2	–	–	–	1	–	1	1	2	2	6	–	DEVONPORT.
BRISTOL	382,550	10·1	10·0	9·7	10·2	1·1	143	75	13	26	–	–	–	2	1	–	5	2	9	18	–	BRISTOL.
STOKE ON TRENT ..	245,726	12·1	14·2	17·6	15·3	2·5	117	72	22	15	–	–	2	–	2	1	7	4	6	12	1	STOKE ON TRENT.
BURTON ON TRENT	54,977	8·5	13·3	9·5	8·5	–	28	9	2	3	–	–	–	–	–	–	–	–	1	3	–	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	8·9	8·4	9·3	6·4	0·5	53	13	2	5	–	–	–	–	1	–	–	1	2	4	–	WOLVERHAMPTON.
WALSALL	101,035	14·5	5·2	7·7	13·4	3·6	44	26	10	3	–	–	2	1	–	–	4	–	1	2	1	WALSALL.
HANDSWORTH (STAFFS.)	72,335	5·0	7·9	5·0	6·5	1·4	30	9	4	4	–	–	1	–	–	–	1	–	–	1	–	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	8·1	13·2	5·9	11·7	0·7	49	16	5	3	–	–	–	–	–	–	1	1	1	2	–	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 3rd Sept., 1910.	10th Sept., 1910.	17th Sept., 1910.	24th Sept., 1910.	Rate from Diseases in Cols. 11-17. Week ended 24th Sept., 1910.	Registered during the Week ended 24th Sept., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	11·1	10·0	10·9	12·6	1·6	303	138	30	40	-	-	2	2	-	1	13	5	8	41	7	Birmingham.
Kings Norton ..	84,673	8·6	5·5	11·1	6·2	1·2	42	10	1	4	-	-	-	2	-	-	-	1	1	1	-	Kings Norton.
Smethwick	72,350	4·3	8·6	13·7	6·5	0·7	33	9	-	5	-	-	1	-	-	-	-	-	-	2	-	Smethwick.
Aston Manor ..	86,269	11·5	12·1	6·0	10·3	0·6	38	17	4	3	-	-	1	-	-	-	-	-	1	1	-	Aston Manor.
Coventry	81,449	8·3	9·6	12·2	16·0	-	52	25	4	8	-	-	-	-	-	-	-	-	-	3	1	Coventry.
Leicester	248,374	10·9	12·4	9·7	11·5	1·9	95	55	14	16	-	-	1	1	-	-	7	1	3	16	-	Leicester.
Grimsby	74,283	20·4	22·5	17·5	9·1	2·1	44	13	6	2	-	-	-	-	1	-	2	-	-	1	-	Grimsby.
Nottingham ..	266,471	11·5	12·3	14·1	15·1	2·0	138	77	22	21	-	-	2	1	2	-	5	2	6	15	1	Nottingham.
Derby	131,256	7·9	10·3	7·2	12·7	0·8	65	32	5	8	-	1	-	-	1	-	-	-	2	7	-	Derby.
Stockport	105,087	12·9	13·9	14·4	17·9	4·5	44	36	9	5	-	-	-	-	2	-	7	1	2	10	-	Stockport.
Birkenhead ..	122,431	24·7	17·9	17·0	15·3	3·0	63	36	15	7	-	-	-	1	2	-	4	-	-	5	-	Birkenhead.
Wallasey . ..	73,173	14·3	7·8	11·4	6·4	0·7	40	9	1	-	-	-	-	-	1	-	-	-	-	1	-	Wallasey.
Liverpool . ..	767,606	16·6	15·1	18·5	18·2	3·5	359	268	68	59	-	5	6	2	2	-	36	11	16	98	5	Liverpool.
Bootle	70,548	16·3	14·0	17·7	18·5	3·0	34	25	8	7	-	-	-	-	-	-	4	-	1	7	1	Bootle.
St. Helens	96,523	13·5	14·6	12 4	19·4	0·5	66	36	12	5	-	-	-	-	-	-	1	-	-	4	1	St. Helens.
Wigan	91,732	14·8	13·6	9·7	16·5	1·7	52	29	9	5	-	-	-	-	-	-	3	-	1	1	1	Wigan.
Warrington ..	73,295	10·0	12·8	10·7	17·8	1·4	43	25	6	8	-	-	-	-	-	-	2	2	2	7	-	Warrington.
Bolton	190,315	12·9	11·5	16·2	16·4	2·5	74	60	13	16	-	-	1	-	-	2	6	6	9	9	-	Bolton.
Bury	59,409	7·9	9·7	15·8	11·4	0·9	25	13	4	3	-	-	-	-	-	-	1	-	-	3	1	Bury.
Manchester ..	716,354	16·1	12·1	14·2	15·8	2·7	365	217	65	44	-	2	-	2	8	1	24	12	16	65	-	Manchester.
Salford	244,636	14·5	12·4	16·0	13·6	2·6	131	64	20	10	-	-	-	-	3	-	9	2	6	9	-	Salford.
Oldham	144,111	11·2	11·6	13·4	20·3	2·9	67	56	11	13	-	4	-	-	2	-	2	-	3	5	-	Oldham.
Rochdale	90,497	13·3	11·5	13·8	12·1	1·2	28	21	6	5	-	-	-	-	-	1	1	1	2	4	-	Rochdale.
Burnley	107,448	17·0	9·7	15·5	13·6	2·4	52	28	4	3	-	-	-	-	-	-	5	-	2	7	-	Burnley.
Blackburn	137,972	9·1	12·8	14·7	12·8	3·0	55	34	5	13	-	1	1	-	3	-	3	-	-	7	-	Blackburn.
Preston	119,253	19·7	21·4	17·1	16·6	3·5	60	38	13	14	-	-	-	-	-	-	8	1	1	9	4	Preston.
Barrow in Furness.	63,689	10·6	13·1	11·5	13·9	4·1	28	17	3	3	-	1	-	-	1	-	3	-	-	2	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 24th September, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 3rd Sept., 1910.	10th Sept., 1910.	17th Sept., 1910.	24th Sept., 1910.	Rate from Diseases in Cols 11-17. Week ended 24th Sept., 1910.	Registered during the Week ended 24th Sept., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	13·8	12·7	15·4	14·9	3·3	42	27	5	8	-	-	2	-	-	-	4	1	1	6	-	HUDDERSFIELD.
HALIFAX	112,818	5·1	14·8	14·8	19·4	0·9	38	42	1	14	-	-	-	-	-	1	1	2	3	8	1	HALIFAX.
BRADFORD	295,865	12·3	13·7	13·2	12·5	1·2	89	71	11	32	-	-	-	-	-	-	7	2	6	10	1	BRADFORD.
LEEDS	490,985	13·5	12·5	15·5	13·5	2·0	200	127	33	31	-	2	-	2	6	1	8	3	7	25	-	LEEDS.
DEWSBURY	51,224	17·3	13·2	10·2	20·4	2·0	26	20	3	4	-	-	-	-	-	-	2	2	2	2	-	DEWSBURY.
SHEFFIELD	478,763	14·6	13·5	14·6	14·6	3·5	223	134	39	29	-	1	-	1	1	1	28	6	11	30	3	SHEFFIELD.
ROTHERHAM.. ..	66,414	8·6	9·4	12·6	17·3	1·6	20	22	7	6	-	-	-	-	1	-	1	-	1	3	-	ROTHERHAM.
YORK	88,159	14·2	10·1	7·7	11·8	1·8	45	20	5	6	-	-	-	-	1	-	2	1	1	5	-	YORK.
HULL	280,006	19·2	20·5	17·5	17·9	4·7	134	96	31	20	-	-	1	-	2	1	21	5	8	19	1	HULL.
MIDDLESBROUGH ..	107,014	14·1	24·4	21·9	18·0	3·9	62	37	14	5	-	-	-	-	2	-	6	-	1	3	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	17·5	18·5	16·5	13·6	1·9	29	14	5	6	-	-	-	-	-	-	2	1	1	1	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	14·0	8·9	12·1	10·2	1·3	36	16	2	4	-	-	-	-	-	-	2	1	1	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	20·4	17·2	15·9	15·2	0·6	69	47	13	12	-	-	-	-	-	-	2	5	7	19	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	16·5	11·8	10·9	15·2	1·3	49	35	6	7	-	-	-	-	-	-	3	4	6	4	2	SOUTH SHIELDS.
GATESHEAD	133,676	15·6	12·1	9·8	13·3	2·7	72	34	9	11	-	-	-	-	2	-	5	2	3	6	1	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	13·1	12·4	12·2	13·3	2·2	166	73	27	12	-	3	-	2	1	-	6	-	2	10	1	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	25·0	21·3	22·1	14·8	3·7	27	16	5	4	-	3	-	-	-	-	1	-	-	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	13·1	11·8	12·4	17·7	3·9	59	27	10	7	-	-	-	-	-	-	6	1	1	5	-	NEWPORT (MON.).
CARDIFF	199,189	12·0	8·6	11·0	14·4	1·0	101	55	11	11	-	-	-	-	-	-	4	3	5	11	-	CARDIFF.
RHONDDA	138,674	12·8	10·9	13·9	14·3	2·3	70	38	12	6	-	-	-	-	2	-	4	2	2	1	-	RHONDDA.
MERTHYR TYDFIL..	79,522	10·5	12·5	11·8	11·1	1·3	40	17	5	6	-	-	-	-	-	-	2	1	1	1	-	MERTHYR TYDFIL.
SWANSEA	98,817	15·3	15·3	14·8	22·7	0·5	59	43	14	11	-	-	-	-	-	-	1	2	4	4	-	SWANSEA.
GREATER LONDON	7,537,196	9·7	9·7	10·7	10·8	1·2	3287	1555	357	479	-	19	4	12	14	15	110	68	173	620	2	GREATER LONDON.
OUTER RING ..	2,664,494	7·8	7·7	8·0	8·6	0·9	1208	437	108	145	-	1	1	3	3	3	34	18	48	92	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	7·3	7·3	7·8	8·2	1·0	584	209	61	59	-	1	-	1	1	1	21	6	18	45	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·2	8·2	8·2	8·9	0·8	624	228	47	86	-	-	1	2	2	2	13	12	30	47	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	10·9	12·3	11·7	11·9	1·4	135	82	16	25	-	-	-	4	1	-	5	2	?	24	2	EDINBURGH.
GLASGOW	884,505	14·0	12·9	13·3	13·4	1·9	396	228‡	64	49	-	-	3	3	2	2	22	11	?	74	7	GLASGOW.
DUBLIN (Registration Area).†	402,928	14·9	17·0	18·8	21·4	3·8	292	165	52	43	-	3	-	3	1	1	21	6	10	54	3	DUBLIN (Registration Area).†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-EIGHTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2448	2355	2598	2403	2272	2400	2260	2178	2228	2220	2311·2	2079
Males - - -	1235	1191	1329	1225	1123	1185	1107	1140	1177	1089	1166·8	1069
Females - -	1213	1164	1269	1178	1149	1215	1153	1038	1051	1131	1144·4	1010
TOTAL **Deaths** -	1449	1360	1520	1365	1223	1195	1548	1182	1280	1126	1296·5	1118
Males - - -	768	747	850	718	613	592	799	625	673	623	678·2	602
Females - -	681	613	670	647	580	603	749	557	607	503	618·3	516

* The numbers in this column are the average weekly numbers in the Thirty-Eighth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	13 Weeks.
TOTAL **Births** -	2329	2272	2163	2176	2429	1854	2367	2303	2268	2118	2088	2050	2079	28496
TOTAL **Deaths** -	964	997	1036	962	957	956	962	952	1009	1005	1009	1140	1118	13067
Ages at Death: Under 1 year -	177	168	172	187	151	173	174	184	214	223	253	275	249	2600
1—5 years -	114	100	99	104	89	107	90	110	116	100	121	95	106	1351
5—20 " -	51	68	70	61	52	54	52	58	37	69	46	63	53	734
20—40 " -	129	142	120	132	124	122	136	130	122	116	111	147	133	1664
40—60 " -	223	217	230	200	229	210	223	202	207	198	206	225	243	2813
60 yrs. & upwds.	270	302	345	278	312	290	287	268	313	299	272	335	334	3905
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	32	37	31	36	23	30	28	27	35	23	21	27	18	368
Scarlet Fever - -	2	8	4	5	2	5	1	4	3	5	2	4	3	48
Diphtheria - -	5	3	7	8	4	8	6	6	10	5	10	5	9	86
Whooping-cough -	21	23	19	27	14	18	19	13	11	8	12	15	11	211
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	2	1	2	4	2	4	1	1	3	3	6	12	43
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diarrhœa, Dysentery	14	17	14	18	12	23	26	37	65	96	94	104	76	596
All above diseases -	76	90	76	96	59	86	84	88	125	140	143	161	129	1353
Dis. of Resp. System	54	44	51	46	48	50	48	48	42	50	47	51	52	631
Pneumonia - -	68	73	80	85	63	74	65	73	87	65	67	69	71	940
Phthisis - - -	90	94	84	78	82	99	81	88	77	87	91	113	100	1164
Dis. of Circ. System -	138	159	183	128	158	150	138	121	142	145	147	180	171	1960
Violence - - -	55	53	46	44	43	50	43	48	34	43	53	38	50	605
Inquest Cases - -	113	101	114	95	103	119	94	112	80	109	112	107	125	1384
Deaths in Institutions	442	471	455	446	437	459	438	438	466	418	523	528	528	6049
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	56·5	55·2	57·9	59·2	58·8	60·2	60·7	62·7	59·9	58·3	54·7	56·1	53·8	58·0
Mean of Highest -	66·0	63·7	67·4	67·7	68·3	71·5	70·8	73·7	70·2	67·4	61·8	63·8	63·2	67·3
Mean of Lowest -	50·2	50·2	52·2	53·2	52·0	52·2	54·1	53·5	52·4	50·8	49·1	50·4	44·4	51·1
Mean Humidity of the Air.	76	84	84	85	77	77	85	75	77	77	79	81	76	79
Rain-fall (in inches) -	1·00	1·29	0·01	1·22	0·35	0·85	0·18	0·19	0·80	0·41	0·02	0·66	0·00	6·98
Registered Sunshine (in hours).	33·5	18·0	34·5	17·6	29·5	49·6	27·7	52·7	37·1	38·6	15·7	21·2	55·4	431·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	3	3	3	1	1	-	-	-	-	-	-	-	1
Scarlet Fever - -	1378	1439	1530	1548	1563	1523	1490	1423	1447	1455	1462	1509	1580	1487
Diphtheria - - -	674	628	646	626	619	584	584	591	578	592	630	672	709	626
Typhus - - -	1	1	1	1	-	-	-	1	1	1	1	1	1	1
Enteric Fever - -	47	49	50	50	46	46	46	51	59	60	79	102	123	62

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-EIGHTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 38th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1296·5	1118	249	106	53	133	243	334
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	8·6	18	4	12	2	–	–	–
Scarlet Fever	8·6	3	–	2	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	4·3	5	–	–	–	–	1	4
Whooping-cough	18·2	11	2	9	–	–	–	–
Diphtheria	15·2	9	1	7	1	–	–	–
Cerebro-spinal Fever ..	–	1	1	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	4·9	12	–	1	1	10	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	103·6	41	24	15	2	–	–	–
Diarrhœa, Dysentery ..	57·5	35	28	6	–	1	–	–
Tetanus	0·4	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·4	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	7·2	7	4	–	–	1	2	–
Puerperal Septicæmia ..	2·3	2	–	–	–	1	1	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·8	–	–	–	–	–	–	–
Infective Endocarditis ..	3·5	2	–	–	1	1	–	–
Pneumonia: Lobar ..	13·3	11	2	–	–	1	7	1
Pneumonia: Broncho ..	32·8	30	10	9	1	3	3	4
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	35·8	30	3	6	1	6	7	7
Erysipelas	3·1	2	–	–	–	1	1	–
Septicæmia (not Puerperal)	0·6	1	–	–	–	1	–	–
Pyæmia (not Puerperal)	0·4	–	–	–	–	–	–	–
Other Infective Processes	5·5	3	1	–	–	1	–	1
Tuberculous Phthisis ..	82·3	69	–	–	8	25	20	16
"*Phthisis*"	35·6	31	–	–	4	15	10	2
Tuberculous Meningitis ..	14·9	16	6	8	2	–	–	–
Tuberculous Peritonitis ..	10·9	4	2	1	–	–	1	–
Tabes Mesenterica	0·4	1	1	–	–	–	–	–
Tuberculous Dis., Other ..	17·0	9	3	1	2	1	1	1
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	9·2	7	–	–	–	2	4	1
Rheumatic Fever	4·3	1	–	–	–	1	–	–
Gout	1·6	1	–	–	–	1	–	–
Carcinoma	62·1	71	–	–	–	6	24	41
Sarcoma	5·9	5	–	–	–	1	4	–
Cancer (undefined) ..	35·0	23	–	–	–	2	12	14
Diabetes Mellitus	8·6	10	–	–	1	1	3	5
Premature Birth	42·4	35	35	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 38th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	12·5	9	4	3	1	1	–	
Gen. Par. of Insane, Insanity	11·9	9	–	–	–	4	3	
Epilepsy	5·3	4	–	–	1	1	–	
Convulsions	15·2	7	7	–	–	–	–	
Locomotor Ataxy.. ..	2·3	1	–	–	–	–	1	
Paraplegia, Dis. of Cord.	5·9	5	1	–	–	2	1	
Nervous Sys., Other Dis.	12·9	15	–	1	1	–	5	
Valv. Dis., Endocarditis..	40·5	48	–	–	6	12	14	
Cereb. Hæm. Cereb. Emb.	31·5	48	–	–	–	1	16	
Apoplexy, Hemiplegia ..	13·7	10	–	–	–	–	3	
Aneurysm	5·5	5	–	–	–	–	3	
Embolism, Thrombosis (not Cerebral) ..	1·0	1	–	–	–	–	1	
Heart & Blood Ves., Other Dis... ..	64·1	59	–	–	3	4	18	
Croup (not Spasm: nor Memb.)	–	–	–	–	–	–	–	
Bronchitis	43·6	38	5	3	–	–	3	
Emphysema, Asthma ..	1·6	5	–	–	–	–	1	
Pleurisy	4·3	1	–	–	–	–	1	
Respiratory Dis., Other..	11·1	8	–	2	–	1	1	
Tonsillitis, Quinsy.. ..	0·8	–	–	–	–	–	–	
Enteritis (not Epid.) ..	23·6	18	11	2	1	–	1	
Gastro-enteritis	27·2	16	14	1	–	–	1	
Peritonitis (not Puerp.) ..	3·7	2	–	1	–	–	1	
Cirrhosis of Liver.. ..	11·3	9	–	–	–	1	7	
Liver Dis., Other	5·7	4	–	–	–	–	2	
Digestive Sys., Other Dis.	34·6	40	6	3	2	6	16	
Acute Nephritis	7·8	6	–	–	–	2	2	
Bright's Dis., Albuminuria	35·0	27	–	–	1	2	11	
Urinary Sys., Other Dis.	12·5	8	–	–	–	–	5	
Generative Organs Dis...	4·1	8	–	–	–	2	5	
Childbirth (Accid. of) ..	3·7	2	–	–	–	2	–	
Old Age	46·5	51	–	–	–	–	–	
Other Diseases	91·7	93	69	9	–	2	4	
ACCIDENT.								
By Railways	1·6	–	–	–	–	–	–	
By Vehicles and Horses..	7·0	7	–	1	3	2	–	
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–	–	
In Building Operations..	0·8	–	–	–	–	–	–	
In Conflagrations	–	–	–	–	–	–	–	
By Burns, Scalds, Explosions	3·1	4	1	1	2	–	–	
By Drowning	3·7	2	–	–	1	–	1	
By Suffocation in Bed ..	4·9	4	4	–	–	–	–	
By Poisons or Poisonous Vapours	1·8	1	–	–	–	–	1	
Other Deaths by Accident..	14·3	12	–	2	2	1	3	
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	1	–	–	–	–	1	
Suicide	9·8	19	–	–	2	5	10	
Execution	–	–	–	–	–	–	–	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

E 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from MALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, IARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended aturday, 24th September 1910.

GISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2079	1118	249	334	-	18	3	9	11	12	76	100	50	125	528	1
EST DISTRICTS	805,311	300	182	38	61	-	1	-	2	2	-	9	14	7	22	80	-
ORTH DISTRICTS	1,055,908	443	253	61	80	-	2	1	2	3	4	12	27	10	26	123	-
ENTRAL DISTRICTS	209,465	77	65	16	12	-	1	-	3	2	-	4	6	8	12	31	-
AST DISTRICTS	715,739	410	195	56	43	-	3	-	1	-	4	21	14	7	30	119	-
OUTH DISTRICTS	1,749,844	849	388	78	122	-	11	2	1	3	4	29	34	18	34	140	1
ETROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	35	-	16	-	-	-	-	1	-	1	5	-	1	35	-
WEST DISTRICTS.																	
h Paddington *H*	63,603	25	7	1	2	-	-	-	-	-	-	-	2	-	1	-	-
ral Paddington *W,3H*	50,053	18	19	7	5	-	-	-	-	-	-	1	-	-	5	11	-
h Paddington	30,320	3	8	-	3	-	-	-	-	-	-	-	-	2	3	-	-
sington South *W,3H*	85,610	19	15	1	11	-	-	-	-	-	-	-	-	-	-	8	-
sington Central *W,H*	42,774	7	7	2	3	-	-	-	-	-	-	2	-	-	-	3	-
sington North *w*	48,244	16	17	3	5	-	-	-	-	-	-	1	3	-	-	8	-
h Hammersmith *2W,w,H* ..	49,192	28	18	2	8	-	-	-	-	-	-	1	3	2	2	11	-
h Hammersmith *w,2H* ..	63,047	39	16	5	4	-	-	-	-	-	-	-	2	2	3	8	-
h-west Fulham *W*	45,180	35	12	3	3	-	-	-	-	1	-	1	3	-	-	7	-
h-east Fulham *F*	46,405	24	7	-	3	-	-	-	2	-	-	-	-	-	-	2	-
h Fulham *W*	45,704	23	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-
sea North *W,w,3H*	42,514	17	9	1	4	-	-	-	-	-	-	-	1	-	3	5	-
sea South *W,2H*	31,328	12	10	6	2	-	-	-	-	1	-	3	-	-	2	5	-
fair and Knightsbridge	28,743	2	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
rave *W,2H*	55,815	11	10	-	1	-	-	-	-	-	-	-	-	-	1	4	-
Iargaret & St. John *6H*	43,698	14	11	3	2	-	-	-	-	-	-	-	-	-	-	7	-
ames and St. Anne *W,6H* ..	33,081	7	3	1	2	-	1	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
ouls Marylebone *7H*	35,391	12	7	3	1	-	-	-	-	-	-	-	-	-	-	5	-
Iary Marylebone *W,4H* ..	37,948	32	6	3	-	-	-	-	-	-	-	-	-	-	-	2	-
stchurch Marylebone *H* ..	39,536	10	5	2	-	-	-	-	-	-	-	2	1	-	-	1	-
ohn Marylebone *2H*	20,426	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
npstead *W,F,6H*	81,942	27	21	5	6	-	-	1	2	1	-	1	2	-	1	11	-
t St. Pancras *2H*	60,562	20	12	3	5	-	-	-	-	1	-	-	-	2	3	2	-
h St. Pancras *w,10H*	55,707	21	24	6	2	-	-	-	-	-	-	1	5	-	-	18	-
St. Pancras *W,H*	60,320	28	17	5	6	-	1	-	-	-	-	1	1	-	2	7	-
h St. Pancras *2W*	58,728	27	10	5	3	-	-	-	-	-	-	-	-	-	1	4	-
ell *W*	31,995	14	21	2	7	-	-	-	-	-	-	-	5	2	2	18	-
er Holloway *2W,w,H*	33,978	28	17	3	4	-	-	-	-	-	-	1	3	-	2	13	-
ington *2W,w,H*	33,922	17	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-
er Holloway	41,424	20	7	1	2	-	1	-	-	-	-	1	-	1	1	-	-
nsbury	54,478	33	8	2	1	-	-	-	-	-	-	2	-	2	3	-	-
gton South-east *F*	75,397	30	11	1	6	-	-	-	-	-	-	-	1	-	2	-	-
nbury *2H*	63,797	21	7	1	5	-	-	-	-	-	-	-	1	-	-	-	-
e Newington *H*	51,247	14	3	1	2	-	-	-	-	-	-	-	-	-	1	-	-
th Hackney	50,398	19	12	2	3	-	-	-	-	-	-	-	2	1	1	-	-
tral Hackney *2w,F*	50,536	19	11	1	3	-	-	-	-	-	4	-	1	-	1	6	-
h-west Hackney *3H*	59,921	24	15	7	5	-	-	-	-	-	-	3	1	-	1	10	-
h-east Hackney *2W,w,H* ..	58,255	22	33	8	13	-	-	-	-	1	-	-	4	2	5	26	-
kney Union Workhouse, Brent-ood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

OTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein ely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other tricts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a -district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the er.

See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th September, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	12	7	-	1	-	1	-	-	-	-	-	1	-	-	1
Strand *W*,4*H*	21,674	2	9	-	1	-	-	-	-	-	-	-	1	5	5	5
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	9	17	8	2	-	-	-	-	1	-	1	-	-	2	12
Clerkenwell *H*	63,704	26	7	4	1	-	-	-	-	-	-	-	1	1	1	-
St. Luke 3*H*,*L*	36,116	26	5	1	-	-	-	-	-	1	-	1	-	-	-	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	2	3	1	1	-	-	-	-	-	-	1	-	1	2	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	-	16	2	6	-	-	-	3	-	-	1	3	1	2	12
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	20	5	3	1	-	-	-	-	-	-	1	-	1	2	2
Shoreditch North-West *W*,*w*,*H* ..	36,127	25	26	6	8	-	-	-	-	-	-	1	4	1	6	20
Shoreditch North-East	36,148	25	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	36	24	7	9	-	-	-	-	-	2	3	2	-	2	17
Bethnal Green South-West *H* ..	64,542	34	7	-	2	-	2	-	-	-	-	-	-	-	1	1
Spitalfields..	27,969	14	5	2	2	-	-	-	-	-	-	-	1	-	2	-
Mile End New Town *W*,*H*	28,718	28	31	11	1	-	-	-	1	-	-	1	2	-	1	31
Goodman's Fields	22,081	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	33	5	2	-	-	-	-	-	-	-	2	-	1	1	4
Shadwell and Ratcliff *w*,*H* ..	25,568	12	14	6	-	-	-	-	-	-	1	3	-	-	4	10
Limehouse *W*	32,369	12	3	1	1	-	-	-	-	-	-	-	-	-	2	-
Mile End Old Town South-Western *H*	63,698	41	8	3	-	-	-	-	-	-	-	1	1	-	2	-
Mile End Old Town North-Eastern *W*,*w*	49,129	22	12	1	5	-	-	-	-	-	-	2	1	-	-	9
Bow	41,989	28	6	1	1	-	1	-	-	-	-	-	1	-	-	-
Bromley 3*w*,*H*	68,319	38	36	10	10	-	-	-	-	-	1	3	2	2	5	22
Poplar *W*,*w*	58,514	39	10	3	2	-	-	-	-	-	-	3	-	2	2	1
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th September, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	18	2	5	-	2	-	-	-	-	1	1	2	2	14	-
Kent-road	21,904	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	28	8	3	1	-	-		1	-	-	2	-	2	2	4	-
Newington North	49,022	23	7	2	1	-	-	-	-	-	-	1	1	-	-	-	-
Newington South *W*	72,841	32	16	7	5	-	-	-	-	-	-	2	-	-	3	-	-
St. Olave *2W*	9,817	9	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Bermondsey *W*	82,483	41	14	6	2		1	-	-	-	-	5	1	-	-	-	-
Rotherhithe *W,F*	38,460	23	16	4	6	-	-	-	-	-	1	1	2	1	2	9	-
Waterloo *2H*	27,440	13	7	2	1	-	-	-	-	-	-	-	-	-	1	4	-
Lambeth Church *H*	27,440	16	23	3	3	-	-	-	-	-	-	1	1	3	3	18	-
Kennington *2W*	52,518	18	24	4	7	-	4	-	-	-	-	2	6	1	1	19	-
Stockwell *HF*	63,826	27	8	1	3	-	1	-	-	-	-	-	-	1	2	1	-
Brixton *H*	73,673	37	13	4	2	-	-	-	-	-	-	2	2	-	1	3	1
Norwood *2WH*	56,998	19	6	2	3	-	-	-	-	-	-	1	-	-	-	-	-
East Battersea *H*	72,203	46	10	2	1	-	-	-	-	1	-	1	1	2	2	-	-
North-west Battersea	49,656	21	10	2	1	-	-	-	-	-	-	1	1	-	1	-	-
South-west Battersea *2W,H* ..	47,048	9	16	4	5	-	-	-	-	1	-	1	2	1	1	11	-
Clapham *2H*	51,361	34	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	50	18	-	14	-	-	-	-	-	-	-	1	-	-	5	-
Springfield *2W,L*	27,959	20	3	-	2	-	-	-	-	-	1	-	-	-	1	1	-
Southfields *H*	40,444	25	9	3	2	-	1	-	-	-	-	-	-	-	1	-	-
Putney	24,139	13	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Dulwich	13,359	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	18	21	-	13	-	-	-	-	-	-	-	2	1	2	17	-
Camberwell North *W,2L*	65,584	26	14	4	5	-	1	-	-	-	-	-	1	-	1	6	-
St. George	47,331	27	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	20	6	1	3	-	-	-	-	1	-	1	1	-	-	-	-
Peckham South *2W,w*	43,946	19	10	2	1	-	-	-	-	-	-	-	1	-	2	-	-
Deptford North *F*	49,004	27	8	4	1	-	1	1	-	-	-	-	-	-	-	1	-
Deptford East	29,781	15	8	2	2	-	-	-	-	-	1	-	-	-	-	-	-
Deptford South	38,934	17	6	-	3	-	-	-	-	-	-	-	1	-	-	-	-
Greenwich West *H*	23,456	14	3	-	-	-	-	-	-	-	-	2	-	1	1	2	-
Greenwich East *2W,H*	43,859	20	18	4	6	-	-	-	-	-	1	2	1	-	1	12	-
Eltham *w,H*	7,226	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Lee *w,H*	25,490	5	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-
Lewisham *2W,w,F*	58,352	36	12	1	7	-	-	-	-	-	-	1	2	1	1	6	-
Sydenham *H*	43,653	24	8	-	3	-	-	-	-	-	-	-	1	-	-	-	-
Charlton *F,2H*	21,134	8	7	2	-	-	-	1	-	-	-	1	-	-	-	2	-
Woolwich *5H*	41,625	17	7	1	3	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead West *W,H*	39,376	17	3	1	-	-	-	-	-	-	-	-	1	1	1	-	-
Plumstead East *2W*	28,951	8	7	1	3	-	-	-	-	-	-	-	3	-	-	3	-
Workhouses:—																	
Belmont Workhouse	—	-	2	-	2	-	-	-	-	-	-	-	-	-	1	2	-
Central London Sick Asylum ..	—	-	2	-	1	-	-	-	-	-	-	-	1	-	-	2	-
(Westminster, St. Giles, and Strand Unions.)																	
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	2	-	-	-	-	-	-	-	-	-	2	-	-	2	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Manor	—	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-
Long Grove	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	3	-	-	-	-	-	-	-	-	1	-	-	-	3	-
Hanwell	—	-	6	-	3	-	-	-	-	-	-	-	1	-	-	6	-
Colney Hatch	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Claybury	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	5	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Bo Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERAT POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 24th September, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1208	437	108	145	-	1	1	3	3	3	34	18	48	92
31 : 1	Carshalton 2F,3H	12,228	32,997	18	7	1	2	-	-	-	-	2	-	-	-	1	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	9	5	-	3	-	-	-	1	-	-	-	-	-	1
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	6	2	-	1	-	-	-	-	-	-	-	-	2	-
2	South Croydon w,H ..	4,200	49,309	24	7	1	2	-	-	-	-	-	-	-	-	1	-
3	West Croydon 3W,F,H ..	2,168	42,883	26	28	9	9	-	-	-	-	-	-	-	1	3	14
4	North Croydon H	2,644	41,698	12	10	2	5	-	-	-	-	-	-	2	1	1	-
5	Penge w	770	22,465	3	2	-	2	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	29	13	3	8	-	-	-	-	-	-	1	-	-	-
40 : 1	Wimbledon F,3H	3,221	41,652	17	6	3	1	-	-	-	-	-	-	2	-	-	-
2	Kingston 2W,H	6,224	42,068	11	15	2	9	-	-	-	-	-	-	-	-	4	6
3	Surbiton F,H	3,046	15,017	3	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	2	3	-	2	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	19	5	2	-	-	-	-	-	-	-	-	-	1	1
41 : 1	Richmond W,H	2,491	31,672	19	5	3	1	-	-	-	-	-	-	-	1	1	1
2	Mortlake F	2,518	17,821	14	5	-	4	-	-	-	-	-	-	-	2	2	-
42 : 1	Bromley F,3H	4,696	27,397	9	4	-	3	-	-	-	-	-	-	-	-	-	1
2	Beckenham H	7,832	28,454	9	5	-	2	-	-	-	-	-	-	-	-	1	1
3	Orpington, *part of** W,F ..	10,113	9,857	4	4	-	2	-	-	-	-	-	-	-	-	-	2
4	Chislehurst 2H	7,333	16,446	6	1	-	-	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	12	2	-	-	-	-	1	-	-	-	-	-	-	1
2	Erith F,H	3,354	25,296	11	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Sunbury w	11,054	18,683	11	4	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	2	2	-	2	-	-	-	-	-	-	-	-	-	-
127 : 1	Hillingdon W,F,H	8,035	13,661	4	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	8	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	13	2	2	-	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	30,863	22	11	3	7	-	-	-	-	-	-	2	-	-	3
2	Twickenham F,2H	2,421	20,991	14	6	1	2	-	-	-	-	-	-	-	1	1	-
3	Hanwell w,2H	4,108	11,257	6	2	-	1	-	-	-	-	-	-	-	-	-	-
4	Brentford 3F,2H	4,038	48,202	31	13	2	3	-	-	-	-	-	-	1	1	1	2
5	Chiswick H	1,249	29,809	19	3	2	-	-	-	-	-	-	-	2	-	-	-
6	Acton F,H	2,305	37,744	38	12	6	1	-	-	-	-	-	-	3	1	2	1
129 : 1	Willesden W,F,2H	4,384	114,811	65	21	6	6	-	-	-	-	1	-	2	-	2	10
130 : 1	Harrow F,H	13,809	25,523	32	4	-	2	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	1	1	-	-	-	-	-	-	-	-	-	-	1
3	Hendon W,F	8,382	22,450	17	4	-	1	-	-	-	-	-	-	-	1	1	1
131 : 1	South Mimms 2F,H ..	17,755	7,308	3	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	9	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,638	33,692	24	3	1	-	-	-	-	-	-	-	-	-	-	-
132 : 1	Hornsey F,H	2,875	72,056	33	12	-	10	-	-	-	-	-	-	-	-	1	-
2	Wood Green H	1,625	34,233	23	4	1	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	29	9	2	1	-	-	-	-	-	-	-	-	1	-
4	East Tottenham 2H ..	2,019	53,962	37	12	2	4	-	-	-	-	-	-	1	-	2	2
5	Edmonton W,w,2F	7,491	61,892	42	11	3	2	-	-	-	-	-	1	-	1	2	4
6	Enfield 2W,F,H	12,601	42,738	27	19	5	10	-	-	-	1	-	-	2	-	1	4
7	Waltham Abbey F	11,017	6,549	1	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	2	1	-	-	-	-	-	-	-	-	-	1	1	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	1	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	32	11	6	-	-	-	-	-	-	-	2	-	-	2
2	Forest Gate	787	52,745	15	7	3	2	-	-	-	-	-	-	2	-	-	-
3	Plaistow F,2H	1,249	90,921	73	23	6	4	-	-	-	-	-	1	6	-	1	3
4	Canning Town H	1,556	70,718	47	13	6	2	-	1	-	-	-	-	4	2	3	1
5	South East Ham 2F ..	1,991	37,342	50	9	2	1	-	-	-	-	-	-	1	-	-	-
6	North East Ham w,H ..	1,333	58,666	31	7	2	2	-	-	-	-	-	-	1	-	1	-
7	Wanstead F	1,679	9,179	4	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	15	8	1	7	-	-	-	-	-	-	-	-	-	6
9	North Leyton 2W,w,F ..	1,963	48,445	30	20	4	5	-	-	-	1	-	1	-	-	1	12
10	Walthamstow 2H L ..	6,504	108,929	70	20	9	4	-	-	-	-	-	-	-	3	3	1
189 : 1	Chigwell 2F,3H	11,778	16,397	6	4	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	9	3	1	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,244	25	9	2	4	-	-	-	-	-	-	-	1	4	1
3	Barking Town F	3,805	21,547	19	4	-	1	-	-	-	-	-	-	-	1	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	London County Lunatic Asylum, Horton.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Herts County Lunatic Asylum, Hill End.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Out Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esh parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting th part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Rin in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ONDON* - -	4,872,702	September 24	2079	1118	12·0	-	18	3	9	11	12	96
ALCUTTA - -	1,009,008	August 27	-	379‡	19·5	-	3	-	3	2	7	19
OMBAY - -	977,822	September 6	380	573‡	30·5	1	2	-	1	-	4	50
ADRAS - -	509,346	August 26	457	484‡	49·4	3	-	?	?	?	1	42
ARIS* - -	2,772,467	September 17	927	716	13·6	-	4	1	3	2	5	44
RUSSELS* - -	720,030	„ 17	224	177	12·8	-	-	2	1	2	15	25
NTWERP* - -	317,171	„ 17	118	64	10·5	-	1	-	1	-	-	14
MSTERDAM* -	572,074	„ 17	250	99	9·0	-	-	-	1	1	-	3
OPENHAGEN -	450,000	„ 17	218	130	15·1	-	-	-	2	1	-	20
OCKHOLM -	341,816	„ 10	156	69	10·5	-	-	-	-	-	-	4
HRISTIANIA -	240,178	„ 17	120	44	9·5	-	-	1	-	-	-	2
. PETERSBURG	1,620,000	„ 3	837	701‡	22·6	2	2	15	4	4	9	76
OSCOW - -	1,493,600	„ 10	-	682‡	23·8	1	6	15	19	7	5	152
ERLIN - -	2,123,985	„ 3	803	556	13·6	-	1	3	12	1	1	75
AMBURG - -	911,500	„ 17	-	218	12·7	-	1	-	9	-	2	37
RESLAU - -	509,992	„ 10	-	173	17·7	-	1	-	3	6	-	22
UNICH - -	576,000	„ 17	-	194	17·5	-	3	-	1	1	-	22
IENNA* - -	2,107,981	„ 17	769	597	14·7	-	4	5	3	5	2	53
RAGUE* - -	497,905	August 27	169	129	13·5	-	-	-	1	1	-	11
UDAPEST* -	833,703	September 10	416	214	13·3	-	-	8	1	-	5	26
RIESTE* - -	221,124	„ 17	115	88	20·7	-	-	-	-	3	1	12
OME - - -	590,113	July 13	257	199	17·6	-	8	1	2	2	3	29
ENICE - -	183,224	August 20	-	-	-	-	-	-	-	-	-	-
UCAREST - -	297,643	„ 13	-	-	-	-	-	-	-	-	-	-
EW YORK* -	4,803,264	„ 27	2236	1378	15·3	-	6	1	23	9	15	246
HICAGO* - -	2,282,927	September 3	-	602	13·7	-	-	4	13	3	6	136
HILADELPHIA*	1,598,400	August 6	-	521	16·9	-	7	-	6	11	1	124
IO DE JANEIRO	842,822	„ 21	-	336	20·8	-	11	-	2	2	1	?
AIRO:—*												
Egyptians -	620,443	„ 19	639	653	54·7	-	11	3	10	-	9	189
Foreigners -	62,510	„ 19	2	10	8·3	-	-	-	-	-	-	-
LEXANDRIA:—*												
Egyptians -	319,087	„ 19	246	254	41·4	1	-	-	1	-	3	76
Foreigners -	68,829	„ 19	9	26	19·6	-	1	-	-	-	1	6

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 10 deaths from *plague* in Calcutta and 17 in Bombay, and from *Asiatic cholera*, 9 deaths in Calcutta, 2 in Bombay, 16 in Madras, 133 in St. Petersburg, and 5 in Moscow.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 24th September, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
ONDON (Greenwich)	65·7	39·3	53·8	0·00	BRADFORD - -	61·5	37·3	50·8	0·00
RIGHTON - -	68·0	40·9	55·3	0·00	YORK - - -	65·0	38·0	51·3	0 00
ORTSMOUTH - -	66·7	41·5	55·4	0·00	HULL - - -	65·0	41·0	51·9	0 05
ORWICH - -	65·8	41·6	53·3	0·12	TYNEMOUTH - -	65·0	37·0	50 8	0 03
LYMOUTH - -	63·3	40·5	54·1	0·00	CARDIFF - - -	62·4	38·4	52·3	0·00
RISTOL - - -	65·0	36·0	52·4	0·00	EDINBURGH - -	61·1	37·8	51·9	0 00
IRMINGHAM - -	64·7	38·9	51·9	0·01	GLASGOW - -	64·2	37·2	52·9	0·02
OTTINGHAM - -	63·0	36·0	50·7	0·02	DUBLIN Phœnix Park.	64·8	36·7	50·4	0·02
IVERPOOL OBSERVATORY.	60·0	42·0	52·6	0·05	DUBLIN Fitz-william Square.†	63·2	41·8	52·4	0 01
ANCHESTER -	61·8	36·8	50·6	0·00					
URNLEY - -	59·8	32 0	49·2	0·07					
UDDERSFIELD -	62·0	37 0	50·7	0·03	BELFAST - - -	60·0	41·0	51·2	0·00

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 24th September, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 18	..	30·080	64·9	50·1	14·8	57·3	+ 0·4	51·8	5·5	10·6	0·4	82	122·8	40·0	58·48	NE. & E.	E. & NE.	2·3	0·0	0·2	211	− 35	0·00	6·0
MONDAY - 19	Full	29·873	65·7	46·5	19·2	56·2	− 0·3	48·2	8·0	14·8	0·6	75	118 9	39·1	58·50	NE., calm & N.	N. & NNE.	4·0	0·0	0·2	211	− 34	0·00	0·0
TUESDAY - 20	In Eqr.	30·050	58·1	43·0	15·1	50·0	− 6·2	42 6	7·4	14·8	2·9	76	116·0	34·6	58·40	N.	N.	4·3	0·0	0·4	329	+ 85	0·00	0·0
WEDNESDAY 21	Perigee	30·202	62·1	40·1	22·0	51·5	− 4 4	42·4	9·1	19·2	1·3	71	112·8	30·2	58·19	N. & NNW.	N. & NNE.	1·0	0·0	0·1	212	− 32	0·00	0·0
THURSDAY - 22	..	30·244	62·3	43·9	18·4	53·8	− 1 8	46·9	6·9	12·7	0·7	78	110·3	33·8	57·78	N.	N., W. & NNW.	0·4	0·0	0·0	147	− 98	0·00	3·0
FRIDAY - 23	..	30·201	64·0	39·3	24·7	52·8	− 2·6	45·0	7·8	15·5	0·9	75	109·3	29·1	57 49	NW., W. & NNW.	NW. & NNW.	1·2	0·0	0·0	202	− 43	0·00	0·0
SATURDAY - 24	..	30·099	65·3	48·2	17·1	54·8	− 0·5	48·1	6·7	15·8	0·6	78	107·2	39·0	57·23	NNW., WSW. & W.	NW.,NNW. & SW.	0·8	0·0	0·0	210	− 37	0·00	2·0
MEANS - -		30·107	63·2	44·4	18·8	53·8	− 2·2	46·4	7·3	14·8	1·1	76	113·9	35·1	58·01	N.		..	..	..	Sum 1522	Sum −194	Sum 0·00	1·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 18	w. P. throughout.	9·9	12·5
MONDAY - 19	w. P. generally.	5·4	12·4
TUESDAY - 20	w. P. till 9h. A.M.; m. P. afterwards.	8·8	12·4
WEDNESDAY 21	m. P. generally till 9h. P.M.; then w. P.	8·6	12·3
THURSDAY - 22	w. P. till 9h. A.M.; m. P. till 5h. P.M.; w. P. afterwards.	7·6	12·2
FRIDAY - 23	w. P. till 9h. A.M.; m. P. generally afterwards.	9·2	12·2
SATURDAY - 24	w. P. till 8h. A.M.; m. P. till 9h. P.M.; w. P. afterwards.	5·9	12·1
		Sum 55·4	Sum 86·1

GENERAL REMARKS.

Cloudy in early morning; very fine generally after 6h. 30m. A.M.

Cloudy till 7h. A.M.; very fine generally till 2h. P.M.; cloudy afterwards.

Very fine with variable amounts of cloud. Partial lunar halo observed at 11h. P.M.

Cloudy interval between 4h. P.M. and 10h. 30m. P.M.; otherwise very fine with little cloud generally.

Very fine. Lunar halo observed at 11h. 30m. P.M.

Very fine and bright with little cloud till 4h. 30m. P.M.; generally cloudy to overcast afterwards. Partial solar halo observed at and about 2h. P.M.

Overcast till 10h. A.M.; very fine till 9h. P.M.; gradually clouding till 10h. 30m. P.M., and then remaining overcast.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·25 in. at the beginning of the week to 29·85 in. by 1h. P.M. on the 19th; increased to 30·27 in. by 9h. A.M. on the 22nd; decreased to 30·07 in. by 5h. P.M. on the 24th; and was 30·09 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 17th September, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	-	3	-	2	-	-	2	-	-
Kensington	184,635	-	13	5	-	3	-	-	2	-	-
Hammersmith	127,413	-	6	2	-	-	-	-	-	-	-
Fulham	181,282	-	8	5	-	-	-	-	1	1	-
Chelsea	75,457	-	-	1	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	3	-	-	-	-	-	-	-	-
NORTH.											
St. Marylebone	125,195	-	3	3	-	1	-	-	4	-	-
Hampstead	95,729	-	1	1	-	2	-	-	-	-	-
St. Pancras	237,792	-	9	7	-	4	-	-	1	-	-
Islington	353,356	-	10	10	-	7	-	-	5	-	-
Stoke Newington	54,838	-	1	-	-	-	-	-	-	-	-
Hackney	239,979	-	7	3	-	2	-	-	6	1	1
CENTRAL.											
Holborn	53,142	-	1	2	-	-	-	-	1	-	-
Finsbury	94,578	-	-	4	-	1	-	-	2	-	-
City of London	17,132	-	-	-	-	1	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	8	4	-	4	-	-	4	-	1
Bethnal Green	131,579	-	6	2	-	13	-	-	3	-	1
Stepney	314,379	-	11	4	-	7	-	-	6	1	-
Poplar	172,432	-	9	7	-	4	-	-	2	2	-
SOUTH.											
Southwark	211,832	-	13	7	-	-	-	-	6	1	-
Bermondsey	127,238	-	11	6	-	2	-	-	1	-	-
Lambeth	327,074	-	31	5	-	2	-	-	2	-	-
Battersea	188,222	-	10	1	-	1	-	-	4	-	-
Wandsworth	305,838	-	11	7	-	-	-	-	7	-	-
Camberwell	286,058	-	12	4	-	2	-	-	1	-	-
Deptford	119,642	-	10	4	-	2	-	-	5	1	-
Greenwich	112,935	-	2	4	-	1	-	-	2	1	-
Lewisham	164,899	-	9	3	-	-	-	-	1	-	-
Woolwich	135,422	-	11	3	-	-	-	-	2	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	216	107	-	61	-	-	70	9	3
Ages 0-1		-	4	3	-	-	-	-	4	-	1
„ 1-5		-	56	41	-	-	-	-	4	-	1
„ 5-		-	106	32	-	3	-	-	3	-	-
„ 10-		-	28	22	-	4	-	-	1	-	-
„ 15-		-	9	3	-	6	-	-	3	-	-
„ 20-		-	3	3	-	13	-	-	4	-	-
„ 25-		-	9	2	-	17	-	-	9	6	1
„ 35-		-	1	-	-	10	-	-	11	2	-
„ 45-		-	-	-	-	7	-	-	10	1	-
„ 55-		-	-	1	-	1	-	-	10	-	-
„ 65 and upwards		-	-	-	-	-	-	-	11	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns relating to Metropolitan Water London.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of August, 1910. The supply was in the ratio of 212 gallons to one service. The area of supply of the Metropolitan Water Board is much more extensive than that of the Administrative County of London, the Water Board's statutory area of supply being over 537 sq. miles, as against 117 sq. miles of the County.*

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	August, 1909.	August, 1910.	August, 1909.	August, 1910.
Total - - - - - -	1,093,563*	1,093,170*	242,099,952*	231,755,100*
New River - - - - - - -	215,530	217,631	46,464,336	45,888,100
Eastern - - - - - - -	245,535	247,959	49,656,484*	49,575,600*
Western { Chelsea, Grand Junction, West Middlesex } - -	223,735	225,754	57,789,300	56,287,800
Southern { Lambeth - - - , Southwark and Vauxhall }	288,813*	280,979*	65 666,523*	59,583,500*
Kent - - - - - - - -	119,950	120,847	22,523,309	20,420,100

* The figures for August, 1910, are exclusive of supplies in bulk to the Corporations of Croydon and Richmond, the Cheshunt Urban District Council, and the Herts and Essex Water Company, and of services under their control. Those for August, 1909, however, include supply and services in Croydon and Richmond and supply to Cheshunt Urban District. The figures marked with an asterisk are, therefore, not strictly comparable.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 39. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, OCT. 1. [Price 1½*d.*

General Register Office, Somerset House,
October 3rd, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 13·4 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 11·7, 12·6, and 13·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·0 in Liverpool and in Swansea, 19·2 in Warrington, 20·4 in Dewsbury, 20·5 in Wigan and in Middlesbrough, 20·7 in Rochdale, and 21·6 in Newport (Mon.); from *whooping-cough*, 1·6 in Rotherham; from *enteric fever*, 1·1 in Wigan, 1·4 in Grimsby, and 2·0 in Dewsbury; and from *diarrhœa*, 2·6 in Preston and in Swansea, 2·7 in St. Helens, 2·8 in Tynemouth, 2·9 in Plymouth and in Middlesbrough, 3·5 in Bury, and 3·8 in Rhondda. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2239 BIRTHS and 1215 DEATHS were registered. Allowing for increase of population, the births were 38 and the deaths 60 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17676—41.) Wt. 91—429. 700. 10/10. D & S. G. 31. Sch. 4. 2 Q

causes, which had been 10·8, 12·2, and 12·0 per 1000 in the preceding three weeks, rose last week to 13·0. The death-rate in the four weeks ended last Saturday averaged 12·0 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1215 deaths included 15 from measles, 4 from scarlet fever, 10 from diphtheria, 10 from whooping-cough, 10 from enteric fever, and 82 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 131 deaths were referred, being 50 below the corrected average number in the thirty-ninth week of the preceding five years.

The deaths from *measles*, which had been 21, 27, and 18 in the preceding three weeks, further fell to 15 last week, but were 5 above the corrected average; 4 deaths belonged to the Borough of Bermondsey, and 3 to Islington. The deaths from *scarlet fever*, which had been 2, 4, and 3 in the preceding three weeks, were 4 last week, and were 7 below the corrected average. The deaths from *diphtheria*, which had been 10, 5, and 9 in the preceding three weeks, were 10 last week, the corrected average being 16. The deaths from *whooping-cough*, which had been 12, 15, and 11 in the preceding three weeks, were 10 last week, and were 6 below the corrected average. The deaths from *enteric fever*, which had been 3, 6, and 12 in the preceding three weeks, fell to 10 last week, the corrected average being 9; 3 deaths belonged to Islington. The deaths from *diarrhœa*, which had been 94, 104, and 76 in the preceding three weeks, rose to 82 last week, but were 38 below the corrected average; 8 deaths belonged to Fulham, 8 to Shoreditch, 7 to Stepney, and 6 to Camberwell. Of the 82 deaths from diarrhœa, 75 were those of children under 2 years of age; 10 other deaths at this age were certified as due to *enteritis*, and 12 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 14, having been 5, 4, and 5 in the preceding three weeks.

Different forms of violence caused 53 deaths, concerning all of which inquests were held. Of these 53 deaths, 10 were cases of suicide, and 1 of homicide, while the remaining 42 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, five to drowning, and two, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1653 cases of scarlet fever, 751 of diphtheria, 1 of typhus, and 144 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 249 cases, against 183, 201, and 210; of diphtheria, 115 cases, against 112, 104, and 105; and of enteric fever, 33 cases, against 30, 33, and 33. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended September 24th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3405 births and 1677 deaths were registered. Allowing for increase of population, these numbers are 198 and 142 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 4 deaths from diphtheria, 1 from whooping-cough, and 11 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·90 inches, and that of the Thermometer 58°·6, the latter being 3°·8 above the week's average in the 65 years ended 1905. The general direction of the wind was Southerly, the horizontal movement of the air being 31 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 30·7 hours; the measured rainfall amounted to 0·10 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 1st October, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 10th Sept., 1910.	17th Sept., 1910.	24th Sept., 1910.	1st Oct., 1910.	Rate from Diseases in Cols. 11-17. Week ended 1st Oct., 1910.	Registered during the Week ended 1st Oct., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	16,940,895	11·7	12·6	13·0	13·4	1·6	7733	4338	1075	1236	-	32	25	35	43	37	364	161	348	1222	35	77 TOWNS.
LONDON	4,872,702	10·8	12·2	12·0	13·0	1·4	2239	1215	275	370	-	15	4	10	10	10	82	53	119	540	-	LONDON.
CROYDON	164,485	7·3	7·9	12·7	10·5	0·3	68	33	3	13	-	-	-	1	-	-	-	3	4	8	-	CROYDON.
WILLESDEN ..	166,088	6·6	5·0	6·6	11·0	0·9	74	35	10	9	-	-	-	-	-	-	3	-	-	3	1	WILLESDEN.
HORNSEY	98,561	3·2	3·2	7·4	5·3	0·5	19	10	3	4	-	-	-	-	1	-	-	-	-	1	-	HORNSEY.
TOTTENHAM ..	132,803	8·2	9·4	8·2	11·4	0·4	75	29	4	12	-	-	-	-	-	1	-	1	2	12	-	TOTTENHAM.
WEST HAM ..	328,585	7·9	10·0	9·7	10·3	2·1	149	65	19	14	-	-	-	-	-	1	12	5	6	13	-	WEST HAM.
EAST HAM.. ..	156,208	9·3	6·7	6·0	7·0	0·7	63	21	3	12	-	-	-	-	-	-	2	-	4	4	-	EAST HAM.
LEYTON	133,436	7·0	8·2	4·7	7·8	0·8	56	20	3	7	-	-	1	-	-	1	-	1	2	3	-	LEYTON.
WALTHAMSTOW	141,748	6·3	8·5	8·1	8·1	0·4	58	22	4	8	-	-	-	1	-	-	-	3	4	8	-	WALTHAMSTOW.
HASTINGS	68,520	8·4	12·2	9·9	10·7	0·8	22	14	2	6	-	-	-	1	-	-	-	1	1	3	-	HASTINGS.
BRIGHTON	131,900	11·1	10·3	15·8	10·3	2·4	51	26	5	11	-	1	1	-	-	-	4	-	2	6	-	BRIGHTON.
PORTSMOUTH ..	217,989	10·3	10·8	12·0	12·9	1·4	111	54	10	15	-	-	-	-	1	1	4	1	5	12	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	12·0	10·6	12·0	6·3	-	27	9	3	4	-	-	-	-	-	-	-	-	1	2	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·1	8·2	7·4	13·5	1·6	48	33	6	11	-	-	-	-	-	2	2	-	2	10	-	SOUTHAMPTON.
READING	84,355	8·7	11·1	8·7	9·9	-	28	16	3	5	-	-	-	-	-	-	-	2	2	6	1	READING.
NORTHAMPTON ..	99,113	8·9	9·5	11·6	12·6	0·5	46	24	6	6	-	-	-	-	-	-	1	1	2	9	1	NORTHAMPTON.
IPSWICH	75,936	13·0	9·6	9·6	11·0	-	32	16	3	7	-	-	-	-	-	-	-	1	2	2	1	IPSWICH.
GREAT YARMOUTH	53,715	17·5	14·6	18·4	16·5	-	34	17	3	6	-	-	-	-	-	-	-	1	1	6	-	GREAT YARMOUTH.
NORWICH	125,446	15·0	10·8	11·6	9·6	-	42	23	2	8	-	-	-	-	-	-	-	-	2	3	2	NORWICH.
PLYMOUTH	126,266	9·9	12·0	15·7	18·2	3·3	46	44	12	16	-	-	-	1	-	-	7	-	4	10	-	PLYMOUTH.
DEVONPORT	84,695	8·6	8·0	9·9	13·5	1·2	35	22	8	5	-	-	-	-	-	-	2	1	3	3	-	DEVONPORT.
BRISTOL	382,550	10·0	9·7	10·2	9·7	1·4	133	71	12	27	-	-	-	3	1	-	6	4	6	26	-	BRISTOL.
STOKE ON TRENT ..	245,726	14·2	17·6	15·3	18·0	3·0	153	85	29	18	-	-	2	-	1	2	9	2	5	13	2	STOKE ON TRENT.
BURTON ON TRENT	54,977	13·3	9·5	8·5	7·6	2·8	20	8	2	1	-	1	1	1	-	-	-	1	1	2	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	8·4	9·3	6·4	13·8	1·5	38	28	9	7	-	-	-	-	-	-	3	1	1	6	1	WOLVERHAMPTON.
WALSALL	101,035	5·2	7·7	13·4	12·9	0·5	49	25	8	4	-	-	-	-	-	-	1	1	2	5	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	7·9	5·0	6·5	5·8	-	26	8	1	6	-	-	-	-	-	-	-	-	-	1	-	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	13·2	5·9	11·7	11·7	-	38	16	5	3	-	-	-	-	-	-	-	-	-	3	-	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 10th Sept., 1910.	17th Sept., 1910.	24th Sept., 1910.	1st Oct., 1910.	Rate from Diseases in Cols. 11-17. Week ended 1st Oct., 1910.	Registered during the Week ended 1st Oct., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	10·0	10·9	12·6	13·3	1·5	241	145	35	42	-	-	-	-	-	1	15	7	8	32	4	Birmingham.
Kings Norton ..	84,673	5·5	11·1	6·2	5·5	-	41	9	4	4	-	-	-	-	-	-	-	-	1	-	-	Kings Norton.
Smethwick	72,350	8·6	13·7	6·5	9·4	0·7	31	13	3	4	-	-	-	-	-	1	-	-	2	2	-	Smethwick.
Aston Manor ..	86,269	12·1	6·0	10·3	7·3	0·6	28	12	5	5	-	-	-	-	-	-	1	-	-	1	-	Aston Manor.
Coventry	81,449	9·6	12·2	16·0	16·6	1·9	54	26	6	7	-	-	1	-	-	-	2	1	1	5	1	Coventry.
Leicester	248,374	12·4	9·7	11·5	10·5	1·3	96	50	13	15	-	1	-	1	-	-	4	-	-	6	-	Leicester.
Grimsby	74,283	22·5	17·5	9·1	12·6	2·8	36	18	2	7	-	-	-	-	1	2	1	-	-	4	-	Grimsby.
Nottingham ..	266,471	12·3	14·1	15·1	11·0	1·0	96	56	13	20	-	-	-	-	1	-	4	1	4	10	-	Nottingham.
Derby	131,256	10·3	7·2	12·7	8·3	1·2	54	21	4	6	-	-	1	-	1	-	1	1	3	6	-	Derby.
Stockport	105,087	13·9	14·4	17·9	17·4	1·0	52	35	6	15	-	-	-	-	-	-	2	2	4	3	-	Stockport.
Birkenhead ..	122,431	17·9	17·0	15·3	15·8	1·7	67	37	12	8	-	-	-	1	-	-	3	4	5	5	-	Birkenhead.
Wallasey ..	73,173	7·8	11·4	6·4	9·3	1·4	42	13	4	5	-	-	-	-	-	-	2	-	1	2	-	Wallasey.
Liverpool ..	767,606	15·1	18·5	18·1	19·0	3·3	445	280	68	47	-	2	6	2	4	2	32	8	21	98	6	Liverpool.
Bootle	70,548	14·0	17·7	18·5	14·0	0·7	37	19	5	3	-	-	-	1	-	-	-	-	1	6	2	Bootle.
St. Helens	96,523	14·6	12·4	19·4	15·1	3·8	58	28	16	4	-	1	-		-	1	5	-	-	7	1	St. Helens.
Wigan	91,732	13·6	9·7	16·5	20·5	4·0	53	36	16	4	-	-	-	-	1	2	4	2	2	3	-	Wigan.
Warrington ..	73,295	12·8	10·7	17·8	19·2	1·4	36	27	10	6	-	-	-	-	-	-	2	1	1	7	1	Warrington.
Bolton	199,315	11·5	16·2	16·4	16·4	1·9	74	60	17	15	-	-	2	-	-	-	5	1	7	8	-	Bolton.
Bury	59,409	9·7	15·8	11·4	14·0	4·4	17	16	4	4	-	1	-	-	-	-	4	-	-	3	1	Bury.
Manchester ..	716,354	12·1	14·2	15·8	14·3	1·8	337	196	50	47	-	1	2	3	1	2	16	6	13	66	1	Manchester.
Salford	244,636	12·4	16·0	13·6	14·3	1·9	108	67	24	16	-	-	1	-	2	1	5	2	5	18	-	Salford.
Oldham	144,111	11·6	13·4	20·3	17·0	3·3	60	47	12	12	-	2	-	1	2	-	4	-	1	10	-	Oldham.
Rochdale	90,497	11·5	13·8	12·1	20·7	1·7	48	36	10	10	-	-	1	-	1	-	1	2	2	10	-	Rochdale.
Burnley	107,448	9·7	15·5	13·6	17·0	2·4	43	35	8	12	-	-	-	-	-	-	5	-	2	5	-	Burnley.
Blackburn	137,972	12·8	14·7	12·8	12·1	2·3	63	32	10	9	-	-	-	-	1	-	5	1	3	6	-	Blackburn.
Preston	119,253	21·4	17·1	16·6	14·9	3·1	48	34	11	12	-	-	-	1	-	-	6	2	3	5	-	Preston.
Barrow in Furness.	63,689	13·1	11·5	13·9	13·1	2·5	24	16	3	7	-	-	-	1	-	-	2	-	-	2	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 1st October, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 10th Sept., 1910.	17th Sept., 1910.	24th Sept., 1910.	1st Oct., 1910.	Rate from Diseases in Cols 11-17. Week ended 1st Oct., 1910.	Registered during the Week ended 1st Oct., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	12·7	15·4	14·9	17·1	1·7	26	31	4	11	-	-	-	-	1	-	2	1	1	6	1	HUDDERSFIELD.
HALIFAX	112,818	14·8	14·8	19·4	13·4	-	25	29	4	13	-	-	-	-	-	-	-	-	-	6	-	HALIFAX.
BRADFORD	295,865	13·7	13·2	12·5	14·1	1·4	93	80	18	33	-	-	-	-	1	-	7	4	9	13	-	BRADFORD.
LEEDS	490,985	12·5	15·5	13·5	10·7	1·5	191	101	20	27	-	2	-	-	4	1	7	2	6	21	-	LEEDS.
DEWSBURY	51,224	13·2	10·2	20·4	20·4	3·1	21	20	3	10	-	-	-	-	-	2	1	1	1	2	-	DEWSBURY.
SHEFFIELD	478,763	13·5	14·6	14·6	15·7	1·7	225	144	41	36	-	2	1	-	-	1	12	2	8	29	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	9·4	12·6	17·3	17·3	2·4	36	22	5	7	-	1	-	-	2	-	-	1	2	6	-	ROTHERHAM.
YORK	88,159	10·1	7·7	11·8	11·2	-	27	19	2	5	-	-	-	-	-	-	-	1	2	2	-	YORK.
HULL	280,006	20·5	17·5	17·9	14·7	2·6	145	79	26	20	-	-	-	1	-	1	12	5	9	23	-	HULL.
MIDDLESBROUGH ..	107,014	24·4	21·9	18·0	20·5	3·4	59	42	9	8	-	-	-	-	1	-	6	-	2	4	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	18·5	16·5	13·6	14·6	1·0	24	15	3	4	-	-	-	-	-	-	1	1	2	2	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	8·9	12·1	10·2	7·6	0·6	33	12	2	1	-	-	-	-	-	-	1	-	1	1	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	17·2	15·9	15·2	13·6	2·3	98	42	15	13	-	1	-	-	-	2	4	3	3	8	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	11·8	10·9	15·2	16·5	1·7	71	38	10	9	-	-	-	-	-	-	4	1	1	4	-	SOUTH SHIELDS.
GATESHEAD	133,676	12·1	9·8	13·3	17·2	2·3	69	44	12	11	-	-	-	1	1	-	4	5	5	8	5	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	12·4	12·2	13·3	13·3	1·6	158	73	18	21	-	1	-	2	1	-	5	2	8	14	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	21·3	22·1	14·8	14·8	3·7	25	16	4	3	-	-	-	1	-	-	3	-	1	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	11·8	12·4	17·7	21·6	2·0	47	33	6	10	-	-	-	-	1	-	2	4	4	9	-	NEWPORT (MON.).
CARDIFF	199,189	8·6	11·0	14·4	11·5	2·1	89	44	12	12	-	-	1	1	-	-	6	2	6	7	-	CARDIFF.
RHONDDA	138,674	10·9	13·9	14·3	18·0	4·5	93	48	18	7	-	-	-	-	2	-	10	2	2	-	1	RHONDDA.
MERTHYR TYDFIL..	79,522	12·5	11·8	11·1	11·1	2·0	56	17	9	4	-	-	-	-	-	-	3	-	1	1	-	MERTHYR TYDFIL.
SWANSEA	98,817	15·3	14·8	22·7	19·0	2·6	53	36	10	10	-	-	-	-	-	-	5	-	1	4	-	SWANSEA.
GREATER LONDON	7,537,196	9·7	10·7	10·8	11·6	1·2	3405	1677	359	549	-	15	5	16	12	13	110	80	168	636	1	GREATER LONDON.
OUTER RING ..	2,664,494	7·7	8·0	8·6	9·0	0·8	1166	462	84	179	-	-	1	6	2	3	28	27	49	96	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,321,914	7·3	7·8	8·2	9·3	0·9	562	235	49	79	-	-	1	2	1	3	17	13	22	52	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·2	8·2	8·9	8·8	0·6	604	227	35	100	-	-	-	4	1	-	11	14	27	44	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	12·3	11·7	11·9	14·6	1·9	125	101	12	43	-	3	2	2	1	-	5	1	?	35	4	EDINBURGH.
GLASGOW	884,505	12·9	13·3	13·4	12·9	1·9	343	219	39	52	-	2	3	4	3	-	21	7	?	65	9	GLASGOW.
DUBLIN (Registration Area).†	402,928	17·0	18·8	21·4	20·2	3·9	196	156	41	41	-	-	-	1	2	-	27	3	5	68	3	DUBLIN (Registration Area).†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-NINTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2239	2581	2457	2296	2537	2171	2374	2341	2178	2057	2277·4	2239
Males - - -	1138	1317	1216	1186	1285	1066	1187	1195	1092	1063	1147·4	1134
Females - -	1101	1264	1241	1110	1252	1105	1187	1146	1086	994	1130·0	1105
TOTAL **Deaths** -	1471	1304	1489	1244	1279	1251	1422	1251	1225	1079	1275·4	1215
Males - - -	706	692	782	680	673	637	759	648	618	579	663·7	626
Females - -	762	612	707	564	606	614	663	603	607	500	611·7	589

* The numbers in this column are the average weekly numbers in the Thirty-Ninth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	13 Weeks.
TOTAL **Births** -	2272	2163	2176	2429	1854	2367	2303	2268	2118	2088	2050	2079	2239	28406
TOTAL **Deaths** -	997	1036	962	957	956	962	952	1009	1005	1009	1140	1118	1215	13318
Ages at Death: Under 1 year -	168	172	187	151	173	174	184	214	223	253	275	249	275	2698
1—5 years -	100	99	104	89	107	90	110	116	100	121	95	106	113	1350
5—20 " -	68	70	61	52	54	52	58	37	69	46	63	53	50	733
20—40 " -	142	120	132	124	122	136	130	122	116	111	147	133	136	1671
40—60 " -	217	230	200	229	210	223	202	207	198	206	225	243	271	2861
60 yrs. & upwds.	302	345	278	312	290	287	268	313	299	272	335	334	370	4005
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	37	31	36	23	30	28	27	35	23	21	27	18	15	351
Scarlet Fever - -	8	4	5	2	5	1	4	3	5	2	4	3	4	50
Diphtheria - -	3	7	8	4	8	6	6	10	5	10	5	9	10	91
Whooping-cough -	23	19	27	14	18	19	13	11	8	12	15	11	10	200
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	1	2	4	2	4	1	1	3	3	6	12	10	51
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhœa, Dysentery	17	14	18	12	23	26	37	65	96	94	104	76	82	664
All above diseases -	90	76	96	59	86	84	88	125	140	143	161	129	131	1408
Dis. of Resp. System	44	51	46	48	50	48	48	42	50	47	51	52	66	643
Pneumonia - -	73	80	85	63	74	65	73	87	65	67	69	71	112	984
Phthisis - - -	94	84	78	82	99	81	88	77	87	91	113	100	104	1178
Dis. of Circ. System -	159	183	128	158	150	138	121	142	145	147	180	171	202	2021
Violence - - -	53	46	44	48	50	43	48	34	43	53	38	50	53	603
Inquest Cases - -	101	114	95	103	119	94	112	80	109	112	107	125	119	1390
Deaths in Institutions	471	455	446	437	459	438	438	466	418	523	528	528	540	6147
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	55·2	57·9	59·2	58·8	60·2	60·7	62·7	59·9	58·3	54·7	56·1	53·8	58·6	58·2
Mean of Highest -	63·7	67·4	67·7	68·3	71·5	70·8	73·7	70·2	67·4	61·8	63·8	63·2	69·0	67·6
Mean of Lowest -	50·2	52·2	53·2	52·0	52·2	54·1	53·5	52·4	50·8	49·1	50·4	44·4	49·2	51·1
Mean Humidity of the Air.	84	84	85	77	77	85	75	77	77	79	81	76	88	80
Rain-fall (in inches) -	1·29	0·01	1·22	0·35	0·85	0·18	0·19	0·80	0·41	0·02	0·66	0·00	0·10	6·08
Registered Sunshine (in hours).	18·0	34·5	17·6	29·5	49·6	27·7	52·7	37·1	38·6	15·7	21·2	55·4	30·7	428·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	3	3	3	1	1	-	-	-	-	-	-	-	-	1
Scarlet Fever - -	1439	1530	1548	1563	1523	1490	1423	1447	1455	1462	1509	1560	1653	1508
Diphtheria - - -	628	646	626	619	584	584	591	578	592	630	672	709	751	632
Typhus - - -	1	1	1	-	-	-	1	1	1	1	1	1	1	1
Enteric Fever - -	49	50	50	46	46	46	51	59	60	79	102	123	144	70

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and **E. Walford, Esq., M.D., Cardiff.**

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-NINTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionabl should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 39th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1275·4	1215	275	113	50	136	271	370
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	0·2	–	–	–	–	–	–	–
Measles (Morbilli)	9·8	15	6	9	–	–	–	–
Scarlet Fever	11·1	4	–	3	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	4·9	14	–	–	–	1	1	12
Whooping-cough	15·8	10	4	6	–	–	–	–
Diphtheria	15·8	10	1	5	4	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	8·6	10	–	–	1	3	5	1
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	78·0	38	28	10	–	–	–	–
Diarrhœa, Dysentery ..	42·2	44	34	8	–	–	–	2
Tetanus	0·6	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	0·2	–	–	–	–	–	–	–
Venereal Dis.	6·3	10	6	1	–	1	2	–
Puerperal Septicæmia ..	2·3	2	–	–	–	1	1	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·4	–	–	–	–	–	–	–
Infective Endocarditis ..	3·9	5	–	–	–	3	2	–
Pneumonia: Lobar ..	12·9	17	1	–	–	2	8	6
Pneumonia: Broncho ..	34·2	41	15	15	–	2	2	7
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	37·7	54	11	5	1	8	15	14
Erysipelas	4·7	2	–	–	–	–	1	1
Septicæmia (not Puerperal)	1·4	2	–	1	–	–	1	–
Pyæmia (not Puerperal)	0·2	–	–	–	–	–	–	–
Other Infective Processes	4·3	7	1	1	–	2	1	2
Tuberculous Phthisis ..	86·8	79	1	3	4	32	26	13
"*Phthisis*"	42·6	25	–	–	1	7	12	5
Tuberculous Meningitis ..	20·7	14	1	8	4	–	1	–
Tuberculous Peritonitis ..	10·9	8	4	3	1	–	–	–
Tabes Mesenterica	2·7	2	1	1	–	–	–	–
Tuberculous Dis., Other ..	17·0	18	2	5	5	4	2	–
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	9·2	2	–	–	–	1	1	–
Rheumatic Fever	4·5	2	–	1	–	–	–	1
Gout	1·4	1	–	–	–	–	–	1
Carcinoma	56·9	60	–	–	–	2	25	33
Sarcoma	5·7	5	–	1	–	1	1	2
Cancer (undefined) ..	32·2	24	–	–	–	1	8	15
Diabetes Mellitus	8·0	3	–	–	–	–	–	3
Premature Birth	41·4	40	40	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 39th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	12·1	7	3	1	2	–	1
Gen. Par. of Insane, Insanity	13·5	17	–	1	–	3	7
Epilepsy	5·3	2	–	–	–	1	1
Convulsions	17·2	11	10	1	–	–	–
Locomotor Ataxy.. ..	1·8	4	–	–	–	–	3
Paraplegia, Dis. of Cord.	5·3	3	–	–	1	–	–
Nervous Sys., Other Dis.	13·1	9	1	1	–	1	–
Valv. Dis., Endocarditis..	40·8	50	–	–	5	9	17
Cereb. Hæm. Cereb. Emb.	31·9	48	–	–	1	3	16
Apoplexy, Hemiplegia ..	12·9	12	–	–	–	–	1
Aneurysm	6·3	3	–	–	–	1	1
Embolism, Thrombosis (not Cerebral) ..	0·8	1	–	–	–	–	1
Heart & Blood Ves., Other Dis... ..	77·4	88	–	1	3	8	24
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–
Bronchitis	48·2	56	7	1	–	3	11
Emphysema, Asthma ..	2·0	1	–	–	–	–	1
Pleurisy	3·7	2	–	–	–	–	1
Respiratory Dis., Other..	5·7	7	2	–	–	–	1
Tonsillitis, Quinsy.. ..	1·2	1	–	1	–	–	–
Enteritis (not Epid.) ..	21·3	11	9	2	–	–	–
Gastro-enteritis	21·7	12	11	1	–	–	–
Peritonitis (not Puerp.) ..	2·5	2	–	–	–	–	2
Cirrhosis of Liver.. ..	14·5	14	–	–	–	–	8
Liver Dis., Other	7·2	1	–	–	–	–	1
Digestive Sys., Other Dis.	29·7	36	4	2	5	7	8
Acute Nephritis	7·4	11	1	–	–	1	4
Bright's Dis., Albuminuria	36·7	31	–	–	1	4	15
Urinary Sys., Other Dis.	12·1	13	–	1	1	1	2
Generative Organs Dis...	2·5	4	–	–	–	1	2
Childbirth (Accid. of) ..	3·9	6	–	–	–	5	1
Old Age	41·8	32	–	–	–	–	–
Other Diseases	84·8	99	64	12	–	6	10
ACCIDENT.							
By Railways	1·6	2	–	–	–	1	1
By Vehicles and Horses..	8·6	7	–	–	1	–	4
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–	–
In Building Operations..	1·2	–	–	–	–	–	–
In Conflagrations	0·4	–	–	–	–	–	–
By Burns, Scalds, Explosions	3·5	2	–	1	1	–	–
By Drowning	3·3	5	–	–	3	2	–
By Suffocation in Bed ..	5·5	2	2	–	–	–	–
By Poisons or Poisonous Vapours	3·5	3	–	1	–	1	–
Other Deaths by Accident..	13·7	21	5	–	4	3	6
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	0·8	1	–	–	–	1	–
Suicide	11·5	10	–	–	–	3	6
Execution	–	–	–	–	–	–	–

In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

LE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st October, 1910.

EGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2239	1215	275	370	-	15	4	10	10	10	82	104	53	119	540	-
WEST DISTRICTS	805,311	341	185	30	57	-	2	-	-	4	2	12	14	10	16	87	-
NORTH DISTRICTS	1,055,908	511	228	48	79	-	5	-	1	2	6	15	20	14	24	81	-
CENTRAL DISTRICTS	209,465	89	62	14	14	-	2	-	1	1	1	1	1	4	8	40	-
EAST DISTRICTS	715,739	421	245	72	49	-	1	-	-	1	1	21	22	12	26	135	-
SOUTH DISTRICTS	1,749,844	877	449	111	154	-	5	3	7	2	-	31	39	12	43	151	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	46	-	17	-	-	1	1	-	-	2	8	1	2	46	-
WEST DISTRICTS.																	
rth Paddington *H*	63,603	29	8	3	1	-	-	-	-	-	-	-	1	1	1	-	-
ntral Paddington *W,3H*	50,053	22	25	4	5	-	-	-	-	1	-	2	1	3	4	17	-
uth Paddington	30,320	2	4	-	3	-	-	-	-	-	-	-	1	-	-	-	-
nsington South *W,3H*	85,610	17	18	2	10	-	-	-	-	-	-	-	1	1	1	9	-
nsington Central *W,H*	42,774	18	12	2	4	-	-	-	-	-	-	-	-	1	1	6	-
nsington North *w*	48,244	24	10	-	4	-	1	-	-	1	1	-	2	-	-	5	-
rth Hammersmith 2*W,w,H* ..	49,192	49	19	5	5	-	-	-	-	-	-	1	3	1	1	10	-
uth Hammersmith *w,2H* ..	63,047	23	17	3	4	-	-	-	-	-	-	1	-	2	3	9	-
rth-west Fulham *W*	45,180	26	13	3	4	-	-	-	-	1	-	6	2	-	-	5	-
rth-east Fulham *F*	46,405	25	9	2	3	-	-	-	-	-	1	1	-	-	1	1	-
uth Fulham *W*	45,704	36	10	2	4	-	-	-	-	-	-	-	-	-	-	-	-
elsea North *W,w,3H*	42,514	11	19	2	5	-	-	-	-	1	-	-	3	-	1	16	-
elsea South *W,2H*	31,328	17	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-
yfair and Knightsbridge	28,743	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
lgrave *W,2H*	55,815	17	6	-	2	-	-	-	-	-	-	-	-	1	2	4	-
Margaret & St. John *6H*	43,698	19	9	2	1	-	-	-	-	-	-	1	-	-	1	4	-
James and St. Anne *W,6H* ..	33,081	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
l Souls Marylebone *7H*	35,391	20	11	1	4	-	-	-	1	-	-	-	-	-	-	5	-
Mary Marylebone *W,4H* ..	37,948	46	8	2	3	-	-	-	-	-	-	-	-	-	-	2	-
ristchurch Marylebone *H* ..	39,536	16	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
John Marylebone *2H*	20,426	13	3	-	1	-	-	-	-	-	-	-	1	-	-	1	-
ampstead *W,F,6H*	81,942	18	20	-	8	-	-	-	-	-	1	1	1	2	3	6	-
est St. Pancras *2H*	60,562	36	10	2	4	-	1	-	-	-	-	1	-	1	1	1	-
uth St. Pancras *w,10H*	55,707	17	19	3	7	-	-	-	-	-	-	2	2	-	-	14	-
st St. Pancras *W,H*	60,320	32	12	3	6	-	-	-	-	1	-	1	-	-	1	3	-
rth St. Pancras *2W*	58,728	25	14	2	5	-	1	-	-	-	-	1	1	-	-	4	-
nfield *W*	31,995	13	16	-	5	-	-	-	-	-	1	-	1	1	1	10	-
pper Holloway *2W,w,H*	33,978	17	18	4	8	-	-	-	-	-	1	1	3	-	1	14	-
llington *2W,w,H*	33,922	13	7	2	4	-	-	-	-	1	-	-	1	-	-	-	-
ower Holloway	41,424	19	8	2	1	-	-	-	-	-	-	2	1	-	2	-	-
arnsbury	54,478	19	10	4	1	-	-	-	-	-	-	1	2	3	3	-	-
lington South-east *F*	75,397	36	12	3	4	-	1	-	-	-	-	1	2	2	3	-	-
ighbury *2H*	63,797	25	8	4	1	-	2	-	-	-	1	1	1	1	1	-	-
oke Newington *H*	51,247	19	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
orth Hackney	50,398	22	8	3	4	-	-	-	-	-	-	1	-	-	1	-	-
entral Hackney *2w,F*	50,536	20	6	-	2	-	-	-	-	-	2	-	-	-	-	4	-
outh-west Hackney *3H*	59,921	56	11	3	5	-	-	-	-	-	-	2	1	2	2	4	-
outh-east Hackney *2W,w,H* ..	58,255	29	20	6	4	-	-	-	-	-	-	-	3	2	4	13	-
ackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein amely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a ub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the etter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st October, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	16	4	-	3	-	-	-	-	-	-	-	-	-	-	2
Strand *W*,4*H*	21,674	5	10	-	-	-	-	-	1	-	-	-	-	1	2	10
Strand Union Workhouse, Edmonton	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2
Holborn *W*,5*H*	29,612	6	15	5	-	-	-	-	-	1	1	-	-	-	-	12
Clerkenwell *H*	63,704	27	7	2	4	-	1	-	-	-	-	1	-	-	1	1
St. Luke 3*H*,*L*	36,116	33	5	3	2	-	1	-	-	-	-	-	-	-	1	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
St. Botolph *H*	10,299	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	17	4	2	-	-	-	-	-	-	-	1	3	3	12
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	19	6	3	1	-	-	-	-	-	-	1	-	1	1	1
Shoreditch North-West *W*,*w*,*H* ..	36,127	25	23	2	6	-	-	-	-	-	-	-	5	1	4	18
Shoreditch North-East	36,148	22	8	4	2	-	-	-	-	-	-	1	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	37	38	14	7	-	-	-	-	-	-	7	4	1	3	28
Bethnal Green South-West *H* ..	64,542	50	6	3	-	-	-	-	-	-	-	-	-	2	3	-
Spitalfields..	27,969	11	4	2	1	-	-	-	-	-	-	-	-	2	2	-
Mile End New Town *W*,*H*	28,718	17	46	12	6	-	-	-	-	-	-	3	2	-	1	42
Goodman's Fields	22,081	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	28	14	5	4	-	1	-	-	-	-	1	2	-	3	8
Shadwell and Ratcliff *w*,*H* ..	25,568	12	14	7	1	-	-	-	-	-	-	1	1	-	-	9
Limehouse *W*	32,369	20	5	3	2	-	-	-	-	-	-	-	-	-	1	-
Mile End Old Town South-Western *H*	63,698	62	13	3	3	-	-	-	-	-	-	-	2	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	26	14	2	4	-	-	-	-	-	-	2	4	1	1	9
Bow	41,989	23	5	1	1	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	28	35	8	11	-	-	-	-	1	1	3	1	4	6	18
Poplar *W*,*w*	58,514	34	13	3	-	-	-	-	-	-	-	2	1	-	1	2
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st October, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	11	21	8	-	-	-	-	-	-	-	1	-	1	3	18	-
Kent-road	21,904	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	9	7	-	4	-	-	-	-	-	-	-	1	-	2	1	-
Newington North	49,022	35	7	5	1	-	-	-	-	-	-	2	1	-	-	-	-
Newington South *W*	72,841	35	5	2	-	-	-	-	-	-	-	1	1	-	-	-	-
St. Olave *2W*	9,817	7	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-
Bermondsey *W*	82,483	59	20	8	4	-	3	-	-	1	-	2	-	-	2	-	-
Rotherhithe *W,F*	38,460	19	11	1	6	-	1	-	-	-	-	1	1	1	2	7	-
Waterloo *2H*	27,440	38	15	6	1	-	1	-	-	-	-	1	1	3	3	4	-
Lambeth Church *H*	27,440	15	21	7	1	-	-	-	1	-	-	2	-	2	2	14	-
Kennington *2W*	52,518	20	18	3	6	-	-	-	-	-	-	2	5	-	-	11	-
Stockwell *HF*	63,826	31	9	4	3	-	-	-	2	-	-	-	-	-	-	3	-
Brixton *H*	73,673	34	14	3	5	-	-	-	-	-	-	2	1	-	1	1	-
Norwood *2WH*	56,998	24	10	1	4	-	-	-	-	-	-	-	-	-	2	-	-
East Battersea *H*	72,203	28	9	3	4	-	-	-	-	-	-	1	1	-	-	-	-
North-west Battersea	49,656	18	6	1	-	-	-	-	-	-	-	1	-	2	3	-	-
South-west Battersea *2W,H* ..	47,048	21	24	7	9	-	-	-	-	-	-	-	1	-	1	20	-
Clapham *2H*	51,361	19	8	1	4	-	-	-	-	-	-	-	1	-	1	2	-
Streatham *W,2w,2F,2L*	88,019	50	23	2	14	-	-	1	-	-	-	-	2	-	-	8	-
Springfield *2W,L*	27,959	17	7	5	1	-	-	-	-	1	-	1	-	-	2	-	-
Southfields *H*	40,444	23	12	1	5	-	-	-	-	-	-	-	1	1	1	-	-
Putney	24,139	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	14	22	2	14	-	-	-	-	-	-	-	5	-	1	14	-
Camberwell North *W,2L*	65,584	28	22	6	8	-	-	-	-	-	-	1	3	-	-	12	-
St. George	47,331	31	7	4	1	-	-	-	-	-	-	1	1	-	2	-	-
Peckham North	48,913	21	11	4	4	-	-	-	-	-	-	3	-	-	-	-	-
Peckham South *2W,w*	43,946	18	4	-	3	-	-	-	-	-	-	-	-	-	1	-	-
Deptford North *F*	49,004	33	21	3	5	-	-	2	4	-	-	1	3	-	-	6	-
Deptford East	29,781	28	8	4	-	-	-	-	-	-	-	1	-	-	2	-	-
Deptford South	38,934	17	8	1	5	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West *H*	23,456	15	6	2	2	-	-	-	-	-	-	1	-	-	-	1	-
Greenwich East *2W,H*	43,859	33	30	8	10	-	-	-	-	-	-	4	7	2	4	13	-
Eltham *w,H*	7,226	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	7	3	-	3	-	-	-	-	-	-	-	1	-	1	-	-
Lewisham *2W,w,F*	58,352	24	25	5	11	-	-	-	-	-	-	1	-	-	2	12	-
Sydenham *H*	43,653	20	6	1	2	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	13	3	1	2	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead West *W,H*	39,376	18	8	-	4	-	-	-	-	-	-	-	1	-	1	-	-
Plumstead East *2W*	28,951	15	9	1	4	-	-	-	-	-	-	1	1	-	-	3	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	4	-	2	-	-	-	-	-	-	-	2	-	-	4	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	1	1	-	-	-	-	-	-	3	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	2	-	-	-	-	-	-	-	-	1	-	-	-	2	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	3	-	3	-	-	-	-	-	-	-	1	-	-	3	-
London County Lunatic Asylums:—																	
Banstead	—	-	9	-	2	-	-	-	-	-	-	-	1	-	-	9	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	6	-
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4	-
Hanwell	—	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Colney Hatch	—	-	6	-	4	-	-	-	-	-	-	-	1	1	2	6	-
Claybury	—	-	3	-	1	-	-	-	-	-	-	1	1	-	-	3	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boa Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERAT POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 1st October, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1166	462	84	179	-	-	1	6	2	3	28	27	49	96
31 : 1	Carshalton 2F,3H	12,228	32,997	26	5	1	3	-	-	-	-	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	9	3	1	-	-	-	-	1	-	-	-	-	-	2
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	6	1	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	16	8	-	5	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	30	21	3	7	-	-	-	1	-	-	-	3	4	12
4	North Croydon H	2,644	41,698	22	10	-	4	-	-	-	-	-	-	-	-	-	2
5	Penge w	770	22,465	12	3	-	3	-	-	-	-	-	-	-	-	1	-
6	Mitcham w	11,711	30,015	30	10	2	4	-	-	-	-	-	-	2	-	1	-
40 : 1	Wimbledon F,3H	3,221	41,652	21	2	-	-	-	-	-	1	-	-	-	-	-	1
2	Kingston 2W,H	6,224	42,068	19	11	-	6	-	-	-	-	-	-	-	-	-	2
3	Surbiton F,H	3,046	15,017	7	5	1	4	-	-	-	-	-	-	-	-	-	1
4	Esher, *part of** H	5,402	13,100	4	4	-	3	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	9	8	2	3	-	-	-	-	-	-	-	2	2	1
41 : 1	Richmond W,H	2,491	31,672	3	4	-	3	-	-	-	-	-	-	-	-	-	-
2	Mortlake F	2,518	17,821	8	1	-	1	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	12	6	1	3	-	-	-	-	-	-	-	1	1	1
2	Beckenham H	7,832	28,454	16	2	-	1	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	8	8	2	4	-	-	-	-	-	-	2	-	1	6
4	Chislehurst 2H	7,333	16,446	3	1	-	-	-	-	-	-	-	-	1	-	1	-
43 : 1	Bexley w,F,H	8,678	21,151	9	2	1	1	-	-	-	-	-	-	-	1	1	-
2	Erith F,H	3,854	25,296	21	3	-	1	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Sunbury w	11,054	18,683	9	8	1	2	-	-	-	-	-	-	-	1	1	-
2	Staines W,H	13,277	15,178	5	6	1	2	-	-	-	-	-	-	-	-	-	-
127 : 1	Hillingdon W,F,H	8,035	13,661	6	5	2	1	-	-	-	-	-	-	-	-	-	1
2	Uxbridge H	12,757	8,984	6	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	13	3	-	2	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	30,863	21	13	2	3	-	-	-	1	-	-	1	1	1	8
2	Twickenham F,2H	2,421	20,991	16	5	2	2	-	-	-	-	-	-	-	1	3	-
3	Hanwell w,2H	4,108	11,257	8	1	-	1	-	-	-	-	-	-	-	-	-	-
4	Brentford 3F,2H	4,038	48,202	28	7	1	5	-	-	-	-	-	-	1	1	1	1
5	Chiswick H	1,249	29,809	11	4	1	1	-	-	-	-	-	-	1	-	-	-
6	Acton F,H	2,305	37,744	17	12	1	4	-	-	-	1	-	-	1	1	3	-
129 : 1	Willesden W,F,2H	4,384	114,811	74	35	10	9	-	-	-	-	-	-	3	-	-	3
130 : 1	Harrow F,H	13,809	25,523	12	4	1	3	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	19	5	1	1	-	-	-	-	-	-	-	-	-	1
131 : 1	South Mimms 2F,H ..	17,755	7,308	1	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	6	5	1	1	-	-	-	-	-	-	-	-	-	2
3	Finchley F,3H	4,668	33,692	26	14	2	6	-	-	-	-	-	-	-	1	2	1
132 : 1	Hornsey F,H	2,875	72,056	19	9	3	3	-	-	-	-	1	-	-	-	-	-
2	Wood Green H	1,625	34,233	19	3	1	2	-	-	-	-	-	-	-	-	1	-
3	West Tottenham	995	48,741	32	11	1	6	-	-	-	-	-	-	-	1	1	-
4	East Tottenham 2H ..	2,019	53,962	43	13	3	4	-	-	-	-	-	-	-	1	2	7
5	Edmonton W,w,2F	7,491	61,892	48	20	3	10	-	-	-	-	-	-	1	-	1	10
6	Enfield 2W,F,H	12,601	42,738	28	8	2	3	-	-	-	-	-	-	1	-	1	-
7	Waltham Abbey F	11,017	6,549	3	2	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	10	2	-	1	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	1	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	21	14	3	1	-	-	-	-	-	-	2	2	2	2
2	Forest Gate	787	52,745	22	4	-	-	-	-	-	-	-	-	1	-	-	-
3	Plaistow F,2H	1,249	90,921	54	21	9	6	-	-	-	-	-	-	5	-	-	-
4	Canning Town H	1,556	70,718	52	16	7	3	-	-	-	-	-	-	4	3	4	1
5	South East Ham 2F ..	1,991	37,342	42	7	2	3	-	-	-	-	-	-	2	-	1	-
6	North East Ham w,H ..	1,333	58,666	21	10	1	6	-	-	-	-	-	-	-	-	3	-
7	Wanstead F	1,679	9,179	5	2	1	-	-	-	-	-	-	-	-	1	1	-
8	South Leyton 2W	631	50,467	27	14	2	5	-	-	1	-	-	1	-	1	2	3
9	North Leyton 2W,w,F ..	1,963	48,445	29	22	2	8	-	-	-	-	-	1	-	1	1	16
10	Walthamstow 2H L ..	6,504	108,929	63	18	4	8	-	-	-	-	-	-	-	2	3	1
189 : 1	Chigwell 2F,3H	11,778	16,397	7	5	-	1	-	-	-	1	1	-	-	2	2	3
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	32	10	-	7	-	-	-	-	-	-	-	-	-	4
3	Barking Town F	3,805	21,547	11	-	-	-	-	-	-	-	-	-	-	-	-	-
	Eastern Hospital, Hackney	—	—	-	1	-	-	-	-	-	-	-	1	-	-	-	1
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esher part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : 1, and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
NDON* - -	4,872,702	October 1	2239	1215	13·0	-	15	4	10	10	10	97
LCUTTA - -	1,009,008	September 3	-	412‡	21·2	1	-	-	1	-	8	15
MBAY - -	977,822	" 13	354	611‡	32·5	1	1	-	-	-	4	50
DRAS - -	509,346	" 2	463	453‡	46·2	3	1	?	?	?	1	40
RIS* - -	2,772,467	" 24	-	-	-	-	-	-	-	-	-	-
USSELS* - -	720,030	" 24	220	158	11·4	-	..	-	1	-	13	11
TWERP* - -	317,171	" 24	127	65	10·7	-	2	-	-	-	-	12
STERDAM* -	572,074	" 24	234	109	9·9	-	-	1	1	2	1	9
PENHAGEN -	450,000	" 24	226	102	11·8	-	-	-	-	-	-	11
OCKHOLM -	341,816	" 17	147	86	13·1	-	-	-	4	-	-	1
RISTIANIA -	240,178	" 24	117	48	10·4	-	-	1	-	-	-	2
PETERSBURG	1,620,000	" 10	915	601‡	19·3	5	6	11	4	7	8	49
SCOW - -	1,493,600	" 17	-	635‡	22·2	1	4	17	19	3	9	115
RLIN - -	2,122,865	" 10	821	543	13·3	-	3	3	15	4	3	71
MBURG - -	911,500	" 24	-	215	12·5	-	1	1	7	2	1	32
ESLAU - -	509,992	" 17	-	156	15·9	-	1	-	2	2	1	15
NICH - -	576,000	" 24	-	-	-	-	-	-	-	-	-	-
ENNA* - -	2,107,981	" 24	757	500	12·3	-	3	3	10	1	-	56
AGUE* - -	497,905	" 3	177	123	12·8	-	-	-	3	1	-	8
DAPEST* -	833,703	" 17	428	258	16·1	-	-	9	5	1	1	25
IESTE* - -	221,124	" 24	137	76	17·9	-	-	1	-	2	-	11
ME - - -	590,113	July 23	278	220	19·4	-	15	-	-	4	6	28
NICE - -	183,224	August 20	-	-	-	-	-	-	-	-	-	-
CAREST - -	297,643	" 13	178	107	18·7	-	-	1	2	3	3	18
		" 20	170	137	24·0	-	-	7	1	1	-	29
W YORK* -	4,803,264	September 3	2661	1267	14·0	-	5	4	14	9	22	220
ICAGO* - -	2,282,927	" 10	-	636	14·5	-	2	3	13	3	14	157
ILADELPHIA*	1,598,400	August 13	-	454	14·8	-	6	4	4	16	1	79
O DE JANEIRO	842,822	" 28	-	395‡	24·4	-	13	-	1	2	1	?
IRO :—*												
gyptians -	620,443	" 26	439	639	53·6	-	17	-	9	-	4	197
oreigners -	62,510	" 26	8	14	11·6	-	-	-	1	-	2	1
EXANDRIA :—*												
gyptians -	319,087	" 26	299	224	36·5	-	-	-	3	-	3	71
oreigners -	68,829	" 26	5	27	20·4	-	-	-	-	-	2	7

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to ildren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 7 deaths from *plague* in Calcutta, 12 in Bombay, and 2 in Rio de Janeiro, and from *Asiatic cholera*, deaths in Calcutta, 4 in Madras, 93 in St. Petersburg, and 2 in Moscow.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 1st October, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
NDON (Greenwich)	75·2	43·7	59·1	0·10	BRADFORD - -	71·7	41·5	55·9	0·16
IGHTON - -	68·0	47·8	58·4	0·01	YORK - - -	71·0	44·0	57·4	0·05
RTSMOUTH - -	69·0	49·0	59·3	0·19	HULL - - -	71·0	41·0	56·9	0·16
RWICH - -	71·5	45·2	58·4	0·05	TYNEMOUTH - -	69·0	41·0	55·9	0·46
YMOUTH - -	69·0	49·1	58·7	0·25	CARDIFF - - -	68·1	45·5	57·1	0·08
ISTOL - - -	72·0	44·0	57·5	0·08	EDINBURGH - -	66·5	44·9	55·0	0·08
RMINGHAM - -	69·7	47·1	58·5	0·04	GLASGOW - -	68·5	45·0	56·0	0·30
TTINGHAM - -	72·0	39·0	57·1	0·28					
VERPOOL OBSERVATORY.	68·0	49·0	57·7	0·15	DUBLIN { Phœnix Park.	68·7	39·5	54·2	0·39
NCHESTER -	70·0	44·6	57·7	0·22	DUBLIN { Fitz-william Square.†	68·1	43·8	56·2	0·36
RNLEY - -	70·0	42·0	56·5	0·57					
DDERSFIELD -	72·0	41·0	56·1	0·17	BELFAST - - -	65·0	42·0	55·0	1·00

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to e seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The rrection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the ove was 1·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 1st October, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 25	Last Qr.	30·032	65·0	48·1	16·9	55·8	+ 0·6	54·4	1·4	9·2	0·4	95	96·5	39·0	57·16	SW., calm & SE.	SE. & ESE.	0·3	0·0	0·0	113	−136	0·00	0·2
MONDAY - 26	Greatest Dec. N.	29·854	69·1	49·1	20·0	57·7	+ 2·5	54·1	3·6	11·3	0·4	88	113·7	38·3	57·20	SE., SSE. & S.	SSW., SW. & WSW.	2·8	0·0	0·1	250	0	0·00	7·3
TUESDAY - 27	..	30·004	71·2	49·1	22·1	59·0	+ 3·9	52·2	6·8	18·7	0·0	78	116·0	37·5	57·30	WSW. & W.	W., WSW. & SW.	1·4	0·0	0·0	229	− 22	0·00	1·5
WEDNESDAY 28	..	29·861	75·2	43·7	31·5	60·7	+ 5·8	55·5	5·2	15·7	0·8	83	122·0	32·0	57·40	Calm, SSE. & S.	S.	1·1	0·0	0·0	144	−110	0·00	5·0
THURSDAY - 29	..	29·712	68·9	54·9	14·0	60·6	+ 5·9	58·2	2·4	10·1	0·8	92	104·5	45·2	57·32	S. & WSW.	WSW., SW & W.	1·9	0·0	0·0	233	− 24	0·05	0·0
FRIDAY - 30	..	29·922	62·8	49·8	13·0	55·7	+ 1·3	52·8	2·9	8·0	0·0	90	87·1	39·3	57·48	WSW., N. & calm.	Calm, SSE. & S.	0·0	0·0	0·0	113	−148	0·00	0·2
OCTOBER. SATURDAY - 1	..	29·906	71·0	49·4	21·6	60·5	+ 6·4	57·5	3·0	12·3	0·0	90	116·3	39·2	57·61	Calm, SE. & SSE.	SSE., SE. & S.	0·7	0·0	0·0	150	−115	0·05	3·0
MEANS - -		29·899	69·0	49·2	19·9	58·6	+ 3·8	55·0	3·6	12·2	0·3	88	108·0	38·6	57·35	SE. & SW.		..	..	..	Sum 1232	Sum −555	Sum 0·10	2·5
No. of Column -		4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 25	w. P. throughout.	0·2	12·0	Generally overcast; occasional bright intervals at night.
MONDAY - 26	w. P. throughout.	3·0	12·0	Generally overcast till noon; then fine with variable amounts of cloud.
TUESDAY - 27	w. P. throughout.	10·5	11·9	Very fine and bright; small amounts of cloud generally till evening; cloudless at night.
WEDNESDAY 28	w. P. throughout.	11·0	11·8	Very fine and warm; the amount of cloud was usually very small; foggy interval between 7h. and 7h. 30m. A.M.
THURSDAY - 29	w. P. generally.	1·6	11·8	Variably cloudy till shortly after 9h. A.M.; nearly overcast till 7h. P.M.; very fine with little cloud at night; rain between 10h. 48m. A.M. and 0h. 30m. P.M.
FRIDAY - 30	w. P. throughout.	1·0	11·7	Very fine till 3h. A.M.; cloudy till 7h P.M.; then very fine with little cloud; fog prevalent in early morning.
OCTOBER. SATURDAY - 1	w. P. generally; m. P. and m. N. at 6h. P.M.	3·4	11·6	Generally cloudy with occasional fine intervals; fog in early morning and frequent lightning at night; showers at or about 6h. and 11h. P.M.
		Sum 30·7	Sum 82·8	
No. of Col. -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·09 in. at the beginning of the week to 29·82 in. by 1h. P.M. on Sept. 26th; increased to 30·02 in. by 10h. A.M. on Sept. 27th; decreased to 29·69 in. by 7h. A.M. on Sept. 29th; increased to 29·99 in. by 1h. A.M. on Oct. 1st and decreased to 29·81 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 24th September, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	5	1	-	2	-	-	1	1	-
Kensington	184,635	-	7	5	-	2	-	-	6	-	-
Hammersmith	127,413	-	3	1	-	1	-	-	4	-	-
Fulham	181,282	-	10	10	-	1	-	-	3	1	-
Chelsea	75,457	-	2	3	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	4	3	-	1	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	8	3	-	1	-	-	6	-	-
Hampstead	95,729	-	2	2	-	-	-	-	-	-	-
St. Pancras	237,792	-	12	7	-	1	-	-	3	2	2
Islington	353,356	-	19	14	-	5	-	-	6	-	1
Stoke Newington	54,838	-	2	2	-	1	-	-	-	-	-
Hackney	239,979	-	7	1	-	2	-	-	5	-	-
CENTRAL.											
Holborn	53,142	-	2	2	-	1	-	-	-	-	-
Finsbury	94,578	-	3	6	-	-	-	-	7	-	-
City of London	17,132	-	-	-	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,387	-	4	1	-	4	-	-	1	-	-
Bethnal Green	131,579	-	1	2	-	8	-	-	6	-	1
Stepney	314,379	-	6	5	-	7	-	-	12	-	-
Poplar	172,432	-	7	4	-	-	-	-	5	-	-
SOUTH.											
Southwark	211,832	-	16	12	-	2	-	-	8	-	-
Bermondsey	127,238	-	7	3	-	4	-	-	3	-	-
Lambeth	327,074	-	24	7	-	1	-	-	6	1	-
Battersea	188,222	-	4	3	-	-	-	-	7	-	-
Wandsworth	305,838	-	12	5	-	1	-	-	3	-	-
Camberwell	286,058	-	12	3	-	1	-	-	1	-	-
Deptford	119,642	-	5	3	-	1	-	-	3	-	-
Greenwich	112,935	-	1	10	-	2	-	-	3	-	-
Lewisham	164,899	-	8	1	-	-	-	-	4	-	-
Woolwich	135,422	-	21	3	-	-	-	-	5	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	214	122	-	49	-	-	110	5	4
Ages 0-1		-	1	2	-	-	-	-	4	-	2
" 1-5		-	67	38	-	1	-	-	6	-	1
" 5-		-	94	47	-	5	-	-	5	-	-
" 10-		-	30	21	-	6	-	-	4	-	1
" 15-		-	9	2	-	10	-	-	7	-	-
" 20-		-	3	2	-	8	-	-	6	1	-
" 25-		-	7	7	-	10	-	-	11	3	-
" 35-		-	3	3	-	6	-	-	20	1	-
" 45-		-	-	-	-	2	-	-	27	-	-
" 55-		-	-	-	-	1	-	-	8	-	-
" 65 and upwards		-	-	-	-	-	-	-	12	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 40. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, OCT. 8. [Price 1½*d.*

General Register Office, Somerset House,
October 10th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 12·8 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 12·6, 13·0, and 13·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 17·5 in Birkenhead, 17·8 in St. Helens, 17·9 in Liverpool, 18·7 in Huddersfield, 18·9 in Stoke on Trent, 19·0 in Rochdale, 20·7 in Sunderland, and 21·8 in Burnley; from *whooping-cough*, 2·4 in Rotherham; and from *diarrhœa*, 2·5 in Plymouth, 2·6 in Blackburn and in Preston, 3·4 in Burnley, 3·5 in Bury, and 4·2 in Grimsby. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2137 BIRTHS and 1148 DEATHS were registered. Allowing for increase of population, the births were 192 and the deaths 92 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17729—41.) Wt. 91—429. 700. 10/10. D & S. G. 31. Sch. 4. 2 R

causes, which had been 12·2, 12·0, and 13·0 per 1000 in the preceding three weeks, was 12·3 last week. The death-rate in the four weeks ended last Saturday averaged 12·4 per 1000, being 1·3 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1148 deaths included 18 from measles, 3 from scarlet fever, 8 from diphtheria, 10 from whooping-cough, 7 from enteric fever, and 59 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 105 deaths were referred, being 44 below the corrected average number in the fortieth week of the preceding five years.

The deaths from *measles*, which had been 27, 18, and 15 in the preceding three weeks, were 18 last week, and were 10 above the corrected average; 4 deaths belonged to the Borough of Bermondsey. The deaths from *scarlet fever*, which had been 4, 3, and 4 in the preceding three weeks, were 3 last week, and were 9 below the corrected average. The deaths from *diphtheria*, which had been 5, 9, and 10 in the preceding three weeks, were 8 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 15, 11, and 10 in the preceding three weeks, were again 10 last week, and were 5 below the corrected average. The deaths from *enteric fever*, which had been 6, 12, and 10 in the preceding three weeks, were 7 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 104, 76, and 82 in the preceding three weeks, fell to 59 last week, and were 35 below the corrected average; 6 deaths belonged to Southwark, 5 to Stepney, and 4 each to St. Pancras and to Finsbury. Of the 59 deaths from diarrhœa, 56 were those of children under 2 years of age; 12 other deaths at this age were certified as due to *enteritis*, and 17 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 6, having been 4, 5, and 14 in the preceding three weeks.

Different forms of violence caused 66 deaths, concerning all of which inquests were held. Of these 66 deaths, 16 were cases of suicide, while the remaining 50 were attributed to accident or negligence. Fifteen of these latter were referred to vehicles in the streets, two to burns, three to drowning, and eleven, including ten of infants under one year of age, to suffocation in bed. Five deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1706 cases of scarlet fever, 788 of diphtheria, 1 of typhus, and 163 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 245 cases, against 201, 210, and 249; of diphtheria, 121 cases, against 104, 105, and 115; and of enteric fever, 31 cases, against 33, 33, and 33. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 1st, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3326 births and 1631 deaths were registered. Allowing for increase of population, these numbers are 369 and 143 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from diphtheria, 4 from whooping-cough, 2 from enteric fever, and 11 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·07 inches, and that of the Thermometer 57°·4, the latter being 4°·6 above the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 5 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 33·6 hours; the measured rainfall amounted to 0·08 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 8th October, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 17th Sept., 1910.	24th Sept., 1910.	1st Oct., 1910.	8th Oct., 1910.	Rate from Diseases in Cols. 11–17 Week ended 8th Oct., 1910.	Registered during the Week ended 8th Oct., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**12·6**	**13·0**	**13·3**	**12·8**	**1·5**	**7741**	**4163**	**1064**	**1153**	**–**	**53**	**21**	**42**	**49**	**21**	**311**	**158**	**331**	**1173**	**33**	**77 TOWNS.**
LONDON	4,872,702	12·2	12·0	13·0	12·3	1·1	2137	1148	276	332	–	18	3	8	10	7	59	66	128	512	2	LONDON.
CROYDON	164,485	7·9	12·7	10·5	8·6	1·0	50	27	5	12	–	–	–	–	–	–	3	–	1	7	–	CROYDON.
WILLESDEN ..	166,088	5·0	6·6	11·0	7·2	0·3	80	23	5	9	–	–	–	–	–	–	1	3	3	4	–	WILLESDEN.
HORNSEY	98,561	3·2	7·4	5·3	7·9	–	28	15	3	9	–	–	–	–	–	–	–	1	1	3	–	HORNSEY.
TOTTENHAM ..	132,803	9·4	8·2	11·4	7·1	0·4	50	18	5	7	–	–	–	–	–	–	1	1	2	6	–	TOTTENHAM.
WEST HAM ..	328,585	10·0	9·7	10·3	10·2	2·1	147	64	22	11	–	1	–	3	1	–	8	2	5	17	–	WEST HAM.
EAST HAM.. ..	156,208	6·7	6·0	7·0	7·3	–	60	22	7	4	–	–	–	–	–	–	–	–	2	3	–	EAST HAM.
LEYTON	133,436	8·2	4·7	7·8	7·4	1·2	71	19	5	7	–	–	1	1	–	–	1	–	2	4	–	LEYTON.
WALTHAMSTOW	141,748	8·5	8·1	8·1	8·5	0·4	69	23	4	10	–	–	–	1	–	–	–	1	2	7	–	WALTHAMSTOW.
HASTINGS	68,520	12·2	9·9	10·7	7·6	–	14	10	2	4	–	–	–	–	–	–	–	–	1	2	–	HASTINGS.
BRIGHTON	131,900	10·3	15·8	10·3	13·8	1·6	36	35	4	13	–	2	–	–	–	–	2	–	1	7	–	BRIGHTON.
PORTSMOUTH ..	217,989	10·8	12·0	12·9	13·6	0·7	129	57	16	20	–	–	–	1	1	–	1	1	4	14	–	PORTSMOUTH.
BOURNEMOUTH ..	73,947	10·6	12·0	6·3	14·8	–	28	21	2	9	–	–	–	–	–	–	–	–	1	4	–	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	8·2	7·4	13·5	11·9	2·1	58	29	2	13	–	1	–	1	–	1	2	–	1	11	–	SOUTHAMPTON.
READING	84,355	11·1	8·7	9·9	10·5	–	27	17	1	7	–	–	–	–	–	–	–	–	1	3	1	READING.
NORTHAMPTON ..	99,113	9·5	11·6	12·6	10·0	1·6	32	19	4	10	–	–	–	–	1	–	2	–	2	3	–	NORTHAMPTON.
IPSWICH	75,936	9·6	9·6	11·0	16·5	0·7	45	24	3	11	–	–	–	–	–	–	1	1	1	4	–	IPSWICH.
GREAT YARMOUTH	53,715	14·6	18·4	16·5	10·7	–	31	11	2	3	–	–	–	–	–	–	–	1	2	3	–	GREAT YARMOUTH.
NORWICH	125,446	10·8	11·6	9·6	16·4	1·2	52	25	5	8	–	–	1	1	–	–	1	–	–	6	–	NORWICH.
PLYMOUTH	126,266	12·0	15·7	18·2	13·6	2·5	56	33	12	12	–	–	–	–	–	–	6	1	1	3	–	PLYMOUTH.
DEVONPORT	84,695	8·0	9·9	13·5	12·3	1·2	36	20	9	5	–	–	–	–	–	–	2	1	3	2	–	DEVONPORT.
BRISTOL	382,550	9·7	10·2	9·7	12·1	1·0	156	89	16	32	–	–	2	2	–	–	3	3	8	19	–	BRISTOL.
STOKE ON TRENT ..	245,726	17·6	15·3	18·0	18·9	3·6	142	89	32	21	–	–	1	4	1	1	10	2	4	8	1	STOKE ON TRENT.
BURTON ON TRENT	54,977	9·5	8·5	7·6	7·6	0·9	24	8	3	2	–	1	–	–	–	–	–	–	–	1	1	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	9·3	6·4	13·8	15·7	0·5	38	32	8	15	–	–	–	–	–	–	1	2	5	5	–	WOLVERHAMPTON.
WALSALL	101,035	7·7	13·4	12·9	8·8	1·5	60	17	3	8	–	–	1	–	–	–	2	–	–	2	–	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	5·0	6·5	5·8	6·5	–	26	9	–	4	–	–	–	–	–	–	–	–	–	1	–	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	5·9	11·7	11·7	6·6	1·5	25	9	4	1	–	–	–	1	–	–	1	–	–	1	–	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 17th Sept., 1910.	24th Sept., 1910.	1st Oct., 1910.	8th Oct., 1910.	Rate from Diseases in Cols. 11-17. Week ended 8th Oct., 1910.	Registered during the Week ended 8th Oct., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	10·9	12·6	13·3	13·0	1·0	292	142	44	46	-	1	-	-	-	1	9	5	8	41	4	Birmingham.
Kings Norton ..	84,673	11·1	6·2	5·5	3·7	0·6	40	6	1	3	-	-	-	-	-	-	1	1	1	1	-	Kings Norton.
Smethwick	72,350	13·7	6·5	9·4	10·8	2·2	30	15	6	4	-	-	-	-	-	-	3	-	2	2	-	Smethwick.
Aston Manor ..	86,269	6·0	10·3	7·3	7·9	1·2	37	13	1	6	-	-	-	1	-	-	1	1	2	3	-	Aston Manor.
Coventry	81,449	12·2	16·0	16·6	13·4	1·3	58	21	4	5	-	-	-	-	-	-	2	-	-	1	1	Coventry.
Leicester	248,374	9·7	11·5	10·5	10·9	1·3	109	52	11	16	-	-	-	-	1	1	4	3	4	13	-	Leicester.
Grimsby	74,283	17·5	9·1	12·6	16·8	4·2	34	24	7	6	-	-	-	-	-	-	6	-	1	5	-	Grimsby.
Nottingham ..	266,471	14·1	15·1	11·0	12·7	1·2	100	65	16	23	-	2	-	-	1	-	3	3	6	10	-	Nottingham.
Derby	131,256	7·2	12·7	8·3	10·7	0·4	59	27	8	10	-	-	-	-	-	-	1	1	1	5	-	Derby.
Stockport	105,087	14·4	17·9	17·4	13·9	1·5	67	28	10	5	-	1	-	-	-	-	2	1	1	12	-	Stockport.
Birkenhead ..	122,431	17·0	15·3	15·8	17·5	1·7	85	41	13	8	-	-	-	-	2	1	1	2	2	8	-	Birkenhead.
Wallasey . ..	73,173	11·4	6·4	9·3	12·8	1·4	33	18	1	6	-	-	-	-	-	1	1	1	3	3	-	Wallasey.
Liverpool . ..	767,606	18·5	18·1	18·7	17·9	2·9	400	264	78	56	-	11	1	2	2	1	25	7	16	79	7	Liverpool.
Bootle	70,548	17·7	18·5	14·0	16·3	2·2	40	22	7	3	-	-	-	-	-	-	3	-	-	8	1	Bootle.
St. Helens	96,523	12·4	19·4	15·1	17·8	2·7	58	33	8	5	-	-	1	1	-	-	3	2	2	11	2	St. Helens.
Wigan	91,732	9·7	16·5	20·5	12·5	1·1	54	22	7	5	-	-	-	-	-	-	2	-	-	1	-	Wigan.
Warrington ..	73,295	10·7	17·8	19·2	13·5	2·1	47	19	6	1	-	-	1	-	-	-	2	-	-	3	-	Warrington.
Bolton	190,315	16·2	16·4	16·4	13·2	0·8	81	48	9	11	-	-	-	-	1	-	2	2	6	9	-	Bolton.
Bury	59,409	15·8	11·4	14·0	12·3	4·4	25	14	7	3	-	-	-	1	-	-	4	1	1	2	-	Bury.
Manchester ..	716,354	14·2	15·8	14·3	13·9	1·8	337	191	49	32	-	3	-	-	7	-	15	7	15	61	1	Manchester.
Salford	244,636	16·0	13·6	14·3	15·8	2·6	113	74	21	12	-	2	3	2	1	-	4	1	4	23	-	Salford.
Oldham	144,111	13·4	20·3	17·0	11·9	2·2	79	33	7	8	-	1	-	-	1	1	3	-	-	3	-	Oldham.
Rochdale	90,497	13·8	12·1	20·7	19·0	0·6	32	33	2	8	-	-	-	-	-	-	1	-	-	7	2	Rochdale.
Burnley	107,448	15·5	13·6	17·0	21·8	3·9	52	45	13	11	-	-	-	-	1	-	7	1	2	7	1	Burnley.
Blackburn	137,972	14·7	12·8	12·1	9·8	3·0	54	26	12	5	-	-	-	-	1	-	7	2	2	3	1	Blackburn.
Preston	119,253	17·1	16·6	14·9	15·3	3·5	29	35	12	8	-	1	-	-	-	1	6	1	1	3	1	Preston.
Barrow in Furness.	63,689	11·5	13·9	13·1	8·2	0·8	22	10	1	3	-	-	-	-	-	-	1	-	-	2	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 8th October, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 17th Sept., 1910.	24th Sept., 1910.	1st Oct., 1910.	8th Oct., 1910.	Rate from Diseases in Cols 11–17. Week ended 8th Oct., 1910.	Registered during the Week ended 8th Oct., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	15·4	14·9	17·1	18·7	3·9	39	34	6	14	-	-	-	1	2	-	4	1	1	7	-	HUDDERSFIELD.
HALIFAX	112,818	14·8	19·4	13·4	9·7	0·5	37	21	7	8	-	-	1	-	-	-	-	1	2	3	-	HALIFAX.
BRADFORD	295,865	13·2	12·5	14·1	12·5	0·7	79	71	11	25	-	-	-	1	-	1	2	3	7	19	-	BRADFORD.
LEEDS	490,985	15·5	13·5	10·7	14·3	1·8	200	135	33	39	-	3	-	3	3	-	8	3	9	27	-	LEEDS.
DEWSBURY	51,224	10·2	20·4	20·4	16·3	3·1	15	16	5	4	-	-	-	-	-	1	2	2	2	5	-	DEWSBURY.
SHEFFIELD	478,763	14·6	14·6	15·7	13·9	2·6	229	128	29	30	-	-	2	1	4	-	17	4	13	40	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	12·6	17·3	17·3	12·6	3·1	40	16	6	2	-	-	-	-	3	-	1	-	-	-	-	ROTHERHAM.
YORK	88,159	7·7	11·8	11·2	10·6	1·8	34	18	6	5	-	-	-	1	-	-	2	-	-	1	-	YORK.
HULL	280,006	17·5	17·9	14·7	16·8	2·8	145	90	22	21	-	-	-	2	1	3	9	4	9	16	-	HULL.
MIDDLESBROUGH ..	107,014	21·9	18·0	20·5	14·1	2·9	66	29	7	5	-	-	-	-	1	-	5	1	2	6	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	16·5	13·6	14·6	15·5	2·9	32	16	5	4	-	-	1	-	-	-	2	-	-	4	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	12·1	10·2	7·6	8·9	1·3	31	14	4	4	-	-	-	-	-	-	2	-	-	-	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	15·9	15·2	13·6	20·7	2·6	80	64	16	23	-	2	-	-	1	-	5	3	4	17	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	10·9	15·2	16·5	10·9	1·7	43	25	12	3	-	-	-	-	1	-	3	3	4	2	1	SOUTH SHIELDS.
GATESHEAD	133,676	9·8	13·3	17·2	12·9	2·0	62	33	12	8	-	-	-	-	-	-	5	1	1	5	2	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	12·2	13·3	13·3	13·9	1·5	131	76	14	19	-	2	-	2	1	-	3	2	10	13	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	22·1	14·8	14·8	16·6	1·8	35	18	6	3	-	-	-	-	-	-	2	-	1	2	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	12·4	17·7	20·3	11·8	1·3	45	18	6	4	-	-	1	-	-	-	1	-	-	2	-	NEWPORT (MON.).
CARDIFF	199,189	11·0	14·4	11·5	8·4	0·5	97	32	8	6	-	-	-	-	-	-	2	-	2	6	-	CARDIFF.
RHONDDA	138,674	13·9	14·3	18·0	11·7	3·4	107	31	14	8	-	1	1	1	-	-	6	1	1	3	1	RHONDDA.
MERTHYR TYDFIL..	79,522	11·8	11·1	11·1	15·1	1·3	57	23	9	3	-	-	-	-	-	-	2	1	1	4	-	MERTHYR TYDFIL.
SWANSEA	98,817	14·8	22·7	19·0	11·1	1·1	63	21	5	7	-	-	-	-	-	-	2	-	1	3	-	SWANSEA.
GREATER LONDON	7,537,196	10·7	10·8	11·6	11·3	1·0	3326	1631	377	508	-	19	4	16	15	9	84	89	170	607	5	GREATER LONDON.
OUTER RING ..	2,664,494	8·0	8·6	9·0	9·5	0·8	1189	483	101	176	-	1	1	8	5	2	25	23	42	95	3	OUTER RING.
8 TOWNS IN OUTER RING	1,321,914	7·8	8·2	9·3	8·3	0·9	555	211	56	69	-	1	1	5	1	-	14	8	18	51	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·2	8·9	8·8	10·6	0·8	634	272	45	107	-	-	-	3	4	2	11	15	24	44	3	REMAINDER OF OUTER RING.
EDINBURGH	360,276	11·7	11·9	14·6	13·9	1·0	141	96	16	41	-	-	1	4	-	-	2	6	?	38	2	EDINBURGH.
GLASGOW	884,505	13·3	13·4	12·9	14·9	2·3	398	252‡	55	71	-	-	3	8	4	1	23	11	?	81	3	GLASGOW.
DUBLIN (Registration Area).†	402,928	18·8	21·4	20·2	19·5	2·6	219	151	37	32	-	1	1	2	2	2	12	9	12	49	3	DUBLIN (Registration Area).†
BELFAST‡	391,167	15·5	16·3	14·0	12·5	1·2	200	94	31	20	-	1	-	-	1	-	7	-	2	20	1	BELFAST.‡

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTIETH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2319	2499	2335	2378	2470	2380	2251	2162	2288	2292	2329·1	2137
Males - - -	1150	1269	1204	1209	1253	1214	1140	1070	1186	1157	1181·1	1077
Females - -	1169	1230	1131	1169	1217	1166	1111	1092	1102	1135	1148·0	1060
TOTAL **Deaths** -	1391	1280	1381	1283	1243	1189	1404	1212	1125	1127	1240·4	1148
Males - - -	719	665	707	662	641	618	683	646	574	578	634·6	632
Females - -	672	615	674	621	602	571	721	566	551	549	605·8	516

* The numbers in this column are the average weekly numbers in the Fortieth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	13 Weeks.
TOTAL **Births** -	2163	2176	2429	1854	2367	2303	2268	2118	2088	2050	2079	2237	2137	28269
TOTAL **Deaths** -	1036	962	957	956	962	952	1009	1005	1009	1140	1118	1215	1148	13469
Ages at Death: Under 1 year -	172	187	151	173	174	184	214	223	253	275	249	275	276	2806
1—5 years -	99	104	89	107	90	110	116	100	121	95	106	113	96	1346
5—20 " -	70	61	52	54	52	58	37	69	46	63	53	50	62	727
20—40 " -	120	132	124	122	136	130	122	116	111	147	133	136	141	1670
40—60 " -	230	200	229	210	223	202	207	198	206	225	243	271	241	2885
60 yrs. & upwds.	345	278	312	290	287	268	313	299	272	335	334	370	332	4035
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	31	36	23	30	28	27	35	23	21	27	18	15	18	332
Scarlet Fever - -	4	5	2	5	1	4	3	5	2	4	3	4	3	45
Diphtheria - -	7	8	4	8	6	6	10	5	10	5	9	10	8	96
Whooping-cough -	19	27	14	18	19	13	11	8	12	15	11	10	10	187
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	2	4	2	4	1	1	3	3	6	12	10	7	56
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Diarrhœa, Dysentery	14	18	12	23	26	37	65	96	94	104	76	82	59	706
All above diseases -	76	96	59	86	84	88	125	140	143	161	129	131	105	1423
Dis. of Resp. System	51	46	48	50	48	48	42	50	47	51	52	66	53	652
Pneumonia - -	80	85	63	74	65	73	87	65	67	69	71	112	112	1023
Phthisis - - -	84	78	82	99	81	88	77	87	91	113	100	104	105	1189
Dis. of Circ. System -	183	128	158	150	138	121	142	145	147	180	171	202	163	2028
Violence - - -	46	44	48	50	43	48	34	43	53	38	50	53	66	616
Inquest Cases - -	114	95	103	119	94	112	80	109	112	107	125	119	128	1417
Deaths in Institutions	455	446	437	459	438	438	466	418	523	528	528	540	512	6188
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	57·9	59·2	58·8	60·2	60·7	62·7	59·9	58·3	54·7	56·1	53·8	58·6	57·4	58·3
Mean of Highest -	67·4	67·7	68·3	71·5	70·8	73·7	70·2	67·4	61·8	63·8	63·2	69·0	66·0	67·8
Mean of Lowest -	52·2	53·2	52·0	52·2	54·1	53·5	52·4	50·8	49·1	50·4	44·4	49·2	50·4	51·1
Mean Humidity of the Air.	84	85	77	77	85	75	77	77	79	81	76	88	79	80
Rain-fall (in inches) -	0·01	1·22	0·35	0·85	0·18	0·19	0·80	0·41	0·02	0·66	0·00	0·10	0·08	4·87
Registered Sunshine (in hours).	34·5	17·6	29·5	49·6	27·7	52·7	37·1	38·6	15·7	21·2	55·4	30·7	33·6	443·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	3	3	1	1	-	-	-	-	-	-	-	-	-	1
Scarlet Fever - -	1530	1548	1563	1523	1490	1423	1447	1455	1462	1509	1560	1653	1706	1528
Diphtheria - - -	646	626	619	584	584	591	578	592	630	672	709	751	788	644
Typhus - - -	1	1	-	-	-	1	1	1	1	1	1	1	1	1
Enteric Fever - -	50	50	46	46	46	51	59	60	79	102	123	144	163	78

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTIETH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionab should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 40th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1240·4	1148	276	96	62	141	241	332
Small-pox*	0·2	–	–	–	–	–	–	–
Cowpox	0·2	–	–	–	–	–	–	–
Measles (Morbilli)	8·2	18	2	14	2	–	–	–
Scarlet Fever	11·9	3	–	1	2	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	6·3	6	–	–	–	–	4	2
Whooping-cough	15·4	10	4	6	–	–	–	–
Diphtheria	11·9	8	–	5	3	–	–	–
Cerebro-spinal Fever ..	–	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	6·8	7	–	–	3	2	2	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	58·2	35	24	11	–	–	–	–
Diarrhœa, Dysentery ..	36·2	24	19	3	–	1	1	–
Tetanus	0·4	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	5·5	8	6	–	–	2	–	–
Puerperal Septicæmia ..	3·3	1	–	–	–	1	–	–
Puerperal Pyæmia.. .	0·4	2	–	–	–	2	–	–
Puerperal Fever	–	–	–	–	–	–	–	–
Infective Endocarditis ..	2·9	1	–	–	–	–	1	–
Pneumonia: Lobar ..	10·6	17	2	1	1	5	5	3
Pneumonia: Broncho ..	37·1	33	15	13	1	2	2	5
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	48·1	57	8	7	1	5	16	20
Erysipelas	4·1	4	1	–	–	1	1	1
Septicæmia (not Puerperal)	1·2	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	0·6	–	–	–	–	–	–	–
Other Infective Processes	3·9	5	2	–	–	1	2	–
Tuberculous Phthisis ..	76·2	73	–	1	9	25	27	11
"*Phthisis*"	36·2	32	–	1	2	17	10	2
Tuberculous Meningitis ..	14·9	13	5	4	3	1	–	–
Tuberculous Peritonitis ..	9·2	4	2	–	–	1	1	–
Tabes Mesenterica	2·9	3	1	2	–	–	–	–
Tuberculous Dis., Other ..	18·0	18	4	5	3	4	2	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	7·6	2	–	–	–	–	2	–
Rheumatic Fever	5·5	2	–	–	–	1	–	1
Gout	1·2	3	–	–	–	1	2	–
Carcinoma	60·4	46	–	–	–	4	20	22
Sarcoma	5·5	11	–	–	4	2	3	2
Cancer (undefined) ..	29·7	29	–	–	–	1	7	21
Diabetes Mellitus	8·2	6	–	–	–	1	2	3
Premature Birth	43·6	56	56	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 40th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	9·4	11	6	3	1	–	1
Gen. Par. of Insane, Insanity	14·1	7	–	–	1	1	–
Epilepsy	5·9	5	–	–	–	3	2
Convulsions	15·2	6	5	1	–	–	–
Locomotor Ataxy.. ..	2·5	1	–	–	–	–	–
Paraplegia, Dis. of Cord.	4·1	5	–	–	–	–	2
Nervous Sys., Other Dis.	16·0	20	1	1	2	2	4
Valv. Dis., Endocarditis..	43·4	36	–	–	3	7	12
Cereb. Hæm. Cereb. Emb.	29·1	40	–	–	–	2	13
Apoplexy, Hemiplegia ..	12·3	12	–	–	–	–	4
Aneurysm	4·9	2	–	–	–	–	2
Embolism, Thrombosis (not Cerebral) ..	0·6	2	–	–	–	–	1
Heart & Blood Ves., Other Dis... ..	73·1	71	–	–	2	9	18
Croup (not Spasm: nor Memb.)	0·4	–	–	–	–	–	–
Bronchitis	59·6	41	11	2	1	–	6
Emphysema, Asthma ..	3·1	2	–	–	–	–	–
Pleurisy	3·5	2	–	1	–	–	1
Respiratory Dis., Other..	9·0	8	–	2	1	1	–
Tonsillitis, Quinsy.. ..	1·6	–	–	–	–	–	–
Enteritis (not Epid.) ..	24·2	15	11	2	1	–	–
Gastro-enteritis	14·5	19	16	2	1	–	–
Peritonitis (not Puerp.) ..	2·3	4	–	–	3	–	1
Cirrhosis of Liver.. ..	11·5	7	–	–	–	–	4
Liver Dis., Other	3·1	4	–	–	–	–	2
Digestive Sys., Other Dis.	39·1	37	1	–	2	9	14
Acute Nephritis	7·2	10	–	–	–	1	6
Bright's Dis., Albuminuria	30·5	24	–	–	–	1	8
Urinary Sys., Other Dis.	8·4	10	–	–	–	–	1
Generative Organs Dis...	6·1	6	1	–	–	–	4
Childbirth (Accid. of) ..	3·1	5	–	–	1	3	1
Old Age	46·7	37	–	–	–	–	–
Other Diseases	95·0	91	60	5	3	6	9
ACCIDENT.							
By Railways	1·2	–	–	–	–	–	–
By Vehicles and Horses..	5·1	15	–	1	3	2	4
In Ships, Boats, Docks, (exclusive of Drowning)	–	–	–	–	–	–	–
In Building Operations..	1·0	1	–	–	–	1	–
In Conflagrations	0·2	–	–	–	–	–	–
By Burns, Scalds, Explosions	4·3	2	1	–	–	1	–
By Drowning	3·5	3	–	–	–	2	1
By Suffocation in Bed ..	5·3	11	10	1	–	–	–
By Poisons or Poisonous Vapours	1·2	4	1	–	1	1	1
Other Deaths by Accident..	12·9	14	1	1	2	1	3
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	1·6	–	–	–	–	–	–
Suicide	11·9	16	–	–	–	8	6
Execution	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th October, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2137	1148	276	332	-	18	3	8	10	7	59	105	66	128	512	2
WEST DISTRICTS	805,311	334	193	39	64	-	3	1	-	3	1	11	18	14	17	84	-
NORTH DISTRICTS	1,055,908	448	246	56	87	-	2	-	2	1	4	12	26	7	15	114	-
CENTRAL DISTRICTS	209,465	99	70	17	13	-	-	-	1	-	-	3	5	10	18	38	1
EAST DISTRICTS	715,739	390	201	72	42	-	1	-	-	1	-	8	17	15	39	102	-
SOUTH DISTRICTS	1,749,844	866	418	92	120	-	12	2	4	5	2	23	39	19	37	154	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	20	-	6	-	-	-	1	-	-	2	-	1	2	20	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	29	13	4	6	-	-	-	-	-	-	2	-	-	1	-	-
Central Paddington *W,3H*	50,053	24	23	4	7	-	-	-	-	-	-	1	3	-	-	16	-
South Paddington	30,320	11	5	1	2	-	1	-	-	-	-	-	1	-	-	-	-
Kensington South *W,3H*	85,610	11	19	2	8	-	1	-	-	1	-	-	3	1	1	9	-
Kensington Central *W,H*	42,774	18	6	1	2	-	-	-	-	1	-	1	-	-	-	2	-
Kensington North *w*	48,244	28	22	6	8	-	-	-	-	1	-	-	-	2	3	7	-
North Hammersmith 2*W,w,H* ..	49,192	35	4	-	2	-	1	-	-	-	-	-	-	-	-	2	-
South Hammersmith *w,2H* ..	63,047	28	13	4	5	-	-	-	-	-	-	1	-	-	-	4	-
North-west Fulham *W*	45,180	40	22	5	6	-	-	-	-	-	-	2	7	1	1	13	-
North-east Fulham *F*	46,405	19	10	3	1	-	-	1	-	-	-	1	2	1	1	1	-
South Fulham *W*	45,704	27	6	2	2	-	-	-	-	-	-	-	1	1	1	-	-
Chelsea North *W,w,3H*	42,514	12	5	1	3	-	-	-	-	-	-	-	-	-	-	4	-
Chelsea South *W,2H*	31,328	12	5	1	2	-	-	-	-	-	-	2	-	-	-	3	-
Mayfair and Knightsbridge	28,743	2	7	1	1	-	-	-	-	-	-	1	-	2	3	-	-
Belgrave *W,2H*	55,815	15	9	1	1	-	-	-	-	-	-	-	1	2	2	7	-
St. Margaret & St. John *6H*	43,698	15	18	3	6	-	-	-	-	-	1	-	-	4	4	12	-
St. James and St. Anne *W,6H* ..	33,081	8	6	-	2	-	-	-	-	-	-	-	-	-	-	4	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	18	17	3	5	-	-	-	-	-	-	-	-	2	3	11	-
St. Mary Marylebone *W,4H* ..	37,948	40	9	5	3	-	-	-	-	-	-	-	-	-	-	5	-
Christchurch Marylebone *H* ..	39,536	14	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	7	5	2	3	-	-	-	-	-	-	1	-	-	-	-	-
Hampstead *W,F,6H*	81,942	26	9	2	4	-	-	-	1	-	-	-	1	-	-	5	-
West St. Pancras *2H*	60,562	19	15	5	4	-	-	-	-	-	-	-	4	1	2	1	-
South St. Pancras *w,10H*	55,707	22	20	5	5	-	-	-	-	-	-	5	1	-	1	15	-
East St. Pancras *W,H*	60,320	31	25	7	12	-	1	-	-	-	-	1	2	1	2	13	-
North St. Pancras *2W*	58,728	22	10	-	5	-	-	-	-	-	-	-	2	-	-	6	-
Tufnell *W*	31,995	15	25	1	16	-	-	-	-	-	-	-	2	-	-	19	-
Upper Holloway 2*W,w,H*	33,978	10	21	1	9	-	-	-	-	1	1	3	4	-	-	16	-
Tollington 2*W,w,H*	33,922	13	6	3	1	-	-	-	-	-	-	-	1	-	1	-	-
Lower Holloway	41,424	18	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	35	9	3	1	-	1	-	-	-	-	-	1	1	1	-	-
Islington South-east *F*	75,397	35	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-
Highbury *2H*	63,797	19	7	2	-	-	-	-	-	-	-	-	1	1	1	-	-
Stoke Newington *H*	51,247	19	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	15	5	3	-	-	-	-	-	-	-	1	1	-	-	-	-
Central Hackney 2*w,F*	50,536	20	11	2	2	-	-	-	1	-	1	-	1	-	1	3	-
South-west Hackney *3H*	59,921	26	13	3	2	-	-	-	-	-	2	1	-	-	-	9	-
South-east Hackney 2*W,H* ..	58,255	24	17	3	6	-	-	-	-	-	-	-	5	1	3	11	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th October, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	15	4	2	1	-	-	-	-	-	-	-	-	1	2	2	-
Strand *W*,4*H*	21,674	2	12	2	3	-	-	-	-	-	-	1	-	2	3	8	1
Strand Union Workhouse, Edmonton	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Holborn *W*,5*H*	29,612	8	15	5	1	-	-	-	1	-	-	-	-	2	2	9	-
Clerkenwell *H*	63,704	30	7	3	-	-	-	-	-	-	-	1	2	-	1	1	-
St. Luke 3*H*,*L*	36,116	33	5	4	-	-	-	-	-	-	-	-	-	-	-	3	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	4	3	-	2	-	-	-	-	-	-	-	-	-	2	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	7	20	1	3	-	-	-	-	-	-	1	2	5	8	11	-
City of London Asylum, Stone	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	3	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	24	7	2	2	-	-	-	-	-	-	2	-	1	2	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	22	18	5	7	-	-	-	-	-	-	-	3	1	1	14	-
Shoreditch North-East	36,148	18	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	35	22	9	2	-	-	-	-	-	-	1	3	1	5	15	-
Bethnal Green South-West *H* ..	64,542	34	21	11	4	-	-	-	-	-	-	1	1	1	4	3	-
Spitalfields..	27,969	14	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	18	34	9	5	-	-	-	-	-	-	1	1	4	4	31	-
Goodman's Fields	22,081	10	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
St. George and St. John 2*W* ..	49,068	33	11	4	3	-	-	-	-	-	-	1	3	-	1	6	-
Shadwell and Ratcliff *w*,*H* ..	25,568	11	13	6	1	-	1	-	-	1	-	-	2	1	3	9	-
Limehouse *W*	32,369	24	5	1	1	-	-	-	-	-	-	1	1	-	2	-	-
Mile End Old Town South-Western *H*	63,698	32	11	4	2	-	-	-	-	-	-	-	-	-	2	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	21	12	3	3	-	-	-	-	-	-	-	1	-	-	9	-
Bow	41,989	21	5	4	-	-	-	-	-	-	-	-	1	-	-	-	-
Bromley 3*w*,*H*	68,319	37	19	7	5	-	-	-	-	-	-	1	1	3	7	10	-
Poplar *W*,*w*	58,514	33	16	3	7	-	-	-	-	-	-	-	-	3	5	4	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

BLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th October, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	12	18	4	-	-	1	-	-	-	-	1	-	2	2	15	-
Kent-road	21,904	16	2	1	-	-	-	-	-	-	-	2	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	12	7	2	-	-	-	-	-	1	-	3	1	-	-	5	-
Newington North	49,022	30	11	3	1	-	2	-	-	1	-	-	1	-	-	-	-
Newington South *W*	72,841	34	10	2	-	-	-	-	-	-	-	-	2	-	1	-	-
St. Olave *2W*	9,817	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Bermondsey *W*	82,483	61	11	6	1	-	2	-	-	-	-	2	1	-	-	-	-
Rotherhithe *W,F*	38,460	23	15	1	3	-	1	-	-	-	1	-	4	-	-	8	-
Waterloo *2H*	27,440	32	8	4	-	-	-	-	-	-	-	-	1	2	2	6	-
Lambeth Church *H*	27,440	17	24	3	6	-	-	-	1	-	-	1	-	4	5	18	-
Kennington *2W*	52,518	22	19	6	3	-	1	-	-	-	-	2	5	-	-	7	-
Stockwell *HF*	63,826	35	10	1	3	-	-	-	2	-	-	-	-	-	1	2	-
Brixton *H*	73,673	25	9	4	3	-	-	-	-	-	-	-	-	1	1	2	-
Norwood *2WH*	56,998	17	7	1	3	-	-	-	-	-	-	-	1	-	-	1	-
East Battersea *H*	72,203	33	9	-	4	-	-	-	-	1	-	-	1	-	2	-	-
North-west Battersea	49,656	32	11	3	3	-	-	-	-	1	1	2	1	-	1	-	-
South-west Battersea *2W,H* ..	47,048	13	25	5	10	-	-	-	-	-	-	-	4	-	1	17	-
Clapham *2H*	51,361	18	11	1	3	-	-	-	-	-	-	-	-	-	-	2	-
Streatham *W,2w,2F,2L*	88,019	46	22	2	11	-	-	-	1	-	-	1	2	-	-	10	-
Springfield *2W,L*	27,959	19	9	4	4	-	-	-	-	-	-	2	-	-	1	1	-
Southfields *H*	40,444	28	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Putney	24,139	6	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	27	4	11	-	-	-	-	-	-	-	2	-	-	23	-
Camberwell North *W,2L*	65,584	28	18	4	7	-	1	-	-	-	-	-	2	1	4	8	-
St. George	47,331	25	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	33	13	4	4	-	-	-	-	1	-	-	1	1	3	-	1
Peckham South *2W,w*	43,946	10	5	1	3	-	-	-	-	-	-	-	-	-	1	1	-
Deptford North *F*	49,004	21	10	4	1	-	-	-	-	-	-	2	1	2	2	-	-
Deptford East	29,781	13	9	3	1	-	2	-	-	-	-	-	1	-	1	-	-
Deptford South	38,934	17	7	1	2	-	-	-	-	-	-	-	1	1	1	-	-
Greenwich West *H*	23,456	11	7	3	3	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich East *2W,H*	43,859	29	17	3	6	-	-	-	-	-	-	1	2	1	1	11	-
Eltham *w,H*	7,226	3	3	1	1	-	-	-	-	-	-	-	1	1	1	-	-
Lee *w,H*	25,490	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	32	16	2	6	-	-	-	-	-	-	1	1	3	4	8	-
Sydenham *H*	43,653	17	9	1	5	-	-	-	-	-	-	1	-	-	1	-	-
Charlton *F,2H*	21,134	8	5	1	-	-	-	2	-	-	-	1	-	-	-	3	-
Woolwich *5H*	41,625	23	6	1	2	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead West *W,H*	39,376	18	7	2	3	-	-	-	-	-	-	1	1	-	-	-	-
Plumstead East *2W*	28,951	15	6	1	1	-	-	-	-	-	-	-	1	-	-	4	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	3	-	1	-	-	-	-	-	-	-	-	-	1	3	-
Cane Hill	—	-	4	-	1	-	-	-	-	-	-	-	-	1	1	4	-
Dartford Heath	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Claybury	—	-	4	-	-	-	-	-	-	-	-	2	-	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boards Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 8th October, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1189	483	101	176	-	1	1	8	5	2	25	23	42	95
31 : 1	Carshalton 2F,3H	12,228	32,997	11	9	2	3	-	-	-	-	-	-	-	-	-	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	3	1	1	-	-	-	-	-	-	1	-	-	-
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	4	4	1	2	-	-	-	-	-	-	-	-	-	3
39 : 1	Coulsdon	11,069	8,166	2	3	-	1	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	14	11	2	5	-	-	-	-	-	-	1	-	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	19	11	2	4	-	-	-	-	-	-	1	-	-	4
4	North Croydon H	2,644	41,698	17	3	1	2	-	-	-	-	-	-	1	-	-	1
5	Penge w	770	22,465	5	5	1	4	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	39	11	3	5	-	-	-	-	-	-	3	-	-	-
40 : 1	Wimbledon F,3H	3,221	41,652	23	10	2	1	-	-	-	1	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	22	13	2	6	-	-	-	-	-	-	1	-	-	7
3	Surbiton F,H	3,046	15,017	5	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	8	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	7	3	1	1	-	-	-	-	-	-	-	-	1	-
41 : 1	Richmond W,H	2,431	31,672	7	5	-	4	-	-	-	-	-	-	-	-	-	1
2	Mortlake F	2,518	17,821	11	6	1	4	-	-	-	-	-	-	-	2	2	-
42 : 1	Bromley F,3H	4,696	27,397	14	4	-	2	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,832	28,454	11	7	1	3	-	-	-	-	-	-	-	-	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	5	5	1	2	-	-	-	-	1	-	2	-	-	3
4	Chislehurst 2H	7,333	16,446	4	4	-	3	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	13	3	-	1	-	-	-	-	-	-	-	-	-	1
2	Erith F,H	3,354	25,296	8	3	2	-	-	-	-	-	-	-	-	1	1	-
3	Dartford W,F, *part of** ..	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2
126 : 1	Sunbury w	11,054	18,683	17	10	1	4	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	4	5	1	2	-	-	-	-	-	-	-	-	-	1
127 : 1	Hillingdon W,F,H	6,035	13,661	7	3	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	2	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	20	2	-	1	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	50,863	26	13	4	4	-	-	-	-	2	-	-	1	2	6
2	Twickenham F,2H	2,421	20,991	8	7	1	4	-	-	-	-	-	-	-	-	-	-
3	Hanwell w,2H	4,108	11,257	8	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Brentford 3F,2H	4,038	48,202	34	14	4	7	-	-	-	-	-	-	1	-	3	-
5	Chiswick H	1,249	29,809	14	9	1	2	-	-	-	-	-	-	-	-	-	-
6	Acton F,H	2,305	37,744	23	12	3	2	-	-	-	1	1	2	1	1	1	1
129 : 1	Willesden W,F,2H	4,384	114,811	80	23	5	9	-	-	-	-	-	-	1	3	3	4
130 : 1	Harrow F,H	13,209	25,523	22	2	-	1	-	-	-	-	-	-	-	1	1	-
2	Edgware 2F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	13	3	-	1	-	-	-	-	-	-	-	-	-	-
131 : 1	South Mimms 2F,H ..	17,765	7,308	10	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	6	7	-	1	-	-	-	-	-	-	-	-	-	1
3	Finchley F,3H	4,638	33,692	24	7	2	4	-	-	-	-	-	-	-	2	3	-
132 : 1	Hornsey F,H	2,875	72,056	28	13	2	9	-	-	-	-	-	-	-	-	-	1
2	Wood Green H	1,625	34,233	23	11	-	6	-	-	-	-	-	-	-	-	1	-
3	West Tottenham	995	48,741	23	4	1	3	-	-	-	-	-	-	1	1	1	-
4	East Tottenham 2H ..	2,019	53,962	27	12	4	4	-	-	-	-	-	-	-	-	1	4
5	Edmonton W,w,2F	7,491	61,892	45	19	4	5	-	-	-	-	-	-	2	1	2	8
6	Enfield 2W,F,H	12,601	42,738	25	6	-	2	-	-	-	-	-	-	-	2	2	1
7	Waltham Abbey F	11,017	6,549	4	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	10	3	1	2	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	1	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	1	2	-	2	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	25	6	3	-	-	-	-	-	-	-	2	-	-	-
2	Forest Gate	787	52,745	20	5	2	1	-	-	-	-	-	-	1	-	-	-
3	Plaistow F,2H	1,249	90,921	50	28	14	3	-	1	-	3	1	-	5	1	1	6
4	Canning Town H	1,556	70,718	52	15	3	3	-	-	-	-	-	-	-	2	5	1
5	South East Ham 2F ..	1,991	37,342	26	12	6	1	-	-	-	-	-	-	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	34	7	-	2	-	-	-	-	-	-	-	-	1	-
7	Wanstead F	1,679	9,179	4	1	-	1	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	24	13	1	7	-	-	1	-	-	-	-	-	-	6
9	North Leyton 2W,w,F ..	1,963	48,445	47	22	5	8	-	-	-	1	-	-	1	1	3	14
10	Walthamstow 2H L ..	6,504	108,929	71	18	4	8	-	-	-	-	-	-	-	-	-	-
189 : 1	Chigwell 2F,3H	11,778	16,397	8	2	-	-	-	-	-	1	-	-	-	1	1	1
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	8	3	-	2	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	34	13	5	2	-	-	-	1	-	-	-	1	1	2
3	Barking Town F	3,805	21,547	24	6	1	2	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	5	-	1	-	-	-	-	-	-	-	2	2	5
	Herts County Lunatic Asylum, Hill End.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Essex County Lunatic Asylum, Brentwood.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	1	3

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esher parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting the part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 188 : 1, 140 : 2, 189 : 2, and 191 : 1 and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ONDON* - -	4,872,702	October 8	2137	1148	12·3	-	18	3	8	10	7	85
ALCUTTA - -	1,009,008	September 10	-	387‡	19·9	-	-	-	-	-	5	20
OMBAY - -	977,822	" 20	395	640‡	34·0	-	2	-	-	-	3	42
ADRAS - -	509,346	" 9	391	468‡	47·7	4	6	?	?	?	2	24
ARIS* - -	2,772,467	" 24	-	758	14·4	-	3	-	4	1	3	35
		October 1	992	777	14·7	-	2	-	2	8	4	35
RUSSELS* -	720,030	" 1	238	199	14·4	-	-	1	-	4	9	21
NTWERP* -	317,171	" 1	141	66	10·8	1	-	-	1	-	-	21
MSTERDAM* -	572,074	" 1	257	133	12·1	-	-	-	1	-	-	4
OPENHAGEN -	450,000	" 1	239	109	12·6	-	-	1	-	-	-	14
OCKHOLM -	341,816	September 24	160	84	12·8	-	-	-	-	-	-	5
HRISTIANIA -	240,178	October 1	102	46	10·0	-	1	-	-	-	-	2
. PETERSBURG	1,620,000	September 17	1094	643‡	20·7	5	4	8	7	-	8	68
OSCOW - -	1,493,600	" 24	-	693‡	24·2	-	3	21	21	8	9	120
ERLIN - -	2,124,467	" 17	837	536	13·2	-	2	10	12	2	1	61
AMBURG - -	911,500	October 1	-	261	15·2	-	-	1	13	1	-	35
RESLAU - -	509,992	September 24	-	138	14·1	-	-	-	4	5	-	19
UNICH - -	576,000	" 24	262	166	15·0	-	3	-	1	1	-	20
IENNA* - -	2,107,981	October 1	845	579	14·3	-	2	3	5	3	2	58
RAGUE* - -	497,905	September 10	160	153	16·0	-	-	1	4	3	1	8
		" 17	222	133	13·9	-	-	1	1	-	1	3
UDAPEST* -	833,703	" 24	424	259‡	15·9	-	1	6	3	1	6	22
RIESTE* - -	221,124	October 1	138	72	16·9	-	-	-	-	-	-	10
OME - - -	590,113	July 30	227	180	15·9	-	13	-	1	1	1	24
ENICE - -	183,224	August 20	-	-	-	-	-	-	-	-	-	-
UCAREST - -	297,643	" 27	183	126	22·1	-	-	8	-	-	-	28
		September 3	189	119	20·8	-	-	2	2	-	4	28
EW YORK* -	4,803,264	" 10	2383	1402	15·5	-	8	6	14	6	14	214
HICAGO* - -	2,185,283	" 17	-	558	13·2	-	1	6	7	4	11	131
HILADELPHIA*	1,598,400	August 20	-	487	15·8	-	1	2	5	18	6	85
IO DE JANEIRO	842,822	September 4	-	363	22·4	-	10	-	2	2	-	?
AIRO :—*												
Egyptians -	620,443	" 2	609	530	44·4	-	3	-	15	-	7	148
Foreigners -	62,510	" 2	4	14	11·6	-	-	-	-	-	2	6
LEXANDRIA :—*												
Egyptians -	319,087	" 2	291	258	42·0	-	2	-	3	-	1	76
Foreigners -	68,829	" 2	3	19	14·4	-	-	-	-	-	-	3

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 5 deaths from *plague* in Calcutta and 11 in Bombay, and from *Asiatic cholera*, 12 deaths in Calcutta, 3 in Bombay, 6 in Madras, 108 in St. Petersburg, 1 in Moscow, and 1 in Budapest.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 8th October, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	73·2	47·2	58·2	0·08	BRADFORD - -	66·9	45·3	55·1	0·56
BRIGHTON - -	68·8	47·8	59·9	0·02	YORK - - -	69·0	45·0	57·5	0 40
PORTSMOUTH - -	68·0	49·0	59·1	0·06	HULL - - -	70·0	44·0	57·9	0 07
NORWICH - -	71·2	42·0	57·1	0·03	TYNEMOUTH - -	68·0	44·0	55·4	0 62
PLYMOUTH - -	65·7	45·5	57·5	0·17	CARDIFF - - -	63·5	45·1	54·8	0·36
BRISTOL - - -	66·0	44·0	55·7	0·28	EDINBURGH - -	65·1	47·7	55·7	0·21
BIRMINGHAM - -	66·1	46·3	55·5	0·11	GLASGOW - -	66·6	40·8	56·0	0·38
NOTTINGHAM - -	69·0	41·0	54·8	0·04	DUBLIN Phœnix Park	63·6	38·2	52·5	0·59
LIVERPOOL OBSERVATORY	66 0	46·0	55 0	0·37	DUBLIN Fitzwilliam Square.†	63·3	43·6	53·8	1·10
MANCHESTER -	67·4	41·6	56 2	0 97					
BURNLEY - -	66·4	41·2	54 2	0·50					
HUDDERSFIELD -	68·2	42 2	56·0	0·31	BELFAST - - -	66·0	40·0	55·8	0·39

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 8th October, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
OCTOBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 2	..	29·681	73·2	55·0	18·2	62·5	+ 8·8	56·2	6·3	15·5	0·2	80	122·9	47·1	57·70	SW. & SSW.	SSW., S. & SW.	12·6	0·0	0·5	362	+ 92	0·07	12·3
MONDAY - 3	In Eqr. New.	30·077	61·9	49·0	12·9	54·4	+ 1·1	41·6	12·8	20·0	3·6	62	113·3	42·3	57·74	WSW., W. & NW.	NW. & W.	13·9	0·0	0·9	503	+230	0·01	1·5
TUESDAY - 4	..	30·336	65·4	47·2	18·2	56·6	+ 3·6	50·0	6·6	13·2	1·3	79	97·6	41·0	57·81	W. & WSW.	NW., W. & NNW.	0·9	0·0	0·0	246	− 26	0·00	0·0
WEDNESDAY 5	..	30·312	67·9	48·1	19·8	58·0	+ 5·2	52·5	5·5	14·0	0·4	82	99·0	40·6	57·55	NW., W. & N.	NNE., ENE. & NE.	0·2	0·0	0·0	143	−128	0·00	0·0
THURSDAY - 6	..	30·249	65·2	50·4	14·8	56·2	+ 3·7	51·0	5·2	13 3	0·0	83	98·1	38·5	57·43	ENE. & NE.	NE., E. & ESE.	0·5	0·0	0·0	159	−109	0·00	0·0
FRIDAY - 7	Apogee	30·009	64·2	50·3	13·9	57·1	+ 4·8	52·9	4·2	11·0	0·4	86	116·8	41·2	57 51	E., ENE. & ESE.	ESE. & E.	1·8	0·0	0·1	222	− 41	0·00	0·0
SATURDAY - 8	..	29·788	64·1	52·6	11·5	57·1	+ 5·1	51·7	5·4	12·1	0·6	82	108·4	41·0	57·50	E., ENE. & NE.	NE., NNE. & calm.	0·6	0·0	0·0	140	−118	0·00	3·0
MEANS - -		30·065	66·0	50·4	15·6	57·4	+ 4·6	50·8	6·6	14·2	0·9	79	108·0	41·7	57·61	Variable		..	..	..	Sum 1775	Sum −100	Sum 0·08	2·4
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.	Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 2	w. P. generally; v. P. and v. N. at 6h. P.M.	6·2	11·6	Cloudy till 9h. A.M.; very fine, warm, and bright till 3h. P.M.; cloudy with occasional showers afterwards; gusty wind prevalent after 6h. P.M.; rising to a gale by midnight.
MONDAY - 3	w.P. till 9h. A.M.; m. P. till 4h. P.M.; s.P. till 9h. P.M.; then w. P. generally.	7·6	11·5	Variably cloudy in early morning; very fine generally after 7h. A.M.; gale continuing till 3h. A.M.; shower at 5h. A.M.
TUESDAY - 4	w. P. generally.	3·3	11·4	Very fine generally till 0h. 30m. P.M.; overcast till 6h. P.M.; fine and partially cloudy afterwards. Solar halo observed at and about 9h. A.M.
WEDNESDAY 5	w. P. throughout.	4·1	11·4	Cloudy till 9h. A.M.; fine till 6h. P.M.; then nearly overcast.
THURSDAY - 6	w. P. throughout.	4·4	11·3	Fine with variable amounts of cloud.
FRIDAY - 7	w. P. throughout.	6·9	11·2	Cloudy till 8h. A.M.; very fine and sunny till 4h. P.M.; afterwards generally overcast.
SATURDAY - 8	w. P. throughout.	1·1	11·2	Overcast with slight exceptions
		Sum 33·6	Sum 79·6	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·81 in. at the beginning of the week to 29·58 in. by 11h. P.M. on the 2nd; increased to 30·36 in. by 11h. A.M. on the 4th; decreased to 29·76 in. by 4h. P.M. on the 8th; and increased to 29·82 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 1st October, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	7	2	-	-	-	-	5	-	-
Kensington	184,635	-	8	3	-	-	1	-	2	-	-
Hammersmith	127,413	-	10	2	-	-	-	-	-	-	-
Fulham	181,282	-	9	8	-	-	-	-	1	1	-
Chelsea	75,457	-	3	2	-	1	-	-	-	-	-
City of Westminster	167,233	-	7	1	-	2	-	-	2	-	-
NORTH.											
St. Marylebone	125,195	-	3	3	-	2	-	-	2	-	-
Hampstead	95,729	-	2	1	-	-	-	-	-	-	-
St. Pancras	237,792	-	10	5	-	-	-	-	6	-	1
Islington	353,356	-	20	15	-	10	-	-	2	-	-
Stoke Newington	54,838	-	1	1	-	2	-	-	1	-	-
Hackney	239,979	-	12	1	-	3	-	-	3	-	-
CENTRAL.											
Holborn	53,142	-	2	1	-	3	-	-	-	-	-
Finsbury	94,578	-	10	8	-	-	-	-	4	-	-
City of London	17,132	-	1	1	-	-	-	-	2	-	-
EAST.											
Shoreditch	114,387	-	5	3	-	4	-	-	4	1	-
Bethnal Green	131,579	-	5	5	-	14	-	-	5	1	-
Stepney	314,379	-	17	4	-	1	-	-	7	2	-
Poplar	172,432	-	14	2	-	5	-	-	3	-	-
SOUTH.											
Southwark	211,832	-	14	12	-	2	-	-	6	2	-
Bermondsey	127,238	-	9	6	-	3	-	-	5	1	-
Lambeth	327,074	-	28	13	-	3	-	-	4	1	-
Battersea	188,222	-	7	5	-	1	-	-	6	-	-
Wandsworth	305,838	-	14	4	-	1	-	-	3	-	-
Camberwell	286,058	-	13	4	-	2	-	-	3	-	-
Deptford	119,642	-	4	-	-	1	-	-	5	-	-
Greenwich	112,935	-	1	5	-	2	-	-	-	-	-
Lewisham	164,899	-	6	2	-	1	-	-	2	-	-
Woolwich	135,422	-	20	3	-	2	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	262	122	-	65	1	-	84	9	1
Ages 0-1		-	4	2	-	-	-	-	4	-	1
" 1-5		-	73	43	-	2	-	-	3	-	-
" 5-		-	120	42	-	4	-	-	4	-	-
" 10-		-	46	19	-	10	1	-	4	-	-
" 15-		-	7	7	-	12	-	-	6	-	-
" 20-		-	5	2	-	8	-	-	2	1	-
" 25-		-	6	5	-	14	-	-	9	5	-
" 35-		-	1	1	-	12	-	-	17	3	-
" 45-		-	-	1	-	1	-	-	10	-	-
" 55-		-	-	-	-	2	-	-	16	-	-
" 65 and upwards		-	-	-	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 1st OCTOBER, 1910.

BOROUGHS.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	*Pyrexia** (origin uncertain).	Diarrhœa.	Phthisis.		
COUNTY OF LONDON -	12,504	-	348	50	91	196	-	50	1	639	1,121	2,575	91
West.													
PADDINGTON - - -	329	-	5	3	1	5	-	-	-	14	30	58	83
KENSINGTON - - -	426	-	7	-	5	8	-	2	-	18	26	71	96
HAMMERSMITH - -	305	-	-	-	2	9	-	-	-	15	30	62	83
FULHAM - - -	414	-	6	1	2	12	-	-	-	30	42	104	96
CHELSEA - - -	192	-	8	-	2	3	-	-	-	5	13	30	91
CITY OF WESTMINSTER -	345	-	5	-	2	2	-	-	-	3	28	45	74
North.													
ST. MARYLEBONE - -	275	-	3	2	3	6	-	3	-	5	26	46	48
HAMPSTEAD - - -	155	-	1	-	3	4	-	1	-	1	15	11	34
ST. PANCRAS - - -	663	-	51	3	4	16	-	2	-	15	58	122	91
ISLINGTON - - -	883	-	23	1	5	13	-	5	-	30	80	137	69
STOKE NEWINGTON - -	114	-	6	1	-	5	-	-	-	-	10	13	53
HACKNEY - - -	539	-	4	-	1	6	-	1	-	19	56	106	79
Central.													
HOLBORN - - -	163	-	2	-	-	5	-	1	-	1	20	17	58
FINSBURY - - -	324	-	6	-	5	5	-	-	1	16	33	74	89
CITY OF LONDON - -	57	-	-	-	-	-	-	2	-	1	7	5	86
East.													
SHOREDITCH - - -	422	-	17	-	1	6	-	3	-	37	27	142	171
BETHNAL GREEN - -	402	-	13	3	5	5	-	7	-	22	32	119	122
STEPNEY - - -	958	-	26	1	4	11	-	5	-	72	96	259	108
POPLAR - - -	594	-	7	6	3	10	-	5	-	56	51	159	132
South.													
SOUTHWARK - - -	660	-	41	1	11	8	-	1	-	45	60	151	114
BERMONDSEY - - -	501	-	42	6	2	11	-	1	-	44	44	112	123
LAMBETH - - -	854	-	24	6	7	6	-	1	-	48	79	168	84
BATTERSEA - - -	415	-	2	1	4	7	-	-	-	34	38	103	95
WANDSWORTH - -	624	-	7	3	4	9	-	3	-	14	54	118	71
CAMBERWELL - -	675	-	26	4	5	9	-	2	-	25	61	112	70
DEPTFORD - - -	384	-	6	-	2	4	-	3	-	38	33	100	141
GREENWICH - - -	234	-	4	-	1	3	-	1	-	20	26	42	75
LEWISHAM - - -	330	-	-	5	7	7	-	-	-	8	22	49	57
WOOLWICH - - -	267	-	6	3	-	1	-	1	-	3	24	40	56

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 474 London residents who died outside London in Metropolitan Workhouses, Hospitals, and Lunatic and Imbecile Asylums, have been similarly distributed. Of the deaths shown in Table 5 during the 13 weeks the previous residence was outside London in 814 cases and these have been excluded from this Table.

* Called "Simple Continued Fever" previous to 1901.

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 41. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, OCT. 15. [Price 1½*d.*

General Register Office, Somerset House,
October 17th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 13·1 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 13·0, 13·3, and 12·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·9 in Coventry, 18·0 in Barrow in Furness, 18·5 in Bootle, 18·7 in Liverpool, 19·4 in Burnley, 19·5 in Middlesbrough, 20·3 in Oldham, and 23·5 in Warrington; from *enteric fever*, 1·1 in St. Helens, and 1·2 in Tottenham; and from *diarrhœa*, 2·2 in Hull, 2·5 in Oldham, 2·8 in Wigan, and 2·9 in Burnley. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2029 BIRTHS and 1200 DEATHS were registered. Allowing for increase of population, the births were 294 and the deaths 49 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17790—41.) Wt. 91—429. 700. 10/10. D & S. G. 31. Sch. 4. 2 S

causes, which had been 12·0, 13·0, and 12·3 per 1000 in the preceding three weeks, rose last week to 12·8. The death-rate in the four weeks ended last Saturday averaged 12·5 per 1000, being 1·1 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1200 deaths included 17 from measles, 5 from scarlet fever, 5 from diphtheria, 7 from whooping-cough, 16 from enteric fever, and 73 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 123 deaths were referred, being 12 below the corrected average number in the forty-first week of the preceding five years.

The deaths from *measles*, which had been 18, 15, and 18 in the preceding three weeks, were 17 last week, and were 7 above the corrected average; 3 deaths belonged to the Borough of Southwark. The deaths from *scarlet fever*, which had been 3, 4, and 3 in the preceding three weeks, were 5 last week, and were 9 below the corrected average. The deaths from *diphtheria*, which had been 9, 10, and 8 in the preceding three weeks, fell to 5 last week, and were 8 below the corrected average. The deaths from *whooping-cough*, which had been 11, 10, and 10 in the preceding three weeks, fell to 7 last week, and were 5 below the corrected average. The deaths from *enteric fever*, which had been 12, 10, and 7 in the preceding three weeks, rose to 16 last week, and were 6 above the corrected average; 4 deaths belonged to Shoreditch and 3 to Hackney. The deaths from *diarrhœa*, which had been 76, 82, and 59 in the preceding three weeks, rose to 73 last week, but were 4 below the corrected average; 6 deaths belonged to Fulham, 5 each to St. Pancras, Stepney, Poplar, and Camberwell, and 4 each to Hammersmith, Hackney, Bermondsey, and Lambeth. Of the 73 deaths from diarrhœa, 66 were those of children under 2 years of age; 17 other deaths at this age were certified as due to *enteritis*, and 10 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 6, having been 5, 14, and 6 in the preceding three weeks.

Different forms of violence caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 15 were cases of suicide, and 1 of homicide, while the remaining 42 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, four to burns or scalds, and three, of infants under one year of age, to suffocation in bed. Five deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1745 cases of scarlet fever, 835 of diphtheria, and 175 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 234 cases, against 210, 249, and 245; of diphtheria, 138 cases, against 105, 115, and 121; and of enteric fever, 32 cases, against 33, 33, and 31. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 8th, 1910.

---

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3218 births and 1653 deaths were registered. Allowing for increase of population, these numbers are 426 and 129 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from diphtheria, 1 from whooping-cough, 2 from enteric fever, and 18 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·88 inches, and that of the Thermometer 53°·1, the latter being 2°·5 above the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 17 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 8·8 hours; the measured rainfall amounted to 0·61 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 15th October, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 24th Sept., 1910.	1st Oct., 1910.	8th Oct., 1910.	15th Oct., 1910.	Rate from Diseases in Cols. 11-17 Week ended 15th Oct., 1910.	Registered during the Week ended 15th Oct., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**13·0**	**13·3**	**12·8**	**13·1**	**1·6**	**7420**	**4260**	**1047**	**1193**	**-**	**51**	**33**	**34**	**47**	**43**	**296**	**169**	**352**	**1199**	**39**	**77 TOWNS.**
LONDON	4,872,702	12·0	13·0	12·3	12·8	1·3	2029	1200	271	332	-	17	5	5	7	16	73	58	139	557	1	LONDON.
CROYDON	164,485	12·7	10·5	8·6	10·8	1·0	73	34	8	13	-	-	-	2	1	-	-	1	2	3	-	CROYDON.
WILLESDEN ..	166,088	6·6	11·0	7·2	6·9	0·6	88	22	3	11	-	-	-	-	-	-	2	1	3	4	-	WILLESDEN.
HORNSEY	98,561	7·4	5·3	7·9	10·6	0·5	26	20	3	9	-	-	-	1	-	-	-	1	5	3	-	HORNSEY.
TOTTENHAM ..	132,803	8·2	11·4	7·1	10·6	1·6	65	27	6	8	-	-	-	1	-	3	-	-	-	7	-	TOTTENHAM.
WEST HAM ..	328,585	9·7	10·3	10·2	10·5	2·4	150	66	16	16	-	1	1	2	-	1	10	2	3	16	-	WEST HAM.
EAST HAM.. ..	156,208	6·0	7·0	7·3	6·7	1·3	55	20	6	9	-	-	-	-	1	-	3	-	-	2	-	EAST HAM.
LEYTON	133,436	4·7	7·8	7·4	7·0	-	53	18	2	10	-	-	-	-	-	-	-	2	3	8	-	LEYTON.
WALTHAMSTOW	141,748	8·1	8·1	8·5	7·0	0·4	55	19	3	4	-	-	-	-	1	-	-	-	6	7	-	WALTHAMSTOW.
HASTINGS	68,520	9·9	10·7	7·6	9·9	-	14	13	2	7	-	-	-	-	-	-	-	-	-	5	-	HASTINGS.
BRIGHTON	131,900	15·8	10·3	13·8	13·4	2·4	32	34	7	15	-	-	-	-	1	1	4	-	6	6	-	BRIGHTON.
PORTSMOUTH ..	217,989	12·0	12·9	13·6	9·6	1·0	82	40	8	12	-	1	1	-	-	1	1	4	5	11	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	12·0	6·3	14·8	12·0	0·7	14	17	-	8	-	-	-	1	-	-	-	-	-	2	1	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	7·4	13·5	11·9	14·4	1·6	51	35	6	18	-	2	-	-	-	1	1	1	2	10	-	SOUTHAMPTON.
READING	84,355	8·7	9·9	10·5	8·7	0·6	22	14	-	7	-	-	-	1	-	-	-	-	-	5	-	READING.
NORTHAMPTON ..	99,113	11·6	12·6	10·0	10·0	1·6	27	19	6	5	-	-	-	-	-	1	2	-	1	3	-	NORTHAMPTON.
IPSWICH	75,936	9·6	11·0	16·5	14·4	0·7	24	21	3	9	-	-	-	-	-	-	1	1	2	4	-	IPSWICH.
GREAT YARMOUTH	53,715	18·4	16·5	10·7	7·8	1·9	31	8	2	2	-	-	-	-	-	-	2	1	1	2	-	GREAT YARMOUTH.
NORWICH	125,446	11·6	9·6	10·4	9·1	0·8	72	22	3	6	-	-	1	-	1	-	-	-	1	3	-	NORWICH.
PLYMOUTH	126,266	15·7	18·2	13·6	7·8	1·7	51	19	9	2	-	-	-	-	-	-	4	-	2	2	-	PLYMOUTH.
DEVONPORT	84,695	9·9	13·5	12·3	10·5	0·6	31	17	5	6	-	-	-	-	-	-	1	-	1	1	-	DEVONPORT.
BRISTOL	382,550	10·2	9·7	12·1	11·9	0·5	149	87	11	34	-	-	-	1	2	1	-	3	7	21	-	BRISTOL.
STOKE ON TRENT ..	245,726	15·3	18·0	18·9	17·6	2·5	139	83	25	22	-	1	3	-	1	-	7	1	3	12	2	STOKE ON TRENT.
BURTON ON TRENT	54,977	8·5	7·6	7·6	10·4	-	16	11	2	4	-	-	-	-	-	-	-	2	2	1	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	6·4	13·8	15·7	7·4	-	42	15	1	7	-	-	-	-	-	-	-	2	2	5	-	WOLVERHAMPTON.
WALSALL	101,035	13·4	12·9	8·8	10·3	1·0	47	20	4	6	-	-	-	-	-	-	2	1	1	6	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	6·5	5·8	6·5	5·0	-	29	7	2	3	-	-	-	-	-	-	-	-	1	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	11·7	11·7	6·6	15·4	1·5	32	21	6	4	-	-	-	-	-	-	2	-	1	2	-	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 24th Sept., 1910.	1st Oct., 1910.	8th Oct., 1910.	15th Oct., 1910.	Rate from Diseases in Cols. 11-17. Week ended 15th Oct., 1910.	Registered during the Week ended 15th Oct., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	12·6	13·3	13·0	13·7	2·0	237	150	34	45	-	-	2	3	1	1	15	7	11	44	5	Birmingham.
Kings Norton ..	84,673	6·2	5·5	3·7	9·9	1·8	33	16	5	2	-	-	-	-	-	-	3	-	-	3	-	Kings Norton.
Smethwick	72,350	6·5	9·4	10·8	10·8	1·4	46	15	5	6	-	-	1	-	-	-	1	-	-	1	-	Smethwick.
Aston Manor ..	86,269	10·3	7·3	7·9	10·9	1·2	44	18	9	3	-	-	-	-	-	1	1	1	1	1	-	Aston Manor.
Coventry	81,449	16·0	16·6	13·4	17·9	2·6	40	28	4	11	-	-	1	-	-	-	3	1	1	3	-	Coventry.
Leicester	248,374	11·5	10·5	10·9	11·3	0·2	88	54	20	16	-	-	-	-	-	-	1	-	2	11	2	Leicester.
Grimsby	74,283	9·1	12·6	16·8	13·3	1·4	33	19	6	2	-	1	-	-	-	-	1	-	1	4	1	Grimsby.
Nottingham ..	266,471	15·1	11·0	12·7	12·5	1·6	106	64	21	13	-	1	-	-	2	-	5	1	4	12	-	Nottingham.
Derby	131,256	12·7	8·3	10·7	10·7	0·4	53	27	4	13	-	-	-	1	-	-	-	2	5	8	-	Derby.
Stockport	105,087	17·9	17·4	13·9	10·9	1·0	51	22	10	5	-	-	-	-	-	1	1	-	1	5	-	Stockport.
Birkenhead ..	122,431	15·3	15·8	17·5	17·5	1·7	61	41	14	8	-	-	-	-	1	-	3	1	3	9	-	Birkenhead.
Wallasey . ..	73,173	6·4	9·3	12·8	16·4	0·7	29	23	3	7	-	-	-	-	-	1	-	1	2	3	-	Wallasey.
Liverpool . ..	767,606	18·1	18·7	17·9	18·7	2·7	422	275	75	56	-	5	5	3	4	-	23	12	18	103	10	Liverpool.
Bootle	70,548	18·5	14·0	16·3	18·5	1·5	38	25	3	5	-	-	-	-	1	-	1	-	-	9	1	Bootle.
St. Helens	96,523	19·4	15·1	17·8	16·2	1·6	64	30	9	6	-	-	-	-	-	2	1	4	4	5	1	St. Helens.
Wigan	91,732	17·1	20·5	12·5	14·8	4·5	47	26	9	4	-	1	-	-	1	1	5	-	-	3	-	Wigan.
Warrington ..	73,295	17·8	19·2	13·5	23·5	0·7	31	33	8	11	-	-	-	-	-	-	1	2	3	6	2	Warrington.
Bolton	190,315	16·4	16·4	13·2	15 6	1·9	78	57	14	13	-	-	-	1	1	1	4	-	2	5	-	Bolton.
Bury	59,409	11·4	14·0	12·3	13·2	1·8	18	15	5	4	-	-	-	-	-	-	2	-	1	3	-	Bury.
Manchester ..	716,354	15·8	14·3	13·9	13 5	1·0	326	185	36	60	-	-	2	3	1	1	7	8	11	51	1	Manchester.
Salford	244,636	13·6	14·3	15·8	15·1	0·9	132	71	15	17	-	1	-	-	1	-	2	4	6	13	-	Salford.
Oldham	144,111	20·3	17·0	11·9	20·3	4·3	57	56	11	21	-	2	1	-	2	-	7	-	1	7	-	Oldham.
Rochdale	90,497	12·1	20·7	19·0	8·1	1·2	35	14	3	3	-	-	1	-	-	-	1	-	-	3	-	Rochdale.
Burnley	107,448	13·6	17·0	21·8	19·4	3·9	43	40	8	8	-	-	-	1	1	-	6	2	2	4	-	Burnley.
Blackburn	137,972	12·8	12·1	9·8	14·7	3·0	56	39	9	10	-	-	1	1	-	1	5	1	1	4	1	Blackburn.
Preston	119,253	16·6	14·9	15·3	14·0	2·6	55	32	4	8	-	-	1	-	-	1	4	1	1	7	1	Preston.
Barrow in Furness.	63,689	13·9	13·1	8·2	18·0	2·5	34	22	5	5	-	1	-	1	-	-	1	1	1	4	2	Barrow in Furness.

* See note † on first page of this return

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 15th October, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 24th Sept., 1910.	1st Oct., 1910.	8th Oct., 1910.	15th Oct., 1910.	Rate from Diseases in Cols 11-17. Week ended 15th Oct., 1910.	Registered during the Week ended 15th Oct., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	14·9	17·1	18·7	13·8	1·1	47	25	5	7	-	1	-	-	-	-	1	1	1	6	-	HUDDERSFIELD.
HALIFAX	112,818	19·4	13·4	9·7	10·2	1·4	29	22	4	6	-	1	1	-	-	-	1	-	-	6	-	HALIFAX.
BRADFORD	295,865	12·5	14·1	12·5	13·9	1·6	107	79	19	29	-	-	-	1	1	2	5	1	3	18	-	BRADFORD.
LEEDS	490,985	13·5	10·7	14·3	12·0	1·2	183	113	29	29	-	-	2	-	3	-	6	4	15	22	-	LEEDS.
DEWSBURY	51,224	20·4	20·4	16·3	12·2	-	18	12	4	3	-	-	-	-	-	-	-	2	2	-	-	DEWSBURY.
SHEFFIELD	478,763	14·6	15·7	13·9	14·5	2·7	237	133	39	31	-	5	-	1	1	1	17	5	6	23	1	SHEFFIELD.
ROTHERHAM.. ..	66,414	17·3	17·3	12·6	14·9	3·1	40	19	12	1	-	-	-	-	2	-	2	1	1	2	-	ROTHERHAM.
YORK	88,159	11·8	11·2	10·6	13·0	1·2	41	22	2	10	-	-	-	-	-	-	2	-	1	3	-	YORK.
HULL	280,006	17·9	14·7	16·8	16·4	3·2	139	88	30	22	-	1	1	-	1	2	12	2	7	25	-	HULL.
MIDDLESBROUGH ..	107,014	18·0	20·5	14·1	19·5	2·4	49	40	12	10	-	-	-	2	-	1	2	3	4	10	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	13·6	14·6	15·5	17·5	1·9	21	18	5	5	-	-	-	-	1	1	-	2	3	4	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	10·2	7·6	8·9	14·7	3·2	42	23	9	3	-	2	-	-	-	-	3	1	1	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	15·2	13·6	20·7	16·5	1·6	87	51	11	19	-	1	-	-	-	-	4	4	4	9	1	SUNDERLAND.
SOUTH SHIELDS ..	119,737	15·2	16·5	10·9	12·6	0·4	69	29	7	8	-	-	-	-	-	-	1	1	1	2	3	SOUTH SHIELDS.
GATESHEAD	133,676	13·3	17·2	12·9	11·3	1·6	64	29	9	6	-	-	-	-	-	-	4	2	2	-	3	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	13·3	13·3	13·9	11·5	2·4	149	63	16	16	-	2	2	1	3	-	5	1	7	13	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	14·8	14·8	16·6	16·6	5·5	31	18	5	5	-	2	-	-	2	-	2	1	2	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,720	17·7	20·3	11·8	8·5	1·3	45	13	9	1	-	-	-	-	-	-	2	-	-	1	-	NEWPORT (MON.).
CARDIFF	199,189	14·4	11·5	8·4	12·0	0·5	80	46	13	15	-	-	-	-	-	-	2	3	3	8	-	CARDIFF.
RHONDDA	138,674	14·3	18·0	11·7	14·2	3·0	86	38	18	4	-	1	1	1	2	-	3	1	1	2	-	RHONDDA.
MERTHYR TYDFIL..	79,522	11·1	11·1	15·1	14·4	0·7	45	22	7	3	-	1	-	-	-	-	-	3	4	1	-	MERTHYR TYDFIL.
SWANSEA	98,817	22·7	19·0	11·1	16·4	1·6	55	31	13	9	-	-	-	-	-	-	3	1	3	1	-	SWANSEA.
GREATER LONDON	7,537,196	10·8	11·6	11·3	11·4	1·2	3218	1653	377	497	-	18	6	13	11	22	106	78	185	644	1	GREATER LONDON.
OUTER RING ..	2,664,494	8·6	9·0	9·5	8·9	1·0	1189	453	106	165	-	1	1	8	4	6	33	20	46	87	-	OUTER RING.
8 TOWNS IN OUTER RING	1,321,914	8·2	9·3	8·3	8·9	1·2	565	226	47	80	-	1	1	6	3	4	15	7	22	50	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·9	8·8	10·6	8·8	0·9	624	227	59	85	-	-	-	2	1	2	18	13	24	37	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	11·9	14·6	13·9	12·3	0·7	149	85	12	30	-	2	-	1	-	1	1	1	?	30	7	EDINBURGH.
GLASGOW	884,505	13·4	12·9	14·9	13·2	2·1	403	224	49	53	-	-	2	9	4	1	19	7	?	92	5	GLASGOW.
DUBLIN (Registration Area).†	402,928	21·4	20·2	19·5	18·9	1·7	161	146	40	47	-	-	-	1	2	1	9	3	8	56	6	DUBLIN (Registration Area).†
BELFAST†	391,167	16·3	14·0	12·5	16·3	1·3	205	122	27	27	-	3	-	2	1	1	3	-	-	33	1	BELFAST.†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FIRST Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2429	2676	2489	2437	2491	2386	2355	2183	2177	2243	2323·1	2029
Males - - -	1198	1368	1287	1266	1268	1210	1256	1116	1113	1138	1194·5	996
Females - -	1231	1308	1202	1171	1223	1176	1099	1067	1064	1105	1128·6	1033
TOTAL **Deaths** -	1365	1309	1552	1351	1270	1255	1295	1315	1122	1114	1249·4	1200
Males - - -	679	667	775	727	639	667	695	685	620	589	666·8	619
Females - -	626	642	777	624	631	588	600	630	502	525	582·6	581

* The numbers in this column are the average weekly numbers in the Forty-First week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	13 Weeks.
TOTAL **Births** -	2176	2429	1854	2367	2303	2268	2118	2088	2050	2079	2237	2140	2029	28138
TOTAL **Deaths** -	962	957	956	962	952	1009	1005	1009	1140	1118	1215	1148	1200	13633
Ages at Death: Under 1 year -	187	151	173	174	184	214	223	253	275	249	275	276	271	2905
1—5 years -	104	89	107	90	110	116	100	121	95	106	113	96	120	1367
5—20 " -	61	52	54	52	58	37	69	46	63	53	50	62	68	725
20—40 " -	132	124	122	136	130	122	116	111	147	133	136	141	145	1695
40—60 " -	200	229	210	223	202	207	198	206	225	243	271	241	264	2919
60 yrs. & upwds.	278	312	290	287	268	313	299	272	335	334	370	332	332	4022
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	36	23	30	28	27	35	23	21	27	18	15	18	17	318
Scarlet Fever - -	5	2	5	1	4	3	5	2	4	3	4	3	5	46
Diphtheria - -	8	4	8	6	6	10	5	10	5	9	10	8	5	94
Whooping-cough -	27	14	18	19	13	11	8	12	15	11	10	10	7	175
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	4	2	4	1	1	3	3	6	12	10	7	16	71
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Diarrhœa, Dysentery	18	12	23	26	37	65	96	94	104	76	82	59	73	765
All above diseases -	96	59	86	84	88	125	140	143	161	129	131	105	123	1470
Dis. of Resp. System	46	48	50	48	48	42	50	47	51	52	66	53	70	671
Pneumonia - -	85	63	74	65	73	87	65	67	69	71	112	112	92	1035
Phthisis - - -	78	82	99	81	88	77	87	91	113	100	104	105	107	1212
Dis. of Circ. System -	128	158	150	138	121	142	145	147	180	171	202	163	167	2012
Violence - - -	44	48	50	43	48	34	43	53	38	50	53	66	58	628
Inquest Cases - -	95	103	119	94	112	80	109	112	107	125	119	128	139	1442
Deaths in Institutions	446	437	459	438	438	466	418	523	528	528	540	512	557	6290
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	59·2	58·8	60·2	60·7	62·7	59·9	58·3	54·7	56·1	53·8	58·6	57·4	53·1	58·0
Mean of Highest -	67·7	68·3	71·5	70·8	73·7	70·2	67·4	61·8	63·8	63·2	69·0	66·0	60·2	67·2
Mean of Lowest -	53·2	52·0	52·2	54·1	53·5	52·4	50·8	49·1	50·4	44·4	49·2	50·4	48·5	50·8
Mean Humidity of the Air.	85	77	77	85	75	77	77	79	81	76	88	79	85	80
Rain-fall (in inches) -	1·22	0·35	0·85	0·18	0·19	0·80	0·41	0·02	0·66	0·09	0·10	0·08	0·61	5·47
Registered Sunshine (in hours).	17·6	29·5	49·6	27·7	52·7	37·1	38·6	15·7	21·2	55·4	30·7	33·6	8·8	418·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1548	1563	1523	1490	1423	1447	1455	1462	1509	1560	1653	1706	1745	1545
Diphtheria - - -	626	619	584	584	591	578	592	630	672	709	751	788	835	658
Typhus - - -	1	-	-	-	1	1	1	1	1	1	1	1	-	1
Enteric Fever - -	50	46	46	46	51	59	60	79	102	123	144	163	175	88

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore. Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FIRST Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectional should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 41st week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1249·4	1200	271	120	68	145	264	332
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	9·6	17	3	13	1	-	-	-
Scarlet Fever	14·1	5	-	1	4	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	9·6	6	-	-	-	1	1	4
Whooping-cough	11·7	7	3	4	-	-	-	-
Diphtheria	12·7	5	-	4	1	-	-	-
Cerebro-spinal Fever ..	-	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	10·0	16	-	-	-	12	4	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	45·1	36	27	9	-	-	-	-
Diarrhœa, Dysentery ..	32·2	37	24	8	-	1	2	2
Tetanus	1·0	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	0·2	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	7·8	8	5	1	-	1	1	-
Puerperal Septicæmia ..	3·7	6	-	-	-	5	1	-
Puerperal Pyæmia.. .	-	-	-	-	-	-	-	-
Puerperal Fever	0·4	-	-	-	-	-	-	-
Infective Endocarditis ..	3·3	6	-	-	2	4	-	-
Pneumonia: Lobar ..	11·1	13	1	1	1	5	2	3
Pneumonia: Broncho ..	43·0	30	9	9	-	2	5	5
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	44·8	49	6	4	2	8	16	13
Erysipelas	4·9	5	3	-	1	-	1	-
Septicæmia (not Puerperal)	2·0	2	-	-	-	-	2	-
Pyæmia (not Puerperal)	0·2	-	-	-	-	-	-	-
Other Infective Processes	4·5	5	1	-	1	-	-	3
Tuberculous Phthisis ..	80·1	76	1	3	7	33	21	11
"*Phthisis*"	39·3	31	-	-	2	13	13	3
Tuberculous Meningitis ..	18·8	14	4	5	5	-	-	-
Tuberculous Peritonitis ..	8·6	12	3	4	2	2	1	-
Tabes Mesenterica	2·0	5	3	2	-	-	-	-
Tuberculous Dis., Other ..	17·2	19	2	5	7	3	2	-
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	8·2	3	-	-	-	1	1	1
Rheumatic Fever	6·6	1	-	1	-	-	-	-
Gout	1·2	3	-	-	-	-	-	3
Carcinoma	63·1	67	-	-	-	2	39	26
Sarcoma	6·1	7	-	1	2	1	1	2
Cancer (undefined) ..	32·6	29	-	-	-	2	13	14
Diabetes Mellitus	8·8	8	-	-	-	-	4	4
Premature Birth	44·0	49	49	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 41st week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	10·0	14	8	2	3	1	-
Gen. Par. of Insane, Insanity	13·1	10	-	1	1	1	4
Epilepsy	6·1	6	-	1	-	1	3
Convulsions	14·9	16	13	3	-	-	-
Locomotor Ataxy.. ..	1·4	2	-	-	1	-	1
Paraplegia, Dis. of Cord.	4·5	6	-	-	-	1	4
Nervous Sys., Other Dis.	12·9	17	1	2	-	3	2
Valv. Dis., Endocarditis..	42·2	40	-	-	3	6	17
Cereb. Hæm. Cereb. Emb.	31·3	43	-	-	-	1	11
Apoplexy, Hemiplegia ..	12·1	7	-	-	-	-	2
Aneurysm	4·5	4	-	-	-	-	2
Embolism, Thrombosis (not Cerebral) ..	0·8	-	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	72·3	73	-	1	2	4	22
Croup (not Spasm: nor Memb.)	0·6	-	-	-	-	-	-
Bronchitis	63·1	52	10	5	1	1	8
Emphysema, Asthma ..	2·9	3	-	-	-	-	1
Pleurisy	3·5	8	-	2	-	-	2
Respiratory Dis., Other..	8·4	7	-	-	-	1	1
Tonsillitis, Quinsy.. ..	1·0	2	-	1	1	-	-
Enteritis (not Epid.) ..	16·8	20	15	3	1	-	-
Gastro-enteritis	14·1	12	7	3	-	-	-
Peritonitis (not Puerp.) ..	3·9	2	-	1	1	-	-
Cirrhosis of Liver.. ..	15·8	7	-	-	-	-	7
Liver Dis., Other	5·5	2	-	1	-	-	1
Digestive Sys., Other Dis.	35·6	31	2	1	4	9	8
Acute Nephritis	5·9	4	-	-	2	-	1
Bright's Dis., Albuminuria	32·6	25	-	-	-	2	12
Urinary Sys., Other Dis.	12·5	14	-	1	-	2	4
Generative Organs Dis...	3·7	-	-	-	-	-	-
Childbirth (Accid. of) ..	2·3	1	-	-	-	-	1
Old Age	50·8	43	-	-	-	-	-
Other Diseases	87·5	94	64	13	5	5	2
ACCIDENT.							
By Railways	1·8	-	-	-	-	-	-
By Vehicles and Horses..	7·6	10	1	1	3	1	3
In Ships, Boats, Docks, (exclusive of Drowning)	1·4	1	-	-	-	-	1
In Building Operations..	0·4	1	-	-	-	-	1
In Conflagrations	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	2·7	4	1	1	-	1	-
By Drowning	4·3	1	-	-	-	-	1
By Suffocation in Bed ..	5·1	3	3	-	-	-	-
By Poisons or Poisonous Vapours	2·7	4	-	1	1	1	1
Other Deaths by Accident..	12·5	18	2	1	-	5	2
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	0·6	1	-	-	-	1	-
Suicide	9·2	15	-	-	1	2	9
Execution	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th October, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2029	1200	271	332	-	17	5	5	7	16	73	107	58	139	557	1
WEST DISTRICTS	805,311	280	227	49	71	-	2	-	2	1	-	19	16	15	25	108	-
NORTH DISTRICTS	1,055,908	410	249	58	70	-	5	1	1	1	4	10	18	16	34	107	-
CENTRAL DISTRICTS	209,465	93	58	10	13	-	1	-	-	-	1	3	5	3	6	37	-
EAST DISTRICTS	715,739	401	208	61	46	-	-	-	-	1	4	18	16	11	36	118	-
SOUTH DISTRICTS	1,749,844	845	422	93	121	-	9	2	2	4	5	21	44	11	36	151	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	36	-	11	-	-	2	-	-	2	2	8	2	2	36	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	20	12	-	7	-	-	-	-	-	-	-	1	-	2	-	-
entral Paddington *W,3H*	50,053	22	30	4	6	-	-	-	1	-	-	3	2	5	6	22	-
outh Paddington	30,320	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ensington South *W,3H*	85,610	9	18	1	12	-	-	-	-	-	-	-	1	-	-	5	-
ensington Central *W,H*	42,774	10	12	1	3	-	1	-	-	-	-	-	1	-	-	6	-
ensington North *w*	48,244	25	18	4	6	-	-	-	-	-	-	2	1	1	2	7	-
orth Hammersmith 2*W,w,H* ..	49,192	23	15	4	5	-	1	-	-	-	-	1	5	-	1	9	-
outh Hammersmith *w,2H* ..	63,047	22	17	6	5	-	-	-	-	-	-	4	-	3	4	8	-
orth-west Fulham *W*	45,180	32	15	7	2	-	-	-	-	-	-	3	1	-	-	6	-
orth-east Fulham *F*	46,405	12	8	3	1	-	-	-	1	-	-	-	-	2	2	1	-
outh Fulham *W*	45,704	21	8	2	1	-	-	-	-	-	-	2	-	-	-	-	-
helsea North *W,w,3H*	42,514	20	25	3	14	-	-	-	-	-	-	1	4	-	-	17	-
helsea South *W,2H*	31,328	16	13	5	2	-	-	-	-	-	-	1	-	1	3	8	-
ayfair and Knightsbridge	28,743	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
elgrave *W,2H*	55,815	15	12	2	1	-	-	-	-	-	-	-	-	1	2	8	-
. Margaret & St. John *6H*	43,698	13	13	4	2	-	-	-	-	-	-	1	-	1	1	8	-
. James and St. Anne *W,6H* ..	33,081	9	9	3	3	-	-	-	-	1	-	1	-	1	2	3	-
NORTH DISTRICTS.																	
ll Souls Marylebone *7H*	35,391	10	13	3	1	-	-	-	-	-	-	-	1	1	2	9	-
. Mary Marylebone *W,4H* ..	37,948	44	5	-	2	-	-	-	-	-	-	-	-	-	2	3	-
ristchurch Marylebone *H* ..	39,536	12	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-
. John Marylebone *2H*	20,426	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ampstead *W,F,6H*	81,942	32	27	3	8	-	1	1	-	1	-	-	5	3	4	15	-
est St. Pancras *2H*	60,562	30	19	6	6	-	1	-	-	-	-	-	2	1	2	5	-
outh St. Pancras *w,10H*	55,707	20	18	4	1	-	-	-	-	-	1	3	-	2	3	15	-
ast St. Pancras *W,H*	60,320	26	9	5	2	-	-	-	-	-	-	1	-	1	1	3	-
orth St. Pancras *2W*	58,728	21	16	4	8	-	-	-	-	-	-	1	2	2	2	7	-
ufnell *W*	31,995	13	16	2	2	-	-	-	-	-	-	1	-	1	2	9	-
pper Holloway 2*W,w,H*	33,978	9	17	3	6	-	1	-	-	-	-	-	3	-	1	12	-
ollington 2*W,w,H*	33,922	11	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-
ower Holloway	41,424	8	6	2	2	-	1	-	-	-	-	1	-	-	1	-	-
arnsbury	54,478	18	10	2	3	-	1	-	-	-	-	-	1	-	-	-	-
lington South-east *F*	75,397	30	11	4	3	-	-	-	1	-	-	-	-	-	3	1	-
ighbury *2H*	63,797	22	9	1	5	-	-	-	-	-	-	-	1	1	1	-	-
oke Newington *H*	51,247	16	6	1	3	-	-	-	-	-	-	1	-	-	-	-	-
orth Hackney	50,398	12	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-
entral Hackney 2*w,F*	50,536	22	10	1	3	-	-	-	-	-	3	1	1	-	-	6	-
outh-west Hackney *3H*	59,921	18	20	7	5	-	-	-	-	-	-	-	1	1	3	8	-
outh-east Hackney 2*W,w,H* ..	58,255	31	26	8	8	-	-	-	-	-	-	1	1	2	4	13	-
ackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The italic letters placed against the names of the sub-districts denote Public Institutions situated therein amely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other istricts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a ub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the etter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, a from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVE DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturda 15th October, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	16	3	-	2	-	-	-	-	-	-	-	-	-	-	2
Strand *W*,4*H*	21,674	2	7	-	3	-	-	-	-	-	-	-	1	1	2	6
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	14	18	4	1	-	-	-	-	-	-	-	2	-	-	13
Clerkenwell *H*	63,704	22	4	-	1	-	1	-	-	-	-	-	1	-	-	-
St. Luke 3*H*,*L*	36,116	36	7	5	2	-	-	-	-	-	-	3	1	1	2	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	17	1	2	-	-	-	-	-	1	-	-	1	2	15
City of London Asylum, Stone	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	25	5	2	-	-	-	-	-	-	-	-	1	-	-	2
Shoreditch North-West *W*,*w*,*H* ..	36,127	25	15	4	5	-	-	-	-	-	2	1	1	3	5	9
Shoreditch North-East	36,148	22	6	4	1	-	-	-	-	-	-	-	-	-	1	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	44	39	16	7	-	-	-	-	-	-	5	3	-	2	26
Bethnal Green South-West *H* ..	64,542	46	4	-	-	-	-	-	-	-	-	-	-	1	2	2
Spitalfields..	27,969	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	14	36	7	6	-	-	-	-	-	1	2	1	2	5	36
Goodman's Fields	22,081	9	2	-	1	-	-	-	-	-	-	-	1	-	1	-
St. George and St. John 2*W* ..	49,068	33	11	4	1	-	-	-	-	-	-	-	3	-	3	6
Shadwell and Ratcliff *w*,*H* ..	25,568	13	14	6	-	-	-	-	-	-	-	3	-	1	1	11
Limehouse *W*	32,369	13	4	1	2	-	-	-	-	-	-	1	-	-	-	-
Mile End Old Town South-Western *H*	63,698	39	10	5	2	-	-	-	-	-	-	1	-	-	3	1
Mile End Old Town North-Eastern *W*,*w*	49,129	24	9	3	4	-	-	-	-	1	-	-	-	-	1	3
Bow	41,989	22	3	1	-	-	-	-	-	-	-	-	1	-	1	-
Bromley 3*w*,*H*	68,319	36	33	5	11	-	-	-	-	-	1	4	3	3	5	20
Poplar *W*,*w*	58,514	24	15	2	6	-	-	-	-	-	-	1	1	1	6	1
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th October, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	14	22	7	5	-	-	-	-	-	-	1	1	2	4	17	-
Kent-road	21,904	10	6	2	-	-	-	-	-	-	-	-	1	1	1	-	-
St. George the Martyr West *W,2H,L*	39,094	18	11	5	3	-	1	-	-	-	-	2	1	-	1	5	-
Newington North	49,022	33	16	5	6	-	1	-	-	-	-	-	-	-	2	-	-
Newington South *W*	72,841	43	10	2	2	-	-	-	-	-	-	1	2	-	-	-	-
St. Olave *2W*	9,817	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	49	11	7	-	-	1	-	-	-	-	2	1	-	-	-	-
Rotherhithe *W,F*	38,460	19	19	4	4	-	1	-	-	2	-	1	2	-	-	12	-
Waterloo *2H*	27,440	30	5	1	1	-	-	-	-	-	-	1	-	1	2	-	-
Lambeth Church *H*	27,440	17	17	4	-	-	-	-	1	-	-	2	2	-	-	9	-
Kennington *2W*	52,518	25	17	-	7	-	2	-	-	-	-	-	5	-	-	9	-
Stockwell *HF*	63,826	32	10	2	1	-	-	1	-	1	1	-	2	-	-	2	-
Brixton *H*	73,673	33	12	1	5	-	-	-	-	-	-	-	1	-	1	1	1
Norwood *2WH*	56,998	19	6	2	-	-	-	-	-	-	-	-	-	1	2	3	-
East Battersea *H*	72,203	37	10	3	1	-	-	-	-	-	-	1	1	1	2	-	-
North-west Battersea	49,656	22	9	2	1	-	-	-	-	-	-	-	1	-	1	-	-
South-west Battersea *2W,H* ..	47,048	18	20	1	3	-	-	-	-	-	-	-	3	-	1	15	-
Clapham *2H*	51,361	27	7	-	3	-	-	-	-	-	-	-	2	-	-	2	-
Streatham *W,2w,2F,2L*	88,019	54	20	3	7	-	-	-	-	-	-	1	1	1	3	5	-
Springfield *2W,L*	27,959	16	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Southfields *H*	40,444	16	7	-	3	-	-	-	-	-	-	-	-	-	1	-	-
Putney	24,139	5	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	23	20	-	11	-	-	-	-	-	-	-	3	-	1	17	-
Camberwell North *W,2L*	65,584	25	33	10	8	-	1	-	-	-	-	-	3	-	-	20	-
St. George	47,331	27	8	4	2	-	-	-	-	-	-	-	1	1	2	-	-
Peckham North	48,913	26	15	5	6	-	1	-	-	-	-	3	1	-	3	-	-
Peckham South *2W,w*	43,946	13	7	2	2	-	-	-	-	-	-	1	-	-	-	-	-
Deptford North *F*	49,004	30	12	2	2	-	1	1	-	-	3	1	1	-	-	5	-
Deptford East	29,781	16	7	4	1	-	-	-	-	-	-	1	1	-	1	-	-
Deptford South	38,934	11	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	9	3	2	-	-	-	-	-	-	-	2	-	-	-	1	-
Greenwich East *2W,H*	43,859	20	21	3	5	-	-	-	-	-	-	-	4	1	2	14	-
Eltham *w,H*	7,226	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	5	3	-	2	-	-	-	-	-	1	-	-	-	-	2	-
Lewisham *2W,w,F*	58,352	37	15	3	6	-	-	-	-	1	-	-	-	-	2	4	-
Sydenham *H*	43,653	11	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	6	3	1	-	-	-	-	1	-	-	1	-	1	1	1	-
Woolwich *5H*	41,625	17	6	1	3	-	-	-	-	-	-	-	1	1	1	1	-
Plumstead West *W,H*	39,376	15	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	8	9	-	7	-	-	-	-	-	-	-	1	-	1	5	-
Workhouses:—																	
Belmont Workhouse	—	-	2	-	1	-	-	-	-	-	-	-	-	1	1	2	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	2	-	1	-	-	-	-	-	-	-	1	-	-	2	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	1	-	-	2	-	-	-	-	3	-
Northern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
London County Lunatic Asylums:—																	
Banstead	—	-	8	-	2	-	-	-	-	-	-	-	5	-	-	8	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	4	-	1	-	-	-	-	-	-	-	1	-	-	4	-
Cane Hill	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Hanwell	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch	—	-	4	-	3	-	-	-	-	-	-	-	-	1	1	4	-
Claybury	—	-	2	-	-	-	-	-	-	-	-	2	-	-	-	2	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boa Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERAT POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 15th October, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1189	453	106	165	-	1	1	8	4	6	33	20	46	87
31 : 1	Carshalton 2F,3H	12,228	32,997	16	7	1	1	-	-	-	1	-	-	-	1	1	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	6	3	1	1	-	-	-	-	-	-	-	-	-	1
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	19	13	4	3	-	-	-	1	1	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	34	14	3	6	-	-	-	1	-	-	-	1	2	3
4	North Croydon H	2,644	41,698	20	7	1	4	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	2	2	1	-	-	-	-	-	-	-	1	-	-	-
6	Mitcham w	11,711	30,015	38	13	6	4	-	-	-	-	-	-	3	-	1	-
40 : 1	Wimbledon F,3H	3,221	41,652	21	7	2	2	-	-	-	-	-	-	1	-	1	-
2	Kingston 2W,H	6,224	42,068	15	11	-	7	-	-	-	-	-	-	1	-	-	5
3	Surbiton F,H	3,046	15,017	7	4	-	2	-	-	-	-	-	-	-	-	2	-
4	Esher, *part of** H	5,402	13,100	11	5	1	3	-	-	-	-	-	-	-	1	1	-
5	Hampton H,F,L	4,564	23,456	10	5	-	5	-	-	-	-	-	-	-	-	-	-
41 : 1	Richmond W,H	2,491	31,672	12	5	2	2	-	-	-	-	-	-	-	2	2	1
2	Mortlake F	2,518	17,821	13	5	3	1	-	-	-	-	-	-	-	-	2	-
42 : 1	Bromley F,3H	4,696	27,397	8	4	-	1	-	-	-	-	-	-	-	-	-	1
2	Beckenham H	7,832	28,454	12	4	-	3	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	4	8	1	5	-	-	-	-	1	-	-	-	-	5
4	Chislehurst 2H	7,333	16,446	4	3	1	1	-	-	-	-	-	-	-	1	2	-
43 : 1	Bexley w,F,H	8,678	21,151	10	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,354	25,296	14	5	2	1	-	-	-	-	-	-	1	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	3	1	1	-	-	-	-	-	-	-	-	-	3
126 : 1	Sunbury w	11,054	18,683	5	4	1	3	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	5	2	2	-	-	-	-	-	-	-	-	-	-	-
127 : 1	Hillingdon W,F,H	6,035	13,661	7	3	1	1	-	-	-	-	-	-	-	-	-	1
2	Uxbridge H	12,757	8,984	8	3	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	17	7	3	2	-	-	-	-	-	-	1	1	1	-
128 : 1	Isleworth 3W,3F,H	6,859	30,863	16	7	1	2	-	-	-	-	-	-	-	-	1	2
2	Twickenham F,2H	2,421	20,991	17	4	2	1	-	-	-	-	-	-	1	-	-	-
3	Hanwell w,2H	4,108	11,257	9	3	1	2	-	-	-	-	-	-	-	-	-	-
4	Brentford 3F,2H	4,038	48,202	41	10	2	5	-	-	-	-	-	-	-	1	1	-
5	Chiswick H	1,249	29,809	9	4	-	1	-	-	-	-	-	-	-	-	-	-
6	Acton F,H	2,305	37,744	24	12	7	2	-	-	-	1	-	-	2	-	-	1
129 : 1	Willesden W,F,2H	4,384	114,811	88	21	3	11	-	-	-	-	-	-	2	1	3	3
130 : 1	Harrow F,H	13,809	25,523	22	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	22	4	-	1	-	-	-	-	-	-	-	1	1	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	4	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	5	4	-	1	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,638	33,692	24	8	1	5	-	-	-	-	-	-	1	1	1	2
132 : 1	Hornsey F,H	2,875	72,056	26	18	3	7	-	-	-	1	-	-	-	1	4	1
2	Wood Green H	1,625	34,233	26	4	1	2	-	-	-	-	-	-	-	-	1	-
3	West Tottenham	995	48,741	28	10	3	4	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,010	53,962	37	15	3	5	-	-	-	-	-	1	-	-	1	5
5	Edmonton W,w,2F	7,491	61,892	43	18	8	7	-	-	-	-	-	-	5	-	2	7
6	Enfield 2W,F,H	12,661	42,738	25	7	-	3	-	-	-	-	-	2	-	-	-	2
7	Waltham Abbey F	11,017	6,549	-	1	-	-	-	-	-	-	-	-	-	1	1	-
8	Cheshunt F,H	8,479	12,292	5	1	-	-	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	5	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	23	8	3	1	-	-	1	-	-	-	2	-	-	-
2	Forest Gate	787	52,745	18	9	2	4	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	64	23	5	4	-	-	-	2	-	1	5	-	1	3
4	Canning Town H	1,556	70,718	45	14	6	1	-	1	-	-	-	-	3	2	2	1
5	South East Ham 2F ..	1,991	37,342	30	8	4	1	-	-	-	-	-	-	2	-	-	-
6	North East Ham w,H ..	1,333	58,666	25	10	2	6	-	-	-	-	1	-	1	-	-	-
7	Wanstead F	1,679	9,179	4	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	24	12	1	10	-	-	-	-	-	-	-	-	-	11
9	North Leyton 2W,w,F ..	1,963	48,445	29	28	1	10	-	-	-	-	1	-	-	2	3	19
10	Walthamstow 2H L ..	6,504	108,929	63	12	3	2	-	-	-	-	-	-	-	-	6	-
189 : 1	Chigwell 2F,3H	11,778	16,397	10	4	1	1	-	-	-	-	-	-	-	1	1	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	2	-	1	-	-	-	-	-	-	-	-	-	1
2	Ilford F,L	8,496	41,244	27	5	-	2	-	-	-	-	-	-	-	1	1	-
3	Barking Town F	3,805	21,547	24	9	4	3	-	-	-	-	-	-	1	1	1	-
	N.E. Hospital, Tottenham..	—	—	-	3	-	-	-	-	-	1	-	2	-	-	-	3
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2
	Metropolitan Imbecile Asylum, Darenth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esher parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting the part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : 1, and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ONDON* - -	4,872,702	October 15	2029	1200	12·8	-	17	5	5	7	16	93
ALCUTTA - -	1,009,008	September 17	-	416‡	21·4	1	1	-	-	1	9	17
OMBAY - -	977,822	" 27	430	569‡	30·3	1	1	-	-	-	1	27
ADRAS - -	509,346	" 16	451	483‡	49·3	7	-	?	?	?	1	46
ARIS* - -	2,772,467	October 8	879	679	12·9	-	4	-	2	3	5	40
RUSSELS* -	720,030	" 8	228	178	12·8	-	-	-	1	-	5	17
NTWERP* - -	317,171	" 8	123	68	11·1	-	-	-	-	-	-	19
MSTERDAM* -	573,246	" 8	269	121	11·0	-	-	-	-	-	3	2
OPENHAGEN -	455,000	" 8	237	116	13·3	-	-	1	-	-	1	12
TOCKHOLM -	341,816	" 1	162	84	12·8	-	-	1	2	1	-	4
HRISTIANIA -	240,178	" 8	116	49	10·6	-	1	-	1	-	-	2
T. PETERSBURG	1,620,000	September 24	885	603‡	19·4	3	3	10	7	3	4	62
OSCOW - -	1,493,600	October 1	-	665	23·2	-	3	18	27	3	7	80
ERLIN - -	2,125,294	September 24	843	528	13·0	-	1	5	10	4	2	52
AMBURG - -	911,500	October 8	-	242	14·0	-	1	-	20	-	-	41
RESLAU - -	509,992	" 1	-	158	16·2	-	-	1	-	3	2	16
UNICH - -	576,000	" 1	-	163	14·7	-	4	-	-	-	-	19
IENNA* - -	2,107,981	" 8	792	558	13·6	-	2	5	3	1	-	42
RAGUE* - -	497,905	September 24	176	143	14·9	-	-	1	-	1	1	10
UDAPEST* -	833,703	October 1	418	312‡	19·4	-	1	7	3	1	12	19
RIESTE* - -	221,124	" 8	114	82	19·1	-	1	-	1	2	-	4
OME - - -	590,113	August 6	335	160	14·1	-	3	2	-	3	2	16
		" 13	241	177	15·6	-	5	1	1	2	3	25
ENICE - -	183,224	" 20	-	-	-	-	-	-	-	-	-	-
UCAREST - -	297,643	September 10	146	125	21·9	-	-	7	4	1	4	16
		" 17	161	119	20·8	-	-	7	1	2	1	12
EW YORK* -	4,803,264	" 17	2659	1250	13·6	-	6	2	8	3	12	183
HICAGO* - -	2,185,283	" 24	-	565	13·5	-	-	2	10	4	5	119
HILADELPHIA*	1,598,400	August 27	-	446	14·6	-	4	-	3	17	4	69
IO DE JANEIRO	842,822	September 11	-	362	22·4	-	13	-	-	5	1	?
AIRO:—*												
Egyptians -	620,443	" 9	-	-	-	-	-	-	-	-	-	-
Foreigners -	62,510	" 9	-	-	-	-	-	-	-	-	-	-
LEXANDRIA:—*												
Egyptians -	319,087	" 9	-	-	-	-	-	-	-	-	-	-
Foreigners -	68,829	" 9	-	-	-	-	-	-	-	-	-	-

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to hildren under two years of age.

† Excluding deaths from croup in the Indian Cities.

‡ Including 8 deaths from *plague* in Calcutta and 16 in Bombay, and from *Asiatic cholera*, 15 deaths in Calcutta, 2 in Bombay, 26 in Madras, 66 in St. Petersburg, and 4 in Budapest.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 15th October, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
ONDON (Greenwich)	69·2	43·2	54·3	0·61	BRADFORD - -	58·9	43·1	49·6	0·58
RIGHTON - -	62·0	45·9	55·3	1·61	YORK - - -	63·0	45·0	52·4	0·38
ORTSMOUTH - -	66·0	42·5	54·7	2·80	HULL - - -	63·0	45·0	52·5	0·59
ORWICH - -	64·0	46·0	53·8	0·51	TYNEMOUTH - -	58·0	39·0	49·2	0·47
LYMOUTH - -	64·2	45·8	53·0	3·09	CARDIFF - - -	63·1	43·2	50·4	1·45
RISTOL - - -	63·0	41·3	50·9	2·21	EDINBURGH - -	58·4	41·4	48·3	0·10
IRMINGHAM - -	62·0	41·8	50·8	0·97	GLASGOW - -	56·0	40·9	49·8	0·10
OTTINGHAM - -	62·0	42·0	51·0	0·41	DUBLIN Phœnix Park.	58·4	31·9	43·2	0·14
IVERPOOL OBSERVATORY	60·0	42·0	51·5	0·29	DUBLIN Fitzwilliam Square.†	58·5	37·9	50·2	0·15
ANCHESTER -	60·1	40·8	50·8	0·50					
URNLEY - -	59·5	41·0	49·4	0·39					
UDDERSFIELD -	62·2	41·8	50·3	0·46	BELFAST - - -	58·0	38·5	51·1	0·09

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1903, for the corresponding period to the above was 1°·0 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 15th October. 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
OCTOBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 9	..	29·880	59·6	52·1	7·5	55·4	+ 3·8	51·9	3·5	6·6	0·6	88	71·3	50·0	57·50	Calm	SW. & WSW.	0·0	0·0	0·0	91	−165	0·00	0·0
MONDAY - 10	Greatest Dec. S.	29·851	67·1	48·6	18·5	56·3	+ 5·0	48·6	7·7	17·5	0·6	76	107·0	37·5	57·53	SW. & WSW.	WSW., SW. & SSW.	0·5	0·0	0·0	174	− 82	0·00	4·5
TUESDAY - 11	First Qr.	29·608	69·2	48·6	20·6	58·3	+ 7·4	53·0	5·3	16·2	0·6	83	114·5	38·0	57·48	S., SSW. & SW.	SW., S. & SE.	2·2	0·0	0·1	201	− 56	0·19	7·5
WEDNESDAY 12	..	29·485	58·0	48·6	9·4	50·0	− 0·6	49·2	0·8	3·2	0·0	97	55·0	48·8	57·34	S., variable & N.	NNE. & NE.	3·7	0·0	0·4	356	+ 95	0·39	0·0
THURSDAY - 13	..	30·004	58·2	49·3	8·9	52·6	+ 2·3	48·2	4·4	8·6	2·1	85	57·1	41·1	57·27	ENE. & NE.	NE.	12·4	0·0	1·0	550	+283	0·03	2·0
FRIDAY - 14	..	30·241	52·9	49·1	3·8	50·5	+ 0·4	44·6	5·9	9·2	3·1	80	70·6	44·0	56·94	E. & ENE.	E. & ENE.	16·0	0·0	1·4	552	+281	0·00	6·0
SATURDAY - 15	..	30·056	56·1	43·2	12·9	48·9	− 1·0	45·2	3·7	7·8	0·2	87	89·5	29·5	56·54	NE., E. & ESE.	SE. & ESE.	5·5	0·0	0·1	238	− 35	0·00	0·0
MEANS - -		29·875	60·2	48·5	11·7	53·1	+ 2·5	48·7	4·5	9·9	1·0	85	80·7	41·7	57·23	SW. & ENE.		..	..	..	Sum 2162	Sum +321	Sum 0·61	2·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 9	w. P. throughout.	0·0	11·1	Overcast and dull generally.
MONDAY - 10	w. P. throughout.	3·8	11·0	Overcast in morning; very fine interval between 9h. A.M. and 1h. 30m. P.M.; overcast till 5h. P.M.; very fine afterwards.
TUESDAY - 11	w. P. till 5h. P.M.; w. P. and w. N. generally afterwards.	2·9	11·0	Fine and partially cloudy till 0h. 30m. P.M.; then generally overcast; shower at 4h. A.M. and nearly continuous rain between 5h. and 11h. P.M. Solar halo observed at noon.
WEDNESDAY 12	w. P. generally till 11h. A.M.; w. P. and occasional w.N. afterwards.	0·0	10·9	Overcast with slight exceptions; frequent rain after 10h. 40m. A.M.
THURSDAY - 13	w. P. throughout.	0·0	10·8	Generally overcast with occasional rain; strong gusty wind prevalent after 8h. A.M.
FRIDAY - 14	w. P. throughout.	0·0	10·8	Generally overcast; strong gusty wind prevalent till noon; amounting to a moderate gale in early morning.
SATURDAY - 15	w. P. throughout.	2·1	10·7	Generally overcast till 2h. P.M.; very fine afterwards; slight fog and heavy dew at night.
		Sum 8·8	Sum 76·3	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.: noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·82 in. at the beginning of the week to 29·89 in. by 11h. A.M. on the 9th; decreased to 29·33 in. by 3h. A.M. on the 12th; increased to 30·27 in. by 10h. A.M. on the 14th; decreased to 29·99 in. by 10h. A.M. on the 15th; increased to 30·11 in. by 10h. P.M.; and was 30·10 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 8th October, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever
WEST.											
Paddington	153,004	-	5	3	-	-	-	-	2	2	-
Kensington	184,635	-	7	6	-	2	-	-	6	1	-
Hammersmith	127,413	-	11	4	-	2	-	-	2	-	-
Fulham	181,282	-	11	6	-	1	-	-	2	-	1
Chelsea	75,457	-	4	1	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	3	3	-	-	-	-	3	-	-
NORTH.											
St. Marylebone	125,195	-	2	5	-	1	-	-	2	-	-
Hampstead	95,729	-	3	1	-	2	-	-	1	-	-
St. Pancras	237,792	-	19	10	-	1	-	-	4	-	-
Islington	353,356	-	27	12	-	5	-	-	5	-	2
Stoke Newington	54,838	-	1	-	-	-	-	-	-	-	-
Hackney	239,979	-	12	5	-	6	-	-	12	-	-
CENTRAL.											
Holborn	53,142	-	-	3	-	-	-	-	1	-	-
Finsbury	94,578	-	4	3	-	2	-	-	5	-	-
City of London	17,132	-	1	-	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,387	-	4	3	-	4	-	-	3	1	-
Bethnal Green	131,579	-	7	3	-	8	-	-	4	-	-
Stepney	314,379	-	11	3	-	4	-	-	15	-	-
Poplar	172,432	-	8	5	-	5	-	-	3	1	-
SOUTH.											
Southwark	211,832	-	14	5	-	2	-	-	8	1	-
Bermondsey	127,238	-	7	6	-	2	-	-	2	-	-
Lambeth	327,074	-	16	14	-	6	-	-	2	-	-
Battersea	188,222	-	11	3	-	4	-	-	6	-	-
Wandsworth	305,838	-	11	6	-	2	-	-	2	-	-
Camberwell	286,058	-	16	4	-	3	-	-	10	1	-
Deptford	119,642	-	5	6	-	-	-	-	5	-	-
Greenwich	112,935	-	4	6	-	-	-	-	-	-	-
Lewisham	164,899	-	12	3	-	-	-	-	1	-	-
Woolwich	135,422	-	14	5	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	1	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	250	134	-	63	-	-	107	7	3
Ages 0-1		-	1	2	-	-	-	-	1	-	2
„ 1-5		-	92	41	-	1	-	-	6	-	-
„ 5-		-	100	50	-	6	-	-	2	-	-
„ 10-		-	33	23	-	10	-	-	5	-	-
„ 15-		-	11	6	-	12	-	-	4	-	-
„ 20-		-	4	5	-	5	-	-	7	2	-
„ 25-		-	8	5	-	12	-	-	15	2	-
„ 35-		-	1	1	-	10	-	-	23	3	1
„ 45-		-	-	-	-	6	-	-	26	-	-
„ 55-		-	-	1	-	1	-	-	11	-	-
„ 65 and upwards		-	-	-	-	-	-	-	7	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 42. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, OCT. 22. [Price 1½*d.*

General Register Office, Somerset House,
October 24th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 13·0 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 13·3, 12·8, and 13·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·7 in Bootle and in Rhondda, 18·0 in Burton upon Trent, 18·1 in Oldham, 19·0 in Rochdale, 19·3 in Wigan, 19·7 in Merthyr Tydfil, 19·8 in Brighton, and 21·4 in Middlesbrough; from *measles*, 3·6 in Brighton; from *diphtheria*, 1·2 in Southampton and in Reading; from *enteric fever*, 1·2 in Devonport; and from *diarrhœa*, 2·6 in Bury and in Sunderland, 2·8 in Burton upon Trent, 2·9 in Middlesbrough, 3·0 in York, 3·2 in West Hartlepool, 3·6 in Brighton, and 4·4 in Burnley. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2227 BIRTHS and 1176 DEATHS were registered. Allowing for increase of population, the births were 137 and the deaths 51 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17849—41.) Wt. 91—429. 700. 10/10. D & S. G. 31. Sch. 4. 2 T

causes, which had been 13·0, 12·3, and 12·8 per 1000 in the preceding three weeks, was 12·6 last week. The death-rate in the four weeks ended last Saturday averaged 12·7 per 1000, being 0·6 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1176 deaths included 33 from measles, 4 from scarlet fever, 11 from diphtheria, 7 from whooping-cough, 9 from enteric fever, and 69 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 133 deaths were referred, being 16 above the corrected average number in the forty-second week of the preceding five years.

The deaths from *measles*, which had been 15, 18, and 17 in the preceding three weeks, rose to 33 last week, and were 19 above the corrected average; 6 deaths belonged to the Borough of Islington, 5 to Southwark, 4 to Bermondsey, and 3 each to Finsbury and to Lambeth. The deaths from *scarlet fever*, which had been 4, 3, and 5 in the preceding three weeks, were 4 last week, and were 8 below the corrected average. The deaths from *diphtheria*, which had been 10, 8, and 5 in the preceding three weeks, rose to 11 last week, the corrected average being 10; 3 deaths belonged to Southwark. The deaths from *whooping-cough*, which had been 10, 10, and 7 in the preceding three weeks, were again 7 last week, and were 6 below the corrected average; 3 deaths belonged to Bethnal Green. The deaths from *enteric fever*, which had been 10, 7, and 16 in the preceding three weeks, were 9 last week, the corrected average being 8. The deaths from *diarrhœa*, which had been 82, 59, and 73 in the preceding three weeks, were 69 last week, and were 7 above the corrected average; 9 deaths belonged to Bermondsey, 6 to Islington, 6 to Stepney, 5 each to Fulham and Lambeth, and 4 to St. Pancras. Of the 69 deaths from diarrhœa, 65 were those of children under 2 years of age; 14 other deaths at this age were certified as due to *enteritis*, and 12 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 4, having been 14, 6, and 6 in the preceding three weeks.

Different forms of violence caused 42 deaths, concerning all of which inquests were held. Of these 42 deaths, 10 were cases of suicide, while the remaining 32 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, two to burns or scalds, five to drowning, and three, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1792 cases of scarlet fever, 843 of diphtheria, and 179 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 231 cases, against 249, 245, and 234; of diphtheria, 116 cases, against 115, 121, and 138; and of enteric fever, 26 cases, against 33, 31, and 32. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 15th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3513 births and 1644 deaths were registered. Allowing for increase of population, these numbers are 193 and 107 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from scarlet fever, 2 deaths from diphtheria, 3 from whooping-cough, and 12 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·71 inches, and that of the Thermometer 51°·4, the latter being 2°·4 above the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 1 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 14·6 hours; the measured rainfall amounted to 0·63 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 22nd October, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 1st Oct., 1910.	8th Oct., 1910.	15th Oct., 1910.	22nd Oct., 1910.	Rate from Diseases in Cols. 11-17 Week ended 22nd Oct., 1910.	Registered during the Week ended 22nd Oct., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**13·3**	**12·8**	**13·1**	**13·0**	**1·6**	**7933**	**4213**	**1065**	**1119**	**-**	**75**	**26**	**42**	**37**	**28**	**296**	**144**	**285**	**1153**	**23**	**77 TOWNS.**
LONDON	4,872,702	13·0	12·3	12·8	12·6	1·4	2227	1176	286	325	-	33	4	11	7	9	69	42	106	507	-	LONDON.
CROYDON	164,485	10·5	8·6	10·8	11·4	1·0	75	36	12	12	-	-	1	2	-	-	-	-	2	8	-	CROYDON.
WILLESDEN ..	166,088	11·0	7·2	6·9	8·8	0·3	53	28	8	6	-	-	-	-	-	-	1	-	-	5	-	WILLESDEN.
HORNSEY	98,561	5·3	7·9	10·6	6·3	1·1	28	12	2	4	-	-	-	1	-	-	1	-	2	2	-	HORNSEY.
TOTTENHAM ..	132,803	11·4	7·1	10·6	9·4	0·8	75	24	6	7	-	-	-	-	-	1	1	1	3	5	-	TOTTENHAM.
WEST HAM ..	328,585	10·3	10·2	10·5	10·9	2·2	164	69	19	21	-	4	-	1	2	1	6	-	2	17	-	WEST HAM.
EAST HAM.. ..	156,208	7·0	7·3	6·7	9·3	1·3	67	28	8	6	-	-	-	-	-	1	3	1	3	5	-	EAST HAM.
LEYTON	133,436	7·8	7·4	7·0	7·8	-	85	20	5	7	-	-	-	-	-	-	-	-	-	3	-	LEYTON.
WALTHAMSTOW	141,748	8·1	8·5	7·0	8·5	0·7	66	23	6	5	-	1	-	-	-	-	1	1	3	3	-	WALTHAMSTOW.
HASTINGS	68,520	10·7	7·6	9·9	8·4	-	11	11	1	6	-	-	-	-	-	-	-	-	-	2	-	HASTINGS.
BRIGHTON	131,900	10·3	13·8	13·4	19·8	7·5	48	50	11	8	-	9	1	-	-	-	9	2	6	12	-	BRIGHTON.
PORTSMOUTH ..	217,989	12·9	13·6	9·6	15·3	1·2	136	64	24	15	-	1	-	1	-	-	3	3	4	14	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	6·3	14·8	12·0	7·8	0·7	30	11	1	5	-	-	-	1	-	-	-	-	-	4	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	13·5	11·9	14·4	16·0	4·1	78	39	10	9	-	1	-	3	-	1	5	3	3	13	-	SOUTHAMPTON.
READING	84,355	9·9	10·5	8·7	7·4	1·2	36	12	1	5	-	-	-	2	-	-	-	-	1	3	-	READING.
NORTHAMPTON ..	99,113	12·6	10·0	10·0	12·6	1·6	26	24	6	7	-	-	-	-	1	-	2	1	1	4	-	NORTHAMPTON.
IPSWICH	75,936	11·0	16·5	14·4	15·1	-	40	22	6	8	-	-	-	-	-	-	-	-	-	2	-	IPSWICH.
GREAT YARMOUTH	53,715	16·5	10·7	7·8	14·6	-	23	15	2	8	-	-	-	-	-	-	-	2	3	7	-	GREAT YARMOUTH.
NORWICH	125,446	9·6	10·4	9·1	12·9	1·2	67	31	10	11	-	-	-	-	-	-	3	3	4	6	-	NORWICH.
PLYMOUTH	126,266	18·2	13·6	7·8	10·7	1·2	49	26	6	11	-	1	-	-	-	2	-	1	2	3	-	PLYMOUTH.
DEVONPORT	84,695	13·5	12·3	10·5	7·4	1·2	49	12	3	5	-	-	-	-	-	2	-	1	1	3	-	DEVONPORT.
BRISTOL	382,550	9·7	12·1	11·9	9·4	0·8	179	69	23	16	-	-	1	1	1	-	3	2	5	17	1	BRISTOL.
STOKE ON TRENT ..	245,726	18·0	18·9	17·6	12·7	2·5	142	60	14	12	-	-	4	2	1	-	5	4	7	11	-	STOKE ON TRENT.
BURTON ON TRENT	54,977	7·6	7·6	10·4	18·0	3·8	22	19	3	7	-	-	-	1	-	-	3	2	2	7	1	BURTON ON TRENT.
WOLVERHAMPTON..	105.962	13·8	15·7	7·4	12·8	1·5	46	26	10	7	-	-	-	-	-	-	3	1	2	3	-	WOLVERHAMPTON.
WALSALL	101,035	12·9	8·8	10·3	7·2	1·5	51	14	6	5	-	-	-	-	-	-	3	-	-	-	-	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	5·8	6·5	5·0	7·2	0·7	30	10	3	6	-	-	-	-	-	-	1	-	-	2	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	11·7	6·6	15·4	13·9	2·9	41	19	6	6	-	-	1	-	-	-	3	-	1	4	-	WEST BROMWICH.

ended Saturday 22nd October, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 1st Oct., 1910.	8th Oct., 1910.	15th Oct., 1910.	22nd Oct., 1910.	Rate from Diseases in Cols. 11-17. Week ended 22nd Oct., 1910.	Registered during the Week ended 22nd Oct., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	13·3	13·0	13·7	13·6	0·9	300	149	47	29	-	-	-	-	-	2	8	6	8	35	3	BIRMINGHAM.
KINGS NORTON ..	84,673	5·5	3·7	9·9	6·2	0·6	31	10	2	2	-	-	-	-	-	-	1	1	1	2	-	KINGS NORTON.
SMETHWICK	72,350	9·4	10·8	10·8	14·4	0·7	41	20	8	7	-	-	-	-	-	-	1	-	-	-	-	SMETHWICK.
ASTON MANOR ..	86,269	7·3	7·9	10·9	10·3	3·0	32	17	5	2	-	-	-	1	-	-	4	-	1	-	-	ASTON MANOR.
COVENTRY	81,449	16·6	13·4	17·9	14·1	-	50	22	5	8	-	-	-	-	-	-	-	1	1	7	-	COVENTRY.
LEICESTER	248,374	10·5	10·9	11·3	10·1	1·7	110	48	15	10	-	-	1	1	1	1	4	2	3	11	2	LEICESTER.
GRIMSBY	74,283	12·6	16·8	13·3	14·7	4·2	39	21	7	6	-	-	-	-	2	1	3	-	2	3	-	GRIMSBY.
NOTTINGHAM ..	266,471	11·0	12·7	12·5	14·3	1·4	123	73	22	22	-	-	-	-	1	-	6	3	6	16	-	NOTTINGHAM.
DERBY	131,256	8·3	10·7	10·7	9·5	0·8	72	24	5	6	-	-	1	1	-	-	-	3	5	5	-	DERBY.
STOCKPORT	105,087	17·4	13·9	10·9	15·9	3·5	45	32	13	6	-	-	-	1	2	-	4	1	1	9	-	STOCKPORT.
BIRKENHEAD ..	122,431	15·8	17·5	17·5	14·9	2·6	69	35	13	4	-	-	-	1	1	1	3	2	6	5	-	BIRKENHEAD.
WALLASEY . ..	73,173	9·3	12·8	16·4	9·3	-	20	13	2	2	-	-	-	-	-	-	-	-	-	4	-	WALLASEY.
LIVERPOOL . ..	767,606	18·7	17·9	18·7	15·8	1·8	390	233	60	54	-	4	1	1	2	-	18	4	8	79	2	LIVERPOOL.
BOOTLE	70,548	14·0	16·3	18·5	17·7	1·5	42	24	10	3	-	-	-	-	-	-	2	-	-	2	-	BOOTLE.
ST. HELENS	96,523	15·1	17·8	16·2	17·3	2·2	48	32	8	7	-	-	1	-	2	-	1	1	2	10	2	ST. HELENS.
WIGAN	91,732	20·5	12·5	14·8	19·3	2·3	41	34	8	8	-	1	1	-	-	1	1	2	2	7	-	WIGAN.
WARRINGTON ..	73,295	19·2	13·5	23·5	14·2	-	49	20	7	6	-	-	-	-	-	-	-	-	-	3	2	WARRINGTON.
BOLTON	190,315	16·4	13·2	15·6	12·9	1·9	92	47	10	12	-	-	1	2	-	-	4	1	2	4	-	BOLTON.
BURY	59,409	14·0	12·3	13·2	14·9	5·3	17	17	2	5	-	1	2	-	-	-	3	-	1	3	-	BURY.
MANCHESTER ..	716,354	14·3	13·9	13·5	15·1	1·4	344	208	37	54	-	7	1	2	3	3	3	16	18	64	-	MANCHESTER.
SALFORD	244,636	14·3	15·8	15·1	13·4	1·3	109	63	11	14	-	-	1	-	-	1	4	1	2	15	-	SALFORD.
OLDHAM	144,111	17·0	11·9	20·3	18·1	1·8	58	50	15	14	-	-	-	-	1	-	4	-	-	7	-	OLDHAM.
ROCHDALE	90,497	20·7	19·0	8·1	19·0	1·7	32	33	8	13	-	-	-	-	-	-	3	2	2	5	1	ROCHDALE.
BURNLEY	107,448	17·0	21·8	19·4	17·0	4·9	47	35	13	11	-	-	-	-	-	1	9	-	1	5	-	BURNLEY.
BLACKBURN	137,972	12·1	9·8	14·7	14·0	2·6	51	37	10	9	-	1	-	-	1	-	5	-	1	4	1	BLACKBURN.
PRESTON	119,253	14·9	15·3	14·0	10·1	1·3	47	23	6	10	-	-	-	-	-	-	3	1	1	3	-	PRESTON.
BARROW IN FURNESS.	63,689	13·1	8·2	18·0	13·1	1·6	33	16	4	4	-	-	1	-	-	-	1	-	-	2	1	BARROW IN FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 22nd October, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 1st Oct., 1910.	8th Oct., 1910.	15th Oct., 1910.	22nd Oct., 1910.	Rate from Diseases in Cols 11–17. Week ended 22nd Oct., 1910.	Registered during the Week ended 22nd Oct., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	17·1	18·7	13·8	17·1	0·6	37	31	2	9	-	-	-	1	-	-	-	3	3	8	-	HUDDERSFIELD.
HALIFAX	112,818	13·4	9·7	10·2	13·4	1·4	26	29	6	9	-	-	-	-	-	-	3	1	1	6	-	HALIFAX.
BRADFORD	295,865	14·1	12·5	14·1	12·9	1·2	102	73	13	25	-	-	1	-	1	-	5	1	5	15	-	BRADFORD.
LEEDS	490,985	10·7	14·3	12·0	10·9	1·0	193	103	23	27	-	1	-	1	1	-	6	1	3	25	-	LEEDS.
DEWSBURY	51,224	20·4	16·3	12·2	14·3	-	20	14	2	5	-	-	-	-	-	-	-	-	-	-	-	DEWSBURY.
SHEFFIELD	478,763	15·7	13·9	14·5	14·4	2·8	220	132	30	25	-	5	1	1	3	-	16	6	10	30	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	17·3	12·6	14·9	12·6	0·8	32	16	7	4	-	-	-	-	-	-	1	1	1	1	-	ROTHERHAM.
YORK	88,159	11·2	10·6	13·0	9·5	3·0	33	16	4	3	-	-	-	-	-	-	5	1	1	5	-	YORK.
HULL	280,006	14·7	16·8	16·4	13·6	1·3	142	73	14	23	-	1	-	1	1	-	4	1	4	21	1	HULL.
MIDDLESBROUGH ..	107,014	20·5	14·1	19·5	21·4	3·4	70	44	10	11	-	1	-	-	-	-	6	2	3	7	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	14·6	15·5	17·5	13·6	-	28	14	4	6	-	-	-	-	-	-	-	1	2	4	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	7·6	8·9	14·7	10·8	3·8	34	17	8	5	-	1	-	-	-	-	5	-	-	1	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	13·6	20·7	16·5	13·9	2·9	78	43	13	9	-	-	-	-	1	-	8	1	1	3	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	16·5	10·9	12·6	10·9	0·9	62	25	2	5	-	-	-	1	-	-	1	-	-	2	1	SOUTH SHIELDS.
GATESHEAD	133,676	17·2	12·9	11·3	9·8	0·4	50	25	9	3	-	-	-	-	-	-	1	-	-	-	3	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	13·3	13·9	11·5	15·1	1·1	141	83	15	25	-	2	-	-	2	-	2	2	4	18	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	14·8	16·6	16·6	12·0	-	20	13	2	2	-	-	-	-	-	-	-	-	-	3	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	20·3	11·8	8·5	13·7	1·3	48	21	4	3	-	-	-	-	-	-	2	1	1	4	-	NEWPORT (MON.).
CARDIFF	199,189	11·5	8·4	12·0	11·8	1·0	82	45	13	11	-	-	1	-	-	-	3	2	4	9	-	CARDIFF.
RHONDDA	138,674	18·0	11·7	14·2	17·7	2·3	121	47	18	10	-	-	-	-	-	-	6	2	3	1	-	RHONDDA.
MERTHYR TYDFIL..	79,522	11·1	15·1	14·4	19·7	0·7	56	30	9	7	-	-	-	-	-	-	1	-	-	3	-	MERTHYR TYDFIL.
SWANSEA	98,817	19·0	11·1	16·4	17·4	1·1	59	33	6	14	-	-	-	1	-	-	1	1	2	5	-	SWANSEA.
GREATER LONDON	7,537,196	11·6	11·3	11·4	11·4	1·2	3513	1644	397	474	-	38	6	17	12	12	94	53	144	594	-	GREATER LONDON.
OUTER RING ..	2,664,494	9·0	9·5	8·9	9·2	0·9	1286	468	111	149	-	5	2	6	5	3	25	11	38	87	-	OUTER RING.
8 TOWNS IN OUTER RING	1,321,914	9·3	8·3	8·9	9·5	1·1	613	240	66	68	-	5	1	4	2	3	13	3	15	48	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·8	10·6	8·8	8·9	0·7	673	228	45	81	-	-	1	2	3	-	12	8	23	39	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	14·6	13·9	12·3	12·7	0·6	125	88	12	31	-	-	-	-	-	-	4	4	?	35	2	EDINBURGH.
GLASGOW	884,505	12·9	14·9	13·2	12·8	0·9	411	217‡	48	47	-	-	-	4	2	-	10	13	?	65	7	GLASGOW.
DUBLIN (Registration Area).†	402,928	20·2	19·5	18·9	20·7	1·9	244	160	34	47	-	-	-	-	5	2	8	-	2	64	2	DUBLIN (Registration Area).†
BELFAST.†	391,167	14·0	12·5	16·3	16·0	2·0	223	120	27	27	-	5	1	1	-	-	8	2	5	28	-	BELFAST.†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SECOND Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2485	2389	2486	2345	2442	2372	2411	2198	2342	2221	2364·1	2227
Males - - -	1267	1201	1281	1231	1244	1222	1226	1113	1172	1125	1199·7	1184
Females - -	1218	1188	1205	1114	1198	1150	1185	1085	1170	1096	1164·4	1043
TOTAL **Deaths** -	1392	1394	1496	1333	1476	1331	1232	1270	1092	1067	1227·1	1176
Males - - -	694	700	760	680	739	633	652	676	576	589	650·4	626
Females - -	698	694	736	653	737	648	580	594	516	478	576·7	550

* The numbers in this column are the average weekly numbers in the Forty-Second week of the five year 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	13 Weeks.
TOTAL **Births** -	2429	1854	2367	2303	2268	2118	2088	2050	2079	2237	2140	2029	2227	28189
TOTAL **Deaths** -	957	956	962	952	1009	1005	1009	1140	1118	1215	1148	1200	1176	13847
Ages at Death: Under 1 year -	151	173	174	184	214	223	253	275	249	275	276	271	286	3004
1—5 years -	89	107	90	110	116	100	121	95	106	113	96	120	125	1388
5—20 " -	52	54	52	58	37	69	46	63	53	50	62	68	45	709
20—40 " -	124	122	136	130	122	116	111	147	133	136	141	145	149	1712
40—60 " -	229	210	223	202	207	198	206	225	243	271	241	264	246	2965
60 yrs. & upwds.	312	290	287	268	313	299	272	335	334	370	332	332	325	4069
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	23	30	28	27	35	23	21	27	18	15	18	17	33	315
Scarlet Fever - -	2	5	1	4	3	5	2	4	3	4	3	5	4	45
Diphtheria - -	4	8	6	6	10	5	10	5	9	10	8	5	11	97
Whooping-cough -	14	18	19	13	11	8	12	15	11	10	10	7	7	155
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	2	4	1	1	3	3	6	12	10	7	16	9	78
Pyrexia (origin uncertain).	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Diarrhœa, Dysentery	12	23	26	37	65	96	94	104	76	82	59	73	69	816
All above diseases -	59	86	84	88	125	140	143	161	129	131	105	123	133	1507
Dis. of Resp. System	48	50	48	48	42	50	47	51	52	66	53	70	81	706
Pneumonia - -	63	74	65	73	87	65	67	69	71	112	112	92	113	1063
Phthisis - - -	82	99	81	88	77	87	91	113	100	104	105	107	89	1223
Dis. of Circ. System -	158	150	138	121	142	145	147	180	171	202	163	167	153	2037
Violence - - -	48	50	43	48	34	43	53	38	50	53	66	58	42	626
Inquest Cases - -	103	119	94	112	80	109	112	107	125	119	128	139	106	1453
Deaths in Institutions	437	459	438	438	466	418	523	528	528	510	512	557	507	6351
TEMPERATURE OF THE AIR.														
Mean - - - -	58·8°	60·2°	60·7°	62·7°	59·9°	58·3°	54·7°	56·1°	53·8°	58·6°	57·4°	53·1°	51·4°	57·4°
Mean of Highest -	68·3°	71·5°	70·8°	73·7°	70·2°	67·4°	61·8°	63·8°	63·2°	69·0°	66·0°	60·2°	57·9°	66·4°
Mean of Lowest -	52·0°	52·2°	54·1°	53·5°	52·4°	50·8°	49·1°	50·4°	44·4°	49·2°	50·4°	48·5°	45·3°	50·2°
Mean Humidity of the Air.	77	77	85	75	77	77	79	81	76	88	79	85	86	80
Rain-fall (in inches) -	0·35	0·85	0·18	0·19	0·80	0·41	0·02	0·66	0·00	0·10	0·08	0·61	0·63	4·88
Registered Sunshine (in hours).	29·5	49·6	27·7	52·7	37·1	38·6	15·7	21·2	55·4	30·7	33·6	8·8	14·6	415·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1563	1523	1490	1423	1447	1455	1462	1509	1560	1653	1706	1745	1792	1564
Diphtheria - - -	619	584	584	591	578	592	630	672	709	751	788	835	843	675
Typhus - - -	-	-	-	1	1	1	1	1	1	1	1	-	-	1
Enteric Fever - -	46	46	46	51	59	60	79	102	123	144	163	175	179	98

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SECOND Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectiona should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 42nd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1227·1	1176	286	125	45	149	246	325
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	0·2	–	–	–	–	–	–	–
Measles (Morbilli)	13·7	33	7	26	–	–	–	–
Scarlet Fever	11·7	4	–	2	2	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	7·0	4	–	–	–	1	–	3
Whooping-cough	12·5	7	5	2	–	–	–	–
Diphtheria	9·6	11	1	7	3	–	–	–
Cerebro-spinal Fever ..	–	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	7·8	9	–	–	1	5	3	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	37·5	34	30	3	–	–	–	1
Diarrhœa, Dysentery ..	24·0	35	24	9	–	–	1	1
Tetanus	0·2	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	6·8	5	5	–	–	–	–	–
Puerperal Septicæmia ..	3·1	5	–	–	–	5	–	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·4	–	–	–	–	–	–	–
Infective Endocarditis ..	1·4	3	–	–	1	2	–	–
Pneumonia: Lobar ..	11·7	15	1	4	1	–	2	7
Pneumonia: Broncho ..	44·2	50	16	19	1	7	1	6
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	49·6	48	8	3	3	4	15	15
Erysipelas	4·3	2	–	–	–	–	–	2
Septicæmia (not Puerperal)	1·4	2	–	1	–	–	1	–
Pyæmia (not Puerperal)	0·6	–	–	–	–	–	–	–
Other Infective Processes	3·5	5	1	–	–	1	3	–
Tuberculous Phthisis ..	82·1	69	2	–	1	29	32	5
"*Phthisis*"	36·5	20	–	–	–	11	6	3
Tuberculous Meningitis ..	19·3	13	4	7	2	–	–	–
Tuberculous Peritonitis ..	7·4	7	3	2	–	1	1	–
Tabes Mesenterica	2·7	3	3	–	–	–	–	–
Tuberculous Dis., Other ..	14·1	17	4	6	3	2	2	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	8·8	8	–	–	–	3	4	1
Rheumatic Fever	4·7	4	–	1	–	2	1	–
Gout	1·8	2	–	–	–	–	1	1
Carcinoma	53·4	77	–	–	–	5	34	38
Sarcoma	5·1	3	–	–	–	1	1	1
Cancer (undefined) ..	31·5	27	–	–	–	1	13	13
Diabetes Mellitus	8·6	9	–	–	–	2	3	4
Premature Birth	48·3	38	38	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 42nd week of the 5 years 1905–1909	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	9·4	9	1	3	1	2	1
Gen. Par. of Insane, Insanity	11·7	8	–	–	–	–	4
Epilepsy	7·2	2	–	–	–	1	–
Convulsions	14·7	11	10	1	–	–	–
Locomotor Ataxy.. ..	1·8	4	–	–	–	2	1
Paraplegia, Dis. of Cord.	3·1	6	–	–	–	1	1
Nervous Sys., Other Dis.	14·9	15	1	–	1	–	4
Valv. Dis., Endocarditis..	48·5	50	–	–	2	11	21
Cereb. Hæm. Cereb. Emb.	33·4	31	–	–	–	1	5
Apoplexy, Hemiplegia ..	14·5	10	–	–	–	1	–
Aneurysm	4·5	5	–	–	–	–	4
Embolism, Thrombosis (not Cerebral) ..	0·2	–	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	68·6	57	–	–	2	8	24
Croup (not Spasm: nor Memb.)	0·6	–	–	–	–	–	–
Bronchitis	64·1	69	23	6	–	2	5
Emphysema, Asthma ..	2·3	2	–	–	–	–	–
Pleurisy	2·9	6	–	–	–	4	2
Respiratory Dis., Other..	7·8	4	–	1	–	1	1
Tonsillitis, Quinsy.. ..	0·8	–	–	–	–	–	–
Enteritis (not Epid.) ..	17·6	17	8	8	–	1	–
Gastro-enteritis	14·5	13	9	4	–	–	–
Peritonitis (not Puerp.) ..	2·3	4	–	1	1	1	–
Cirrhosis of Liver.. ..	13·7	9	–	–	–	–	5
Liver Dis., Other	5·1	6	–	–	–	1	–
Digestive Sys., Other Dis.	33·6	43	4	5	6	7	13
Acute Nephritis	5·9	10	–	–	2	2	2
Bright's Dis., Albuminuria	32·2	21	–	–	–	5	5
Urinary Sys., Other Dis.	11·3	11	–	–	–	–	5
Generative Organs Dis...	4·9	2	–	–	–	–	2
Childbirth (Accid. of) ..	3·5	5	–	–	1	4	–
Old Age	42·4	40	–	–	–	–	–
Other Diseases	97·3	95	72	3	3	2	8
ACCIDENT.							
By Railways	1·6	1	–	–	–	1	–
By Vehicles and Horses..	6·6	5	–	–	3	–	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	1	–	–	–	–	1
In Building Operations..	1·4	–	–	–	–	–	–
In Conflagrations	0·2	–	–	–	–	–	–
By Burns, Scalds, Explosions	3·5	2	–	1	1	–	–
By Drowning	4·3	5	–	–	1	1	1
By Suffocation in Bed ..	6·3	3	3	–	–	–	–
By Poisons or Poisonous Vapours	2·5	–	–	–	–	–	–
Other Deaths by Accident..	16·4	15	3	–	3	3	3
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	1·4	–	–	–	–	–	–
Suicide	11·5	10	–	–	–	5	3
Execution	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd October, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2227	1176	286	325	-	33	4	11	7	9	69	89	42	106	507	-
WEST DISTRICTS	805,311	310	181	40	61	-	2	-	-	-	2	10	7	7	12	81	-
NORTH DISTRICTS	1,055,908	437	254	47	80	-	10	-	-	1	3	13	31	4	18	97	-
CENTRAL DISTRICTS	209,465	97	50	14	8	-	2	-	1	-	-	5	1	3	5	33	-
EAST DISTRICTS	715,739	443	228	74	47	-	4	-	1	4	2	13	12	12	30	111	-
SOUTH DISTRICTS	1,749,344	940	432	111	120	-	15	3	9	2	1	27	35	16	41	154	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	31	-	9	-	-	1	-	-	1	1	3	-	-	31	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	20	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	19	16	4	2	-	-	-	-	-	1	1	-	2	2	11	-
South Paddington	30,320	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Kensington South *W,3H*	85,610	18	14	2	6	-	-	-	-	-	-	-	2	-	-	10	-
Kensington Central *W,H*	42,774	15	8	1	1	-	-	-	-	-	-	-	-	-	2	2	-
Kensington North *w*	48,244	23	19	5	10	-	1	-	-	-	-	-	1	-	1	7	-
North Hammersmith *2W,w,H* ..	49,192	28	20	5	8	-	-	-	-	-	-	1	3	1	2	7	-
South Hammersmith *w,2H* ..	63,047	27	15	3	5	-	1	-	-	-	1	3	-	2	2	4	-
North-west Fulham *W*	45,180	39	9	5	1	-	-	-	-	-	-	3	-	-	-	4	-
North-east Fulham *F*	46,405	26	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-
South Fulham *W*	45,704	28	5	-	2	-	-	-	-	-	-	-	-	1	2	-	-
Chelsea North *W,w,3H*	42,514	14	21	1	8	-	-	-	-	-	-	-	-	-	-	17	-
Chelsea South *W,2H*	31,328	6	9	5	1	-	-	-	-	-	-	2	-	-	-	4	-
Mayfair and Knightsbridge	28,743	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	22	10	1	4	-	-	-	-	-	-	-	-	-	-	6	-
St. Margaret & St. John *6H*	43,698	9	12	2	1	-	-	-	-	-	-	-	-	1	1	7	-
St. James and St. Anne *W,6H* ..	33,081	4	4	-	2	-	-	-	-	-	-	-	1	-	-	2	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	8	11	3	-	-	-	-	-	-	-	-	-	-	-	10	-
St. Mary Marylebone *W,4H* ..	37,948	45	6	2	1	-	-	-	-	-	-	-	1	-	-	1	-
Christchurch Marylebone *H* ..	39,536	12	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
St. John Marylebone *2H*	20,426	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	19	26	3	9	-	-	-	-	1	1	1	6	1	2	12	-
West St. Pancras *2H*	60,562	38	15	3	6	-	-	-	-	-	-	1	2	-	-	5	-
South St. Pancras *w,10H*	55,707	14	27	3	5	-	-	-	-	-	-	2	3	1	3	18	-
East St. Pancras *W,H*	60,320	35	15	4	7	-	1	-	-	-	-	1	3	-	-	3	-
North St. Pancras *2W*	58,728	23	11	1	7	-	-	-	-	-	-	-	-	-	1	4	-
Tufnell *W*	31,995	9	21	1	12	-	1	-	-	-	-	-	2	-	-	14	-
Upper Holloway *2W,w,H*	33,978	15	16	1	3	-	3	-	-	-	-	-	3	-	-	13	-
Tollington *2W,w,H*	33,922	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	17	13	2	4	-	2	-	-	-	-	2	-	-	-	-	-
Barnsbury	54,478	27	8	6	-	-	1	-	-	-	-	2	-	-	1	-	-
Islington South-east *F*	75,397	53	13	4	2	-	1	-	-	-	1	1	1	-	3	-	-
Highbury *2H*	63,797	23	13	2	4	-	-	-	-	-	-	-	2	-	-	1	-
Stoke Newington *H*	51,247	13	6	3	1	-	-	-	-	-	-	-	1	1	1	-	-
North Hackney	50,398	20	5	1	2	-	-	-	-	-	-	-	-	1	1	-	-
Central Hackney *2w,F*	50,536	23	8	1	3	-	1	-	-	-	1	-	-	-	1	2	-
South-west Hackney *3H*	59,921	25	15	4	5	-	-	-	-	-	-	1	2	-	1	4	-
South-east Hackney *2W,w,H* ..	58,255	22	20	3	6	-	-	-	-	-	-	1	5	-	4	10	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, a from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEV DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturd 22nd October, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	18	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Strand *W*,4*H*	21,674	1	11	4	1	-	-	-	-	-	-	-	-	-	-	9
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Holborn *W*,5*H*	29,612	11	9	2	-	-	-	-	-	-	-	-	1	-	-	7
Clerkenwell *H*	63,704	31	7	3	2	-	1	-	-	-	-	-	-	1	2	-
St. Luke 3*H*,*L*	36,116	33	4	3	-	-	-	-	-	-	-	1	-	-	1	1
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
St. Botolph *H*	10,299	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	-	15	2	2	-	1	-	1	-	-	4	-	2	2	14
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	21	8	2	1	-	-	-	-	-	-	-	-	-	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	25	25	5	13	-	1	-	-	-	-	-	1	2	4	18
Shoreditch North-East	36,148	17	4	3	-	-	-	-	-	1	-	-	-	1	1	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	29	32	7	8	-	-	-	-	-	-	1	2	4	5	23
Bethnal Green South-West *H* ..	64,542	39	13	8	-	-	-	-	-	2	1	1	-	1	3	3
Spitalfields..	27,969	5	4	2	2	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	33	30	6	3	-	-	-	1	-	-	1	-	1	3	27
Goodman's Fields	22,081	8	2	-	-	-	-	-	-	-	-	-	1	-	-	-
St. George and St. John 2*W* ..	49,068	30	13	1	1	-	1	-	-	-	1	-	2	-	1	8
Shadwell and Ratcliff *w*,*H* ..	25,568	12	17	14	-	-	1	-	-	1	-	6	-	-	1	14
Limehouse *W*	32,369	20	6	4	1	-	-	-	-	-	-	1	1	-	1	-
Mile End Old Town South-Western *H*	63,698	31	8	1	2	-	-	-	-	-	-	1	1	-	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	33	14	4	4	-	-	-	-	-	-	-	2	-	1	7
Bow	41,989	23	10	5	1	-	-	-	-	-	-	1	1	1	2	-
Bromley 3*w*,*H*	68,319	47	29	6	7	-	-	-	-	-	-	1	1	1	4	11
Poplar *W*,*w*	58,514	40	13	6	4	-	1	-	-	-	-	-	-	1	2	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

BLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd October, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
hristchurch and St. Saviour Southwark *W,2H*	23,319	12	27	10	3	-	2	-	1	-	-	2	-	2	3	22	-
ent-road	21,904	13	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-
t. George the Martyr West *W,2H,L*	39,094	19	8	4	-	-	1	-	-	-	-	3	-	1	1	4	-
lewington North	49,022	25	10	3	1	-	2	-	-	-	-	1	-	1	3	-	-
lewington South *W*	72,841	37	7	2	3	-	-	-	-	-	-	1	-	-	1	1	-
t. Olave *2W*	9,817	5	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-
ermondsey *W*	82,483	69	15	6	4	-	1	-	-	-	-	-	-	-	-	-	-
otherhithe *W,F*	38,460	21	30	10	8	-	1	-	-	-	-	5	4	-	-	19	-
Vaterloo *2H*	27,440	24	9	5	1	-	2	-	-	-	-	1	-	1	2	1	-
ambeth Church *H*	27,440	17	14	2	2	-	1	-	-	-	-	2	2	-	-	8	-
ennington *2W*	52,518	22	19	5	6	-	-	-	-	-	-	2	3	1	1	10	-
tockwell *HF*	63,826	33	15	2	6	-	-	1	2	-	1	1	1	-	1	5	-
rixton *H*	73,673	34	6	2	2	-	-	-	-	-	-	-	-	-	1	1	-
orwood *2WH*	56,998	20	11	1	3	-	-	-	-	-	-	-	2	-	-	-	-
East Battersea *H*	72,203	43	11	3	5	-	-	-	-	-	-	1	-	1	3	-	-
orth-west Battersea	49,656	37	9	3	1	-	1	-	-	1	-	2	-	-	1	-	-
outh-west Battersea *2W,H* ..	47,048	16	23	2	9	-	-	-	-	-	-	-	3	1	3	19	-
lapham *2H*	51,361	29	7	1	2	-	-	-	-	-	-	-	1	-	-	-	-
treatham *W,2w,2F,2L*	88,019	55	18	5	7	-	-	1	1	-	-	-	-	-	3	2	-
pringfield *2W,L*	27,959	17	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
outhfields *H*	40,444	23	11	4	3	-	-	-	-	-	-	1	2	-	2	-	-
utney	24,139	6	5	1	1	-	-	-	-	-	-	1	-	1	2	-	-
ulwich	13,359	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
amberwell South *W,w*	40,206	21	15	2	3	-	1	-	-	-	-	-	3	-	1	13	-
amberwell North *W,2L*	65,584	29	19	4	4	-	1	-	-	-	-	-	1	1	2	14	-
t. George	47,331	27	12	4	4	-	-	-	-	-	-	2	2	-	1	-	-
eckham North	48,913	30	5	3	1	-	-	-	-	-	-	-	-	-	1	-	-
eckham South *2W,w*	43,946	21	11	7	1	-	-	-	-	-	-	-	1	-	1	-	-
Deptford North *F*	49,004	25	12	4	2	-	-	-	4	-	-	-	-	1	2	4	-
Deptford East	29,781	16	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Deptford South	38,934	14	8	1	4	-	-	-	1	-	-	-	1	1	1	-	-
Greenwich West *H*	23,456	15	7	1	1	-	-	-	-	-	-	-	-	-	-	3	-
Greenwich East *2W,H*	43,859	30	18	-	8	-	-	-	-	-	-	-	3	1	1	13	-
Eltham *w,H*	7,226	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	14	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *2W,w,F*	58,352	32	14	2	6	-	-	-	-	-	-	-	2	-	1	5	-
Sydenham *H*	43,653	15	13	2	5	-	-	-	-	1	-	-	3	2	2	-	-
Charlton *F,2H*	21,134	17	2	-	1	-	-	1	-	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	13	6	2	1	-	-	-	-	-	-	-	-	-	-	4	-
Plumstead West *W,H*	39,376	17	6	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	17	8	2	3	-	-	-	-	-	-	2	1	1	1	3	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	1	-	-	1	-	-	-	-	3	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Horton	—	-	5	-	1	-	-	-	-	-	-	-	1	-	-	5	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	6	-	2	-	-	-	-	-	-	-	2	-	-	6	-
Cane Hill	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	4	-
Dartford Heath	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Claybury	—	-	3	-	-	-	-	-	-	-	-	1	-	-	-	3	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongi the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums H Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMER POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 22nd October, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public
	LONDON—OUTER RING ..	368,603	2,045,135	1286	468	111	149	-	5	2	6	5	3	25	11	38	87
31 : 1	Carshalton 2F,3H	12,228	32,997	21	6	2	3	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	5	6	-	3	-	-	-	-	-	-	-	-	-	-
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	2	-	1	-	-	-	-	1	-	-	-	-	1
39 : 1	Coulsdon	11,069	8,166	7	2	1	1	-	-	-	1	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	23	9	6	2	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	31	25	6	7	-	-	1	1	-	-	-	-	2	10
4	North Croydon H	2,644	41,698	21	4	-	2	-	-	-	1	-	-	-	-	-	-
5	Penge w	770	22,465	10	3	1	1	-	-	-	-	-	-	-	-	1	-
6	Mitcham w	11,711	30,015	23	6	2	1	-	-	-	-	-	-	-	1	1	-
40 : 1	Wimbledon F,3H	3,221	41,652	23	4	1	-	-	-	-	-	-	-	-	1	1	2
2	Kingston 2W,H	6,224	42,068	37	15	3	5	-	-	-	-	1	-	1	1	4	1
3	Surbiton F,H	3,046	15,017	8	2	1	1	-	-	-	-	-	-	1	-	-	-
4	Esher, *part of** H	5,402	13,100	8	2	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	15	8	-	7	-	-	-	-	-	-	-	-	1	1
41 : 1	Richmond W,H	2,491	31,672	7	3	-	-	-	-	-	-	-	-	-	-	1	1
2	Mortlake F	2,518	17,821	20	1	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	14	4	-	3	-	-	-	-	-	-	-	-	1	-
2	Beckenham H	7,832	28,454	6	4	1	2	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	9	5	3	1	-	-	-	-	-	-	-	-	-	3
4	Chislehurst 2H	7,333	16,446	15	1	-	-	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	11	4	-	1	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	13	2	-	1	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Sunbury w	11,054	18,683	8	5	1	1	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	11	8	1	5	-	-	-	-	1	-	-	-	2	2
127 : 1	Hillingdon W,F,H	6,035	13,661	3	3	-	1	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	7	1	-	1	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	15	3	1	1	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	50,863	20	16	5	6	-	-	-	-	-	-	1	-	-	6
2	Twickenham F,2H	2,421	20,991	15	3	1	-	-	-	-	-	-	-	-	-	-	2
3	Hanwell w,2H	4,108	11,257	7	4	2	-	-	-	-	-	-	-	-	1	1	-
4	Brentford 3F,2H	4,038	48,202	36	9	1	2	-	-	-	-	-	-	1	-	-	-
5	Chiswick H	1,249	29,809	15	7	2	2	-	-	-	-	-	-	-	-	-	-
6	A ton F,H	2,305	37,744	35	11	4	2	-	-	-	1	-	-	1	-	-	-
129 : 1	Willesden W,F,2H	4,384	114,811	53	28	8	6	-	-	-	-	-	-	1	-	-	5
130 : 1	Harrow F,H	13,809	25,523	27	6	-	2	-	-	-	-	-	-	1	1	2	1
2	Edgware 2F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	12	5	1	2	-	-	-	-	-	-	-	-	-	1
131 : 1	South Mimms 2F,H ..	17,755	7,308	4	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	6	2	-	-	-	-	-	-	-	-	-	1	1	-
3	Finchley F,3H	4,688	33,692	24	8	2	5	-	-	-	-	-	-	-	-	2	-
132 : 1	Hornsey F,H	2,875	72,056	28	11	2	4	-	-	-	1	-	-	1	-	2	1
2	Wood Green H	1,625	34,233	18	2	-	1	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	27	8	2	2	-	-	-	-	-	-	-	-	1	-
4	East Tottenham 2H ..	2,019	53,962	48	15	4	5	-	-	-	-	-	-	1	2	3	4
5	Edmonton W,w,2F	7,491	61,892	50	16	3	6	-	-	-	-	-	-	1	-	2	3
6	Enfield 2W,F,H	12,601	42,738	26	6	3	1	-	-	-	-	-	-	3	1	1	1
7	Waltham Abbey F	11,017	6,549	1	3	-	2	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	4	1	-	1	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	28	7	3	1	-	-	-	-	-	-	1	-	-	-
2	Forest Gate	787	52,745	15	4	-	1	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	65	20	6	3	-	-	-	1	-	1	2	-	-	2
4	Canning Town H	1,556	70,718	56	23	9	5	-	4	-	-	1	-	3	-	2	-
5	South East Ham 2F ..	1,991	37,342	32	16	4	2	-	-	-	-	-	1	2	1	1	1
6	North East Ham w,H ..	1,333	58,666	35	8	4	2	-	-	-	-	-	-	1	-	1	-
7	Wanstead F	1,679	9,179	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	38	17	3	10	-	-	-	-	-	-	-	-	1	11
9	North Leyton 2W,w,F ..	1,963	48,445	47	24	3	10	-	-	-	-	1	-	-	-	-	13
10	Walthamstow 2H L ..	6,504	108,929	78	23	6	7	-	1	-	-	-	-	1	1	4	1
189 : 1	Chigwell 2F,3H	11,778	16,397	11	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	2	-	1	-	-	-	-	-	-	-	-	-	2
2	Ilford F,L	8,496	41,244	21	6	1	1	-	-	-	-	-	-	1	-	-	1
3	Barking Town F	3,805	21,547	22	7	1	2	-	-	-	-	-	-	1	-	-	-
	Western Hospital, Fulham..	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1
	Eastern Hospital, Hackney	—	—	-	1	-	-	-	-	-	-	-	1	-	-	-	1
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Out Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esh parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting t part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ri in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 and in the Croydon Mental Hospital in 38 : 1 are also included.

ABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

ITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ON* - -	4,872,702	October 22	2227	1176	12·6	-	33	4	11	7	9	91
UTTA - -	1,009,008	September 24	-	372‡	19·1	-	1	-	-	-	2	18
AY - -	977,822	October 4	421	526‡	28·0	2	1	-	-	-	-	28
RAS - -	509,346	September 23	472	517‡	52·7	2	2	?	?	?	1	46
		" 30	372	458‡	46·7	4	1	?	?	?	-	30
S* - -	2,772,467	October 15	961	758	14·4	-	2	1	1	3	3	39
SELS* -	720,030	" 15	235	174	12·6	-	-	-	-	-	1	13
VERP* - -	317,171	" 15	110	73	12·0	-	3	2	-	1	-	12
ERDAM* -	573,246	" 15	230	125	11·4	-	2	-	-	1	2	2
NHAGEN -	455,000	" 15	216	126	14·4	-	1	2	-	-	1	7
KHOLM -	341,816	" 8	144	91	13·8	-	-	1	3	1	-	7
STIANIA -	240,178	" 15	126	57	12·3	-	1	-	1	-	-	3
ETERSBURG	1,620,000	" 1	983	621‡	20·0	3	11	8	14	4	6	53
OW - -	1,493,600	" 8	-	650‡	22·7	1	4	20	25	6	7	77
IN - -	2,125,248	" 1	835	525	12·9	-	4	4	9	1	3	44
BURG - -	911,500	" 15	-	256	14·9	-	1	1	12	5	-	32
LAU - -	509,992	" 8	-	168	17·2	-	-	2	5	-	-	29
ICH - -	576,000	" 8	-	162	14·6	-	-	-	3	-	-	19
NA* - -	2,107,981	" 15	824	562	13·7	-	4	6	4	-	1	33
UE* - -	497,905	" 1	148	150	15·7	-	-	1	3	1	1	7
APEST* -	833,703	" 8	409	259	16·1	-	-	6	2	1	3	19
STE* - -	221,124	" 15	121	79	18·4	-	-	-	-	-	1	11
E - - -	590,113	August 20	265	196	17·3	-	5	1	1	-	4	42
		" 27	237	151	13·6	-	4	-	2	-	2	22
CE - -	183,224	" 20	-	-	-	-	-	-	-	-	-	-
AREST - -	297,643	September 24	224	129	22·6	-	1	11	3	1	1	10
		October 1	99	132	23·1	-	-	5	3	-	4	1
YORK* -	4,803,264	September 24	2261	1302	14·1	-	6	4	19	5	11	165
AGO* - -	2,185,283	October 1	-	575	13·7	-	1	2	12	2	13	93
ADELPHIA*	1,598,400	September 3	-	449	14·6	-	1	3	7	7	4	82
		" 10	-	439	14·3	-	5	2	2	15	10	48
DE JANEIRO	842,822	" 18	-	379	23·4	-	19	-	-	1	1	?
O:—*												
yptians -	620,443	" 9	665	472	39·6	-	2	-	9	-	6	139
reigners -	62,510	" 9	5	9	7·5	-	1	-	-	-	-	2
XANDRIA :—*												
yptians -	319,087	" 9	311	240‡	39·1	-	-	-	-	-	3	79
reigners -	68,829	" 9	6	25‡	18·9	-	-	-	-	-	-	1

The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to dren under two years of age.
Excluding deaths from croup in the Indian Cities.
Including 5 deaths from *plague* in Calcutta, 13 in Bombay, and 2 in Alexandria (1 Egyptian and 1 Foreigner), and 1 *Asiatic cholera*, 17 deaths in Calcutta, 3 in Bombay, 28 and 22 in Madras, 54 in St. Petersburg, and 1 in Moscow.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 22nd October, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
DON (Greenwich)	60·6	42·3	51·6	0·63	BRADFORD - -	55·9	38·3	48·6	1·06
HTON - -	60·2	42·9	52·4	1·23	YORK - - -	63·0	40·0	49·9	0·78
TSMOUTH - -	60·7	42·0	52·7	1·05	HULL - - -	59·0	43·0	50·9	0·68
WICH - -	60·4	40·8	51·2	0·39	TYNEMOUTH - -	58·0	39·0	49·5	1·19
MOUTH - -	59·5	39·9	52·1	0·83	CARDIFF - - -	57·3	39·0	49·8	1·07
STOL - - -	60·2	39·2	49·9	1·60	EDINBURGH - -	56·1	37·8	48·1	1·53
MINGHAM - -	57·7	39·0	49·3	0·59	GLASGOW - -	58·0	37·0	49·3	0·48
TINGHAM - -	59·0	42·0	49·9	0·28	DUBLIN Phœnix Park	58·4	38·4	49·1	0·33
ERPOOL OBSERVATORY	58·0	40·0	49·7	1·52	DUBLIN Fitzwilliam Square.†	58·2	40·9	50·6	0·34
ICHESTER -	60·8	36·8	49·3	0·59					
NLEY - -	56·0	34·5	48·2	1·09					
DERSFIELD -	56·0	38·0	48·4	0·62	BELFAST - - -	58·0	42·0	50·7	0·65

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The rection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the ove was 1·0 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 22nd October, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. MONTH AND DAY.	Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity (Saturation equals 100).	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCTOBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 16	..	29·958	60·0	43·5	16·5	52·0	+ 2·2	48·0	4·0	9·4	0·0	86	98·0	29·8	56·27	E., ESE. & SE.	SE. & ESE.	0·4	0·0	0·0	140	−130	0·00	1·2
MONDAY - 17	In Eqr.	29·793	60·6	49·3	11·3	54·8	+ 5·2	52·1	2·7	8·0	0·8	90	99·0	41·0	55·95	SE., SSE. & SSW.	SSW., SW. & WSW.	2·2	0·0	0·2	309	+ 44	0·32	9·8
TUESDAY - 18	Full	29·813	60·6	45·1	15·5	53·6	+ 4·3	49·4	4·2	8·9	0·2	86	97·0	37·7	55·81	W., WSW. & SW.	SW., SSW. & WSW.	3·9	0·0	0·3	340	+ 83	0·22	6·7
WEDNESDAY 19	Perigee	29·495	58·5	47·8	10·7	51·9	+ 2·8	46·6	5·3	10·1	2·1	82	92·5	44·1	55·75	SW. & WSW.	W., NW. & WNW.	3·6	0·0	0·1	302	+ 52	0·00	5·3
THURSDAY - 20	..	29·487	52·8	44·4	8·4	47·6	− 1·2	41·9	5·7	10·0	2·3	81	87·7	39·0	55·60	WSW., NE. & NNE.	NNE. & N.	3·0	0·0	0·2	253	+ 7	0·09	1·0
FRIDAY - 21	..	29·655	57·9	42·3	15·6	50·5	+ 1·9	46·6	3·9	9·9	1·8	87	80·9	36·2	55·40	N., NNE. & NE.	ENE. & NE.	1·8	0·0	0·1	261	+ 14	0·00	0·0
SATURDAY - 22	..	29·788	55·0	44·8	10·2	49·7	+ 1·4	47·0	2·7	6·5	0·6	90	70·0	38·5	55·04	NE. & ENE.	ENE E. & ESE.	0·7	0·0	0·0	208	− 44	0·00	0·0
MEANS - -		29·713	57·9	45·3	12·6	51·4	+ 2·4	47·4	4·1	9·0	1·1	86	89·3	33·0	55·69	SW. & NE.		..	..	..	Sum 1813	Sum + 26	Sum 0·63	3·4
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.	ELECTRICITY (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 16	w. P. throughout.	2·3	10·7	Variably cloudy; foggy in morning.
MONDAY - 17	w. P. till 7h. A.M.; w. P. and w. N. till 4h. P.M.; w.P. afterwards.	2·3	10·6	Variably cloudy till afternoon; then overcast; frequent showers.
TUESDAY - 18	w. P. generally; m. N. at 7h. P.M.	4·5	10·6	Cloudy to overcast in early morning; very fine generally between 4h. A.M. and 2h. P.M.; then overcast with slight exceptions; rain between 5h. and 8h. 30m. P.M. Lunar halo at 11h. P.M.
WEDNESDAY 19	w. P. generally; m. N. at 4h. 30m. P.M.	2·9	10·5	Generally cloudy with occasional fine intervals; rain at times after 10h. 30m. P.M.
THURSDAY - 20	v. P. and v. N. till 5h. A.M.; w. P. generally till 4h. P.M.; then m. P.	1·9	10·4	Generally overcast till evening; very fine and nearly cloudless after 7h. 30m. P.M.; rain in morning.
FRIDAY - 21	w. P. generally.	0·5	10·3	Generally overcast; occasional light showers.
SATURDAY - 22	w. P. throughout.	0·2	10·3	Overcast with slight exceptions till evening; very fine at night.
		Sum 14·6	Sum 73·4	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·10 in. at the beginning of the week to 29·78 in. by 4h. P.M. on the 17th; increased to 29·91 in. by 10h. A.M. on the 18th; decreased to 29·43 in. by 6h. A.M. on the 20th; increased to 29·82 in. by 10h. P.M. on the 22nd; and was 29·81 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 15th October, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	6	3	-	2	-	-	-	-	-
Kensington	184,635	-	3	7	-	-	-	-	4	-	-
Hammersmith	127,413	-	7	4	-	2	-	-	3	-	-
Fulham	181,282	-	10	6	-	-	-	-	1	-	-
Chelsea	75,457	-	2	4	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	8	3	-	-	-	-	-	-	-
NORTH.											
St. Marylebone	125,195	-	-	1	-	-	-	-	3	-	-
Hampstead	95,729	-	3	-	-	1	-	-	1	-	-
St. Pancras	237,792	-	13	4	-	8	-	1	2	-	-
Islington	353,356	-	18	15	-	4	-	-	1	1	-
Stoke Newington	54,838	-	2	1	-	1	-	-	1	-	-
Hackney	239,979	-	10	4	-	4	-	-	6	1	-
CENTRAL.											
Holborn	53,142	-	1	2	-	3	-	-	-	-	-
Finsbury	94,578	-	3	3	-	2	-	-	5	-	-
City of London	17,132	-	-	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	5	7	-	4	-	-	4	-	1
Bethnal Green	131,579	-	3	3	-	7	-	-	4	-	-
Stepney	314,379	-	22	10	-	3	-	-	9	2	-
Poplar	172,432	-	12	3	-	1	-	-	6	-	-
SOUTH.											
Southwark	211,832	-	12	15	-	1	-	-	9	-	-
Bermondsey	127,238	-	5	9	-	3	-	-	6	-	-
Lambeth	327,074	-	22	13	-	4	-	-	3	-	-
Battersea	188,222	-	28	7	-	1	-	-	3	-	-
Wandsworth	305,838	-	16	12	-	2	-	-	2	-	-
Camberwell	286,058	-	10	9	-	-	-	-	3	-	-
Deptford	119,642	-	6	4	-	-	-	-	2	-	-
Greenwich	112,935	-	9	5	-	1	-	-	-	1	-
Lewisham	164,899	-	9	3	-	4	-	-	1	-	-
Woolwich	135,422	-	7	3	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	252	161	-	58	-	1	80	5	1
Ages 0-1		-	2	2	-	-	-	-	2	-	1
„ 1-5		-	62	69	-	-	-	-	3	-	-
„ 5-		-	132	51	-	3	-	-	7	-	-
„ 10-		-	41	21	-	6	-	-	2	-	-
„ 15-		-	6	7	-	5	-	-	5	-	-
„ 20-		-	5	3	-	8	-	-	2	-	-
„ 25-		-	2	1	-	23	-	1	10	4	-
„ 35-		-	1	4	-	9	-	-	12	1	-
„ 45-		-	1	2	-	4	-	-	18	-	-
„ 55-		-	-	1	-	-	-	-	15	-	-
„ 65 and upwards		-	-	-	-	-	-	-	4	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns relating to Metropolitan Water London.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of September, 1910. The supply was in the ratio of 212 gallons to one service. The area of supply of the Metropolitan Water Board is much more extensive than that of the Administrative County of London, the Water Board's statutory area of supply being over 537 sq. miles, as against 117 sq. miles of the County.*

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	September, 1909.	September, 1910.	September, 1909.	September, 1910.
Total - - - - - -	1,094,713*	1,094,226*	229,454,967*	232,064,200*
New River - - - - - - -	215,693	217,754	44,336,806	46,696,500
Eastern - - - - - - -	245,808	248,260	46,307,700*	47,970,500*
Western { Chelsea, Grand Junction, West Middlesex } - -	224,003	226,027	55,989,762	57,063,300
Southern { Lambeth - - - Southwark and Vauxhall }	289,183*	281,234*	62,450,591*	60,001,100*
Kent - - - - - - - -	120,026	120,951	20,370,108	20,332,800

* The figures for September, 1910, are exclusive of supplies in bulk to the Corporations of Croydon and Richmond, the Cheshunt Urban District Council, and the Herts and Essex Water Company, and of services under their control. Those for September, 1909, however, include supply and services in Croydon and Richmond and supply to Cheshunt Urban District. The figures marked with an asterisk are, therefore, not strictly comparable.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 43. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, OCT. 29. [Price 1½*d.*

General Register Office, Somerset House,
October 31*st*, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 13·0 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 12·8, 13·1, and 13·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·8 in Brighton, 17·9 in Liverpool and in Swansea, 18·7 in Stoke on Trent, 19·2 in Oldham, 21·6 in Newport (Mon.), and 23·1 in Tynemouth; from *measles*, 1·5 in Stockport, 1·6 in Brighton, and 2·8 in Tynemouth; from *diphtheria*, 1·2 Norwich; from *whooping-cough*, 1·6 in Northampton; and from *diarrhœa*, 2·0 in Merthyr Tydfil and 2·1 in Warrington. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.*

In LONDON 2316 BIRTHS and 1209 DEATHS were registered. Allowing for increase of population, the births were 46 and the deaths 66 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17892—41.) Wt. 91—429. 700. 11/10. D & S. G. 31. Sch. 4. 2 U

causes, which had been 12·3, 12·8, and 12·6 per 1000 in the preceding three weeks, rose last week to 12·9. The death-rate in the four weeks ended last Saturday averaged 12·7 per 1000, being 0·7 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1209 deaths included 44 from measles, 2 from scarlet fever, 9 from diphtheria, 7 from whooping-cough, 11 from enteric fever, and 41 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 114 deaths were referred, being 2 above the corrected average number in the forty-third week of the preceding five years.

The deaths from *measles*, which had been 18, 17, and 33 in the preceding three weeks, rose to 44 last week, and were 28 above the corrected average; 12 deaths belonged to the Borough of Southwark, 8 to Islington, 6 to Bermondsey, 4 to Lambeth, and 3 to St. Pancras. The deaths from *scarlet fever*, which had been 3, 5, and 4 in the preceding three weeks, fell to 2 last week, and were 11 below the corrected average. The deaths from *diphtheria*, which had been 8, 5, and 11 in the preceding three weeks, were 9 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 10, 7, and 7 in the preceding three weeks, were again 7 last week, and were 3 below the corrected average. The deaths from *enteric fever*, which had been 7, 16, and 9 in the preceding three weeks, were 11 last week, and were 4 above the corrected average. The deaths from *diarrhœa*, which had been 59, 73, and 69 in the preceding three weeks, fell to 41 last week, and were 11 below the corrected average; 6 deaths belonged to Bermondsey, 5 each to Islington and to Stepney, and 4 to Paddington. Of the 41 deaths from diarrhœa, 39 were those of children under 2 years of age; 12 other deaths at this age were certified as due to *enteritis*, and 9 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 10, having been 6, 6, and 4 in the preceding three weeks.

Different forms of violence caused 47 deaths, concerning all of which inquests were held. Of these 47 deaths, 8 were cases of suicide, and 2 of homicide, while the remaining 37 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, six to burns or scalds, three to drowning, and five, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1847 cases of scarlet fever, 855 of diphtheria, and 170 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 221 cases, against 245, 234, and 231; of diphtheria, 111 cases, against 121, 138, and 116; and of enteric fever, 13 cases, against 31, 32, and 26. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 22nd, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3584 births and 1677 deaths were registered. Allowing for increase of population, these numbers are 150 and 130 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from measles, 3 from diphtheria, 2 from whooping-cough, 2 from enteric fever, and 6 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·73 inches, and that of the Thermometer 51°·2, the latter being 3°·5 above the week's average in the 65 years ended 1905. The general direction of the wind was Easterly, the horizontal movement of the air being 11 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 7·3 hours; the measured rainfall amounted to 0·30 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 29th October, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 8th Oct., 1910.	15th Oct., 1910.	22nd Oct., 1910.	29th Oct., 1910.	Rate from Diseases in Cols. 11-17 Week ended 29th Oct., 1910.	Registered during the Week ended 29th Oct., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**12·8**	**13·1**	**13·0**	**13·0**	**1·3**	**8104**	**4222**	**1026**	**1180**	**-**	**107**	**27**	**42**	**35**	**30**	**184**	**164**	**360**	**1169**	**31**	**77 TOWNS.**
LONDON	4,872,702	12·3	12·8	12·6	12·9	1·2	2316	1209	259	365	-	44	2	9	7	11	41	47	117	533	1	LONDON.
CROYDON	164,485	8·6	10·8	11·4	8·6	1·9	58	27	10	13	-	-	-	-	1	-	5	-	2	1	-	CROYDON.
WILLESDEN ..	166,088	7·2	6·9	8·8	7·5	0·9	84	24	6	7	-	1	-	-	-	-	2	2	2	2	1	WILLESDEN.
HORNSEY	98,561	7·9	10·6	6·3	5·8	1·1	23	11	1	4	-	-	-	1	1	-	-	-	-	2	-	HORNSEY.
TOTTENHAM ..	132,803	7·1	10·6	9·4	9·4	0·4	72	24	4	8	-	-	-	-	-	1	-	1	3	9	-	TOTTENHAM.
WEST HAM ..	328,585	10·2	10·5	10·9	11·4	1·1	170	72	21	20	-	-	-	-	-	1	6	1	6	13	-	WEST HAM.
EAST HAM.. ..	156,208	7·3	6·7	9·3	7·0	-	54	21	7	5	-	-	-	-	-	-	-	-	-	2	-	EAST HAM.
LEYTON	133,436	7·4	7·0	7·8	5·1	0·4	61	13	3	7	-	-	-	-	-	1	-	-	-	3	-	LEYTON.
WALTHAMSTOW	141,748	8·5	7·0	8·5	8·1	0·4	73	22	6	4	-	-	-	1	-	-	-	-	-	5	-	WALTHAMSTOW.
HASTINGS	68,520	7·6	9·9	8·4	12·2	-	23	16	2	10	-	-	-	-	-	-	-	-	-	3	-	HASTINGS.
BRIGHTON	131,900	13·8	13·4	19·8	17·8	3·2	56	45	12	12	-	4	-	-	-	-	4	2	5	9	-	BRIGHTON.
PORTSMOUTH ..	217,989	13·6	9·6	15·3	16·3	2·9	143	68	17	21	-	3	-	2	-	1	6	-	6	19	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	14·8	12·0	7·8	10·6	-	28	15	2	5	-	-	-	-	-	-	-	-	-	3	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·9	14·4	16·0	12·3	1·2	56	30	2	15	-	1	-	-	-	-	2	-	6	12	-	SOUTHAMPTON.
READING	84,355	10·5	8·7	7·4	9·9	0·6	31	16	1	7	-	-	-	1	-	-	-	-	-	6	-	READING.
NORTHAMPTON ..	99,113	10·0	10·0	12·6	11·0	3·7	36	21	8	4	-	-	-	1	3	-	3	-	-	2	-	NORTHAMPTON.
IPSWICH	75,936	16·5	14·4	15·1	8·2	-	31	12	4	3	-	-	-	-	-	-	-	-	-	3	-	IPSWICH.
GREAT YARMOUTH	53,715	10·7	7·8	14·6	13·6	-	39	14	-	8	-	-	-	-	-	-	-	-	3	3	-	GREAT YARMOUTH.
NORWICH	125,446	10·4	9·1	12·9	9·6	2·1	57	23	3	10	-	-	1	3	-	-	1	-	-	5	-	NORWICH.
PLYMOUTH	126,266	13·6	7·8	10·7	11·1	1·2	59	27	7	9	-	1	-	1	-	-	1	2	3	2	-	PLYMOUTH.
DEVONPORT	84,695	12·3	10·5	7·4	10·5	1·2	40	17	3	7	-	-	-	-	-	-	2	-	1	2	-	DEVONPORT.
BRISTOL	382,550	12·1	11·9	9·4	10·6	0·4	143	78	18	24	-	-	1	1	1	-	-	8	13	25	1	BRISTOL.
STOKE ON TRENT ..	245,726	18·9	17·6	12·7	18·7	3·0	142	88	34	14	-	2	1	1	3	2	5	4	11	14	1	STOKE ON TRENT.
BURTON ON TRENT	54,977	7·6	10·4	18·0	7·6	-	19	8	-	3	-	-	-	-	-	-	-	-	-	2	1	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	15·7	7·4	12·8	13·8	-	42	28	3	12	-	-	-		-	-	-	3	3	7	-	WOLVERHAMPTON.
WALSALL	101,035	8·8	10·3	7·2	11·4	1·5	49	22	2	8	-	-	2	-	-	-	1	1	1	2	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	6·5	5·0	7·2	11·5	0·7	22	16	3	7	-	-	1	-	-	-	-	-	-	1	-	HANDSWORTH (STAFFS.)
WEST BROMWICH ..	71,138	6·6	15·4	13·9	8·8	-	42	13	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 8th Oct., 1910.	15th Oct., 1910.	22nd Oct., 1910.	29th Oct., 1910.	Rate from Diseases in Cols. 11-17. Week ended 29th Oct., 1910.	Registered during the Week ended 29th Oct., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	13·0	13·7	13·6	10·6	1·2	281	116	33	27	-	-	3	-	3	1	6	3	6	29	2	Birmingham.
Kings Norton ..	84,673	3·7	9·9	6·2	8·6	-	37	14	2	6	-	-	-	-	-	-	-	1	2	3	-	Kings Norton.
Smethwick	72,350	10·8	10·8	14·4	12·3	1·4	34	17	6	5	-	-	1	-	-	-	1	2	2	2	-	Smethwick.
Aston Manor ..	86,269	7·9	10·9	10·3	9·7	1·2	35	16	2	5	-	-	-	-	-	-	2	-	-	1	-	Aston Manor.
Coventry	81,449	13·4	17·9	14·1	13·4	0·6	52	21	6	4	-	-	-	-	-	-	1	1	1	6	-	Coventry.
Leicester	248,374	10·9	11·3	10·1	11·3	0·8	131	54	13	17	-	-	-	-	1	-	3	2	3	7	1	Leicester.
Grimsby	74,283	16·8	13·3	14·7	11·2	2·1	38	16	4	3	-	2	-	-	-	-	1	-	-	3	2	Grimsby.
Nottingham ..	266,471	12·7	12·5	14·3	16·2	1·2	119	83	27	25	-	-	-	-	-	-	6	2	4	18	2	Nottingham.
Derby	131,256	10·7	10·7	9·5	11·5	0·4	55	29	2	14	-	-	-	1	-	-	-	1	4	3	-	Derby.
Stockport	105,087	13·9	10·9	15·9	11·4	2·0	43	23	4	9	-	3	-	-	-	-	1	1	2	4	1	Stockport.
Birkenhead ..	122,431	17·5	17·5	14·9	16·2	0·4	75	38	16	8	-	-	-	1	-	-	-	-	2	11	-	Birkenhead.
Wallasey	73,173	12·8	16·4	9·3	12·1	-	38	17	2	10	-	-	-	-	-	-	-	-	1	-	-	Wallasey.
Liverpool . ..	767,606	17·9	18·7	15·8	17·9	2·2	442	264	80	66	-	7	9	2	6	-	9	9	17	98	7	Liverpool.
Bootle	70,548	16·3	18·5	17·7	11·1	0·7	35	15	4	5	-	-	-	-	-	-	1	-	-	4	1	Bootle.
St. Helens	96,523	17·8	16·2	17·3	12·4	1·1	53	23	5	2	-	1	-	-	-	-	1	1	1	5	1	St. Helens.
Wigan	91,732	12·5	14·8	19·3	14·8	1·7	45	26	5	5	-	-	-	-	-	-	3	1	2	1	-	Wigan.
Warrington ..	73,295	13·5	23·5	14·2	14·9	2·8	35	21	7	7	-	1	-	-	-	-	3	1	1	5	-	Warrington.
Bolton	199,315	13·2	15·6	12·9	10·4	0·8	86	38	8	9	-	-	-	-	-	1	2	1	4	3	-	Bolton.
Bury	59,409	12·3	13·2	14·9	15·8	0·9	17	18	3	2	-	-	-	-	-	-	1	1	1	6	-	Bury.
Manchester ..	716,354	13·9	13·5	15·1	15·4	1·8	355	212	48	53	-	10	2	1	3	1	8	5	9	52	1	Manchester.
Salford	244,636	15·8	15·1	13·4	14·1	1·7	115	66	18	12	-	4	-	-	-	2	2	2	8	15	-	Salford.
Oldham	144,111	11·9	20·3	18·1	19·2	1·8	53	53	10	15	-	2	-	-	-	-	3	2	4	7	-	Oldham.
Rochdale	90,497	19·0	8·1	19·0	10·4	1·2	27	18	3	7	-	-	1	-	-	-	1	1	2	5	-	Rochdale.
Burnley	107,448	21·8	19·4	17·0	13·1	1·9	38	27	9	4	-	-	-	-	-	-	4	2	2	3	2	Burnley.
Blackburn	137,972	9·8	14·7	14·0	15·1	1·9	61	40	15	6	-	-	-	2	-	-	3	1	2	3	-	Blackburn.
Preston	119,253	15·3	14·0	10·1	14·4	3·1	49	33	6	6	-	2	-	1	-	1	3	1	3	7	-	Preston.
Barrow in Furness.	63,689	8·2	18·0	13·1	10·6	-	31	13	2	2	-	-	-	-	-	-	-	1	1	3	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 29th October, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 8th Oct., 1910.	15th Oct., 1910.	22nd Oct., 1910.	29th Oct., 1910.	Rate from Diseases in Cols 11–17. Week ended 29th Oct., 1910.	Registered during the Week ended 29th Oct., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	18·7	13·8	17·1	13·8	1·7	45	25	8	9	-	1	-	1	-	-	1	1	2	1	-	HUDDERSFIELD.
HALIFAX	112,818	9·7	10·2	13·4	10·6	0·9	27	23	4	10	-	-	-	-	-	1	1	1	2	8	-	HALIFAX.
BRADFORD	295,865	12·5	14·1	12·9	12·7	0·7	99	72	13	23	-	-	-	-	1	1	2	2	7	12	-	BRADFORD.
LEEDS	490,985	14·3	12·0	10·9	12·4	1·3	229	117	31	29	-	3	1	1	2	1	4	3	12	17	-	LEEDS.
DEWSBURY	51,224	16·3	12·2	14·3	10·2	-	19	10	3	3	-	-	-	-	-	-	-	1	2	2	-	DEWSBURY.
SHEFFIELD	478,763	13·9	14·5	14·4	13·4	1·5	241	123	33	26	-	5	-	1	1	-	7	3	7	28	-	SHEFFIELD.
ROTHERHAM.. ..	66,414	12·6	14·9	12·6	16·5	2·4	38	21	6	6	-	1	-	-	1	-	1	1	3	1	-	ROTHERHAM.
YORK	88,159	10·6	13·0	9·5	13·0	1·2	26	22	5	9	-	-	-	-	-	-	2	1	2	6	-	YORK.
HULL	280,006	16·8	16·4	13·6	14·9	1·5	133	80	17	22	-	1	-	-	1	1	5	4	10	20	-	HULL.
MIDDLESBROUGH ..	107,014	14·1	19·5	21·4	17·1	2·4	72	35	18	2	-	1	-	2	-	1	1	1	1	7	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	15·5	17·5	13·6	16·5	-	33	17	6	4	-	-	-	-	-	-	-	1	1	2	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	8·9	14·7	10·8	9·6	1·3	42	15	6	1	-	-	-	-	-	-	2	-	1	-	1	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	20·7	16·5	13·9	14·6	0·6	89	45	9	16	-	1	-	1	-	-	-	1	2	13	1	SUNDERLAND.
SOUTH SHIELDS ..	119,737	10·9	12·6	10·9	16·1	0·4	69	37	8	11	-	-	-	-	-	-	1	5	5	7	1	SOUTH SHIELDS.
GATESHEAD	133,676	12·9	11·3	9·8	10·9	0·8	79	28	10	5	-	-	1	1	-	-	-	-	-	4	2	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	13·9	11·5	15·1	13·7	0·9	151	75	19	22	-	1	1	-	-	1	2	-	3	26	1	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	16·6	16·6	12·0	23·1	3·7	28	25	5	9	-	3	-	-	-	-	1	1	1	4	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	11·8	8·5	13·7	21·6	0·7	36	33	6	3	-	-	-	1	-	-	-	18	19	2	-	NEWPORT (MON.).
CARDIFF	199,189	8·4	12·0	11·8	11·0	1·3	79	42	10	11	-	-	-	3	-	-	2	-	4	9	-	CARDIFF.
RHONDDA	138,674	11·7	14·2	17·7	15·4	2·6	102	41	19	3	-	2	-	1	-	1	3	6	7	3	-	RHONDDA.
MERTHYR TYDFIL..	79,522	15·1	14·4	19·7	7·9	2·0	58	12	2	2	-	-	-	-	-	-	3	-	-	1	-	MERTHYR TYDFIL.
SWANSEA	98,817	11·1	16·4	17·4	17·9	1·6	60	34	8	6	-	-	-	1	-	-	2	1	3	2	-	SWANSEA.
GREATER LONDON	7,537,196	11·3	11·4	11·4	11·6	1·0	3584	1677	366	521	-	48	2	14	11	16	60	61	154	609	2	GREATER LONDON.
OUTER RING ..	2,664,494	9·5	8·9	9·2	9·2	0·7	1268	468	107	156	-	4	-	5	4	5	19	14	37	76	1	OUTER RING.
8 TOWNS IN OUTER RING	1,321,914	8·3	8·9	9·5	8·4	0·8	595	214	58	68	-	1	-	2	2	3	13	4	13	37	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	10·6	8·8	9·9	9·9	0·6	673	254	49	88	-	3	-	3	2	2	6	10	24	39	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	13·9	12·3	12·7	13·7	0·9	146	95	20	36	-	-	1	1	-	-	4	3	?	32	5	EDINBURGH.
GLASGOW	884,505	14·9	13·2	12·8	13·0	1·2	400	220‡	43	55	-	-	2	3	4	1	11	10	?	79	9	GLASGOW.
DUBLIN (Registra-	402,928	19·5	18·9	20·7	16·6	1·2	182	128	27	46	-	-	1	3	1	1	3	2	5	51	4	DUBLIN (Registra-

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-THIRD Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2238	2655	2469	2567	2585	2362	2474	2450	2163	2087	2362·4	2316
Males - - -	1146	1386	1255	1294	1282	1223	1245	1263	1136	1070	1215·8	1202
Females - -	1092	1269	1214	1273	1303	1139	1229	1187	1027	1017	1146·6	1114
TOTAL **Deaths** -	1403	1404	1407	1401	1311	1433	1209	1265	1212	1107	1275·0	1209
Males - - -	705	748	745	725	675	761	623	668	645	596	674·4	669
Females - -	698	656	662	676	636	672	586	597	567	511	600·6	540

* The numbers in this column are the average weekly numbers in the Forty-Third week of the five year 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	13 Weeks.
TOTAL **Births** -	1854	2367	2303	2268	2118	2088	2050	2079	2237	2140	2029	2227	2316	28076
TOTAL **Deaths** -	956	962	952	1009	1005	1009	1140	1118	1215	1148	1200	1176	1209	14099
Ages at Death: Under 1 year -	173	174	184	214	223	253	275	249	275	276	271	286	259	3112
1—5 years -	107	90	110	116	100	121	95	106	113	96	120	125	143	1442
5—20 " -	54	52	58	37	69	46	63	53	50	62	68	45	49	706
20—40 " -	122	136	130	122	116	111	147	133	136	141	145	149	141	1729
40—60 " -	210	223	202	207	198	206	225	243	271	241	264	246	252	2988
60 yrs. & upwds.	290	287	268	313	299	272	335	334	370	332	332	325	365	4122
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	30	28	27	35	23	21	27	18	15	18	17	33	44	336
Scarlet Fever - -	5	1	4	3	5	2	4	3	4	3	5	4	2	45
Diphtheria - -	8	6	6	10	5	10	5	9	10	8	5	11	9	102
Whooping-cough -	18	19	13	11	8	12	15	11	10	10	7	7	7	148
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	4	1	1	3	3	6	12	10	7	16	9	11	85
Pyrexia (origin uncertain).	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	23	26	37	65	96	94	104	76	82	59	73	69	41	845
All above diseases -	86	84	88	125	140	143	161	129	131	105	123	133	114	1562
Dis. of Resp. System	50	48	48	42	50	47	51	52	66	53	70	81	111	769
Pneumonia - -	74	65	73	87	65	67	69	71	112	112	92	113	123	1123
Phthisis - - -	99	81	88	77	87	91	113	100	104	105	107	89	114	1255
Dis. of Circ. System -	150	138	121	142	145	147	180	171	202	163	167	153	161	2040
Violence - - -	50	43	48	34	43	53	38	50	53	66	58	42	47	625
Inquest Cases - -	119	94	112	80	109	112	107	125	119	128	139	106	117	1467
Deaths in Institutions	459	438	438	466	418	523	528	528	540	512	557	507	533	6447
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	60·2	60·7	62·7	59·9	58·3	54·7	56·1	53·8	58·6	57·4	53·1	51·4	51·2	56·8
Mean of Highest -	71·5	70·8	73·7	70·2	67·4	61·8	63·8	63·2	69·0	66·0	60·2	57·9	55·9	65·5
Mean of Lowest -	52·2	54·1	53·5	52·4	50·8	49·1	50·4	44·4	49·2	50·4	48·5	45·3	46·7	49·8
Mean Humidity of the Air.	77	85	75	77	77	79	81	76	88	79	85	86	89	81
Rain-fall (in inches) -	0·85	0·18	0·19	0·80	0·41	0·02	0·66	0·00	0·10	0·08	0·61	0·63	0·30	4·83
Registered Sunshine (in hours).	49·6	27·7	52·7	37·1	38·6	15·7	21·2	55·4	30·7	33·6	8·8	14·6	7·3	393·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1523	1490	1423	1447	1455	1462	1509	1560	1653	1706	1745	1792	1847	1586
Diphtheria - - -	584	584	591	578	592	630	672	709	751	788	835	843	855	693
Typhus - - -	-	-	1	1	1	1	1	1	1	1	-	-	-	1
Enteric Fever - -	46	46	51	59	60	79	102	123	144	163	175	179	170	107

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-THIRD Week of the Year 1910.

he terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionabl should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 43rd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
LL CAUSES	1275·0	1209	259	143	49	141	252	365
mall-pox*	-	-	-	-	-	-	-	-
owpox	-	-	-	-	-	-	-	-
leasles (Morbilli)	16·4	44	6	37	1	-	-	-
carlet Fever	13·3	2	-	2	-	-	-	-
yphus	-	-	-	-	-	-	-	-
lague	-	-	-	-	-	-	-	-
nfluenza	9·4	10	1	2	1	-	1	5
Whooping-cough	9·8	7	3	4	-	-	-	-
iphtheria	13·3	9	-	7	2	-	-	-
crebro-spinal Fever ..	-	-	-	-	-	-	-	-
yrexia† (origin uncertain)	-	-	-	-	-	-	-	-
nteric Fever	6·6	11	-	-	-	7	3	1
siatic Cholera	-	-	-	-	-	-	-	-
pidemic Diarrhœa, Infective Enteritis	28·3	23	18	5	-	-	-	-
Diarrhœa, Dysentery ..	23·8	18	13	4	-	-	-	1
etanus	0·4	-	-	-	-	-	-	-
abies, Hydrophobia ..	-	-	-	-	-	-	-	-
landers	-	-	-	-	-	-	-	-
nthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
enereal Dis.	8·2	6	5	-	1	-	-	-
uerperal Septicæmia ..	2·5	1	-	-	-	1	-	-
uerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
uerperal Fever	1·0	-	-	-	-	-	-	-
fective Endocarditis ..	1·2	5	-	-	1	1	3	-
neumonia: Lobar ..	15·4	12	-	1	1	1	5	4
neumonia: Broncho ..	49·8	59	23	21	3	2	-	10
neumonia: Epidemic ..	-	-	-	-	-	-	-	-
neumonia: Not defined	42·8	52	8	6	2	3	16	17
rysipelas	3·1	5	-	1	-	-	2	2
pticæmia (not Puerperal)	1·4	2	-	-	-	1	1	-
æmia (not Puerperal)	0·6	-	-	-	-	-	-	-
ther Infective Processes	3·3	1	-	-	-	1	-	-
uberculous Phthisis ..	87·2	77	-	3	4	39	21	10
Phthisis"	48·7	37	-	-	4	14	16	3
uberculous Meningitis ..	16·2	14	5	6	3	-	-	-
uberculous Peritonitis ..	8·6	9	4	4	-	1	-	-
bes Mesenterica	2·0	1	1	-	-	-	-	-
uberculous Dis., Other ..	15·6	14	2	5	3	1	2	1
rofula..	-	-	-	-	-	-	-	-
coholism	10·4	4	-	-	-	1	2	1
eumatic Fever	4·9	5	-	-	4	-	1	-
out	0·6	-	-	-	-	-	-	-
rcinoma	54·1	70	-	-	-	8	26	36
rcoma	6 8	8	-	1	-	3	2	2
ncer (undefined) ..	33·4	32	-	-	-	-	11	21
abetes Mellitus	8·0	9	-	-	1	-	3	5
emature Birth	55·2	41	41	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 43rd week of the 5 years 1905–1909	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	11·1	6	2	3	-	1	-	
Gen. Par. of Insane, Insanity	11·9	4	-	-	-	1	1	
Epilepsy	9·6	4	-	1	-	1	1	
Convulsions	16·2	14	14	-	-	-	-	
Locomotor Ataxy.. ..	1·2	5	-	-	-	-	3	
Paraplegia, Dis. of Cord.	3·9	3	-	-	-	1	1	
Nervous Sys., Other Dis.	18·0	11	-	2	2	1	2	
Valv. Dis., Endocarditis..	42·2	44	-	-	3	9	19	
Cereb. Hæm. Cereb. Emb.	35·4	38	-	-	-	-	7	
Apoplexy, Hemiplegia ..	12·5	12	-	-	-	-	4	
Aneurysm	4·3	6	-	-	-	1	5	
Embolism, Thrombosis (not Cerebral) ..	1·6	-	-	-	-	-	-	
Heart & Blood Ves., Other Dis... ..	85·6	61	-	-	2	4	20	
Croup (not Spasm: nor Memb.)	0·2	-	-	-	-	-	-	
Bronchitis	84·0	89	21	7	-	1	13	
Emphysema, Asthma ..	4·5	4	-	-	-	-	2	
Pleurisy	2·7	6	1	-	-	2	1	
Respiratory Dis., Other..	9·6	12	1	2	-	1	3	
Tonsillitis, Quinsy.. ..	1·6	1	-	-	-	-	-	
Enteritis (not Epid.) ..	21·1	13	7	5	-	-	1	
Gastro-enteritis	13·5	9	8	1	-	-	-	
Peritonitis (not Puerp.) ..	2·5	2	-	-	-	-	2	
Cirrhosis of Liver.. ..	10·9	8	-	-	-	-	7	
Liver Dis., Other	4·3	4	-	-	-	1	1	
Digestive Sys., Other Dis.	33·4	38	8	2	5	8	8	
Acute Nephritis	7·0	9	-	1	-	2	2	
Bright's Dis., Albuminuria	30·7	32	-	1	-	5	15	1
Urinary Sys., Other Dis.	9·2	14	-	-	-	-	3	1
Generative Organs Dis...	5·3	6	-	-	-	4	2	-
Childbirth (Accid. of) ..	3·3	4	-	-	-	4	-	-
Old Age	47·1	42	-	-	-	-	-	4
Other Diseases	85·2	73	60	3	2	5	2	1
ACCIDENT.								
By Railways	0·8	2	-	-	-	-	1	
By Vehicles and Horses..	7·0	3	-	-	1	1	-	
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	1	-	-	-	-	-	
In Building Operations..	0·4	1	-	-	-	-	1	-
In Conflagrations	0·4	1	-	-	-	1	-	-
By Burns, Scalds, Explosions	3·1	6	1	4	-	-	1	-
By Drowning	1·8	3	-	-	1	-	1	
By Suffocation in Bed ..	6·1	5	5	-	-	-	-	-
By Poisons or Poisonous Vapours	2·5	1	-	-	-	-	1	-
Other Deaths by Accident..	9·8	14	1	1	1	1	3	
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	2	-	1	1	-	-	-
Suicide	9·2	8	-	-	-	2	4	-
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

LE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th October, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2316	1209	259	365	-	44	2	9	7	11	41	114	47	117	533	1
WEST DISTRICTS	805,311	327	208	35	70	-	5	-	4	1	1	5	16	10	20	106	-
NORTH DISTRICTS	1,055,908	479	263	57	81	-	11	-	-	1	2	12	29	12	20	108	-
CENTRAL DISTRICTS	209,465	95	54	14	12	-	2	-	-	1	-	-	2	5	7	27	-
EAST DISTRICTS	715,739	494	236	68	68	-	1	-	1	1	1	7	23	12	35	118	-
SOUTH DISTRICTS	1,749,844	921	424	85	125	-	25	2	3	2	5	17	43	8	35	150	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	24	-	9	-	-	-	1	1	2	-	1	-	-	24	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	30	9	3	4	-	-	-	-	-	-	1	-	-	-	-	-
entral Paddington *W,3H*	50,053	17	33	9	11	-	1	-	-	-	-	3	2	2	4	23	-
outh Paddington	30,320	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ensington South *W,3H*	85,610	18	24	1	10	-	-	-	-	-	-	-	3	1	2	12	-
ensington Central *W,H*	42,774	16	9	4	3	-	-	-	-	-	-	-	-	-	2	2	-
ensington North *w*	48,244	30	18	3	7	-	-	-	-	-	-	-	-	2	2	9	-
orth Hammersmith 2*W,w,H* ..	49,192	27	15	-	5	-	1	-	1	-	-	-	2	-	-	7	-
outh Hammersmith *w,2H* ..	63,047	25	12	3	1	-	-	-	-	1	-	-	-	3	5	5	-
orth-west Fulham *W*	45,180	35	12	3	3	-	1	-	-	-	-	-	2	-	1	6	-
orth-east Fulham *F*	46,405	18	9	5	1	-	1	-	2	-	-	-	-	-	1	3	-
outh Fulham *W*	45,704	30	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-
helsea North *W,w,3H*	42,514	14	23	2	8	-	-	-	-	-	-	-	3	-	-	19	-
helsea South *W,2H*	31,328	12	9	1	3	-	-	-	-	-	-	1	-	-	-	4	-
ayfair and Knightsbridge	28,743	2	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-
elgrave *W,2H*	55,815	18	15	-	6	-	1	-	1	-	1	-	2	1	1	9	-
. Margaret & St. John *6H*	43,698	22	9	1	1	-	-	-	-	-	-	-	1	-	1	7	-
. James and St. Anne *W,6H* ..	33,081	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
ll Souls Marylebone 7*H*	35,391	17	16	2	5	-	-	-	-	-	-	-	-	-	-	8	-
. Mary Marylebone *W,4H* ..	37,948	36	8	3	2	-	-	-	-	-	-	1	-	-	-	3	-
hristchurch Marylebone *H* ..	39,536	17	5	1	1	-	1	-	-	-	-	1	-	-	-	-	-
. John Marylebone 2*H*	20,426	3	4	-	1	-	-	-	-	-	-	-	1	1	1	1	-
ampstead *W,F,6H*	81,942	27	19	2	8	-	1	-	-	1	-	1	1	1	1	8	-
est St. Pancras 2*H*	60,562	25	12	4	5	-	-	-	-	-	-	-	-	1	1	2	-
outh St. Pancras *w,10H*	55,707	23	20	3	3	-	-	-	-	-	-	1	-	1	1	16	-
ast St. Pancras *W,H*	60,320	9	10	1	6	-	-	-	-	-	-	-	3	-	-	6	-
orth St. Pancras 2*W*	58,728	32	16	2	5	-	1	-	-	-	1	-	5	-	-	10	-
ufnell *W*	31,995	17	18	2	12	-	-	-	-	-	-	1	1	-	1	14	-
pper Holloway 2*W,w,H*	33,978	12	14	3	2	-	-	-	-	-	-	2	6	-	-	13	-
ollington 2*W,w,H*	33,922	22	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-
ower Holloway	41,424	23	12	7	-	-	3	-	-	-	-	1	-	-	1	-	-
arnsbury	54,478	30	12	5	2	-	3	-	-	-	-	1	3	-	1	-	-
slington South-east *F*	75,397	41	13	7	1	-	-	-	-	-	-	1	-	2	2	-	-
ighbury 2*H*	63,797	27	14	3	3	-	2	-	-	-	-	-	1	2	2	1	-
toke Newington *H*	51,247	15	7	-	2	-	-	-	-	-	-	-	3	-	-	-	-
orth Hackney	50,398	20	9	-	6	-	-	-	-	-	-	-	1	1	2	-	-
entral Hackney 2*w,F*	50,536	28	3	-	1	-	-	-	-	-	1	-	-	-	1	1	-
outh-west Hackney 3*H*	59,921	32	23	4	4	-	-	-	-	-	-	1	2	2	5	11	-
outh-east Hackney 2*W,w,H* ..	58,255	23	25	7	12	-	-	-	-	-	-	-	2	1	1	14	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, a from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEV DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturd 29th October, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	18	2	-	2	-	-	-	-	-	-	-	-	-	-	1
Strand *W*,4*H*	21,674	4	10	1	3	-	-	-	-	-	-	-	1	-	-	10
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	8	10	4	1	-	-	-	-	1	-	-	-	-	-	6
Clerkenwell *H*	63,704	31	8	2	1	-	1	-	-	-	-	-	1	-	-	-
St. Luke 3*H*,*L*	36,116	24	6	3	1	-	1	-	-	-	-	-	-	-	2	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
St. Botolph *H*	10,299	4	3	1	1	-	-	-	-	-	-	-	-	1	1	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	6	14	3	2	-	-	-	-	-	-	-	-	4	4	9
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	26	4	2	-	-	-	-	-	-	-	-	1	-	1	2
Shoreditch North-West *W*,*w*,*H* ..	36,127	24	31	4	20	-	1	-	-	-	-	-	3	2	4	26
Shoreditch North-East	36,148	24	11	4	3	-	-	-	-	-	-	-	1	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	45	29	15	3	-	-	-	-	1	-	1	6	-	4	17
Bethnal Green South-West *H* ..	64,542	40	12	3	2	-	-	-	-	-	-	-	2	-	2	-
Spitalfields..	27,969	20	4	3	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	22	36	9	6	-	-	-	-	-	-	2	2	2	4	31
Goodman's Fields	22,081	6	2	-	-	-	-	-	-	-	-	-	1	-	1	-
St. George and St. John 2*W* ..	49,068	42	9	1	1	-	-	-	-	-	-	-	2	-	3	5
Shadwell and Ratcliff *w*,*H* ..	25,568	12	14	9	1	-	-	-	1	-	-	2	-	-	1	12
Limehouse *W*	32,369	29	4	1	-	-	-	-	-	-	-	-	-	-	2	-
Mile End Old Town South-Western *H*	63,698	53	9	1	2	-	-	-	-	-	-	1	2	2	2	-
Mile End Old Town North-Eastern *W*,*w*	49,129	20	7	1	2	-	-	-	-	-	-	-	1	-	1	1
Bow	41,989	33	5	1	2	-	-	-	-	-	-	-	1	1	1	-
Bromley 3*w*,*H*	68,319	52	44	9	21	-	-	-	-	-	1	1	-	4	7	21
Poplar *W*,*w*	58,514	46	13	5	4	-	-	-	-	-	-	-	1	1	2	1
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2

BLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th October, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	7	17	4	2	-	3	-	-	-	-	1	2	-	-	12	-
Kent-road	21,904	15	6	1	-	-	2	-	-	-	-	1	-	-	2	-	-
St. George the Martyr West *W,2H,L*	39,094	17	14	3	-	-	3	-	-	-	-	1	3	-	1	6	-
Newington North	49,022	28	9	4	-	-	1	-	-	-	-	1	-	-	1	-	-
Newington South *W*	72,841	43	15	3	5	-	1	-	-	-	-	-	1	-	3	-	-
St. Olave *2W*	9,817	9	4	1	-	-	2	-	-	-	-	1	-	-	1	1	-
Bermondsey *W*	82,483	51	15	7	2	-	3	-	-	-	-	1	-	1	3	-	-
Rotherhithe *W,F*	38,460	20	13	4	4	-	1	-	-	-	-	3	1	-	-	6	-
Waterloo *2H*	27,440	26	12	2	1	-	2	-	-	-	-	1	2	-	-	6	-
Lambeth Church *H*	27,440	7	13	4	3	-	-	-	-	-	-	1	3	-	-	11	-
Kennington *2W*	52,518	26	17	2	6	-	2	-	-	-	-	-	4	-	-	10	-
Stockwell *HF*	63,826	50	14	2	6	-	-	-	1	-	1	1	1	1	1	3	-
Brixton *H*	73,673	34	9	2	5	-	-	-	-	-	-	-	-	-	-	2	-
Norwood *2WH*	56,998	30	12	2	6	-	-	-	-	1	1	-	1	-	-	-	1
East Battersea *H*	72,203	36	7	1	2	-	-	-	-	-	-	-	-	-	1	-	-
North-west Battersea	49,656	24	9	2	4	-	-	-	-	-	-	1	1	1	1	-	-
South-west Battersea *2W,H* ..	47,048	15	14	-	7	-	-	-	-	-	-	-	1	-	1	11	-
Clapham *2H*	51,361	20	9	1	2	-	-	-	-	-	-	-	1	1	1	2	-
Streatham *W,2w,2F,2L*	88,019	55	25	4	7	-	-	1	1	1	-	1	1	-	-	8	-
Springfield *2W,L*	27,959	24	5	2	3	-	-	-	-	-	-	-	-	-	-	1	-
Southfields *H*	40,444	27	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	12	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Dulwich	13,359	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	24	35	1	13	-	3	-	-	-	-	-	5	-	-	28	-
Camberwell North *W,2L*	65,584	20	27	9	5	-	-	-	-	-	-	-	5	-	3	14	-
St. George	47 331	32	9	1	4	-	-	-	-	-	-	-	1	-	-	-	-
Peckham North	48,913	26	9	3	1	-	-	-	-	-	-	-	-	1	1	-	-
Peckham South *2W,w*	43,946	17	7	1	1	-	-	-	-	-	-	-	1	-	1	1	-
Deptford North *F*	49,004	29	11	4	2	-	1	1	1	-	2	1	-	-	-	4	-
Deptford East	29,781	15	5	1	1	-	-	-	-	-	-	-	1	-	1	-	-
Deptford South	38,934	17	6	-	4	-	-	-	-	-	-	-	2	-	1	-	-
Greenwich West *H*	23,456	9	6	-	3	-	-	-	-	-	-	-	-	-	1	2	-
Greenwich East *2W,H*	43,859	15	19	5	6	-	-	-	-	-	-	-	2	-	-	11	-
Eltham *w,H*	7,226	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	6	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Lewisham *2W,w*	58,352	35	9	2	4	-	-	-	-	-	1	-	-	-	1	6	-
Sydenham *H*	43,653	21	6	-	2	-	-	-	-	-	-	-	-	2	3	1	-
Charlton *F,2H*	21,134	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich *5H*	41,625	29	7	4	1	-	-	-	-	-	-	2	-	1	3	-	-
Plumstead West *W,H*	39,376	21	8	-	7	-	-	-	-	-	-	-	-	-	2	-	-
Plumstead East *2W*	28,951	12	8	2	3	-	-	-	-	-	-	-	2	-	1	4	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	-	1	-	2	-	-	-	-	3	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	4	-	1	-	-	-	-	-	-	-	1	-	-	4	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	5	-
Cane Hill	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Dartford Heath	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Claybury	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging t the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boar Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATE POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 29th October, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
	LONDON—OUTER RING ..	368,603	4,045,135	1268	468	107	156	-	4	-	5	4	5	19	14	37	76	
31 : 1	Carshalton 2F,3H	12,228	32,997	21	6	2	1	-	-	-	-	-	-	-	-	1	-	
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	8	7	-	6	-	-	-	-	-	-	-	-	1	3	
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
39 : 1	Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w,H ..	4,200	49,309	15	5	-	4	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H ..	2,168	42,888	25	12	4	4	-	-	-	-	1	-	-	-	2	3	
4	North Croydon H	2,644	41,698	18	12	6	5	-	-	-	-	-	-	5	-	-	-	
5	Penge w	770	22,465	4	4	2	1	-	-	-	-	1	-	1	-	1	-	
6	Mitcham w	11,711	30,015	26	10	1	-	-	-	-	-	-	-	1	1	3	-	
40 : 1	Wimbledon F,3H	3,221	41,652	27	6	1	1	-	-	-	-	-	-	-	1	2	-	
2	Kingston 2W,H	6,224	42,068	14	8	1	2	-	-	-	-	-	-	-	-	-	3	
3	Surbiton F,H	3,046	15,017	2	4	1	1	-	-	-	2	-	-	-	-	-	3	
4	Esher, *part of** H	5,402	13,100	3	2	-	1	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,456	17	5	-	2	-	-	-	-	-	-	-	-	1	-	
41 : 1	Richmond W,H	2,491	31,672	17	5	-	1	-	-	-	-	-	-	-	1	1	-	
2	Mortlake F	2,518	17,821	16	3	1	-	-	-	-	1	-	-	-	-	-	1	
42 : 1	Bromley F,3H	4,696	27,397	7	2	-	1	-	-	-	-	-	-	-	-	-	-	
2	Beckenham H	7,832	28,454	16	2	1	-	-	-	-	-	-	-	-	-	-	-	
3	Orpington, *part of** W,F ..	10,113	9,857	5	6	1	2	-	-	-	-	-	-	-	-	-	3	
4	Chislehurst 2H	7,333	16,446	4	6	-	3	-	-	-	-	-	-	1	-	-	1	
43 : 1	Bexley w,F,H	8,678	21,151	4	1	-	1	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,354	25,296	15	6	2	-	-	3	-	-	-	-	-	-	-	-	
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
126 : 1	Sunbury w	11,054	18,683	9	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	10	4	2	2	-	-	-	-	-	-	-	-	-	-	
127 : 1	Hillingdon W,F,H	6,035	13,661	7	3	-	1	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	4	4	-	2	-	-	-	-	-	-	-	-	-	-	
3	Hayes w 2F,H	8,066	16,358	15	3	1	1	-	-	-	-	-	-	-	-	-	-	
128 : 1	Isleworth 3W,3F,H	6,859	50,863	17	7	2	5	-	-	-	-	-	-	-	-	-	2	
2	Twickenham F,2H	2,421	20,991	19	7	4	2	-	-	-	-	-	-	-	-	-	1	
3	Hanwell w,2H	4,108	11,257	8	5	-	2	-	-	-	-	-	-	-	1	2	-	
4	Brentford 3F,2H	4,038	48,202	37	12	3	5	-	-	-	-	-	-	-	-	1	-	
5	Chiswick H	1,249	29,809	24	4	2	1	-	-	-	-	-	-	1	1	1	-	
6	A ton F,H	2,305	37,744	27	8	2	4	-	-	-	-	-	-	-	-	-	-	
129 : 1	Willesden W,F,2H	4,384	114,811	84	24	6	7	-	1	-	-	-	-	2	2	2	2	1
130 : 1	Harrow F,H	13,809	25,523	20	7	-	6	-	-	-	-	-	1	-	-	-	2	
2	Edgware 2F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hendon W,F	8,382	22,450	12	5	1	2	-	-	-	-	-	-	-	-	-	-	
131 : 1	South Mimms 2F,H ..	17,765	7,308	1	2	-	2	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	11	4	-	4	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,3H	4,688	33,692	30	7	1	1	-	-	-	-	-	-	-	-	1	-	
132 : 1	Hornsey F,H	2,875	72,056	23	10	1	3	-	-	-	1	1	-	-	-	-	1	
2	Wood Green H	1,625	34,233	19	14	2	6	-	-	-	-	1	1	1	-	1	-	
3	West Tottenham	995	48,741	41	9	1	2	-	-	-	-	-	-	-	-	1	-	
4	East Tottenham 2H ..	2,019	53,962	31	13	3	5	-	-	-	-	-	1	-	2	3	7	
5	Edmonton W,w,2F	7,491	61,892	57	21	4	9	-	-	-	-	-	-	-	1	2	9	
6	Enfield 2W,F,H	12,601	42,738	29	12	5	3	-	-	-	-	-	-	1	-	1	1	
7	Waltham Abbey F	11,017	6,549	3	1	-	1	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	11	1	-	-	-	-	-	-	-	-	-	1	1	-	
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	6	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford, *part of** W,2F ..	138	2,122	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
188 : 1	Stratford H	1,091	52,974	27	12	3	3	-	-	-	-	-	-	1	-	-	1	
2	Forest Gate	787	52,745	19	10	1	8	-	-	-	-	-	-	-	-	-	-	
3	Plaistow F,2H	1,249	90,921	70	21	7	2	-	-	-	-	-	1	2	1	3	2	
4	Canning Town H	1,556	70,718	54	19	9	1	-	-	-	-	-	-	3	-	3	-	
5	South East Ham 2F ..	1,991	37,342	27	12	4	2	-	-	-	-	-	-	-	-	-	-	
6	North East Ham w,H ..	1,333	58,666	27	7	3	2	-	-	-	-	-	-	-	-	-	-	
7	Wanstead F	1,679	9,179	3	2	-	2	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	23	9	1	6	-	-	-	-	-	-	-	-	-	6	
9	North Leyton 2W,w,F ..	1,963	48,445	38	19	4	8	-	-	-	-	-	1	-	-	-	12	
10	Walthamstow 2H L ..	6,504	108,929	78	20	6	4	-	-	-	-	-	-	-	-	-	-	
189 : 1	Chigwell 2F,3H	11,778	16,397	12	6	1	1	-	-	-	1	-	-	-	1	1	2	
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	7	3	2	-	-	-	-	-	-	-	-	1	1	-	
2	Ilford F,L	8,496	41,244	35	11	2	3	-	-	-	-	-	-	-	-	-	2	
3	Barking Town F	3,805	21,547	22	6	1	1	-	-	-	-	-	-	-	-	1	-	
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	4	-	-	-	-	-	-	-	-	-	-	-	4	
	Essex County Lunatic Asylum, Brentwood.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esher parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting the part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : 1, and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
LONDON* - -	4,872,702	October 29	2316	1209	12·9	-	44	2	9	7	11	60
CALCUTTA - -	1,009,008	October 1	-	344‡	17·7	1	1	-	2	-	11	10
BOMBAY - -	977,822	" 11	429	615‡	32·7	-	2	-	-	-	2	33
MADRAS - -	509,346	" 7	-	-	-	-	-	-	-	-	-	-
PARIS* - -	2,772,467	" 22	810	755	14·3	-	1	-	3	5	3	50
BRUSSELS* -	720,030	" 22	183	182	13·1	-	-	-	2	-	1	16
ANTWERP* - -	317,171	" 22	126	70	11·5	-	4	-	1	-	-	17
AMSTERDAM* -	573,246	" 22	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	455,000	" 22	205	114	13·1	-	-	1	-	1	-	8
STOCKHOLM -	341,816	" 15	-	-	-	-	-	-	-	-	-	-
CHRISTIANIA -	240,178	" 22	99	50	10·8	-	2	-	2	-	1	3
ST. PETERSBURG	1,620,000	" 8	816	620‡	20·0	11	2	12	12	7	6	49
MOSCOW - -	1,493,600	" 15	-	667	23·3	1	2	26	32	2	11	59
BERLIN - -	2,122,016	" 8	786	507	12·5	-	-	5	11	1	3	45
HAMBURG - -	911,500	" 22	-	268	15·6	-	3	1	16	1	-	29
BRESLAU - -	509,992	" 15	-	162	16·6	-	-	-	1	2	1	16
MUNICH - -	576,000	" 15	254	180	16·3	-	7	-	2	2	-	21
VIENNA* - -	2,107,981	" 22	763	534	13·0	-	1	6	7	-	1	31
PRAGUE* - -	497,905	" 8	-	-	-	-	-	-	-	-	-	-
BUDAPEST* -	833,703	" 15	399	289	18·0	-	4	12	1	-	4	21
TRIESTE* - -	221,124	" 22	140	65	15·1	-	-	-	-	-	-	3
ROME - - -	590,113	September 3	-	-	-	-	-	-	-	-	-	-
VENICE - -	183,224	August 20	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	297,643	October 8	188	132	23·1	-	-	9	3	-	2	14
NEW YORK* -	4,803,264	" 1	2552	1352	14·7	-	8	3	13	4	24	137
CHICAGO* - -	2,185,283	" 8	-	563	13·4	-	1	3	20	1	10	81
PHILADELPHIA*	1,598,400	September 17	-	418	13·6	-	2	-	5	4	9	45
		" 24	-	361	11·7	-	-	-	5	9	3	42
RIO DE JANEIRO	842,822	" 25	-	378	23·4	-	16	-	1	2	-	?
		October 2	-	363‡	22·4	-	11	-	-	5	2	?
CAIRO :—*												
Egyptians -	620,443	" 16	647	474	39·7	-	6	-	17	-	2	125
Foreigners -	62,510	" 16	2	12	10·0	-	-	-	1	-	-	-
ALEXANDRIA :—*												
Egyptians -	319,087	" 16	317	235	38·3	-	-	-	2	-	3	79
Foreigners -	68,829	" 16	3	11	8·3	-	-	-	-	-	-	2

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.

† Excluding deaths from croup in the Indian Cities.

‡ Including 8 deaths from *plague* in Calcutta, 16 in Bombay, and 1 in Rio de Janeiro, and from *Asiatic cholera*, 16 deaths in Calcutta, 2 in Bombay, and 23 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 29th October, 1910.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	61·4	39·6	51·4	0·30	BRADFORD - -	51·3	40·1	47·3	0·35
BRIGHTON - -	61·6	45·7	54·2	0·34	YORK - - -	-	-	-	-
PORTSMOUTH - -	61·6	47·0	54·2	0·69	HULL - - -	56·0	45·0	50·5	0·17
NORWICH - -	54·2	44·6	49·9	0·26	TYNEMOUTH - -	53·0	46·0	49·9	0·12
PLYMOUTH - -	61·0	45·0	54·7	1·19	CARDIFF - - -	-	-	--	-
BRISTOL - - -	58·0	42·2	49·5	0·72	EDINBURGH - -	51·6	42·1	47·3	0·10
BIRMINGHAM - -	54·5	43·1	48·3	0·32	GLASGOW - -	56·0	33·2	47·6	0·01
NOTTINGHAM - -	54·0	39·0	48·4	0·20	DUBLIN Phœnix Park.	55·8	39·9	50·4	0·37
LIVERPOOL OBSERVATORY	54·0	46·0	50·0	0·10	DUBLIN Fitzwilliam Square.†	53·3	46·9	51·6	0·41
MANCHESTER -	54·5	42·8	49·1	0·26					
BURNLEY - -	53·4	45·2	48·5	0·53					
HUDDERSFIELD -	52·0	45·0	47·8	0·23	BELFAST - - -	57·0	41·0	51·2	0·03

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March 1902, for the corresponding period to the above was 0·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 29th October, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCTOBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 23	Greatest Dec. N.	29·725	52·9	39·6	13·3	47·3	− 0·8	45·8	1·5	5·1	0·2	94	73·5	31·3	54·80	NE., calm & ENE.	ENE. & E.	1·5	0·0	0·1	218	− 41	0·00	0·0
MONDAY - 24	..	29·661	53·7	46·6	7·1	49·8	+ 1·9	45·5	4·3	7·8	1·7	85	77·8	40·0	54·58	ESE. & E.	E.	2·3	0·0	0·1	260	− 9	0·00	0·0
TUESDAY - 25	Last Qr.	29·839	56·9	50·0	6·9	53·2	+ 5·5	49·6	3·6	6·9	1·2	88	85·0	45·2	54·39	ESE. & E.	SE. & ESE.	0·4	0·0	0·0	169	−109	0·01	0·0
WEDNESDAY 26	..	29·935	58·5	50·7	7·8	54·0	+ 6·4	50·6	3·4	6·7	1·2	88	83·0	45·8	54·30	ESE.	ESE. & E.	2·3	0·0	0·2	265	− 21	0·00	1·0
THURSDAY - 27	..	29·696	55·0	50·1	4·9	52·2	+ 4·7	47·6	4·6	7·3	1·8	84	71·0	49·2	54·31	ESE. & E.	E.	6·4	0·0	0·6	413	+122	0·00	0·0
FRIDAY - 28	..	29·583	61·4	45·2	16·2	52·4	+ 5·0	49·8	2·6	7·7	0·4	91	101·7	37·2	54·40	E. & variable.	SW., S. & calm.	3·2	0·0	0·2	284	− 9	0·25	3·0
SATURDAY - 29	..	29·691	53·1	44·9	8·2	49·2	+ 1·9	48·2	1·0	2·9	0·6	96	60·6	36·9	54·30	NE. & NNE.	NE. & NNE.	1·2	0·0	0·0	152	−149	0·04	0·0
MEANS - -		29·733	55·9	46·7	9·2	51·2	+ 3·5	48·2	3·0	6·3	1·0	89	78·9	40·8	54·44	E.		..	..	..	Sum 1761	Sum −207	Sum 0·30	0·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 23	w. P. throughout.	1·0	10·2	Generally overcast; misty in morning.
MONDAY - 24	w. P. throughout.	1·3	10·1	Generally overcast or very cloudy.
TUESDAY - 25	w. P. generally; w. N. between 10h. and 11h. P.M.	0·3	10·1	Overcast with slight exceptions; a little rain between 9h. 30m. and 10h. 15m. P.M.
WEDNESDAY 26	w. P. throughout.	0·8	10·0	Generally overcast.
THURSDAY - 27	w. P. throughout.	0·0	10·0	Cloudy at first; overcast after 2h. A.M.; brisk wind in afternoon; slight rain after 10h. P.M.
FRIDAY - 28	w. P. with occasional w. N. till 9h. A.M.; w. P. afterwards.	3·9	9·9	Overcast in morning with steady rain till about 8h. A.M.; fine with variable amounts of cloud after 9h. 30m. A.M.; slight mist at night.
SATURDAY - 29	w. P. throughout.	0·0	9·9	Generally overcast and dull; occasional rain till 11h. A.M.; slight fog in morning.
		Sum 7·3	Sum 70·2	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 6). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·81 in. at the beginning of the week to 29·64 in. by 3h. P.M. on the 24th; increased to 29·96 in. by 10h. A.M. on the 26th; decreased to 29·53 in. by 7h. A.M. on the 28th; increased to 29·72 in. by 10h. P.M. on the 29th; and was 29·70 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 22nd October, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	6	1	-	-	-	-	3	1	-
Kensington	184,635	-	12	4	-	-	-	-	4	-	-
Hammersmith	127,413	-	8	5	-	2	-	-	2	-	-
Fulham	181,282	-	9	8	-	-	-	-	2	-	-
Chelsea	75,457	-	2	6	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	6	-	-	-	-	-	-	-	-
NORTH.											
St. Marylebone	125,195	-	4	4	-	1	-	-	3	-	-
Hampstead	95,729	-	3	2	-	-	-	-	-	-	-
St. Pancras	237,792	-	16	2	-	2	-	-	8	1	-
Islington	353,356	-	15	17	-	3	-	-	4	2	-
Stoke Newington	54,838	-	2	-	-	-	-	-	-	-	-
Hackney	239,979	-	11	3	-	6	-	-	7	-	-
CENTRAL.											
Holborn	53,142	-	2	-	-	5	-	-	1	-	-
Finsbury	94,578	-	3	1	-	-	-	-	4	1	-
City of London	17,132	-	-	3	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	5	5	-	-	-	-	1	-	-
Bethnal Green	131,579	-	7	3	-	5	-	-	2	-	-
Stepney	314,379	-	19	6	-	8	-	-	11	-	-
Poplar	172,432	-	12	2	-	4	-	-	11	-	-
SOUTH.											
Southwark	211,832	-	12	8	-	4	-	-	8	1	-
Bermondsey	127,238	-	4	6	-	5	-	-	3	-	-
Lambeth	327,074	-	18	13	-	5	-	-	8	-	-
Battersea	188,222	-	18	6	-	1	-	-	6	-	-
Wandsworth	305,838	-	22	13	-	-	-	-	7	-	1
Camberwell	286,058	-	7	5	-	3	-	-	4	-	-
Deptford	119,642	-	12	3	-	-	-	-	3	-	-
Greenwich	112,935	-	3	4	-	1	-	-	1	-	-
Lewisham	164,899	-	7	3	-	1	-	-	5	-	-
Woolwich	135,422	-	18	1	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	**4,872,702**	-	**263**	**134**	-	**56**	-	-	**110**	**6**	**1**
Ages 0-1		-	-	2	-	-	-	-	6	-	-
" 1-5		-	77	49	-	3	-	-	3	-	-
" 5-		-	120	62	-	7	-	-	5	-	.
" 10-		-	50	11	-	15	-	-	4	-	1
" 15-		-	8	3	-	5	-	-	4	-	-
" 20-		-	2	2	-	5	-	-	10	1	-
" 25-		-	6	2	-	13	-	-	9	5	-
" 35-		-	-	2	-	4	-	-	21	-	-
" 45-		-	-	1	-	3	-	-	21	-	-
" 55-		-	-	-	-	1	-	-	14	-	-
" 65 and upwards		-	-	-	-	-	.	-	13	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 44. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, NOV. 5. [Price 1½*d.*

General Register Office, Somerset House,
November 7th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 13·1 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 13·1, 13·0, and 13·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·7 in Salford, 17·8 in Brighton, 18·0 in Middlesbrough, 18·4 in St. Helens, 18·8 in Wigan, 19·4 in Tynemouth, 19·5 in Swansea, and 20·5 in West Bromwich; from *measles*, 1·6 in Brighton and in St. Helens, and 1·8 in Tynemouth; from *whooping-cough*, 1·9 in Stockton on Tees; and from *diarrhœa*, 1·4 in Oldham, 1·6 in Brighton, and 2·4 in York. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.* (The Administrative County and the City of London.)

In LONDON 2167 BIRTHS and 1226 DEATHS were registered. Allowing for increase of population, the births were 269 and the deaths 166 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17947—41.) Wt. 91—429. 700. 11/10. D & S. G. 31. Sch. 4. 2 X

causes, which had been 12·8, 12·6, and 12·9 per 1000 in the preceding three weeks, rose last week to 13·1. The death-rate in the four weeks ended last Saturday averaged 12·9 per 1000, being 1·1 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1226 deaths included 50 from measles, 3 from scarlet fever, 6 from diphtheria, 10 from whooping-cough, 6 from enteric fever, and 35 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 110 deaths were referred, being 4 below the corrected average number in the forty-fourth week of the preceding five years.

The deaths from *measles*, which had been 17, 33, and 44 in the preceding three weeks, further rose to 50 last week, and were 30 above the corrected average; 11 deaths belonged to the Borough of Southwark, 6 each to Islington and to Camberwell, 4 to Finsbury, and 3 each to Hammersmith and to Bermondsey. The deaths from *scarlet fever*, which had been 5, 4, and 2 in the preceding three weeks, were 3 last week, and were 11 below the corrected average. The deaths from *diphtheria*, which had been 5, 11, and 9 in the preceding three weeks, were 6 last week, and were 12 below the corrected average. The deaths from *whooping-cough*, which had been 7 in each of the preceding three weeks, rose to 10 last week, but were 3 below the corrected average. The deaths from *enteric fever*, which had been 16, 9, and 11 in the preceding three weeks, fell to 6 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 73, 69, and 41 in the preceding three weeks, further fell to 35 last week, and were 10 below the corrected average; 5 deaths belonged to Finsbury, and 3 each to Stepney, Wandsworth, Deptford, and Greenwich. Of the 35 deaths from diarrhœa, 30 were those of children under 2 years of age; 14 other deaths at this age were certified as due to *enteritis*, and 7 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 5, having been 6, 4, and 10 in the preceding three weeks.

Different forms of violence caused 46 deaths, concerning all of which inquests were held. Of these 46 deaths, 4 were cases of suicide, and 2 of homicide, while the remaining 40 were attributed to accident or negligence. Eleven of these latter were referred to vehicles in the streets, five to burns or scalds, three to drowning, and five, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1856 cases of scarlet fever, 861 of diphtheria, and 175 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 188 cases, against 234, 231, and 221; of diphtheria, 106 cases, against 138, 116, and 111; and of enteric fever, 18 cases, against 32, 26, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 29th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

GREATER LONDON (comprising London and the "Outer Ring," *i.e.*, the remainder of the Metropolitan Police District).

In Greater London 3366 births and 1730 deaths were registered. Allowing for increase of population, these numbers are 454 and 239 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from measles, 3 deaths from diphtheria, 3 from whooping-cough, 2 from enteric fever, and 5 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·26 inches, and that of the Thermometer 42°·7, the latter being 4°·0 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 23 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 11·5 hours; the measured rainfall amounted to 1·03 inches.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 5th November, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 15th Oct., 1910.	22nd Oct., 1910.	29th Oct., 1910.	5th Nov., 1910.	Rate from Diseases in Ccls. 11-17 Week ended 5th Nov., 1910.	Registered during the Week ended 5th Nov., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**13·1**	**13·0**	**13·0**	**13·1**	**1·1**	**7851**	**4250**	**1013**	**1217**	**-**	**101**	**30**	**46**	**32**	**29**	**123**	**129**	**315**	**1179**	**33**	**77 TOWNS.**
LONDON	4,872,702	12·8	12·6	12·9	13·1	1·2	2167	1226	276	364	-	50	3	6	10	6	35	46	120	533	1	LONDON.
CROYDON	164,485	10·8	11·4	8·6	11·4	0·3	72	36	10	11	-	-	-	1	-	-	-	6	8	8	-	CROYDON.
WILLESDEN ..	166,088	6·9	8·8	7·5	6·3	1·3	81	20	5	7	-	2	-	-	1	1	-	1	1	8	-	WILLESDEN.
HORNSEY	98,561	10·6	6·3	5·8	8·5	-	18	16	4	6	-	-	-	-	-	-	-	-	1	1	-	HORNSEY.
TOTTENHAM ..	132,803	10·6	9·4	9·4	11·4	1·2	65	29	9	11	-	1	-	1	1	-	-	2	3	5	-	TOTTENHAM.
WEST HAM ..	328,585	10·5	10·9	11·4	12·7	1·1	128	80	24	18	-	3	1	-	1	-	2	4	13	19	-	WEST HAM.
EAST HAM.. ..	156,208	6·7	9·3	7·0	6·7	0·3	53	20	3	6	-	1	-	-	-	-	-	-	-	4	-	EAST HAM.
LEYTON	133,436	7·0	7·8	5·1	9·0	0·4	55	23	4	9	-	-	-	1	-	-	-	2	3	5	-	LEYTON.
WALTHAMSTOW	141,748	7·0	8·5	8·1	10·3	-	58	28	10	8	-	-	-	-	-	-	-	2	4	6	-	WALTHAMSTOW.
HASTINGS	68,520	9·9	8·4	12·2	12·2	0·8	16	16	2	7	-	-	-	-	-	-	1	-	-	6	-	HASTINGS.
BRIGHTON	131,900	13·4	19·8	17·8	17·8	3·6	57	45	5	12	-	4	-	-	-	1	4	1	4	11	-	BRIGHTON.
PORTSMOUTH ..	217,989	9·6	15·3	16·3	14·8	2·2	101	62	16	16	-	3	-	1	-	2	3	-	2	13	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	12·0	7·8	10·6	7·8	-	22	11	2	7	-	-	-	-	-	-	-	-	-	1	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	14·4	16·0	12·3	12·7	1·6	66	31	10	7	-	2	-	-	-	-	2	-	4	7	-	SOUTHAMPTON.
READING	84,355	8·7	7·4	9·9	9·9	1·2	47	16	6	5	-	-	-	1	-	-	1	1	2	3	-	READING.
NORTHAMPTON ..	99,113	10·0	12·6	11·0	11·6	0·5	39	22	1	5	-	-	-	1	-	-	-	-	1	5	-	NORTHAMPTON.
IPSWICH	75,936	14·4	15·1	8·2	17·2	-	29	25	7	6	-	-	-	-	-	-	-	1	2	5	-	IPSWICH.
GREAT YARMOUTH	53,715	7·8	14·6	13·6	10·7	1·9	24	11	1	6	-	-	-	-	1	-	1	-	1	4	-	GREAT YARMOUTH.
NORWICH	125,446	9·1	12·9	9·6	10·0	0·8	53	24	6	10	-	-	-	-	1	-	1	-	1	6	1	NORWICH.
PLYMOUTH	126,266	7·8	10·7	11·1	11·6	0·4	57	28	1	11	-	-	-	1	-	-	-	2	4	7	-	PLYMOUTH.
DEVONPORT	84,695	10·5	7·4	10·5	9·2	0·6	34	15	1	7	-	-	-	-	-	-	1	-	2	1	-	DEVONPORT.
BRISTOL	382,550	11·9	9·4	10·6	11·2	0·5	156	82	13	32	-	-	-	1	1	1	1	3	6	23	-	BRISTOL.
STOKE ON TRENT ..	245,726	17·6	12·7	18·7	16·1	2·3	147	76	24	9	-	1	4	3	-	2	1	1	3	9	1	STOKE ON TRENT.
BURTON ON TRENT	54,977	10·4	18·0	7·6	10·4	0·9	9	11	2	5	-	-	-	-	-	-	1	-	-	2	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	7·4	12·8	13·8	12·3	0·5	44	25	4	11	-	-	1	-	-	-	-	-	4	5	-	WOLVERHAMPTON.
WALSALL	101,035	10·3	7·2	11·4	9·3	1·0	54	18	8	4	-	-	-	-	-	-	2	1	3	2	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	5·0	7·2	11·5	9·4	0·7	31	13	5	4	-	-	-	-	1	-	-	1	1	1	1	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	15·4	13·9	8·8	20·5	-	36	28	3	11	-	-	-	-	-	-	-	-	-	7	1	WEST BROMWICH.

Towns.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 15th Oct., 1910.	22nd Oct., 1910.	29th Oct., 1910.	5th Nov., 1910.	Rate from Diseases in Cols. 11–17. Week ended 5th Nov., 1910.	Registered during the Week ended 5th Nov., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham	570,113	13·7	13·6	10·6	11·2	1·0	279	123	31	32	-	2	3	2	1	1	2	9	10	38	1	Birmingham.
Kings Norton	84,673	9·9	6·2	8·6	7·4	-	25	12	2	4	-	-	-	-	-	-	-	-	-	1	-	Kings Norton.
Smethwick	72,350	10·8	14·4	12·3	10·8	-	44	15	5	5	-	-	-	-	-	-	-	-	-	1	-	Smethwick.
Aston Manor	86,269	10·9	10·3	9·7	15·1	-	36	25	4	12	-	-	-	-	-	-	-	-	2	6	-	Aston Manor.
Coventry	81,449	17·9	14·1	13·4	16·0	1·9	74	25	8	7	-	-	-	1	-	1	1	-	-	4	1	Coventry.
Leicester	248,374	11·3	10·1	11·3	13·6	0·6	112	65	15	20	-	-	-	-	-	1	2	1	3	15	1	Leicester.
Grimsby	74,283	13·3	14·7	11·2	11·2	1·4	36	16	5	6	-	-	-	-	-	1	1	1	3	1	-	Grimsby.
Nottingham	266,471	12·5	14·3	16·2	14·7	0·8	100	75	19	29	-	-	-	-	1	-	3	1	3	9	2	Nottingham.
Derby	131,256	10·7	9·5	11·5	13·9	0·8	65	35	3	13	-	-	-	2	-	-	-	-	3	9	-	Derby.
Stockport	105,087	10·9	15·9	11·4	12·9	-	55	26	6	9	-	-	-	-	-	-	-	1	3	6	-	Stockport.
Birkenhead	122,431	17·5	14·9	16·2	13·6	0·9	81	32	7	9	-	-	-	2	-	-	-	-	1	8	-	Birkenhead.
Wallasey	73,173	16·4	9·3	12·1	7·1	0·7	28	10	2	3	-	-	-	-	1	-	-	1	1	1	-	Wallasey.
Liverpool	767,606	18·7	15·8	17·9	15·8	1·6	432	232	70	52	-	1	6	4	3	-	10	5	9	78	10	Liverpool.
Bootle	70,548	18·5	17·7	11·1	13·3	-	46	18	4	6	-	-	-	-	-	-	-	-	-	1	-	Bootle.
St. Helens	96,523	16·2	17·3	12·4	18·4	3·2	49	34	6	6	-	3	1	-	-	-	2	2	3	9	1	St. Helens.
Wigan	91,732	14·8	19·3	14·8	18·8	0·6	50	33	10	7	-	-	-	-	-	1	-	1	2	5	-	Wigan.
Warrington	73,295	23·5	14·2	14·9	6·4	0·7	42	9	1	1	-	-	-	1	-	-	-	-	-	3	-	Warrington.
Bolton	190,315	15·6	12·9	10·4	12·1	0·5	80	44	12	14	-	1	-	-	-	-	1	3	4	8	-	Bolton.
Bury	59,409	13·2	14·9	15·8	14·0	1·8	22	16	2	6	-	-	-	1	-	-	1	-	-	4	1	Bury.
Manchester	716,354	13·5	15·1	15·4	14·0	1·2	333	192	45	37	-	3	3	2	1	3	4	6	10	61	2	Manchester.
Salford	244,636	15·1	13·4	14·1	17·7	0·6	120	83	18	19	-	1	1	-	-	1	-	2	3	20	-	Salford.
Oldham	144,111	20·3	18·1	19·2	14·8	1·8	73	41	9	13	-	-	-	-	1	-	4	1	1	5	-	Oldham.
Rochdale	90,497	8·1	19·0	10·4	16·1	1·2	33	28	5	10	-	-	-	-	-	-	2	1	1	1	1	Rochdale.
Burnley	107,448	19·4	17·0	13·1	16·5	2·4	59	34	10	5	-	-	1	2	-	-	2	-	-	6	-	Burnley.
Blackburn	137,972	14·7	14·0	15·1	12·8	2·3	53	34	4	7	-	1	1	1	1	1	1	1	2	4	1	Blackburn.
Preston	119,253	14·0	10·1	14·4	14·4	1·3	34	33	6	10	-	1	-	1	-	1	-	-	-	5	-	Preston.
Barrow in Furness	63,689	18·0	13·1	10·6	13·1	2·5	32	16	-	5	-	-	1	1	-	-	1	2	3	4	1	Barrow in Furness.

See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 5th November, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 15th Oct., 1910.	22nd Oct., 1910.	29th Oct., 1910.	5th Nov., 1910.	Rate from Diseases in Cols 11–17. Week ended 5th Nov., 1910.	Registered during the Week ended 5th Nov., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	13·8	17·1	13·8	15·4	–	45	28	3	15	–	–	–	–	–	–	–	–	–	5	–	HUDDERSFIELD.
HALIFAX	112,818	10·2	13·4	10·6	9·2	0·5	23	20	2	6	–	–	–	–	–	–	1	1	2	3	–	HALIFAX.
BRADFORD	295,865	14·1	12·9	12·7	14·3	1·1	108	81	10	33	–	–	1	–	1	3	1	–	6	23	–	BRADFORD.
LEEDS	490,985	12·0	10·9	12·4	15·7	1·6	208	148	27	36	–	9	3	3	–	–	–	4	13	35	–	LEEDS.
DEWSBURY	51,224	12·2	14·3	10·2	14·3	1·0	14	14	–	6	–	1	–	–	–	–	–	–	–	2	–	DEWSBURY.
SHEFFIELD	478,763	14·5	14·4	13·4	13·1	1·5	247	120	37	23	–	3	–	2	3	–	6	1	5	29	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	14·9	12·6	16·5	13·3	0·8	26	17	4	7	–	–	–	–	–	–	1	–	–	–	–	ROTHERHAM.
YORK	88,159	13·0	9·5	13·0	10·6	2·4	30	18	7	5	–	–	–	–	–	–	4	–	–	2	–	YORK.
HULL	280,006	16·4	13·6	14·9	14·2	0·9	157	76	15	27	–	3	–	2	–	–	–	–	4	13	–	HULL.
MIDDLESBROUGH ..	107,014	19·5	21·4	17·1	18·0	1·0	67	37	15	6	–	–	–	–	–	–	2	–	2	2	–	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	17·5	13·6	16·5	15·5	2·9	18	16	5	3	–	–	–	–	2	–	1	–	–	–	–	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	14·7	10·8	9·6	5·7	–	28	9	1	2	–	–	–	–	–	–	–	–	–	–	–	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	16·5	13·9	14·6	14·2	1·3	101	44	14	15	–	1	–	1	–	–	2	2	4	8	–	SUNDERLAND.
SOUTH SHIELDS ..	119,737	12·6	10·9	16·1	11·3	–	62	26	10	9	–	–	–	–	–	–	–	1	2	5	2	SOUTH SHIELDS.
GATESHEAD	133,676	11·3	9·8	10·9	12·9	0·8	77	33	12	4	–	–	–	–	–	–	2	–	–	4	1	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	11·5	15·1	13·7	10·6	1·1	134	58	22	18	–	2	–	–	–	–	4	2	6	10	–	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	16·6	12·0	23·1	19·4	1·8	41	21	4	8	–	2	–	–	–	–	–	–	2	3	–	TYNEMOUTH.
NEWPORT (MON.) ..	79,720	8·5	13·7	21·6	11·1	0·7	45	17	4	3	–	–	–	–	–	–	1	–	–	4	1	NEWPORT (MON.).
CARDIFF	199,189	11·8	11·8	11·0	8·6	0·3	102	33	12	11	–	–	–	1	–	–	–	2	4	2	–	CARDIFF.
RHONDDA	138,674	14·2	17·7	15·4	15·8	1·5	104	42	21	6	–	–	–	–	–	2	2	3	3	3	–	RHONDDA.
MERTHYR TYDFIL..	79,522	14·4	19·7	7·9	7·9	0·7	41	12	4	1	–	–	–	–	–	–	1	1	2	–	–	MERTHYR TYDFIL.
SWANSEA	98,817	16·4	17·4	17·9	19·5	1·1	61	37	13	11	–	–	–	–	–	–	2	–	1	6	–	SWANSEA.
GREATER LONDON	7,537,196	11·4	11·4	11·6	12·0	1·0	3366	1730	394	531	–	58	4	12	16	9	42	74	172	636	4	GREATER LONDON.
OUTER RING ..	2,664,494	8·9	9·2	9·2	9·9	0·6	1199	504	118	167	–	8	1	6	6	3	7	28	52	103	3	OUTER RING.
8 TOWNS IN OUTER RING	1,321,914	8·9	9·5	8·4	9·9	0·7	530	252	69	76	–	7	1	3	3	1	2	17	33	56	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·8	8·9	9·9	9·8	0·5	669	252	49	91	–	1	–	3	3	2	5	11	19	47	3	REMAINDER OF OUTER RING.
EDINBURGH	360,276	12·3	12·7	13·7	13·0	1·3	123	90	19	32	–	1	1	2	–	–	5	5	?	25	2	EDINBURGH.
GLASGOW	884,505	13·2	12·8	13·0	14·3	1·5	391	242	50	56	–	–	3	7	7	2	6	9	?	79	8	GLASGOW.
DUBLIN (Registration Area).†	402,928	18·9	20·7	16·6	18·1	1·6	211	140	28	27	–	1	3	1	1	1	5	1	2	50	1	DUBLIN (Registration Area).†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FOURTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2392	2737	2723	2563	2581	2494	2304	2379	2358	2361	2436·2	2167
Males - - -	1266	1385	1415	1261	1286	1279	1169	1191	1248	1202	1247·0	1098
Females - -	1126	1352	1308	1302	1295	1215	1135	1188	1110	1159	1189·2	1069
TOTAL **Deaths** -	1466	1516	1433	1426	1330	1494	1272	1390	1396	1246	1392·1	1226
Males - - -	772	783	747	764	714	728	648	714	725	659	711·4	641
Females - -	694	733	686	662	616	766	624	676	671	587	680·7	585

* The numbers in this column are the average weekly numbers in the Forty-Fourth week of the five year 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	13 Weeks.
TOTAL **Births** -	2367	2303	2268	2118	2088	2050	2079	2237	2140	2029	2227	2318	2167	28391
TOTAL **Deaths** -	962	952	1009	1005	1009	1140	1118	1215	1148	1200	1176	1209	1226	14369
Ages at Death: Under 1 year -	174	184	214	223	253	275	249	275	276	271	286	259	276	3215
1—5 years -	90	110	116	100	121	95	106	113	96	120	125	143	155	1490
5—20 " -	52	58	37	69	46	63	53	50	62	68	45	49	51	703
20—40 " -	136	130	122	116	111	147	133	136	141	145	149	141	150	1757
40—60 " -	223	202	207	198	206	225	243	271	241	264	246	252	230	3008
60 yrs. & upwds.	287	268	313	299	272	335	334	370	332	332	325	365	364	4196
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	28	27	35	23	21	27	18	15	18	17	33	44	50	356
Scarlet Fever - -	1	4	3	5	2	4	3	4	3	5	4	2	3	43
Diphtheria - -	6	6	10	5	10	5	9	10	8	5	11	9	6	100
Whooping-cough -	19	13	11	8	12	15	11	10	10	7	7	7	10	140
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	1	1	3	3	6	12	10	7	16	9	11	6	89
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	26	37	65	96	94	104	76	82	59	73	69	41	35	857
All above diseases -	84	88	125	140	143	161	129	131	105	123	133	114	110	1586
Dis. of Resp. System	48	48	42	50	47	51	52	66	53	70	81	111	102	821
Pneumonia - -	65	73	87	65	67	69	71	112	112	92	113	123	144	1193
Phthisis - - -	81	88	77	87	91	113	100	104	105	107	89	114	114	1270
Dis. of Circ. System -	138	121	142	145	147	180	171	202	163	167	153	161	164	2054
Violence - - -	43	48	34	43	53	38	50	53	66	58	42	47	46	621
Inquest Cases - -	94	112	80	109	112	107	125	119	128	139	106	117	120	1468
Deaths in Institutions	438	438	466	418	523	528	528	540	512	557	507	533	533	6521
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	60·7	62·7	59·9	58·3	54·7	56·1	53·8	58·6	57·4	53·1	51·4	51·2	42·7	55·4
Mean of Highest -	70·8	73·7	70·2	67·4	61·8	63·8	63·2	69·0	66·0	60·2	57·9	55·9	49·5	63·8
Mean of Lowest -	54·1	53·5	52·4	50·8	49·1	50·4	44·4	49·2	50·4	48·5	45·3	46·7	37·4	48·6
Mean Humidity of the Air.	85	75	77	77	79	81	76	88	79	85	86	89	83	82
Rain-fall (in inches) -	0·18	0·19	0·80	0·41	0·02	0·66	0·00	0·10	0·08	0·61	0·63	0·30	1·03	5·01
Registered Sunshine (in hours).	27·7	52·7	37·1	38·6	15·7	21·2	55·4	30·7	33·6	8·8	14·6	7·3	11·5	354·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1490	1423	1447	1455	1462	1509	1560	1653	1706	1745	1792	1847	1856	1611
Diphtheria - - -	584	591	578	592	630	672	709	751	788	835	843	855	861	715
Typhus - - -	-	1	1	1	1	1	1	1	1	-	-	-	-	1
Enteric Fever - -	46	51	59	60	79	102	123	144	163	175	179	170	175	117

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FOURTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 44th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1392·1	1226	276	155	51	150	230	364
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	19·5	50	9	39	2	–	–	–
Scarlet Fever	14·1	3	1	1	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	10·2	5	–	–	–	–	3	2
Whooping-cough	12·5	10	3	6	1	–	–	–
Diphtheria	17·6	6	–	5	1	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	6·1	6	–	–	1	4	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	22·5	15	9	4	–	–	2	–
Diarrhœa, Dysentery ..	22·1	20	13	6	–	–	1	–
Tetanus	1·0	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	8·6	10	6	1	1	1	1	–
Puerperal Septicæmia ..	4·1	2	–	–	–	2	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·6	–	–	–	–	–	–	–
Infective Endocarditis ..	3·1	3	–	–	1	1	1	–
Pneumonia: Lobar ..	14·7	11	2	2	1	2	3	1
Pneumonia: Broncho ..	62·1	78	30	28	1	6	5	8
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	54·9	55	11	15	–	4	12	13
Erysipelas	6·3	3	–	–	–	–	–	3
Septicæmia (not Puerperal)	1·2	1	–	–	1	–	–	–
Pyæmia (not Puerperal)	0·8	2	1	–	1	–	–	–
Other Infective Processes	3·3	8	3	1	1	–	1	2
Tuberculous Phthisis ..	96·0	77	–	1	6	37	29	4
"*Phthisis*"	45·7	37	1	–	1	23	12	–
Tuberculous Meningitis ..	19·3	12	3	7	2	–	–	–
Tuberculous Peritonitis ..	4·9	8	2	5	1	–	–	–
Tabes Mesenterica	1·4	1	–	–	1	–	–	–
Tuberculous Dis., Other ..	14·3	14	1	2	1	6	1	3
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	9·2	7	–	–	–	3	3	1
Rheumatic Fever	6·8	4	–	–	1	3	–	–
Gout	2·5	2	–	–	–	–	–	2
Carcinoma	58·6	60	–	–	–	4	29	27
Sarcoma	5·5	7	–	–	2	2	3	–
Cancer (undefined) ..	33·4	22	–	–	–	1	7	14
Diabetes Mellitus	9·4	10	–	–	1	3	4	2
Premature Birth	47·7	50	50	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 44th week of the 5 years 1905–1909	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	10·4	8	4	3	–	–	1
Gen. Par. of Insane, Insanity	13·5	11	–	1	–	1	4
Epilepsy	6·1	2	–	–	–	–	–
Convulsions	16·6	16	14	2	–	–	–
Locomotor Ataxy.. ..	1·6	2	–	–	–	–	1
Paraplegia, Dis. of Cord.	5·7	1	–	1	–	–	–
Nervous Sys., Other Dis.	17·8	12	–	2	1	1	2
Valv. Dis., Endocarditis..	52·4	49	–	–	3	8	16
Cereb. Hæm. Cereb. Emb.	37·3	33	–	–	–	1	8
Apoplexy, Hemiplegia ..	11·9	12	–	–	–	–	5
Aneurysm	8·4	4	–	–	–	–	3
Embolism, Thrombosis (not Cerebral) ..	0·8	–	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	84·6	66	1	–	4	6	15
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–
Bronchitis	112·4	88	24	2	–	3	8
Emphysema, Asthma ..	3·9	3	–	–	–	–	–
Pleurisy	3·1	4	1	1	–	–	1
Respiratory Dis., Other..	11·1	7	2	–	–	1	–
Tonsillitis, Quinsy.. ..	0·4	–	–	–	–	–	–
Enteritis (not Epid.) ..	14·3	15	12	2	–	–	1
Gastro-enteritis	12·3	11	5	3	–	–	–
Peritonitis (not Puerp.) ..	2·3	2	–	–	–	–	2
Cirrhosis of Liver.. ..	14·3	11	–	–	–	1	7
Liver Dis., Other	3·9	5	–	–	–	–	1
Digestive Sys., Other Dis.	33·4	35	7	1	4	6	7
Acute Nephritis	7·2	9	1	–	–	2	1
Bright's Dis., Albuminuria	38·7	31	–	–	–	5	11
Urinary Sys., Other Dis.	9·6	11	–	–	–	1	1
Generative Organs Dis...	5·1	4	–	–	–	1	2
Childbirth (Accid. of) ..	3·3	3	–	–	–	2	1
Old Age	58·0	51	–	–	–	–	–
Other Diseases	98·5	75	52	8	3	1	5
ACCIDENT.							
By Railways	1·6	1	–	–	–	1	–
By Vehicles and Horses..	5·9	11	–	2	4	1	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	–	–	–	–	–	–
In Building Operations..	0·4	–	–	–	–	–	–
In Conflagrations	0·2	–	–	–	–	–	–
By Burns, Scalds, Explosions	5·5	5	–	3	1	–	–
By Drowning	3·5	3	–	–	–	–	3
By Suffocation in Bed ..	7·0	5	5	–	–	–	–
By Poisons or Poisonous Vapours	2·3	–	–	–	–	–	–
Other Deaths by Accident..	16·6	15	2	1	1	4	3
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	0·6	2	1	–	–	–	–
Suicide	9·0	4	–	–	1	2	–
Execution	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th November, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
LONDON	4,536,267	2167	1226	276	364	-	50	3	6	10	6	35	114	46	120	533	1
WEST DISTRICTS	805,311	318	180	38	59	-	3	-	-	1	2	4	10	8	17	67	1
NORTH DISTRICTS	1,055,908	494	271	52	89	-	9	1	-	4	-	4	29	8	26	112	-
CENTRAL DISTRICTS	209,465	82	59	19	6	-	4	-	-	-	1	5	3	2	3	32	-
EAST DISTRICTS	715,739	398	206	62	54	-	5	-	-	2	-	7	14	6	30	101	-
SOUTH DISTRICTS	1,749,844	875	460	105	141	-	26	-	5	3	2	15	54	21	43	171	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	50	-	15	-	-	2	1	-	1	-	4	1	1	50	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	30	8	4	3	-	-	-	-	-	-	-	-	1	2	1	-
Central Paddington *W,3H*	50,053	14	22	7	3	-	-	-	-	-	-	1	-	2	3	10	-
South Paddington	30,320	4	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-
Kensington South *W,3H*	85,610	26	15	-	7	-	-	-	-	-	-	-	4	-	1	10	-
Kensington Central *W,H*	42,774	12	12	1	5	-	1	-	-	-	-	-	-	-	-	3	-
Kensington North *w*	48,244	22	18	4	7	-	1	-	-	-	-	-	-	-	-	5	-
North Hammersmith *2W,w,H* ..	49,192	35	14	5	2	-	3	-	-	-	-	-	-	-	1	4	-
South Hammersmith *w,2H* ..	63,047	25	9	3	3	-	-	-	-	-	-	-	-	-	2	-	-
North-west Fulham *W*	45,180	39	14	1	8	-	1	-	-	1	-	1	1	-	2	8	-
North-east Fulham *F*	46,405	25	7	3	1	-	-	-	-	-	1	-	-	-	-	1	-
South Fulham *W*	45,704	23	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	12	17	-	6	-	-	-	-	-	1	-	3	-	-	11	-
Chelsea South *W,2H*	31,328	6	7	-	2	-	-	-	-	-	-	-	1	1	1	3	-
Mayfair and Knightsbridge	28,743	6	6	-	3	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave *W,2H*	55,815	16	10	3	4	-	-	-	-	-	-	-	-	1	2	4	1
St. Margaret & St. John *6H*	43,698	16	10	4	1	-	-	-	-	-	-	2	-	1	1	7	-
St. James and St. Anne *W,6H* ..	33,081	7	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	17	14	3	3	-	-	-	-	-	-	-	-	1	2	9	-
St. Mary Marylebone *W,4H* ..	37,948	37	7	3	4	-	-	-	-	-	-	-	-	-	-	4	-
Christchurch Marylebone *H* ..	39,536	22	4	-	2	-	-	-	-	-	-	-	-	1	2	-	-
St. John Marylebone *2H*	20,426	5	3	1	1	-	-	-	-	-	-	-	1	-	-	1	-
Hampstead *W,F,6H*	81,942	21	21	3	12	-	-	1	-	-	-	-	1	-	1	8	-
West St. Pancras *2H*	60,562	24	9	2	3	-	1	-	-	-	-	-	-	-	2	-	-
South St. Pancras *w,10H*	55,707	29	23	1	4	-	-	-	-	-	-	-	4	2	2	17	-
East St. Pancras *W,H*	60,320	25	14	2	5	-	-	-	-	-	-	-	1	-	2	7	-
North St. Pancras *2W*	58,728	19	23	4	9	-	1	-	-	2	-	-	2	1	1	12	-
Tufnell *W*	31,995	19	25	4	12	-	1	-	-	1	-	1	1	-	-	20	-
Upper Holloway *2W,w,H*	33,978	23	18	5	4	-	-	-	-	1	-	1	-	2	3	14	-
Collington *2W,w,H*	33,922	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	17	13	2	3	-	2	-	-	-	-	-	5	-	-	-	-
Barnsbury	54,478	26	12	2	4	-	1	-	-	-	-	1	2	-	-	-	-
Islington South-east *F*	75,397	37	14	1	7	-	1	-	-	-	-	-	1	-	2	-	-
Highbury *2H*	63,797	29	5	1	-	-	1	-	-	-	-	-	-	-	-	2	-
Stoke Newington *H*	51,247	20	6	2	3	-	-	-	-	-	-	-	-	1	2	-	-
North Hackney	50,398	29	11	2	2	-	-	-	-	-	-	-	3	-	-	-	-
Central Hackney *2w,F*	50,536	23	7	1	2	-	-	-	-	-	-	-	2	-	-	1	-
South-west Hackney *3H*	59,921	33	12	2	2	-	1	-	-	-	-	-	2	-	1	2	-
South-east Hackney *2W,w,H* ..	58,255	28	28	9	7	-	-	-	-	-	-	1	4	-	6	15	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th November, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	13	3	2	-	-	-	-	-	-	-	-	1	-	-	2	-
Strand *W*,4*H*	21,674	3	11	2	-	-	-	-	-	-	1	-	-	-	-	10	-
Strand Union Workhouse, Edmonton	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	7	11	5	-	-	-	-	-	-	-	-	-	-	-	10	-
Clerkenwell *H*	63,704	26	15	4	2	-	2	-	-	-	-	2	1	2	3	-	-
St. Luke 3*H*,*L*	36,116	27	6	3	1	-	1	-	-	-	-	2	1	-	-	-	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	1	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	5	9	3	-	-	1	-	-	-	-	1	-	-	-	9	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	31	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	28	20	4	7	-	2	-	-	-	-	-	-	-	4	15	-
Shoreditch North-East	36,148	29	5	1	1	-	-	-	-	-	-	-	-	-	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	32	26	13	4	-	-	-	-	-	-	2	1	-	3	15	-
Bethnal Green South-West *H* ..	64,542	39	11	2	3	-	1	-	-	-	-	-	1	-	2	-	-
Spitalfields..	27,969	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	22	38	6	6	-	-	-	-	-	-	1	-	2	5	37	-
Goodman's Fields	22,081	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* .	49,068	39	19	11	1	-	-	-	-	-	-	3	1	2	7	4	-
Shadwell and Ratcliff *w*,*H* ..	25,568	14	13	6	2	-	-	-	-	2	-	-	1	-	-	9	-
Limehouse *W*	32,369	19	8	1	5	-	-	-	-	-	-	-	-	1	2	-	-
Mile End Old Town South-Western *H*	63,698	40	4	-	2	-	1	-	-	-	-	-	1	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	15	9	3	3	-	-	-	-	-	-	-	2	-	-	4	-
Bow	41,989	14	9	5	1	-	-	-	-	-	-	-	1	-	-	-	-
Bromley 3*w*,*H*	68,319	37	28	7	13	-	1	-	-	-	-	1	6	1	4	14	-
Poplar *W*,*w*	58,514	23	11	3	4	-	-	-	-	-	-	-	-	-	1	3	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th November, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	9	29	6	5	-	6	-	-	-	-	-	-	4	4	18	-
Kent-road	21,904	17	9	5	1	-	2	-	-	-	-	-	1	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	11	8	3	2	-	-	-	-	-	-	2	1	-	-	5	-
Newington North	49,022	31	6	1	2	-	-	-	-	-	-	-	1	-	1	-	-
Newington South *2W*	72,841	50	23	9	6	-	3	-	-	-	-	-	1	-	2	5	-
St. Olave *2W*	9,817	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	60	13	5	2	-	1	-	-	-	-	-	3	-	1	-	-
Rotherhithe *W,F*	38,460	19	14	1	2	-	1	-	-	-	-	-	1	-	1	11	-
Waterloo *2H*	27,440	17	3	-	1	-	-	-	-	-	-	-	-	1	1	-	-
Lambeth Church *H*	27,440	22	15	3	4	-	1	-	-	-	-	-	1	1	2	11	-
Kennington *2W*	52,518	25	25	3	11	-	-	-	-	-	-	-	6	-	1	19	-
Stockwell *HF*	63,826	50	14	6	2	-	-	-	1	-	-	1	2	-	-	1	-
Brixton *H*	73,673	31	9	3	3	-	-	-	-	-	-	-	2	-	-	1	-
Norwood *2WH*	56,998	15	9	-	5	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	32	14	3	5	-	1	-	-	1	-	1	-	2	3	1	-
North-west Battersea	49,656	24	9	2	-	-	1	-	-	1	-	-	2	1	1	-	-
South-west Battersea *2W,H*	47,048	13	18	3	6	-	-	-	-	-	-	-	4	1	2	16	-
Clapham *2H*	51,361	23	7	1	4	-	-	-	-	-	-	1	2	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	45	29	1	20	-	-	-	1	-	-	1	2	-	1	11	-
Springfield *2W,L*	27,959	17	5	1	2	-	-	-	-	-	-	-	1	-	-	1	-
Southfields *H*	40,444	18	9	1	3	-	-	-	-	-	-	-	1	-	-	-	-
Putney	24,139	10	3	-	2	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich	13,359	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	18	23	7	7	-	1	-	-	-	1	-	3	1	1	18	-
Camberwell North *W,2L*	65,584	28	38	4	11	-	2	-	-	-	-	-	9	2	6	24	-
St. George	47 331	20	10	3	2	-	2	-	-	-	-	-	1	1	1	-	-
Peckham North	48,913	25	11	5	3	-	2	-	-	-	-	1	-	-	1	-	-
Peckham South *2W,w*	43,946	25	7	2	2	-	-	-	-	-	-	1	-	-	1	-	-
Deptford North *F*	49,004	31	14	4	-	-	1	-	3	-	1	1	1	-	-	3	-
Deptford East	29,781	15	7	3	1	-	1	-	-	-	-	3	-	1	2	-	-
Deptford South	38,934	17	7	2	3	-	-	-	-	-	-	1	1	1	2	-	-
Greenwich West *H*	23,456	13	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	19	12	6	3	-	-	-	-	-	-	1	1	1	2	8	-
Eltham *w,H*	7,226	6	3	1	1	-	1	-	-	-	-	-	-	-	-	1	-
Lee *w,H*	25,490	12	6	1	3	-	-	-	-	-	-	-	-	-	-	2	-
Lewisham *2W,w*	58,352	28	9	1	4	-	-	-	-	-	-	-	-	-	-	5	-
Sydenham *H*	43,653	16	8	2	2	-	-	-	-	-	-	1	1	1	1	2	-
Charlton *F,2H*	21,134	7	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-
Woolwich *5H*	41,625	18	11	3	2	-	-	-	-	-	-	-	2	2	2	2	-
Plumstead West *W,H*	39,376	15	4	1	-	-	-	-	-	1	-	-	1	-	1	-	-
Plumstead East *2W*	28,951	10	10	2	5	-	-	-	-	-	-	-	2	-	1	5	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-
North-Eastern	—	-	4	-	-	-	-	1	1	-	1	-	1	-	-	4	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	4	-	3	-	-	-	-	-	-	-	-	1	1	4	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	4	-	2	-	-	-	-	-	-	-	1	-	-	4	-
London County Lunatic Asylums:—																	
Banstead	—	-	9	-	2	-	-	-	-	-	-	-	-	-	-	9	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Long Grove	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cane Hill	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Dartford Heath	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-
Hanwell	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	5	-
Colney Hatch	—	-	4	-	1	-	-	-	-	-	-	-	1	-	-	4	-
Claybury	—	-	4	-	1	-	-	-	-	-	-	-	1	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 5th November, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
	LONDON—OUTER RING ..	368,603	2,045,135	1199	504	118	167	-	8	1	6	6	3	7	28	52	103	
31 : 1	Carshalton 2F,3H	12,228	32,997	22	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	7	2	1	1	-	-	-	-	-	-	-	-	-	-	
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
39 : 1	Coulsdon	11,069	8,166	10	2	-	-	-	-	-	-	1	-	-	-	-	-	
2	South Croydon w,H ..	4,200	49,309	19	15	3	4	-	-	-	-	-	-	-	3	5	-	
3	West Croydon 3W,F,H ..	2,168	42,888	36	20	6	7	-	-	-	-	-	-	-	3	3	12	
4	North Croydon H	2,644	41,698	17	5	1	1	-	-	-	1	-	-	-	2	2	-	
5	Penge w	770	22,465	6	5	-	3	-	-	-	-	1	-	-	-	-	-	
6	Mitcham w	11,711	30,015	21	6	1	1	-	-	-	-	-	-	-	-	-	-	
40 : 1	Wimbledon F,3H	3,221	41,652	24	7	1	2	-	-	-	-	-	-	-	-	-	-	
2	Kingston 2W,H	6,224	42,068	26	15	4	6	-	-	-	-	-	-	1	-	1	6	
3	Surbiton F,H	3,046	15,017	6	1	-	1	-	-	-	-	-	-	-	-	-	-	
4	Esher, *part of** H	5,402	13,100	6	4	1	-	-	-	-	-	-	-	-	1	1	-	
5	Hampton H,F,L	4,564	23,456	19	6	2	3	-	-	-	-	-	-	-	-	-	-	
41 : 1	Richmond W,H	2,491	31,672	6	8	1	3	-	-	-	-	-	-	-	1	-	3	
2	Mortlake F	2,518	17,821	9	6	3	-	-	-	-	-	-	-	1	-	-	-	
42 : 1	Bromley F,3H	4,696	27,397	13	4	-	1	-	-	-	1	-	1	-	-	-	2	
2	Beckenham H	7,832	28,454	11	5	2	2	-	-	-	-	-	-	-	-	1	-	
3	Orpington, *part of** W,F ..	10,113	9,857	6	2	1	1	-	-	-	-	-	-	-	-	-	2	
4	Chislehurst 2H	7,333	16,446	8	1	-	-	-	-	-	-	-	-	-	-	-	1	
43 : 1	Bexley w,F,H	8,678	21,151	13	5	1	2	-	-	-	-	-	-	-	1	1	1	
2	Erith F,H	3,354	25,296	15	8	1	2	-	1	-	-	1	-	-	-	-	-	1
3	Dartford W,F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
126 : 1	Sunbury w	11,054	18,683	7	2	1	1	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	10	5	1	2	-	-	-	-	-	-	-	-	2	1	
127 : 1	Hillingdon W,F,H	6,035	13,661	9	4	-	2	-	-	-	-	-	-	-	-	-	3	
2	Uxbridge H	12,757	8,984	9	3	1	1	-	-	-	-	-	-	-	-	-	-	
3	Hayes w 2F,H	8,066	16,358	13	3	3	-	-	-	-	-	-	-	-	-	1	-	
128 : 1	Isleworth 3W,3F,H	6,859	50,863	23	14	-	4	-	-	-	-	-	-	-	1	3	11	
2	Twickenham F,2H	2,421	20,991	11	5	-	2	-	-	-	-	-	-	-	-	-	-	
3	Hanwell w,2H	4,108	11,257	18	8	2	2	-	-	-	1	-	-	-	1	2	-	
4	Brentford 3F,2H	4,038	48,202	30	13	3	6	-	-	-	-	-	-	1	1	-	-	
5	Chiswick H	1,249	29,809	18	5	2	3	-	-	-	-	-	-	-	-	1	-	
6	Acton F,H	2,305	37,744	19	10	2	4	-	-	-	-	-	-	-	1	1	-	
129 : 1	Willesden W,F,2H	4,384	114,811	81	19	5	7	-	2	-	-	1	1	-	1	1	7	
130 : 1	Harrow F,H	13,809	25,523	32	6	2	1	-	-	-	-	-	-	-	-	-	-	1
2	Edgware 2F,2H	6,994	4,521	4	2	-	2	-	-	-	-	-	-	-	-	-	-	
3	Hendon W,F	8,382	22,450	15	6	1	1	-	-	-	-	-	-	-	1	2	-	
131 : 1	South Mimms 2F,H ..	17,755	7,308	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	4	3	-	1	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,3H	4,688	33,692	21	5	2	3	-	-	-	-	-	-	-	-	-	1	
132 : 1	Hornsey F,H	2,875	72,056	18	15	3	6	-	-	-	-	-	-	-	-	1	-	
2	Wood Green H	1,625	34,233	24	6	-	3	-	-	-	1	-	-	-	1	1	-	
3	West Tottenham	995	48,741	26	10	3	4	-	-	-	-	-	-	-	1	1	-	
4	East Tottenham 2H ..	2,019	53,962	39	15	6	5	-	1	-	-	1	-	-	1	2	1	
5	Edmonton W,w,2F	7,491	61,892	56	17	4	7	-	-	-	-	-	-	1	-	-	7	
6	Enfield 2W,F,H	12,661	42,738	31	12	1	5	-	-	-	-	-	-	-	-	-	1	
7	Waltham Abbey F	11,017	6,549	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	6	2	1	-	-	-	-	-	-	-	-	-	-	-	
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	3	5	1	3	-	-	-	-	-	-	-	-	-	2	
2	Watford, *part of** W,2F ..	138	2,122	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
188 : 1	Stratford H	1,091	52,974	22	15	3	2	-	-	-	-	1	-	-	2	4	2	
2	Forest Gate	787	52,745	18	9	1	5	-	-	-	-	-	-	-	1	2	-	
3	Plaistow F,2H	1,249	90,921	55	25	10	4	-	1	1	-	-	-	-	1	4	5	
4	Canning Town H	1,556	70,718	33	19	10	3	-	2	-	-	-	-	2	-	3	-	
5	South East Ham 2F ..	1,991	37,342	29	9	2	4	-	-	-	-	-	-	-	-	-	-	
6	North East Ham w,H ..	1,333	58,666	24	7	1	2	-	1	-	-	-	-	-	-	-	-	
7	Wanstead F	1,679	9,179	5	2	-	1	-	-	-	-	-	-	-	-	-	-	1
8	South Leyton 2W	631	50,467	20	5	-	4	-	-	-	-	-	-	-	-	1	-	
9	North Leyton 2W,w,F ..	1,963	48,445	35	34	4	7	-	-	-	1	-	-	-	2	2	21	
10	Walthamstow 2H L ..	6,504	108,929	68	25	11	8	-	-	-	-	-	-	-	2	4	1	
189 : 1	Chigwell 2F,3H	11,778	16,397	6	3	-	2	-	-	-	-	-	-	-	-	-	-	
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	6	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford F,L	8,496	41,244	35	6	-	5	-	-	-	-	-	-	-	-	-	1	
3	Barking Town F	3,805	21,547	12	7	2	-	-	-	-	-	-	1	1	-	-	-	
	N.E. Hospital, Tottenham ..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	
	London County Lunatic Asylum (Long Grove), Epsom.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
	London County Lunatic Asylum, Colney Hatch.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
	Herts County Lunatic Asylum, Hill End.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	
	Essex County Lunatic Asylum, Brentwood.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esher parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting the part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : 1, and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
LONDON* - -	4,872,702	November 5	2167	1226	13·1	–	50	3	6	10	6	51
CALCUTTA - -	1,009,008	October 8	–	–	–	–	–	–	–	–	–	–
BOMBAY - -	977,822	„ 18	406	571‡	30·4	1	3	–	–	–	4	43
MADRAS - -	509,346	„ 7	409	499‡	50·9	1	–	?	?	?	2	30
PARIS* - -	2,772,467	„ 29	959	843	16·0	–	3	1	3	3	4	41
BRUSSELS* -	720,030	„ 29	202	172	12·4	–	–	–	–	–	3	14
ANTWERP* - -	317,171	„ 29	110	81	13·3	–	3	–	–	1	–	15
AMSTERDAM* -	573,246	„ 22	253	139	12·6	–	4	–	2	2	3	6
COPENHAGEN -	455,000	„ 29	194	119	13·6	–	–	2	3	1	1	6
STOCKHOLM -	341,816	„ 15	148	85	12·9	–	–	2	2	–	1	3
CHRISTIANIA -	240,178	„ 29	92	53	11·5	–	1	–	–	–	–	–
ST. PETERSBURG	1,620,000	„ 15	863	590‡	19·0	3	1	17	11	5	4	46
MOSCOW - -	1,493,600	„ 22	–	677	23·6	–	1	19	35	2	7	77
BERLIN - -	2,122,956	„ 15	768	541	13·3	–	3	8	13	2	1	37
HAMBURG - -	911,500	„ 29	–	236	13·7	–	4	–	9	3	–	23
BRESLAU - -	509,992	„ 22	–	190	19·4	–	–	–	1	4	2	21
MUNICH - -	576,000	„ 22	278	160	14·4	–	1	–	–	–	–	16
VIENNA* - -	2,107,981	„ 29	–	–	–	–	–	–	–	–	–	–
PRAGUE* - -	497,905	„ 8	176	166	17·3	–	–	2	6	–	2	9
BUDAPEST* -	833,703	„ 22	423	309	19·3	–	–	10	6	–	5	22
TRIESTE* - -	221,124	„ 29	140	74	17·2	–	–	–	–	1	1	2
ROME - - -	590,113	September 3	–	–	–	–	–	–	–	–	–	–
VENICE - -	183,224	August 20	79	59	16·8	–	–	–	–	–	–	14
		„ 27	82	50	14·2	–	–	–	–	–	1	9
BUCAREST - -	297,643	October 15	177	134	23·5	–	–	3	2	1	4	12
NEW YORK* -	4,803,264	„ 8	2459	1333	14·5	–	3	4	20	5	17	165
CHICAGO* - -	2,185,283	„ 15	–	553	13·2	–	–	5	15	2	12	71
PHILADELPHIA*	1,598,400	„ 1	–	–	–	–	–	–	–	–	–	–
RIO DE JANEIRO	842,822	„ 9	–	–	–	–	–	–	–	–	–	–
CAIRO:—*	620,443	September 23	680	372	31·2	–	6	–	16	–	–	75
Egyptians -		„ 30	713	414	34·7	–	1	–	11	–	3	83
Foreigners -	62,510	„ 23	2	20	16·6	–	–	–	1	–	–	2
		„ 30	11	8	6·7	1	–	–	2	–	–	–
ALEXANDRIA:—*												
Egyptians -	319,087	„ 23	289	219	35·7	–	–	–	2	–	1	62
		„ 30	280	249‡	40·6	–	–	–	4	–	5	82
Foreigners -	68,829	„ 23	6	24‡	18·1	–	–	–	–	–	–	2
		„ 30	5	15	11·3	–	–	–	–	–	–	4

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.

† Excluding deaths from croup in the Indian Cities.

‡ Including 14 deaths from *plague* in Bombay, 1 in Madras, and 2 in Alexandria (1 Egyptian and 1 Foreigner), and from *Asiatic cholera*, 2 deaths in Bombay, 11 in Madras, and 21 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 5th November, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	54·9	27·6	43·5	1·03	BRADFORD - -	52·9	30·9	41·3	1·47
BRIGHTON - -	55·9	32·9	46·6	0·97	YORK - - -	53·0	31·0	42·7	0·26
PORTSMOUTH - -	59·0	33·0	47·0	0·71	HULL - - -	51·0	32·0	42·0	0·25
NORWICH - -	51·7	31·8	43·2	0·59	TYNEMOUTH - -	51·0	31·0	41·2	0·67
PLYMOUTH - -	56·7	37·5	48·8	0·79	CARDIFF - - -	51·0	30·5	43·1	1·37
BRISTOL - - -	54·8	26·2	44·2	0·93	EDINBURGH - -	50·9	33·1	41·4	0·29
BIRMINGHAM - -	54·0	33·7	42·0	0·75	GLASGOW - -	52·2	29·3	41·4	0·89
NOTTINGHAM - -	53·0	32·0	42·7	0·77	DUBLIN Phœnix Park.	55·5	29·9	43·1	0·56
LIVERPOOL OBSERVATORY	56·0	37·0	43·7	1·02	DUBLIN Fitz-william Square.†	56·3	33·0	44·2	0·47
MANCHESTER -	53·2	32·8	41·3	2·14					
BURNLEY - -	52·0	29·0	40·2	1·72					
HUDDERSFIELD -	52·3	34·0	41·3	1·77	BELFAST - - -	54·5	34·5	41·5	1·22

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March 1902, for the corresponding period to the above was 0°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 5th November, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCTOBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 30	In Eqr.	29·720	52·0	46·3	5·7	49·2	+ 2·0	43·8	5·4	6·2	2·9	81	57·9	41·7	54·20	NNE. & NE.	NE. & NNE.	3·9	0·0	0·3	341	+ 51	0·01	0·0
MONDAY - 31	..	29·603	50·8	44·2	6·6	46·9	− 0·2	39·9	7·0	9·2	2·6	76	73·8	40·1	54·00	NNE. & N.	Variable & SW.	8·7	0·0	0·3	300	+ 13	0·13	0·2
NOVEMBER. TUESDAY - 1	..	28·920	54·9	41·1	13·8	46·4	− 0·6	40·2	6·2	12·0	3·2	79	74·3	35·6	53·70	WSW. & W.	WNW. & W.	13·0	0·0	1·4	656	+371	0·47	0·8
WEDNESDAY 2	New	29·141	48·9	37·1	11·8	41·2	− 5·6	34·9	6·3	15·3	4·8	78	75·2	31·0	53·40	W. & WNW.	NW., WNW. & W.	11·4	0·0	0·7	516	+234	0·04	0·0
THURSDAY - 3	Apogee	28·941	47·8	34·7	13·1	40·9	− 5·7	37·7	3·2	8·2	0·9	88	80·0	29·0	52·90	WSW. & SW.	Variable & N.	2·6	0·0	0·7	301	+ 20	0·37	0·0
FRIDAY - 4	..	29·218	46·5	30·8	15·7	38·4	− 8·0	35·6	2·8	10·2	0·0	90	71·4	25·6	52·15	WNW., WSW. & SW.	Variable	1·1	0·0	0·0	182	− 97	0·00	0·0
SATURDAY - 5	..	29·305	45·9	27·6	18·3	36·0	−10·1	33·7	2·3	8·3	0·0	91	55·8	22·2	51·50	WSW. & SW.	Variable & N.	0·0	0·0	0·0	135	−144	0·01*	0·0
MEANS - -		29·264	49·5	37·4	12·1	42·7	− 4·0	38·0	4·7	9·9	2·1	83	69·8	32·2	53·12	Variable		..	..	..	Sum 2431	Sum +448	Sum 1·03	0·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

* Fog and frost.

DATE. OCTOBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 30	w. P. throughout.	0·0	9·8	Overcast with slight exceptions; rain after 11h. 30m. P.M.
MONDAY - 31	w. P. generally till 9h. A.M.; m. P. till 8h. P.M.; w. P. till 11h. P.M.; then w. N.	2·3	9·7	Generally overcast with occasional rain; strong wind at night.
NOVEMBER. TUESDAY - 1	w. P. with occasional v. N. till 10h. A.M.; m. P. generally afterwards; s. N. at 1h. 20m. P.M.	3·2	9·7	Overcast with frequent rain till 11h. A.M.; fine and variably cloudy till 5h. P.M. with shower at and about 1h. P.M.; cloudless with slight exceptions afterwards; gale in early morning; frequent lightning at night.
WEDNESDAY 2	m. P. generally till 10h. A.M.; s. P. with occasional s. N. afterwards.	1·7	9·6	Generally cloudless with lightning in early morning; cloudy and showery with gusty wind till evening; generally cloudless and very fine after 6h. 30m. P.M.; sharp squall with rain and hail at 1h. 45m. P.M.
THURSDAY - 3	m. P. till 10h. A.M.; s. P. till noon; v. N. and m. P. afterwards.	1·1	9·5	Cloudless with hoar frost in early morning; cloudy with fine intervals till about 11h. A.M.; then overcast with frequent rain. Solar halo observed at and about 9h. A.M.
FRIDAY - 4	m. P. generally; s. P. in afternoon.	0·4	9·5	Fine; slight fog prevalent after 9h. A.M.; hoar frost at night.
SATURDAY - 5	m. P. till 10h. A.M.; s. P. till 6h. P.M.; then m. P.	2·8	9·4	Fine; slight fog prevalent till evening; hoar frost in morning and at night.
		Sum 11·5	Sum 67·2	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1903.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·70 in at the beginning of the week to 29·77 in. by 10h. P.M. on Oct. 30th; decreased to 28·88 in. by 2h. P.M. on Nov. 1st; increased to 29·19 in. by 5h. P.M. on Nov. 2nd; decreased to 28·75 in. by 5h. P.M. on Nov. 3rd; and increased to 29·32 in. by midnight on Nov. 5th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 29th October, 1910 *

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever
WEST.											
Paddington	153,004	-	2	7	-	3	-	-	-	1	-
Kensington	184,635	-	8	3	-	-	-	-	5	-	-
Hammersmith	127,413	-	4	3	-	1	-	-	2	-	-
Fulham	181,282	-	11	4	-	3	-	-	4	2	1
Chelsea	75,457	-	6	6	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	5	4	-	3	-	-	2	-	-
NORTH.											
St. Marylebone	125,195	-	2	5	-	-	-	-	3	-	-
Hampstead	95,729	-	3	3	-	1	-	-	1	-	-
St. Pancras	237,792	-	11	7	-	3	-	-	5	-	-
Islington	353,356	-	10	11	-	1	-	-	8	1	1
Stoke Newington	54,838	-	2	-	-	-	-	-	2	-	-
Hackney	239,979	-	13	3	-	-	-	-	7	-	-
CENTRAL.											
Holborn	53,142	-	2	2	-	-	-	-	-	-	-
Finsbury	94,578	-	2	6	-	1	-	-	5	-	1
City of London	17,132	-	1	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	3	3	-	-	-	-	4	1	-
Bethnal Green	131,579	-	6	5	-	2	-	-	8	-	-
Stepney	314,379	-	16	7	-	2	-	-	8	1	-
Poplar	172,432	-	13	4	-	1	-	-	6	-	-
SOUTH.											
Southwark	211,832	-	5	5	-	1	-	-	6	-	-
Bermondsey	127,238	-	7	5	-	-	-	-	4	-	-
Lambeth	327,074	-	24	11	-	3	-	-	7	-	1
Battersea	188,222	-	16	7	-	2	-	-	2	-	-
Wandsworth	305,838	-	19	7	-	2	-	-	3	-	-
Camberwell	286,058	-	9	4	-	1	-	-	9	-	-
Deptford	119,642	-	6	4	-	-	-	-	4	-	-
Greenwich	112,935	-	4	3	-	-	-	-	2	-	-
Lewisham	164,899	-	7	7	-	5	-	-	2	1	-
Woolwich	135,422	-	15	-	-	-	-	-	-	-	1
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	232	137	-	35	-	-	109	7	5
Ages 0-1		-	7	-	-	-	-	-	3	-	2
„ 1-5		-	79	48	-	3	-	-	9	-	2
„ 5-		-	98	39	-	3	-	-	4	-	-
„ 10-		-	29	21	-	5	-	-	5	-	-
„ 15-		-	4	11	-	8	-	-	4	1	-
„ 20-		-	5	7	-	9	-	-	2	2	-
„ 25-		-	8	8	-	5	-	-	11	3	1
„ 35-		-	2	1	-	-	-	-	28	1	-
„ 45-		-	-	2	-	2	-	-	20	-	-
„ 55-		-	-	-	-	-	-	-	11	-	-
„ 65 and upwards		-	-	-	-	-	-	-	12	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 45. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, NOV. 12. [Price 1½*d.*

General Register Office, Somerset House,
November 14th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 14·8 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 13·0, 13·0, and 13·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·4 in St. Helens, 19·9 in Rhondda, 20·2 in Stoke on Trent, 20·4 in Grimsby and in Dewsbury, 21·2 in Rotherham, 21·8 in Burnley, and 25·0 in Tynemouth; from *measles*, 1·0 in Portsmouth, Leeds, and Middlesbrough, 1·9 in West Hartlepool, 3·2 in Brighton, and 5·5 in Tynemouth; from *diphtheria*, 1·2 in Norwich and 1·6 in Barrow in Furness; and from *diarrhœa*, 1·7 in Rochdale, 1·9 in Burnley, 2·3 in Rhondda, 2·5 in West Hartlepool, and 2·9 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.* (The Administrative County and the City of London.)

In LONDON 2243 BIRTHS and 1476 DEATHS were registered. Allowing for increase of population, the births were 189 below and the deaths 92 above the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(17999—41.) Wt. 91—429. 700. 11/10. D & S. G. 31. Sch. 4. 2 Y

weeks of the previous five years. The annual death-rate from all causes, which had been 12·6, 12·9, and 13·1 per 1000 in the preceding three weeks, further rose last week to 15·8. The death-rate in the four weeks ended last Saturday averaged 13·6 per 1000, being 0·8 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1476 deaths included 67 from measles, 3 from scarlet fever, 13 from diphtheria, 7 from whooping-cough, 8 from enteric fever, and 29 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 127 deaths were referred, being 21 above the corrected average number in the forty-fifth week of the preceding five years.

The deaths from *measles*, which had been 33, 44, and 50 in the preceding three weeks, further rose to 67 last week, and were 40 above the corrected average; 12 deaths belonged to the Borough of Southwark, 12 to Camberwell, 9 to Islington, 7 to Bermondsey, 4 each to St. Pancras and to Battersea, and 3 each to Hammersmith, Shoreditch, Stepney, and Lambeth. The deaths from *scarlet fever*, which had been 4, 2, and 3 in the preceding three weeks, were again 3 last week, and were 10 below the corrected average. The deaths from *diphtheria*, which had been 11, 9, and 6 in the preceding three weeks, rose to 13 last week, and were equal to the corrected average; 3 deaths belonged to Bermondsey. The deaths from *whooping-cough*, which had been 7, 7, and 10 in the preceding three weeks, were 7 last week, and were 5 below the corrected average. The deaths from *enteric fever*, which had been 9, 11, and 6 in the preceding three weeks, were 8 last week, the corrected average being 7. The deaths from *diarrhœa*, which had been 69, 41, and 35 in the preceding three weeks, further fell to 29 last week, and were 5 below the corrected average; 5 deaths belonged to Bermondsey, 4 to Southwark, and 3 each to Paddington and to Islington. Of the 29 deaths from diarrhœa, 25 were those of children under 2 years of age; 12 other deaths at this age were certified as due to *enteritis*, and 5 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 13, having been 4, 10, and 5 in the preceding three weeks.

Different forms of violence caused 41 deaths, concerning all of which inquests were held. Of these 41 deaths, 3 were cases of suicide, and 4 of homicide, while the remaining 34 were attributed to accident or negligence. Two of these latter were referred to vehicles in the streets, eight to burns or scalds, two to drowning, and six, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1882 cases of scarlet fever, 892 of diphtheria, and 165 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 239 cases, against 231, 221, and 188; of diphtheria, 121 cases, against 116, 111, and 106; and of enteric fever, 21 cases, against 26, 13, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended November 5th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

GREATER LONDON (comprising London and the "Outer Ring," *i.e.*, the remainder of the Metropolitan Police District).

In Greater London 3463 births and 2004 deaths were registered. Allowing for increase of population, these numbers are 390 below and 86 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from measles, 1 from whooping-cough, 1 from enteric fever, and 6 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·43 inches, and that of the Thermometer 40°·8, the latter being 3°·9 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 38 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 24·7 hours; the measured rainfall amounted to 0·31 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 12th November, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 22nd Oct., 1910.	29th Oct., 1910.	5th Nov., 1910.	12th Nov., 1910.	Rate from Diseases in Cols. 11-17 Week ended 12th Nov., 1910.	Registered during the Week ended 12th Nov., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**13·0**	**13·0**	**13·1**	**14·8**	**1·2**	**8001**	**4801**	**1038**	**1446**	-	**136**	**23**	**54**	**37**	**32**	**110**	**143**	**359**	**1362**	**40**	**77 TOWNS.**
LONDON	4,872,702	12·6	12·9	13·1	15·8	1·4	2243	1476	283	467	-	67	3	13	7	8	29	41	118	652	2	LONDON.
CROYDON	164,485	11·4	8·6	11·4	10·5	-	75	33	4	10	-	-	-	-	-	-	-	1	2	11	-	CROYDON.
WILLESDEN ..	166,088	8·8	7·5	6·3	7·2	0·9	57	23	4	10	-	1	-	-	1	-	1	-	2	4	-	WILLESDEN.
HORNSEY	98,561	6·3	5·8	8·5	7·4	-	28	14	1	10	-	-	-	-	-	-	-	-	-	2	-	HORNSEY.
TOTTENHAM ..	132,803	9·4	9·4	11·4	13·7	0·4	64	35	10	8	-	-	-	-	-	-	1	3	6	7	-	TOTTENHAM.
WEST HAM ..	328,585	10·9	11·4	12·7	13·5	1·4	167	85	31	19	-	2	-	2	1	2	2	1	8	21	-	WEST HAM.
EAST HAM.. ..	156,208	9·3	7·0	6·7	10·3	0·7	53	31	6	10	-	1	-	-	-	1	-	1	3	2	-	EAST HAM.
LEYTON	133,436	7·8	5·1	9·0	8·2	0·8	57	21	5	9	-	-	-	-	1	-	1	-	1	5	-	LEYTON.
WALTHAMSTOW	141,748	8·5	8·1	10·3	12·1	0·4	72	33	6	10	-	-	-	-	-	1	-	-	1	5	-	WALTHAMSTOW.
HASTINGS	68,520	8·4	12·2	12·2	12·2	-	13	16	1	10	-	-	-	-	-	-	-	-	-	5	-	HASTINGS.
BRIGHTON	131,900	19·8	17·8	17·8	12·3	3·2	60	31	2	11	-	8	-	-	-	-	-	-	1	8	-	BRIGHTON.
PORTSMOUTH ..	217,989	15·3	16·3	14·8	14·1	2·2	113	59	8	18	-	4	-	1	-	3	1	1	4	19	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	7·8	10·6	7·8	12·0	-	21	17	1	9	-	-	-	-	-	-	-	-	-	4	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	16·0	12·3	12·7	11·5	1·2	53	28	2	10	-	1	-	-	-	1	1	-	2	12	-	SOUTHAMPTON.
READING	84,355	7·4	9·9	9·9	13·0	2·5	41	21	3	8	-	-	-	1	2	-	1	1	1	9	-	READING.
NORTHAMPTON ..	99,113	12·6	11·0	11·6	13·2	1·1	32	25	1	10	-	-	-	2	-	-	-	-	3	5	-	NORTHAMPTON.
IPSWICH	75,936	15·1	8·2	17·2	17·9	-	32	26	4	16	-	-	-	-	-	-	-	1	4	7	-	IPSWICH.
GREAT YARMOUTH	53,715	14·6	13·6	10·7	14·6	1·9	35	15	4	5	-	-	-	-	-	1	1	-	-	6	-	GREAT YARMOUTH.
NORWICH	125,446	12·9	9·6	10·0	12·1	1·2	52	29	3	12	-	-	-	3	-	-	-	-	2	9	-	NORWICH.
PLYMOUTH	126,266	10·7	11·1	11·6	12·0	1·7	51	29	5	8	-	1	-	2	-	-	1	-	-	2	-	PLYMOUTH.
DEVONPORT.. ..	84,695	7·4	10·5	9·2	9·9	0·6	40	16	6	6	-	-	-	-	-	-	1	1	3	2	-	DEVONPORT.
BRISTOL	382,550	9·4	10·6	11·2	12·9	0·7	164	95	20	38	-	-	-	-	3	-	2	3	9	16	-	BRISTOL.
STOKE ON TRENT ..	245,726	12·7	18·7	16·1	20·2	1·7	145	95	29	19	-	1	1	2	2	1	1	1	2	8	2	STOKE ON TRENT.
BURTON ON TRENT	54,977	18·0	7·6	10·4	11·4	-	24	12	2	2	-	-	-	-	-	-	-	1	2	4	1	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	12·8	13·8	12·3	10·3	0·5	44	21	4	5	-	-	-	-	1	-	-	1	3	6	-	WOLVERHAMPTON.
WALSALL	101,035	7·2	11·4	9·3	14·5	1·0	73	28	6	9	-	-	-	-	-	2	-	-	-	5	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	7·2	11·5	9·4	7·2	-	22	10	3	4	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	13·9	8·8	20·5	9·5	0·7	37	13	6	2	-	-	-	-	-	-	1	-	1	-	-	WEST BROMWICH.

* See note † on first page of this return.

ended Saturday 12th November, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 22nd Oct., 1910.	29th Oct., 1910.	5th Nov., 1910.	12th Nov., 1910.	Rate from Diseases in Cols. 11-17. Week ended 12th Nov., 1910.	Registered during the Week ended 12th Nov., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	13·6	10·6	11·2	15·5	1·0	306	170	46	49	-	1	1	2	2	1	4	12	14	44	7	BIRMINGHAM.
KINGS NORTON ..	84,673	6·2	8·6	7·4	9·2	0·6	38	15	3	6	-	-	1	-	-	-	-	-	-	2	-	KINGS NORTON.
SMETHWICK	72,350	14·4	12·3	10·8	13·0	1·4	45	18	6	4	-	-	-	1	-	-	1	1	2	1	-	SMETHWICK.
ASTON MANOR ..	86,269	10·3	9·7	15·1	10·9	0·6	34	18	4	6	-	-	-	-	-	1	-	-	1	2	-	ASTON MANOR.
COVENTRY	81,449	14·1	13·4	16·0	12·2	0·6	54	19	1	6	-	-	-	1	-	-	-	-	1	4	-	COVENTRY.
LEICESTER	248,374	10·1	11·3	13·6	10·3	-	82	49	10	18	-	-	-	-	-	-	-	-	1	8	1	LEICESTER.
GRIMSBY	74,283	14·7	11·2	11·2	20·4	0·7	40	29	3	14	-	1	-	-	-	-	-	1	5	1	1	GRIMSBY.
NOTTINGHAM ..	266,471	14·3	16·2	14·7	15·3	1·0	118	78	16	31	-	-	-	-	1	-	4	1	2	22	-	NOTTINGHAM.
DERBY	131,256	9·5	11·5	13·9	9·9	0·4	62	25	6	6	-	-	-	-	1	-	-	2	3	5	-	DERBY.
STOCKPORT	105,087	15·9	11·4	12·9	16·9	0·5	55	34	10	9	-	-	-	-	1	-	-	1	3	8	-	STOCKPORT.
BIRKENHEAD ..	122,431	14·9	16·2	13·6	16·6	0·9	62	39	12	10	-	1	-	-	-	-	1	-	1	7	-	BIRKENHEAD.
WALLASEY	73,173	9·3	12·1	7·1	12·1	-	30	17	1	3	-	-	-	-	-	-	-	1	1	3	-	WALLASEY.
LIVERPOOL	767,606	15·8	17·9	15·8	15·9	1·2	441	234	50	53	-	3	6	-	3	-	5	6	14	88	5	LIVERPOOL.
BOOTLE	70,548	17·7	11·1	13·3	12·6	2·2	46	17	7	3	-	-	-	-	1	-	2	1	1	2	1	BOOTLE.
ST. HELENS	96,523	17·3	12·4	18·4	19·4	0·5	64	36	13	7	-	-	-	-	-	-	1	-	-	10	2	ST. HELENS.
WIGAN	91,732	19·3	14·8	18·8	15·3	1·1	39	27	2	4	-	-	-	1	-	-	1	1	3	3	-	WIGAN.
WARRINGTON ..	73,295	14·2	14·9	6·4	12 8	2·1	37	18	2	8	-	1	1	-	-	-	1	1	1	3	2	WARRINGTON.
BOLTON	199,315	12·9	10·4	12·1	14·8	0·8	70	54	19	13	-	-	1	1	-	-	1	-	3	11	2	BOLTON.
BURY	59,409	14·9	15·8	14·0	15 8	0·9	26	18	-	6	-	-	1	-	-	-	-	3	3	6	-	BURY.
MANCHESTER ..	716,354	15·1	15·4	14 0	17·5	0·7	364	241	57	67	-	2	1	1	1	1	4	11	25	67	1	MANCHESTER.
SALFORD	244,636	13·4	14·1	17·7	15·3	1·1	118	72	21	20	-	1	-	1	-	1	2	2	4	16	1	SALFORD.
OLDHAM	144,111	18·1	19·2	14·8	16·6	1·1	67	46	9	13	-	2	-	-	-	-	1	3	4	11	-	OLDHAM.
ROCHDALE	90,497	19·0	10·4	16·1	15·0	2·3	22	26	-	12	-	-	-	-	-	1	3	1	2	5	1	ROCHDALE.
BURNLEY	107,448	17·0	13·1	16·5	21·8	2·9	42	45	9	15	-	-	-	1	1	-	4	3	5	13	1	BURNLEY.
BLACKBURN	137,972	14·0	15·1	12·8	13·2	1·1	55	35	12	8	-	1	-	-	-	-	2	4	4	8	-	BLACKBURN.
PRESTON	119,253	10·1	14·4	14·4	15·7	0·4	53	36	6	13	-	-	-	-	-	1	-	-	-	4	1	PRESTON.
BARROW IN FURNESS.	63,689	13·1	10·6	13·1	10·6	2·5	31	13	-	2	-	-	1	2	-	-	-	-	-	3	-	BARROW IN FURNESS.

See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 12th November, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 22nd Oct., 1910.	29th Oct., 1910.	5th Nov., 1910.	12th Nov., 1910.	Rate from Diseases in Cols 11-17. Week ended 12th Nov., 1910.	Registered during the Week ended 12th Nov., 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	17·1	13·8	15·4	14·9	1·1	44	27	2	15	-	1	-	-	-	-	1	1	2	3	-	HUDDERSFIELD.
HALIFAX	112,818	13·4	10·6	9·2	12·0	0·5	41	26	3	12	-	-	-	-	-	1	-	1	2	2	-	HALIFAX.
BRADFORD	295,865	12·9	12·7	14·3	12·5	1·6	95	71	16	21	-	-	-	4	2	1	2	1	7	17	-	BRADFORD.
LEEDS	490,985	10·9	12·4	15·7	14·7	1·6	197	138	30	36	-	9	3	1	1	-	1	4	18	17	-	LEEDS.
DEWSBURY	51,224	14·3	10·2	14·3	20·4	1·0	19	20	2	6	-	-	-	1	-	-	-	-	-	2	-	DEWSBURY.
SHEFFIELD	478,763	14·4	13·4	13·1	14·7	0·9	253	135	39	37	-	4	-	2	-	1	1	6	11	21	-	SHEFFIELD.
ROTHERHAM.. ..	66,414	12·6	16·5	13·3	21·2	2·4	40	27	8	5	-	1	1	1	-	-	-	-	-	2	-	ROTHERHAM.
YORK	88,159	9·5	13·0	10·6	11·8	0·6	28	20	5	5	-	-	-	-	1	-	-	-	1	6	-	YORK.
HULL	280,006	13·6	14·9	14·2	18·4	1·5	146	99	26	24	-	4	-	1	-	1	2	5	11	24	-	HULL.
MIDDLESBROUGH ..	107,014	21·4	17·1	18·0	18·5	4·9	53	38	16	5	-	2	-	1	1	-	6	1	2	5	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	13·6	16·5	15·5	15·5	-	19	16	5	2	-	-	-	-	-	-	-	2	2	-	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	10·8	9·6	5·7	18·5	4·5	37	29	5	6	-	3	-	-	-	-	4	1	2	3	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	13·9	14·6	14·2	17·2	0·3	97	53	10	16	-	-	-	-	-	-	1	2	3	10	2	SUNDERLAND.
SOUTH SHIELDS ..	119,737	10·9	16·1	11·3	10·9	-	68	25	5	6	-	-	-	-	-	-	-	2	2	3	2	SOUTH SHIELDS.
GATESHEAD	133,676	9·8	10·9	12·9	12·9	0·8	68	33	12	8	-	-	-	1	-	-	1	-	-	2	4	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	15·1	13·7	10·6	13·7	2·2	140	75	10	23	-	5	-	4	2	-	1	2	8	22	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	12·0	23·1	19·4	25·0	6·5	37	27	5	6	-	6	-	1	-	-	-	-	-	7	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	13·7	21·6	11·1	6·5	0·7	40	10	2	6	-	-	-	-	-	-	1	1	1	2	-	NEWPORT (MON.).
CARDIFF	199,189	11·8	11·0	8·6	14·1	0·5	107	54	12	16	-	-	1	-	-	-	1	2	3	13	-	CARDIFF.
RHONDDA	138,674	17·7	15·4	15·8	19·9	4·1	108	53	23	14	-	1	1	-	1	2	6	-	-	4	-	RHONDDA.
MERTHYR TYDFIL..	79,522	19·7	7·9	7·9	15·1	-	44	23	5	6	-	-	-	-	-	-	-	-	-	4	-	MERTHYR TYDFIL.
SWANSEA	98,817	17·4	17·9	19·5	19·0	1·1	51	36	12	10	-	1	-	-	-	-	1	-	3	-	-	SWANSEA.
GREATER LONDON	7,537,196	11·4	11·6	12·0	13·9	1·1	3463	2004	392	651	-	72	3	15	11	13	40	54	158	761	3	GREATER LONDON.
OUTER RING ..	2,664,494	9·2	9·2	9·9	10·3	0·5	1220	528	109	184	-	5	-	2	4	5	11	13	40	109	1	OUTER RING.
8 TOWNS IN OUTER RING	1,321,914	9·5	8·4	9·9	10·8	0·7	573	275	67	86	-	4	-	2	3	4	5	6	23	57	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	8·9	9·9	9·8	9·8	0·3	647	253	42	98	-	1	-	-	1	1	6	7	17	52	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	12·7	13·7	13·0	13·6	0·7	121	94	14	35	-	1	-	1	1	-	2	4	?	30	6	EDINBURGH.
GLASGOW	884,505	12·8	13·0	14·3	13·8	1·4	390	234	53	57	-	-	5	6	4	3	6	12	?	75	6	GLASGOW.
DUBLIN (Registra-	402,928	20·7	16·6	18·1	17·1	1·2	207	132	24	40	-	-	-	2	4	-	3	2	3	63	8	DUBLIN (Registra-

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FIFTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2500	2437	2657	2466	2476	2485	2220	2393	2485	2291	2431·6	2243
Males - - -	1257	1257	1344	1278	1248	1263	1123	1197	1218	1181	1225·0	1136
Females - -	1243	1180	1313	1188	1228	1222	1097	1196	1267	1110	1206·6	1107
TOTAL **Deaths** -	1498	1688	1501	1476	1357	1489	1328	1269	1388	1284	1384·0	1476
Males - - -	742	899	782	768	699	804	680	635	707	687	719·5	765
Females - -	756	789	719	708	658	685	648	634	681	597	664·5	711

* The numbers in this column are the average weekly numbers in the Forty-Fifth week of the five year 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	13 Weeks.
TOTAL **Births** -	2303	2268	2118	2088	2050	2079	2237	2140	2029	2227	2318	2167	2243	28267
TOTAL **Deaths** -	952	1009	1005	1009	1140	1118	1215	1148	1200	1176	1209	1226	1476	14883
Ages at Death: Under 1 year -	184	214	223	253	275	249	275	276	271	286	259	276	283	3324
1—5 years -	110	116	100	121	95	106	113	96	120	125	143	155	190	1590
5—20 " -	58	37	69	46	63	53	50	62	68	45	49	51	74	725
20—40 " -	130	122	116	111	147	133	136	141	145	149	141	150	149	1770
40—60 " -	202	207	198	206	225	243	271	241	264	246	252	230	313	3098
60 yrs. & upwds.	268	313	299	272	335	334	370	332	332	325	365	364	467	4376
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	27	35	23	21	27	18	15	18	17	33	44	50	67	395
Scarlet Fever - -	4	3	5	2	4	3	4	3	5	4	2	3	3	45
Diphtheria - -	6	10	5	10	5	9	10	8	5	11	9	6	13	107
Whooping-cough -	13	11	8	12	15	11	10	10	7	7	7	10	7	128
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	1	3	3	6	12	10	7	16	9	11	6	8	93
Pyrexia (origin uncertain).	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	37	65	96	94	104	76	82	59	73	69	41	35	29	860
All above diseases -	88	125	140	143	161	129	131	105	123	133	114	110	127	1629
Dis. of Resp. System	48	42	50	47	51	52	66	53	70	81	111	102	150	923
Pneumonia - -	73	87	65	67	69	71	112	112	92	113	123	144	169	1297
Phthisis - - -	88	77	87	91	113	100	104	105	107	89	114	114	154	1343
Dis. of Circ. System -	121	142	145	147	180	171	202	163	167	153	161	164	206	2122
Violence - - -	48	34	43	53	38	50	53	66	58	42	47	46	41	619
Inquest Cases - -	112	80	109	112	107	125	119	128	139	106	117	121	118	1493
Deaths in Institutions	438	466	418	523	528	528	540	512	557	507	533	533	652	6735
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	62·7	59·9	58·3	54·7	56·1	53·8	58·6	57·4	53·1	51·4	51·2	42·7	40·8	53·9
Mean of Highest -	73·7	70·2	67·4	61·8	63·8	63·2	69·0	66·0	60·2	57·9	55·9	49·5	49·7	62·2
Mean of Lowest -	53·5	52·4	50·8	49·1	50·4	44·4	49·2	50·4	48·5	45·3	46·7	37·4	32·4	47·0
Mean Humidity of the Air.	75	77	77	79	81	76	88	79	85	86	89	83	83	81
Rain-fall (in inches) -	0·19	0·80	0·41	0·02	0·66	0·00	0·10	0·08	0·61	0·63	0·30	1·03	0·31	5·14
Registered Sunshine (in hours).	52·7	37·1	38·6	15·7	21·2	55·4	30·7	33·6	8·8	14·6	7·3	11·5	24·7	351·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1423	1447	1455	1462	1509	1560	1653	1706	1745	1792	1847	1856	1882	1641
Diphtheria - - -	591	578	592	630	672	709	751	788	835	843	855	861	892	738
Typhus - - -	1	1	1	1	1	1	1	1	-	-	-	-	-	1
Enteric Fever - -	51	59	60	79	102	123	144	163	175	179	170	175	165	127

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FIFTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 45th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1384·0	1476	283	190	74	149	313	467
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	26·6	67	9	53	5	–	–	–
Scarlet Fever	13·1	3	–	2	–	1	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	9·8	13	1	–	1	1	5	5
Whooping-cough	11·5	7	3	4	–	–	–	–
Diphtheria	13·3	13	–	9	4	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	6·8	8	–	1	3	3	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	16·8	12	6	6	–	–	–	–
Diarrhœa, Dysentery ..	17·4	17	8	7	–	1	–	1
Tetanus	0·6	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	8·4	10	7	1	–	2	–	–
Puerperal Septicæmia ..	1·8	5	–	–	–	5	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·6	–	–	–	–	–	–	–
Infective Endocarditis ..	3·3	3	–	–	1	–	1	1
Pneumonia — Lobar ..	12·7	6	–	–	–	–	3	3
Pneumonia — Broncho ..	73·9	100	42	36	2	1	9	10
Pneumonia — Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia — Not defined	59·2	63	9	12	3	6	18	15
Erysipelas	5·3	4	1	–	1	–	1	1
Septicæmia (not Puerperal)	1·0	2	1	–	–	–	–	1
Pyæmia (not Puerperal)	1·4	–	–	–	–	–	–	–
Other Infective Processes	2·5	3	1	1	–	–	1	–
Tuberculous Phthisis ..	92·2	101	1	2	9	42	34	13
"*Phthisis*"	43·2	53	–	–	4	24	23	2
Tuberculous Meningitis ..	16·6	20	1	12	6	1	–	–
Tuberculous Peritonitis ..	7·2	9	3	1	1	2	–	2
Tabes Mesenterica	2·0	1	–	–	1	–	–	–
Tuberculous Dis., Other ..	15·4	17	2	3	3	2	2	5
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	7·4	5	–	–	–	3	1	1
Rheumatic Fever	5·5	3	–	1	–	1	–	1
Gout	1·4	–	–	–	–	–	–	–
Carcinoma	63·5	59	–	–	–	4	25	30
Sarcoma	7·4	3	–	–	2	–	1	–
Cancer (undefined) ..	35·0	40	–	–	–	1	17	22
Diabetes Mellitus	10·2	12	–	–	–	4	1	7
Premature Birth	47·1	46	46	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 45th week of the 5 years 1905–1909	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	10·0	7	3	1	2	1	–
Gen. Par. of Insane, Insanity	16·2	23	–	1	–	3	13
Epilepsy	6·6	9	–	–	1	1	6
Convulsions	15·8	8	7	1	–	–	–
Locomotor Ataxy.. ..	2·0	2	–	–	–	–	1
Paraplegia, Dis. of Cord.	4·9	3	–	–	1	–	1
Nervous Sys., Other Dis.	19·7	21	2	–	1	2	6
Valv. Dis., Endocarditis..	52·8	56	–	–	3	8	18
Cereb. Hæm. Cereb. Emb.	30·9	48	–	–	–	1	11
Apoplexy, Hemiplegia ..	13·7	11	–	–	–	1	5
Aneurysm	5·7	1	–	–	–	–	–
Embolism, Thrombosis (not Cerebral) ..	1·4	–	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	79·0	90	–	1	2	5	32
Croup (not Spasm : nor Memb.)	0·2	–	–	–	–	–	–
Bronchitis	114·7	134	34	9	–	1	10
Emphysema, Asthma ..	6·1	4	–	–	–	–	2
Pleurisy	4·1	3	–	–	–	–	–
Respiratory Dis., Other..	12·1	9	1	2	1	–	2
Tonsillitis, Quinsy.. ..	0·2	1	–	–	–	–	–
Enteritis (not Epid.) ..	15·8	14	11	1	–	–	1
Gastro-enteritis	8·6	6	4	2	–	–	–
Peritonitis (not Puerp.) ..	2·0	1	–	–	1	–	–
Cirrhosis of Liver.. ..	12·3	13	–	1	–	1	7
Liver Dis., Other	4·5	5	–	1	–	–	1
Digestive Sys., Other Dis.	31·1	31	4	–	1	4	12
Acute Nephritis	7·0	10	–	–	1	1	4
Bright's Dis., Albuminuria	36·9	32	–	–	2	1	13
Urinary Sys., Other Dis.	11·9	11	1	–	–	1	2
Generative Organs Dis...	4·9	6	–	–	–	2	4
Childbirth (Accid. of) ..	3·7	3	–	–	1	2	–
Old Age	54·3	66	–	–	–	–	1
Other Diseases	96·8	102	64	10	7	6	4
ACCIDENT.							
By Railways	0·8	2	–	–	–	1	1
By Vehicles and Horses..	7·8	2	–	1	–	–	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	–	–	–	–	–	–
In Building Operations..	1·4	–	–	–	–	–	–
In Conflagrations	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	5·7	8	–	7	1	–	–
By Drowning	2·9	2	–	–	–	2	–
By Suffocation in Bed ..	6·6	6	6	–	–	–	–
By Poisons or Poisonous Vapours	3·7	3	1	–	–	1	–
Other Deaths by Accident..	15·4	11	–	1	3	1	4
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	1·0	4	4	–	–	–	–
Suicide	11·5	3	–	–	–	2	1
Execution	0·2	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th November, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2243	1476	283	467	-	67	3	13	7	8	29	154	41	118	652	2
WEST DISTRICTS	805,311	301	229	39	79	-	4	-	2	-	2	5	22	7	12	103	-
NORTH DISTRICTS	1,055,908	490	283	52	94	-	15	1	1	2	1	5	31	6	18	115	-
CENTRAL DISTRICTS	209,465	78	62	10	19	-	1	-	1	1	-	-	4	7	11	39	-
EAST DISTRICTS	715,739	436	266	76	68	-	6	1	3	1	2	5	27	6	32	139	-
SOUTH DISTRICTS	1,749,844	938	574	105	191	-	41	1	6	3	2	13	62	15	45	194	2
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	62	1	16	-	-	-	-	-	1	1	8	-	-	62	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	32	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-
entral Paddington *W,3H*	50,053	20	29	3	8	-	-	-	-	-	-	3	4	1	1	19	-
uth Paddington	30,320	2	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-
ensington South *W,3H*	85,610	15	25	3	10	-	-	-	-	-	-	-	2	-	-	15	-
ensington Central *W,H*	42,774	17	9	1	1	-	1	-	-	-	-	-	1	-	-	5	-
ensington North *w*	48,244	31	28	6	14	-	-	-	-	-	-	-	2	1	2	9	-
orth Hammersmith *2W,w,H* ..	49,192	32	28	5	7	-	2	-	2	-	-	1	2	-	2	13	-
uth Hammersmith *w,2H* ..	63,047	29	18	2	4	-	1	-	-	-	-	-	3	1	3	9	-
orth-west Fulham *W*	45,180	30	22	5	4	-	-	-	-	-	-	-	5	-	-	12	-
orth-east Fulham *F*	46,405	9	7	1	2	-	-	-	-	-	1	-	-	-	-	1	-
uth Fulham *W*	45,704	27	13	4	8	-	-	-	-	-	-	-	-	-	-	-	-
elsea North *W,w,3H*	42,514	8	8	-	6	-	-	-	-	-	-	-	-	-	-	5	-
elsea South *W,2H*	31,328	15	8	2	3	-	-	-	-	-	-	-	-	2	2	3	-
ayfair and Knightsbridge	28,743	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
elgrave *W,2H*	55,815	19	10	1	5	-	-	-	-	-	1	-	2	-	-	5	-
. Margaret & St. John *6H*	43,698	13	10	3	2	-	-	-	-	-	-	1	1	1	1	7	-
. James and St. Anne *W,6H* ..	33,081	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
l Souls Marylebone *7H*	35,391	12	16	1	1	-	-	-	-	-	-	-	2	1	1	12	-
. Mary Marylebone *W,4H* ..	37,948	41	5	-	1	-	-	-	-	-	-	-	2	-	-	1	-
ristchurch Marylebone *H* ..	39,536	21	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-
. John Marylebone *2H*	20,426	11	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ampstead *W,F,6H*	81,942	32	27	2	15	-	1	1	1	-	-	-	4	1	2	14	-
est St. Pancras *2H*	60,562	30	10	2	-	-	1	-	-	-	-	-	-	-	1	3	-
uth St. Pancras *w,10H*	55,707	16	22	10	2	-	-	-	-	-	-	-	1	-	1	15	-
ast St. Pancras *W,H*	60,320	27	18	3	10	-	1	-	-	-	-	-	2	-	1	8	-
orth St. Pancras *2W*	58,728	31	21	4	10	-	2	-	-	-	-	-	2	-	1	7	-
ıfnell *W*	31,995	16	28	4	12	-	4	-	-	-	-	2	2	-	-	19	-
pper Holloway *2W,w,H*	33,978	16	17	2	7	-	-	-	-	-	-	1	4	1	1	11	-
llington *2W,w,H*	33,922	11	3	1	1	-	1	-	-	-	-	1	-	-	-	-	-
ower Holloway	41,424	12	7	-	3	-	2	-	-	-	-	-	1	-	-	-	-
rnsbury	54,478	34	10	2	3	-	1	-	-	-	-	-	2	-	-	-	-
lington South-east *F*	75,397	31	16	3	4	-	2	-	-	-	-	-	1	-	-	-	-
ighbury *2H*	63,797	26	10	2	4	-	-	-	-	-	-	-	2	-	-	1	-
oke Newington *H*	51,247	18	13	1	6	-	-	-	-	-	-	1	-	-	-	-	-
orth Hackney	50,398	13	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-
entral Hackney *2 w,F*	50,536	27	15	3	3	-	-	-	-	-	1	-	2	-	1	2	-
uth-west Hackney *3H*	59,921	35	15	3	2	-	-	-	-	1	-	-	1	1	2	8	-
uth-east Hackney *2W,w,H* ..	58,255	30	18	5	7	-	-	-	-	-	-	-	3	2	7	13	-
ackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein amely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other istricts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a ub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the etter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC F DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Sat 12th November, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institution
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	9	4	2	-	-	-	-	-	-	-	-	-	2	2	
Strand *W*,4*H*	21,674	3	13	1	6	-	-	-	-	-	-	-	-	1	1	
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
Holborn *W*,5*H*	29,612	8	11	5	-	-	-	-	-	1	-	-	1	-	1	
Clerkenwell *H*	63,704	27	8	2	2	-	-	-	-	-	-	-	1	1	3	
St. Luke 3*H*,*L*	36,116	28	3	-	1	-	-	-	-	-	-	-	1	-	1	
Holborn Union Workhouse, Mitcham	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	
St. Botolph *H*	10,299	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows *W*,2*H*	16,624	-	18	-	6	-	1	-	1	-	-	-	1	3	3	1
City of London Asylum, Stone	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	27	7	5	1	-	-	-	-	-	-	-	1	1	1	1
Shoreditch North-West *W*,*w*,*H* ..	36,127	28	27	4	7	-	1	-	1	-	-	-	6	-	1	22
Shoreditch North-East	36,148	26	7	2	-	-	1	-	-	-	-	-	3	-	1	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	39	37	10	10	-	1	-	-	1	-	1	3	-	3	30
Bethnal Green South-West *H* ..	64,542	46	9	4	1	-	-	-	-	-	-	1	1	1	2	-
Spitalfields..	27,969	6	6	1	1	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	25	37	9	7	-	1	-	-	-	2	-	1	-	-	33
Goodman's Fields	22,081	16	8	5	2	-	-	-	-	-	-	-	-	-	1	-
St. George and St. John 2*W* ..	49,068	26	12	5	3	-	1	-	-	-	-	-	1	-	3	5
Shadwell and Ratcliff *w*,*H* ..	25,568	10	16	5	3	-	-	-	2	-	-	1	1	-	1	11
Limehouse *W*	32,369	12	3	-	2	-	-	-	-	-	-	-	-	-	1	-
Mile End Old Town South-Western *H*	63,698	46	10	3	1	-	1	-	-	-	-	-	-	-	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	27	18	5	7	-	-	-	-	-	-	2	2	-	1	10
Bow	41,989	18	17	7	4	-	-	-	-	-	-	-	1	1	5	-
Bromley 3*w*,*H*	68,319	45	37	6	13	-	-	1	-	-	-	-	7	1	7	22
Poplar *W*,*w*	58,514	39	13	5	5	-	-	-	-	-	-	-	-	2	4	3
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th November, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	12	20	7	3	-	2	-	-	-	-	2	1	3	3	16	-
Kent-road	21,904	15	10	3	1	-	4	-	-	-	-	-	2	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	21	16	8	3	-	3	-	-	-	-	1	-	1	3	7	-
Newington North	49,022	33	11	3	2	-	2	-	-	-	-	-	3	-	-	-	-
Newington South *2W*	72,841	42	14	3	2	-	1	-	-	-	-	1	-	-	-	2	-
St. Olave *2W*	9,817	7	4	1	2	-	-	-	-	-	-	-	-	-	-	2	-
Bermondsey *W*	82,483	64	17	7	3	-	-	-	-	-	-	1	2	1	3	-	-
Rotherhithe *W,F*	38,460	24	24	5	3	-	7	-	-	2	-	1	5	-	2	14	-
Waterloo *2H*	27,440	29	11	4	-	-	1	-	-	-	-	-	1	-	1	5	-
Lambeth Church *H*	27,440	28	23	4	1	-	-	-	1	-	-	-	3	2	2	18	-
Kennington *2W*	52,518	23	30	2	13	-	1	-	-	-	1	-	3	1	3	22	-
Stockwell *HF*	63,826	35	15	3	6	-	1	-	2	-	1	-	2	-	-	3	-
Brixton *H*	73,673	21	24	8	8	-	-	-	-	-	-	-	-	2	2	3	1
Norwood *2WH*	56,998	23	13	4	5	-	-	-	-	-	-	-	2	-	1	1	-
East Battersea *H*	72,203	36	16	3	2	-	2	-	-	-	-	-	2	-	3	-	-
North-west Battersea	49,656	31	8	1	2	-	2	-	-	-	-	-	1	1	1	-	-
South-west Battersea *2W,H* ..	47,048	7	20	3	10	-	-	-	-	-	-	-	2	-	1	12	-
Clapham *2H*	51,361	23	13	1	3	-	1	-	-	-	-	-	-	-	1	-	-
Streatham *W,2w,2F,2L*	88,019	59	26	-	13	-	-	1	-	-	-	1	7	1	2	12	-
Springfield *2W,L*	27,959	36	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	22	9	2	6	-	-	-	-	-	-	-	-	-	-	1	-
Putney	24,139	5	8	-	5	-	-	-	-	-	-	-	1	-	1	-	-
Dulwich	13,359	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	16	30	2	14	-	1	-	-	-	-	2	7	-	-	24	-
Camberwell North *W,2L*	65,584	33	28	2	13	-	2	-	-	-	-	-	5	-	1	19	-
St. George	47,331	29	21	7	2	-	8	-	-	-	-	-	1	-	2	-	-
Peckham North	48,913	25	15	4	5	-	1	-	-	-	-	1	-	1	2	-	1
Peckham South *2W,w*	43,946	20	7	-	3	-	-	-	-	-	-	-	2	-	-	-	-
Deptford North *F*	49,004	27	10	1	3	-	-	-	3	-	-	-	-	-	-	3	-
Deptford East	29,781	20	14	3	5	-	1	-	-	-	-	-	1	-	1	-	-
Deptford South	38,934	8	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	13	6	1	2	-	-	-	-	-	-	1	-	-	-	-	-
Greenwich East *2W,H*	43,859	26	19	3	8	-	-	-	-	-	-	1	1	-	-	11	-
Eltham *w,H*	7,226	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	8	6	-	4	-	-	-	-	-	-	-	1	-	-	1	-
Lewisham *2W,w*	58,352	33	15	1	6	-	-	-	-	-	-	-	2	-	1	8	-
Sydenham *H*	43,653	16	14	-	10	-	-	-	-	-	-	-	1	-	2	-	-
Charlton *F,2H*	21,134	8	6	1	2	-	-	-	-	-	-	-	1	-	1	-	-
Woolwich *5H*	41,625	23	8	2	2	-	-	-	-	-	-	1	-	2	3	2	-
Plumstead West *W,H*	39,376	12	16	1	9	-	-	-	-	1	-	-	1	-	1	-	-
Plumstead East *2W*	28,951	14	10	1	3	-	-	-	-	-	-	-	2	-	1	8	-
Workhouses:—																	
Belmont Workhouse	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	1	-	-	-	-	-	-	1	-	-	-	-	3	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	7	-	3	-	-	-	-	-	-	-	1	-	-	7	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Leavesden	—	-	5	-	5	-	-	-	-	-	-	-	-	-	-	5	-
London County Lunatic Asylums:—																	
Banstead	—	-	9	-	1	-	-	-	-	-	-	-	1	-	-	9	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	9	-	1	-	-	-	-	-	-	-	2	-	-	9	-
Cane Hill	—	-	5	-	1	-	-	-	-	-	-	-	3	-	-	5	-
Dartford Heath	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch	—	-	4	-	1	-	-	-	-	-	-	1	-	-	-	4	-
Claybury	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongin the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums B Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERA POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 12th November, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1220	528	109	184	-	5	-	2	4	5	11	13	40	109
31 : 1	Carshalton 2F,3H	12,228	32,997	19	3	-	2	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	6	5	-	3	-	-	-	-	-	-	-	-	-	4
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	2	-	-	-	-	-	-	-	-	-	-	-	2
39 : 1	Coulsdon	11,069	8,166	6	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	17	5	1	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	28	23	2	11	-	-	-	-	-	1	-	1	2	14
4	North Croydon H	2,644	41,698	30	8	1	2	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	5	5	-	2	-	-	-	-	-	-	-	-	-	1
6	Mitcham w	11,711	30,015	28	12	3	3	-	-	-	-	-	-	1	-	1	-
40 : 1	Wimbledon F,3H	3,221	41,652	25	12	2	4	-	-	-	-	-	-	-	1	2	1
2	Kingston 2W,H	6,224	42,068	27	15	2	9	-	-	-	-	-	-	-	1	1	6
3	Surbiton F,H	3,046	15,017	4	2	-	1	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	5	1	-	1	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	8	4	-	2	-	-	-	-	-	-	-	-	-	1
41 : 1	Richmond W,H	2,491	31,672	9	9	-	6	-	-	-	-	-	-	-	-	-	2
2	Mortlake F	2,518	17,821	9	3	-	1	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	10	3	-	1	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,832	28,454	16	7	1	2	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	4	2	1	1	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,333	16,446	8	5	-	4	-	-	-	-	-	-	-	-	1	1
43 : 1	Bexley w,F,H	8,678	21,151	9	3	-	1	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	16	5	1	1	-	1	-	-	-	-	1	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2
126 : 1	Sunbury w	11,054	18,683	6	3	1	2	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	11	2	1	-	-	-	-	-	-	-	-	-	1	-
127 : 1	Hillingdon W,F,H	6,035	13,661	13	5	-	3	-	-	-	-	-	-	-	1	1	-
2	Uxbridge H	12,757	8,984	10	2	-	1	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	13	7	2	2	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	50,863	19	16	4	5	-	-	-	-	-	-	2	-	-	12
2	Twickenham F,2H	2,421	20,991	12	4	-	1	-	-	-	-	-	-	-	-	-	-
3	Hanwell w,2H	4,108	11,257	10	2	-	-	-	-	-	-	-	-	-	-	-	-
4	Brentford 3F,2H	4,038	48,202	39	10	2	6	-	-	-	-	-	-	-	-	-	-
5	Chiswick H	1,249	29,809	17	6	2	2	-	-	-	-	-	-	-	-	1	-
6	Acton F,H	2,305	37,744	18	10	3	2	-	-	-	-	1	-	-	-	2	-
129 : 1	Willesden W,F,2H	4,384	114,811	57	22	4	10	-	1	-	-	1	-	1	-	2	3
130 : 1	Harrow F,H	13,809	25,523	19	6	1	2	-	-	-	-	-	-	-	-	-	1
2	Edgware 2F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	18	6	1	3	-	-	-	-	-	-	-	-	-	1
131 : 1	South Mimms 2F,H ..	17,755	7,308	8	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	5	5	-	2	-	-	-	-	-	-	-	1	1	2
3	Finchley F,3H	4,668	33,692	27	8	2	5	-	-	-	-	-	-	-	-	1	1
132 : 1	Hornsey F,H	2,875	72,056	28	12	1	9	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	19	4	1	3	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	34	13	5	5	-	-	-	-	-	-	-	1	3	-
4	East Tottenham 2H ..	2,019	53,962	30	21	4	3	-	-	-	-	-	-	1	3	4	6
5	Edmonton W,w,2F	7,491	61,892	52	16	4	1	-	-	-	-	-	-	-	1	2	8
6	Enfield 2W,F,H	12,601	42,738	31	7	2	2	-	-	-	-	-	-	2	-	-	-
7	Waltham Abbey F	11,017	6,549	4	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	5	-	-	-	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	6	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	17	11	3	3	-	-	-	-	-	-	-	-	2	2
2	Forest Gate	787	52,745	27	9	4	3	-	-	-	1	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	77	26	13	1	-	-	-	1	-	2	1	-	2	5
4	Canning Town H	1,556	70,718	46	25	11	6	-	2	-	-	1	-	1	1	3	-
5	South East Ham 2F ..	1,991	37,342	34	14	3	5	-	-	-	-	-	-	-	-	2	-
6	North East Ham w,H ..	1,333	58,666	19	15	3	5	-	1	-	-	-	1	-	1	1	-
7	Wanstead F	1,679	9,179	5	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	23	17	4	11	-	-	-	-	1	-	1	-	1	9
9	North Leyton 2W,w,F ..	1,963	48,445	34	24	1	6	-	-	-	-	-	-	-	-	1	16
10	Walthamstow 2H L ..	6,504	108,929	76	30	6	9	-	-	-	-	-	1	-	-	1	1
189 : 1	Chigwell 2F,3H	11,778	16,397	11	6	1	1	-	-	-	-	-	-	-	-	-	1
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	22	12	3	4	-	-	-	-	-	-	-	1	2	-
3	Barking Town F	3,805	21,547	16	6	3	2	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2
	London County Lunatic Asylum, Claybury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esher parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting the part in Watford Rural parish: 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : 1, and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ON* - -	4,872,702	November 12	2243	1476	15·8	-	67	3	13	7	8	42
UTTA - -	1,009,008	October 8	-	390‡	20·0	1	-	-	1	-	4	10
BAY - -	977,822	„ 25	424	540‡	28·7	1	4	-	-	1	7	33
RAS - -	509,346	„ 14	428	452‡	46·1	4	-	?	?	?	1	38
S* - -	2,772,467	November 5	833	780	14·8	-	1	-	4	4	4	29
SELS* -	720,030	„ 5	216	182	13·1	-	-	-	-	-	4	15
VERP* - -	317,171	„ 5	102	79	13·0	-	-	2	1	-	-	11
ERDAM* -	573,246	October 29	236	147	13·4	-	2	-	1	2	2	5
NHAGEN -	455,000	November 5	200	130	14·9	-	1	2	-	1	-	5
KHOLM -	341,816	October 22	149	94	14·3	-	-	-	4	-	2	5
STIANIA -	240,178	November 5	104	52	11·5	-	-	-	3	-	-	-
ETERSBURG	1,620,000	October 22	1115	560‡	18·0	2	4	19	9	7	10	49
OW - -	1,493,600	„ 29	-	700	24·4	2	3	19	30	5	5	44
IN - -	2,126,469	„ 22	780	496	12·2	-	-	10	13	-	3	40
BURG - -	911,500	November 5	-	256	14·9	-	1	1	14	6	-	23
LAU - -	509,992	October 29	-	146	14·9	-	1	-	1	2	-	13
ICH - -	576,000	„ 29	265	175	15·8	-	4	-	1	-	-	14
NA* - -	2,107,981	„ 29	754	586	14·3	-	-	6	8	1	1	41
UE* - -	497,905	„ 15	170	164	17·1	-	-	-	2	-	1	9
APEST* -	833,703	„ 29	449	303	18·9	-	1	7	4	-	2	13
STE* - -	221,124	November 5	139	81	18·8	-	2	-	-	-	2	5
E - - -	590,113	September 3	235	167	14·8	-	4	-	2	1	1	22
CE - -	183,224	„ 3	105	57	16·2	-	-	-	1	-	3	15
		„ 10	85	57	16·2	-	-	-	-	-	2	11
REST - -	297,643	October 22	184	118	20·7	-	-	8	2	1	2	14
YORK* -	4,803,264	„ 15	2452	1291	14·0	-	2	1	10	5	20	142
AGO* - -	2,185,283	„ 22	-	565	13·5	-	-	7	26	-	7	64
ADELPHIA*	1,598,400	„ 1	-	395	12·8	-	-	2	9	8	9	44
DE JANEIRO	842,822	„ 9	-	374	23·1	-	20	-	-	1	-	?
O:—*												
ypt ians -	620,443	„ 7	611	365	30·6	-	4	-	9	-	2	68
reigners -	62,510	„ 7	4	12	10·0	-	-	-	-	-	-	-
ANDRIA:—*												
ypt ians -	319,087	„ 7	284	192	31·3	-	-	-	1	-	-	52
reigners -	68,829	„ 7	8	12	9·1	-	-	-	-	-	1	1

The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to ren under two years of age.
Excluding deaths from croup in the Indian Cities.
Including 7 deaths from *plague* in Calcutta and 12 in Bombay, and from *Asiatic cholera*, 15 deaths in Calcutta, 1 in bay, 4 in Madras, and 18 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 12th November, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
ON (Greenwich)	51·6	28·4	41·0	0·31	BRADFORD - -	50·9	25·1	37·2	2·15
HTON - -	53·7	30·1	43·5	0·78	YORK - - -	47·0	27·0	37·6	1·22
SMOUTH - -	53·7	31·0	43·7	0·50	HULL - - -	47·0	29·0	38·5	1·26
VICH - -	48·4	29·3	39·6	1·40	TYNEMOUTH - -	48·0	28·0	37·3	0·87
OUTH - -	53·6	30·2	45·2	0·82	CARDIFF - -	51·8	30·9	41·4	1·88
OL - - -	51·0	29·0	41·8	1·18	EDINBURGH - -	42·5	27·7	36·0	0·96
INGHAM - -	47·9	31·1	39·6	0·72	GLASGOW - -	44·0	23·8	36·1	1·45
INGHAM - -	51·0	27·0	38·3	0·72	DUBLIN Phœnix Park	52·8	22·7	39·6	0·86
RPOOL OBSERVATORY	53·0	35·0	42·3	1·12	DUBLIN Fitzwilliam Square.†	53·4	30·2	41·4	0·55
HESTER -	46·8	26·0	38·0	1·70					
LEY - -	49·8	23·0	37·4	3·09					
DERSFIELD -	47·7	27·3	38·6	1·30	BELFAST - - -	49·0	27·2	39·0	0·90

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The ection applied by the late Mr. Glaisher in the returns up to the 31st March 1902, for the corresponding period to the re was 0°·6 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 12th November, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 6	..	29·082	51·6	28·7	22·9	41·3	− 4·2	39·8	1·8	7·0	0·0	93	68·0	25·9	51·00	WSW., SW. & SSW.	SSW., SW. & WSW.	3·9	0·0	0·3	369	+ 90	0·11	3·2
MONDAY - 7	Greatest Dec. S.	28·773	50·0	41·2	8·8	46·1	+ 0·7	37·5	8·6	10·3	4·5	72	70·9	35·0	50·47	SW.	WSW. & W.	11·5	0·0	1·5	634	+384	0·03	0·8
TUESDAY - 8	..	29·354	50·7	33·1	17·6	41·1	− 3·9	35·9	5·2	11·5	2·3	82	85·8	25·3	50·21	WSW. & W.	W., NW. & WSW.	3·8	0·0	0·2	316	+ 33	0·00	1·0
WEDNESDAY 9	..	29·679	47·5	30·5	17·0	38·1	− 6·5	33·9	4·2	9·2	1·6	85	73·0	23·4	49·98	WSW. & W.	NW., WNW. & W.	2·1	0·0	0·1	292	+ 7	0·00	0·0
THURSDAY - 10	First Qr.	29·856	49·2	30·3	18·9	39·9	− 4·4	33·7	6·2	13·0	0·8	78	76·3	25·0	49·50	W., WSW. & SW.	WSW., SW. & SSW.	9·5	0·0	0·3	326	+ 38	0·07	1·5
FRIDAY - 11	..	29·444	50·8	34·3	16·5	39·8	− 4·2	37·0	2·8	8·1	2·2	90	52·9	26·7	49·00	W. & NW.	NNW. & NW.	13·0	0·0	1·0	529	+241	0·09	4·5
SATURDAY - 12	..	29·815	48·1	28·4	19·7	39·2	− 4·5	33·0	6·2	13·0	0·5	79	71·7	20·7	48·80	W. & WSW.	WSW., SW. & SSW.	3·2	0·0	0·1	255	− 33	0·01	1·8
MEANS - -		29·429	49·7	32·4	17·3	40·8	− 3·9	35·8	5·0	10·3	1·7	83	71·2	26·0	49·85	WSW. & NW.		..	..	..	Sum 2751	Sum +760	Sum 0·31	1·8
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. NOVEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 6	v. P. and v. N. till 3h. A.M.; m.P. till 11h. A.M.; v. N. till 1h. P.M.; w. P. generally afterwards.	0·5	9·4	Generally cloudy; hoar frost in early morning; rain between 10h. 15m. A.M. and 1h. 30m. P.M.; and again between 6h. and 7h. 30m. P.M.
MONDAY - 7	w.P. till 10h. A.M.; v. P. and v.N. till 1h. P.M.; w.P. till 5h. P.M.; m.P. generally afterwards.	3·0	9·3	Fine and partially cloudy; occasional showers during the day; frequent lightning at night; strong wind prevalent after 8h. A.M. amounting to moderate gale in afternoon.
TUESDAY - 8	m. P. generally.	4·6	9·3	Very fine generally; cloudy interval in afternoon; slight fog in evening; hoar frost at night.
WEDNESDAY 9	m. P. till 9h. A.M.; s. P. afterwards.	5·4	9·2	Very fine generally; light shower shortly before 2h. P.M.; slight fog in evening; hoar frost in morning and again at night.
THURSDAY - 10	s.P. generally till 6h. P.M.; v.P. afterwards; s. N. at 5h. 30m. P.M.	5·7	9·1	Very fine and bright till 3h. P.M.; then overcast with nearly continuous slight rain after 5h.P.M.; hoar frost in morning; strong wind at night.
FRIDAY - 11	w. P. till 5h. A.M.; m. P. generally afterwards; v. N. at and about noon.	2·0	9·1	Overcast with rain till shortly before 2h. A.M.; very fine till 9h. 30m. A.M.; overcast or very cloudy till 4h. 30m. P.M.; afterwards very fine with hoar frost at night; rain between 11h. A.M. and 1h. P.M.; strong gusty wind in early morning.
SATURDAY - 12	m. P. generally till 7h. P.M.; then w. P.	3·5	9·0	Very fine till 1h. P.M.; partially cloudy till 5h. 30m. P.M.; then overcast; hoar frost in morning; frequent rain after 9h. 30m. P.M.
		Sum 24·7	Sum 64·4	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·32 in. at the beginning of the week to 28·66 in. by noon on the 7th; increased to 29·97 in. by 9h. A.M. on the 10th; decreased to 29·26 in. by 9h. A.M. on the 11th; increased to 29·88 in. by 10h. A.M. on the 12th; and decreased to 29·53 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 5th November, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	10	1	-	-	-	-	1	1	-
Kensington	184,635	-	5	2	-	1	-	-	8	-	-
Hammersmith	127,413	-	2	3	-	2	-	-	2	1	-
Fulham	181,282	-	6	4	-	1	-	-	2	-	-
Chelsea	75,457	-	-	5	-	1	-	-	-	-	-
City of Westminster ..	167,233	-	5	3	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	3	4	-	1	-	-	1	-	-
Hampstead	95,729	-	-	3	-	1	-	-	1	-	-
St. Pancras	237,792	-	14	7	-	-	-	-	5	-	-
Islington	353,356	-	13	23	-	1	-	-	7	-	-
Stoke Newington	54,838	-	-	-	-	-	-	-	1	-	-
Hackney	239,979	-	14	6	-	2	-	-	9	-	-
CENTRAL.											
Holborn	53,142	-	1	1	-	2	-	-	1	-	-
Finsbury	94,578	-	-	2	-	1	-	-	6	-	-
City of London	17,132	-	1	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	1	3	-	-	-	-	2	-	-
Bethnal Green	131,579	-	6	2	-	4	-	-	5	-	-
Stepney	314,379	-	13	6	-	4	-	-	11	-	-
Poplar	172,432	-	9	-	-	2	-	-	6	-	-
SOUTH.											
Southwark	211,832	-	15	5	-	2	-	-	4	1	-
Bermondsey	127,238	-	10	6	-	1	-	-	5	-	-
Lambeth	327,074	-	9	9	-	3	-	-	11	1	-
Battersea	188,222	-	18	3	-	2	-	-	3	-	-
Wandsworth	305,838	-	12	6	-	4	-	-	2	-	-
Camberwell	286,058	-	10	7	-	2	-	-	6	-	-
Deptford	119,642	-	7	3	-	-	-	-	3	-	-
Greenwich	112,935	-	-	3	-	-	-	-	4	-	-
Lewisham	164,899	-	5	8	-	-	-	-	1	-	-
Woolwich	135,422	-	11	2	-	-	-	-	2	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	200	128	-	37	-	-	110	5	-
Ages 0-1		-	4	3	-	-	-	-	3	-	-
„ 1-5		-	61	51	-	1	-	-	4	-	-
„ 5-		-	86	46	-	6	-	-	4	-	-
„ 10-		-	27	16	-	4	-	-	8	-	-
„ 15-		-	10	4	-	5	-	-	3	-	-
„ 20-		-	3	3	-	6	-	-	5	1	-
„ 25-		-	7	3	-	9	-	-	12	3	-
„ 35-		-	1	2	-	2	-	-	18	1	-
„ 45-		-	1	-	-	3	-	-	19	-	-
„ 55-		-	-	-	-	1	-	-	22	-	-
„ 65 and upwards		-	-	-	-	-	-	-	12	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 46. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, NOV. 19. [Price 1½*d.*

General Register Office, Somerset House,
November 21st, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 15·5 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 13·0, 13·1, and 14·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·1 in Stoke on Trent, 19·3 in Blackburn and in Dewsbury, 19·4 in Tynemouth, 19·8 in Plymouth, 19·9 in Oldham, 20·3 in Stockport, 20·6 in Aston Manor, 21·8 in Grimsby, 21·9 in Middlesbrough, and 22·3 in Burnley; from *measles*, 1·4 in Portsmouth and in Grimsby, 1·6 in Rotherham, 1·8 in Tynemouth, 2·4 in Brighton, and 4·1 in Plymouth; from *scarlet fever*, 2·2 in Smethwick; and from *diphtheria*, 1·1 in Bolton, 1·6 in Barrow in Furness, and 2·8 in Burton upon Trent. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.* (The Administrative County and the City of London.)

In LONDON 2180 BIRTHS and 1537 DEATHS were registered. Allowing for increase of population, the births were 153 below and the deaths 93 above the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(18066—41.) Wt. 91—429. 700. 11/10. D & S. G. 31. Sch. 4. 2 Z

weeks of the previous five years. The annual death-rate from all causes, which had been 12·9, 13·1, and 15·8 per 1000 in the preceding three weeks, further rose last week to 16·4. The death-rate in the four weeks ended last Saturday averaged 14·6 per 1000, being 0·4 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1537 deaths included 85 from measles, 8 from scarlet fever, 15 from diphtheria, 7 from whooping-cough, 4 from enteric fever, and 23 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 142 deaths were referred, being 39 above the corrected average number in the forty-sixth week of the preceding five years.

The deaths from *measles*, which had been 44, 50, and 67 in the preceding three weeks, further rose to 85 last week, and were 59 above the corrected average; 12 deaths belonged to the Borough of Islington, 11 to Southwark, 10 to Bermondsey, 6 each to Hammersmith and to Lambeth, 5 each to Finsbury and to Camberwell, and 4 each to Fulham, St. Pancras, and Stepney. The deaths from *scarlet fever*, which had been 2, 3, and 3 in the preceding three weeks, rose to 8 last week, the corrected average being 7. The deaths from *diphtheria*, which had been 9, 6, and 13 in the preceding three weeks, rose to 15 last week, but were 3 below the corrected average; 3 deaths belonged to Lambeth. The deaths from *whooping-cough*, which had been 7, 10, and 7 in the preceding three weeks, were again 7 last week, and were 9 below the corrected average. The deaths from *enteric fever*, which had been 11, 6, and 8 in the preceding three weeks, fell to 4 last week, and were 3 below the corrected average. The deaths from *diarrhœa*, which had been 41, 35, and 29 in the preceding three weeks, further fell to 23 last week, and were 6 below the corrected average; 3 deaths belonged to Paddington and 3 to Stepney. Of the 23 deaths from diarrhœa, 19 were those of children under 2 years of age; 11 other deaths at this age were certified as due to *enteritis*, and 8 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 13, having been 10, 5, and 13 in the preceding three weeks.

Different forms of violence caused 54 deaths, concerning all of which inquests were held. Of these 54 deaths, 10 were cases of suicide, and 1 of homicide, while the remaining 43 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, six to burns or scalds, two to drowning, and ten, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1843 cases of scarlet fever, 887 of diphtheria, and 146 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 180 cases, against 221, 188, and 239; of diphtheria, 107 cases, against 111, 106, and 121; and of enteric fever, 11 cases, against 13, 18, and 21. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended November 12th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

GREATER LONDON (comprising London and the "Outer Ring," *i.e.*, the remainder of the Metropolitan Police District).

In Greater London 3381 births and 2115 deaths were registered. Allowing for increase of population, these numbers are 293 below and 115 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from measles, 1 from scarlet fever, and 6 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·36 inches, and that of the Thermometer 40°·0, the latter being 2°·8 below the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 22 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 14·5 hours; the measured rainfall amounted to 0·53 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 19th November, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 29th Oct., 1910.	5th Nov., 1910.	12th Nov., 1910.	19th Nov., 1910.	Rate from Diseases in Ccls. 11–17 Week ended 19th Nov., 1910.	Registered during the Week ended 19th Nov., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**13·0**	**13·1**	**14·8**	**15·5**	**1·2**	**7700**	**5040**	**1098**	**1553**	-	**164**	**33**	**55**	**55**	**21**	**75**	**183**	**416**	**1373**	**39**	**77 TOWNS.**
LONDON	4,872,702	12·9	13·1	15·8	16·4	1·5	2180	1537	314	496	-	85	8	15	7	4	23	54	150	630	2	LONDON.
CROYDON	164,485	8·6	11·4	10·5	9·5	-	72	30	5	13	-	-	-	-	-	-	-	2	3	7	-	CROYDON.
WILLESDEN ..	166,088	7·5	6·3	7·2	11·9	0·6	75	38	12	15	-	1	-	-	1	-	-	-	1	2	-	WILLESDEN.
HORNSEY	98,561	5·8	8·5	7·4	6·3	0·5	26	12	5	3	-	-	-	1	-	-	-	1	2	1	-	HORNSEY.
TOTTENHAM ..	132,803	9·4	11·4	13·7	11·4	0·8	57	29	3	8	-	2	-	-	-	-	-	1	5	9	-	TOTTENHAM.
WEST HAM ..	328,585	11·4	12·7	13·5	14·3	1·4	181	90	33	25	-	3	-	2	2	-	2	1	6	17	-	WEST HAM.
EAST HAM.. ..	156,208	7·0	6·7	10·3	7·7	0·7	65	23	4	5	-	-	-	1	-	1	-	2	2	7	-	EAST HAM.
LEYTON	133,436	5·1	9·0	8·2	10·6	0·8	58	27	4	11	-	-	-	1	-	-	1	-	-	6	-	LEYTON.
WALTHAMSTOW	141,748	8·1	10·3	12·1	7·4	0·4	50	20	4	6	-	-	-	-	-	-	1	-	1	3	-	WALTHAMSTOW.
HASTINGS	68,520	12·2	12·2	12·2	11·4	0·8	20	15	1	9	-	-	-	-	-	-	1	-	-	3	-	HASTINGS.
BRIGHTON	131,900	17·8	17·8	12·3	15·8	2·8	44	40	6	12	-	6	-	-	1	-	-	-	-	11	-	BRIGHTON.
PORTSMOUTH ..	217,989	16·3	14·8	14·1	15·5	1·9	111	65	12	22	-	6	-	1	-	-	1	2	6	18	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	10·6	7·8	12·0	11·3	0·7	26	16	1	7	-	-	-	-	-	-	1	-	-	5	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	12·3	12·7	11·5	13·5	-	58	33	7	11	-	-	-	-	-	-	-	1	3	5	-	SOUTHAMPTON.
READING	84,355	9·9	9·9	13·0	6·2	-	25	10	1	4	-	-	-	-	-	-	-	-	-	4	-	READING.
NORTHAMPTON ..	99,113	11·0	11·6	13·2	13·2	-	25	25	5	9	-	-	-	-	-	-	-	-	1	7	-	NORTHAMPTON.
IPSWICH	75,936	8·2	17·2	17·9	15·8	0·7	36	23	4	11	-	-	-	-	-	-	1	-	5	2	-	IPSWICH.
GREAT YARMOUTH	53,715	13·6	10·7	14·6	15·5	-	34	16	5	5	-	-	-	-	-	-	-	-	-	-	-	GREAT YARMOUTH.
NORWICH	125,446	9·6	10·0	12·1	13·7	-	57	33	4	16	-	-	-	-	-	-	-	-	2	7	-	NORWICH.
PLYMOUTH	126,266	11·1	11·6	12·0	19·8	5·0	45	48	9	16	-	10	-	1	-	-	1	1	5	12	-	PLYMOUTH.
DEVONPORT	84,695	10·5	9·2	9·9	8·6	0·6	46	14	2	8	-	-	-	1	-	-	-	-	3	4	-	DEVONPORT.
BRISTOL	382,550	10·6	11·2	12·9	11·9	0·4	126	87	13	35	-	-	1	-	1	1	-	3	10	30	-	BRISTOL.
STOKE ON TRENT ..	245,726	18·7	16·1	20·2	19·1	0·6	148	90	23	22	-	-	1	1	1	-	-	4	7	18	2	STOKE ON TRENT.
BURTON ON TRENT	54,977	7·6	10·4	11·4	11·4	2·8	13	12	-	5	-	-	-	3	-	-	-	-	-	3	-	BURTON ON TRENT.
WOLVERHAMPTON..	105.962	13·8	12·3	10·3	15·7	-	32	32	1	8	-	-	-	-	-	-	-	-	2	9	-	WOLVERHAMPTON.
WALSALL	101,035	11·4	9·3	14·5	10·8	1·5	37	21	3	6	-	-	1	1	-	-	1	1	2	6	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	11·5	9·4	7·2	8·7	0·7	17	12	2	7	-	-	-	-	-	-	1	-	-	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	8·8	20·5	9·5	11·0	1·5	40	15	5	4	-	-	-	-	-	-	2	-	-	1	-	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 29th Oct., 1910.	5th Nov., 1910.	12th Nov., 1910.	19th Nov., 1910.	Rate from Diseases in Cols. 11-17. Week ended 19th Nov., 1910.	Registered during the Week ended 19th Nov., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	10·6	11·2	15·5	15·8	1·1	260	173	57	46	-	2	2	2	1	1	4	7	7	33	8	Birmingham.
Kings Norton ..	84,673	8·6	7·4	9·2	6·2	-	23	10	1	2	-	-	-	-	-	-	-	1	1	2	-	Kings Norton.
Smethwick	72,350	12·3	10·8	13·0	14·4	2·2	45	20	7	6	-	-	3	-	-	-	-	-	2	3	-	Smethwick.
Aston Manor ..	86,269	9·7	15·1	10·9	20·6	1·8	31	34	9	12	-	-	2	-	-	-	1	1	1	3	-	Aston Manor.
Coventry	81,449	13·4	16·0	12·2	12·8	2·6	43	20	2	6	-	2	1	-	-	-	1	2	2	5	-	Coventry.
Leicester	248,374	11·3	13·6	10·3	13·2	0·4	93	63	14	23	-	-	-	-	-	1	1	1	2	16	2	Leicester.
Grimsby	74,283	11·2	11·2	20·4	21·8	1·4	42	31	7	8	-	2	-	-	-	-	-	-	-	8	-	Grimsby.
Nottingham ..	266,471	16·2	14·7	15·3	17·6	1·0	103	90	26	21	-	-	-	-	3	-	2	4	8	14	-	Nottingham.
Derby	131,256	11·5	13·9	9·9	15·1	-	71	38	10	7	-	-	-	-	-	-	-	2	5	5	-	Derby.
Stockport	105,087	11·4	12·9	16·9	20·3	1·5	48	41	7	15	-	-	-	-	2	-	1	2	3	13	1	Stockport.
Birkenhead ..	122,431	16·2	13·6	16·6	17·5	0·4	78	41	8	11	-	-	-	-	1	-	-	1	2	11	-	Birkenhead.
Wallasey	73,173	12·1	7·1	12·1	12·8	-	34	18	4	7	-	-	-	-	-	-	-	1	2	2	-	Wallasey.
Liverpool	767,606	17·9	15·8	15·9	16 0	1·5	399	235	55	63	-	3	6	4	5	1	3	14	20	77	6	Liverpool.
Bootle	70,548	11·1	13·3	12·6	13·3	-	38	18	4	5	-	-	-	-	-	-	-	-	-	2	2	Bootle.
St. Helens	96,523	12·4	18·4	19·4	11·9	2·2	73	22	3	3	-	-	2	-	-	1	1	2	2	9	1	St. Helens.
Wigan	91,732	14·8	18·8	15·3	14·8	1·1	43	26	10	8	-	-	-	-	2	-	-	-	3	3	-	Wigan.
Warrington ..	73,295	14·9	6·4	12 8	13·5	0·7	42	19	3	4	-	-	-	-	-	1	-	1	1	5	-	Warrington.
Bolton	190,315	10·4	12·1	14·8	14·5	1·6	79	53	10	13	-	-	1	4	-	-	1	4	5	12	1	Bolton.
Bury	59,409	15·8	14·0	15 8	16·7	-	24	19	1	9	-	-	-	-	-	-	-	1	1	5	-	Bury.
Manchester ..	716,354	15·4	14 0	17·5	18·9	1·7	304	260	62	66	-	9	1	3	5	3	3	11	14	71	1	Manchester.
Salford	244,636	14·1	17·7	15·3	18·1	1·9	115	85	13	21	-	3	-	-	3	1	2	5	8	17	-	Salford.
Oldham	144,111	19·2	14·8	16·6	19·9	1·8	66	55	16	12	-	3	-	-	-	-	2	1	1	4	-	Oldham.
Rochdale	90,497	10·4	16·1	15·0	13·8	0·6	35	24	1	8	-	1	-	-	-	-	-	1	2	1	-	Rochdale.
Burnley	107,448	13·1	16·5	21·8	22·3	1·5	58	46	16	11	-	1	-	-	1	-	1	-	1	4	2	Burnley.
Blackburn	137,972	15·1	12·8	13·2	19·3	1·5	56	51	14	17	-	1	-	1	1	-	1	2	3	8	-	Blackburn.
Preston	119,253	14·4	14·4	15·7	14·9	0·4	64	34	4	12	-	-	-	-	-	-	1	1	4	4	2	Preston.
Barrow in Furness.	63,689	10·6	13·1	10·6	14·7	1·6	23	18	1	6	-	-	-	2	-	-	-	-	-	-	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 19th November, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 29th Oct., 1910.	5th Nov., 1910.	12th Nov., 1910.	19th Nov., 1910.	Rate from Diseases in Cols 11-17. Week ended 19th Nov., 1910.	Registered during the Week ended 19th Nov., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	13·8	15·4	14·9	18·2	2·2	27	33	4	8	-	-	-	1	1	-	2	-	1	8	-	HUDDERSFIELD.
HALIFAX	112,818	10·6	9·2	12·0	9·2	-	26	20	3	10	-	-	-	-	-	-	-	2	3	5	-	HALIFAX.
BRADFORD	295,865	12·7	14·3	12·5	13·2	0·5	98	75	5	36	-	-	-	1	2	-	-	2	13	10	-	BRADFORD.
LEEDS	490,985	12·4	15·7	14·7	18·5	1·5	192	174	34	59	-	6	1	3	3	1	-	7	17	40	-	LEEDS.
DEWSBURY	51,224	10·2	14·3	20·4	19·3	1·0	21	19	4	7	-	1	-	-	-	-	-	1	4	2	-	DEWSBURY.
SHEFFIELD	478,763	13·4	13·1	14·7	15·8	1·4	241	145	46	46	-	3	-	1	3	1	5	3	10	27	4	SHEFFIELD.
ROTHERHAM.. ..	66,414	16·5	13·3	21·2	14·9	3·1	37	19	5	2	-	2	-	-	2	-	-	3	4	1	1	ROTHERHAM.
YORK	88,159	13·0	10·6	11·8	15·4	1·2	36	26	2	6	-	-	-	1	1	-	-	1	2	3	-	YORK.
HULL	280,006	14·9	14·2	18·4	18·2	0·6	157	98	24	34	-	-	-	-	1	2	-	5	9	28	1	HULL.
MIDDLESBROUGH ..	107,014	17·1	18·0	18·5	21·9	1·5	68	45	11	9	-	1	-	-	1	-	1	3	3	4	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	16·5	15·5	15·5	11·7	-	20	12	4	5	-	-	-	-	-	-	-	-	1	4	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	9·6	5·7	18·5	14·7	1·9	21	23	7	3	-	2	-	-	-	-	1	1	2	4	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	14·6	14·2	17·2	18·5	1·3	89	57	22	12	-	2	1	-	-	-	1	1	3	14	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	16·1	11·3	10·9	15·2	-	59	35	7	16	-	-	-	-	-	-	-	-	-	6	-	SOUTH SHIELDS.
GATESHEAD	133,676	10·9	12·9	12·9	15·6	0·4	65	40	13	9	-	-	-	-	-	-	1	2	2	6	2	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	13·7	10·6	13·7	14·0	1·5	135	77	16	21	-	3	-	1	2	1	1	1	6	8	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	23·1	19·4	25·0	19·4	1·8	37	21	3	5	-	2	-	-	-	-	-	1	1	1	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	21·6	11·1	6·5	10·5	0·7	56	16	4	4	-	-	1	-	-	-	-	-	-	8	-	NEWPORT (MON.).
CARDIFF	199,189	11·0	8·6	14·1	14·1	1·0	96	54	6	23	-	-	1	2	1	-	-	7	11	12	-	CARDIFF.
RHONDDA	138,674	15·4	15·8	19·9	15·4	1·9	118	41	11	3	-	2	-	1	-	-	2	2	3	4	-	RHONDDA.
MERTHYR TYDFIL..	79,522	7·9	7·9	15·1	11·8	-	41	18	4	5	-	-	-	-	-	-	-	2	2	6	-	MERTHYR TYDFIL.
SWANSEA	98,817	17·9	19·5	19·0	18·5	1·1	66	35	10	9	-	-	-	-	1	1	-	1	3	8	-	SWANSEA.
GREATER LONDON	7,537,196	11·6	12·0	13·9	14·6	1·2	3381	2115	438	721	-	94	9	20	10	5	33	76	198	744	3	GREATER LONDON.
OUTER RING ..	2,664,494	9·2	9·9	10·3	11·3	0·6	1201	578	124	225	-	9	1	5	3	1	10	22	48	114	1	OUTER RING.
8 TOWNS IN OUTER RING	1,321,914	8·4	9·9	10·8	10·6	0·7	584	269	70	86	-	6	-	5	3	1	4	7	20	52	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	9·9	9·8	9·8	12·0	0·4	617	309	54	139	-	3	1	-	-	-	6	15	28	62	1	REMAINDER OF OUTER RING.
EDINBURGH	360,276	13·7	13·0	13·6	16·8	1·9	118	116	14	43	-	4	2	-	-	2	5	-	?	40	10	EDINBURGH.
GLASGOW	884,505	13·0	14·3	13·8	16·1	2·1	402	273‡	48	83	-	-	3	6	12	4	10	11	?	78	14	GLASGOW.
DUBLIN (Registration Area).†	402,928	16·6	18·1	17·1	20·3	1·3	204	157	39	50	-	1	2	3	2	-	2	2	4	60	6	DUBLIN (Registration Area).†
BELFAST†	391,167	15·2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BELFAST.†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SIXTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2323	2574	2679	2331	2455	2298	2390	2342	2189	2173	2332·9	2180
Males - - -	1133	1350	1401	1212	1242	1153	1205	1168	1159	1090	1182·6	1074
Females - -	1190	1224	1278	1119	1213	1145	1185	1174	1030	1083	1150·3	1106
TOTAL **Deaths** -	1505	1744	1558	1473	1505	1552	1391	1326	1418	1363	1443·8	1537
Males - - -	815	870	797	767	784	776	697	667	739	685	729·9	783
Females - -	690	874	761	706	721	776	694	659	679	678	713·9	754

* The numbers in this column are the average weekly numbers in the Forty-Sixth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	13 Weeks.
TOTAL **Births** -	2268	2118	2088	2050	2079	2237	2140	2029	2227	2318	2167	2243	2180	28144
TOTAL **Deaths** -	1009	1005	1009	1140	1118	1215	1148	1200	1176	1209	1226	1476	1537	15468
Ages at Death: Under 1 year -	214	223	253	275	249	275	276	271	286	259	276	283	314	3454
1—5 years -	116	100	121	95	106	113	96	120	125	143	155	190	187	1667
5—20 " -	37	69	46	63	53	50	62	68	45	49	51	74	71	738
20—40 " -	122	116	111	147	133	136	141	145	149	141	150	149	154	1794
40—60 " -	207	198	206	225	243	271	241	264	246	252	230	313	315	3211
60 yrs. & upwds.	313	299	272	335	334	370	332	332	325	365	364	467	496	4604
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	35	23	21	27	18	15	18	17	33	44	50	67	85	453
Scarlet Fever - -	3	5	2	4	3	4	3	5	4	2	3	3	8	49
Diphtheria - -	10	5	10	5	9	10	8	5	11	9	6	13	15	116
Whooping-cough -	11	8	12	15	11	10	10	7	7	7	10	7	7	122
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	3	3	6	12	10	7	16	9	11	6	8	4	96
Pyrexia (origin uncertain).	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	65	96	94	104	76	82	59	73	69	41	35	29	23	846
All above diseases -	125	140	143	161	129	131	105	123	133	114	110	127	142	1683
Dis. of Resp. System	42	50	47	51	52	66	53	70	81	111	102	150	193	1068
Pneumonia - -	87	65	67	69	71	112	112	92	113	123	144	169	203	1427
Phthisis - - -	77	87	91	113	100	104	105	107	89	114	114	154	120	1375
Dis. of Circ. System -	142	145	147	180	171	202	163	167	153	161	164	206	236	2237
Violence - - -	34	43	53	38	50	53	66	53	42	47	46	41	54	625
Inquest Cases - -	80	109	112	107	125	119	128	139	106	117	121	118	150	1531
Deaths in Institutions	466	418	523	528	528	540	512	557	507	533	533	652	630	6927
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	59·9	58·3	54·7	56·1	53·8	58·6	57·4	53·1	51·4	51·2	42·7	40·8	40·0	52·2
Mean of Highest -	70·2	67·4	61·8	63·8	63·2	69·0	66·0	60·2	57·9	55·9	49·5	49·7	45·4	60·0
Mean of Lowest -	52·4	50·8	49·1	50·4	44·4	49·2	50·4	48·5	45·3	46·7	37·4	32·4	35·0	45·5
Mean Humidity of the Air.	77	77	79	81	76	88	79	85	86	89	83	83	79	82
Rain-fall (in inches) -	0·80	0·41	0·02	0·66	0·00	0·10	0·08	0·61	0·63	0·30	1·03	0·31	0·53	5·48
Registered Sunshine (in hours).	37·1	38·6	15·7	21·2	55·4	30·7	33·6	8·8	14·6	7·3	11·5	24·7	14·5	313·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1447	1455	1462	1509	1560	1653	1706	1745	1792	1847	1856	1882	1813	1674
Diphtheria - - -	578	592	630	672	709	751	788	835	843	855	861	892	887	761
Typhus - - -	1	1	1	1	1	1	1	-	-	-	-	-	-	1
Enteric Fever - -	59	60	79	102	123	144	163	175	179	170	175	165	146	134

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SIXTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 46th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1443·8	1537	314	187	71	154	315	496
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	26·2	85	15	68	2	-	-	-
Scarlet Fever	7·4	8	-	6	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	12·9	13	3	1	-	3	1	5
Whooping-cough	15·8	7	2	5	-	-	-	-
Diphtheria	18·0	15	1	5	9	-	-	-
Cerebro-spinal Fever ..	-	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	6·6	4	-	-	2	2	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	12·9	11	6	2	1	-	2	-
Diarrhœa, Dysentery ..	16·0	12	10	1	-	-	-	1
Tetanus	1·4	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	0·2	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	0·2	-	-	-	-	-	-	-
Venereal Dis.	8·8	6	3	1	-	2	-	-
Puerperal Septicæmia ..	2·7	-	-	-	-	-	-	-
Puerperal Pyæmia.. .	-	-	-	-	-	-	-	-
Puerperal Fever	1·2	-	-	-	-	-	-	-
Infective Endocarditis ..	4·3	1	-	-	-	-	1	-
Pneumonia — Lobar ..	16·2	23	3	3	1	6	7	3
Pneumonia — Broncho ..	74·7	105	43	37	-	10	5	10
Pneumonia — Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia — Not defined	68·8	75	10	18	3	6	17	21
Erysipelas	3·5	2	-	-	-	1	-	1
Septicæmia (not Puerperal)	1·4	1	-	-	1	-	-	-
Pyæmia (not Puerperal)	1·0	-	-	-	-	-	-	-
Other Infective Processes	3·7	5	2	-	1	2	-	-
Tuberculous Phthisis ..	100·6	74	-	1	3	29	36	5
"*Phthisis*"	51·6	46	-	-	6	15	17	8
Tuberculous Meningitis ..	18·6	14	4	4	5	1	-	-
Tuberculous Peritonitis ..	9·4	4	2	1	-	1	-	-
Tabes Mesenterica	1·6	-	-	-	-	-	-	-
Tuberculous Dis., Other ..	18·6	17	4	3	2	5	2	1
Scrofula..	0·2	-	-	-	-	-	-	-
Alcoholism	6·8	7	-	-	-	2	2	3
Rheumatic Fever	5·1	8	-	-	4	2	2	-
Gout	2·0	2	-	-	-	-	1	1
Carcinoma	59·6	65	-	-	-	3	31	31
Sarcoma	4·7	6	-	-	-	1	4	1
Cancer (undefined) ..	39·7	31	-	-	-	3	13	15
Diabetes Mellitus	8·8	5	-	-	1	2	2	-
Premature Birth	45·9	51	51	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 46th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
Meningitis (not tuberc.)..	10·4	9	4	3	1	-	-	-
Gen. Par. of Insane, Insanity	13·7	19	-	-	-	3	12	4
Epilepsy	5·3	5	-	-	-	-	1	4
Convulsions	14·3	9	8	-	1	-	-	-
Locomotor Ataxy.. ..	1·8	3	-	-	-	1	-	2
Paraplegia, Dis. of Cord.	5·1	9	1	-	1	2	2	3
Nervous Sys., Other Dis.	19·5	17	-	2	2	2	6	5
Valv. Dis., Endocarditis..	52·0	50	-	-	3	6	22	19
Cereb. Hæm. Cereb. Emb.	35·4	50	-	-	-	2	6	42
Apoplexy, Hemiplegia ..	12·7	14	-	-	-	-	5	9
Aneurysm	5·1	5	-	-	1	-	4	-
Embolism, Thrombosis (not Cerebral) ..	1·8	4	1	-	-	-	3	1
Heart & Blood Ves., Other Dis... ..	91·9	113	-	-	6	4	26	77
Croup (not Spasm: nor Memb.)	0·4	-	-	-	-	-	-	-
Bronchitis	131·5	174	33	10	-	5	27	99
Emphysema, Asthma ..	6·3	6	-	-	-	-	3	3
Pleurisy	4·5	4	1	-	-	1	1	1
Respiratory Dis., Other..	11·5	9	1	-	1	-	1	5
Tonsillitis, Quinsy.. ..	0·6	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	13·7	15	11	-	-	-	1	3
Gastro-enteritis	7·2	9	6	2	-	-	1	-
Peritonitis (not Puerp.) ..	3·3	2	1	-	1	-	-	-
Cirrhosis of Liver.. ..	12·5	12	-	-	-	2	6	4
Liver Dis., Other	6·3	2	-	-	-	-	1	1
Digestive Sys., Other Dis.	37·1	27	2	2	1	5	10	7
Acute Nephritis	8·4	11	-	-	-	5	4	2
Bright's Dis., Albuminuria	39·1	31	-	-	1	3	9	18
Urinary Sys., Other Dis.	10·4	11	-	-	-	2	2	7
Generative Organs Dis...	4·1	2	-	-	-	-	2	-
Childbirth (Accid. of) ..	3·9	1	-	-	-	1	-	-
Old Age	53·9	55	-	-	-	-	-	55
Other Diseases	85·0	99	70	6	7	4	5	7
ACCIDENT.								
By Railways	1·4	-	-	-	-	-	-	-
By Vehicles and Horses..	6·3	6	-	-	2	1	2	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	1	-	-	-	-	1	-
In Building Operations..	1·8	1	-	-	-	-	-	1
In Conflagrations	0·6	1	-	-	-	-	1	-
By Burns, Scalds, Explosions	7·0	6	-	4	-	-	1	1
By Drowning	3·7	2	-	-	-	1	1	-
By Suffocation in Bed ..	8·6	10	10	-	-	-	-	-
By Poisons or Poisonous Vapours	3·1	1	-	-	-	1	-	-
Other Deaths by Accident..	14·9	15	-	2	-	2	1	10
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	1	-	-	-	-	1	-
Suicide	9·0	10	-	-	-	5	4	1
Execution	0·2	-	-	-	-	-	-	-

* In tables 3 and the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th November, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2180	1537	314	496	-	85	8	15	7	4	23	120	54	150	630	2
WEST DISTRICTS	805,311	309	262	41	89	-	17	-	2	4	-	3	21	11	20	115	-
NORTH DISTRICTS	1,055,908	481	316	65	125	-	17	4	2	1	-	6	24	11	35	127	-
CENTRAL DISTRICTS	209,465	92	81	19	16	-	5	-	2	-	1	2	6	2	11	37	-
EAST DISTRICTS	715,739	393	237	58	77	-	9	-	1	-	-	6	13	14	37	118	-
SOUTH DISTRICTS	1,749,844	905	557	131	178	-	36	2	8	2	2	6	50	16	47	179	2
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	54	-	11	-	1	2	-	-	1	-	6	-	-	54	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	32	15	2	8	-	-	-	-	-	-	1	1	-	-	1	-
ntral Paddington *W,3H*	50,053	17	28	5	9	-	1	-	-	-	-	1	2	2	2	22	-
uth Paddington	30,320	6	10	2	4	-	2	-	-	-	-	1	-	-	-	-	-
nsington South *W,3H*	85,610	19	25	3	12	-	1	-	-	-	-	-	2	-	-	16	-
nsington Central *W,H*	42,774	13	17	2	5	-	2	-	-	-	-	-	2	-	-	4	-
nsington North *w*	48,244	26	18	1	6	-	-	-	-	1	-	-	2	-	-	9	-
rth Hammersmith 2*W,w,H* ..	49,192	28	12	3	2	-	4	-	-	2	-	-	1	-	-	4	-
uth Hammersmith *w,2H* ..	63,047	29	16	2	6	-	2	-	-	-	-	-	2	1	2	3	-
rth-west Fulham *W*	45,180	23	29	6	5	-	4	-	-	-	-	-	4	4	5	11	-
rth-east Fulham *F*	46,405	24	11	3	2	-	-	-	1	-	-	-	1	-	3	1	-
uth Fulham *W*	45,704	13	7	2	1	-	-	-	1	-	-	-	1	-	-	-	-
elsea North *W,w,3H*	42,514	15	28	4	11	-	-	-	-	-	-	-	3	1	2	24	-
elsea South *W,2H*	31,328	13	8	1	2	-	-	-	-	-	-	-	-	-	-	3	-
yfair and Knightsbridge	28,743	4	3	-	2	-	-	-	-	-	-	-	-	-	1	-	-
grave *W,2H*	55,815	19	22	2	9	-	-	-	-	-	-	-	-	3	5	11	-
Margaret & St. John *6H*	43,698	19	6	3	1	-	1	-	-	1	-	-	-	-	-	2	-
James and St. Anne *W,6H* ..	33,081	9	7	-	4	-	-	-	-	-	-	-	-	-	-	4	-
NORTH DISTRICTS.																	
Souls Marylebone *7H*	35,391	18	10	1	1	-	-	-	-	-	-	-	1	-	2	6	-
Mary Marylebone *W,4H* ..	37,948	33	9	2	5	-	-	-	-	-	-	-	1	-	-	2	-
ristchurch Marylebone *H* ..	39,536	9	7	2	2	-	1	-	-	-	-	1	-	-	-	-	-
John Marylebone 2*H*	20,426	6	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-
mpstead *W,F,6H*	81,942	19	19	2	9	-	-	1	1	-	-	1	1	1	2	8	-
st St. Pancras 2*H*	60,562	20	13	2	5	-	1	-	-	-	-	-	2	-	1	3	-
th St. Pancras *w,10H*	55,707	25	25	3	9	-	1	-	-	-	-	1	1	2	3	14	-
st St. Pancras *W,H*	60,320	27	17	2	9	-	1	-	-	-	-	-	-	1	2	6	-
th St. Pancras 2*W*	58,728	32	20	1	6	-	1	-	-	-	-	-	5	-	1	12	-
nell *W*	31,995	12	45	8	15	-	5	-	-	-	-	1	6	3	6	29	-
per Holloway 2*W,w,H*	33,978	13	20	3	7	-	2	-	-	-	-	1	1	1	1	13	-
lington 2*W,w,H*	33,922	17	10	2	1	-	2	-	-	1	-	-	-	1	3	-	-
ver Holloway	41,424	23	12	6	1	-	2	-	-	-	-	-	-	-	-	-	-
nsbury	54,478	34	15	6	2	-	-	-	-	-	-	-	-	-	-	-	-
ngton South-east *F*	75,397	46	16	4	7	-	-	-	-	-	-	-	-	1	2	-	-
hbury 2*H*	63,797	29	12	1	3	-	1	-	-	-	-	-	1	1	3	1	-
ke Newington *H*	51,247	12	8	1	5	-	-	-	-	-	-	1	1	-	1	-	-
th Hackney	50,398	18	9	-	4	-	-	-	-	-	-	-	1	-	1	-	-
tral Hackney 2*w,F*	50,536	26	22	4	7	-	-	3	1	-	-	-	-	-	1	7	-
th-west Hackney 3*H*	59,921	20	13	3	8	-	-	-	-	-	-	-	-	-	-	5	-
th-east Hackney 2*W,w,H* ..	58,255	37	39	11	15	-	-	-	-	-	-	-	3	-	6	21	-
kney Union Workhouse, Brent-ooa	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

OTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein ely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other ricts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the er.

See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, a from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVE DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturd 19th November, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	5	8	-	3	-	-	-	-	-	1	-	1	-	-	2
Strand *W*,4*H*	21,674	2	10	2	1	-	-	-	-	-	-	-	1	-	2	9
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Holborn *W*,5*H*	29,612	14	20	8	3	-	1	-	-	-	-	2	1	-	2	11
Clerkenwell *H*	63,704	41	17	4	5	-	2	-	1	-	-	-	1	-	3	-
St. Luke 3*H*,*L*	36,116	24	9	2	1	-	2	-	-	-	-	-	-	-	1	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
St. Botolph *H*	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	15	3	1	-	-	-	1	-	-	-	2	2	3	13
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	13	10	3	4	-	1	-	-	-	-	-	-	-	-	1
Shoreditch North-West *W*,*w*,*H* ..	36,127	24	31	7	15	-	1	-	-	-	-	1	2	-	3	26
Shoreditch North-East	36,148	21	5	1	2	-	-	-	-	-	-	-	-	-	1	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	46	33	9	8	-	1	-	-	-	-	1	2	-	3	22
Bethnal Green South-West *H* ..	64,542	37	15	4	4	-	1	-	-	-	-	-	1	1	3	2
Spitalfields..	27,969	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	16	31	3	4	-	-	-	1	-	-	-	3	4	10	29
Goodman's Fields	22,081	10	5	1	2	-	-	-	-	-	-	1	-	1	3	-
St. George and St. John 2*W* ..	49,068	33	13	4	5	-	-	-	-	-	-	2	-	1	3	5
Shadwell and Ratcliff *w*,*H* ..	25,568	7	9	3	-	-	2	-	-	-	-	1	-	1	1	5
Limehouse *W*	32,369	18	9	4	1	-	3	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	56	10	5	2	-	-	-	-	-	-	-	1	1	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	32	15	5	8	-	-	-	-	-	-	-	1	-	-	14
Bow	41,989	22	10	3	3	-	-	-	-	-	-	-	-	2	2	-
Bromley 3*w*,*H*	68,319	25	31	4	13	-	-	-	-	-	-	-	3	2	6	13
Poplar *W*,*w*	58,514	25	7	2	4	-	-	-	-	-	-	-	-	1	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1

BLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th November, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
ristchurch and St. Saviour Southwark *W,2H*	23,319	15	18	3	6	-	2	-	-	1	-	-	1	1	4	14	-
ent-road	21,904	13	6	2	-	-	2	-	-	-	-	1	1	1	1	-	-
. George the Martyr West *W,2H,L*	39,094	19	11	-	3	-	6	-	-	-	-	-	-	-	-	4	-
ewington North	49,022	28	15	5	5	-	-	-	-	-	-	-	1	-	1	-	-
ewington South *2W*	72,841	34	13	6	2	-	2	-	-	-	-	-	1	-	-	3	-
. Olave *2W*	9,817	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
ermondsey *W*	82,483	54	18	5	5	-	4	-	-	-	-	-	1	-	1	-	-
otherhithe *W,F*	38,460	21	24	9	6	-	5	-	-	-	-	-	1	-	2	14	-
aterloo *2H*	27,440	29	10	3	-	-	3	-	-	-	-	-	1	-	-	5	-
mbeth Church *H*	27,440	18	30	4	5	-	-	-	-	-	1	-	-	2	4	22	-
nnington *2W*	52,518	26	25	5	10	-	2	-	-	-	-	-	4	-	1	9	-
ockwell *HF*	63,826	42	17	3	5	-	-	-	5	-	1	1	-	-	1	6	-
ixton *H*	73,673	36	17	5	8	-	1	-	-	-	-	-	-	-	-	1	-
rwood *2WH*	56,998	21	10	2	2	-	-	-	-	1	-	-	1	-	-	1	-
st Battersea *H*	72,203	40	16	5	6	-	-	-	-	-	-	-	1	1	2	2	-
rth-west Battersea	49,656	26	10	4	1	-	-	-	-	-	-	-	3	-	2	-	-
uth-west Battersea *2W,H*	47,048	15	27	2	10	-	-	-	-	-	-	-	3	1	2	17	-
apham *2H*	51,361	22	12	2	6	-	1	-	-	-	-	-	1	2	3	1	-
reatham *W,2w,2F,2L*	88,019	47	21	1	10	-	-	-	2	-	-	-	2	-	1	4	1
ringfield *2W,L*	27,959	9	6	1	1	-	-	-	-	-	-	-	-	-	2	1	-
uthfields *H*	40,444	21	10	3	3	-	-	-	-	-	-	-	1	-	1	-	-
ttney	24,139	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
lwich	13,359	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
mberwell South *W,w*	40,206	25	31	4	12	-	-	-	-	-	-	-	8	1	2	20	-
mberwell North *W,2L*	65,584	26	29	4	10	-	2	-	-	-	-	1	3	2	3	19	-
. George	47 331	30	12	5	4	-	1	-	-	-	-	-	1	1	2	-	-
ckham North	48,913	31	17	7	5	-	-	-	-	-	-	-	3	-	1	-	-
ckham South *2W,w*	43,946	26	7	3	3	-	-	-	-	-	-	-	1	-	-	-	1
ptford North *F*	49,004	23	19	2	4	-	1	2	-	-	-	-	2	1	1	5	-
ptford East	29,781	16	11	5	1	-	2	-	-	-	-	1	-	-	1	-	-
ptford South	38,934	11	7	1	3	-	-	-	-	-	-	-	-	-	1	-	-
eenwich West *H*	23,456	13	6	2	3	-	-	-	-	-	-	-	-	-	1	-	-
eenwich East *2W,H*	43,859	23	23	4	10	-	-	-	-	-	-	-	3	1	2	14	-
tham *w,H*	7,226	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
e *w,H*	25,490	14	6	-	4	-	-	-	-	-	-	-	1	-	-	1	-
wisham *2W,w*	58,352	37	17	4	9	-	-	-	-	-	-	-	-	1	2	7	-
denham *H*	43,653	20	10	6	3	-	-	-	-	-	-	-	-	-	-	1	-
arlton *F,2H*	21,134	4	4	1	-	-	-	-	1	-	-	-	-	-	-	3	-
oolwich *5H*	41,625	25	6	3	1	-	-	-	-	-	-	-	1	-	-	-	-
umstead West *W,H*	39,376	12	13	1	6	-	-	-	-	-	-	-	2	-	-	-	-
umstead East *2W*	28,951	14	13	4	4	-	1	-	-	-	-	2	2	1	2	5	-
orkhouses:—																	
elmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
entral London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
A. B. Small-pox Hospitals:—																	
ong Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A. B. Fever Hospitals:—																	
ore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orth-Eastern	—	-	5	-	-	-	1	2	-	-	1	-	-	-	-	5	-
orthern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A. B. Children's Hospital:—																	
hildren's Infirmary, Carshalton	—	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
A. B. Imbecile Asylums:—																	
aterham	—	-	6	-	4	-	-	-	-	-	-	-	1	-	-	6	-
arenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
eavesden	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ondon County Lunatic Asylums:—																	
anstead	—	-	8	-	3	-	-	-	-	-	-	-	-	-	-	8	-
well (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orton	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
anor	—	-	4	-	1	-	-	-	-	-	-	-	1	-	-	4	-
ong Grove	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
ane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
artford Heath	—	-	4	-	-	-	-	-	-	-	-	-	1	-	-	4	-
anwell	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4	-
olney Hatch	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	5	-
laybury	—	-	4	-	-	-	-	-	-	-	-	-	1	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 19th November, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1201	578	124	225	-	9	1	5	3	1	10	22	48	114
31 : 1	Carshalton 2F,3H	12,228	32,997	12	8	-	4	-	-	-	-	-	-	-	-	-	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	6	4	-	3	-	-	-	-	-	-	-	-	-	2
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	1	-	1	-	-	-	-	-	-	-	-	-	1
39 : 1	Coulsdon	11,069	8,166	12	2	2	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	17	9	1	7	-	-	-	-	-	-	-	1	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	34	16	3	4	-	-	-	-	-	-	-	2	3	9
4	North Croydon H	2,644	41,698	21	7	1	2	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	4	4	1	3	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	30	8	2	3	-	-	-	-	-	-	-	1	1	-
40 : 1	Wimbledon F,3H	3,221	41,652	19	6	3	1	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	16	5	-	3	-	-	-	-	-	-	-	-	-	3
3	Surbiton F,H	3,046	15,017	7	3	-	3	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	12	5	1	4	-	-	-	-	-	-	-	-	-	1
5	Hampton H,F,L	4,564	23,456	11	8	1	4	-	-	-	-	-	-	-	-	-	-
41 : 1	Richmond W,H	2,491	31,672	7	10	-	6	-	-	-	-	-	-	-	1	3	4
2	Mortlake F	2,518	17,821	14	4	2	1	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	14	5	-	4	-	-	-	-	-	-	-	1	1	1
2	Beckenham H	7,832	28,454	10	4	1	3	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	3	4	-	4	-	-	-	-	-	-	-	-	-	2
4	Chislehurst 2H	7,338	16,446	10	7	2	2	-	-	-	-	-	-	-	-	-	2
43 : 1	Bexley w,F,H	8,678	21,151	14	3	-	2	-	1	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	18	13	3	5	-	2	-	-	-	-	1	1	1	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
126 : 1	Sunbury w	11,054	18,683	9	7	1	1	-	-	-	-	-	-	1	1	1	1
2	Staines W,H	13,277	15,178	7	4	-	3	-	-	-	-	-	-	-	-	-	2
127 : 1	Hillingdon W,F,H	8,035	13,661	6	4	-	2	-	-	-	-	-	-	-	-	-	2
2	Uxbridge H	12,757	8,984	3	3	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	12	3	-	1	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	50,863	21	19	1	12	-	-	-	-	-	-	-	3	2	10
2	Twickenham F,2H	2,421	20,991	13	5	2	3	-	-	-	-	-	-	-	-	-	-
3	Hanwell w,2H	4,108	11,257	8	3	-	1	-	-	-	-	-	-	-	-	-	-
4	Brentford 3F,2H	4,038	48,202	31	14	1	6	-	-	-	-	-	-	1	-	-	-
5	Chiswick H	1,249	29,809	11	10	3	5	-	-	-	-	-	-	-	-	2	-
6	Acton F,H	2,305	37,744	31	9	6	-	-	-	-	-	-	-	-	1	1	1
129 : 1	Willesden W,F,2H	4,384	114,811	75	39	12	15	-	1	-	-	1	-	-	-	1	3
130 : 1	Harrow F,H	13,809	25,523	17	3	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	-	3	-	2	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	20	10	3	3	-	-	-	-	-	-	-	-	1	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	3	3	-	1	-	-	-	-	-	-	-	1	1	1
2	Barnet W,2H	3,324	17,970	5	7	1	4	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,668	33,692	17	9	1	3	-	-	-	-	-	-	-	1	2	-
132 : 1	Hornsey F,H	2,875	72,056	26	11	5	2	-	-	-	1	-	-	-	1	2	-
2	Wood Green H	1,625	34,233	34	5	4	1	-	-	-	-	-	-	-	1	1	-
3	West Tottenham	995	48,741	31	8	1	1	-	-	-	-	-	-	-	1	3	-
4	East Tottenham 2H ..	2,019	53,962	26	18	2	5	-	2	-	-	-	-	-	-	4	6
5	Edmonton W,w,2F	7,491	61,892	43	30	2	14	-	-	-	-	-	-	1	1	4	15
6	Enfield 2W,F,H	12,601	42,738	28	10	3	4	-	-	1	-	-	-	-	1	2	2
7	Waltham Abbey F	11,017	6,549	5	1	-	1	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	6	1	-	1	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	1	4	-	3	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	2	-	1	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	29	13	9	3	-	-	-	-	-	-	-	-	1	2
2	Forest Gate	787	52,745	26	16	5	7	-	-	-	-	1	-	-	1	3	-
3	Plaistow F,2H	1,249	90,921	70	30	11	6	-	1	-	2	1	-	1	-	1	3
4	Canning Town H	1,556	70,718	56	20	8	3	-	2	-	-	-	-	1	-	-	-
5	South East Ham 2F ..	1,991	37,342	42	10	2	1	-	-	-	1	-	1	-	-	-	3
6	North East Ham w,H ..	1,333	58,666	23	10	2	3	-	-	-	-	-	-	-	1	1	1
7	Wanstead F	1,679	9,179	4	2	-	1	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	24	13	-	7	-	-	-	-	-	-	1	-	-	4
9	North Leyton 2W,w,F ..	1,963	48,445	34	29	5	11	-	-	-	1	-	-	-	1	2	17
10	Walthamstow 2H L ..	6,504	108,929	57	21	4	8	-	-	-	-	-	-	2	-	2	-
189 : 1	Chigwell 2F,3H	11,778	16,397	12	2	1	1	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	4	2	1	1	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	24	8	2	3	-	-	-	-	-	-	-	-	1	1
3	Barking Town F	3,805	21,547	13	7	2	1	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Metropolitan Imbecile Asylum, Darenth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	London County Lunatic Asylum, Colney Hatch.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	-	-	-	-	-	-	-	1	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3
	Essex County Lunatic Asylum, Brentwood.	—	—	-	5	-	1	-	-	-	-	-	-	-	-	-	5

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esher parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting the part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : 1 and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
NDON* - -	4,872,702	November 19	2180	1537	16·4	-	85	8	15	7	4	38
LCUTTA - -	1,009,008	October 15	-	363‡	18·7	-	-	-	-	-	8	9
MBAY - -	977,822	November 1	441	610‡	32·4	-	-	-	-	2	7	38
DRAS - -	509,346	October 21	388	338‡	34·5	2	-	?	?	?	-	27
RIS* - -	2,772,467	November 12	938	823	15·6	-	1	-	6	5	5	31
JSSELS* -	720,030	" 12	241	206	14·9	-	-	-	-	1	3	12
TWERP* - -	317,171	" 12	135	74	12·1	-	3	-	-	-	-	7
STERDAM* -	574,412	" 5	257	117	10·6	-	1	-	-	-	1	3
		" 12	256	127	11·5	-	1	-	1	1	1	4
PENHAGEN -	455,000	" 12	204	116	13·3	-	-	-	3	2	2	5
CKHOLM -	341,816	October 29	132	96	14·6	-	-	2	1	1	-	2
RISTIANIA -	240,178	November 12	100	50	10·8	-	3	-	3	-	-	3
PETERSBURG	1,620,000	October 29	927	613‡	19·7	7	4	17	8	4	5	45
SCOW - -	1,493,600	November 5	-	661	23·1	-	6	20	26	-	8	46
RLIN - -	2,127,635	October 29	714	519	12·7	-	1	7	8	4	2	24
MBURG - -	911,500	November 12	-	239	13·9	-	-	1	5	2	-	20
SLAU - -	509,992	" 5	-	195	19·9	-	-	1	3	2	-	10
NICH - -	576,000	" 5	280	192	17·3	-	10	1	1	2	-	20
NNA* - -	2,107,981	" 5	741	597	14·6	-	6	1	6	1	1	31
GUE* - -	497,905	October 22	144	169	17·3	-	-	2	2	1	-	11
DAPEST* -	833,703	November 5	401	293	18·3	-	1	13	3	1	3	13
ESTE* - -	221,124	" 12	134	91	21·9	-	-	-	2	-	-	6
IE - - -	590,113	September 10	259	155	13·7	-	2	-	1	3	4	20
NICE - -	183,224	" 17	72	59	16·8	-	-	-	-	-	3	15
		" 24	83	62	17·6	-	-	-	1	1	-	10
CAREST - -	297,643	October 29	170	129	22·6	-	-	3	4	1	3	13
W YORK* -	4,803,264	" 22	2558	1269	13·8	-	2	3	18	2	20	114
JAGO* - -	2,185,283	" 29	-	517	12·3	-	-	3	22	3	3	57
LADELPHIA*	1,598,400	" 8	-	397	12·9	-	1	-	7	-	7	46
DE JANEIRO	842,822	" 16	-	353	21·8	-	9	-	1	-	1	?
RO:—*												
ZYPTIANS -	620,443	" 14	629	355	29·8	-	2	-	10	-	-	84
REIGNERS -	62,510	" 14	5	12	10·0	-	-	-	-	-	-	1
XANDRIA:—*												
YPTIANS -	319,087	" 14	250	188	30·6	-	-	-	6	-	3	46
REIGNERS -	68,829	" 14	7	13	9·8	-	-	-	-	-	-	1

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to lren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 13 deaths from *plague* in Calcutta and 15 in Bombay, and from *Asiatic cholera*, 12 deaths in Calcutta, 2 in mbay, 8 in Madras, and 25 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 19th November, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
DON (Greenwich)	51·6	23·4	40·2	0·53	BRADFORD - -	51·2	29·0	38·2	0·58
HTON - -	52·1	31·9	41·9	1·91	YORK - - -	52·0	30·0	39·4	0·55
TSMOUTH - -	52·8	34·0	42·8	0·70	HULL - - -	50·0	29·0	39·7	0·61
WICH - -	51·0	28·3	39·4	1·52	TYNEMOUTH - -	49·0	28·0	37·9	1·11
OUTH - -	53·3	35·6	44·2	1·18	CARDIFF - -	51·5	25·7	41·1	1·67
TOL - - -	52·7	24·2	40·4	1·06	EDINBURGH - -	43·5	29·5	36·2	1·06
INGHAM - -	50·0	27·9	39·3	0·69	GLASGOW - -	44·8	28·7	37·6	0·61
TINGHAM - -	51·0	27·0	38·8	0·42	DUBLIN: Phœnix Park	53·2	25·1	38·2	0·35
RPOOL OBSERVATORY	51·0	33·0	41·3	0·81	DUBLIN: Fitzwilliam Square.†	53·7	29·1	39·0	0·43
CHESTER -	49·8	28·6	39·0	1·35					
NLEY - -	49·8	26·2	37·8	1·01					
DERSFIELD -	51·2	30·3	38·5	0·71	BELFAST - - -	51·0	31·0	40·7	0·81

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The ection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the re was 0°·4 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 19th November, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 13	In Eqr.	29·184	51·5	46·1	5·4	48·1	+ 4·6	44·1	4·0	6·8	0·8	86	59·3	42·3	48·51	SW. & SSW.	S. & SSW.	4·8	0·0	0·6	408	+120	0·14	13·2
MONDAY - 14	..	28·860	51·6	42·1	9·5	46·7	+ 3·4	42·2	4·5	8·6	1·2	84	76·8	35·5	48·50	SW. & WSW.	SW.	2·1	0·0	0·3	349	+ 61	0·31	0·8
TUESDAY - 15	..	29·057	50·0	36·7	13·3	42·2	− 0·9	38·6	3·6	8·0	1·6	87	78·0	28·9	48·60	SW. & SSW.	N. & NNW.	4·0	0·0	0·3	284	− 4	0·00	0·0
WEDNESDAY 16	..	29·544	42·1	30·1	12·0	36·0	− 6·8	28·0	8·0	12·0	6·0	72	58·0	23·8	48·53	NW., NNW. & WNW.	NW., W. & WSW.	3·8	0·0	0·3	359	+ 70	0·00	0·0
THURSDAY - 17	Full Perigee	29·402	37·0	23·4	13·6	30·4	−12·2	24·4	6·0	8·4	2·0	77	38·0	16·9	48·20	WSW., SW. & calm.	ENE., variable & W.	1·4	0·0	0·0	191	− 99	0·00	0·0
FRIDAY - 18	..	29·539	44·9	32·5	12·4	39·6	− 2·8	32·4	7·2	10·6	4·8	76	61·0	26·6	47·70	W. & WNW.	NW., NNW. & N.	8·2	0·0	0·9	551	+260	0·00	0·8
SATURDAY - 19	Greatest Dec. N.	29·964	40·8	33·8	7·0	37·3	− 5·0	27·7	9·6	13·6	5·5	68	54·0	28·4	47·11	N. & NNW.	N., NNW. & W.	3·9	0·0	0·3	327	+ 33	0·08	2·2
MEANS - -		29·364	45·4	35·0	10·5	40·0	− 2·8	33·9	6·1	9·7	3·1	79	60·7	28·9	48·16	SW. & NW.		..	..	..	Sum 2469	Sum +441	Sum 0·53	2·4
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. NOVEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 13	w. P. till noon; w. P. and w. N. afterwards.	0·0	9·0	Overcast with frequent rain.
MONDAY - 14	w. P. and w. N. till 7h. A.M.; w. P. till 4h. P.M.; m. P. principally afterwards.	4·8	8·9	Overcast in morning with rain between 3h. and 6h. 30m. A.M.; fine and partially cloudy afterwards; shower at 8h. P.M. Solar halo in afternoon and lunar halo at night.
TUESDAY - 15	w. P. generally till 8h. P.M.; then m. P.	1·3	8·8	Generally cloudy till 2h. P.M.; then overcast; very gloomy intervals at and about noon.
WEDNESDAY 16	m. P. till 9h. A.M.; s. P. afterwards.	4·5	8·8	Very fine generally; hoar frost in morning and at night. Lunar halo and paraselene observed at 0h. 15m. A.M.
THURSDAY - 17	s. P. generally.	0·0	8·8	Fine; slight fog generally prevalent during the daytime and evening; hoar frost in morning and at night.
FRIDAY - 18	m. P. generally; occasional s. P.	2·9	8·7	Fine till 1h. 30m. P.M. with hoar frost in early morning; then generally dull and overcast; gusty wind prevalent after 11h. A.M.
SATURDAY - 19	w. P. till 5h. A.M.; m. P. till 9h. A.M.; s. P. afterwards.	1·0	8·7	Generally cloudy.
		Sum 14·5	Sum 61·7	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·63 in. at the beginning of the week to 28·76 in. by 6h. A.M. on the 14th; increased to 29·59 in. by 9h. P.M. on the 16th; decreased to 29·34 in. by 4h. P.M. on the 17th; increased to 29·99 in. by 9h. P.M. on the 19th; and was 29·98 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 12th November, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	4	2	-	2	-	-	3	-	-
Kensington	184,635	-	8	3	-	-	-	-	-	-	-
Hammersmith	127,413	-	10	8	-	-	-	-	-	-	-
Fulham	181,282	-	7	11	-	-	-	-	4	-	-
Chelsea	75,457	-	7	2	-	-	-	-	1	-	-
City of Westminster ..	167,233	-	3	4	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	125,195	-	1	2	-	3	-	-	5	-	1
Hampstead	95,729	-	5	3	-	-	-	-	1	-	-
St. Pancras	237,792	-	10	8	-	2	-	-	4	-	-
Islington	353,356	-	11	19	-	2	1	-	7	-	-
Stoke Newington	54,838	-	1	-	-	1	-	-	-	-	-
Hackney	239,979	-	12	4	-	1	-	-	5	-	-
CENTRAL.											
Holborn	53,142	-	3	2	-	-	-	-	1	-	-
Finsbury	94,578	-	7	4	-	-	-	-	6	-	-
City of London	17,132	-	1	2	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	5	1	-	1	-	-	5	-	-
Bethnal Green	131,579	-	7	2	-	1	-	-	2	1	-
Stepney	314,379	-	12	6	-	3	-	-	9	-	-
Poplar	172,432	-	18	4	-	3	-	-	5	-	-
SOUTH.											
Southwark	211,832	-	10	6	-	4	-	-	6	-	-
Bermondsey	127,238	-	7	6	-	2	-	-	3	-	-
Lambeth	327,074	-	21	11	-	5	-	-	10	1	-
Battersea	188,222	-	8	4	-	2	-	-	5	1	-
Wandsworth	305,838	-	15	9	-	3	-	-	6	-	-
Camberwell	286,058	-	8	12	-	3	-	-	7	-	-
Deptford	119,642	-	9	4	-	1	1	-	7	-	-
Greenwich	112,935	-	7	1	-	-	-	-	1	1	-
Lewisham	164,899	-	18	3	-	-	-	-	1	-	-
Woolwich	135,422	-	11	2	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	246	145	-	38	2	-	106	4	1
Ages 0-1		-	2	3	-	1	-	-	6	-	-
„ 1-5		-	66	43	-	3	-	-	3	-	-
„ 5-		-	117	59	-	11	-	-	6	-	-
„ 10-		-	43	20	-	3	-	-	4	-	-
„ 15-		-	8	7	-	2	-	-	5	-	-
„ 20-		-	6	4	-	6	1	-	3	1	-
„ 25-		-	3	5	-	8	-	-	17	2	1
„ 35-		-	1	3	-	4	1	-	22	1	-
„ 45-		-	-	1	-	-	-	-	13	-	-
„ 55-		-	-	-	-	-	-	-	15	-	-
„ 65 and upwards		-	-	-	-	-	-	-	12	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns relating to Metropolitan Water London.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of October, 1910. The supply was in the ratio of 205 gallons to one service. The area of supply of the Metropolitan Water Board is much more extensive than that of the Administrative County of London, the Water Board's statutory area of supply being over 537 sq. miles, as against 117 sq. miles of the County.*

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	October, 1909.	October, 1910.	October, 1909.	October, 1910.
Total - - - - - -	1,095,693*	1,094,988*	227,501,666*	223,934,100*
New River - - - - - - -	215,897	217,841	43,449,704	44,411,400
Eastern - - - - - - - -	246,043	248,418	45,201,742*	45,187,200*
Western { Chelsea, Grand Junction, West Middlesex } - -	224,173	226,263	56,502,433	56,097,800
Southern { Lambeth - - - Southwark and Vauxhall }	289,424*	281,441*	62,470,889*	53,454,500*
Kent - - - - - - - - -	120,156	121,025	19,876,898	19,783,200

* The figures for October, 1910, are exclusive of supplies in bulk to the Corporations of Croydon and Richmond, the Cheshunt Urban District Council, and the Herts and Essex Water Company, and of services under their control. Those for October, 1909, however, include supply and services in Croydon and Richmond and supply to Cheshunt Urban District. The figures marked with an asterisk are, therefore, not strictly comparable.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 47. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, NOV. 26. [Price 1½*d.*

General Register Office, Somerset House,
November 28th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 17·3 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 13·1, 14·8, and 15·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 20·0 in Birmingham, 20·1 in Hull, 20·2 in Nottingham, 20·5 in West Bromwich, 20·6 in Manchester and in Oldham, 23·8 in Stoke upon Trent, 24·8 in Huddersfield, 26·3 in Middlesbrough, and 26·8 in Tynemouth; from *measles*, 1·2 in Leeds, 1·4 in Portsmouth, 1·6 in Rotherham, 2·8 in Brighton, 3·5 in Tottenham, 4·6 in Tynemouth, and 5·4 in Plymouth; from *scarlet fever*, 2·6 in Bury; from *diphtheria*, 1·6 in Swansea; from *whooping-cough*, 1·2 in Norwich and 1·6 in Rotherham; from *enteric fever*, 1·7 in Wigan; and from *diarrhœa*, 1·5 in Walsall. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.* (The Administrative County and the City of London.)

In LONDON 1982 BIRTHS and 1811 DEATHS were registered. Allowing for increase of population, the births were 372 below and

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(18129—41.) Wt. 91—429. 700. 11/10. D & S. G. 31. Sch. 4. 3 A

the deaths 303 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 13·1, 15·8, and 16·4 per 1000 in the preceding three weeks, further rose last week to 19·4. The death-rate in the four weeks ended last Saturday averaged 16·2 per 1000, being 0·6 per 1000 above the mean rate in the corresponding periods of the five years 1905–9.

The 1811 deaths included 94 from measles, 4 from scarlet fever, 12 from diphtheria, 15 from whooping-cough, 2 from enteric fever, and 17 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 144 deaths were referred, being 46 above the corrected average number in the forty-seventh week of the preceding five years.

The deaths from *measles*, which had been 50, 67, and 85 in the preceding three weeks, further rose to 94 last week, and were 63 above the corrected average; 22 deaths belonged to the Borough of Islington, 11 to Southwark, 10 to Camberwell, 9 to Lambeth, 8 to St. Pancras, and 7 to Shoreditch. The deaths from *scarlet fever*, which had been 3, 3, and 8 in the preceding three weeks, were 4 last week, the corrected average being 10. The deaths from *diphtheria*, which had been 6, 13, and 15 in the preceding three weeks, were 12 last week, but were 4 below the corrected average; 4 deaths belonged to Islington. The deaths from *whooping-cough*, which had been 10, 7, and 7 in the preceding three weeks, rose to 15 last week, the corrected average being 16. The deaths from *enteric fever*, which had been 6, 8, and 4 in the preceding three weeks, fell to 2 last week, and were 2 below the corrected average. The deaths from *diarrhœa*, which had been 35, 29, and 23 in the preceding three weeks, further fell to 17 last week, and were 5 below the corrected average; 3 deaths belonged to Paddington. Of the 17 deaths from diarrhœa, 13 were those of children under 2 years of age; 12 other deaths at this age were certified as due to *enteritis*, and 7 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 22, having been 5, 13, and 13 in the preceding three weeks.

Different forms of violence caused 48 deaths, concerning all of which inquests were held. Of these 48 deaths, 6 were cases of suicide, and 1 of execution, while the remaining 41 were attributed to accident or negligence. Two of these latter were referred to vehicles in the streets, eleven to burns or scalds, three to drowning, and seven, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1769 cases of scarlet fever, 877 of diphtheria, and 135 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 153 cases, against 188, 239, and 180; of diphtheria, 94 cases, against 106, 121, and 107; and of enteric fever, 13 cases, against 18, 21, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended November 19th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

GREATER LONDON (comprising London and the "Outer Ring," *i.e.*, the remainder of the Metropolitan Police District).

In Greater London 3066 births and 2507 deaths were registered. Allowing for increase of population, these numbers are 598 below and 362 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from measles, 1 from diphtheria, 6 from whooping-cough, 1 from enteric fever, and 3 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·82 inches, and that of the Thermometer 34°·1, the latter being 8°·0 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 37 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 1·9 hours; the measured rainfall amounted to 0·62 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 26th November, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 5th Nov., 1910.	12th Nov., 1910.	19th Nov., 1910.	26th Nov., 1910.	Rate from Diseases in Cols. 11-17 Week ended 26th Nov., 1910.	Registered during the Week ended 26th Nov., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**13·1**	**14·8**	**15·5**	**17·3**	**1·3**	**7347**	**5617**	**1138**	**1827**	**-**	**192**	**26**	**54**	**56**	**25**	**67**	**170**	**436**	**1435**	**48**	**77 TOWNS.**
LONDON	4,872,702	13·1	15·8	16·4	19·4	1·5	1982	1811	320	629	-	94	4	12	15	2	17	48	156	704	1	LONDON.
CROYDON	164,485	11·4	10·5	9·5	13·3	0·3	71	42	8	24	-	-	-	-	-	-	1	2	7	7	-	CROYDON.
WILLESDEN ..	166,088	6·3	7·2	11·9	11·3	0·3	70	36	14	8	-	-	-	-	-	-	1	-	1	2	-	WILLESDEN.
HORNSEY	98,561	8·5	7·4	6·3	9·0	-	29	17	2	10	-	-	-	-	-	-	-	-	3	4	-	HORNSEY.
TOTTENHAM ..	132,803	11·4	13·7	11·4	19·2	4·7	78	49	12	13	-	9	-	2	-	-	1	-	5	13	-	TOTTENHAM.
WEST HAM ..	328,585	12·7	13·5	14·3	16·7	1·4	156	105	19	40	-	3	1	1	3	1	-	5	6	25	-	WEST HAM.
EAST HAM.. ..	156,208	6·7	10·3	7·7	11·3	-	56	34	7	11	-	-	-	-	-	-	-	2	2	4	-	EAST HAM.
LEYTON	133,436	9·0	8·2	10·6	10·9	0·4	45	28	5	9	-	-	-	1	-	-	-	-	1	4	-	LEYTON.
WALTHAMSTOW	141,748	10·3	12·1	7·4	11·0	-	44	30	9	13	-	-	-	-	-	-	-	1	8	6	-	WALTHAMSTOW.
HASTINGS	68,520	12·2	12·2	11·4	19·0	0·8	7	25	-	16	-	-	-	-	-	-	1	-	1	3	-	HASTINGS.
BRIGHTON	131,900	17·8	12·3	15·8	18·2	3·2	45	46	2	22	-	7	-	-	-	-	1	-	1	10	-	BRIGHTON.
PORTSMOUTH ..	217,989	14·8	14·1	15·5	18·2	2·4	110	76	18	19	-	6	-	2	1	1	-	-	5	17	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	7·8	12·0	11·3	14·8	-	18	21	3	14	-	-	-	-	-	-	-	-	3	-	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	12·7	11·5	13·5	18·9	0·4	44	46	3	18	-	-	-	1	-	-	-	1	3	11	-	SOUTHAMPTON.
READING	84,355	9·9	13·0	6·2	13·6	0·6	26	22	2	14	-	-	-	-	-	-	1	2	2	5	-	READING.
NORTHAMPTON ..	99,113	11·6	13·2	13·2	15·8	0·5	27	30	4	7	-	-	-	-	-	-	1	1	2	5	-	NORTHAMPTON.
IPSWICH	75,936	17·2	17·9	15·8	13·7	1·4	34	20	3	8	-	-	1	1	-	-	-	1	2	4	-	IPSWICH.
GREAT YARMOUTH	53,715	10·7	14·6	15·5	14·6	-	30	15	-	9	-	-	-	-	-	-	-	-	-	2	-	GREAT YARMOUTH.
NORWICH	125,446	16·0	12·1	13·7	15·0	1·2	51	36	8	16	-	-	-	-	3	-	-	2	6	5	1	NORWICH.
PLYMOUTH	126,266	11·6	12·0	19·8	16·5	5·4	43	40	2	13	-	13	-	-	-	-	-	-	1	2	-	PLYMOUTH.
DEVONPORT	84,695	9·2	9·9	8·6	12·3	1·2	34	20	4	6	-	-	-	-	1	1	-	-	2	4	-	DEVONPORT.
BRISTOL	382,550	11·2	12·9	11·9	13·2	0·4	157	97	15	47	-	-	-	-	2	-	1	1	4	25	1	BRISTOL.
STOKE ON TRENT ..	245,726	16·1	20·2	19·1	23·8	3·2	144	112	31	25	-	3	2	3	3	2	2	5	10	20	2	STOKE ON TRENT.
BURTON ON TRENT	54,977	10·4	11·4	11·4	10·4	-	17	11	3	1	-	-	-	-	-	-	-	-	1	2	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	12·3	10·3	15·7	16·7	1·0	34	34	2	12	-	1	-	-	1	-	-	2	5	13	-	WOLVERHAMPTON.
WALSALL	101,035	9·3	14·5	10·8	12·4	2·1	39	24	2	8	-	-	1	-	-	-	3	-	1	2	-	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	9·4	7·2	8·7	10·1	1·4	32	14	2	3	-	-	-	-	-	-	2	-	2	1	-	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	20·5	9·5	11·0	20·5	1·5	24	28	5	9	-	-	-	-	1	-	1	1	1	2	-	WEST BROMWICH.

* See note † on first page of this return.

ended Saturday, 26th November, 1910, and Birth-rates in each of the preceding Weeks.

Towns.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 5th Nov., 1910.	12th Nov., 1910.	19th Nov., 1910.	26th Nov., 1910.	Rate from Diseases in Cols. 11–17. Week ended 26th Nov., 1910.	Registered during the Week ended 26th Nov., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	11·2	15·5	15·8	20·0	1·2	274	219	59	66	-	2	5	2	1	-	3	12	18	59	6	Birmingham.
Kings Norton ..	84,673	7·4	9·2	6·2	9·2	-	29	15	2	8	-	-	-	-	-	-	-	1	1	2	-	Kings Norton.
Smethwick	72,350	10·8	13·0	14·4	10·8	1·4	28	15	6	3	-	-	2	-	-	-	-	-	1	-	-	Smethwick.
Aston Manor ..	86,269	15·1	10·9	20·6	16·3	0·6	39	27	11	5	-	-	-	-	-	-	1	1	1	-	-	Aston Manor.
Coventry	81,449	16·0	12·2	12·8	10·9	1·3	52	17	3	6	-	1	-	-	1	-	-	-	1	3	-	Coventry.
Leicester	248,374	13·6	10·3	13·2	13·2	0·4	98	63	12	24	-	2	-	-	-	-	-	1	3	11	2	Leicester.
Grimsby	74,283	11·2	20·4	21·8	13·3	0·7	31	19	4	4	-	1	-	-	-	-	-	-	1	1	-	Grimsby.
Nottingham ..	266,471	14·7	15·3	17·6	20·2	0·6	113	103	25	41	-	-	-	-	2	-	1	1	5	23	1	Nottingham.
Derby	131,256	13·9	9·9	15·1	16·7	0·8	53	42	6	22	-	-	-	1	-	-	1	2	5	6	-	Derby.
Stockport	105,087	12·9	16·9	20·3	14·9	0·5	42	30	5	14	-	-	-	-	1	-	-	1	3	8	-	Stockport.
Birkenhead ..	122,431	13·6	16·6	17·5	19·6	0·9	64	46	9	16	-	-	-	1	-	-	1	1	1	11	-	Birkenhead.
Wallasey	73,173	7·1	12·1	12·8	7·8	-	26	11	2	2	-	-	-	-	-	-	-	-	2	3	-	Wallasey.
Liverpool	767,606	15·8	15·9	16·0	17·4	1·4	409	256	55	58	-	7	2	3	6	-	3	13	24	92	5	Liverpool.
Bootle	70,548	13·3	12·6	13·3	11·8	-	37	16	4	5	-	-	-	-	-	-	-	-	3	3	1	Bootle.
St. Helens	96,523	18·4	19·4	11·9	16·7	-	50	31	11	8	-	-	-	-	-	-	-	1	1	4	3	St. Helens.
Wigan	91,732	18·8	15·3	14·8	16·5	1·7	44	29	9	6	-	-	-	-	-	3	-	-	1	6	-	Wigan.
Warrington ..	73,295	6·4	12·8	13·5	14·9	1·4	35	21	2	4	-	-	-	-	-	1	1	1	2	6	2	Warrington.
Bolton	190,315	12·1	14·8	14·5	17·8	0·5	96	65	10	21	-	-	-	-	-	1	1	2	5	10	-	Bolton.
Bury	59,409	14·0	15·8	16·7	14·0	2·6	20	16	2	6	-	-	3	-	-	-	-	-	1	4	1	Bury.
Manchester ..	716,354	14·0	17·5	18·9	20·6	1·5	303	283	63	82	-	7	1	5	2	3	3	13	21	60	3	Manchester.
Salford	244,636	17·7	15·3	18·1	17·9	1·3	131	84	16	24	-	-	-	1	1	-	4	1	4	21	1	Salford.
Oldham	144,111	14·8	16·6	19·9	20·6	2·2	62	57	8	15	-	2	-	-	1	1	2	2	3	9	-	Oldham.
Rochdale	90,497	16·1	15·0	13·8	15·0	1·7	37	26	5	8	-	1	-	-	-	-	2	1	2	3	3	Rochdale.
Burnley	107,448	16·5	21·8	22·3	16·5	0·5	42	34	10	7	-	-	-	-	-	1	-	-	2	5	-	Burnley.
Blackburn	137,972	12·8	13·2	19·3	16·6	1·1	59	44	7	16	-	-	-	-	1	2	-	2	2	7	-	Blackburn.
Preston	119,253	14·4	15·7	14·9	18·4	-	44	42	12	14	-	-	-	-	-	-	-	1	3	2	1	Preston.
Barrow in Furness.	63,689	13·1	10·6	14·7	18·0	0·8	37	22	6	9	-	1	-	-	-	-	-	-	-	3	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 26th November, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 5th Nov., 1910.	12th Nov., 1910.	19th Nov., 1910.	26th Nov., 1910.	Rate from Diseases in Cols 11–17. Week ended 26th Nov., 1910.	Registered during the Week ended 26th Nov., 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	15·4	14·9	18·2	24·8	0·6	48	45	9	12	-	-	-	1	-	-	-	1	2	5	-	HUDDERSFIELD.
HALIFAX	112,818	9·2	12·0	9·2	15·3	0·9	36	33	7	10	-	-	-	-	-	2	-	-	2	6	-	HALIFAX.
BRADFORD	295,865	14·3	12·5	13·2	14·1	0·5	101	80	10	28	-	-	1	1	1	-	-	1	5	12	-	BRADFORD.
LEEDS	490,985	15·7	14·7	18·5	17·0	1·6	179	160	37	50	-	11	1	2	1	-	-	4	10	27	-	LEEDS.
DEWSBURY	51,224	14·3	20·4	19·3	18·3	1·0	23	18	4	6	-	1	-	-	-	-	-	-	-	1	-	DEWSBURY.
SHEFFIELD	478,763	13·1	14·7	15·8	13·7	1·1	225	126	32	26	-	6	-	-	1	-	3	5	10	32	1	SHEFFIELD.
ROTHERHAM.. ..	66,414	13·3	21·2	14·9	18·1	3·9	28	23	5	7	-	2	-	1	2	-	-	1	1	5	1	ROTHERHAM.
YORK	88,159	10·6	11·8	15·4	14·2	1·2	33	24	3	9	-	-	-	-	-	1	1	1	2	5	-	YORK.
HULL	280,006	14·2	18·4	18·2	20·1	1·1	153	108	37	24	-	3	-	2	-	1	-	5	12	11	1	HULL.
MIDDLESBROUGH ..	107,014	18·0	18·5	21·9	26·3	1·5	73	54	13	12	-	-	-	-	2	1	-	2	2	9	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	15·5	15·5	11·7	15·5	1·9	27	16	3	5	-	1	-	1	-	-	-	1	1	6	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	5·7	18·5	14·7	9·6	1·9	28	15	3	3	-	1	-	2	-	-	-	1	2	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	14·2	17·2	18·5	16·5	1·0	73	51	10	20	-	-	-	1	1	-	1	5	6	7	1	SUNDERLAND.
SOUTH SHIELDS ..	119,737	11·3	10·9	15·2	13·1	-	65	30	7	9	-	-	-	-	-	-	-	1	1	1	3	SOUTH SHIELDS.
GATESHEAD	133,676	12·9	12·9	15·6	14·4	1·2	66	37	11	8	-	-	-	1	1	-	1	-	-	2	5	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	10·6	13·7	14·0	14·8	0·5	134	81	14	33	-	1	-	-	1	-	1	1	4	11	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	19·4	25·0	19·4	26·8	5·5	27	29	9	3	-	5	-	-	-	-	1	3	3	4	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	11·1	6·5	10·5	13·1	0·7	42	20	6	6	-	-	-	1	-	-	-	-	2	2	-	NEWPORT (MON.).
CARDIFF	199,189	8·6	14·1	14·1	13·1	1·3	79	50	13	15	-	-	1	2	-	1	1	1	5	12	-	CARDIFF.
RHONDDA	138,674	15·8	19·9	15·4	19·2	1·1	110	51	19	7	-	1	1	-	-	-	1	3	4	1	-	RHONDDA.
MERTHYR TYDFIL..	79,522	7·9	15·1	11·8	17·7	-	48	27	10	7	-	-	-	-	-	-	-	1	3	6	1	MERTHYR TYDFIL.
SWANSEA	98,817	19·5	19·0	18·5	19·5	2·1	47	37	7	9	-	-	-	3	-	-	1	2	2	4	-	SWANSEA.
GREATER LONDON	7,537,196	12·0	13·9	14·6	17·3	1·3	3066	2507	453	925	-	109	5	17	24	4	23	68	215	829	1	GREATER LONDON.
OUTER RING ..	2,664,494	9·9	10·3	11·3	13·6	0·7	1084	696	133	296	-	15	1	5	9	2	6	20	59	125	-	OUTER RING.
8 TOWNS IN OUTER RING	1,321,914	9·9	10·8	10·6	13·5	0·9	549	341	76	128	-	12	1	4	3	1	3	10	33	65	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	9·8	9·8	12·0	13·8	0·5	535	355	57	168	-	3	-	1	6	1	3	10	26	60	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	13·0	13·6	16·8	13·9	0·9	130	96	10	39	-	-	1	3	-	-	2	3	?	35	5	EDINBURGH.
GLASGOW	884,505	14·3	13·8	16·1	16·8	1·8	380	285	42	84	-	1	6	5	8	2	9	6	?	97	9	GLASGOW.
DUBLIN (Registration Area).†	402,928	18·1	17·1	20·3	21·0	1·9	182	162	26	45	-	1	-	2	6	2	4	3	1	74	7	DUBLIN (Registration Area).†
BELFAST†	391,167	14·4	16·3	17·6	17·9	0·7	181	134	24	34	-	2	1	-	1	-	1	5	6	37	-	BELFAST.†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SEVENTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2538	2519	2410	2342	2356	2366	2532	2214	2187	2195	2353·8	1982
Males - - -	1311	1316	1207	1186	1254	1202	1305	1168	1088	1116	1203·9	1019
Females - -	1227	1203	1203	1156	1102	1164	1227	1046	1099	1079	1149·9	963
TOTAL **Deaths** -	1515	1939	1532	1536	1502	1739	1453	1373	1357	1412	1508·1	1811
Males - - -	761	997	811	791	772	881	745	715	701	742	775·0	881
Females - -	754	942	721	745	730	858	708	658	656	700	733·1	930

* The numbers in this column are the average weekly numbers in the Forty-Seventh week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	13 Weeks.
TOTAL **Births** -	2118	2088	2050	2079	2237	2140	2029	2227	2318	2167	2243	2180	1982	27858
TOTAL **Deaths** -	1005	1009	1140	1118	1215	1148	1200	1176	1209	1226	1476	1537	1811	16270
Ages at Death: Under 1 year -	223	253	275	249	275	276	271	286	259	276	283	314	320	3560
1–5 years -	100	121	95	106	113	96	120	125	143	155	190	187	213	1764
5–20 " -	69	46	63	53	50	62	68	45	49	51	74	71	87	788
20–40 " -	116	111	147	133	136	141	145	149	141	150	149	154	185	1857
40–60 " -	198	206	225	243	271	241	264	246	252	230	313	315	377	3381
60 yrs. & upwds.	299	272	335	334	370	332	332	325	365	364	467	496	629	4920
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	23	21	27	18	15	18	17	33	44	50	67	85	94	512
Scarlet Fever - -	5	2	4	3	4	3	5	4	2	3	3	8	4	50
Diphtheria - -	5	10	5	9	10	8	5	11	9	6	13	15	12	118
Whooping-cough -	8	12	15	11	10	10	7	7	7	10	7	7	15	126
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	3	6	12	10	7	16	9	11	6	8	4	2	97
Pyrexia (origin uncertain).	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	96	94	104	76	82	59	73	69	41	35	29	23	17	798
All above diseases -	140	143	161	129	131	105	123	133	114	110	127	142	144	1702
Dis. of Resp. System	50	47	51	52	66	53	70	81	111	102	150	193	317	1343
Pneumonia - -	65	67	69	71	112	112	92	113	123	144	169	203	241	1581
Phthisis - - -	87	91	113	100	104	105	107	89	114	114	154	120	166	1464
Dis. of Circ. System -	145	147	180	171	202	163	167	153	161	164	206	236	253	2348
Violence - - -	43	53	38	50	53	66	58	42	47	46	41	54	48	639
Inquest Cases - -	109	112	107	125	119	128	139	106	117	121	118	150	156	1607
Deaths in Institutions	418	523	528	528	540	512	557	507	533	533	652	630	704	7165
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	58·3	54·7	56·1	53·8	58·6	57·4	53·1	51·4	51·2	42·7	40·8	40·0	34·1	50·2
Mean of Highest -	67·4	61·8	63·8	63·2	69·0	66·0	60·2	57·9	55·9	49·5	49·7	45·4	39·2	57·6
Mean of Lowest -	50·8	49·1	50·4	44·4	49·2	50·4	48·5	45·3	46·7	37·4	32·4	35·0	28·4	43·7
Mean Humidity of the Air.	77	79	81	76	88	79	85	86	89	83	83	79	89	83
Rain-fall (in inches) -	0·41	0·02	0·66	0·00	0·10	0·08	0·61	0·63	0·30	1·03	0·31	0·53	0·62	5·30
Registered Sunshine (in hours).	38·6	15·7	21·2	55·4	30·7	33·6	8·8	14·6	7·3	11·5	24·7	14·5	1·9	278·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1455	1462	1509	1560	1653	1706	1745	1792	1847	1856	1882	1843	1769	1698
Diphtheria - - -	592	630	672	709	751	788	835	843	855	861	892	887	877	784
Typhus - - -	1	1	1	1	1	1	-	-	-	-	-	-	-	-
Enteric Fever - -	60	79	102	123	144	163	175	179	170	175	165	146	135	140

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SEVENTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objection should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 47th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1508·1	1811	320	213	87	185	377	629
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	30·7	94	18	65	11	-	-	-
Scarlet Fever	9·6	4	-	2	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	14·7	22	1	1	2	4	6	8
Whooping-cough	15·8	15	4	10	1	-	-	-
Diphtheria	16·4	12	-	5	7	-	-	-
Cerebro-spinal Fever ..	0·2	1	1	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	4·1	2	-	-	-	1	-	1
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	8·8	7	7	-	-	-	-	-
Diarrhœa, Dysentery ..	12·9	10	4	2	-	-	2	2
Tetanus	1·0	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	9·6	6	4	-	-	1	1	-
Puerperal Septicæmia ..	3·3	2	-	-	-	1	1	-
Puerperal Pyæmia.. .	0·4	-	-	-	-	-	-	-
Puerperal Fever	-	2	-	-	-	1	1	-
Infective Endocarditis ..	4·5	1	-	-	1	-	-	-
Pneumonia: Lobar ..	19·5	27	4	4	2	5	6	6
Pneumonia: Broncho ..	87·9	123	53	41	2	1	12	14
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	69·8	91	17	22	5	17	10	20
Erysipelas	6·3	3	-	-	-	-	1	2
Septicæmia (not Puerperal)	1·0	1	-	-	-	-	-	1
Pyæmia (not Puerperal)	1·0	1	-	-	-	-	1	-
Other Infective Processes	4·1	5	-	-	1	-	2	2
Tuberculous Phthisis ..	95·8	109	1	2	8	46	38	14
"*Phthisis*"	45·3	57	-	1	6	21	24	5
Tuberculous Meningitis ..	19·7	15	5	5	4	1	-	-
Tuberculous Peritonitis ..	11·7	7	4	1	1	-	1	-
Tabes Mesenterica	1·8	3	2	1	-	-	-	-
Tuberculous Dis., Other ..	19·3	14	1	2	1	2	6	2
Scrofula..	0·4	-	-	-	-	-	-	-
Alcoholism	10·9	7	-	-	-	1	3	3
Rheumatic Fever	7·4	4	-	-	1	2	1	-
Gout	2·3	3	-	-	-	-	-	3
Carcinoma	62·9	60	-	1	-	2	25	32
Sarcoma	5·3	5	-	-	-	2	3	-
Cancer (undefined) ..	30·7	31	-	-	-	1	10	20
Diabetes Mellitus	9·2	14	-	-	1	3	4	6
Premature Birth	49·6	42	42	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 47th week of the 5 years 1905–1909	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	11·9	12	3	3	2	2	
Gen. Par. of Insane, Insanity	13·9	14	-	-	-	2	
Epilepsy	5·5	9	-	-	1	1	
Convulsions	12·9	10	9	1	-	-	-
Locomotor Ataxy.. ..	2·5	-	-	-	-	-	-
Paraplegia, Dis. of Cord.	4·7	6	-	1	-	-	
Nervous Sys., Other Dis.	16·8	17	-	-	-	2	
Valv. Dis., Endocarditis..	49·8	64	-	-	7	9	2
Cereb. Hæm. Cereb. Emb.	39·9	51	-	-	-	3	1
Apoplexy, Hemiplegia ..	17·0	15	-	1	-	1	2
Aneurysm	5·5	8	-	-	-	3	3
Embolism, Thrombosis (not Cerebral) ..	0·8	2	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	89·6	113	-	-	2	6	33
Croup (not Spasm: nor Memb.)	1·6	-	-	-	-	-	-
Bronchitis	164·9	283	52	17	2	9	47
Emphysema, Asthma ..	9·0	12	-	-	-	1	8
Pleurisy	4·5	6	-	1	-	1	2
Respiratory Dis., Other..	15·8	16	1	-	-	3	2
Tonsillitis, Quinsy.. ..	1·0	1	-	1	-	-	-
Enteritis (not Epid.) ..	13·1	15	9	4	-	1	-
Gastro-enteritis	6·8	9	7	1	-	-	-
Peritonitis (not Puerp.) ..	2·7	5	-	1	2	2	-
Cirrhosis of Liver.. ..	13·5	13	-	-	1	-	8
Liver Dis., Other	5·7	4	-	-	-	-	2
Digestive Sys., Other Dis.	34·4	30	2	1	2	8	9
Acute Nephritis	7·0	10	-	-	1	3	5
Bright's Dis., Albuminuria	40·5	55	-	-	3	2	20
Urinary Sys., Other Dis.	7·8	9	-	1	-	-	-
Generative Organs Dis...	4·7	7	-	-	-	1	5
Childbirth (Accid. of) ..	4·3	3	-	-	-	3	-
Old Age	57·5	64	-	-	-	-	-
Other Diseases	88·0	100	60	12	5	1	9
ACCIDENT.							
By Railways	1·6	1	-	-	-	1	-
By Vehicles and Horses..	5·9	2	-	-	-	-	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	1	-	-	-	-	1
In Building Operations..	0·8	-	-	-	-	-	-
In Conflagrations	0·8	-	-	-	-	-	-
By Burns, Scalds, Explosions	9·2	11	-	2	3	1	1
By Drowning	2·7	3	-	-	-	-	3
By Suffocation in Bed ..	8·6	7	7	-	-	-	-
By Poisons or Poisonous Vapours	2·0	3	-	1	-	1	1
Other Deaths by Accident..	17·2	13	2	-	-	2	1
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	1·4	-	-	-	-	-	-
Suicide	9·8	6	-	-	-	4	2
Execution	-	1	-	-	-	-	1

* In tables 3 and the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th November, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	1982	1811	320	629	-	94	4	12	15	2	17	166	48	156	704	1
WEST DISTRICTS	805,311	265	261	42	102	-	10	-	3	4	-	4	17	4	16	109	-
NORTH DISTRICTS	1,055,908	420	416	59	158	-	29	1	4	1	1	2	34	5	36	148	-
CENTRAL DISTRICTS	209,465	94	84	23	15	-	4	-	-	1	-	-	9	4	9	44	-
EAST DISTRICTS	715,739	409	315	76	88	-	11	-	2	4	-	4	30	19	54	139	-
SOUTH DISTRICTS	1,749,844	794	686	120	257	-	39	3	1	5	-	5	68	16	41	215	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	49	-	9	-	1	-	2	-	1	2	8	-	-	49	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	25	13	1	6	-	-	-	-	-	-	-	1	-	-	1	-
Central Paddington *W,3H*	50,053	22	27	7	13	-	2	-	-	-	-	3	-	1	2	15	-
South Paddington	30,320	6	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-
Kensington South *W,3H*	85,610	18	28	2	12	-	1	-	-	-	-	-	1	-	3	16	-
Kensington Central *W,H*	42,774	11	15	2	3	-	1	-	1	-	-	-	2	1	2	2	-
Kensington North *w*	48,244	18	34	4	18	-	1	-	-	1	-	-	3	1	4	19	-
North Hammersmith *2W,w,H* ..	49,192	30	20	6	8	-	-	-	-	2	-	1	-	-	1	6	-
South Hammersmith *w,2H* ..	63,047	25	12	2	5	-	1	-	-	-	-	-	-	-	-	2	-
North-west Fulham *W*	45,180	28	26	3	7	-	2	-	-	1	-	-	2	-	-	15	-
North-east Fulham *F*	46,405	16	15	3	4	-	1	-	2	-	-	-	1	-	-	5	-
South Fulham *W*	45,704	14	5	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	9	15	1	8	-	-	-	-	-	-	-	6	-	-	13	-
Chelsea South *W,2H*	31,328	13	13	4	5	-	-	-	-	-	-	-	1	-	2	2	-
Mayfair and Knightsbridge	28,743	3	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	9	11	2	4	-	-	-	-	-	-	-	-	1	1	6	-
St. Margaret & St. John *6H*	43,698	14	10	2	1	-	-	-	-	-	-	-	-	-	-	5	-
St. James and St. Anne *W,6H* ..	33,081	4	7	-	1	-	-	-	-	-	-	-	-	-	-	2	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	9	16	2	5	-	-	-	-	-	-	1	-	-	1	8	-
St. Mary Marylebone *W,4H* ..	37,948	42	12	1	6	-	-	-	-	-	-	-	1	-	1	5	-
Christchurch Marylebone *H* ..	39,536	14	9	1	5	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	2	5	-	4	-	-	-	-	-	-	-	2	-	-	1	-
Hampstead *W,F,6H*	81,942	13	30	3	12	-	2	1	2	-	-	-	2	-	2	16	-
West St. Pancras *2H*	60,562	20	19	4	6	-	-	-	-	-	-	1	-	1	5	5	-
South St. Pancras *w,10H*	55,707	11	24	2	10	-	-	-	-	-	1	-	3	-	2	15	-
East St. Pancras *W,H*	60,320	20	34	10	10	-	4	-	-	-	-	-	2	1	4	18	-
North St. Pancras *2W*	58,728	26	29	2	11	-	3	-	-	-	-	-	3	1	2	15	-
Tufnell *W*	31,995	22	43	2	19	-	2	-	1	-	-	-	4	-	1	29	-
Upper Holloway *2W,w,H*	33,978	22	21	5	4	-	1	-	-	1	-	-	2	-	-	9	-
Tollington *2W,w,H*	33,922	17	12	1	5	-	3	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	15	14	3	3	-	3	-	-	-	-	-	2	1	2	-	-
Barnsbury	54,478	21	17	3	4	-	7	-	-	-	-	-	1	-	1	-	-
Islington South-east *F*	75,397	28	16	2	5	-	2	-	-	-	-	-	2	-	1	-	-
Highbury *2H*	63,797	24	14	-	8	-	2	-	-	-	-	-	1	-	-	-	-
Stoke Newington *H*	51,247	19	15	1	8	-	-	-	-	-	-	-	2	-	1	-	-
North Hackney	50,398	23	22	7	9	-	-	-	-	-	-	-	1	-	2	-	-
Central Hackney *2w,F*	50,536	23	15	1	3	-	-	-	1	-	-	-	3	-	1	3	-
South-west Hackney *3H*	59,921	24	18	2	10	-	-	-	-	-	-	-	1	-	3	6	-
South-east Hackney *2W,w,H* ..	58,255	25	30	7	10	-	-	-	-	-	-	-	2	1	7	17	-
Hackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th November, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	13	5	1	1	-	-	-	-	-	-	-	1	-	-	2	-
Strand *W*,4*H*	21,674	1	14	3	1	-	-	-	-	-	-	-	2	2	2	11	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-
Holborn *W*,5*H*	29,612	5	15	4	3	-	1	-	-	1	-	-	1	-	-	9	-
Clerkenwell *H*	63,704	36	18	6	3	-	-	-	-	-	-	-	2	-	3	-	-
St. Luke 3*H*,*L*	36,116	37	15	8	2	-	2	-	-	-	-	-	1	1	1	6	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	-	15	1	3	-	1	-	-	-	-	-	1	1	2	15	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	20	7	4	1	-	1	-	-	-	-	-	2	1	1	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	11	35	11	12	-	6	-	1	-	-	1	2	1	3	24	-
Shoreditch North-East	36,148	23	9	4	1	-	-	-	-	1	-	-	1	-	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	34	56	12	21	-	1	-	-	-	-	1	6	2	8	35	-
Bethnal Green South-West *H* ..	64,542	45	19	5	3	-	-	-	-	1	-	-	2	2	3	2	-
Spitalfields..	27,969	10	5	1	2	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *W*,*H*	28,718	19	24	3	5	-	-	-	-	-	-	-	-	3	7	23	-
Goodman's Fields	22,081	4	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-
St. George and St. John 2*W* ..	49,068	34	25	8	6	-	-	-	1	-	-	-	3	1	5	8	-
Shadwell and Ratcliff *w*,*H* ..	25,568	17	7	4	-	-	-	-	-	-	-	-	-	1	1	6	-
Limehouse *W*	32,369	17	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	37	16	3	4	-	1	-	-	-	-	1	1	-	1	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	31	22	2	13	-	1	-	-	-	-	-	3	1	4	10	-
Bow	41,989	23	14	5	2	-	-	-	-	1	-	-	1	1	6	-	-
Bromley 3*w*,*H*	68,319	53	43	6	13	-	-	-	-	-	-	-	6	2	6	29	-
Poplar *W*,*w*	58,514	31	24	6	3	-	1	-	-	1	-	1	2	4	6	-	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

LE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th November, 1910.

EGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
ristchurch and St. Saviour } outhwark *W,2H* .. .. }	23,319	6	23	3	4	-	2	-	-	1	-	-	-	1	3	18	-
nt-road	21,904	9	4	-	1	-	3	-	-	-	-	-	-	-	-	-	-
George the Martyr West } *W,2H,L* .. .. }	39,094	22	20	7	4	-	3	-	-	2	-	1	1	-	-	10	-
wington North	49,022	25	11	2	2	-	3	-	-	-	-	-	-	-	1	-	-
wington South *2W*	72,841	37	15	4	8	-	-	-	-	-	-	-	-	-	-	4	1
Olave *2W*	9,817	4	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
rmondsey *W*	82,483	37	22	6	8	-	2	-	-	-	-	-	1	-	2	-	-
therhithe *W,F*	38,460	17	28	4	10	-	-	-	-	-	-	-	9	1	1	19	-
terloo *2H*	27,440	25	14	7	3	-	5	-	-	-	-	-	-	-	-	2	-
mbeth Church *H*	27,440	16	24	4	4	-	3	-	-	-	-	-	1	2	2	14	-
nnington *2W*	52,518	24	41	6	15	-	1	-	-	-	-	1	4	-	-	20	-
ckwell *HF*	63,826	24	17	4	5	-	-	1	-	-	-	1	-	2	3	1	-
ixton *H*	73,673	29	29	5	7	-	-	-	-	1	-	-	2	1	2	2	-
rwood *2WH*	56,998	31	20	2	12	-	-	-	-	-	-	-	1	-	1	-	-
st Battersea *H*	72,203	25	27	7	6	-	2	-	-	-	-	-	1	1	2	1	-
rth-west Battersea	49,656	29	12	2	3	-	1	-	-	1	-	-	1	-	1	-	-
uth-west Battersea *2W,H* ..	47,048	15	29	3	15	-	-	-	-	-	-	-	6	1	2	15	-
apham *2H*	51,361	17	9	1	3	-	1	-	-	-	-	-	1	-	-	1	-
eatham *W,2w,2F,2L*	88,019	49	45	1	25	-	-	-	-	-	-	-	3	1	3	12	-
ringfield *2W,L*	27,959	26	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
uthfields *H*	40,444	21	9	-	8	-	-	-	-	-	-	-	-	1	1	1	-
tney	24,139	10	10	1	3	-	1	-	-	-	-	-	1	1	1	-	-
lwich	13,359	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
mberwell South *W,w*	40,206	24	42	5	21	-	-	-	-	-	-	-	8	-	1	34	-
mberwell North *W,2L*	65,584	32	42	8	17	-	3	-	-	-	-	-	7	2	4	25	-
George	47 331	19	9	2	2	-	2	-	-	-	-	-	-	-	-	-	-
ckham North	48,913	29	13	1	3	-	4	-	-	-	-	1	-	1	2	-	-
ckham South *2W,w*	43,946	13	15	2	9	-	1	-	-	-	-	-	2	-	-	-	-
ptford North *F*	49,004	24	14	2	3	-	1	1	1	-	-	-	1	-	-	3	-
ptford East	29,781	11	10	2	3	-	-	-	-	-	-	-	-	-	1	-	-
ptford South	38,934	17	10	3	5	-	-	-	-	-	-	-	1	-	1	-	-
eenwich West *H*	23,456	10	7	3	3	-	-	-	-	-	-	-	2	-	1	-	-
eenwich East *2W,H*	43,859	18	28	7	10	-	2	-	-	-	-	-	3	-	3	16	-
tham *w,H*	7,226	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e *w,H*	25,490	10	8	3	4	-	-	-	-	-	-	-	1	1	1	1	-
wisham *2W,w,F*	58,352	26	23	3	14	-	-	-	-	-	-	1	3	-	-	7	-
denham *H*	43,653	11	13	2	3	-	1	-	-	-	-	-	2	-	-	-	-
arlton *F,2H*	21,134	4	9	2	4	-	-	1	-	-	-	-	1	-	1	2	-
oolwich *5H*	41,625	16	6	-	2	-	-	-	-	-	-	-	2	-	-	-	-
umstead West *W,H*	39,376	13	9	2	4	-	-	-	-	-	-	-	2	-	-	-	-
umstead East *2W*	28,951	11	10	2	2	-	-	-	-	-	-	-	1	-	-	6	-
orkhouses:—																	
elmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
entral London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
. A. B. Small-pox Hospitals:—																	
ong Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. A. B. Fever Hospitals:—																	
ore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orth-Eastern	—	-	3	-	-	-	1	-	2	-	-	-	-	-	-	3	-
orthern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. A. B. Children's Hospital:—																	
hildren's Infirmary, Carshalton..	—	-	3	-	-	-	-	-	-	-	-	-	1	-	-	3	-
. A. B. Imbecile Asylums:—																	
aterham	—	-	6	-	1	-	-	-	-	-	-	-	1	-	-	6	-
arenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ondon County Lunatic Asylums:—																	
anstead	—	-	9	-	5	-	-	-	-	-	-	-	4	-	-	9	-
well (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
orton	—	-	5	-	-	-	-	-	-	-	1	-	-	-	-	5	-
anor	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
ong Grove	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
ane Hill	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
artford Heath	—	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	-
anwell	—	-	5	-	1	-	-	-	-	-	-	1	-	-	-	5	-
olney Hatch	—	-	2	-	1	-	-	-	-	-	-	1	-	-	-	2	-
laybury	—	-	5	-	-	-	-	-	-	-	-	-	1	-	-	5	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongi the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums B Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERA POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 26th November, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	4,045,135	1084	696	133	296	-	15	1	5	9	2	6	20	59	125
31 : 1	Carshalton 2F,3H	12,228	32,997	6	7	1	3	-	-	-	-	-	-	-	-	-	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	5	4	-	3	-	-	-	-	-	-	-	-	-	3
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	1	-	1	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	3	2	-	1	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	24	13	2	11	-	-	-	-	-	-	-	-	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	29	18	4	8	-	-	-	-	-	-	-	2	4	9
4	North Croydon H	2,644	41,698	18	13	2	6	-	-	-	-	-	-	1	-	2	-
5	Penge w	770	22,465	3	3	-	1	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	17	11	5	3	-	-	-	-	-	-	1	1	2	-
40 : 1	Wimbledon F,3H	3,221	41,652	16	12	-	8	-	-	-	-	1	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	18	23	-	13	-	-	-	-	-	-	-	-	5	7
3	Surbiton F,H	3,046	15,017	6	4	1	1	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	8	4	-	2	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	13	7	2	4	-	-	-	-	-	-	-	-	-	-
41 : 1	Richmond W,H	2,491	31,672	8	7	-	7	-	-	-	-	-	-	-	1	-	1
2	Mortlake F	2,518	17,821	11	4	-	2	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	14	8	1	6	-	-	-	-	1	-	-	-	1	-
2	Beckenham H	7,832	28,454	11	8	1	1	-	-	-	-	-	-	1	2	2	-
3	Orpington, *part of** W,F ..	10,113	9,857	6	5	1	2	-	-	-	-	1	-	-	-	-	3
4	Chislehurst 2H	7,333	16,446	2	1	-	1	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley w,F,H	8,678	21,151	6	3	-	1	-	1	-	-	-	-	-	1	1	-
2	Erith F,H	3,854	25,296	11	4	-	2	-	1	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2
126 : 1	Sunbury w	11,054	18,683	7	5	1	1	-	-	-	-	-	-	-	-	2	-
2	Staines W,H	13,277	15,178	13	5	-	3	-	-	-	-	-	-	-	-	-	2
127 : 1	Hillingdon W,F,H	6,035	13,661	6	2	1	1	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	8	3	1	2	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	10	5	2	3	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	30,863	19	15	2	6	-	-	-	-	1	-	-	-	2	6
2	Twickenham F,2H	2,421	20,991	8	4	2	1	-	-	-	-	-	-	-	-	1	1
3	Hanwell w,2H	4,108	11,257	10	6	1	1	-	-	-	-	-	-	-	-	-	-
4	Brentford 3F,2H	4,038	48,202	32	17	3	8	-	-	-	-	-	-	-	-	-	-
5	Chiswick H	1,249	29,809	21	12	2	5	-	-	-	-	-	-	-	1	2	-
6	Acton F,H	2,305	37,744	25	17	7	6	-	-	-	-	1	-	-	2	1	1
129 : 1	Willesden W,F,2H	4,384	114,811	70	35	14	7	-	-	-	-	-	-	1	-	1	1
130 : 1	Harrow F,H	13,809	25,523	19	5	-	2	-	-	-	-	-	-	-	1	1	-
2	Edgware 2F,2H	6,994	4,521	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	9	3	-	2	-	-	-	-	-	-	-	-	1	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	1	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	14	9	-	7	-	-	-	-	-	-	-	-	-	7
3	Finchley F,3H	4,688	33,692	16	16	4	5	-	-	-	-	1	1	-	-	-	2
132 : 1	Hornsey F,H	2,875	72,056	29	13	2	8	-	-	-	-	-	-	-	-	3	-
2	Wood Green H	1,625	34,233	19	21	4	7	-	1	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	27	19	6	8	-	4	-	-	-	-	-	-	3	-
4	East Tottenham 2H ..	2,019	53,962	51	21	6	1	-	5	-	1	-	-	1	-	1	4
5	Edmonton W,w,2F	7,491	61,892	41	36	5	21	-	-	-	-	-	-	-	-	2	18
6	Enfield 2W,F,H	12,601	42,738	24	13	3	5	-	-	-	-	-	-	-	-	1	-
7	Waltham Abbey F	11,017	6,549	1	2	1	-	-	-	-	-	-	-	-	1	1	-
8	Cheshunt F,H	8,479	12,292	1	-	-	-	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	1	1	-	-	-	-	-	1	-	-	-	-	-	1
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	5	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	3	-	3	-	-	-	-	-	-	-	-	-	1
188 : 1	Stratford H	1,091	53,974	18	12	5	4	-	-	-	-	1	-	-	-	-	1
2	Forest Gate	787	52,745	21	17	1	7	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	71	33	8	12	-	1	1	1	2	1	-	2	3	5
4	Canning Town H	1,556	70,718	46	25	5	5	-	2	-	-	-	-	-	3	3	1
5	South East Ham 2F ..	1,991	37,342	26	17	4	6	-	-	-	-	-	-	-	1	1	-
6	North East Ham w,H ..	1,333	58,666	30	13	3	4	-	-	-	-	-	-	-	1	1	-
7	Wanstead F	1,679	9,179	4	2	-	2	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	18	17	2	11	-	-	-	-	-	-	-	-	-	9
9	North Leyton 2W,w,F ..	1,963	48,445	27	33	5	10	-	-	-	1	-	-	-	-	1	17
10	Walthamstow 2H L ..	6,504	108,929	50	28	7	13	-	-	-	-	-	-	1	1	9	-
189 : 1	Chigwell 2F,3H	11,778	16,397	11	3	-	3	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	7	5	-	3	-	-	-	-	-	-	-	-	-	5
2	Ilford F,L	8,496	41,244	16	13	3	6	-	-	-	-	-	-	-	-	1	3
3	Barking Town F	3,805	21,547	10	9	1	4	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2
	Central London Sick Asylum, Hendon.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1
	London County Lunatic Asylum, Claybury.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	5	-	2	-	-	-	-	-	-	-	-	-	5
	Essex County Lunatic Asylum, Brentwood.	—	—	-	4	-	-	-	-	-	-	-	-	-	-	-	4

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Oute Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Eshe parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting th part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Rin in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : and in the Croydon Mental Hospital in 38 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
DON* - -	4,872,702	November 26	1982	1811	19·4	-	94	4	12	15	2	32
CUTTA - -	1,009,008	October 22	-	395‡	20·3	-	-	-	1	-	2	11
BAY - -	977,822	November 8	394	602‡	32·0	-	3	-	-	-	1	32
DRAS - -	509,346	October 28	381	396‡	40·4	2	1	?	?	?	1	31
IS* - -	2,772,467	November 19	862	830	15·7	-	1	-	4	3	5	28
SSELS* -	720,030	" 19	220	185	13·4	-	-	-	1	-	2	11
WERP* - -	317,171	" 19	118	68	11·1	-	5	1	-	-	-	7
TERDAM* -	574,429	" 19	240	134	12·2	-	1	-	2	1	2	1
ENHAGEN -	455,000	" 19	253	125	14·3	-	-	1	-	-	-	5
CKHOLM -	341,816	" 5	141	84	12·8	-	-	2	1	1	-	1
RISTIANIA -	240,178	" 19	117	58	12·6	-	-	-	1	-	-	1
PETERSBURG	1,620,000	" 5	965	648‡	20·9	2	4	15	10	6	5	43
COW - -	1,493,600	" 12	-	702	24·5	2	4	27	24	2	9	63
LIN - -	2,129,739	" 5	824	567	13·9	-	2	8	10	2	3	28
IBURG - -	911,500	" 19	-	267	15·5	-	2	3	19	3	-	21
SLAU - -	509,992	" 12	-	173	17·7	-	1	1	2	4	-	15
NICH - -	576,000	" 12	266	188	17·0	-	9	-	-	3	-	14
NNA* - -	2,107,981	" 12	750	554	13·5	-	4	11	2	5	4	25
GUE* - -	497,905	October 29	172	169	17·3	-	-	2	3	-	-	11
APEST* -	833,703	November 12	465	270	16·8	-	1	5	2	-	1	16
ESTE* - -	221,124	" 19	143	84	19·5	-	-	-	-	1	-	-
E - - -	590,113	September 17	252	169	14·9	-	1	-	-	1	2	15
ICE - -	183,224	October 1	75	54	15·4	-	-	-	1	-	2	4
AREST - -	297,643	November 5	142	119	20·8	-	-	7	1	-	5	4
W YORK* -	4,803,264	October 29	2301	1246	13·5	-	1	2	18	3	14	98
		November 5	2498	1226	13·3	-	6	6	23	3	15	70
AGO* - -	2,185,283	" 5	-	572	13·7	-	1	6	26	-	9	54
ADELPHIA*	1,598,400	October 15	-	-	-	-	-	-	-	-	-	-
DE JANEIRO	842,822	" 23	-	363	22·4	-	17	-	2	4	1	?
O:—*												
yptians -	620,443	" 21	634	371	31·1	-	2	-	20	-	2	71
reigners -	62,510	" 21	5	11	9·2	-	-	-	-	-	1	1
XANDRIA :—*												
yptians -	319,087	" 21	311	186	30·3	-	-	-	2	-	2	39
reigners -	68,829	" 21	3	13	9·8	-	-	-	1	-	-	2

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to dren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 7 deaths from *plague* in Calcutta and 12 in Bombay, and from *Asiatic cholera*, 25 deaths in Calcutta, 1 in bay, 4 in Madras, and 10 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 26th November, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
DON (Greenwich)	42·0	22·3	33·8	0·62	BRADFORD - -	44·9	24·1	33·4	0·39
HTON - -	45·9	28·7	38·1	0·53	YORK - - -	44·0	23·0	35·0	0·07
SMOUTH - -	45·0	28·0	38·4	1·15	HULL - - -	44·0	25·0	35·8	0·07
VICH - -	43·2	25·4	35·5	0·17	TYNEMOUTH - -	43·0	23·0	34·6	0·30
OUTH - -	55·0	33·9	45·4	1·60	CARDIFF - -	43·2	27·0	37·0	1·48
TOL - - -	44·0	26·0	36·8	0·95	EDINBURGH - -	43·3	25·5	35·0	0·18
INGHAM - -	39·0	26·4	34·3	0·92	GLASGOW - -	45·3	18·2	32·7	0·65
INGHAM - -	44·0	22·0	32·6	0·48	DUBLIN { Phœnix Park.	52·8	26·1	42·2	1·21
RPOOL (OBSERVATORY.)	42·0	27·0	36·0	0·83	DUBLIN { Fitz-william Square.†	52·1	31·1	43·1	1·14
CHESTER -	38·8	19·6	32·1	0·56					
LEY - -	41·6	20·0	32·8	0·28					
DERSFIELD -	42·5	22·2	33·7	0·27	BELFAST - - -	43·2	22·0	36·6	1·01

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to eventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The ection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the e was 0°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 26th November, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 20	..	29·814	39·5	31·2	8·3	35·1	− 7·1	30·4	4·7	10·3	1·7	83	45·0	23·6	46·80	WSW. & W.	NW., N. & NNW.	2·2	0·0	0·1	277	− 19	0·08	0·0
MONDAY - 21	..	29·900	40·6	27·1	13·5	33·5	− 8·6	29·7	3·8	7·7	1·2	86	43·0	21·1	46·50	N., NW. & WSW.	N.	0·1	0·0	0·0	171	−126	0·00	0·0
TUESDAY - 22	..	29·934	36·3	24·1	12·2	29·2	−12·9	27·8	1·4	5·7	0·0	94	31·1	19·6	46·01	W. & WSW.	WSW., N. & SW.	0·0	0·0	0·0	157	−143	0·00	0·0
WEDNESDAY 23	Last Qr.	29·821	37·6	22·3	15·3	31·9	−10·1	31·2	0·7	3·0	0·0	97	40·0	17·3	45·52	Calm	SSE., SE. & ESE.	1·7	0·0	0·0	146	−157	0·48	6·0
THURSDAY - 24	..	29·861	42·0	35·8	6·2	39·1	− 2·9	34·7	4·4	7·0	1·0	84	49·9	33·5	45·00	SE.	SE. & ESE.	1·4	0·0	0·1	218	− 88	0·03	3·0
FRIDAY - 25	..	29·615	39·7	31·4	8·3	36·2	− 5·7	32·5	3·7	5·8	1.0	86	47·4	26·0	44 72	ESE. & E.	ENE., NE. & NNE.	2·1	0·0	0·1	250	− 62	0·03	0·0
SATURDAY - 26	In Eqr.	29·798	38·6	27·2	11·4	33·4	− 8·4	30·8	2·6	5·5	0·4	90	44·2	20·5	44·63	Calm & WSW.	S. & SSW.	0·0	0·0	0·0	120	−197	0·00	0·0
MEANS - -		29·820	39·2	28·4	10·7	34·1	− 8·0	31·0	3·0	6·4	0·8	89	42·9	23·1	45·60	Variable		..	..	..	Sum 1339	Sum −792	Sum 0·62	1·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. NOVEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 20	v.P. till 5h. A.M.; w.P. and v.N. till 10h. A.M.; m.P. till 1h. P.M.; s.P. afterwards.	0·9	8·6
MONDAY - 21	s. P. generally.	0·6	8·6
TUESDAY - 22	s. P. till 8h. A.M.; m. P. till noon; then s. P. generally.	0·0	8·5
WEDNESDAY 23	s. P. till 6h. A.M.; v.P. till 1h. P.M.; v. N. principally till 7h. P.M.; w. P. and w. N. afterwards.	0·0	8·5
THURSDAY - 24	w. P. and w. N. till 2h. A.M.; w. P. generally afterwards.	0·0	8 4
FRIDAY - 25	w. P. till noon; m. P. till 2h. P.M.; s.P. till 9h. P.M.; m.P. afterwards.	0·4	8·4
SATURDAY - 26	m.P. till 10h. A.M.; s P. till 2h. P.M.; m. P. afterwards.	0·0	8·3
		Sum 1·9	Sum 59·3
No. of Col. - -	27	28	29

GENERAL REMARKS.

Generally overcast till 1h. P.M.; fine afterwards and cloudless with hoar frost at night; slight rain between 6h. and 10h. 45m. A.M.

Nearly cloudless; hazy with slight fog at times; hoar frost in morning and at night.

Partially cloudy and foggy; hoar frost.

Fog prevalent till 10h. 30m. A.M.; partially cloudy till 11h. A.M.; afterwards overcast; hoar frost in morning. Solar halo observed at 10h. 30m. A.M.; frequent rain after 0h. 45m. P.M. followed by sleet and snow at night.

Overcast; slight sleet and rain in morning and at night.

Overcast till 10h. 45m. A.M. with very thin rain in early morning; partially cloudy till dusk; then nearly cloudless with hoar frost. Partial solar halo at intervals during the day.

Fine and partially cloud with hoar frost in morning; generally overcast and, dull during the day; partially cloudy with hoar frost at night; slight fog prevalent till noon.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·98 in. at the beginning of the week to 29·80 in. by 2h. P.M. on the 20th; increased to 29·95 in. by 10h. P.M. on the 22nd; decreased to 29·77 in. by 4h. P.M. on the 23rd; increased to 29·90 in. by 9h. A.M. on the 24th; decreased to 29·58 in. by 3h. P.M. on the 25th; increased to 29·82 in. by 11h. A.M. on the 26th; and decreased to 29·78 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 19th November, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	3	4	-	1	-	-	1	-	-
Kensington	184,635	-	4	1	-	-	-	-	-	-	-
Hammersmith	127,413	-	5	6	-	-	-	-	3	-	-
Fulham	181,282	-	3	9	-	-	-	-	5	-	-
Chelsea	75,457	-	-	7	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	6	6	-	1	-	-	2	-	-
NORTH.											
St. Marylebone	125,195	-	3	-	-	-	-	-	-	-	-
Hampstead	95,729	-	5	2	-	-	-	-	3	-	-
St. Pancras	237,792	-	10	5	-	1	-	-	5	-	-
Islington	353,356	-	27	12	-	5	-	-	6	-	-
Stoke Newington	54,838	-	1	1	-	-	-	-	-	-	-
Hackney	239,979	-	8	2	-	4	-	-	7	1	-
CENTRAL.											
Holborn	53,142	-	2	1	-	-	-	-	-	-	-
Finsbury	94,578	-	5	5	-	-	-	-	5	1	-
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	6	4	-	1	-	-	2	-	1
Bethnal Green	131,579	-	3	5	-	1	-	-	4	-	-
Stepney	314,379	-	10	7	-	5	-	-	9	1	-
Poplar	172,432	-	7	4	-	-	-	-	7	1	-
SOUTH.											
Southwark	211,832	-	9	13	-	-	-	-	6	-	-
Bermondsey	127,238	-	4	6	-	1	-	-	-	-	-
Lambeth	327,074	-	12	5	-	2	-	-	3	-	-
Battersea	188,222	-	7	7	-	-	-	-	2	1	-
Wandsworth	305,838	-	12	7	-	-	-	-	8	1	1
Camberwell	286,058	-	11	7	-	-	-	-	9	-	-
Deptford	119,642	-	8	3	-	-	-	-	2	-	-
Greenwich	112,935	-	5	9	-	-	-	-	5	-	-
Lewisham	164,899	-	14	6	-	2	-	-	1	-	-
Woolwich	135,422	-	14	4	-	-	-	-	3	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	204	148	-	24	-	-	98	6	2
Ages 0-1		-	2	3	-	-	-	-	-	-	2
" 1-5		-	57	55	-	1	-	-	3	-	-
" 5-		-	92	49	-	5	-	-	5	-	-
" 10-		-	26	16	-	2	-	-	2	-	-
" 15-		-	15	9	-	-	-	-	5	2	-
" 20-		-	4	6	-	3	-	-	5	-	-
" 25-		-	6	6	-	6	-	-	14	4	-
" 35-		-	-	1	-	4	-	-	22	-	-
" 45-		-	1	3	-	2	-	-	19	-	-
" 55-		-	1	-	-	1	-	-	15	-	-
" 65 and upwards		-	-	-	-	-	-	-	8	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 48. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, DEC. 3. [Price 1½*d.*

General Register Office, Somerset House,
December 5th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 18·1 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 14·8, 15·5, and 17·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 20·3 in Merthyr Tydfil, 20·9 in Liverpool, 21·0 in Wigan, 21·1 in London, 22·1 in Manchester, 22·2 in Portsmouth, 22·4 in Dewsbury, 22·7 in Swansea, 24·8 in Huddersfield, and 26·2 in Great Yarmouth ; from *measles*, 1·7 in Plymouth, 2·4 in Portsmouth, 2·8 in Grimsby, 3·1 in Rotherham, 3·6 in Brighton, and 3·7 in Tynemouth ; from *whooping-cough*, 1·5 in Wolverhampton and in Middlesbrough ; and from *enteric fever*, 1·7 in Wigan. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.* (The Administrative County and the City of London.)

In LONDON 1984 BIRTHS and 1974 DEATHS were registered. Allowing for increase of population, the births were 264 below and the deaths 439 above the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(18227—41.) Wt. 91—429. 700. 12/10. D & S. G. 31. Sch. 4. 3 B

weeks of the previous five years. The annual death-rate from all causes, which had been 15·8, 16·4, and 19·4 per 1000 in the preceding three weeks, further rose last week to 21·1. The death-rate in the four weeks ended last Saturday averaged 18·2 per 1000, being 2·3 per 1000 above the mean rate in the corresponding periods of the five years 1905–9.

The 1974 deaths included 113 from measles, 3 from scarlet fever, 10 from diphtheria, 6 from whooping-cough, 4 from enteric fever, and 16 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 152 deaths were referred, being 43 above the corrected average number in the forty-eighth week of the preceding five years.

The deaths from *measles*, which had been 67, 85, and 94 in the preceding three weeks, further rose to 113 last week, and were 81 above the corrected average; 17 deaths belonged to the Borough of Southwark, 15 to Islington, 14 to St. Pancras, 13 to Camberwell, 10 to Bermondsey, 9 to Lambeth, 7 to Fulham, and 5 to Hammersmith. The deaths from *scarlet fever*, which had been 3, 8, and 4 in the preceding three weeks, were 3 last week, and were 10 below the corrected average. The deaths from *diphtheria*, which had been 13, 15, and 12 in the preceding three weeks, fell to 10 last week, and were 9 below the corrected average. The deaths from *whooping-cough*, which had been 7, 7, and 15 in the preceding three weeks, fell to 6 last week, and were 10 below the corrected average. The deaths from *enteric fever*, which had been 8, 4, and 2 in the preceding three weeks, were 4 last week, the corrected average being 7. The deaths from *diarrhœa*, which had been 29, 23, and 17 in the preceding three weeks, were 16 last week, and were 6 below the corrected average. Of the 16 deaths from diarrhœa, 13 were those of children under 2 years of age; 7 other deaths at this age were certified as due to *enteritis*, and 5 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 27, having been 13, 13, and 22 in the preceding three weeks.

Different forms of violence caused 45 deaths, concerning all of which inquests were held. Of these 45 deaths, 9 were cases of suicide, while the remaining 36 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, three to burns or scalds, and eight, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1746 cases of scarlet fever, 869 of diphtheria, and 134 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 170 cases, against 239, 180, and 153; of diphtheria, 105 cases, against 121, 107, and 94; and of enteric fever, 19 cases, against 21, 11, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended November 26th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

GREATER LONDON (comprising London and the "Outer Ring," *i.e.*, the remainder of the Metropolitan Police District).

In Greater London 3088 births and 2641 deaths were registered. Allowing for increase of population, these numbers are 480 below and 480 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from scarlet fever, 5 from diphtheria, 3 from whooping-cough, and 3 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·62 inches, and that of the Thermometer 39°·2, the latter being 2°·0 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 18 per cent. above the week's average in the 40 years ended 1906. No bright sunshine was recorded during the week; the measured rainfall amounted to 2·52 inches.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 3rd December, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 12th Nov., 1910.	19th Nov., 1910.	26th Nov., 1910.	3rd Dec., 1910.	Rate from Diseases in Ccls. 11–17 Week ended 3rd Dec., 1910.	Registered during the Week ended 3rd Dec., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**14·8**	**15·5**	**17·3**	**18·1**	**1·3**	**7242**	**5866**	**1170**	**2009**	**–**	**231**	**25**	**42**	**45**	**24**	**49**	**169**	**495**	**1556**	**52**	**77 TOWNS.**
LONDON	4,872,702	15·8	16·4	19·4	21·1	1·6	1984	1974	333	776	–	113	3	10	6	4	16	45	192	741	–	LONDON.
† CROYDON	164,485	10·5	9·5	13·3	11·7	0·3	63	37	6	21	–	–	–	1	–	–	–	2	8	5	–	CROYDON.
† WILLESDEN ..	166,088	7·2	11·9	11·3	11·0	0·6	72	35	9	12	–	1	–	1	–	–	–	4	3	3	–	WILLESDEN.
† HORNSEY	98,561	7·4	6·3	9·0	11·6	–	26	22	4	16	–	–	–	–	–	–	–	–	3	1	–	HORNSEY.
† TOTTENHAM ..	132,803	13·7	11·4	19·2	15·7	1·2	48	40	8	19	–	2	–	1	–	–	–	–	6	9	–	TOTTENHAM.
† WEST HAM ..	328,585	13·5	14·3	16·7	14·9	1·4	150	94	21	26	–	5	–	1	1	2	–	2	9	29	–	WEST HAM.
† EAST HAM.. ..	156,208	10·3	7·7	11·3	11·3	0·3	51	34	9	9	–	–	–	–	–	1	–	–	1	7	–	EAST HAM.
† LEYTON	133,436	8·2	10·6	10·9	15·6	–	50	40	4	18	–	–	–	–	–	–	–	1	3	9	–	LEYTON.
† WALTHAMSTOW	141,748	12·1	7·4	11·0	8·5	0·4	59	23	–	9	–	1	–	–	–	–	–	1	3	3	–	WALTHAMSTOW.
HASTINGS	68,520	12·2	11·4	19·0	16·0	–	13	21	1	15	–	–	–	–	–	–	–	–	–	5	–	HASTINGS.
BRIGHTON	131,900	12·3	15·8	18·2	18·2	4·3	45	46	4	18	–	9	1	–	1	–	–	1	3	8	–	BRIGHTON.
PORTSMOUTH ..	217,989	14·1	15·5	18·2	22·2	3·1	104	93	16	40	–	10	–	–	–	1	2	2	4	21	3	PORTSMOUTH.
BOURNEMOUTH ..	73,947	12·0	11·3	14·8	16·9	0·7	20	24	2	14	–	–	–	–	–	–	1	–	–	6	–	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·5	13·5	18·9	11·9	–	50	29	3	14	–	–	–	–	–	–	–	1	6	8	–	SOUTHAMPTON.
READING	84,355	13·0	6·2	13·6	14·8	–	31	24	3	9	–	–	–	–	–	–	–	–	–	6	–	READING.
NORTHAMPTON ..	99,113	13·2	13·2	15·8	12·1	–	29	23	5	13	–	–	–	–	–	–	–	–	–	3	2	NORTHAMPTON.
IPSWICH	75,936	17·9	15·8	13·7	17·9	–	14	26	3	16	–	–	–	–	–	–	–	–	–	6	–	IPSWICH.
GREAT YARMOUTH	53,715	14·6	15·5	14·6	26·2	–	27	27	6	12	–	–	–	–	–	–	–	1	2	4	–	GREAT YARMOUTH.
NORWICH	125,446	12·1	13·7	15·0	16·2	1·7	50	39	9	18	–	–	1	–	2	–	1	1	2	8	–	NORWICH.
PLYMOUTH	126,266	12·0	19·8	16·5	12·4	1·7	41	30	6	11	–	4	–	–	–	–	–	1	4	3	–	PLYMOUTH.
DEVONPORT	84,695	9·9	8·6	12·3	12·3	0·6	36	20	5	5	–	–	–	1	–	–	–	2	2	5	–	DEVONPORT.
BRISTOL	382,550	12·9	11·9	13·2	15·7	0·4	166	115	22	52	–	–	–	–	3	–	–	6	9	24	–	BRISTOL.
STOKE ON TRENT ..	245,726	20·2	19·1	23·8	19·3	1·3	127	91	27	20	–	1	1	1	–	1	2	3	8	18	4	STOKE ON TRENT.
BURTON ON TRENT	54,977	11·4	11·4	10·4	11·4	0·9	18	12	1	3	–	–	–	–	–	–	1	1	2	3	–	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	10·3	15·7	16·7	14·3	1·5	36	29	4	11	–	–	–	–	3	–	–	–	4	9	–	WOLVERHAMPTON.
WALSALL	101,035	14·5	10·8	12·4	17·5	1·5	50	34	8	9	–	–	2	–	–	–	1	2	5	6	–	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	7·2	8·7	10·1	7·2	0·7	30	19	3	4	–	–	1	–	–	–	–	–	–	–	–	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	9·5	11·0	20·5	16·9	–	29	23	5	9	–	–	–	–	–	–	–	1	1	2	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

ended Saturday, 3rd December, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 12th Nov., 1910.	19th Nov., 1910.	26th Nov., 1910.	3rd Dec., 1910.	Rate from Diseases in Cols. 11-17. Week ended 3rd Dec., 1910.	Registered during the Week ended 3rd Dec., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	15·5	15·8	20·0	18·9	0·9	254	207	59	51	-	8	-	1	1	-	-	7	10	55	6	BIRMINGHAM.
KINGS NORTON ..	84,673	9·2	6·2	9·2	15·4	1·8	30	25	7	9	-	-	-	2	1	-	-	-	2	2	1	KINGS NORTON.
SMETHWICK	72,350	13·0	14·4	10·8	12·3	1·4	26	17	3	4	-	-	1	1	-	-	-	1	1	3	-	SMETHWICK.
ASTON MANOR ..	86,269	10·9	20·6	16·3	12·7	0·6	36	21	7	8	-	-	-	-	-	-	1	1	1	3	-	ASTON MANOR.
COVENTRY	81,449	12·2	12·8	10·9	19·2	1·9	43	30	5	11	-	-	1	1	-	-	1	-	1	4	-	COVENTRY.
LEICESTER	248,374	10·3	13·2	13·2	14·5	0·2	96	69	17	21	-	-	-	-	-	-	1	2	5	17	3	LEICESTER.
GRIMSBY	74,283	20·4	21·8	13·3	17·5	4·2	26	25	6	9	-	4	-	-	-	2	-	-	1	3	-	GRIMSBY.
NOTTINGHAM ..	266,471	15·3	17·6	20·2	16·6	0·4	117	85	19	24	-	1	-	-	1	-	-	3	5	7	-	NOTTINGHAM.
DERBY	131,256	9·9	15·1	16·7	12·3	0·4	54	31	7	11	-	1	-	-	-	-	-	1	4	5	-	DERBY.
STOCKPORT	105,087	16·9	20·3	14 9	17·4	0·5	53	35	7	13	-	-	-	-	-	-	1	-	4	7	-	STOCKPORT.
BIRKENHEAD ..	122,431	16·6	17·5	19·6	17·9	1·3	69	42	7	16	-	-	-	-	2	-	1	-	4	10	1	BIRKENHEAD.
WALLASEY	73,173	12·1	12·8	7·8	15·0	-	30	21	2	14	-	-	-	-	-	-	-	-	-	3	-	WALLASEY.
LIVERPOOL	767,606	15·9	16·0	17·4	20·9	1·4	447	308	54	96	-	10	5	1	1	-	3	8	21	104	9	LIVERPOOL.
BOOTLE	70,548	12·6	13·3	11·8	14·8	0·7	40	20	2	7	-	-	-	-	-	-	1	2	2	3	2	BOOTLE.
ST. HELENS	96,523	19·4	11·9	16·7	17·3	1·6	48	32	9	3	-	2	-	-	-	1	-	5	5	10	1	ST. HELENS.
WIGAN	91,732	15·3	14·8	16·5	21·0	2·3	53	37	8	8	-	-	-	-	1	3	-	2	3	7	-	WIGAN.
WARRINGTON ..	73,295	12 8	13·5	14·9	17·1	0·7	35	24	8	2	-	-	-	1	-	-	-	1	1	2	2	WARRINGTON.
BOLTON	190,315	14·8	14·5	17·8	17·0	1·1	85	62	16	19	-	1	-	2	-	1	-	1	6	4	-	BOLTON.
BURY	59,409	15 8	16·7	14·0	15·8	2·6	21	18	1	5	-	-	1	2	-	-	-	-	-	6	-	BURY.
MANCHESTER ..	716,354	17·5	18·9	20·6	22·1	1·2	344	304	38	74	-	8	2	3	2	2	-	12	25	91	-	MANCHESTER.
SALFORD	244,636	15·3	18·1	17·9	18·8	0·4	129	88	15	29	-	1	-	-	1	-	-	7	12	25	-	SALFORD.
OLDHAM	144,111	16·6	19·9	20·6	19·2	1·1	58	53	13	13	-	3	-	-	-	-	-	1	6	10	-	OLDHAM.
ROCHDALE	90,497	15·0	13·8	15·0	18·4	1·2	29	32	8	11	-	-	-	-	-	1	1	1	1	5	4	ROCHDALE.
BURNLEY	107,448	21·8	22·3	16·5	17·0	1·0	46	35	10	13	-	1	-	-	-	-	1	1	3	4	1	BURNLEY.
BLACKBURN	137,972	13·2	19·3	16·6	14·7	1·9	46	39	13	6	-	2	1	1	-	1	-	2	4	4	-	BLACKBURN.
PRESTON	119,253	15·7	14·9	18·4	19·2	0·9	51	44	11	12	-	-	-	-	-	1	1	2	3	7	-	PRESTON.
BARROW IN FURNESS.	63,689	10·6	14·7	18·0	11·5	0·8	19	14	-	4	-	-	-	1	-	-	-	-	-	3	-	BARROW IN FURNESS.

* See note † on first page of this return.

ended Saturday, 3rd December, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 12th Nov., 1910.	19th Nov., 1910.	26th Nov., 1910.	3rd Dec., 1910.	Rate from Diseases in Cols 11–17. Week ended 3rd Dec., 1910.	Registered during the Week ended 3rd Dec., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	14·9	18·2	24·8	24·8	1·7	38	45	5	16	-	1	-	1	-	-	1	-	2	8	-	HUDDERSFIELD.
HALIFAX	112,818	12·0	9·2	15·3	14·8	-	29	32	2	15	-	-	-	-	-	-	-	1	4	9	1	HALIFAX.
BRADFORD	295,865	12·5	13·2	14·1	15·5	1·1	86	88	23	21	-	-	-	-	4	-	2	-	5	16	-	BRADFORD.
LEEDS	490,985	14·7	18·5	17·0	18·1	1·6	189	170	43	47	-	8	2	1	3	-	1	8	18	33	1	LEEDS.
DEWSBURY	51,224	20·4	19·3	18·3	22·4	2·0	17	22	4	7	-	-	-	1	1	-	-	2	4	3	-	DEWSBURY.
SHEFFIELD	478,763	14·7	15·8	13·7	15·7	1·9	192	144	30	39	-	11	1	-	2	1	2	4	8	31	3	SHEFFIELD.
ROTHERHAM.. ..	66,414	21·2	14·9	18·1	17·3	3·9	38	22	7	4	-	4	-	1	-	-	-	1	2	4	-	ROTHERHAM.
YORK	88,159	11·8	15·4	14·2	14·2	1·2	29	24	6	10	-	-	-	-	1	1	-	-	1	3	-	YORK.
HULL	280,006	18·4	13·2	20·1	18·1	1·7	120	97	27	23	-	4	1	1	1	-	2	3	7	17	2	HULL.
MIDDLESBROUGH ..	107,014	18·5	21·9	26·3	19·0	2·9	57	39	12	8	-	-	-	1	3	-	2	1	6	8	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	15·5	11·7	15·5	16·5	-	27	17	4	8	-	-	-	-	-	-	-	-	-	1	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	18·5	14·7	9·6	17·8	1·3	30	28	4	6	-	2	-	1	-	-	-	1	3	4	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	17·2	18·5	16·5	13·3	1·0	94	41	12	13	-	-	1	2	-	-	-	1	3	8	2	SUNDERLAND.
SOUTH SHIELDS ..	119,737	10·9	15·2	13·1	11·8	-	57	27	7	4	-	-	-	-	-	-	-	1	2	2	1	SOUTH SHIELDS.
GATESHEAD	133,676	12·9	15·6	14·4	17·2	0·4	70	44	17	10	-	1	-	-	-	-	-	1	1	5	2	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	13·7	14·0	14·8	14·8	1·5	125	81	23	27	-	7	-	-	1	-	-	1	4	11	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	25·0	19·4	26·8	16·6	6·5	32	18	10	1	-	4	-	-	1	1	1	-	-	1	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	6·5	10·5	13·1	13·1	0·7	38	20	6	6	-	-	-	-	-	-	1	1	2	7	-	NEWPORT (MON.).
CARDIFF	199,189	14·1	14·1	13·1	16·8	0·8	77	64	20	21	-	-	-	1	1	-	1	4	8	14	-	CARDIFF.
RHONDDA	138,674	19·9	15·4	19·2	13·5	-	96	36	12	8	-	-	-	-	-	-	-	2	2	2	-	RHONDDA.
MERTHYR TYDFIL..	79,522	15·1	11·8	17·7	20·3	-	50	31	11	9	-	-	-	-	-	-	-	-	1	7	-	MERTHYR TYDFIL.
SWANSEA	98,817	19·0	18·5	19·5	22·7	1·1	47	43	6	14	-	1	-	-	1	-	-	-	2	6	-	SWANSEA.
GREATER LONDON	7,537,196	13·9	14·6	17·3	18·3	1·3	3088	2641	452	1072	-	122	4	19	10	7	19	60	248	870	-	GREATER LONDON.
OUTER RING ..	2,664,494	10·3	11·3	13·6	13·1	0·6	1104	667	119	296	-	9	1	9	4	3	3	15	56	129	-	OUTER RING.
8 TOWNS IN OUTER RING	1,321,914	10·8	10·6	13·5	12·8	0·7	519	325	61	130	-	9	-	4	1	3	-	10	36	66	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	9·8	12·0	13·8	13·3	0·5	585	342	58	166	-	-	1	5	3	-	3	5	20	63	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	13·6	16·8	13·9	16·9	0·9	104	117	22	44	-	1	1	1	-	-	3	4	?	31	4	EDINBURGH.
GLASGOW	884,505	13·8	16·1	16·8	17·3	1·2	392	294	52	79	-	-	2	5	7	1	5	12	?	91	6	GLASGOW.
DUBLIN (Registration Area).†	402,928	17·1	20·3	21·0	21·9	2·2	199	169	38	57	-	-	3	3	5	-	6	4	2	67	5	DUBLIN (Registration Area).†
BELFAST†	391,167	16·3	17·6	17·9	14·5	0·5	175	109	17	35	-	2	-	1	-	-	1	3	7	27	3	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-EIGHTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2338	2460	2373	2460	2542	2275	2345	2205	2221	1933	2248·4	1984
Males - - -	1191	1234	1171	1244	1296	1128	1180	1082	1108	990	1123·9	1011
Females - -	1147	1226	1202	1216	1246	1147	1165	1123	1113	943	1124·5	973
TOTAL **Deaths** -	1572	1785	1708	1578	1932	1623	1406	1531	1451	1484	1534·9	1974
Males - - -	804	910	854	789	983	838	706	797	740	718	778·0	932
Females - -	768	875	854	789	949	785	700	734	711	766	756·9	1042

* The numbers in this column are the average weekly numbers in the Forty-Eighth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	13 Weeks.
TOTAL **Births** -	2088	2050	2079	2237	2140	2029	2227	2318	2167	2243	2180	1982	1984	27724
TOTAL **Deaths** -	1009	1140	1118	1215	1148	1200	1176	1209	1226	1476	1537	1811	1974	17239
Ages at Death: Under 1 year -	253	275	249	275	276	271	286	259	276	283	314	320	333	3670
1—5 years -	121	95	106	113	96	120	125	143	155	190	187	213	230	1894
5—20 " -	46	63	53	50	62	68	45	49	51	74	71	87	72	791
20—40 " -	111	147	133	136	141	145	149	141	150	149	154	185	185	1926
40—60 " -	206	225	243	271	241	264	246	252	230	313	315	377	378	3561
60 yrs. & upwds.	272	335	334	370	332	332	325	365	364	467	496	629	776	5397
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	21	27	18	15	18	17	33	44	50	67	85	94	113	602
Scarlet Fever - -	2	4	3	4	3	5	4	2	3	3	8	4	3	48
Diphtheria - -	10	5	9	10	8	5	11	9	6	13	15	12	10	123
Whooping-cough -	12	15	11	10	10	7	7	7	10	7	7	15	6	124
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	6	12	10	7	16	9	11	6	8	4	2	4	98
Pyrexia (origin uncertain).	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	94	104	76	82	59	73	69	41	35	29	23	17	16	718
All above diseases -	143	161	129	131	105	123	133	114	110	127	142	144	152	1714
Dis. of Resp. System	47	51	52	66	53	70	81	111	102	150	193	317	370	1663
Pneumonia - -	67	69	71	112	112	92	113	123	144	169	203	241	299	1815
Phthisis - - -	91	113	100	104	105	107	89	114	114	154	120	166	152	1529
Dis. of Circ. System -	147	180	171	202	163	167	153	161	164	206	236	253	263	2466
Violence - - -	53	38	50	53	66	58	42	47	46	41	54	48	45	641
Inquest Cases - -	112	107	125	119	128	139	106	117	121	118	150	156	192	1690
Deaths in Institutions	523	528	528	540	512	557	507	533	533	652	630	704	741	7488
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	54·7	56·1	53·8	58·6	57·4	53·1	51·4	51·2	42·7	40·8	40·0	34·1	39·2	48·7
Mean of Highest -	61·8	63·8	63·2	69·0	66·0	60·2	57·9	55·9	49·5	49·7	45·4	39·2	43·4	55·8
Mean of Lowest -	49·1	50·4	44·4	49·2	50·4	48·5	45·3	46·7	37·4	32·4	35·0	28·4	35·1	42·5
Mean Humidity of the Air.	79	81	76	88	79	85	86	89	83	83	79	89	93	84
Rain-fall (in inches) -	0·02	0·66	0·00	0·10	0·08	0·61	0·63	0·30	1·03	0·31	0·53	0·62	2·52	7·41
Registered Sunshine (in hours).	15·7	21·2	55·4	20·7	33·6	8·8	14·6	7·3	11·5	24·7	14·5	1·9	0·0	239·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1462	1509	1560	1653	1706	1745	1792	1847	1856	1882	1843	1769	1746	1721
Diphtheria - - -	630	672	709	751	788	835	843	855	861	892	887	877	869	805
Typhus - - -	1	1	1	1	1	-	-	-	-	-	-	-	-	-
Enteric Fever - -	79	102	123	144	163	175	179	170	175	165	146	135	134	145

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-EIGHTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectio should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 48th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1534·9	1974	333	230	72	185	378	776
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	32·4	113	21	83	9	–	–	–
Scarlet Fever	12·9	3	–	2	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	17·8	27	1	–	–	4	8	14
Whooping-cough	15·8	6	1	5	–	–	–	–
Diphtheria	18·6	10	2	4	4	–	–	–
Cerebro-spinal Fever ..	–	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	7·0	4	–	–	–	4	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	8·0	5	4	1	–	–	–	–
Diarrhœa, Dysentery ..	13·9	11	6	2	–	2	–	1
Tetanus	0·6	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	9·0	4	2	–	1	1	–	–
Puerperal Septicæmia ..	2·0	2	–	–	–	2	–	–
Puerperal Pyæmia.. .	0·2	1	–	–	–	1	–	–
Puerperal Fever	0·6	2	–	–	–	2	–	–
Infective Endocarditis ..	4·1	5	–	–	2	1	2	–
Pneumonia: Lobar ..	23·3	31	2	3	2	5	11	8
Pneumonia: Broncho ..	96·5	162	58	58	7	2	12	25
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	73·7	106	19	18	1	15	15	38
Erysipelas	3·9	5	1	–	–	–	2	2
Septicæmia (not Puerperal)	1·4	1	–	–	–	1	–	–
Pyæmia (not Puerperal)	1·0	1	–	–	1	–	–	–
Other Infective Processes	4·7	5	–	–	–	1	2	2
Tuberculous Phthisis ..	98·7	94	–	2	3	47	30	12
"*Phthisis*"	45·3	58	–	–	2	22	26	8
Tuberculous Meningitis ..	18·0	11	3	6	2	–	–	–
Tuberculous Peritonitis ..	8·2	8	4	2	–	–	1	1
Tabes Mesenterica	1·6	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	18·0	12	1	1	5	1	2	2
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	9·6	5	–	–	–	–	4	1
Rheumatic Fever	9·8	8	–	–	5	1	2	–
Gout	3·3	4	–	–	–	–	–	4
Carcinoma	60·8	73	–	–	–	3	24	46
Sarcoma	5·3	11	–	–	1	2	4	4
Cancer (undefined) ..	33·6	28	–	–	–	1	9	18
Diabetes Mellitus	9·8	12	–	–	1	–	3	8
Premature Birth	45·9	43	43	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 48th week of the 5 years 1905–1909	1910—Deaths of Persons of the Ages				
		ALL AGES.	Under 20.			20 and under 40.
			0–1.	1–5.	5–20.	
Meningitis (not tuberc.)..	10·4	11	3	5	1	1
Gen. Par. of Insane, Insanity	16·4	19	–	–	–	4
Epilepsy	6·3	3	–	–	–	1
Convulsions	16·4	12	11	1	–	–
Locomotor Ataxy.. ..	3·3	4	–	–	–	–
Paraplegia, Dis. of Cord.	5·5	11	–	–	2	2
Nervous Sys., Other Dis.	16·6	20	–	2	1	2
Valv. Dis., Endocarditis..	52·4	61	–	1	7	10
Cereb. Hæm. Cereb. Emb.	39·9	55	1	–	–	1
Apoplexy, Hemiplegia ..	13·3	19	–	–	–	–
Aneurysm	7·6	8	–	–	–	2
Embolism, Thrombosis (not Cerebral) ..	1·8	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	86·6	120	–	–	3	7
Croup (not Spasm: nor Memb.)	–	1	–	1	–	–
Bronchitis	179·0	337	57	10	–	7
Emphysema, Asthma ..	6·8	13	–	–	–	1
Pleurisy	3·5	7	1	1	1	–
Respiratory Dis., Other..	12·1	12	–	2	–	–
Tonsillitis, Quinsy.. ..	1·0	–	–	–	–	–
Enteritis (not Epid.) ..	10·6	9	6	2	–	–
Gastro-enteritis	8·8	7	4	1	1	–
Peritonitis (not Puerp.) ..	2·5	5	–	2	–	1
Cirrhosis of Liver.. ..	12·9	13	–	–	–	1
Liver Dis., Other	1·8	7	–	–	–	–
Digestive Sys., Other Dis.	33·6	43	2	2	3	8
Acute Nephritis	5·9	7	–	–	1	–
Bright's Dis., Albuminuria	43·2	51	–	–	2	6
Urinary Sys., Other Dis.	11·9	17	–	–	1	–
Generative Organs Dis...	2·3	6	1	–	–	2
Childbirth (Accid. of) ..	2·3	2	–	–	–	2
Old Age	59·0	75	–	–	–	–
Other Diseases	83·0	103	68	11	1	3
ACCIDENT.						
By Railways	1·4	–	–	–	–	–
By Vehicles and Horses..	7·0	7	–	1	1	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–
In Building Operations..	1·6	–	–	–	–	–
In Conflagrations	0·6	–	–	–	–	–
By Burns, Scalds, Explosions	7·6	3	1	1	–	–
By Drowning	3·5	–	–	–	–	–
By Suffocation in Bed ..	8·2	8	8	–	–	–
By Poisons or Poisonous Vapours	3·1	2	–	–	–	1
Other Deaths by Accident..	16·8	16	2	–	–	1
VIOLENCE OTHER THAN ACCIDENTAL.						
Homicide	1·0	–	–	–	–	–
Suicide	11·5	9	–	–	–	3
Execution	–	–	–	–	–	–

* In tables 3 and the information respecting deaths from small-pox has been modified in view of the difficu experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd December, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	1984	1974	333	776	-	113	3	10	6	4	16	152	45	192	741	-
WEST DISTRICTS	805,311	255	331	48	146	-	16	1	3	2	2	1	22	10	27	134	-
NORTH DISTRICTS	1,055,908	456	449	63	201	-	31	-	1	2	-	5	30	11	47	134	-
CENTRAL DISTRICTS	209,465	100	84	18	21	-	3	-	1	1	-	-	5	2	5	38	-
EAST DISTRICTS	715,739	374	322	70	111	-	7	-	2	-	-	6	17	7	51	150	-
SOUTH DISTRICTS	1,749,844	799	735	134	271	-	56	2	3	1	2	3	70	15	59	232	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	53	-	26	-	-	-	-	-	-	1	8	-	3	53	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	26	21	4	10	-	-	-	-	-	-	-	1	-	1	-	-
Central Paddington *W,3H*	50,053	21	36	7	14	-	-	-	-	-	-	-	-	3	6	22	-
South Paddington	30,320	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Kensington South *W,3H*	85,610	19	38	3	22	-	-	-	-	-	-	-	1	2	3	23	-
Kensington Central *W,H*	42,774	11	18	2	7	-	1	-	-	-	-	-	1	-	2	2	-
Kensington North *w*	48,244	16	23	2	13	-	1	-	-	1	-	-	4	-	3	10	-
North Hammersmith 2*W,w,H* ..	49,192	18	22	4	10	-	2	-	-	-	-	-	1	1	2	10	-
South Hammersmith *w,2H* ..	63,047	23	33	4	15	-	3	-	-	-	-	-	2	-	1	6	-
North-west Fulham *W*	45,180	34	25	5	5	-	5	-	-	-	1	-	5	1	2	13	-
North-east Fulham *F*	46,405	24	16	5	4	-	2	1	2	-	1	-	1	-	1	5	-
South Fulham *W*	45,704	16	20	5	11	-	-	-	-	1	-	-	-	2	2	-	-
Chelsea North *W,w,3H*	42,514	8	33	3	18	-	1	-	-	-	-	-	5	-	1	25	-
Chelsea South *W,2H*	31,328	11	7	-	2	-	-	-	-	-	-	-	1	-	-	2	-
Mayfair and Knightsbridge	28,743	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	12	18	1	5	-	-	-	1	-	-	-	-	1	3	9	-
St. Margaret & St. John *6H*	43,698	11	13	3	6	-	-	-	-	-	-	1	-	-	-	5	-
St. James and St. Anne *W,6H* ..	33,081	2	5	-	2	-	-	-	-	-	-	-	-	-	-	2	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	10	21	2	9	-	-	-	-	-	-	-	-	2	3	8	-
St. Mary Marylebone *W,4H* ..	37,948	35	9	2	5	-	-	-	-	-	-	-	-	-	2	1	-
Christchurch Marylebone *H* ..	39,536	20	9	2	3	-	-	-	-	-	-	-	1	-	2	-	-
St. John Marylebone *2H*	20,426	13	9	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	18	25	6	11	-	-	-	-	-	-	-	-	-	1	5	-
West St. Pancras *2H*	60,562	25	21	7	4	-	4	-	-	-	-	-	1	-	2	2	-
South St. Pancras *w,10H*	55,707	24	18	9	2	-	1	-	-	-	-	-	-	-	2	9	-
East St. Pancras *W,H*	60,320	28	41	8	19	-	6	-	-	1	-	-	-	2	5	15	-
North St. Pancras 2*W*	58,728	28	29	2	14	-	3	-	-	1	-	-	3	-	1	11	-
Tufnell *W*	31,995	4	46	2	24	-	5	-	-	-	-	2	3	-	1	34	-
Upper Holloway 2*W,w,H*	33,978	19	26	3	12	-	-	-	-	-	-	1	6	1	3	15	-
Tollington 2*W,w,H*	33,922	14	11	1	4	-	2	-	-	-	-	-	1	-	-	-	-
Lower Holloway	41,424	21	13	1	3	-	3	-	-	-	-	-	1	-	2	-	-
Barnsbury	54,478	21	20	4	6	-	4	-	-	-	-	-	1	-	5	-	-
Islington South-east *F*	75,397	35	27	2	17	-	-	-	-	-	-	-	1	1	3	-	-
Highbury *2H*	63,797	13	22	2	10	-	1	-	-	-	-	-	2	-	-	1	-
Stoke Newington *H*	51,247	20	22	-	16	-	-	-	-	-	-	-	-	1	3	-	-
North Hackney	50,398	18	8	2	5	-	-	-	-	-	-	-	1	-	1	-	-
Central Hackney 2*w,F*	50,536	20	11	2	5	-	-	-	-	-	-	2	2	-	2	1	-
South-west Hackney 3*H*	59,921	40	23	5	7	-	2	-	-	-	-	-	1	-	3	7	-
South-east Hackney 2*W,w,H* ..	58,255	30	38	1	20	-	-	-	1	-	-	-	6	4	6	25	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd December, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	17	3	1	1	-	-	-	-	-	-	-	1	-	-	1	-
Strand *W*,4*H*	21,674	4	11	-	3	-	1	-	-	-	-	-	-	-	1	7	-
Strand Union Workhouse, Edmonton	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Holborn *W*,5*H*	29,612	13	26	8	5	-	2	-	-	1	-	-	1	-	-	15	-
Clerkenwell *H*	63,704	30	19	5	4	-	-	-	-	-	-	-	1	1	3	-	-
St. Luke 3*H*,*L*	36,116	28	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham	-	-	2	-	2	-	-	-	-	-	-	-	1	-	-	2	-
St. Botolph *H*	10,299	2	5	-	3	-	-	-	-	-	-	-	1	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	6	13	3	1	-	-	-	1	-	-	-	-	1	1	11	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	13	10	6	3	-	-	-	-	-	-	-	-	-	2	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	25	40	6	15	-	3	-	-	-	-	-	2	1	5	29	-
Shoreditch North-East	36,148	21	6	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	31	54	10	21	-	1	-	-	-	-	2	4	1	5	39	-
Bethnal Green South-West *H* ..	64,542	32	11	2	2	-	-	-	-	-	-	1	1	1	5	-	-
Spitalfields*	40,584	41	48	4	11	-	-	-	1	-	-	-	3	1	3	32	-
Whitechapel *W*,*H*	38,184																
St. George and St. John 2*W* ..	49,068	34	20	8	6	-	-	-	-	-	-	-	-	1	3	8	-
Shadwell and Ratcliff *w*,*H* ..	25,568	6	15	5	2	-	1	-	-	-	-	1	1	-	4	5	-
Limehouse *W*	32,369	17	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	48	16	5	6	-	-	-	-	-	-	-	-	-	4	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	27	23	5	11	-	1	-	-	-	-	-	2	-	1	9	-
Bow	41,989	14	12	6	2	-	-	-	-	-	-	2	-	-	2	-	-
Bromley 3*w*,*H*	68,319	35	38	6	17	-	-	-	-	-	-	-	3	-	7	23	-
Poplar *W*,*w*	58,514	30	25	2	15	-	1	-	1	-	-	-	1	1	8	4	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* On 1st December, 1910, part of Mile End New Town sub-district was added to Spitalfields sub-district, and Goodman's Fields sub-district was added to the remainder of Mile End New Town sub-district, the area thus formed being entitled Whitechapel sub-district.

5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and om SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, IARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, d December, 1910.

ISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
tchurch and St. Saviour uthwark *W,2H*	23,319	10	20	9	2	-	3	-	2	-	-	-	1	1	1	15	-
-road	21,904	12	8	4	1	-	2	-	-	-	-	-	1	-	2	-	-
George the Martyr West *2H,L*	39,094	16	17	3	1	-	6	-	1	-	-	-	-	-	2	9	-
ington North	49,022	28	11	2	3	-	1	-	-	-	-	-	3	1	1	-	-
ington South *2W*	72,841	30	25	3	9	-	3	-	-	-	-	-	2	1	5	6	-
lave *2W*	9,817	7	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-
oondsey *W*	82,483	44	33	5	8	-	5	-	-	-	-	-	6	1	4	-	-
erhithe *W,F*	38,460	19	33	4	16	-	4	-	-	-	-	-	5	1	2	21	-
erloo *2H*	27,440	25	14	2	1	-	6	-	-	-	-	-	1	-	-	1	-
beth Church *H*	27,440	15	25	3	1	-	2	-	-	1	-	-	2	1	1	15	-
nington *2W*	52,518	19	41	2	15	-	2	-	-	-	-	-	7	-	2	25	-
kwell *HF*	63,826	20	21	4	7	-	-	1	-	-	1	1	4	1	2	3	-
ton *H*	73,673	31	24	7	12	-	1	-	-	-	-	-	2	-	-	1	-
wood *2WH*	56,998	18	14	-	7	-	-	-	-	-	-	-	1	-	-	-	-
Battersea *H*	72,203	35	18	7	4	-	-	-	-	-	-	-	1	-	2	1	-
h-west Battersea	49,656	22	21	7	2	-	2	-	-	-	-	1	2	-	3	-	-
h-west Battersea *2W,H* ..	47,048	22	26	5	9	-	2	-	-	-	-	-	2	2	3	21	-
ham *2H*	51,361	23	11	1	6	-	1	-	-	-	-	-	1	-	1	-	-
tham *W,2w,2F,2L*	88,019	43	36	10	21	-	-	-	-	-	-	-	2	-	-	9	-
ngfield *2W,L*	27,959	18	13	5	3	-	-	-	-	-	-	-	3	-	3	-	-
hfields *H*	40,444	27	12	2	5	-	-	-	-	-	-	-	2	-	1	-	-
ey	24,139	11	6	1	2	-	-	-	-	-	-	-	1	-	-	-	-
rich	13,359	5	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-
berwell South *W,w*	40,206	16	50	5	29	-	3	-	-	-	-	1	2	2	4	35	-
berwell North *W,2L*	65,584	30	38	4	13	-	5	-	-	-	-	-	4	2	3	22	-
eorge	47,331	28	12	2	4	-	2	-	-	-	-	-	-	-	1	-	-
ham North	48,913	26	20	5	5	-	2	-	-	-	-	-	1	-	4	-	-
ham South *2W,w*	43,946	11	12	2	5	-	2	-	-	-	-	-	-	-	-	-	-
ford North *F*	49,004	15	18	4	4	-	-	1	-	-	1	-	2	-	2	2	-
ford East	29,781	14	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-
ford South	38,934	18	16	1	8	-	-	-	-	-	-	-	2	-	1	-	-
nwich West *H*	23,456	11	7	-	7	-	-	-	-	-	-	-	-	-	-	-	-
nwich East *2W,H*	43,359	26	28	6	11	-	-	-	-	-	-	-	4	1	2	20	-
am *w,H*	7,226	2	6	1	4	-	-	-	-	-	-	-	-	-	-	2	-
w,H	25,490	10	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
isham *2W,w,F*	58,352	30	36	9	17	-	1	-	-	-	-	-	3	-	1	15	-
nham *H*	43,653	18	10	2	5	-	-	-	-	-	-	-	-	1	2	-	-
lton *F,2H*	21,134	6	3	1	1	-	1	-	-	-	-	-	-	-	1	-	-
lwich *5H*	41,625	18	7	1	3	-	-	-	-	-	-	-	-	-	1	2	-
nstead West *W,H*	39,376	10	11	1	5	-	-	-	-	-	-	-	-	-	2	-	-
nstead East *2W*	28,951	10	10	1	4	-	-	-	-	-	-	-	2	-	-	7	-
khouses:—																	
mont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
tral London Sick Asylum ..	—	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
estminster, St. Giles, and and Unions.)																	
. B. Small-pox Hospitals:—																	
ng Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. B. Fever Hospitals:—																	
e Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
th-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. B. Children's Hospital:—																	
ldren's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. B. Imbecile Asylums:—																	
erham	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	4	-
reuth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
vesden	—	-	3	-	2	-	-	-	-	-	-	-	1	-	-	3	-
lon County Lunatic Asylums:—																	
nstead	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	4	-
ell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rton	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5	-
nor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ng Grove	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4	-
ne Hill	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	5	-
rtford Heath	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
nwell	—	-	9	-	6	-	-	-	-	-	-	-	2	-	-	9	-
ney Hatch	—	-	9	-	5	-	-	-	-	-	-	1	2	-	2	9	-
ybury	—	-	7	-	3	-	-	-	-	-	-	-	2	-	1	7	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belo the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylum Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUM POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 3rd December, 191

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.
	LONDON—OUTER RING ..	368,603	2,045,135	1104	667	119	296	-	9	1	9	4	3	3	15	56
31 : 1	Carshalton 2F,3H	12,228	32,997	15	4	-	-	-	-	-	1	1	-	-	-	-
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	5	7	3	3	-	-	-	-	-	-	1	1	1
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	-	1	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	17	11	2	7	-	-	-	-	-	-	-	1	3
3	West Croydon 3W,F,H ..	2,168	42,888	24	12	3	6	-	-	-	1	-	-	-	1	3
4	North Croydon H	2,644	41,698	22	13	1	8	-	-	-	-	-	-	-	-	2
5	Penge w	770	22,465	3	4	-	3	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	29	12	1	6	-	-	-	-	-	-	-	1	1
40 : 1	Wimbledon F,3H	3,221	41,652	19	8	1	5	-	-	-	-	-	-	1	-	-
2	Kingston 2W,H	6,224	42,068	23	20	1	11	-	-	-	-	-	-	-	1	1
3	Surbiton F,H	3,046	15,017	6	3	-	2	-	-	-	-	-	-	-	-	1
4	Esher, *part of** H	5,402	13,100	6	3	-	2	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	14	8	-	8	-	-	-	-	-	-	-	-	-
41 : 1	Richmond W,H	2,491	31,672	10	8	1	4	-	-	-	-	-	-	-	-	1
2	Mortlake F	2,518	17,821	14	5	-	5	-	-	-	-	-	-	-	-	1
42 : 1	Bromley F,3H	4,696	27,397	8	5	1	2	-	-	-	1	-	-	-	-	1
2	Beckenham H	7,832	28,454	12	4	-	3	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	4	7	1	6	-	-	-	-	-	-	-	-	-
4	Chislehurst† 2H	16,011	17,549	6	2	-	2	-	-	-	-	-	-	-	-	-
43 : 1	Bexley† w,F,H		20,048	4	5	-	4	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	11	6	1	2	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-
126 : 1	Sunbury w	11,054	18,683	11	4	-	3	-	-	-	-	-	-	-	-	1
2	Staines W,H	13,277	15,178	12	2	-	1	-	-	-	-	-	-	-	-	-
127 : 1	Hillingdon W,F,H	6,035	13,661	7	6	1	1	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	6	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,666	16,358	14	8	2	4	-	-	-	-	-	-	-	-	1
128 : 1	Isleworth 3W,3F,H	6,859	50,863	25	24	7	13	-	-	-	-	-	-	-	-	-
2	Twickenham F,2H	2,421	20,991	8	7	2	3	-	-	-	-	-	-	-	-	-
3	Hanwell w,2H	4,108	11,257	7	3	1	-	-	-	-	-	-	-	-	-	1
4	Brentford 3F,2H	4,038	48,202	32	20	4	5	-	-	-	2	-	-	-	-	1
5	Chiswick H	1,249	29,809	15	5	2	3	-	-	-	-	-	-	-	-	-
6	Acton F,H	2,305	37,744	22	18	3	9	-	-	-	-	1	-	-	-	-
129 : 1	Willesden W,F,2H	4,384	114,811	72	34	9	12	-	1	-	1	-	-	-	4	3
130 : 1	Harrow F,H	13,809	25,523	14	9	-	6	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	19	4	1	1	-	-	-	-	-	-	-	-	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	3	1	-	1	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	7	8	2	4	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,668	33,692	23	10	1	5	-	-	-	-	-	-	-	-	2
132 : 1	Hornsey F,H	2,875	72,056	26	22	4	15	-	-	-	1	-	-	-	-	3
2	Wood Green H	1,625	34,233	18	6	-	2	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	25	12	3	7	-	-	-	-	-	-	-	-	2
4	East Tottenham 2H ..	2,019	53,962	23	22	5	8	-	2	-	-	-	-	-	-	4
5	Edmonton W,w,2F	7,491	61,892	51	30	6	15	-	-	-	-	-	-	1	-	3
6	Enfield 2W,F,H	12,601	42,738	29	13	4	4	-	-	1	-	-	-	-	-	-
7	Waltham Abbey F	11,017	6,549	1	3	-	3	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	4	5	2	2	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	4	3	1	2	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	26	19	5	4	-	-	-	-	1	-	-	1	4
2	Forest Gate	787	52,745	10	15	4	6	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	73	24	9	6	-	2	-	1	-	2	-	-	3
4	Canning Town H	1,556	70,718	41	14	3	3	-	3	-	-	-	-	-	-	1
5	South East Ham 2F ..	1,991	37,342	26	15	7	2	-	-	-	-	-	1	-	-	-
6	North East Ham w,H ..	1,333	58,666	25	14	2	4	-	-	-	-	-	-	-	-	1
7	Wanstead F	1,679	9,170	5	3	2	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	23	25	1	14	-	-	-	-	-	-	-	1	2
9	North Leyton 2W,w,F ..	1,963	48,445	27	45	3	14	-	-	-	-	1	-	-	1	2
10	Walthamstow 2H L ..	6,504	108,929	63	22	-	10	-	1	-	-	-	-	-	1	3
189 : 1	Chigwell 2F,3H	11,778	16,397	10	4	2	-	-	-	-	-	-	-	-	1	1
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	2	1	-	-	-	-	-	-	-	-	-	1	1
2	Ilford F,L	8,496	41,244	20	19	2	7	-	-	-	-	-	-	-	-	1
3	Barking Town F	3,805	21,547	17	9	3	4	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	1
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-
	N.E. Hospital, Tottenham ..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-
	Herts County Lunatic Asylum, Hill End.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the O Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting E parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, exceptin part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 1 and in the Croydon Mental Hospital in 38 : 1 are also included.

† On 1st December, 1910, the boundary between these sub-districts was altered.

ABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

TIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
N* - -	4,872,702	December 3	1984	1974	21·1	-	113	3	11	6	4	25
TTA - -	1,009,008	October 29	-	428‡	22·0	-	1	-	-	1	10	15
		November 5	-	450‡	23·1	3	2	-	4	-	6	11
Y - -	977,822	„ 15	467	541‡	28·8	-	6	-	-	1	2	32
AS - -	509,346	„ 4	419	418‡	42·8	2	2	?	?	?	-	32
- -	2,772,467	„ 26	900	876	16·6	-	3	2	4	5	2	20
ELS* -	720,030	„ 26	222	202	14·6	-	2	-	1	1	2	16
ERP* -	317,171	„ 26	127	68	11·1	-	1	-	2	1	-	11
RDAM* -	574,429	„ 26	224	137	12·4	-	4	-	-	1	3	2
HAGEN -	455,000	„ 26	204	117	13·4	-	-	1	-	1	-	4
HOLM -	341,816	„ 12	154	74	11·3	-	-	1	1	3	-	-
TIANIA -	240,178	„ 26	108	45	9·7	-	-	-	-	-	-	1
TERSBURG	1,620,000	„ 12	985	603‡	19·4	7	4	17	12	5	11	34
W - -	1,493,600	„ 19	-	619	21·6	2	5	27	30	4	4	48
N - -	2,131,032	„ 12	807	591	14·5	-	2	7	16	3	1	30
JRG - -	911,500	„ 26	-	249	14·5	-	1	2	13	4	1	13
AU - -	509,992	„ 19	-	203	20·8	-	-	2	2	-	1	13
H - -	576,000	„ 19	298	196	17·7	-	11	-	2	-	-	12
A* - -	2,107,981	„ 19	755	687	16·8	-	5	5	7	-	1	31
R* - -	497,905	„ 5	164	172	17·6	-	-	3	2	-	1	5
EST* -	833,703	„ 19	467	302	18·8	-	-	2	1	-	3	9
E* - -	221,124	„ 26	135	93	21·6	-	-	-	-	-	-	5
- - -	590,113	September 24	234	175	15·5	-	1	-	1	-	2	27
E - -	183,224	October 8	-	-	-	-	-	-	-	-	-	-
EST - -	297,643	November 12	-	-	-	-	-	-	-	-	-	-
ORK* -	4,803,264	„ 12	2510	1334	14·5	-	5	3	30	3	26	62
GO* - -	2,185,283	„ 12	-	562	13·4	-	1	7	31	-	11	39
DELPHIA*	1,598,400	October 15	-	-	-	-	-	-	-	-	-	-
JANEIRO	842,822	„ 30	-	354	21·9	-	19	-	-	2	-	?
:—*												
otians -	620,443	„ 28	703	405	33·9	-	-	-	17	-	8	73
igners -	62,510	„ 28	7	14	11·6	-	-	-	1	-	1	-
NDRIA :—*												
otians -	319,087	„ 28	300	193	31·5	-	-	-	1	-	2	34
igners -	68,829	„ 28	10	11	8·3	-	-	-	-	-	1	3

The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to en under two years of age.
Excluding deaths from croup in the Indian Cities.
Including 7 and 4 deaths from *plague* in Calcutta and 11 in Bombay, and from *Asiatic cholera*, 16 and 21 deaths in tta, 1 in Bombay, 3 in Madras, and 3 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 3rd December, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
ON (Greenwich)	52·0	28·8	39·2	2·52	BRADFORD - -	40·9	27·1	35·2	1·59
TON - -	52·1	30·9	41·7	2·23	YORK - - -	44·0	29·0	37·5	1·05
MOUTH - -	52·0	31·0	41·7	1·51	HULL - - -	45·0	30·0	38·2	1·97
ICH - -	49·4	29·2	39·0	2·74	TYNEMOUTH - -	45·0	29·0	38·1	0·75
OUTH - -	53·8	33·1	43·3	1·81	CARDIFF - - -	45·4	30·0	38·2	1·53
OL - - -	45·0	29·5	37·8	1·82	EDINBURGH - -	46·2	32·1	37·8	0·18
NGHAM - -	41·0	30·0	36·6	3·20	GLASGOW - -	44·0	22·0	36·1	0·08
NGHAM - -	42·0	25·0	36·9	3·48	DUBLIN (Phœnix Park)	43·6	22·9	37·0	1·82
POOL (OBSERVATORY)	42·0	30·0	37·2	1·22	DUBLIN (Fitzwilliam Square.†)	45·2	28·0	38·9	1·61
HESTER -	41·8	23·8	36·1	0·39					
LEY - -	41·0	21·8	34·9	0·65					
ERSFIELD -	40·5	27·7	35·8	2·06	BELFAST - - -	47·0	25·8	38·6	0·09

t the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to venth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The ction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the was 0°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
indly furnished by Sir John W. Moore, M.A M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 3rd December, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 27	..	29·491	44·4	31·2	13·2	39·2	− 2·5	38·7	0·5	2·9	0·0	98	52·0	25·0	44·50	Calm & SE.	SE. & ESE.	4·3	0·0	0·2	248	− 70	0·74	1·2
MONDAY - 28	..	29·377	52·0	33·4	18·6	38·9	− 2·6	35·7	3·2	6·1	0·6	88	49·6	27·2	44·00	SW., W. & WNW.	W. & WSW.	8·8	0·0	0·6	473	+158	0·01	3·8
TUESDAY - 29	..	29·680	37·8	28·8	9·0	33·4	− 7·8	30·5	2·9	4·4	0·0	89	36·0	23·8	44·15	SW. & WSW.	NE. & ENE.	0·5	0·0	0·0	197	−113	0·00	0·0
WEDNESDAY 30	Apogee	29·672	42·6	35·7	6·9	39·9	− 1·1	37·4	2·5	3·8	1·4	91	47·0	33·0	44·19	NE. & ENE.	NE. & ENE.	7·0	0·0	0·6	486	+182	0·54	0·8
DECEMBER. THURSDAY - 1	New	29·649	43·7	40·4	3·3	42·7	+ 1·8	41·6	1·1	1·8	0·2	96	45·3	39·0	43·70	ENE & E.	E.	7·8	0·0	0·6	490	+188	0·73	2·2
FRIDAY - 2	..	29·824	42·6	38·3	4·3	40·5	− 0·4	38·9	1·6	2·3	0·0	94	46·5	38·1	43·70	E.	E.	2·3	0·0	0·2	342	+ 38	0·25	0·0
SATURDAY - 3	..	29·615	40·9	37·6	3·3	39·8	− 1·3	37·7	2·1	3·2	0·7	92	40·6	37·6	44·00	E. & ESE.	ESE.	3·0	0·0	0·3	318	+ 5	0·25	0·0
MEANS - -		29·615	43·4	35·1	8·4	39·2	− 2·0	37·2	2·0	3·5	0·4	93	45·3	31·9	44·03	Variable & E.		..	..	..	Sum 2554	Sum +388	Sum 2·52	1·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. NOVEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 27	w. P. till noon; v. P. and v. N. afterwards.	0·0	8·3	Partially cloudy with hoar frost and slight fog in early morning; overcast after 6h. A.M.; continuous rain after 11h. 55m. A.M.
MONDAY - 28	w. P. till 10h. A.M.; then m. P.	0·0	8·3	Overcast with slight exceptions till 6h. P.M.; then generally cloudless; continuous rain till 3h. 30m. A.M.; brisk wind in morning; hoar frost at night.
TUESDAY - 29	m. P. throughout.	0·0	8·2	Fine in morning with hoar frost; variably foggy between 9h. A.M. and 1h. P.M.; fine and partially cloudy afterward; slight hoar frost at night.
WEDNESDAY 30	m. P. till 4h. A.M.; w. P. till 3h. P.M.; v. N. principally afterwards.	0·0	8·2	Overcast; frequent rain after 7h. A.M.; brisk wind prevalent after 3h. 30m. P.M.
DECEMBER. THURSDAY - 1	w. P. and w. N. till 6h. P.M.; w. N. generally afterwards.	0·0	8·2	Overcast; nearly continuous rain; gusty wind at times in early morning; small range of temperature.
FRIDAY - 2	w. P. generally; v. N. at times.	0·0	8·1	Overcast; frequent rain.
SATURDAY - 3	w. P. generally; occasional v. N. and v. P.	0·0	8·1	Overcast; frequent rain before 9h. A.M.; continuous rain soon after 7h. P.M.
		Sum 0·0	Sum 57·4	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·78 in. at the beginning of the week to 29·05 in. by 3h. A.M. on Nov. 28th; increased to 29·71 in. by 9h. A.M. on Nov. 30th; decreased to 29·61 in. by 5h. A.M. on Dec. 1st; increased to 29·85 in. by 9h. P.M. on Dec. 2nd; and decreased to 29·33 in. by midnight on Dec. 3rd.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 26th November, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	1	-	-	1	-	-	2	-	-
Kensington	184,635	-	4	3	-	-	-	-	4	1	-
Hammersmith	127,413	-	4	3	-	1	-	-	3	-	-
Fulham	181,282	-	7	7	-	-	1	-	3	-	-
Chelsea	75,457	-	-	3	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	5	1	-	1	-	-	3	-	-
NORTH.											
St. Marylebone	125,195	-	4	2	-	-	-	-	1	-	-
Hampstead	95,729	-	3	1	-	-	-	-	-	-	-
St. Pancras	237,792	-	14	6	-	-	-	-	4	-	-
Islington	353,356	-	15	18	-	2	-	-	7	-	-
Stoke Newington	54,838	-	3	1	-	1	-	-	-	-	-
Hackney	239,979	-	4	3	-	3	-	-	6	-	-
CENTRAL.											
Holborn	53,142	-	-	-	-	-	-	-	-	-	-
Finsbury	94,578	-	1	4	-	2	-	-	3	-	-
City of London	17,132	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	5	3	-	1	-	-	3	-	-
Bethnal Green	131,579	-	3	8	-	2	-	-	5	-	-
Stepney	314,379	-	12	9	-	2	-	-	10	1	-
Poplar	172,432	-	12	4	-	1	-	-	3	-	-
SOUTH.											
Southwark	211,832	-	8	4	-	1	-	-	5	-	-
Bermondsey	127,238	-	3	4	-	1	-	-	2	-	-
Lambeth	327,074	-	10	12	-	3	-	-	3	1	-
Battersea	188,222	-	7	3	-	-	-	-	4	-	-
Wandsworth	305,838	-	16	4	-	2	-	-	4	-	-
Camberwell	286,058	-	5	5	-	1	-	-	4	-	-
Deptford	119,642	-	7	1	-	-	-	-	5	1	-
Greenwich	112,935	-	2	-	-	-	-	-	2	-	-
Lewisham	164,899	-	9	4	-	1	-	-	1	-	-
Woolwich	135,422	-	12	3	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	176	116	-	26	1	-	89	4	-
Ages 0-1		-	-	1	-	-	-	-	2	-	-
„ 1-5		-	43	42	-	5	-	-	3	-	-
„ 5-		-	83	50	-	1	-	-	1	-	-
„ 10-		-	30	14	-	7	-	-	4	-	-
„ 15-		-	9	4	-	7	-	-	4	-	-
„ 20-		-	4	2	-	-	-	-	7	-	-
„ 25-		-	6	2	-	4	-	-	8	-	-
„ 35-		-	1	-	-	2	1	-	12	4	-
„ 45-		-	-	1	-	-	-	-	17	-	-
„ 55-		-	-	-	-	-	-	-	17	-	-
„ 65 and upwards		-	-	-	-	-	.	-	14	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 49. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, DEC. 10. [Price 1½*d.*

General Register Office, Somerset House,
December 12th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 16·8 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 15·5, 17·3, and 18·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 19·8 in Plymouth and in Liverpool, 20·2 in Bury, 20·4 in Nottingham, 20·7 in Rochdale, 21·7 in Brighton, 22·7 in Wigan, 24·0 in Tynemouth, and 24·5 in Preston; from *measles*, 1·7 in Plymouth, 1·8 in Tynemouth, 1·9 in Portsmouth, 2·1 in Grimsby, 2·4 in Brighton, and 3·1 in Rotherham; from *whooping-cough*, 1·9 in Reading; and from *enteric fever*, 2·3 in Wigan. One death from *small-pox* was registered in St. Helens, but none in any other of the seventy-seven towns.

LONDON.* (The Administrative County and the City of London.)

In LONDON 2228 BIRTHS and 1703 DEATHS were registered. Allowing for increase of population, the births were 105 below and the deaths 200 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(18313—41.) Wt. 91—429. 700. 12/10. D & S. G. 31. Sch. 4. 3 C

causes, which had been 16·4, 19·4, and 21·1 per 1000 in the preceding three weeks, was 18·2 last week. The death-rate in the four weeks ended last Saturday averaged 18·8 per 1000, being 2·6 per 1000 above the mean rate in the corresponding periods of the five years 1905–9.

The 1703 deaths included 66 from measles, 10 from diphtheria, 15 from whooping-cough, and 12 from diarrhœa; but not one death from small-pox, from scarlet fever, from typhus, from enteric fever, or from ill-defined pyrexia; thus, to these diseases in the aggregate 103 deaths were referred, being 5 above the corrected average number in the forty-ninth week of the preceding five years.

The deaths from *measles*, which had been 85, 94, and 113 in the preceding three weeks, fell to 66 last week, but were 34 above the corrected average; 12 deaths belonged to the Borough of Islington, 9 to Southwark, 7 to Lambeth, 6 to St. Pancras, 5 each to Bermondsey and to Battersea, and 4 each to Hammersmith and to Finsbury. No death from *scarlet fever* was recorded last week, the numbers of deaths in the preceding three weeks having been 8, 4, and 3, and the corrected average 13. The deaths from *diphtheria*, which had been 15, 12, and 10 in the preceding three weeks, were again 10 last week, and were 8 below the corrected average; 4 deaths belonged to St. Pancras. The deaths from *whooping-cough*, which had been 7, 15, and 6 in the preceding three weeks, were 15 last week, the corrected average being 17. No death from *enteric fever* was registered last week, the numbers in the preceding three weeks having been 4, 2, and 4, and the corrected average 4. The deaths from *diarrhœa*, which had been 23, 17, and 16 in the preceding three weeks, further fell to 12 last week, the corrected average being 15. Of the 12 deaths from diarrhœa, 6 were those of children under 2 years of age; 7 other deaths at this age were certified as due to *enteritis*, and 7 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 27, having been 13, 22, and 27 in the preceding three weeks.

Different forms of violence caused 50 deaths, concerning all of which inquests were held. Of these 50 deaths, 8 were cases of suicide, while the remaining 42 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, eight to burns or scalds, three to drowning, and ten, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1719 cases of scarlet fever, 884 of diphtheria, and 123 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 169 cases, against 180, 153, and 170; of diphtheria, 107 cases, against 107, 94, and 105; and of enteric fever, 13 cases, against 11, 13, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended December 3rd, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

GREATER LONDON (comprising London and the "Outer Ring," *i.e.*, the remainder of the Metropolitan Police District).

In Greater London 3414 births and 2342 deaths were registered. Allowing for increase of population, these numbers are 247 below and 209 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from measles, 1 from scarlet fever, 6 from diphtheria, and 2 from whooping-cough were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·09 inches, and that of the Thermometer 47°·8, the latter being 6°·7 above the week's average in the 65 years ended 1905. The general direction of the wind was Southerly, the horizontal movement of the air being 6 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 2·9 hours; the measured rainfall amounted to 0·71 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 10th December, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 19th Nov., 1910.	26th Nov., 1910.	3rd Dec., 1910.	10th Dec., 1910.	Rate from Diseases in Cols. 11–17 Week ended 10th Dec., 1910.	Registered during the Week ended 10th Dec., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**15·5**	**17·3**	**18·1**	**16·8**	**1·0**	**7869**	**5445**	**1107**	**1893**	**1**	**143**	**30**	**36**	**62**	**21**	**39**	**155**	**409**	**1477**	**49**	**77 TOWNS.**
LONDON	4,872,702	16·4	19·4	21·1	18·2	1·1	2228	1703	312	631	-	66	-	10	15	-	12	50	151	696	1	LONDON.
CROYDON	164,485	9·5	13·3	11·7	13·0	0·3	70	41	9	18	-	-	-	1	-	-	-	1	3	10	-	CROYDON.
WILLESDEN ..	166,088	11·9	11·3	11·0	10·0	-	63	32	8	12	-	-	-	-	-	-	-	-	2	7	-	WILLESDEN.
HORNSEY	98,561	6·3	9·0	11·6	14·3	-	22	27	3	15	-	-	-	-	-	-	-	-	-	1	-	HORNSEY.
TOTTENHAM ..	132,803	11·4	19·2	15·7	13·0	0·4	64	33	6	19	-	1	-	-	-	-	-	-	1	8	-	TOTTENHAM.
WEST HAM ..	328,585	14·3	16·7	14·9	13·2	1·4	158	83	17	25	-	4	2	2	-	-	1	4	10	18	1	WEST HAM.
EAST HAM.. ..	156,208	7·7	11·3	11·3	10·0	-	71	30	3	10	-	-	-	-	-	-	-	-	2	6	-	EAST HAM.
LEYTON	133,436	10·6	10·9	15·6	9·4	-	48	24	5	11	-	-	-	-	-	-	-	1	2	5	-	LEYTON.
WALTHAMSTOW	141,748	7·4	11·0	8·5	12·9	-	60	35	6	11	-	-	-	-	-	-	-	3	7	13	-	WALTHAMSTOW.
HASTINGS	68,520	11·4	19·0	16·0	13·7	0·8	18	18	1	11	-	-	-	-	-	-	1	-	1	2	1	HASTINGS.
BRIGHTON	131,900	15·8	18·2	18·2	21·7	4·0	45	55	14	18	-	6	1	-	1	1	1	1	1	15	-	BRIGHTON.
PORTSMOUTH ..	217,989	15·5	18·2	22·2	18·9	3·3	87	79	17	28	-	8	1	2	1	2	-	2	4	13	1	PORTSMOUTH.
BOURNEMOUTH ..	73,947	11·3	14·8	16·9	15·5	-	20	22	1	16	-	-	-	-	-	-	-	1	2	3	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	13·5	18·9	11·9	13·1	1·2	40	32	4	15	-	2	-	-	1	-	-	2	2	6	-	SOUTHAMPTON.
READING	84,355	6·2	13·6	14·8	11·1	1·9	24	18	1	7	-	-	-	-	3	-	-	1	1	2	-	READING.
NORTHAMPTON ..	99,113	13·2	15·8	12·1	13·2	1·1	32	25	3	13	-	-	-	1	1	-	-	-	-	3	-	NORTHAMPTON.
IPSWICH	75,936	15·8	13·7	17·9	12·4	-	37	18	2	7	-	-	-	-	-	-	-	2	2	4	-	IPSWICH.
GREAT YARMOUTH	53,715	15·5	14·6	26·2	12·6	-	41	13	7	4	-	-	-	-	-	-	-	1	2	1	-	GREAT YARMOUTH.
NORWICH	125,446	13·7	15·0	16·2	13·3	0·4	35	32	4	6	-	-	-	-	1	-	-	1	4	7	-	NORWICH.
PLYMOUTH	126,266	19·8	16·5	12·4	19·8	1·7	67	48	9	20	-	4	-	-	-	-	-	-	2	6	-	PLYMOUTH.
DEVONPORT	84,695	8·6	12·3	12·3	14·2	-	32	23	1	11	-	-	-	-	-	-	-	1	2	4	-	DEVONPORT.
BRISTOL	382,550	11·9	13·2	15·7	13·4	0·8	144	98	9	48	-	-	1	1	2	1	1	2	10	32	-	BRISTOL.
STOKE ON TRENT ..	245,726	19·1	23·8	19·3	18·7	1·3	132	88	37	20	-	1	2	-	2	1	-	2	5	10	3	STOKE ON TRENT.
BURTON ON TRENT	54,977	11·4	10·4	11·4	13·3	0·9	27	14	3	8	-	-	-	1	-	-	-	-	-	4	1	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	15·7	16·7	14·3	16·2	-	56	33	4	9	-	-	-	-	-	-	-	1	2	9	-	WOLVERHAMPTON.
WALSALL	101,035	10·8	12·4	17·5	13·4	-	41	26	3	7	-	-	-	-	-	-	-	2	3	7	-	WALSALL.
HANDSWORTH .. (STAFFS.)	72,335	8·7	10·1	7·2	15·1	-	14	21	1	12	-	-	-	-	-	-	-	-	2	2	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	11·0	20·5	16·9	11·0	0·7	30	15	2	6	-	-	1	-	-	-	-	-	-	3	1	WEST BROMWICH.

* See note to Table 1 on page 771.

ended Saturday, 10th December, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 19th Nov., 1910.	26th Nov., 1910.	3rd Dec., 1910.	10th Dec., 1910.	Rate from Diseases in Cols. 11–17. Week ended 10th Dec., 1910.	Registered during the Week ended 10th Dec., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	570,113	15·8	20·0	18·9	16·8	0·9	273	184	60	50	-	3	2	1	2	2	-	5	8	39	9	BIRMINGHAM.
KINGS NORTON ..	84,673	6·2	9·2	15·4	8·6	-	36	14	2	5	-	-	-	-	-	-	-	1	2	1	1	KINGS NORTON.
SMETHWICK	72,350	14·4	10·8	12·3	10·8	0·7	38	15	3	4	-	-	-	-	-	-	1	1	1	-	-	SMETHWICK.
ASTON MANOR ..	86,269	20·6	16·3	12·7	15·7	0·6	33	26	5	9	-	-	1	-	-	-	-	1	5	3	-	ASTON MANOR.
COVENTRY	81,449	12·8	10·9	19·2	16·6	0·6	56	26	4	11	-	-	-	-	1	-	-	-	-	4	1	COVENTRY.
LEICESTER	248,374	13·2	13·2	14·5	17·4	0·4	99	83	24	25	-	1	-	1	-	-	-	1	5	20	-	LEICESTER.
GRIMSBY	74,283	21·8	13·3	17·5	14·0	3·5	34	20	1	8	-	3	-	-	-	1	1	1	1	3	-	GRIMSBY.
NOTTINGHAM ..	266,471	17·6	20·2	16·6	20·4	0·6	118	104	23	30	-	-	-	1	1	-	1	1	3	24	-	NOTTINGHAM.
DERBY	131,256	15·1	16·7	12·3	18·3	0·4	59	46	10	22	-	-	-	-	1	-	-	3	7	9	-	DERBY.
STOCKPORT	105,087	20·3	14·9	17·4	14·4	0·5	56	29	8	9	-	1	-	-	-	-	-	1	2	4	-	STOCKPORT.
BIRKENHEAD ..	122,431	17·5	19·6	17·9	17·5	1·3	81	41	9	12	-	-	-	-	2	-	1	-	3	9	-	BIRKENHEAD.
WALLASEY	73,173	12·8	7·8	15·0	6·4	-	23	9	2	4	-	-	-	-	-	-	-	-	-	-	-	WALLASEY.
LIVERPOOL	767,606	16·0	17·4	20·9	19·8	1·0	428	292	45	101	-	4	2	1	2	2	4	15	28	100	7	LIVERPOOL.
BOOTLE	70,548	13·3	11·8	14·8	17·7	0·7	34	24	8	4	-	1	-	-	-	-	-	-	-	5	3	BOOTLE.
ST. HELENS	96,523	11·9	16·7	17·3	16·7	1·1	55	31	9	5	1	-	-	1	-	-	-	-	-	5	-	ST. HELENS.
WIGAN	91,732	14·8	16·5	21·0	22·7	2·3	52	40	11	16	-	-	-	-	-	4	-	2	3	8	-	WIGAN.
WARRINGTON ..	73,295	13·5	14·9	17·1	15·7	2·1	38	22	5	7	-	-	1	-	2	-	-	-	-	5	-	WARRINGTON.
BOLTON	190,315	14·5	17·8	17·0	14·8	0·8	67	54	5	24	-	-	2	-	-	-	1	2	4	7	1	BOLTON.
BURY	59,409	16·7	14·0	15·8	20·2	-	30	23	4	6	-	-	-	-	-	-	-	-	1	4	3	BURY.
MANCHESTER ..	716,354	18·9	20·6	22·1	18·6	1·4	407	255	61	73	-	8	3	1	2	2	3	9	19	75	2	MANCHESTER.
SALFORD	244,636	18·1	17·9	18·8	17·5	0·2	163	82	13	27	-	1	-	-	-	-	-	4	9	22	-	SALFORD.
OLDHAM	144,111	19·9	20·6	19·2	18·5	0·4	72	51	14	17	-	1	-	-	-	-	-	1	4	8	-	OLDHAM.
ROCHDALE	90,497	13·8	15·0	18·4	20·7	2·3	27	36	4	16	-	-	-	2	1	-	1	-	2	6	2	ROCHDALE.
BURNLEY	107,448	22·3	16·5	17·0	18·4	1·5	51	38	8	13	-	-	1	-	-	2	-	3	4	7	-	BURNLEY.
BLACKBURN	137,972	19·3	16·6	14·7	12·1	1·1	54	32	7	7	-	1	1	-	-	-	1	-	2	8	-	BLACKBURN.
PRESTON	119,253	14·9	18·4	19·2	24·5	0·4	52	56	10	23	-	-	-	-	-	-	1	2	3	9	-	PRESTON.
BARROW IN FURNESS.	63,689	14·7	18·0	11·5	7·4	-	23	9	2	3	-	-	-	-	-	-	-	-	-	2	-	BARROW IN FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 10th December, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 19th Nov., 1910.	26th Nov., 1910.	3rd Dec., 1910.	10th Dec., 1910.	Rate from Diseases in Cols 11–17. Week ended 10th Dec., 1910.	Registered during the Week ended 10th Dec., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	18·2	24·8	24·8	17·1	–	42	31	4	12	–	–	–	–	–	–	–	1	2	6	–	HUDDERSFIELD.
HALIFAX	112,818	9·2	15·3	14·8	15·3	–	29	33	3	17	–	–	–	–	–	–	–	1	2	8	1	HALIFAX.
BRADFORD	295,865	13·2	14·1	15·5	17·1	0·9	98	97	17	32	–	–	1	1	2	–	1	3	9	22	1	BRADFORD.
LEEDS	490,985	18·5	17·0	18·1	15·6	1·5	189	147	31	49	–	7	1	2	4	–	–	4	18	24	–	LEEDS.
DEWSBURY	51,224	19·3	18·3	22·4	19·3	1·0	20	19	4	6	–	–	–	–	1	–	–	–	–	4	–	DEWSBURY.
SHEFFIELD	478,763	15·8	13·7	15·7	18·2	1·4	257	167	38	50	–	5	2	1	3	–	2	2	4	48	2	SHEFFIELD.
ROTHERHAM.. ..	66,414	14·9	18·1	17·3	17·3	3·9	32	22	5	2	–	4	–	–	1	–	–	–	–	3	1	ROTHERHAM.
YORK	88,159	15·4	14·2	14·2	16·6	1·2	39	28	1	14	–	–	–	–	2	–	–	1	1	11	–	YORK.
HULL	280,006	18·2	20·1	18·1	13·8	0·6	164	74	21	16	–	1	1	–	–	1	–	4	6	14	2	HULL.
MIDDLESBROUGH ..	107,014	21·9	26·3	19·0	17·5	1·9	64	36	13	9	–	1	–	1	1	–	1	1	4	4	–	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	11·7	15·5	16·5	16·5	1·9	28	17	1	6	–	–	–	–	–	2	–	–	–	1	–	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	14·7	9·6	17·8	17·2	1·9	32	27	8	9	–	1	–	1	1	–	–	–	1	3	–	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	18·5	16·5	13·3	17·8	–	79	55	11	18	–	–	–	–	–	–	–	2	3	8	–	SUNDERLAND.
SOUTH SHIELDS ..	119,737	15·2	13·1	11·8	19·6	0·4	68	45	11	19	–	–	1	–	–	–	–	–	1	6	2	SOUTH SHIELDS.
GATESHEAD	133,676	15·6	14·4	17·2	13·3	0·8	71	34	12	6	–	–	1	–	–	–	1	–	1	1	1	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	14·0	14·8	14·8	14·8	1·5	156	81	25	20	–	5	–	–	3	–	–	2	6	3	1	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	19·4	26·8	16·6	24·0	3·7	25	26	6	5	–	2	–	1	1	–	–	–	–	6	–	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	10·5	13·1	13·1	17·7	–	34	27	7	11	–	–	–	–	–	–	–	–	–	6	–	NEWPORT (MON.).
CARDIFF	199,189	14·1	13·1	16·8	12·0	0·8	81	46	8	16	–	–	1	2	–	–	–	2	6	9	–	CARDIFF.
RHONDDA	138,674	15·4	19·2	13·5	16·9	1·5	103	45	13	8	–	1	–	1	1	–	1	1	3	3	–	RHONDDA.
MERTHYR TYDFIL..	79,522	11·8	17·7	20·3	15·7	1·3	30	24	4	7	–	–	1	–	–	–	1	–	1	2	–	MERTHYR TYDFIL.
SWANSEA	98,817	18·5	19·5	22·7	19·0	1·1	63	36	15	12	–	–	–	–	1	–	1	–	2	1	–	SWANSEA.
GREATER LONDON	7,537,196	14·6	17·3	18·3	16·2	0·9	3414	2342	430	885	–	73	3	19	17	–	13	66	201	814	2	GREATER LONDON.
OUTER RING ..	2,664,494	11·3	13·6	13·1	12·5	0·4	1186	639	118	254	–	7	3	9	2	–	1	16	50	118	1	OUTER RING.
8 TOWNS IN OUTER RING	1,321,914	10·6	13·5	12·8	12·0	0·4	556	305	57	121	–	5	2	3	–	–	1	9	27	68	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	12·0	13·8	13·3	13·0	0·4	630	334	61	133	–	2	1	6	2	–	–	7	23	50	–	REMAINDER OF OUTER RING.
EDINBURGH	360,276	16·8	13·9	16·9	18·2	0·9	138	126	24	49	–	1	1	3	–	–	1	2	?	45	5	EDINBURGH.
GLASGOW	884,505	16·1	16·8	17·3	16·0	0·9	408	271‡	57	63	–	1	1	7	3	1	2	12	?	95	11	GLASGOW.
DUBLIN (Registration Area).†	402,928	20·3	21·0	21·9	23·2	2·1	174	179	32	50	–	2	–	–	11	1	2	3	1	71	5	DUBLIN (Registration Area).†
BELFAST†	391,167	17·6	17·9	14·5	20·1	1·7	185	151	31	36	–	2	1	4	1	–	1	4	5	22	4	BELFAST.†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-NINTH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2299	2374	2225	2448	2185	2462	2338	2345	2040	2207	2332·9	2228
Males - - -	1156	1250	1144	1245	1107	1310	1215	1204	1042	1128	1208·0	1172
Females - -	1143	1124	1081	1203	1078	1152	1123	1141	998	1079	1124·9	1056
TOTAL **Deaths** -	1544	1698	1506	1669	1613	1460	1482	1475	1383	1540	1593·1	1703
Males - - -	810	859	776	878	837	760	748	740	707	777	764·2	867
Females - -	734	839	730	791	776	700	734	735	676	763	738·9	836

* The numbers in this column are the average weekly numbers in the Forty-Ninth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	13 Weeks.
TOTAL **Births** -	2050	2079	2237	2140	2029	2227	2318	2167	2243	2180	1982	1984	2228	27864
TOTAL **Deaths** -	1140	1118	1215	1148	1200	1176	1209	1226	1476	1537	1811	1974	1703	17933
Ages at Death: Under 1 year -	275	249	275	276	271	286	259	276	283	314	320	333	312	3729
1—5 years -	95	106	113	96	120	125	143	155	190	187	213	230	186	1959
5—20 " -	63	53	50	62	68	45	49	51	74	71	87	72	81	826
20—40 " -	147	133	136	141	145	149	141	150	149	154	185	185	188	2003
40—60 " -	225	243	271	241	264	246	252	230	313	315	377	378	305	3660
60 yrs. & upwds.	335	334	370	332	332	325	365	364	467	496	629	776	631	5756
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	27	18	15	18	17	33	44	50	67	85	94	113	66	647
Scarlet Fever - -	4	3	4	3	5	4	2	3	3	8	4	3	-	46
Diphtheria - -	5	9	10	8	5	11	9	6	13	15	12	10	10	123
Whooping-cough -	15	11	10	10	7	7	7	10	7	7	15	6	15	127
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	6	12	10	7	16	9	11	6	8	4	2	4	-	95
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	104	76	82	59	73	69	41	35	29	23	17	16	12	636
All above diseases -	161	129	131	105	123	133	114	110	127	142	144	152	103	1674
Dis. of Resp. System	51	52	66	53	70	81	111	102	150	193	317	370	249	1865
Pneumonia - -	69	71	112	112	92	113	123	144	169	203	241	299	257	2005
Phthisis - - -	113	100	104	105	107	89	114	114	154	120	166	152	146	1534
Dis. of Circ. System -	180	171	202	163	167	153	161	164	206	236	253	263	240	2559
Violence - - -	38	50	53	66	58	42	47	46	41	54	48	45	50	638
Inquest Cases - -	107	125	119	128	139	106	117	121	118	150	156	193	151	1730
Deaths in Institutions	528	528	540	512	557	507	533	533	652	630	704	742	696	7662
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	56·1	53·8	58·6	57·4	53·1	51·4	51·2	42·7	40·8	40·0	34·1	39·2	47·8	48·2
Mean of Highest -	63·8	63·2	69·0	66·0	60·2	57·9	55·9	49·5	49·7	45·4	39·2	43·4	51·5	55·0
Mean of Lowest -	50·4	44·4	49·2	50·4	48·5	45·3	46·7	37·4	32·4	35·0	28·4	35·1	43·8	42·1
Mean Humidity of the Air.	81	76	88	79	85	86	89	83	83	79	89	93	87	84
Rain-fall (in inches) -	0·66	0·00	0·10	0·08	0·61	0·63	0·30	1·03	0·31	0·53	0·62	2·52	0·71	8·10
Registered Sunshine (in hours).	21·2	55·4	30·7	33·6	8·8	14·6	7·3	11·5	24·7	14·5	1·9	0·0	2·9	227·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1509	1530	1653	1706	1745	1792	1847	1856	1882	1843	1769	1746	1719	1741
Diphtheria - - -	672	709	751	788	835	843	855	861	892	887	877	869	884	825
Typhus - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	102	123	144	163	175	179	170	175	165	146	135	134	123	149

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-NINTH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 49th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1503·1	1703	312	186	81	188	305	631
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	31·5	66	12	50	4	-	-	-
Scarlet Fever	12·7	-	-	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	24·6	27	1	1	2	2	7	14
Whooping-cough	16·6	15	5	9	1	-	-	-
Diphtheria	17·6	10	1	6	3	-	-	-
Cerebro-spinal Fever ..	0·4	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	4·3	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	4·7	2	2	-	-	-	-	-
Diarrhœa, Dysentery ..	10·4	10	3	1	1	2	1	2
Tetanus	0·6	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	6·3	7	5	1	-	-	1	-
Puerperal Septicæmia ..	2·9	5	-	-	-	4	1	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·4	1	-	-	-	-	1	-
Infective Endocarditis ..	3·5	5	-	-	-	2	1	2
Pneumonia: Lobar ..	22·3	26	3	2	1	6	7	7
Pneumonia: Broncho ..	87·2	133	54	46	6	2	9	16
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	74·7	98	16	12	3	9	20	38
Erysipelas	7·6	5	1	1	-	-	1	2
Septicæmia (not Puerperal)	1·2	3	1	1	1	-	-	-
Pyæmia (not Puerperal)	0·6	-	-	-	-	-	-	-
Other Infective Processes	4·9	7	-	-	1	-	1	5
Tuberculous Phthisis ..	89·5	100	-	4	8	42	37	9
"*Phthisis*"	48·1	46	-	1	3	15	18	9
Tuberculous Meningitis ..	17·8	14	5	5	4	-	-	-
Tuberculous Peritonitis ..	6·1	8	3	2	-	2	1	-
Tabes Mesenterica	0·6	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	16·8	19	1	6	4	3	3	2
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	9·4	3	-	-	-	1	1	1
Rheumatic Fever	4·9	5	-	-	1	2	2	-
Gout	2·9	-	-	-	-	-	-	-
Carcinoma	63·1	71	-	-	-	6	32	33
Sarcoma	6·3	6	-	1	1	2	-	2
Cancer (undefined) ..	33·8	32	-	-	-	-	10	22
Diabetes Mellitus	9·2	8	-	-	2	1	1	4
Premature Birth	45·7	54	54	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 49th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.
Meningitis (not tuberc.)..	10·9	9	2	2	2	2	1
Gen. Par. of Insane, Insanity	15·8	18	-	-	-	6	6
Epilepsy	7·0	6	-	-	2	3	-
Convulsions	16·2	11	8	3	-	-	-
Locomotor Ataxy.. ..	1·8	2	-	-	-	1	-
Paraplegia, Dis. of Cord.	6·1	5	-	-	-	-	2
Nervous Sys., Other Dis.	19·0	22	3	-	4	1	5
Valv. Dis., Endocarditis..	48·9	59	-	-	4	8	17
Cereb. Hæm. Cereb. Emb.	37·7	56	-	-	1	2	9
Apoplexy, Hemiplegia ..	16·4	11	-	-	-	-	2
Aneurysm	5·5	10	-	-	-	3	4
Embolism, Thrombosis (not Cerebral) ..	1·0	-	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	94·4	104	-	-	5	15	20
Croup (not Spasm: nor Memb.)	0·4	-	-	-	-	-	-
Bronchitis	156·3	224	40	11	1	5	28
Emphysema, Asthma ..	7·6	7	-	-	1	-	3
Pleurisy	5·9	8	-	2	1	1	1
Respiratory Dis., Other..	11·7	10	-	-	-	1	3
Tonsillitis, Quinsy.. ..	0·8	-	-	-	-	-	-
Enteritis (not Epid.) ..	13·5	8	6	1	-	-	-
Gastro-enteritis	8·2	9	6	1	-	1	-
Peritonitis (not Puerp.) ..	2·3	1	-	-	-	-	1
Cirrhosis of Liver.. ..	12·3	11	-	-	-	-	7
Liver Dis., Other	6·6	2	-	-	1	-	1
Digestive Sys., Other Dis.	33·4	47	9	1	5	12	6
Acute Nephritis	6·8	12	1	-	2	4	1
Bright's Dis., Albuminuria	36·0	38	-	1	-	3	16
Urinary Sys., Other Dis.	12·3	11	-	-	-	-	2
Generative Organs Dis...	6·1	7	-	-	-	4	1
Childbirth (Accid. of) ..	4·1	5	-	-	-	5	-
Old Age	64·5	70	-	-	-	-	-
Other Diseases	85·0	83	57	9	6	2	4
ACCIDENT.							
By Railways	2·5	3	-	-	-	1	2
By Vehicles and Horses..	6·3	4	-	-	-	-	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	-	-	-	-	-	-
In Building Operations..	1·4	-	-	-	-	-	-
In Conflagrations	0·2	1	-	-	-	-	1
By Burns, Scalds, Explosions	9·8	8	-	5	-	-	1
By Drowning	2·0	3	1	-	-	-	2
By Suffocation in Bed ..	8·8	10	10	-	-	-	-
By Poisons or Poisonous Vapours	1·4	2	-	1	-	1	-
Other Deaths by Accident..	14·7	11	1	-	-	4	1
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	0·4	-	-	-	-	-	-
Suicide	11·1	8	-	-	-	2	2
Execution	-	-	-	-	-	-	-

* In tables 3 and the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th December, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2228	1703	312	631	-	66	-	10	15	-	12	146	50	151	696	1
WEST DISTRICTS	805,311	317	311	50	135	-	10	-	3	1	-	1	17	10	23	104	-
NORTH DISTRICTS	1,055,908	490	350	61	126	-	24	-	5	3	-	2	36	10	26	149	-
CENTRAL DISTRICTS	209,465	104	83	20	15	-	-	-	1	2	-	-	4	1	6	46	-
EAST DISTRICTS	715,739	386	274	61	77	-	2	-	-	2	-	2	33	14	47	147	-
SOUTH DISTRICTS	1,749,844	931	633	119	265	-	30	-	-	7	-	4	51	15	49	198	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	52	1	13	-	-	-	1	-	-	3	5	-	-	52	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	22	17	1	10	-	-	-	-	-	-	-	-	-	2	-	-
Central Paddington *W,3H*	50,053	27	32	7	12	-	1	-	-	-	-	-	-	1	1	16	-
South Paddington	30,320	4	6	-	3	-	1	-	-	-	-	-	1	1	2	-	-
Kensington South *W,3H*	85,610	17	30	2	15	-	-	-	-	-	-	-	2	1	3	12	-
Kensington Central *W,H*	42,774	17	21	3	9	-	-	-	-	-	-	-	2	-	-	4	-
Kensington North *w*	48,244	22	32	4	12	-	2	-	-	1	-	-	3	-	-	14	-
North Hammersmith *2W,w,H* ..	49,192	15	21	4	9	-	3	-	-	-	-	-	1	1	1	11	-
South Hammersmith *w,2H* ..	63,047	22	20	5	4	-	1	-	-	-	-	-	-	-	-	7	-
North-west Fulham *W*	45,180	38	25	7	7	-	1	-	-	-	-	1	3	-	2	8	-
North-east Fulham *F*	46,405	23	13	-	5	-	-	-	3	-	-	-	-	-	-	3	-
South Fulham *W*	45,704	29	12	5	5	-	1	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	13	20	1	11	-	-	-	-	-	-	-	2	1	2	13	-
Chelsea South *W,2H*	31,328	12	7	1	5	-	-	-	-	-	-	-	-	1	2	-	-
Mayfair and Knightsbridge	28,743	7	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	23	16	3	8	-	-	-	-	-	-	-	2	1	3	4	-
St. Margaret & St. John *6H*	43,698	18	24	4	10	-	-	-	-	-	-	-	-	3	5	9	-
St. James and St. Anne *W,6H* ..	33,081	8	10	2	6	-	-	-	-	-	-	-	1	-	-	3	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	15	12	4	1	-	-	-	1	-	-	-	2	-	1	10	-
St. Mary Marylebone *W,4H* ..	37,948	39	7	1	3	-	-	-	-	-	-	-	1	-	-	2	-
Christchurch Marylebone *H* ..	39,536	10	3	-	2	-	-	-	-	-	-	-	1	-	-	1	-
St. John Marylebone *2H*	20,426	4	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Hampstead *W,F,6H*	81,942	25	37	5	16	-	-	-	2	2	-	-	3	-	2	19	-
West St. Pancras *2H*	60,562	32	11	2	5	-	-	-	1	-	-	-	1	2	3	1	-
South St. Pancras *w,10H*	55,707	28	25	3	8	-	-	-	-	-	-	-	2	3	4	18	-
East St. Pancras *W,H*	60,320	33	17	4	5	-	3	-	-	-	-	-	1	-	-	6	-
North St. Pancras *2W*	58,728	31	28	6	6	-	3	-	-	-	-	-	3	1	1	11	-
Tufnell *W*	31,995	13	28	2	15	-	2	-	-	-	-	1	2	-	-	23	-
Upper Holloway *2W,w,H*	33,978	18	40	6	9	-	8	-	-	-	-	1	7	-	1	29	-
Tollington *2W,w,H*	33,922	9	9	3	3	-	2	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	24	12	2	4	-	-	-	-	-	-	-	1	1	3	-	-
Barnsbury	54,478	34	11	5	2	-	2	-	-	1	-	-	-	-	1	-	-
Islington South-east *F*	75,397	31	18	4	4	-	2	-	-	-	-	-	-	1	3	-	-
Highbury *2H*	63,797	17	13	3	3	-	2	-	-	-	-	-	1	1	2	1	-
Stoke Newington *H*	51,247	20	11	-	9	-	-	-	-	-	-	-	1	-	1	-	-
North Hackney	50,398	20	12	1	9	-	-	-	-	-	-	-	1	-	-	-	-
Central Hackney *2w,F*	50,536	22	8	1	4	-	-	-	1	-	-	-	-	-	-	1	-
South-west Hackney *3H*	59,921	35	13	4	6	-	-	-	-	-	-	-	1	-	1	3	-
South-east Hackney *2W,w,H* ..	58,255	30	33	5	11	-	-	-	-	-	-	-	8	1	2	24	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, a from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVE DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturd 10th December, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases	Deaths in Public Institutions.
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	15	6	1	1	-	-	-	-	-	-	-	-	-	1	3
Strand *W*,4*H*	21,674	4	10	-	1	-	-	-	-	-	-	-	1	-	-	9
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Holborn *W*,5*H*	29,612	10	17	9	1	-	-	-	-	2	-	-	1	-	-	10
Clerkenwell *H*	63,704	33	16	3	7	-	-	-	-	-	-	-	1	-	2	-
St. Luke 3*H*,*L*	36,116	34	13	4	3	-	-	-	-	-	-	-	-	-	2	5
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	5	19	3	1	-	-	-	1	-	-	-	1	1	1	18
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																
Shoreditch South 3*H*	46,362	17	6	3	2	-	-	-	-	-	-	-	-	1	3	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	23	25	3	11	-	-	-	-	-	-	1	3	1	4	19
Shoreditch North-East	36,148	18	8	2	-	-	-	-	-	1	-	-	1	1	2	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	42	50	11	14	-	-	-	-	-	-	-	9	1	3	40
Bethnal Green South-West *H* ..	64,542	37	14	3	6	-	-	-	-	-	-	-	1	1	6	-
Spitalfields*	40,584	22	7	2	1	-	-	-	-	-	-	-	1	-	1	-
Whitechapel* *W*,*H*	38,184	16	46	10	4	-	1	-	-	-	-	-	3	2	6	39
St. George and St. John 2*W* ..	49,068	22	8	-	2	-	-	-	-	-	-	-	1	1	1	3
Shadwell and Ratcliff *w*,*H* ..	25,568	8	13	6	2	-	-	-	-	-	-	1	1	-	3	10
Limehouse *W*	32,369	10	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Mile End Old Town South-Western *H*	63,698	55	13	3	6	-	-	-	-	-	-	-	2	3	3	-
Mile End Old Town North-Eastern *W*,*w*	49,129	19	22	3	11	-	1	-	-	-	-	-	2	-	3	11
Bow	41,989	25	8	5	1	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	37	35	5	11	-	-	-	-	-	-	-	7	-	5	23
Poplar *W*,*w*	58,514	35	17	4	5	-	-	-	-	1	-	-	2	3	6	2
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* On 1st December, 1910, part of Mile End New Town sub-district was added to Spitalfields sub-district, an Goodman's Fields sub-district was added to the remainder of Mile End New Town sub-district, the area thus forme being entitled Whitechapel sub-district.

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th December, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	14	23	2	10	-	3	-	-	-	-	-	1	1	3	17	-
Kent-road	21,904	14	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	19	19	5	4	-	3	-	-	2	-	-	-	1	2	9	-
Newington North	49,022	23	13	2	5	-	-	-	-	-	-	-	-	-	3	-	-
Newington South *2W*	72,841	34	24	4	10	-	2	-	-	-	-	-	2	-	3	3	-
St. Olave *2W*	9,817	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	52	15	2	4	-	-	-	-	-	-	-	1	2	3	-	-
Rotherhithe *W,F*	38,460	13	22	-	9	-	4	-	-	-	-	-	2	-	-	14	-
Waterloo *2H*	27,440	34	10	2	1	-	5	-	-	-	-	-	-	-	1	2	-
Lambeth Church *H*	27,440	17	16	3	1	-	-	-	-	-	-	-	2	-	1	11	-
Kennington *2W*	52,518	25	35	6	16	-	3	-	-	-	-	-	4	-	-	21	1
Stockwell *HF*	63,826	49	16	7	6	-	-	-	-	1	-	-	-	-	2	1	-
Brixton *H*	73,673	31	22	6	8	-	-	-	-	-	-	-	1	1	1	2	-
Norwood *2WH*	56,998	20	18	6	9	-	-	-	-	1	-	-	-	-	-	1	-
East Battersea *H*	72,203	37	16	2	6	-	3	-	-	1	-	-	2	-	-	2	-
North-west Battersea	49,656	17	17	8	2	-	1	-	-	-	-	-	2	-	2	-	-
South-west Battersea *2W,H* ..	47,048	21	31	3	15	-	-	-	-	1	-	-	4	-	2	16	-
Clapham *2H*	51,361	26	15	2	8	-	-	-	-	-	-	-	-	-	1	3	-
Streatham *W,2w,2F,2L*	88,019	58	49	8	27	-	1	-	-	-	-	1	3	-	2	17	-
Springfield *2W,L*	27,959	21	9	3	4	-	-	-	-	-	-	-	-	-	2	2	-
Southfields *H*	40,444	29	12	1	5	-	-	-	-	-	-	-	4	-	-	1	-
Putney	24,139	15	11	3	5	-	-	-	-	-	-	-	1	1	2	-	-
Dulwich	13,359	4	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Camberwell South *W,w*	40,206	23	22	1	16	-	1	-	-	-	-	-	3	-	1	19	-
Camberwell North *W,2L*	65,584	32	37	7	13	-	2	-	-	-	-	-	7	-	2	17	-
St. George	47,331	24	14	5	5	-	-	-	-	-	-	-	2	-	2	-	-
Peckham North	48,913	27	9	3	5	-	1	-	-	-	-	-	-	1	1	-	-
Peckham South *2W,w*	43,946	24	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-
Deptford North *F*	49,004	23	9	3	4	-	-	-	-	-	-	1	-	-	-	-	-
Deptford East	29,781	16	7	3	3	-	-	-	-	-	-	-	-	1	1	-	-
Deptford South	38,934	22	9	1	5	-	-	-	-	-	-	-	1	1	1	-	-
Greenwich West *H*	23,456	15	4	-	2	-	-	-	-	-	-	-	-	1	1	3	-
Greenwich East *2W,H*	43,859	31	27	4	14	-	-	-	-	-	-	-	5	3	5	17	-
Eltham *w,H*	7,226	5	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	8	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *2W,w,F*	58,352	37	23	3	13	-	-	-	-	-	-	-	-	-	-	10	-
Sydenham *H*	43,653	24	17	3	5	-	-	-	-	1	-	-	1	-	-	1	-
Charlton *F,2H*	21,134	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich *5H*	41,625	16	14	4	4	-	-	-	-	-	-	-	3	1	1	-	-
Plumstead West *W,H*	39,376	8	12	2	4	-	1	-	-	-	-	-	-	1	2	-	-
Plumstead East *2W*	28,951	13	11	1	5	-	-	-	-	-	-	1	-	-	1	7	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	3	1	-	-	-	-	-	-	-	-	1	-	-	3	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Lunatic Asylums:—																	
Banstead	—	-	13	-	2	-	-	-	-	-	-	-	-	-	-	13	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	5	-
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	7	-	3	-	-	-	-	-	-	2	-	-	-	7	-
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-
Hanwell	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch	—	-	9	-	2	-	-	-	-	-	-	1	2	-	-	9	-
Claybury	—	-	3	-	2	-	-	-	-	-	-	-	1	-	-	3	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongi the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums B Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERA POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 10th December, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions
	LONDON—OUTER RING ..	368,603	2,045,135	1186	639	118	254	-	7	3	9	2	-	1	16	50	118
31 : 1	Carshalton 2F,3H	12,228	32,997	14	9	1	5	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	10	5	2	1	-	-	-	1	-	-	-	-	-	1
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	2	2	-	-	-	-	-	-	1	-	-	-	-	1
39 : 1	Coulsdon	11,069	8,166	8	4	1	1	-	-	-	-	-	-	-	-	1	-
2	South Croydon w,H ..	4,200	49,309	27	14	3	7	-	-	-	-	-	-	-	1	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	28	17	3	9	-	-	-	1	-	-	-	-	2	11
4	North Croydon H	2,644	41,698	15	12	5	3	-	-	-	-	-	-	-	-	1	1
5	Penge w	770	22,465	8	6	2	2	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	23	14	3	5	-	-	-	-	-	-	-	-	-	-
40 : 1	Wimbledon F,3H	3,221	41,652	26	9	1	3	-	-	-	-	-	-	-	-	1	1
2	Kingston 2W,H	6,224	42,068	16	14	2	6	-	-	-	-	-	-	-	-	1	3
3	Surbiton F,H	3,046	15,017	8	4	-	1	-	-	-	1	-	-	-	-	-	1
4	Esher, *part of** H	5,402	13,100	10	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	11	5	-	2	-	-	-	-	-	-	-	1	1	1
41 : 1	Richmond W,H	2,491	31,672	7	8	-	3	-	-	-	-	-	-	-	-	1	3
2	Mortlake F	2,518	17,821	14	2	-	1	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	9	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,832	28,454	5	13	2	7	-	-	-	-	-	-	-	-	1	1
3	Orpington, *part of** W,F ..	10,113	9,857	3	8	-	7	-	-	-	-	-	-	-	-	-	3
4	Chislehurst† 2H	16,011	17,549	5	2	-	1	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley† w,F,H		20,048	7	5	-	1	-	-	-	-	-	-	-	1	1	-
2	Erith F,H	3,854	25,296	19	8	1	1	-	-	-	-	-	-	-	1	2	-
3	Dartford W,F, *part of** ..	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2
126 : 1	Sunbury w	11,054	18,683	12	7	1	6	-	-	-	-	-	-	-	-	1	-
2	Staines W,H	13,277	15,178	11	5	2	3	-	-	-	-	-	-	-	1	1	1
127 : 1	Hillingdon W,F,H	6,035	13,661	4	4	-	1	-	-	-	-	-	-	-	-	-	3
2	Uxbridge H	12,757	8,984	2	2	-	2	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	7	8	3	4	-	-	-	-	-	-	-	-	1	-
128 : 1	Isleworth 3W,3F,H	6,859	30,863	20	14	-	7	-	-	-	1	-	-	-	-	1	5
2	Twickenham F,2H	2,421	20,991	19	5	1	3	-	-	-	-	-	-	-	1	2	-
3	Hanwell w,2H	4,108	11,257	5	2	1	1	-	-	-	-	-	-	-	-	-	-
4	Brentford 3F,2H	4,038	48,202	41	13	6	3	-	-	-	1	-	-	-	-	1	1
5	Chiswick H	1,249	29,809	17	12	2	4	-	1	-	-	-	-	-	-	-	-
6	Acton F,H	2,305	37,744	38	11	3	4	-	1	-	-	-	-	-	-	-	-
129 : 1	Willesden W,F,2H	4,384	114,811	63	31	8	11	-	-	-	-	-	-	-	-	2	6
130 : 1	Harrow F,H	13,809	25,523	17	5	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	4	4	-	1	-	-	-	-	-	-	-	-	-	1
3	Hendon W,F	8,382	22,450	16	10	4	1	-	-	-	1	1	-	-	-	-	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	8	3	1	2	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	3	-	-	-	-	-	-	-	-	-	-	-	1
3	Finchley F,3H	4,688	33,692	29	18	3	7	-	-	-	-	-	-	-	-	1	-
132 : 1	Hornsey F,H	2,875	72,056	22	27	2	15	-	-	-	1	-	-	-	-	-	1
2	Wood Green H	1,625	34,233	23	8	3	4	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	30	13	-	9	-	-	-	-	-	-	-	-	1	-
4	East Tottenham 2H ..	2,019	53,962	34	12	5	5	-	1	-	-	-	-	-	-	-	-
5	Edmonton W,w,2F	7,491	61,892	50	28	6	11	-	-	-	-	-	-	-	-	2	13
6	Enfield 2W,F,H	12,601	42,738	20	6	3	1	-	-	-	-	-	-	-	-	-	-
7	Waltham Abbey F	11,017	6,549	2	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	4	2	-	-	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	8	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	53,974	25	14	1	5	-	-	-	-	-	-	-	1	2	2
2	Forest Gate	787	52,745	18	9	1	6	-	-	-	1	-	-	-	-	1	-
3	Plaistow F,2H	1,249	90,921	70	26	5	7	-	-	2	1	-	-	1	1	1	6
4	Canning Town H	1,556	70,718	45	25	10	4	-	4	-	-	-	-	-	1	4	1
5	South East Ham 2F ..	1,991	37,342	37	12	1	4	-	-	-	-	-	-	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	34	12	2	4	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	-	2	-	2	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	23	14	1	8	-	-	-	-	-	-	-	-	-	6
9	North Leyton 2W,w,F ..	1,963	48,445	25	34	4	12	-	-	-	-	-	-	-	2	5	23
10	Walthamstow 2H L ..	6,504	108,929	64	28	6	11	-	-	-	-	-	-	-	4	8	2
189 : 1	Chigwell 2F,3H	11,778	16,397	8	2	-	-	-	-	-	-	-	-	-	-	-	1
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	4	-	3	-	-	-	-	-	-	-	-	-	2
2	Ilford F,L	8,496	41,244	29	19	6	7	-	-	1	-	-	-	-	-	-	2
3	Barking Town F	3,805	21,547	14	7	1	3	-	-	-	-	-	-	-	1	2	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3
	Long Grove Asylum, Epsom	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Essex County Lunatic Asylum, Brentwood.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Out Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esh parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting th part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ri in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : and in the Croydon Mental Hospital in 38 : 1 are also included.

† On 1st December, 1910, the boundary between these sub-districts was altered.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
DON* - -	4,872,702	December 10	2228	1703	18·2	-	66	-	10	15	-	20
UTTA - -	1,009,0 08	November 12	-	446‡	22·9	1	-	-	1	-	6	17
BAY - -	977,822	„ 22	437	552‡	29·4	-	6	-	-	1	2	41
RAS - -	509,346	„ 12	527	491‡	50·1	6	2	?	?	?	1	25
IS* - -	2,772,467	December 3	883	984	18·6	-	1	1	11	1	5	27
SSELS* -	720,030	„ 3	232	221	16·0	-	-	-	2	-	4	20
WERP* - -	317,171	„ 3	108	97	15·9	-	2	-	-	-	-	10
TERDAM* -	574,429	„ 3	249	168	15·2	-	4	-	-	1	2	3
ENHAGEN -	455,000	„ 3	219	130	14·9	-	-	2	2	1	-	1
KHOLM -	341,816	November 19	139	86	13·1	-	-	-	-	-	-	3
		„ 26	153	93	14·1	-	-	1	1	-	1	2
ISTIANIA -	240,178	December 3	113	51	10·8	-	2	-	1	-	-	2
TERSBURG	1,620,000	November 19	1115	700‡	22·5	6	5	11	17	4	5	36
COW - -	1,493,600	„ 26	-	-	-	-	-	-	-	-	-	-
LIN - -	2,131,032	„ 19	798	567	13·9	-	1	14	21	3	3	23
BURG - -	911,500	December 3	-	-	-	-	-	-	-	-	-	-
SLAU - -	509,992	November 26	-	197	20·1	-	-	-	3	4	1	16
NICH - -	576,000	„ 26	-	191	17·2	-	9	1	4	-	2	19
NNA* - -	2,107,981	„ 26	738	657	16·0	-	8	3	4	-	1	27
GUE* - -	497,905	„ 12	152	164	16·8	-	-	-	2	1	-	2
APEST* -	833,703	„ 26	429	292	18·2	-	-	8	2	-	3	7
ISTE* - -	221,124	December 3	152	123	29·3	-	-	-	-	-	-	4
E - - -	590,113	October 1	297	167‡	14·8	-	1	1	1	2	2	13
ICE - -	183,224	„ 8	80	55	15·7	-	-	-	-	-	2	5
		„ 15	79	51	14·5	-	-	-	-	-	-	4
AREST - -	297,643	November 12	198	136	23·8	-	-	6	3	-	1	11
YORK* -	4,803,264	„ 19	2434	1264	13·7	-	1	6	21	2	15	51
AGO* - -	2,185,283	„ 19	-	632	15·1	-	-	7	27	-	14	34
ADELPHIA*	1,598,400	October 15	-	-	-	-	-	-	-	-	-	-
DE JANEIRO	842,822	November 6	-	317‡	19·6	-	6	-	2	3	1	?
O:—*												
yptians -	620,443	„ 4	582	388	32·5	1	-	1	16	-	4	62
reigners -	62,510	„ 4	6	13	10·8	-	-	-	1	-	-	-
XANDRIA :—*												
yptians -	319,087	„ 4	299	176	28·7	-	-	-	3	-	1	29
reigners -	68,829	„ 4	7	18	13·6	-	-	-	-	-	2	3

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to iren under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 11 deaths from *plague* in Calcutta, 6 in Bombay, 1 in Madras, and 3 in Rio de Janeiro, and from *Asiatic era*, 19 deaths in Calcutta, 1 in Bombay, 2 in St. Petersburg, and 2 in Rome.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 10th December, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
DON (Greenwich)	53·9	40·1	47·7	0·71	BRADFORD - -	49·7	32·3	44·0	0·45
HTON - -	52·1	40·9	48·4	0·65	YORK - - -	52·0	37·0	44·6	0·43
TSMOUTH - -	55·0	40·0	48·9	1·74	HULL - - -	52·0	39·0	44 9	0 34
WICH - -	52·0	38·6	45·6	0·46	TYNEMOUTH - -	52·0	36·0	43 7	0 42
MOUTH - -	53·0	36·3	48·5	3·15	CARDIFF - - -	53·8	33·8	45·1	1·61
TOL - - -	53·2	34·2	46·2	1·35	EDINBURGH - -	48·6	35·7	43·1	0·30
MINGHAM - -	50·5	32·5	43·7	0·99	GLASGOW - -	50·0	36·3	44·2	1·32
TINGHAM - -	52·0	37·0	44·9	0·40	DUBLIN Phœnix Park.	51·0	31·2	43·4	1·70
ERPOOL, BSERVATORY.	51·0	34·0	44·7	0·39	DUBLIN Fitz-william Square.†	50·5	33·8	44·9	1·98
CHESTER -	51·8	34·8	45 0	0 43					
NLEY - -	51·0	34·0	44 2	0·71					
DERSFIELD -	50·0	31 8	43·7	0·47	BELFAST - - -	49 0	33 5	42·3	1·68

At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The rection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the ve was 0°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir John W. Moore, M.A M.D., Dublin.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY -	4	Greatest Dec. S.	29·245	51·3	41·3	10·0	45·8	+ 4·5	44·1	1·7	4·4	0·0	94	71·9	40·3	44·13	ESE. & SSW.	S., SE. & ESE.	2·1	0·0	0·1	243	- 82	0·29	1·8
MONDAY -	5	..	29·143	53·9	47·3	6·6	50·9	+ 9·4	45·2	5·7	9·2	1·6	81	68·0	40·7	44·30	S., SSE. & SSW.	SSW., S. & SSE.	4·8	0·0	0·5	384	+ 50	0·00	9·4
TUESDAY -	6	..	29·154	50·9	41·6	9·3	46·6	+ 5·1	43·4	3·2	5·8	1·1	88	64·8	34·5	44·80	SSE. & SE.	S., SSW., & WSW.	4·9	0·0	0·2	290	- 49	0·00	0·8
WEDNESDAY	7	..	29·363	51·5	40·1	11·4	46·5	+ 5·2	43·3	3·2	4·9	1·7	88	60·0	32·0	45·19	SW. & SSW.	S., SSE. & SE.	3·6	0·0	0·2	308	- 29	0·03	4·8
THURSDAY -	8	..	28·979	50·8	44·4	6·4	47·7	+ 6·7	43·1	4·6	7·9	2·1	84	54·6	39·5	45·47	SSE. & SE.	SE., SSE. & S.	6·3	0·0	0·5	327	- 3	0·16	18·4
FRIDAY -	9	First Qr.	28·950	51·0	46·1	4·9	49·0	+ 8·4	44·0	5·0	5·6	2·1	83	55·1	40·2	45·61	S., SW & SSW.	SW. & SSW.	6·2	0·0	0·8	467	+147	0·10	11·8
SATURDAY -	10	..	28·804	51·1	46·1	5·0	48·3	+ 7·9	45·2	3·1	5·8	2·1	89	61·2	42·1	45·85	S. & SSE.	SSW. & S.	4·2	0·0	0·5	406	+ 95	0·13	10·5
MEANS -	-		29·091	51·5	43·8	7·7	47·8	+ 6·7	44·0	3·8	6·2	1·5	87	62·2	38·5	45·05	SSE. & SSW.		..	..	..	Sum 2425	Sum +129	Sum 0·71	8·2
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
DECEMBER.				
SUNDAY -	4	w. P. and v. N.	1·3	8·1
MONDAY -	5	w. P. throughout.	0·8	8·0
TUESDAY -	6	w. P. throughout.	0·0	8·0
WEDNESDAY	7	w. P. generally.	0·3	8·0
THURSDAY -	8	w. P. till 3h. P.M.; w. P. and v. N. till 7h. P.M.; w. P. afterwards.	0·0	7·9
FRIDAY -	9	w. P. till noon; w. P. and w. N. till 6h. P.M.; then w. P.	0·5	7·9
SATURDAY -	10	w. P. with occasional w. N.	0·0	7·9
			Sum 2·9	Sum 55·8
No. of Col. -	-	27	28	29

GENERAL REMARKS.

Generally overcast; frequent rain till 10h. 30m. A.M. and nearly continuous rain after 4h. P.M. Solar halo observed shortly after noon.

Variably cloudy; occasional slight rain till 11h. A.M.; brisk wind between 8h. A.M. and noon; very mild.

Fine till 2h. A.M.; generally overcast till 6h. P.M.; afterwards cloudless with few exceptions.

Nearly cloudless till 3h. A.M.; very cloudy with occasional slight rain till shortly before 5h. P.M.; partially cloudy till 9h. 30m. P.M.; then generally overcast.

Generally overcast or very cloudy; continuous rain between 3h. and 7h. P.M.; brisk wind in afternoon; mild.

Generally overcast; frequent rain till 8h. 45m. P.M.; very mild; brisk wind prevalent 9h. A.M. and 5h. P.M.

Very mild and generally overcast with frequent rain.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·33 in. at the beginning of the week to 29·05 in. by 7h. A.M. on the 5th; increased to 29·23 in. by 9h. P.M. on the same day; decreased to 29·10 in. by 1h. P.M. on the 6th; increased to 29·42 in. by 10h. A.M. on the 7th; decreased to 28·90 in. by 9h. P.M. on the 8th; increased to 28·98 in. by 9h. A.M. on the 9th; decreased to 28·78 in. by 1h. P.M. on the 10th; and increased to 28·88 in. by midnight on the same day.

ERRATA.—Report for week ending 1910, December 3rd. Col. 15. December 3rd, *for* 40°·8, *read* 43°·0. Mean for week, *for* 45°·3, *read* 45°·8

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 3rd December, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever
WEST.											
Paddington	153,004	-	4	2	-	1	-	-	3	-	1
Kensington	184,635	-	5	5	-	-	-	-	-	1	-
Hammersmith	127,413	-	8	5	-	-	-	-	-	-	-
Fulham	181,282	-	7	6	-	2	-	-	1	1	-
Chelsea	75,457	-	-	1	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	2	6	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	2	1	-	-	-	-	1	-	-
Hampstead	95,729	-	1	1	-	-	-	-	1	1	-
St. Pancras	237,792	-	8	8	-	1	-	-	3	-	-
Islington	353,356	-	15	18	-	1	-	-	6	-	-
Stoke Newington	54,838	-	1	-	-	-	-	-	-	-	-
Hackney	239,979	-	4	7	-	6	-	-	11	2	-
CENTRAL.											
Holborn	53,142	-	2	1	-	-	-	-	1	-	-
Finsbury	94,578	-	-	7	-	4	-	-	4	-	-
City of London	17,132	-	-	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	3	2	-	1	-	-	2	-	-
Bethnal Green	131,579	-	3	5	-	-	-	-	4	-	-
Stepney	314,379	-	11	9	-	2	-	-	8	1	-
Poplar	172,432	-	2	4	-	-	-	-	7	1	-
SOUTH.											
Southwark	211,832	-	5	2	-	1	-	-	5	-	-
Bermondsey	127,238	-	6	4	-	-	-	-	5	1	-
Lambeth	327,074	-	21	6	-	3	-	-	6	-	-
Battersea	188,222	-	6	7	-	2	-	-	3	-	-
Wandsworth	305,838	-	12	5	-	1	-	-	8	1	-
Camberwell	286,058	-	10	9	-	2	-	-	7	1	-
Deptford	119,642	-	5	2	-	1	-	-	2	-	-
Greenwich	112,935	-	4	1	-	-	-	-	-	-	-
Lewisham	164,899	-	7	5	-	1	-	-	1	-	-
Woolwich	135,422	-	15	1	-	-	-	-	-	-	-
Port of London	—	-	1	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	170	131	-	29	-	-	90	10	1
Ages 0-1		-	1	4	-	-	-	-	3	-	-
" 1-5		-	41	44	-	3	-	-	3	-	1
" 5-		-	87	46	-	9	-	-	2	-	-
" 10-		-	27	13	-	4	-	-	7	-	-
" 15-		-	5	11	-	2	-	-	6	-	-
" 20-		-	6	4	-	5	-	-	8	1	-
" 25-		-	2	6	-	3	-	-	15	4	-
" 35-		-	-	3	-	1	-	-	11	5	-
" 45-		-	1	-	-	1	-	-	15	-	-
" 55-		-	-	-	-	1	-	-	14	-	-
" 65 and upwards		-	-	-	-	-	-	-	4	-	-
Age not stated		-	-	-	-	-	-	-	2	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 50. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, DEC. 17. [Price 1½*d.*

General Register Office, Somerset House,
December 19th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 15·2 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 17·3, 18·1, and 16·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 19·1 in West Hartlepool, 19·2 in Oldham, 19·4 in Stockton on Tees, 19·5 in Middlesbrough, 20·2 in Rochdale, 20·4 in Blackburn, 21·1 in Swansea, 21·2 in Newcastle on Tyne, 21·3 in Warrington, 22·2 in Tynemouth, and 23·3 in Burnley; from *measles*, 1·2 in Brighton, in Portsmouth, and in Sheffield, 1·6 in Rotherham, 1·8 in Oldham, 2·1 in Grimsby, and 2·8 in Tynemouth; and from *whooping-cough*, 1·2 in Norwich, 1·3 in West Hartlepool, and 2·4 in Rotherham. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.* (The Administrative County and the City of London.)

In LONDON 2204 BIRTHS and 1448 DEATHS were registered. Allowing for increase of population, the births were 21 and the deaths 76 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(18385—41.) Wt. 91—429. 700. 12/10. D & S. G.31. Sch. 4 3 D

weeks of the previous five years. The annual death-rate from all causes, which had been 19·4, 21·1, and 18·2 per 1000 in the preceding three weeks, further fell last week to 15·5. The death-rate in the four weeks ended last Saturday averaged 18·6 per 1000, being 2·6 per 1000 above the mean rate in the corresponding periods of the five years 1905–9.

The 1448 deaths included 83 from measles, 2 from scarlet fever, 16 from diphtheria 11 from whooping-cough, 6 from enteric fever, and 24 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 142 deaths were referred, being 44 above the corrected average number in the fiftieth week of the preceding five years.

The deaths from *measles*, which had been 94, 113, and 66 in the preceding three weeks, were 83 last week, and were 48 above the corrected average; 16 deaths belonged to the Borough of Islington, 11 to Finsbury, 8 each to Kensington, Lambeth, and Camberwell, 5 each to St. Pancras and Battersea, and 4 to Southwark. The deaths from *scarlet fever*, which had been 4, 3, and 0 in the preceding three weeks, were 2 last week, and were 11 below the corrected average. The deaths from *diphtheria*, which had been 12, 10, and 10 in the preceding three weeks, rose to 16 last week, and were 3 above the corrected average; 4 deaths belonged to Finsbury and 3 to Southwark. The deaths from *whooping-cough*, which had been 15, 6, and 15 in the preceding three weeks, were 11 last week, and were 9 below the corrected average. The deaths from *enteric fever*, which had been 2, 4, and 0 in the preceding three weeks, rose to 6 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 17, 16, and 12 in the preceding three weeks, rose to 24 last week, and were 12 above the corrected average. Of the 24 deaths from diarrhœa, 21 were those of children under 2 years of age; 9 other deaths at this age were certified as due to *enteritis*, and 5 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 17, having been 22, 27, and 27 in the preceding three weeks.

Different forms of violence caused 46 deaths, concerning all of which inquests were held. Of these 46 deaths, 4 were cases of suicide, while the remaining 42 were attributed to accident or negligence. Twelve of these latter were referred to vehicles in the streets, five to burns or scalds, four to drowning, and six, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1680 cases of scarlet fever, 894 of diphtheria, and 105 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 156 cases, against 153, 170, and 169; of diphtheria, 101 cases, against 94, 105, and 107; and of enteric fever, 13 cases, against 13, 19, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended December 10th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

GREATER LONDON (comprising London and the "Outer Ring," *i.e.*, the remainder of the Metropolitan Police District).

In Greater London 3377 births and 2041 deaths were registered. Allowing for increase of population, these numbers are 127 and 129 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from diphtheria, 5 from whooping-cough, 2 from enteric fever, and 4 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·17 inches, and that of the Thermometer 48°·6, the latter being 8°·0 above the week's average in the 65 years ended 1905. The general direction of the wind was South-south-westerly, the horizontal movement of the air being 68 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 6·7 hours; the measured rainfall amounted to 1·38 inches.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 17th December, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 26th Nov., 1910.	3rd Dec., 1910.	10th Dec., 1910.	17th Dec., 1910.	Rate from Diseases in Cols. 11-17 Week ended 17th Dec., 1910.	Registered during the Week ended 17th Dec., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**17·3**	**18·1**	**16·8**	**15·2**	**1·2**	**7619**	**4946**	**1022**	**1572**	**-**	**169**	**28**	**52**	**61**	**26**	**61**	**162**	**407**	**1432**	**41**	**77 TOWNS.**
LONDON	4,872,702	19·4	21·1	18·2	15·5	1·5	2204	1448	263	502	-	83	2	16	11	6	24	46	132	666	3	LONDON.
CROYDON	164,485	13·3	11·7	13·0	11·4	1·3	64	36	6	16	-	-	1	-	2	-	1	-	4	8	-	CROYDON.
WILLESDEN ..	166,088	11·3	11·0	10·0	11·9	0·6	65	38	7	7	-	-	-	-	1	1	-	-	2	6	1	WILLESDEN.
HORNSEY	98,561	9·0	11·6	14·3	7·4	-	21	14	-	10	-	-	-	-	-	-	-	-	1	2	-	HORNSEY.
TOTTENHAM ..	132,803	19·2	15·7	13·0	16·1	1·2	70	41	8	13	-	2	-	1	-	-	-	1	6	10	-	TOTTENHAM.
WEST HAM ..	328,585	16·7	14·9	13·2	12·1	1·0	161	76	17	23	-	2	1	1	1	1	-	7	11	24	-	WEST HAM.
EAST HAM.. ..	156,208	11·3	11·3	10·0	5·7	-	46	17	2	7	-	-	-	-	-	-	-	-	-	4	-	EAST HAM.
LEYTON	133,436	10·9	15·6	9·4	12·9	0·8	55	33	9	10	-	-	1	1	-	-	-	-	-	6	-	LEYTON.
WALTHAMSTOW	141,748	11·0	8·5	12·9	11·8	1·8	56	32	9	11	-	1	1	-	1	1	1	3	4	7	-	WALTHAMSTOW.
HASTINGS	68,520	19·0	16·0	13·7	13·7	-	20	18	4	8	-	-	-	-	-	-	-	1	1	3	-	HASTINGS.
BRIGHTON	131,900	18·2	18·2	21·7	17·4	1·2	40	44	4	18	-	3	-	-	-	-	-	1	7	13	-	BRIGHTON.
PORTSMOUTH ..	217,989	18·2	22·2	18·9	14·6	1·7	102	61	8	22	-	5	-	1	-	1	-	1	5	10	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	14·8	16·9	15·5	8·5	-	21	12	1	4	-	-	-	-	-	-	-	-	2	-	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	18·9	11·9	13·1	17·6	1·2	58	43	8	16	-	2	-	1	-	-	-	-	4	11	-	SOUTHAMPTON.
READING	84,355	13·6	14·8	11·1	9·3	1·9	26	15	5	4	-	-	-	1	1	-	1	-	-	4	-	READING.
NORTHAMPTON ..	99,113	15·8	12·1	13·2	11·0	0·5	29	21	3	10	-	-	-	-	1	-	-	-	-	7	-	NORTHAMPTON.
IPSWICH	75,936	13·7	17·9	12·4	8·9	1·4	28	13	-	5	-	-	-	1	-	1	-	-	-	3	-	IPSWICH.
GREAT YARMOUTH	53,715	14·6	26·2	12·6	17·5	-	22	18	4	11	-	-	-	-	-	-	-	2	2	1	-	GREAT YARMOUTH.
NORWICH	125,446	15·0	16·2	13·3	13·3	1·7	52	32	4	13	-	-	-	1	3	-	-	1	2	4	-	NORWICH.
PLYMOUTH	126,266	16·5	12·4	19·8	15·7	0·8	41	38	4	12	-	2	-	-	-	-	-	1	3	2	-	PLYMOUTH.
DEVONPORT	84,695	12·3	12·3	14·2	14·8	3·7	29	24	4	8	-	1	-	2	-	1	2	-	2	4	-	DEVONPORT.
BRISTOL	382,550	13·2	15·7	13·4	14·2	0·4	144	104	21	39	-	1	1	1	-	-	-	5	15	26	-	BRISTOL.
STOKE ON TRENT ..	245,726	23·8	19·3	18·7	17·8	1·5	135	84	34	12	-	-	1	1	4	-	1	7	8	7	5	STOKE ON TRENT.
BURTON ON TRENT	54,977	10·4	11·4	13·3	10·4	0·9	15	11	2	4	-	-	-	1	-	-	-	1	1	2	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	16·7	14·3	16·2	15·3	1·5	33	31	4	13	-	-	1	1	1	-	-	2	3	10	-	WOLVERHAMPTON.
WALSALL	101,035	12·4	17·5	13·4	12·9	1·0	58	25	9	9	-	1	-	-	-	-	1	3	6	3	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	10·1	7·2	15·1	6·5	-	28	9	1	5	-	-	-	-	-	-	-	-	1	3	-	HANDSWORTH (STAFFS.)
WEST BROMWICH	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	WEST BROMWICH

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 26th Nov., 1910.	3rd Dec., 1910.	10th Dec., 1910.	17th Dec., 1910.	Rate from Diseases in Cols. 11–17. Week ended 17th Dec., 1910.	Registered during the Week ended 17th Dec., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	20·0	18·9	16·8	16·6	1·0	261	182	47	54	–	5	4	–	1	1	–	8	11	31	5	Birmingham.
Kings Norton ..	84,673	9·2	15·4	8·6	12·3	0·6	35	20	3	9	–	–	–	–	–	–	1	–	–	3	–	Kings Norton.
Smethwick	72,350	10·8	12·3	10·8	7·2	–	27	10	4	3	–	–	–	–	–	–	–	–	2	3	–	Smethwick.
Aston Manor ..	86,269	16·3	12·7	15·7	8·5	–	39	14	2	3	–	–	–	–	–	–	–	1	1	–	–	Aston Manor.
Coventry	81,449	10·9	19·2	16·6	16·0	0·6	51	25	5	10	–	1	–	–	–	–	–	–	–	5	–	Coventry.
Leicester	248,374	13·2	14·5	17·4	14·5	0·6	97	69	18	18	–	2	–	1	–	–	–	2	4	17	–	Leicester.
Grimsby	74,283	13·3	17·5	14·0	17·5	4·2	38	25	6	4	–	3	–	–	–	2	1	–	1	6	1	Grimsby.
Nottingham ..	266,471	20·2	16·6	20·4	15·9	0·8	109	81	17	22	–	1	–	1	1	–	1	4	9	14	1	Nottingham.
Derby	131,256	16·7	12·3	18·3	7·9	0·4	66	20	–	10	–	–	–	–	–	–	1	–	1	8	–	Derby.
Stockport	105,087	14·9	17·4	14·4	15·4	–	49	37	8	16	–	–	–	–	–	–	–	–	–	10	–	Stockport.
Birkenhead ..	122,431	19·6	17·9	17·5	17·5	0·9	71	41	9	16	–	1	–	1	–	–	–	1	3	15	–	Birkenhead.
Wallasey	73,173	7·8	15·0	6·4	12·1	–	18	17	3	6	–	–	–	–	–	–	–	–	2	4	–	Wallasey.
Liverpool	767,606	17·4	20·9	19·8	18·7	1·8	443	275	52	74	–	10	4	5	2	1	5	15	22	110	6	Liverpool.
Bootle	70,548	11·8	14·8	17·7	10·3	–	37	14	4	3	–	–	–	–	–	–	–	–	–	5	–	Bootle.
St. Helens	96,523	16·7	17·3	16·7	16·2	–	58	30	12	8	–	–	–	–	–	–	–	–	–	7	1	St. Helens.
Wigan	91,732	16·5	21·0	22·7	17·6	–	50	31	7	7	–	–	–	–	–	–	–	1	2	4	–	Wigan.
Warrington ..	73,295	14·9	17·1	15·7	21·3	0·7	47	30	11	6	–	–	–	–	–	–	1	1	1	3	1	Warrington.
Bolton	190,315	17·8	17·0	14·8	17·0	0·5	73	62	17	16	–	–	1	1	–	–	–	–	3	10	–	Bolton.
Bury	59,409	14·0	15·8	20·2	18·4	0·9	24	21	5	5	–	–	–	1	–	–	–	1	1	3	–	Bury.
Manchester ..	716,354	20·6	22·1	18·6	17·1	1·0	308	235	59	70	–	4	–	3	1	2	4	6	17	66	3	Manchester.
Salford	244,636	17·9	18·8	17·5	13·0	1·1	111	61	14	14	–	2	1	–	–	–	2	3	6	13	–	Salford.
Oldham	144,111	20·6	19·2	18·5	19·2	1·8	73	53	8	19	–	5	–	–	–	–	–	1	1	10	–	Oldham.
Rochdale	90,497	15·0	18·4	20·7	20·2	1·2	28	35	8	14	–	–	–	–	–	–	2	–	1	4	1	Rochdale.
Burnley	107,448	16·5	17·0	18·4	23·3	1·5	55	48	12	14	–	–	–	–	1	–	2	4	4	8	–	Burnley.
Blackburn	137,972	16·6	14·7	12·1	20·4	1·9	49	54	13	19	–	1	–	2	1	1	–	1	1	11	3	Blackburn.
Preston	119,253	18·4	19·2	24·5	13·6	0·4	56	31	4	12	–	–	–	–	–	–	1	–	–	8	–	Preston.
Barrow in Furness.	63,689	18·0	11·5	7·4	10·6	0·8	31	13	3	3	–	–	–	1	–	–	–	–	–	2	–	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 17th December, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 26th Nov., 1910.	3rd Dec., 1910.	10th Dec., 1910.	17th Dec., 1910.	Rate from Diseases in Cols 11-17. Week ended 17th Dec., 1910.	Registered during the Week ended 17th Dec., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	24·8	24·8	17·1	11·0	-	43	20	2	4	-	-	-	-	-	-	-	-	-	1	-	HUDDERSFIELD.
HALIFAX	112,818	15·3	14·8	15·3	15·3	-	29	33	2	17	-	-	-	-	-	-	-	1	3	7	-	HALIFAX.
BRADFORD	295,865	14·1	15·5	17·1	14·6	0·5	104	83	13	37	-	-	1	-	1	-	1	1	7	15	-	BRADFORD.
LEEDS	490,985	17·0	18·1	15·6	16·0	1·5	195	151	38	36	-	5	1	1	5	1	1	6	14	30	-	LEEDS.
DEWSBURY	51,224	18·3	22·4	19·3	15·3	2·0	30	15	4	2	-	-	-	1	1	-	-	-	2	5	-	DEWSBURY.
SHEFFIELD	478,763	13·7	15·7	18·2	14·7	2·1	205	135	31	35	-	11	2	1	3	-	2	6	16	34	1	SHEFFIELD.
ROTHERHAM.. ..	66,414	18·1	17·3	17·3	16·5	3·9	25	21	4	7	-	2	-	-	3	-	-	-	-	4	-	ROTHERHAM.
YORK	88,159	14·2	14·2	16·6	8·9	2·4	32	15	3	4	-	-	1	-	1	1	1	-	1	4	-	YORK.
HULL	280,006	20·1	18·1	13·8	12·5	1·1	153	67	14	19	-	2	-	-	2	2	-	2	6	11	3	HULL.
MIDDLESBROUGH ..	107,014	26·3	19·0	17·5	19·5	1·9	67	40	9	8	-	1	-	-	2	-	1	1	4	5	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	15·5	16·5	16·5	19·4	-	29	20	4	6	-	-	-	-	-	-	-	1	1	2	1	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	9·6	17·8	17·2	19·1	1·9	40	30	10	5	-	1	-	-	2	-	-	-	-	4	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	16·5	13·3	17·8	17·2	1·9	73	53	4	14	-	2	1	-	2	-	1	2	3	11	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	13·1	11·8	19·6	17·0	0·9	56	39	3	14	-	-	-	-	1	1	-	1	3	8	1	SOUTH SHIELDS.
GATESHEAD	133,676	14·4	17·2	13·3	16·0	0·4	59	41	14	7	-	1	-	-	-	-	-	1	2	7	3	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	14·8	14·8	14·8	21·2	1·5	151	116	34	26	-	3	-	1	3	1	-	2	11	22	-	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	26·8	16·6	24·0	22·2	3·7	41	24	8	5	-	3	-	-	-	-	1	-	-	6	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	13·1	13·1	17·7	13·1	0·7	37	20	1	10	-	-	-	1	-	-	-	1	2	4	-	NEWPORT (MON.).
CARDIFF	199,189	13·1	16·8	12·0	9·2	0·5	72	35	6	7	-	-	1	-	-	1	-	3	6	7	-	CARDIFF.
RHONDDA	138,674	19·2	13·5	16·9	14·3	0·8	92	38	15	6	-	-	-	-	1	-	1	1	2	-	-	RHONDDA.
MERTHYR TYDFIL..	79,522	17·7	20·3	15·7	13·8	0·7	52	21	2	9	-	-	-	-	1	-	-	-	-	5	-	MERTHYR TYDFIL.
SWANSEA	98,817	19·5	22·7	19·0	21·1	1·1	60	40	6	19	-	-	2	-	-	-	-	2	8	9	-	SWANSEA.
GREATER LONDON	7,537,196	17·3	18·3	16·2	14·1	1·2	3377	2041	378	730	-	88	6	22	21	11	30	68	181	802	4	GREATER LONDON.
OUTER RING ..	2,664,494	13·6	13·1	12·5	11·6	0·7	1173	593	115	228	-	5	4	6	10	5	6	22	49	136	1	OUTER RING.
8 TOWNS IN OUTER RING	1,321,914	13·5	12·8	12·0	11·3	0·9	538	287	58	97	-	5	4	3	5	3	2	11	28	67	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	13·8	13·3	13·0	11·9	0·5	635	306	57	131	-	-	-	3	5	2	4	11	21	69	-	REMAINDER OF OUTER RING.
EDINBURGH	360,276	13·9	16·9	18·2	15·8	1·7	129	109	11	39	-	1	2	8	1	-	-	3	?	46	8	EDINBURGH.
GLASGOW	884,505	16·8	17·3	16·0	17·2	0·9	413	291‡	56	99	-	-	2	4	7	-	3	6	?	89	8	GLASGOW.
DUBLIN (Registration Area).†	402,928	21·0	21·9	23·2	19·8	0·8	232	153	30	49	-	1	1	1	1	1	1	7	10	52	3	DUBLIN (Registration Area).†
BELFAST†	391,167	17·9	14·5	20·1	17·7	1·1	167	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BELFAST.†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTIETH Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2527	2231	2339	2544	2446	2279	2172	2123	2186	2105	2225·0	2204
Males - - -	1295	1151	1189	1331	1215	1168	1142	1115	1140	1082	1156·4	1151
Females - -	1232	1080	1150	1213	1231	1111	1030	1008	1046	1023	1068·6	1053
TOTAL **Deaths** -	1454	1612	1682	1486	1696	1725	1628	1446	1311	1330	1523·6	1448
Males - - -	762	834	884	752	850	915	804	719	688	689	781·2	725
Females - -	692	778	798	734	846	810	824	727	623	641	742·4	723

* The numbers in this column are the average weekly numbers in the Fiftieth week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	13 Weeks.
TOTAL **Births** -	2079	2237	2140	2029	2227	2318	2167	2243	2180	1982	1984	2229	2204	28019
TOTAL **Deaths** -	1118	1215	1148	1200	1176	1209	1226	1476	1537	1811	1974	1703	1448	18241
Ages at Death: Under 1 year -	249	275	276	271	286	259	276	283	314	320	333	312	263	3717
1—5 years -	106	113	96	120	125	143	155	190	187	213	230	186	172	2036
5—20 " -	53	50	62	68	45	49	51	74	71	87	72	81	84	847
20—40 " -	133	136	141	145	149	141	150	149	154	185	185	188	141	1997
40—60 " -	243	271	241	264	246	252	230	313	315	377	378	305	286	3721
60 yrs. & upwds.	334	370	332	332	325	365	364	467	496	629	776	631	502	5923
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	18	15	18	17	33	44	50	67	85	94	113	66	83	703
Scarlet Fever - -	3	4	3	5	4	2	3	3	8	4	3	-	2	44
Diphtheria - -	9	10	8	5	11	9	6	13	15	12	10	10	16	134
Whooping-cough -	11	10	10	7	7	7	10	7	7	15	6	15	11	123
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	12	10	7	16	9	11	6	8	4	2	4	-	6	95
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	76	82	59	73	69	41	35	29	23	17	16	12	24	556
All above diseases -	129	131	105	123	133	114	110	127	142	144	152	103	142	1655
Dis. of Resp. System	52	66	53	70	81	111	102	150	193	317	370	249	174	1988
Pneumonia - -	71	112	112	92	113	123	144	169	203	241	299	257	181	2117
Phthisis - - -	100	104	105	107	89	114	114	154	120	166	152	146	107	1578
Dis. of Circ. System -	171	202	163	167	153	161	164	206	236	253	263	240	206	2585
Violence - - -	50	53	66	58	42	47	46	41	54	48	45	50	46	646
Inquest Cases - -	125	119	128	139	106	117	121	118	150	156	193	151	132	1755
Deaths in Institutions	528	540	512	557	507	533	533	652	630	704	742	696	666	7800
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	53·8	58·6	57·4	53·1	51·4	51·2	42·7	40·8	40·0	34·1	39·2	47·8	48·6	47·6
Mean of Highest -	63·2	69·0	66·0	60·2	57·9	55·9	49·5	49·7	45·4	39·2	43·4	51·5	52·2	54·1
Mean of Lowest -	44·4	49·2	50·4	48·5	45·3	46·7	37·4	32·4	35·0	28·4	35·1	43·8	44·7	41·6
Mean Humidity of the Air.	76	88	79	85	86	89	83	83	79	89	93	87	86	85
Rain-fall (in inches) -	0·00	0·10	0·08	0·61	0·63	0·30	1·03	0·31	0·53	0·62	2·52	0·71	1·38	8·82
Registered Sunshine (in hours).	55·4	30·7	33·6	8·8	14·6	7·3	11·5	24·7	14·5	1·9	0·0	2·9	6·7	212·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1560	1653	1706	1745	1792	1847	1856	1882	1843	1769	1746	1719	1680	1754
Diphtheria - - -	709	751	788	835	843	855	861	892	887	877	869	884	894	842
Typhus - - -	1	1	1	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	123	144	163	175	179	170	175	165	146	135	134	123	105	149

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTIETH Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 50th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1523·6	1448	263	172	84	141	286	502
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	35·0	83	11	65	7	–	–	–
Scarlet Fever	12·9	2	–	2	–	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	24·2	17	2	1	–	2	6	6
Whooping-cough	19·5	11	4	6	1	–	–	–
Diphtheria	12·7	16	1	13	1	–	–	1
Cerebro-spinal Fever ..	–	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	6·1	6	–	–	4	1	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	4·1	11	7	4	–	–	–	–
Diarrhœa, Dysentery ..	8·0	13	11	–	–	–	–	2
Tetanus	0·6	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·2	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	0·2	–	–	–	–	–	–	–
Venereal Dis.	7·0	6	5	1	–	–	–	–
Puerperal Septicæmia ..	2·7	2	–	–	–	2	–	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·2	–	–	–	–	–	–	–
Infective Endocarditis ..	3·9	1	–	–	1	–	–	–
Pneumonia: Lobar ..	21·7	24	2	–	2	5	8	7
Pneumonia: Broncho ..	86·6	90	35	25	5	2	9	14
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	69·0	67	9	10	7	7	17	17
Erysipelas	5·9	5	1	–	–	1	1	2
Septicæmia (not Puerperal)	1·4	2	–	1	–	–	1	–
Pyæmia (not Puerperal)	0·6	2	–	–	–	1	–	1
Other Infective Processes	5·5	7	–	1	–	–	3	3
Tuberculous Phthisis ..	96·3	68	–	–	6	27	31	4
"*Phthisis*"	50·6	39	–	–	5	14	19	1
Tuberculous Meningitis ..	20·7	21	5	8	8	–	–	–
Tuberculous Peritonitis ..	6·6	7	2	2	3	–	–	–
Tabes Mesenterica	2·3	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	16·6	14	1	2	4	3	2	2
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	5·9	7	–	–	–	1	5	1
Rheumatic Fever	7·0	3	–	–	2	1	–	–
Gout	2·3	1	–	–	–	–	–	1
Carcinoma	57·5	63	–	–	–	2	29	32
Sarcoma	6·1	7	–	–	–	5	2	–
Cancer (undefined) ..	30·1	31	–	–	–	–	10	21
Diabetes Mellitus	10·6	4	–	–	–	–	1	3
Premature Birth	50·2	53	53	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 50th week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
Meningitis (not tuberc.)..	11·1	8	–	4	3	1	–	
Gen. Par. of Insane, Insanity	15·2	19	–	–	–	3	9	
Epilepsy	5·5	5	–	–	–	1	1	
Convulsions	16·0	4	4	–	–	–	–	
Locomotor Ataxy.. ..	2·7	–	–	–	–	–	–	
Paraplegia, Dis. of Cord.	3·5	6	–	–	–	–	3	
Nervous Sys., Other Dis.	20·1	16	–	1	2	1	7	
Valv. Dis., Endocarditis..	51·2	55	–	–	8	5	12	
Cereb. Hæm. Cereb. Emb.	41·8	44	–	–	–	1	14	
Apoplexy, Hemiplegia ..	17·2	16	–	–	–	1	5	
Aneurysm	3·9	5	–	–	–	–	4	
Embolism, Thrombosis (not Cerebral) ..	0·8	1	–	–	–	1	–	
Heart & Blood Ves., Other Dis... ..	91·7	85	–	1	1	7	23	
Croup (not Spasm: nor Memb.)	0·6	–	–	–	–	–	–	
Bronchitis	174·5	153	27	8	2	3	13	
Emphysema, Asthma ..	8·0	4	–	–	–	–	1	
Pleurisy	4·3	2	–	–	–	–	1	
Respiratory Dis., Other..	12·5	12	–	1	–	–	2	
Tonsillitis, Quinsy.. ..	1·4	1	1	–	–	–	–	
Enteritis (not Epid.) ..	12·1	12	9	–	–	1	–	
Gastro-enteritis	4·5	8	4	2	–	1	–	
Peritonitis (not Puerp.) ..	2·7	2	–	–	–	1	–	
Cirrhosis of Liver.. ..	12·9	6	–	–	–	2	2	
Liver Dis., Other	5·3	5	–	–	–	–	1	
Digestive Sys., Other Dis.	35·4	46	7	2	8	10	8	
Acute Nephritis	7·8	7	–	–	–	2	1	
Bright's Dis., Albuminuria	40·8	31	–	–	–	3	10	
Urinary Sys., Other Dis.	11·7	9	–	–	–	–	1	
Generative Organs Dis...	4·7	3	–	–	–	–	3	
Childbirth (Accid. of) ..	2·0	3	–	–	–	3	–	
Old Age	62·9	64	–	–	–	–	–	6
Other Diseases	90·8	84	55	9	1	5	8	
ACCIDENT.								
By Railways	1·0	–	–	–	–	–	–	
By Vehicles and Horses..	5·7	12	–	–	1	6	1	
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	–	–	–	–	–	–	
In Building Operations..	1·0	1	–	–	–	–	1	
In Conflagrations	1·0	–	–	–	–	–	–	
By Burns, Scalds, Explosions	7·0	5	–	2	1	–	2	
By Drowning	3·7	4	–	–	1	2	1	
By Suffocation in Bed ..	9·2	6	6	–	–	–	–	
By Poisons or Poisonous Vapours	3·1	3	–	–	–	3	–	
Other Deaths by Accident..	14·5	11	1	1	–	1	1	
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	–	–	–	–	–	–	
Suicide	9·2	4	–	–	–	3	1	
Execution	–	–	–	–	–	–	–	

* In tables 3 and the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

E 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from MALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, IARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th December, 1910.

GISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
LONDON	4,536,267	2204	1448	263	502	-	83	2	16	11	6	24	107	46	132	666	3
EST DISTRICTS	805,311	301	273	46	115	-	13	-	2	3	-	3	14	9	29	123	-
ORTH DISTRICTS	1,055,908	436	328	46	109	-	29	-	2	3	2	3	29	12	22	147	1
ENTRAL DISTRICTS	209,465	88	60	11	14	-	4	-	2	-	1	1	2	1	8	43	-
AST DISTRICTS	715,739	419	194	42	54	-	5	-	4	3	2	6	15	10	33	105	-
OUTH DISTRICTS	1,749,844	960	549	118	199	-	31	2	3	2	1	11	44	14	40	204	2
IETROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	41	-	11	-	1	-	3	-	-	-	3	-	-	44	-
WEST DISTRICTS.																	
th Paddington *H*	63,603	24	10	3	4	-	-	-	-	1	-	-	-	-	1	-	-
ral Paddington *W,3H*	50,053	26	25	5	10	-	-	-	-	-	-	-	1	-	2	16	-
h Paddington	30,320	9	5	-	2	-	-	-	1	-	-	-	-	2	2	-	-
sington South *W,3H*	85,610	24	40	6	18	-	6	-	-	-	-	1	1	1	1	27	-
sington Central *W,H*	42,774	18	15	1	6	-	-	-	-	-	-	-	4	-	3	4	-
sington North *w*	48,244	22	22	3	8	-	2	-	-	1	-	-	2	2	5	7	-
th Hammersmith *2W,w,H* ..	49,192	29	14	2	4	-	1	-	-	1	-	1	-	-	-	4	-
h Hammersmith *w,2H* ..	63,047	27	17	2	9	-	-	-	-	-	-	-	-	1	2	4	-
th-west Fulham *W*	45,180	25	18	6	6	-	1	-	-	-	-	-	-	1	3	11	-
th-east Fulham *F*	46,405	20	10	2	5	-	1	-	1	-	-	-	-	-	-	2	-
h Fulham *W*	45,704	13	9	1	4	-	-	-	-	-	-	-	1	-	1	-	-
lsea North *W,w,3H*	42,514	13	40	5	21	-	-	-	-	-	-	-	4	-	1	34	-
lsea South *W,2H*	31,328	12	10	4	3	-	-	-	-	-	-	1	-	-	1	3	-
fair and Knightsbridge	28,743	4	6	-	3	-	-	-	-	-	-	-	-	-	1	-	-
rave *W,2H*	55,815	18	9	2	4	-	2	-	-	-	-	-	-	-	-	4	-
Iargaret & St. John *6H*	43,698	12	22	4	8	-	-	-	-	-	-	-	1	1	5	7	-
ames and St. Anne *W,6H* ..	33,081	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
NORTH DISTRICTS.																	
ouls Marylebone *7H*	35,391	13	23	5	6	-	-	-	-	-	-	1	1	2	3	15	-
Iary Marylebone *W,4H* ..	37,948	46	9	2	3	-	-	-	-	-	-	-	-	-	1	3	-
stchurch Marylebone *H* ..	39,536	15	6	1	4	-	-	-	-	-	-	-	1	-	-	-	-
ohn Marylebone *2H*	20,426	5	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
mpstead *W,F,6H*	81,942	17	28	4	9	-	-	-	2	-	-	-	4	-	2	14	-
t St. Pancras *2H*	60,562	16	9	-	3	-	-	-	-	1	-	-	1	-	1	-	-
th St. Pancras *w,10H*	55,707	22	24	3	6	-	-	-	-	-	-	2	2	2	3	20	-
t St. Pancras *W,H*	60,320	35	18	2	8	-	3	-	-	-	-	-	2	-	-	9	-
th St. Pancras *2W*	58,728	20	25	3	7	-	2	-	-	-	-	-	2	-	1	13	-
nell *W*	31,995	11	34	2	16	-	3	-	-	-	-	-	4	1	1	23	-
er Holloway *2W,w,H*	33,978	22	35	6	8	-	8	-	-	-	-	-	3	-	-	24	-
ington *2W,w,H*	33,922	13	7	1	1	-	4	-	-	1	-	-	-	-	-	-	-
er Holloway	41,424	20	8	3	1	-	-	-	-	-	-	-	-	1	1	-	1
nsbury	54,478	34	14	4	5	-	4	-	-	1	-	-	-	1	2	-	-
gton South-east *F*	75,397	29	7	-	5	-	1	-	-	-	-	-	-	-	-	-	-
hbury *2H*	63,797	24	7	1	2	-	1	-	-	-	-	-	-	-	-	1	-
e Newington *H*	51,247	15	8	-	3	-	1	-	-	-	-	-	1	-	-	-	-
th Hackney	50,398	13	14	2	5	-	1	-	-	-	1	-	-	1	2	-	-
tral Hackney *2w,F*	50,536	21	15	2	5	-	-	-	-	-	1	-	1	1	2	6	-
th-west Hackney *3H*	59,921	22	11	4	3	-	-	-	-	-	-	-	1	2	2	3	-
th-east Hackney *2W,w,H* ..	58,255	23	21	1	6	-	1	-	-	-	-	-	6	1	1	16	-
kney Union Workhouse, Brent-ood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

OTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein ely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other tricts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a -district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the er.

See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSE from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC F DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Sat 17th December, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include												
				Deaths of		Deaths from										
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	
CENTRAL DISTRICTS.																
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	20	2	1	1	-	-	-	-	-	-	-	-	-	-	
Strand *W*,4*H*	21,674	3	10	1	1	-	-	-	-	-	-	-	1	1	2	
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn *W*,5*H*	29,612	9	14	4	2	-	-	-	-	-	1	-	-	-	1	1
Clerkenwell *H*	63,704	24	7	1	3	-	2	-	-	-	-	-	-	-	2	
St. Luke 3*H*,*L*	36,116	26	8	3	1	-	2	-	-	-	-	-	-	-	3	
Holborn Union Workhouse, Mitcham	-	-	2	-	2	-	-	-	-	-	-	-	1	-	-	
St. Botolph *H*	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	17	1	4	-	-	-	2	-	-	1	-	-	-	1
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																
Shoreditch South 3*H*..	46,362	25	4	3	-	-	-	-	-	-	-	-	-	1	2	
Shoreditch North-West *W*,*w*,*H* ..	36,127	39	24	3	9	-	2	-	-	-	-	-	-	2	7	1
Shoreditch North-East	36,148	18	4	1	1	-	-	-	-	-	-	-	-	-	-	
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	31	27	8	8	-	-	-	2	1	2	1	1	1	2	18
Bethnal Green South-West *H* ..	64,542	36	10	4	4	-	-	-	-	-	-	1	-	1	3	
Spitalfields*	40,584	19	4	1	1	-	-	-	-	-	-	-	1	1	1	
Whitechapel* *W*,*H*	38,184	20	29	5	2	-	-	-	-	-	-	-	3	-	3	27
St. George and St. John 2*W* ..	49,068	33	14	3	6	-	2	-	1	-	-	1	-	-	4	8
Shadwell and Ratcliff *w*,*H* ..	25,568	7	15	4	-	-	-	-	1	1	-	1	2	1	1	8
Limehouse *W*	32,369	21	3	-	2	-	-	-	-	-	-	-	-	-	-	
Mile End Old Town South-Western *H*	63,698	52	9	3	2	-	-	-	-	-	-	-	-	-	1	1
Mile End Old Town North-Eastern *W*,*w*	49,129	24	10	3	3	-	-	-	-	-	-	-	1	-	1	3
Bow	41,989	24	2	-	-	-	-	-	-	-	-	-	-	-	-	
Bromley 3*w*,*H*	68,319	45	27	3	12	-	1	-	-	-	-	1	4	2	5	21
Poplar *W*,*w*	58,514	25	12	1	4	-	-	-	-	1	-	1	3	1	3	2
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* On 1st December, 1910, part of Mile End New Town sub-district was added to Spitalfields sub-district Goodman's Fields sub-district was added to the remainder of Mile End New Town sub-district, the area thus fo being entitled Whitechapel sub-district.

BLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th December, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
hristchurch and St. Saviour Southwark *W,2H*	23,319	12	27	4	2	-	3	-	1	1	-	-	1	4	4	22	-
ent-road	21,904	14	8	5	-	-	-	-	-	-	-	-	-	-	2	-	-
t. George the Martyr West *W,2H,L*	39,094	25	13	2	4	-	2	-	-	-	-	1	-	-	2	3	-
ewington North	49,022	28	11	4	2	-	-	-	-	-	-	-	2	1	1	-	-
ewington South *2W*	72,841	42	14	5	5	-	-	-	-	-	-	-	-	-	-	1	-
t. Olave *2W*	9,817	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ermondsey *W*	82,483	58	6	2	2	-	1	-	-	-	-	-	1	-	1	-	-
otherhithe *W,F*	38,460	24	22	4	5	-	2	-	-	-	-	-	2	1	1	13	-
aterloo *2H*	27,440	36	13	5	-	-	7	-	-	-	-	-	-	1	1	4	-
ambeth Church *H*	27,440	12	19	4	3	-	1	-	-	-	-	-	-	1	1	16	-
ennington *2W*	52,518	34	28	4	10	-	1	-	-	-	-	-	6	-	-	18	-
ockwell *HF*	63,826	31	15	2	8	-	-	-	1	-	1	-	-	-	1	2	-
rixton *H*	73,673	25	17	3	7	-	-	-	-	-	-	-	3	1	1	5	-
orwood *2WH*	56,998	18	13	1	8	-	-	-	-	1	-	-	1	-	1	-	1
ast Battersea *H*	72,203	35	14	3	5	-	3	-	-	-	-	1	1	-	-	-	-
orth-west Battersea	49,656	35	9	1	2	-	1	-	-	-	-	-	-	-	2	-	-
outh-west Battersea *2W,H* ..	47,048	16	23	2	7	-	1	-	-	-	-	-	6	-	4	15	-
lapham *2H*	51,361	19	11	3	5	-	2	-	-	-	-	-	1	-	-	1	-
treatham *W,2w,2F,2L*	88,019	56	37	6	25	-	-	-	-	-	-	-	-	1	1	18	1
pringfield *2W,L*	27,959	30	10	3	-	-	-	-	-	-	-	-	1	-	-	2	-
outhfields *H*	40,444	25	10	4	4	-	-	-	-	-	-	-	-	-	-	-	-
utney	24,139	4	5	-	1	-	-	-	-	-	-	1	-	-	2	-	-
ulwich	13,359	1	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-
amberwell South *W,w*	40,206	15	33	7	17	-	-	-	-	-	-	3	4	-	-	23	-
amberwell North *W,2L*	65,584	35	32	8	10	-	3	-	-	-	-	1	3	3	5	16	-
t. George	47,331	22	12	3	1	-	1	-	-	-	-	1	-	-	2	-	-
eckham North	48,913	23	9	3	5	-	-	-	-	-	-	-	-	-	1	-	-
eckham South *2W,w*	43,946	26	5	-	1	-	3	-	-	-	-	-	1	-	-	-	-
eptford North *F*	49,004	23	8	3	1	-	-	-	1	-	-	-	2	-	-	1	-
eptford East	29,781	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eptford South	38,934	23	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-
reenwich West *H*	23,456	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
reenwich East *2W,H*	43,859	36	18	4	8	-	-	-	-	-	-	-	2	-	1	11	-
lham *w,H*	7,226	4	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-
ee *w,H*	25,490	9	9	3	4	-	-	-	-	-	-	-	-	-	-	1	-
ewisham *2W,w,F*	58,352	35	30	7	16	-	-	-	-	-	-	1	2	1	4	15	-
ydenham *H*	43,653	33	5	-	4	-	-	-	-	-	-	-	-	-	1	1	-
harlton *F,2H*	21,134	8	5	1	1	-	-	2	-	-	-	-	-	-	-	2	-
oolwich *5H*	41,625	22	11	4	5	-	-	-	-	-	-	1	-	-	-	-	-
lumstead West *W,H*	39,376	14	8	2	3	-	-	-	-	-	-	-	-	-	1	-	-
lumstead East *2W*	28,951	13	24	4	9	-	-	-	-	-	-	1	3	-	-	14	-
orkhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum ..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(Westminster, St. Giles, and Strand Unions.)																	
. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. A. B. Fever Hospitals:—																	
ore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	6	-	-	-	1	-	3	-	-	-	1	-	-	6	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
. A. B. Children's Hospital:—																	
hildren's Infirmary, Carshalton..	—	-	4	-	-	-	-	-	-	-	-	-	1	-	-	4	-
. A. B. Imbecile Asylums:—																	
aterham	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	4	-
arenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ondon County Lunatic Asylums:—																	
anstead	—	-	3	-	1	-	-	-	-	-	-	-	1	-	-	3	-
well (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orton	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5	-
anor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ong Grove	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	6	-
ane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
artford Heath	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
anwell	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-
olney Hatch	—	-	9	-	3	-	-	-	-	-	-	-	-	-	-	9	-
laybury	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belongin the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Bo Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERA POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 17th December, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1173	593	115	228	-	5	4	6	10	5	6	22	49	136
31 : 1	Carshalton 2F,3H	12,228	32,997	12	6	2	1	-	-	-	1	-	-	-	-	-	2
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	8	6	-	3	-	-	-	-	-	-	-	1	1	3
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	4	1	1	-	-	-	-	2	-	-	-	-	2
39 : 1	Coulsdon	11,069	8,166	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	24	6	1	3	-	-	-	-	1	-	-	-	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	26	25	6	11	-	-	1	-	1	-	1	-	3	8
4	North Croydon H	2,614	41,698	14	5	-	2	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	6	8	1	4	-	-	-	-	-	-	1	-	-	-
6	Mitcham w	11,711	30,015	41	13	2	5	-	-	-	-	-	-	-	1	1	-
40 : 1	Wimbledon F,3H	3,221	41,652	30	12	-	6	-	-	-	-	-	-	-	2	3	1
2	Kingston 2W,H	6,224	42,068	27	8	3	2	-	-	-	-	-	-	1	-	2	3
3	Surbiton F,H	3,046	15,017	3	3	1	2	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	8	3	1	2	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	9	4	-	3	-	-	-	1	-	-	-	-	-	-
41 : 1	Richmond W,H	2,491	31,672	16	16	2	9	-	-	-	-	-	-	-	1	1	11
2	Mortlake F	2,518	17,821	9	7	2	2	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	12	4	-	3	-	-	-	-	-	-	-	-	-	1
2	Beckenham H	7,832	28,454	10	4	-	3	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	9	6	-	6	-	-	-	-	-	-	-	-	-	4
4	Chislehurst† 2H	16,011	17,549	1	3	1	1	-	-	-	-	-	-	-	-	-	1
43 : 1	Bexley† w,F,H		20,048	6	4	3	-	-	-	-	-	1	-	-	-	-	-
2	Erith F,H	3,354	25,296	12	5	1	4	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	4	-	2	-	-	-	-	-	-	-	-	-	4
126 : 1	Sunbury w	11,054	18,683	6	1	-	1	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,173	7	7	1	2	-	-	-	-	-	-	-	-	-	3
127 : 1	Hillingdon W,F,H	6,035	13,661	7	4	1	2	-	-	-	-	-	-	-	-	-	1
2	Uxbridge H	12,757	8,984	7	2	-	1	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	19	5	-	3	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	30,863	16	20	2	10	-	-	-	-	-	-	-	-	-	13
2	Twickenham F,2H	2,421	26,991	13	2	-	2	-	-	-	-	-	-	-	-	-	-
3	Hanwell w,2H	4,108	11,257	7	5	-	3	-	-	-	-	-	-	-	-	-	-
4	Brentford 3F,2H	4,038	48,202	38	22	6	5	-	-	-	-	-	-	-	-	2	1
5	Chiswick H	1,249	29,809	13	2	-	1	-	-	-	-	-	-	-	-	-	-
6	Acton F,H	2,305	37,744	21	9	5	1	-	-	-	-	-	-	-	1	1	-
129 : 1	Willesden W,F,2H	4,384	114,811	65	39	7	7	-	-	-	1	1	1	-	-	2	7
130 : 1	Harrow F,H	13,209	25,523	12	9	1	3	-	-	-	-	-	-	-	-	1	-
2	Edgware 2F,2H	6,994	4,521	1	2	-	-	-	-	-	-	-	-	-	-	-	1
3	Hendon W,F	8,382	22,450	13	8	2	3	-	-	-	-	1	-	-	1	1	1
131 : 1	South Mimms 2F,H ..	17,755	7,308	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	14	4	-	3	-	-	-	-	-	-	-	-	-	3
3	Finchley F,3H	4,668	33,692	29	10	2	5	-	-	-	-	1	-	-	-	1	-
132 : 1	Hornsey F,H	2,875	72,056	21	13	-	9	-	-	-	-	-	-	-	-	1	1
2	Wood Green H	1,625	34,233	22	2	1	1	-	-	-	-	-	-	1	-	-	-
3	West Tottenham	995	48,741	30	18	5	5	-	-	-	-	-	-	-	1	5	-
4	East Tottenham 2H ..	2,019	53,962	40	16	3	4	-	2	-	1	-	-	-	-	1	3
5	Edmonton W,w,2F	7,401	61,892	58	29	5	8	-	-	-	-	-	1	-	1	3	9
6	Enfield 2W,F,H	12,601	42,738	27	10	4	4	-	-	-	-	-	1	-	2	2	1
7	Waltham Abbey F	11,017	6,549	2	1	-	1	-	-	-	-	-	-	-	-	1	-
8	Cheshunt F,H	8,479	12,292	5	-	-	-	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	6	3	-	2	-	-	-	-	-	-	-	1	1	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	28	9	1	2	-	1	-	-	-	-	-	3	3	3
2	Forest Gate	787	52,745	23	9	-	6	-	-	-	-	-	-	-	-	1	-
3	Plaistow F,2H	1,249	90,921	57	25	10	3	-	-	1	1	1	1	-	2	3	5
4	Canning Town H	1,556	70,718	53	18	6	3	-	1	-	-	-	-	-	2	4	1
5	South East Ham 2F ..	1,991	37,342	24	6	1	3	-	-	-	-	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	22	7	-	3	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	4	1	-	1	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	23	17	5	6	-	-	-	1	-	-	-	-	-	7
9	North Leyton 2W,w,F ..	1,963	48,445	32	39	5	17	-	-	1	-	-	-	-	-	-	22
10	Walthamstow 2H L ..	6,504	108,929	60	27	9	8	-	1	-	-	1	1	1	3	4	1
189 : 1	Chigwell 2F,3H	11,778	16,397	10	7	1	2	-	-	1	-	-	-	-	-	-	1
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	2	3	-	1	-	-	-	-	-	-	-	-	-	3
2	Ilford F,L	8,496	41,244	34	9	2	6	-	-	-	-	-	-	-	-	-	1
3	Barking Town F	3,805	21,547	13	7	2	3	-	-	-	-	-	-	-	-	-	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	1	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	4	-	2	-	-	-	-	-	-	-	-	-	4
	Essex County Lunatic Asylum, Brentwood.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Out Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esh parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting th part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Rin in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : and in the Croydon Mental Hospital in 38 : 1 are also included.

† On 1st December, 1910, the boundary between these sub-districts was altered.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
LONDON* - -	4,872,702	December 17	2204	1448	15·5	-	83	2	16	11	6	35
CALCUTTA - -	1,009,038	November 19	-	487‡	25·0	-	-	-	2	-	13	18
BOMBAY - -	977,822	" 29	457	591‡	31·4	-	7	-	-	-	1	41
MADRAS - -	509,346	" 19	398	395‡	40·3	2	1	?	?	?	1	24
PARIS* - -	2,772,467	December 10	-	-	-	-	-	-	-	-	-	-
BRUSSELS* -	720,030	" 10	220	209	15·1	-	3	-	1	-	5	13
ANTWERP* - -	317,171	" 10	133	93	15·2	-	3	-	-	-	-	9
AMSTERDAM* -	574,987	" 10	289	153	13·9	-	2	-	2	1	-	-
COPENHAGEN -	455,000	" 10	218	114	13·1	-	-	2	1	2	-	2
STOCKHOLM -	341,816	" 3	142	83	13·1	-	-	-	-	-	-	-
CHRISTIANIA -	240,178	" 10	102	53	11·5	-	-	-	-	-	-	3
ST. PETERSBURG	1,620,000	November 26	963	618	19·9	5	5	21	10	3	4	32
MOSCOW - -	1,493,600	" 26	-	682	23·8	2	3	24	27	7	12	46
BERLIN - -	2,131,032	" 26	759	608	15·0	-	4	11	18	1	1	32
HAMBURG - -	911,500	December 3	-	-	-	-	-	-	-	-	-	-
BRESLAU - -	509,992	" 3	-	195	19·9	-	-	-	4	2	-	10
MUNICH - -	576,000	" 3	-	198	17·9	-	3	-	1	2	-	19
VIENNA* - -	2,107,981	" 3	737	647	15·8	-	7	3	10	2	3	29
PRAGUE* - -	497,905	November 19	165	192	19·6	-	-	-	1	-	-	6
BUDAPEST* -	833,703	December 3	376	326	20·3	-	-	3	2	2	2	10
TRIESTE* - -	221,124	" 10	138	104	24·2	-	1	-	-	1	1	2
ROME - - -	590,113	October 8	-	-	-	-	-	-	-	-	-	-
VENICE - -	183,224	" 22	75	55	15·7	-	-	-	-	-	-	11
BUCAREST - -	297,643	November 19	222	121	21·2	-	-	6	2	-	1	-
NEW YORK* -	4,803,264	" 26	2146	1284	13·9	-	4	5	29	7	5	35
CHICAGO* - -	2,185,283	" 26	-	614	14·7	-	-	7	29	-	10	42
PHILADELPHIA*	1,598,400	October 15	-	443	14·4	-	-	3	5	8	12	44
RIO DE JANEIRO	842,822	November 13	-	333	20·6	-	4	-	1	5	2	?
CAIRO :—*												
Egyptians -	620,443	" 11	629	347	29·1	-	2	-	18	-	2	66
Foreigners -	62,510	" 11	7	10	8·3	-	-	-	-	-	-	-
ALEXANDRIA :—*												
Egyptians -	319,087	" 11	298	187	30·5	-	-	-	1	-	1	36
Foreigners -	68,829	" 11	12	14	10·6	-	-	-	-	-	-	1

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.

† Excluding deaths from croup in the Indian Cities.

‡ Including 10 deaths from *plague* in Calcutta, 9 in Bombay, and 1 in Madras, and from *Asiatic cholera*, 28 deaths in Calcutta and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 17th December, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	55·0	42·1	48·5	1·38	BRADFORD - -	50·1	39·1	45·5	1·63
BRIGHTON - -	52·9	45·9	49·6	1·87	YORK - - -	52·0	40·0	46·9	1·04
PORTSMOUTH - -	54·5	45·0	49·6	2·46	HULL - - -	52·0	42·0	46·7	1·30
NORWICH - -	52·0	41·0	46·9	1·49	TYNEMOUTH - -	51·0	39·0	44·8	0·73
PLYMOUTH - -	54·3	44·4	49·5	2·18	CARDIFF - - -	53·4	42·0	47·0	2·61
BRISTOL - - -	54·8	42·0	48·0	2·87	EDINBURGH - -	49·9	36·9	43·6	0·55
BIRMINGHAM - -	51·8	40·4	45·9	1·90	GLASGOW - -	50·7	37·8	45·2	0·80
NOTTINGHAM - -	54·0	41·0	47·1	1·03	DUBLIN { Phœnix Park.	52·8	35·9	45·2	1·17
LIVERPOOL OBSERVATORY.	51·0	40·0	46·1	1·01	DUBLIN { Fitz-william Square.†	52·2	41·8	46·7	1·80
MANCHESTER -	50·2	39·8	46·3	1·22					
BURNLEY - -	49·5	38·0	45·2	2·36					
HUDDERSFIELD -	51·7	39·0	45·8	1·29	BELFAST - - -	50·0	33·0	45·5	2·81

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·0 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir Lt. W. Moore, M.A., M.D., Dublin.

9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 17th December, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY	11	In Eqr.	29·070	53·0	46·0	7·0	49·0	+ 8·8	46·5	2·5	7·4	1·1	91	64·1	40·3	46·08	S., SSW. & SW.	SW. & SSW	1·7	0·0	0·1	265	− 41	0·25	5·8
MONDAY	12	..	29·173	50·2	45·0	5·2	47·7	+ 7·4	44 3	3·4	4·6	1·3	88	54·9	38·0	46·34	SW., SSW. & S.	S., SSW. & SW.	7·4	0·0	0·5	393	+ 87	0·16	11·7
TUESDAY	13	..	29·140	52·7	45·0	7·7	49·2	+ 8·7	42·8	6·4	9·1	3·9	78	67·8	38·9	46·52	SSW. & S.	SSW. & S.	12·2	0·0	1·4	600	+293	0·07	17·8
WEDNESDAY	14	..	29·283	52·0	47·3	4·7	49·3	+ 8 6	46·0	3·3	5·8	1·2	88	64·0	41·0	46·61	SSW. & SW.	SSW., S. & SSE.	7·7	0·0	0·7	494	+186	0·18	12·0
THURSDAY	15	Perigee	29·152	51·9	42·1	9·8	47·9	+ 7·1	45·4	2·5	5·4	1·4	91	58·2	34·2	46·72	SSW. & S.	WNW., W. & WSW.	5·3	0·0	0·4	401	+ 93	0·32	7·2
FRIDAY	16	Full	29·000	55·0	42·3	12·7	49·8	+ 9·1	44·6	5·2	10·0	1·4	82	65·0	34·4	46·90	S., SSW. & SW.	SW. & WSW.	30·5	0·0	2·7	820	+513	0·38	15·3
SATURDAY	17	Greatest Dec. N.	29·346	50·8	45·1	5·7	47·0	+ 6·6	42·1	4·9	7·6	3·7	83	53·0	40·4	47·00	WSW.	W., WNW. & N.	14·1	0·0	1·3	629	+327	0·02	3·7
MEANS			29·166	52·2	44·7	7·5	48·6	+ 8·0	44·5	4·0	7·1	2·0	86	61·0	38·2	46·60	SSW.		..	..	..	Sum 3602	Sum +1458	Sum 1·38	10·5
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY	11	w. P. generally; occasional v. N.	1·7	7·9
MONDAY	12	w. P. generally; occasional v. N.	0·0	7·8
TUESDAY	13	w. P. till 8h. A.M.; v. P. and v. N. till 2h. P.M.; w. P. afterwards.	0·6	7·8
WEDNESDAY	14	w. P. generally; occasional w. N.	2·5	7·8
THURSDAY	15	w. P. generally; occasional v.N. till noon.	0·3	7 8
FRIDAY	16	w. P. till 3h. A.M.; w. P. and v. N. afterwards.	1·4	7·8
SATURDAY	17	w.P. and w.N. till 2h. A.M.; w.P. till 11h.A.M.; w. P. and occasional v. N. afterwards.	0·2	7·8
			Sum 6·7	Sum 54·7
No. of Col.		27	28	29

GENERAL REMARKS.

Generally cloudy with frequent rain; fine intervals between 9h.A.M. and noon; very mild.

Overcast with slight exceptions; freqnent rain; brisk wind in afternoon; very mild.

Generally cloudy with fine intervals; frequent showers; strong gusty wind prevalent after 5h. A.M.; sharp shower of rain and hail at 1h. 30m. P.M.; very mild.

Fine and partially cloudy with occasional showers till 2h. P.M.; then overcast with frequent rain; gusty wind in early morning and again at night. Parhelion observed at 9h.A.M.; very mild.

Very mild; generally overcast with frequent rain till 1h. 30m. P.M.; then fine with variable amounts of cloud. Lunar halo observed at night.

Generally overcast or very cloudy; frequent rain; strong gusty wind prevalent after 5h. A.M.; increasing to a gale by 10h. A.M.; very mild.

Partially cloudy till 10h. A.M.; then overcast; occasional light rain; gale gradually dying down by noon; very mild.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 28·88 in. at the beginning of the week to 29·24 in. by 6h. A.M. on the 12th; decreased to 29·09 in. by 4h. P.M. on the same day; increased to 29·23 in. by 2h. A.M. on the 13th; decreased to 29·10 in. by noon on the same day; increased to 29·40 in. by 10h. A.M. on the 14th; decreased to 28·96 in. by 7h. A.M. on the 15th; increased to 29·45 in. by 10h. P.M. on the same day; decreased to 28·94 in. by 7h. P.M. on the 16th; and increased to 29·60 in. by midnight on the 17th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 10th December, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	2	2	-	1	-	-	3	-	-
Kensington	184,635	-	1	6	-	2	-	-	3	-	-
Hammersmith	127,413	-	4	5	-	-	-	-	-	-	-
Fulham	181,282	-	2	3	-	-	-	-	1	-	-
Chelsea	75,457	-	2	1	-	-	-	-	1	-	-
City of Westminster ..	167,233	-	1	-	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	125,195	-	4	1	-	-	-	-	2	1	-
Hampstead	95,729	-	-	3	-	1	-	-	1	-	-
St. Pancras	237,792	-	10	7	-	3	-	-	4	1	-
Islington	353,356	-	17	14	-	1	-	-	5	2	1
Stoke Newington	54,838	-	-	1	-	-	-	-	-	-	-
Hackney	239,979	-	8	9	-	3	-	-	10	-	-
CENTRAL.											
Holborn	53,142	-	1	-	-	1	-	-	1	-	-
Finsbury	94,578	-	5	5	-	-	-	-	6	1	-
City of London	17,132	-	2	-	-	-	-	-	2	1	-
EAST.											
Shoreditch	114,387	-	4	4	-	-	-	-	2	-	1
Bethnal Green	131,579	-	2	3	-	4	-	-	4	-	-
Stepney	314,379	-	10	12	-	1	-	-	13	1	-
Poplar	172,432	-	17	2	-	2	-	-	6	1	-
SOUTH.											
Southwark	211,832	-	11	5	-	-	-	-	5	-	-
Bermondsey	127,238	-	6	6	-	1	-	-	5	-	-
Lambeth	327,074	-	13	3	-	3	-	-	4	2	-
Battersea	188,222	-	4	2	-	-	-	-	3	-	-
Wandsworth	305,838	-	9	6	-	2	-	-	5	-	-
Camberwell	286,058	-	14	4	-	2	-	-	2	-	-
Deptford	119,642	-	3	-	-	-	-	-	1	-	-
Greenwich	112,935	-	4	1	-	-	-	-	-	-	-
Lewisham	164,899	-	13	4	-	2	-	-	1	1	-
Woolwich	135,422	-	11	2	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	180	111	-	29	-	-	94	11	2
Ages 0-1		-	3	6	-	-	-	-	4	-	1
„ 1-5		-	50	50	-	2	-	-	2	-	-
„ 5-		-	82	29	-	3	-	-	3	-	1
„ 10-		-	23	9	-	6	-	-	3	-	-
„ 15-		-	10	3	-	3	-	-	2	-	-
„ 20-		-	5	4	-	-	-	-	-	4	-
„ 25-		-	7	6	-	6	-	-	15	6	-
„ 35-		-	-	3	-	7	-	-	18	1	-
„ 45-		-	-	-	-	2	-	-	16	-	-
„ 55-		-	-	-	-	-	-	-	17	-	-
„ 65 and upwards		-	-	1	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	5	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns relating to Metropolitan Water London.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of November, 1910. The supply was in the ratio of 198 gallons to one service. The area of supply of the Metropolitan Water Board is much more extensive than that of the Administrative County of London, the Water Board's statutory area of supply being over 537 sq. miles, as against 117 sq. miles of the County.*

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	November, 1909.	November, 1910.	November, 1909.	November, 1910.
Total - - - - - -	1,096,467*	1,095,631*	221,043,169*	216,426,500*
New River - - - - - - -	216,024	217,940	42,349,624	43,313,800
Eastern - - - - - - -	246,229	248,580	44,341,967*	45,203,900*
Western { Chelsea, Grand Junction, West Middlesex } - -	224,293	226,407	55,036,710	54,206,300
Southern { Lambeth - - - Southwark and Vauxhall }	283,673*	281,624*	59,174,196*	54,003,700*
Kent - - - - - - - -	120,248	121,080	20,140,672	19,693,800

* The figures for November, 1910, are exclusive of supplies in bulk to the Corporations of Croydon and Richmond, the Cheshunt Urban District Council, and the Herts and Essex Water Company, and of services under their control. Those for November, 1909, however, include supply and services in Croydon and Richmond and supply to Cheshunt Urban District. The figures marked with an asterisk are, therefore, not strictly comparable.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 51. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, DEC. 24. [Price 1½*d.*

General Register Office, Somerset House,
December 28th, 1910.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 14·2 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 18·1, 16·8, and 15·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 20·4 in Grimsby, 20·6 in Plymouth, 21·0 in Middlesbrough, 21·4 in Preston, 21·6 in Stoke on Trent, 25·4 in Dewsbury, and 25·9 in Rotherham; from *measles*, 2·0 in Tottenham, 2·5 in Plymouth and in West Hartlepool, 3·5 in Grimsby, and 3·9 in Rotherham; from *diphtheria*, 2·5 in King's Norton; and from *whooping-cough*, 1·9 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.* (The Administrative County and the City of London.)

In LONDON 2188 BIRTHS and 1309 DEATHS were registered. Allowing for increase of population, the births were 144 and the deaths 304 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(18452—41.) Wt. 91—429. 700. 12/10. D & S. G. 31. Sch. 4. 3 E

causes, which had been 21·1, 18·2, and 15·5 per 1000 in the preceding three weeks, further fell last week to 14·0. The death-rate in the four weeks ended last Saturday averaged 17·2 per 1000, being 0·7 per 1000 above the mean rate in the corresponding periods of the five years 1905–9.

The 1309 deaths included 90 from measles, 1 from scarlet fever, 16 from diphtheria 15 from whooping-cough, 7 from enteric fever, and 23 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 152 deaths were referred, being 41 above the corrected average number in the fifty-first week of the preceding five years.

The deaths from *measles*, which had been 113, 66, and 83 in the preceding three weeks, were 90 last week, and were 56 above the corrected average; 18 deaths belonged to the Borough of Islington, 8 to Southwark, 7 each to Stepney, and to Bermondsey, and 5 to Kensington One death from *scarlet fever* was registered last week, as compared with 3, 0, and 2 in the preceding three weeks, the corrected average being 15. The deaths from *diphtheria*, which had been 10, 10, and 16 in the preceding three weeks, were again 16 last week, and were equal to the corrected average; 4 deaths belonged to Lambeth. The deaths from *whooping-cough*, which had been 6, 15, and 11 in the preceding three weeks, were 15 last week, and were 10 below the corrected average. The deaths from *enteric fever*, which had been 4, 0, and 6 in the preceding three weeks, were 7 last week, the corrected average being 6. The deaths from *diarrhœa*, which had been 16, 12, and 24 in the preceding three weeks, were 23 last week, and were 8 above the corrected average; 3 deaths belonged to Hackney. Of the 23 deaths from diarrhœa, 18 were those of children under 2 years of age; 7 other deaths at this age were certified as due to *enteritis*, and 6 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 15, having been 27, 27, and 17 in the preceding three weeks.

Different forms of violence caused 70 deaths, concerning all of which inquests were held. Of these 70 deaths, 17 were cases of suicide, 2 of homicide, and 1 of execution, while the remaining 50 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, six to burns or scalds, six to drowning, and six, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1627 cases of scarlet fever, 839 of diphtheria, and 98 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 167 cases, against 170, 169, and 156; of diphtheria, 89 cases, against 105, 107, and 101; and of enteric fever, 12 cases, against 19, 13, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended December 17th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

GREATER LONDON (comprising London and the "Outer Ring," *i.e.*, the remainder of the Metropolitan Police District).

In Greater London 3399 births and 1877 deaths were registered. Allowing for increase of population, these numbers are 311 and 397 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 7 deaths from measles, 2 from scarlet fever, 1 from diphtheria, and 4 from whooping-cough were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·94 inches, and that of the Thermometer 44°·8, the latter being 5°·9 above the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 31 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 6·4 hours; the measured rainfall amounted to 0·09 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 24th December, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 3rd Dec., 1910.	10th Dec., 1910.	17th Dec., 1910.	24th Dec., 1910.	Rate from Diseases in Cols. 11-17 Week ended 24th Dec., 1910.	Registered during the Week ended 24th Dec., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**18·1**	**16·8**	**15·2**	**14·2**	**1·4**	**7973**	**4611**	**952**	**1382**	**-**	**208**	**25**	**56**	**61**	**28**	**64**	**179**	**393**	**1238**	**29**	**77 TOWNS.**
LONDON	4,872,702	21·1	18·2	15·5	14·0	1·6	2188	1309	223	409	-	90	1	16	15	7	23	70	160	538	1	LONDON.
CROYDON	164,485	11·7	13·0	11·4	11·7	0·3	81	37	8	18	-	-	-	-	1	-	-	-	3	6	-	CROYDON.
WILLESDEN ..	166,088	11·0	10·0	11·9	9·1	0·3	72	29	5	9	-	-	-	-	1	-	-	-	2	4	-	WILLESDEN.
HORNSEY	98,561	11·6	14·3	7·4	10·1	0·5	19	19	1	13	-	-	-	-	1	-	-	1	3	2	-	HORNSEY.
† TOTTENHAM ..	132,803	15·7	13·0	16·1	13·7	2·7	78	35	12	7	-	5	-	1	-	-	1	2	6	8	-	† TOTTENHAM.
WEST HAM ..	328,585	14·9	13·2	12·1	10·9	1·7	154	69	22	22	-	7	1	-	2	1	-	2	3	16	-	WEST HAM.
EAST HAM.. ..	156,208	11·3	10·0	5·7	10·7	0·7	60	32	6	5	-	2	-	-	-	-	-	2	7	8	-	EAST HAM.
LEYTON	133,436	15·6	9·4	12·9	10·2	-	68	26	4	7	-	-	-	-	-	-	-	-	2	4	-	LEYTON.
WALTHAMSTOW	141,748	8·5	12·9	11·8	9·9	1·1	54	27	6	5	-	-	-	2	1	-	-	-	1	6	-	WALTHAMSTOW.
HASTINGS	68,520	16·0	13·7	13·7	9·9	-	19	13	1	10	-	-	-	-	-	-	-	2	2	5	-	HASTINGS.
BRIGHTON	131,900	18·2	21·7	17·4	15·8	2·4	53	40	7	16	-	4	-	-	1	-	1	-	2	9	-	BRIGHTON.
PORTSMOUTH ..	217,989	22·2	18·9	14·6	13·9	1·0	125	58	13	22	-	1	-	3	-	-	-	1	3	16	-	PORTSMOUTH.
BOURNEMOUTH ..	73,947	16·9	15·5	8·5	12·0	0·7	30	17	5	5	-	-	-	-	-	-	1	-	2	-	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	11·9	13·1	17·6	13·5	1·2	59	33	8	9	-	2	-	1	-	-	-	-	2	12	-	SOUTHAMPTON.
READING	84,355	14·8	11·1	9·3	11·1	0·6	38	18	4	8	-	-	-	-	1	-	-	-	-	3	-	READING.
NORTHAMPTON ..	99,113	12·1	13·2	11·0	7·9	0·5	46	15	2	7	-	-	-	-	-	-	1	1	1	2	-	NORTHAMPTON.
IPSWICH	75,936	17·9	12·4	8·9	13·7	-	37	20	2	11	-	-	-	-	-	-	-	-	1	2	-	IPSWICH.
GREAT YARMOUTH	53,715	26·2	12·6	17·5	15·5	1·0	21	16	5	5	-	-	-	-	-	-	1	-	1	2	-	GREAT YARMOUTH.
NORWICH	125,446	16·2	13·3	13·3	11·2	2·5	44	27	11	10	-	-	-	2	2	1	1	1	1	5	-	NORWICH.
PLYMOUTH	126,266	12·4	19·8	15·7	20·6	2·5	45	50	8	20	-	6	-	-	-	-	-	-	-	5	-	PLYMOUTH.
DEVONPORT	84,695	12·3	14·2	14·8	11·1	-	37	18	6	2	-	-	-	-	-	-	-	3	5	2	-	DEVONPORT.
BRISTOL	382,550	15·7	13·4	14·2	15·4	0·5	170	113	17	51	-	-	-	-	3	-	1	2	7	25	-	BRISTOL.
STOKE ON TRENT ..	245,726	19·3	18·7	17·8	21·6	2·5	157	102	29	16	-	4	3	1	-	1	3	8	14	16	-	STOKE ON TRENT.
BURTON ON TRENT	54,977	11·4	13·3	10·4	12·3	0·9	30	13	4	3	-	-	-	1	-	-	-	1	1	4	-	BURTON ON TRENT.
WOLVERHAMPTON..	105.962	14·3	16·2	15·3	14·3	1·0	45	29	6	8	-	-	-	1	-	-	1	1	1	9	-	WOLVERHAMPTON.
WALSALL	101,035	17·5	13·4	12·9	12·4	-	40	24	5	9	-	-	-	-	-	-	-	1	2	5	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	7·2	15·1	6·5	9·4	-	24	13	3	8	-	-	-	-	-	-	-	-	-	3	1	HANDSWORTH (STAFFS.).
WEST BROMWICH ..	71,138	16·9	11·0	12·5	10·3	-	42	14	2	6	-	-	-	-	-	-	-	-	-	2	-	WEST BROMWICH.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 3rd Dec., 1910.	10th Dec., 1910.	17th Dec., 1910.	24th Dec., 1910.	Rate from Diseases in Cols. 11–17. Week ended 24th Dec., 1910.	Registered during the Week ended 24th Dec., 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	18·9	16·8	16·6	12·0	1·2	294	131	27	32	-	5	3	3	1	-	1	2	6	35	3	Birmingham.
Kings Norton ..	84,673	15·4	8·6	12·3	12·9	2·5	36	21	1	8	-	-	-	4	-	-	-	1	1	5	1	Kings Norton.
Smethwick	72,350	12·3	10·8	7·2	8·6	0·7	39	12	4	4	-	-	1	-	-	-	-	-	-	3	-	Smethwick.
Aston Manor ..	86,269	12·7	15·7	8·5	11·5	-	32	19	5	5	-	-	-	-	-	-	-	-	-	-	1	Aston Manor.
Coventry	81,449	19·2	16·6	16·0	18·6	1·3	47	29	8	8	-	1	-	-	-	1	-	3	3	7	-	Coventry.
Leicester	248,374	14·5	17·4	14·5	12·0	0·2	100	57	12	21	-	-	-	1	-	-	-	1	3	7	-	Leicester.
Grimsby	74,283	17·5	14·0	17·5	20·4	3·5	38	29	8	5	-	5	-	-	-	-	-	-	-	8	-	Grimsby.
Nottingham ..	266,471	16·6	20·4	15·9	15·5	0·8	150	79	15	29	-	1	-	-	-	-	3	1	1	17	1	Nottingham.
Derby	131,256	12·3	18·3	7·9	9·1	0·8	49	23	5	6	-	1	-	1	-	-	-	4	5	5	-	Derby.
Stockport	105,087	17·4	14·4	15·4	15·9	1·5	51	32	8	9	-	-	-	-	2	-	1	-	4	8	-	Stockport.
Birkenhead ..	122,431	17·9	17·5	17·5	17·9	0·9	58	42	10	13	-	-	-	1	1	-	-	1	1	7	1	Birkenhead.
Wallasey	73,173	15·0	6·4	12·1	10·7	-	28	15	2	8	-	-	-	-	-	-	-	-	1	3	-	Wallasey.
Liverpool	767,606	20·9	19·8	18·7	16·5	1·6	427	243	55	66	-	12	4	1	2	-	5	15	22	73	5	Liverpool.
Bootle	70,548	14·8	17·7	10·3	17·0	2·2	25	23	6	7	-	-	-	1	1	-	1	1	1	7	1	Bootle.
St. Helens	96,523	17·3	16·7	16·2	18·4	2·2	47	34	12	2	-	3	-	-	-	-	1	-	1	4	2	St. Helens.
Wigan	91,732	21·0	22·7	17·6	16·5	2·3	50	29	7	11	-	1	-	-	1	2	-	-	1	7	-	Wigan.
Warrington ..	73,295	17·1	15·7	21·3	12·8	1·4	50	18	6	7	-	-	-	-	-	1	1	-	-	4	1	Warrington.
Bolton	199,315	17·0	14·8	17·0	13·4	0·3	87	49	8	16	-	-	-	1	-	-	-	2	2	12	1	Bolton.
Bury	59,409	15·8	20·2	18·4	19·3	1·8	20	22	4	9	-	2	-	-	-	-	-	-	-	2	-	Bury.
Manchester ..	716,354	22·1	18·6	17·1	15·8	0·9	377	217	50	49	-	4	2	2	2	1	2	6	14	60	1	Manchester.
Salford	244,636	18·8	17·5	13·0	12·8	1·7	128	60	16	13	-	1	4	1	2	-	-	1	4	17	-	Salford.
Oldham	144,111	19·2	18·5	19·2	14·8	2·5	57	41	5	11	-	5	1	-	-	-	1	1	1	5	-	Oldham.
Rochdale	90,497	18·4	20·7	20·2	16·1	1·2	33	28	3	8	-	-	-	1	1	-	-	1	1	5	1	Rochdale.
Burnley	107,448	17·0	18·4	23·3	14·6	1·5	43	30	9	5	-	1	-	-	-	2	-	-	1	4	-	Burnley.
Blackburn	137,972	14·7	12·1	20·4	19·3	1·1	61	51	9	9	-	-	1	1	-	1	-	2	4	6	-	Blackburn.
Preston	119,253	19·2	24·5	13·6	21·4	2·6	54	49	6	20	-	1	1	-	-	2	2	2	2	13	-	Preston.
Barrow in Furness.	63,689	11·5	7·4	10·6	12·3	0·8	26	15	2	7	-	-	-	1	-	-	-	1	1	1	-	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 24th December, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 3rd Dec., 1910.	10th Dec., 1910.	17th Dec., 1910.	24th Dec., 1910.	Rate from Diseases in Cols 11–17. Week ended 24th Dec., 1910.	Registered during the Week ended 24th Dec., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	24·8	17·1	11·0	13·2	1·7	50	24	3	7	–	1	2	–	–	–	–	–	–	6	–	HUDDERSFIELD.
HALIFAX	112,818	14·8	15·3	15·3	12·0	–	39	26	2	13	–	–	–	–	–	–	–	3	4	5	–	HALIFAX.
BRADFORD	295,865	15·5	17·1	14·6	14·6	0·9	94	83	15	30	–	–	–	–	3	2	–	1	2	13	1	BRADFORD.
LEEDS	490,985	18·1	15·6	16·0	14·0	1·8	205	132	20	37	–	9	–	5	2	1	–	5	13	34	–	LEEDS.
DEWSBURY	51,224	22·4	19·3	15·3	25·4	2·0	21	25	4	6	–	–	–	–	1	1	–	–	1	4	–	DEWSBURY.
SHEFFIELD	478,763	15·7	18·2	14·7	12·6	1·5	254	116	31	26	–	11	–	1	–	–	2	3	12	29	3	SHEFFIELD.
ROTHERHAM.. ..	66,414	17·3	17·3	16·5	25·9	7·1	39	33	7	6	–	5	1	1	1	1	–	2	3	6	–	ROTHERHAM.
YORK	88,159	14·2	16·6	8·9	13·6	–	43	23	5	10	–	–	–	–	–	–	–	–	1	3	–	YORK.
HULL	280,006	18·1	13·8	12·5	12·8	0·9	164	69	19	14	–	1	–	–	2	1	1	4	7	14	–	HULL.
MIDDLESBROUGH ..	107,014	19·0	17·5	19·5	21·0	2·9	55	43	14	9	–	1	–	–	4	–	1	1	2	7	–	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	16·5	16·5	19·4	6·8	–	17	7	1	1	–	–	–	–	–	–	–	1	2	5	–	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	17·8	17·2	19·1	14·0	4·5	37	22	8	2	–	4	–	1	2	–	–	1	1	3	–	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	13·3	17·8	17·2	17·2	1·0	77	53	10	13	–	2	–	–	–	1	–	3	6	16	–	SUNDERLAND.
SOUTH SHIELDS ..	119,737	11·8	19·6	17·0	14·4	0·9	64	33	10	9	–	–	–	–	1	1	–	1	1	8	2	SOUTH SHIELDS.
GATESHEAD	133,676	17·2	13·3	16·0	17·6	0·8	48	45	14	10	–	–	–	1	1	–	–	1	1	4	1	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	14·8	14·8	21·2	17·3	1·6	143	95	21	32	–	6	–	–	2	–	1	3	7	15	–	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	16·6	24·0	22·2	19·4	0·9	34	21	2	4	–	–	–	–	–	–	1	1	1	1	1	TYNEMOUTH.
NEWPORT (MON.) ..	79,720	13·1	17·7	13·1	9·8	0·7	47	15	7	2	–	–	–	–	–	–	1	1	5	3	–	NEWPORT (MON.).
CARDIFF	199,189	16·8	12·0	9·2	9·7	0·5	75	37	6	13	–	–	–	–	–	–	2	1	2	8	–	CARDIFF.
RHONDDA	138,674	13·5	16·9	14·3	13·9	1·9	116	37	12	10	–	2	–	–	1	–	2	3	5	1	–	RHONDDA.
MERTHYR TYDFIL..	79,522	20·3	15·7	13·8	19·0	–	51	29	7	8	–	–	–	–	–	–	–	1	3	6	–	MERTHYR TYDFIL.
SWANSEA	98,817	22·7	19·0	21·1	15·3	1·6	57	29	6	11	–	2	–	–	–	–	1	–	2	3	–	SWANSEA.
GREATER LONDON	7,537,196	18·3	16·2	14·1	13·0	1·3	3399	1877	346	604	–	111	4	20	25	8	24	88	209	640	1	GREATER LONDON.
OUTER RING ..	2,664,494	13·1	12·5	11·6	11·1	0·8	1211	568	123	195	–	21	3	4	10	1	1	18	49	102	–	OUTER RING.
8 TOWNS IN OUTER RING	1,321,914	12·8	12·0	11·3	10·8	1·0	586	274	64	86	–	14	1	3	6	1	1	7	27	54	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	13·3	13·0	11·9	11·4	0·5	625	294	59	109	–	7	2	1	4	–	–	11	22	48	–	REMAINDER OF OUTER RING.
EDINBURGH	360,276	16·9	18·2	15·8	11·7	0·4	124	81	13	35	–	–	1	1	–	–	1	3	?	32	4	EDINBURGH.
GLASGOW	884,505	17·3	16·0	17·2	13·1	0·9	401	223	42	65	–	–	1	6	3	–	5	8	?	74	5	GLASGOW.
DUBLIN (Registration Area).†	402,928	21·9	23·2	19·8	21·6	1·3	158	167	26	50	–	–	–	2	5	1	2	3	2	63	3	DUBLIN (Registration Area).†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTY-FIRST Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	2436	2493	2407	1802	2122	2483	2503	2403	2133	1830	2331·9	2188
Males - - -	1282	1262	1259	909	1117	1217	1307	1236	1067	941	1181·2	1090
Females - -	1154	1231	1148	893	1005	1271	1196	1167	1066	919	1150·7	1098
TOTAL **Deaths** -	1382	1625	1720	1204	1572	1746	1886	1485	1359	1399	1612·7	1309
Males - - -	752	844	890	586	815	860	957	734	717	736	820·0	685
Females - -	630	781	830	618	757	886	929	751	642	663	792·7	624

* The numbers in this column are the average weekly numbers in the Fifty-First week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	13 Weeks.
TOTAL **Births** -	2237	2140	2029	2227	2318	2167	2243	2180	1982	1984	2229	2204	2188	28128
TOTAL **Deaths** -	1215	1148	1200	1176	1209	1226	1476	1537	1811	1974	1703	1448	1309	18432
Ages at Death: Under 1 year -	275	276	271	286	259	276	283	314	320	333	312	263	223	3691
1—5 years -	113	96	120	125	143	155	190	187	213	230	186	172	170	2100
5—20 " -	50	62	68	45	49	51	74	71	87	72	81	84	68	862
20—40 " -	136	141	145	149	141	150	149	154	185	185	188	141	149	2013
40—60 " -	271	241	264	246	252	230	313	315	377	378	305	283	290	3768
60 yrs. & upwds.	370	332	332	325	365	364	467	496	629	776	631	502	409	5998
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	15	18	17	33	44	50	67	85	94	113	66	83	90	775
Scarlet Fever - -	4	3	5	4	2	3	3	8	4	3	-	2	1	42
Diphtheria - -	10	8	5	11	9	6	13	15	12	10	10	16	16	141
Whooping-cough -	10	10	7	7	7	10	7	7	15	6	15	11	15	127
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	10	7	16	9	11	6	8	4	2	4	-	6	7	90
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	82	59	73	69	41	35	29	23	17	16	12	24	23	503
All above diseases -	131	105	123	133	114	110	127	142	144	152	103	142	152	1678
Dis. of Resp. System	66	53	70	81	111	102	150	193	317	370	249	174	121	2057
Pneumonia - -	112	112	92	113	123	144	169	203	241	299	257	181	140	2186
Phthisis - - -	104	105	107	89	114	114	154	120	166	152	146	107	137	1615
Dis. of Circ. System -	202	163	167	153	161	164	206	236	253	263	240	206	181	2595
Violence - - -	53	66	58	42	47	46	41	54	48	45	50	46	70	666
Inquest Cases - -	119	128	139	106	117	121	118	150	156	193	151	132	160	1790
Deaths in Institutions	540	512	557	507	533	533	652	630	704	742	696	665	538	7809
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	58·6	57·4	53·1	51·4	51·2	42·7	40·8	40·0	34·1	39·2	47·8	48·6	44·8	46·9
Mean of Highest -	69·0	66·0	60·2	57·9	55·9	49·5	49·7	45·4	39·2	43·4	51·5	52·2	49·1	53·0
Mean of Lowest -	49·2	50·4	48·5	45·3	46·7	37·4	32·4	35·0	28·4	35·1	43·8	44·7	38·1	41·2
Mean Humidity of the Air.	88	79	85	86	89	83	83	79	89	93	87	86	90	86
Rain-fall (in inches) -	0·10	0·08	0·61	0·63	0·30	1·03	0·31	0·53	0·62	2·52	0·71	1·38	0·09	8·91
Registered Sunshine (in hours).	30·7	33·6	8·8	14·6	7·3	11·5	24·7	14·5	1·9	0·0	2·9	0·7	6·4	163·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1653	1706	1745	1792	1847	1856	1882	1843	1769	1746	1719	1680	1627	1759
Diphtheria - - -	751	788	835	843	855	861	892	887	877	869	884	894	839	852
Typhus - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	144	163	175	179	170	175	165	146	135	134	123	105	98	147

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTY-FIRST Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 51st week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1612·7	1309	223	170	68	149	290	409
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	34·2	90	17	68	5	–	–	–
Scarlet Fever	14·5	1	–	–	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	29·1	15	1	–	1	4	1	8
Whooping-cough	24·6	15	4	9	2	–	–	–
Diphtheria	16·4	16	2	10	4	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	5·9	7	–	1	2	1	2	1
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	6·3	4	3	1	–	–	–	–
Diarrhœa, Dysentery ..	8·6	19	13	1	–	2	1	2
Tetanus	1·2	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	7·2	4	3	1	–	–	–	–
Puerperal Septicæmia ..	2·3	–	–	–	–	–	–	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·4	1	–	–	1	–	–	–
Infective Endocarditis ..	3·3	5	–	–	2	2	1	–
Pneumonia: Lobar ..	19·0	17	–	–	2	4	7	4
Pneumonia: Broncho ..	101·2	69	24	26	3	–	5	11
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	81·5	54	12	8	4	7	10	13
Erysipelas	4·5	3	–	1	–	–	2	–
Septicæmia (not Puerperal)	0·6	1	–	–	–	–	1	–
Pyæmia (not Puerperal)	1·4	–	–	–	–	–	–	–
Other Infective Processes	5·9	5	–	1	–	1	2	1
Tuberculous Phthisis ..	104·4	104	1	2	3	43	39	16
"*Phthisis*"	51·0	33	–	1	3	13	11	5
Tuberculous Meningitis ..	19·3	11	5	6	–	–	–	–
Tuberculous Peritonitis ..	6·8	5	4	1	–	–	–	–
Tabes Mesenterica	1·4	2	1	1	–	–	–	–
Tuberculous Dis., Other ..	14·5	14	1	6	3	2	1	1
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	8·8	8	–	–	–	1	5	2
Rheumatic Fever	4·3	2	–	–	2	–	–	–
Gout	2·9	1	–	–	–	–	–	1
Carcinoma	59·0	48	–	–	–	2	25	21
Sarcoma	4·5	5	–	–	–	–	2	3
Cancer (undefined) ..	34·8	35	–	–	–	5	18	12
Diabetes Mellitus	10·2	4	–	–	–	2	2	–
Premature Birth	46·1	39	39	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 51st week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages					
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0–1.	1–5.	5–20.		
Meningitis (not tuberc.)..	13·7	8	2	3	–	2	1
Gen. Par. of Insane, Insanity	17·6	9	–	–	–	1	3
Epilepsy	6·1	5	–	–	–	5	–
Convulsions	14·5	8	8	–	–	–	–
Locomotor Ataxy.. ..	1·6	2	–	–	–	1	–
Paraplegia, Dis. of Cord.	6·3	7	–	–	–	–	2
Nervous Sys., Other Dis.	18·2	18	–	1	–	1	8
Valv. Dis., Endocarditis..	50·6	40	–	–	5	6	13
Cereb. Hæm. Cereb. Emb.	43·8	51	–	–	–	1	12
Apoplexy, Hemiplegia ..	16·0	3	–	–	–	–	–
Aneurysm	4·7	10	–	–	–	–	8
Embolism, Thrombosis (not Cerebral) ..	1·2	1	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	106·1	76	–	–	5	3	19
Croup (not Spasm: nor Memb.)	–	–	–	–	–	–	–
Bronchitis	181·9	102	16	7	1	1	17
Emphysema, Asthma ..	6·6	2	–	–	–	–	1
Pleurisy	6·1	4	–	1	–	1	1
Respiratory Dis., Other..	14·7	13	3	1	1	2	2
Tonsillitis, Quinsy.. ..	2·0	–	–	–	–	–	–
Enteritis (not Epid.) ..	10·4	10	7	–	1	–	–
Gastro-enteritis	5·9	7	6	–	–	–	–
Peritonitis (not Puerp.) ..	2·5	2	–	–	–	–	–
Cirrhosis of Liver.. ..	16·6	10	–	–	–	–	5
Liver Dis., Other	5·3	10	–	–	–	1	4
Digestive Sys., Other Dis.	37·7	34	3	2	6	5	9
Acute Nephritis	8·4	13	–	1	–	–	7
Bright's Dis., Albuminuria	41·8	38	–	–	1	6	12
Urinary Sys., Other Dis.	10·2	4	–	–	–	–	2
Generative Organs Dis...	4·9	4	–	–	–	2	–
Childbirth (Accid. of) ..	2·7	–	–	–	–	–	–
Old Age	62·1	50	–	–	–	–	1
Other Diseases	96·9	61	38	4	3	4	8
ACCIDENT.							
By Railways	1·4	7	–	–	1	3	3
By Vehicles and Horses..	6·1	8	–	–	3	3	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	1	–	–	–	–	1
In Building Operations..	1·2	–	–	–	–	–	–
In Conflagrations	0·2	–	–	–	–	–	–
By Burns, Scalds, Explosions	11·9	6	–	5	1	–	–
By Drowning	3·9	6	–	–	1	3	2
By Suffocation in Bed ..	7·0	6	6	–	–	–	–
By Poisons or Poisonous Vapours	1·8	–	–	–	–	–	–
Other Deaths by Accident..	17·4	16	3	–	1	1	3
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	–	2	1	1	–	–	–
Suicide	7·8	17	–	–	–	8	8
Execution	–	1	–	–	–	–	1

* In tables 3 and the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

ABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th December, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions	Uncertified Causes of Death.
LONDON	4,536,267	2188	1309	223	409	-	90	1	16	15	7	23	137	70	160	538	1
WEST DISTRICTS	805,311	310	224	39	79	-	9	-	3	4	-	5	25	14	29	93	1
NORTH DISTRICTS	1,055,908	477	314	51	98	-	31	-	2	3	1	4	32	18	37	113	-
CENTRAL DISTRICTS	209,465	107	61	8	19	-	3	-	-	1	1	1	5	3	4	25	-
EAST DISTRICTS	715,739	390	223	52	61	-	11	-	2	1	1	6	25	20	39	100	-
SOUTH DISTRICTS	1,749,844	904	448	73	139	-	36	1	8	5	3	5	45	15	51	168	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	39	-	13	-	-	-	1	1	1	2	5	-	-	39	-
WEST DISTRICTS.																	
orth Paddington *H*	63,603	24	18	5	7	-	1	-	-	2	-	1	1	1	2	-	-
entral Paddington *W,3H*	50,053	24	21	1	11	-	-	-	-	-	-	-	2	1	2	13	-
outh Paddington	30,320	10	5	1	2	-	-	-	-	-	-	-	1	-	-	-	-
ensington South *W,3H*	85,610	12	19	1	10	-	1	-	-	1	-	-	-	-	-	11	-
ensington Central *W,H*	42,774	16	10	1	3	-	1	-	-	-	-	-	3	-	2	2	-
ensington North *w*	48,244	26	20	3	9	-	3	-	-	1	-	-	3	-	1	9	-
orth Hammersmith *2W,w,H* ..	49,192	32	25	7	3	-	1	-	1	-	-	2	2	-	3	12	-
outh Hammersmith *w,2H* ..	63,047	23	23	4	5	-	2	-	-	-	-	-	3	5	8	8	-
orth-west Fulham *W*	45,180	37	16	2	6	-	-	-	-	-	-	-	7	1	2	12	-
orth-east Fulham *F*	46,405	19	8	1	4	-	-	-	2	-	-	-	-	-	-	2	-
outh Fulham *W*	45,704	19	8	-	4	-	-	-	-	-	-	-	-	1	3	-	-
helsea North *W,w,3H*	42,514	13	14	2	6	-	-	-	-	-	-	-	3	1	1	8	-
helsea South *W,2H*	31,328	14	9	4	1	-	-	-	-	-	-	-	-	-	-	3	-
ayfair and Knightsbridge	28,743	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
elgrave *W,2H*	55,815	13	12	1	3	-	-	-	-	-	-	-	-	3	3	5	1
t. Margaret & St. John *6H*	43,698	18	10	5	1	-	-	-	-	-	-	2	-	-	-	7	-
t. James and St. Anne *W,6H* ..	33,081	5	4	1	2	-	-	-	-	-	-	-	-	1	2	1	-
NORTH DISTRICTS.																	
ll Souls Marylebone *7H*	35,391	16	17	1	1	-	-	-	-	-	-	-	3	1	2	11	-
t. Mary Marylebone *W,4H* ..	37,948	45	12	6	2	-	-	-	-	-	-	-	3	-	-	4	-
hristchurch Marylebone *H* ..	39,536	23	8	3	1	-	4	-	-	-	-	-	-	-	1	-	-
t. John Marylebone *2H*	20,426	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
ampstead *W,F,6H*	81,942	25	25	5	8	-	1	-	-	-	1	1	3	1	1	11	-
est St. Pancras *2H*	60,562	31	18	4	5	-	1	-	-	-	-	1	-	4	7	6	-
outh St. Pancras *w,10H*	55,707	16	23	2	3	-	1	-	-	-	-	-	1	7	8	18	-
ast St. Pancras *W,H*	60,320	33	18	-	10	-	-	-	-	-	-	-	1	-	1	7	-
orth St. Pancras *2W*	58,728	29	17	2	5	-	2	-	-	-	-	-	1	-	-	5	-
ufnell *W*	31,995	11	28	3	13	-	4	-	-	1	-	-	3	-	1	20	-
pper Holloway *2W,w,H*	33,978	15	25	4	8	-	2	-	1	-	-	-	1	-	2	12	-
ollington *2W,w,H*	33,922	15	6	1	2	-	3	-	-	-	-	-	1	-	-	-	-
ower Holloway	41,424	14	10	2	3	-	2	-	-	1	-	-	1	1	3	-	-
arnsbury	54,478	22	16	4	4	-	6	-	-	-	-	-	-	-	-	-	-
lington South-east *F*	75,397	36	9	2	4	-	1	-	-	-	-	-	1	1	1	-	-
ighbury *2H*	63,797	16	9	1	4	-	-	-	-	-	-	-	2	-	-	3	-
oke Newington *H*	51,247	13	12	3	4	-	-	-	-	-	-	-	2	-	2	-	-
orth Hackney	50,398	19	13	1	6	-	-	-	-	-	-	-	2	-	-	-	-
entral Hackney *2w,F*	50,536	18	15	2	4	-	1	-	1	-	-	-	2	1	1	5	-
outh-west Hackney *3H*	59,921	39	16	4	6	-	2	-	-	-	-	1	1	1	6	3	-
outh-east Hackney *2W,w,H* ..	58,255	31	12	-	3	-	1	-	-	1	-	-	4	1	1	7	-
ackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein amely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other istricts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a ub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the etter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th December, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	12	7	-	3	-	-	-	-	-	-	-	-	-	-	1	-
Strand *W*,4*H*	21,674	3	9	-	3	-	-	-	-	-	-	-	-	1	1	7	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	12	10	3	-	-	-	-	-	-	1	-	1	-	-	6	-
Clerkenwell *H*	63,704	26	13	3	5	-	1	-	-	1	-	1	1	-	-	-	-
St. Luke 3*H*,*L*	36,116	50	8	1	3	-	2	-	-	-	-	-	1	1	2	-	-
Holborn Union Workhouse, Mitcham	-	-	3	-	3	-	-	-	-	-	-	-	1	-	-	3	-
St. Botolph *H*	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	11	1	2	-	-	-	-	-	-	-	1	1	1	8	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	17	7	1	1	-	-	-	-	-	-	-	2	1	2	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	23	30	7	16	-	1	-	-	-	-	1	4	2	4	19	-
Shoreditch North-East	36,148	23	8	4	2	-	-	-	-	1	-	-	1	-	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	39	33	12	4	-	1	-	-	-	-	1	5	1	2	22	-
Bethnal Green South-West *H* ..	64,542	36	8	1	4	-	-	-	-	-	-	1	1	1	1	-	-
Spitalfields*	40,584	21	3	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Whitechapel* *W*,*H*	38,184	23	31	6	7	-	2	-	-	-	1	-	1	3	5	24	-
St George and St. John 2*W* ..	49,068	44	7	-	1	-	-	-	-	-	-	-	1	1	1	2	-
Shadwell and Ratcliff *w*,*H* ..	25,568	6	13	4	2	-	-	-	1	-	-	-	-	1	3	9	-
Limehouse *W*	32,369	8	5	3	-	-	-	-	-	-	-	1	-	1	2	-	-
Mile End Old Town South-Western *H*	63,698	47	13	4	4	-	1	-	-	-	-	1	-	2	4	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	27	16	2	4	-	3	-	-	-	-	-	4	-	3	7	-
Bow	41,989	20	8	3	3	-	-	-	-	-	-	-	1	3	4	-	-
Bromley 3*w*,*H*	68,319	24	29	1	9	-	1	-	1	-	-	-	3	3	5	17	-
Poplar *W*,*w*	58,514	29	12	2	3	-	2	-	-	-	-	1	2	1	1	-	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* On 1st December, 1910, part of Mile End New Town sub-district was added to Spitalfields sub-district, a Goodman's Fields sub-district was added to the remainder of Mile End New Town sub-district, the area thus form being entitled Whitechapel sub-district.

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th December, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	7	13	2	4	-	1	-	-	-	-	-	-	-	-	10	-
Kent-road	21,904	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	23	11	1	2	-	2	-	-	2	-	-	1	-	-	4	-
Newington North	49,022	21	8	3	2	-	1	-	-	-	-	-	-	-	3	-	-
Newington South *2W*	72,841	39	15	4	5	-	3	-	-	-	-	-	-	-	1	2	-
St. Olave *2W*	9,817	3	3	-	1	-	-	-	-	-	-	-	1	1	2	-	-
Bermondsey *W*	82,483	41	10	4	2	-	-	-	-	-	-	-	2	-	-	-	-
Rotherhithe *W,F*	38,460	18	17	1	6	-	5	-	-	-	-	-	3	-	-	13	-
Waterloo *2H*	27,440	28	5	-	-	-	1	-	-	-	-	-	-	-	-	3	-
Lambeth Church *H*	27,440	24	16	3	2	-	-	-	3	-	-	-	2	1	3	13	-
Kennington *2W*	52,518	37	20	3	5	-	3	-	-	-	-	-	3	1	3	10	-
Stockwell *HF*	63,826	52	11	3	3	-	1	-	2	-	1	1	2	-	1	4	-
Brixton *H*	73,673	36	10	2	3	-	-	-	-	-	-	-	1	-	2	-	-
Norwood *2WH*	56,998	17	12	1	7	-	-	-	-	-	-	-	2	1	2	-	-
East Battersea *H*	72,203	42	11	3	2	-	1	-	-	-	-	-	2	-	3	-	-
North-west Battersea	49,656	24	16	4	2	-	2	-	-	-	-	-	3	-	3	-	-
South-west Battersea *2W,H* ..	47,048	15	29	3	9	-	2	-	-	-	-	-	5	1	4	24	-
Clapham *2H*	51,361	28	8	1	4	-	-	-	-	-	-	-	1	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	53	23	5	13	-	-	-	1	-	-	-	1	-	1	8	-
Springfield *2W,L*	27,959	24	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	23	10	1	5	-	2	-	-	1	-	-	-	-	2	-	-
Putney	24,139	5	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	6	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Camberwell South *W,w*	40,206	20	22	-	7	-	2	-	-	-	-	-	4	2	3	15	-
Camberwell North *W,2L*	65,584	22	29	3	9	-	1	-	-	-	1	-	3	3	4	19	-
St. George	47,331	24	10	3	1	-	1	-	-	-	-	1	3	-	3	-	-
Peckham North	48,913	26	8	2	2	-	-	-	-	-	-	-	1	-	-	-	-
Peckham South *2W,w*	43,946	20	6	2	-	-	2	-	-	1	-	-	-	-	1	-	-
Deptford North *F*	49,004	24	6	-	2	-	1	-	2	-	1	-	-	-	-	4	-
Deptford East	29,781	22	5	1	-	-	2	-	-	-	-	-	-	-	1	-	-
Deptford South	38,934	16	7	1	5	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West *H*	23,456	10	3	1	1	-	-	-	-	-	-	1	1	-	-	-	-
Greenwich East *2W,H*	43,859	22	28	3	10	-	-	-	-	-	-	-	1	2	2	20	-
Eltham *w,H*	7,226	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	6	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-
Lewisham *2W,w,F*	58,352	34	22	2	10	-	1	-	-	-	-	-	1	2	2	13	-
Sydenham *H*	43,653	28	6	2	2	-	-	-	-	-	-	-	-	-	1	1	-
Charlton *F,2H*	21,134	6	5	1	2	-	-	1	-	-	-	1	-	-	-	1	-
Woolwich *5H*	41,625	25	9	-	3	-	-	-	-	-	-	-	-	1	2	-	-
Plumstead West *W,H*	39,376	9	4	1	-	-	1	-	-	-	-	1	-	-	-	-	-
Plumstead East *2W*	28,951	7	8	1	3	-	-	-	-	-	-	-	1	-	-	3	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum ..	—	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
(Westminster, St. Giles, and Strand Unions.)																	
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton..	—	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	4	-	-	-	-	-	-	-	1	-	1	-	-	4	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																	
Banstead	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Horton	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
Manor	—	-	5	-	1	-	-	-	-	-	-	-	1	-	-	5	-
Long Grove	—	-	3	-	1	-	-	-	-	-	-	2	-	-	-	3	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	5	-	2	-	-	-	-	-	-	-	1	-	-	5	-
Colney Hatch	—	-	3	-	2	-	-	-	-	-	-	-	1	-	-	3	-
Claybury	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Bo Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERAT POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 24th December, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1211	568	123	195	-	21	3	4	10	1	1	18	49	102
31 : 1	Carshalton 2F,3H	12,228	32,997	9	6	1	2	-	-	-	-	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	5	-	2	-	-	-	-	-	-	-	-	-	2
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	4	1	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	27	10	-	5	-	-	-	-	1	-	-	-	2	-
3	West Croydon 3W,F,H ..	2,168	42,888	32	23	4	14	-	-	-	-	-	-	-	-	1	12
4	North Croydon H	2,644	41,698	22	10	4	4	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	8	2	1	1	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	29	17	2	6	-	-	-	-	-	-	-	1	1	-
40 : 1	Wimbledon F,3H	3,221	41,652	22	9	3	3	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	13	19	3	10	-	-	-	-	-	-	-	1	2	4
3	Surbiton F,H	3,046	15,017	8	3	-	-	-	-	1	-	-	-	-	-	-	1
4	Esher, *part of** H	5,402	13,100	6	2	1	1	-	-	-	-	-	-	-	1	1	-
5	Hampton H,F,L	4,564	23,456	8	5	-	2	-	-	-	-	-	-	-	-	-	-
41 : 1	Richmond W,H	2,491	31,672	10	5	3	1	-	-	-	-	-	-	-	-	1	1
2	Mortlake F	2,518	17,821	11	7	1	2	-	-	-	-	-	-	-	1	1	-
42 : 1	Bromley F,3H	4,696	27,397	16	10	1	6	-	-	-	-	-	-	-	1	1	1
2	Beckenham H	7,832	28,454	12	6	1	3	-	-	-	-	-	-	-	-	-	1
3	Orpington, *part of** W,F ..	10,113	9,857	5	3	-	2	-	-	-	-	-	-	-	2	2	2
4	Chislehurst† w,2H	16,011	17,549	14	6	-	2	-	-	-	-	-	-	-	-	1	1
43 : 1	Bexley† F,H		20,048	11	7	2	-	-	4	-	-	-	-	-	-	-	-
2	Erith F,H	3,864	25,296	7	9	-	3	-	2	-	-	-	-	-	2	2	1
3	Dartford W,F, *part of** ..	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2
126 : 1	Sunbury w	11,054	18,683	8	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,377	15,178	7	4	2	1	-	-	-	-	-	-	-	-	-	-
127 : 1	Hillingdon W,F,H	6,035	13,661	9	3	-	2	-	-	-	-	-	-	-	-	-	2
2	Uxbridge H	12,757	8,984	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	13	5	2	1	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	50,863	15	16	2	10	-	1	-	-	1	-	-	-	-	12
2	Twickenham F,2H	2,421	20,991	8	6	1	3	-	-	-	-	-	-	-	-	-	-
3	Hanwell w,2H	4,108	11,257	16	3	2	1	-	-	-	-	-	-	-	-	-	-
4	Brentford 3F,2H	4,038	48,202	20	17	5	7	-	-	1	1	1	-	-	-	1	2
5	Chiswick H	1,249	29,809	20	4	-	1	-	-	-	-	-	-	-	-	-	-
6	Acton F,H	2,305	37,744	29	12	2	4	-	-	-	-	1	-	-	1	1	1
129 : 1	Willesden W,F,2H	4,384	114,811	72	29	5	9	-	-	-	-	1	-	-	-	2	4
130 : 1	Harrow F,H	13,809	25,523	24	6	1	3	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	19	5	3	-	-	-	-	-	-	-	-	-	-	-
131 : 1	South Mimms 2F,H ..	17,755	7,308	4	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	14	2	-	2	-	-	-	-	-	-	-	-	-	1
3	Finchley F,3H	4,668	33,692	25	7	2	1	-	-	-	-	-	-	-	-	1	-
132 : 1	Hornsey F,H	2,875	72,056	19	17	1	11	-	-	-	-	1	-	-	1	3	-
2	Wood Green H	1,625	34,233	22	7	3	3	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	30	12	6	2	-	2	-	-	-	-	-	-	1	-
4	East Tottenham 2H ..	2,019	53,962	48	19	6	4	-	2	-	-	-	-	1	1	4	4
5	Edmonton W,w,2F	7,491	61,892	41	20	5	7	-	1	-	-	1	-	-	1	4	7
6	Enfield 2W,F,H	12,601	42,738	24	8	3	1	-	-	-	-	-	-	-	-	2	-
7	Waltham Abbey F	11,017	6,549	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	9	-	-	-	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	-	2	-	1	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	4	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	31	7	3	2	-	-	-	-	-	-	-	1	2	1
2	Forest Gate	787	52,745	18	11	3	5	-	-	-	-	2	1	-	-	-	-
3	Plaistow F,2H	1,249	90,921	64	17	5	3	-	3	1	-	-	-	-	1	1	3
4	Canning Town H	1,556	70,718	41	22	10	5	-	4	-	-	-	-	-	-	-	-
5	South East Ham 2F ..	1,991	37,342	30	9	1	2	-	-	-	-	-	-	-	-	3	-
6	North East Ham w,H ..	1,333	58,666	30	16	3	1	-	1	-	-	-	-	-	2	4	1
7	Wanstead F	1,679	9,179	4	2	-	1	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	42	15	4	8	-	-	-	-	-	-	-	-	-	8
9	North Leyton 2W,w,F ..	1,963	48,445	26	30	4	7	-	1	-	-	-	-	-	-	3	15
10	Walthamstow 2H L ..	6,504	108,929	68	23	7	4	-	-	-	-	1	-	-	-	-	-
189 : 1	Chigwell 2F,3H	11,778	16,397	10	7	-	2	-	-	-	2	-	-	-	-	-	2
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	5	1	-	-	-	-	-	-	-	-	-	-	-	1
2	Ilford F,L	8,496	41,244	34	17	-	7	-	-	-	-	-	-	-	-	-	2
3	Barking Town F	3,805	21,547	18	9	3	-	-	-	-	-	-	-	-	1	1	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	4	-	3	-	-	-	-	-	-	-	-	-	4
	Essex County Lunatic Asylum, Brentwood.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esher parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting the part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : and in the Croydon Mental Hospital in 38 : 1 are also included.

† On 1st December, 1910, the boundary between these sub-districts was altered.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
LONDON* - -	4,872,702	December 24	2188	1309	14·0	-	90	1	16	15	7	31
CALCUTTA - -	1,009,008	November 26	-	544‡	28·0	-	-	-	-	-	12	11
BOMBAY - -	977,822	December 6	422	637‡	33·9	-	13	-	-	-	4	45
MADRAS - -	509,346	November 26	416	398	40·6	1	-	?	?	?	-	23
PARIS* - -	2,772,467	December 10	965	872	16·5	-	-	1	8	2	4	24
BRUSSELS* -	720,030	" 17	238	213	15·4	-	-	-	1	-	5	15
ANTWERP* - -	317,171	" 17	105	57	9·3	-	1	-	-	-	-	3
AMSTERDAM* -	574,987	" 17	268	104	9·4	-	3	-	-	-	-	1
COPENHAGEN -	455,000	" 17	258	122	14·0	-	-	3	1	-	-	2
STOCKHOLM -	341,816	" 10	152	93	14·1	-	-	-	2	-	-	2
CHRISTIANIA -	240,178	" 17	106	44	9·5	-	1	-	1	1	-	1
ST. PETERSBURG	1,620,000	" 3	865	637‡	20·5	9	5	16	12	2	7	37
MOSCOW - -	1,493,600	" 3	-	689	24·1	3	8	19	29	5	2	59
BERLIN - -	2,066,485	" 3	783	529	15·1	-	2	7	22	2	-	24
HAMBURG - -	911,500	" 3	410	268	15·6	-	-	1	12	1	1	15
		" 10	374	289	16·8	-	-	3	13	1	5	17
BRESLAU - -	509,992	" 10	-	201	20·6	-	2	1	4	2	-	11
MUNICH - -	595,000	" 10	259	181	15·8	-	6	-	3	2	-	12
VIENNA* - -	2,107,981	" 10	842	648	15·8	-	16	5	5	-	1	32
PRAGUE* - -	497,905	November 26	122	163	16·7	-	-	1	-	-	2	7
BUDAPEST* -	833,703	December 10	417	314	19·6	-	1	6	2	1	3	11
TRIESTE* - -	221,124	" 17	157	93	21·6	-	3	-	1	-	1	2
ROME - - -	589,425	October 8	243	154‡	13·6	-	3	-	-	-	4	14
VENICE - -	183,224	" 29	71	54	15·4	-	-	-	2	-	1	4
		November 5	86	61	17·4	-	-	-	-	-	-	6
BUCAREST - -	297,643	" 26	142	130	22·8	-	-	7	3	-	4	6
NEW YORK* -	4,803,264	December 3	2749	1385	15·0	-	4	10	24	4	15	27
CHICAGO* - -	2,185,283	" 3	-	651	15·6	-	1	5	18	-	8	27
PHILADELPHIA*	1,598,400	October 22	-	412	13·4	-	-	-	7	6	7	35
RIO DE JANEIRO	842,822	November 20	-	368‡	22·8	-	15	-	-	-	-	?
CAIRO:—*												
Egyptians -	620,443	" 18	593	339	23·4	-	2	-	18	-	1	44
Foreigners -	62,510	" 18	9	13	10·8	-	-	-	1	-	1	2
ALEXANDRIA:—*												
Egyptians -	319,087	" 18	300	153	24·9	-	-	-	2	-	1	28
Foreigners -	68,829	" 18	14	19‡	14·4	-	-	-	-	-	1	-

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to children under two years of age.
† Excluding deaths from croup in the Indian Cities.
‡ Including 10 deaths from *plague* in Calcutta, 8 in Bombay, 1 in Rio de Janeiro, and 1 in Alexandria, and from *Asiatic cholera*, 70 deaths in Calcutta, 3 in Bombay, 1 in St. Petersburg, and 1 in Rome.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 24th December, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	53·0	33·1	43·6	0·09	BRADFORD - -	55·1	34·3	44·3	0·47
BRIGHTON - -	50·9	34·9	44·2	0·11	YORK - - -	?	?	?	?
PORTSMOUTH - -	53·0	35·0	45·8	0·29	HULL - - -	57·0	31·0	43·3	0·09
IPSWICH - -	52·7	32·4	41·9	0·30	TYNEMOUTH - -	55·0	35·0	44·3	0·07
PLYMOUTH - -	52·7	33·8	46·5	0·50	CARDIFF - - -	55·2	34·0	44·3	0·72
BRISTOL - - -	52·0	32·5	44·2	0·33	EDINBURGH - -	52·7	35·4	43·2	0·07
BIRMINGHAM - -	52·7	34·0	43·3	0·15	GLASGOW - -	52·5	33·8	44·6	0·51
NOTTINGHAM - -	55·0	35·0	43·7	0·16	DUBLIN Phœnix Park.	54·8	33·6	43·5	0·18
LIVERPOOL OBSERVATORY.	56·0	39·0	45·9	0·30	DUBLIN Fitzwilliam Square.†	55·4	37·1	45·8	0·20
MANCHESTER -	53·2	34·5	43·5	0·54					
BURNLEY - -	53·5	32·8	43·7	1·30					
HUDDERSFIELD -	53·3	34·7	43·7	0·80	BELFAST - - -	54·0	36·0	44·6	0·41

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·0 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 24th December, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 18	..	29·882	46·0	39·7	6·3	42·7	+ 2·7	38·1	4·6	7·9	2·7	84	55·9	32·9	47·00	N. & NW.	N. & W.	3·5	0·0	0·3	344	+ 47	0·00	0·0
MONDAY - 19	..	30·026	51·0	39·3	11·7	46·6	+ 7·1	43·8	2·8	6·0	1·1	90	62·8	34·9	46·90	W.& WNW.	W., WNW. & N.	1·6	0·0	0·1	314	+ 24	0·01	0·0
TUESDAY - 20	..	30·034	50·0	33·1	16·9	44·1	+ 5·1	42·4	1·7	3·9	0·7	94	60·0	28·0	46·70	WSW. & SSW.	SW.	2·3	0·0	0·2	296	+ 12	0·00	1·7
WEDNESDAY 21	..	29·884	50·3	42·8	7·5	47·6	+ 8·9	44·6	3·0	4·5	0·7	89	53·0	39·3	46·60	SW.	SW., WSW. & W.	2·6	0·0	0·3	329	+ 51	0·03	5·3
THURSDAY - 22	..	30·101	44·2	34·3	9·9	39·7	+ 1·3	37·2	2·5	5·0	0·3	91	50·3	29·7	46·61	W.	W.	0·2	0·0	0·0	196	- 77	0·00	0·0
FRIDAY - 23	Last Qr.	30·024	49·1	35·4	13·7	43·9	+ 5·7	41·1	2·8	4·3	0·8	90	58·5	29·6	46·58	W.	W.	7·4	0·0	0·7	485	+215	0·01	2·0
SATURDAY - 24	In Eqr.	29·613	53·0	41·9	11·1	48·8	+10·6	45·7	3·1	4·8	2·8	89	54·0	35·0	46·37	W.& WNW.	WNW. & NW.	9·9	0·0	1·2	606	+332	0·04	3·0
MEANS - -		29·938	49·1	38·1	11·0	44·8	+ 5·9	41·8	2·9	5·2	1·3	90	56·4	32·8	46·63	W.		..	..	..	Sum 2570	Sum +604	Sum 0·09	1·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 18	m. P. throughout.	1·4	7·8
MONDAY - 19	m. P. until noon; afterwards w. P.	0·4	7·8
TUESDAY - 20	w. P. generally; m. P. at times.	0·0	7·8
WEDNESDAY 21	w. P. generally; a little v. P. in evening.	0·0	7·8
THURSDAY - 22	w. P. until 9h. A.M.; afterwards m. P. with a little s. P.	3·9	7·7
FRIDAY - 23	m. P. until noon; afterwards w. P.	0·7	7·8
SATURDAY - 24	w. P. throughout.	0·0	7·8
		Sum 6·4	Sum 54·5
No. of Col. - -	27	28	29

GENERAL REMARKS.

Very fine in morning after a cloudy night; cloudy generally throughout the day with a fine interval from 5h. P.M. to 8h. 30m. P.M.

Overcast generally; rain from 4h. A.M. to 6h. A.M.; fine interval between 10h. A.M. and 11h. A.M.; nearly cloudless from 6h. 30m. P.M.

Very fine until 6h. A.M.; then cloudy, to overcast with slight fog. Partial solar halo observed at noon; slight rain after 8h. P.M.

Overcast generally with frequent light rain; rather heavier at noon; very fine after 9h. P.M. with light cloud.

Cloudy to overcast by 3h. A.M. with slight rain; fine by 6h. A.M. with slight fog and hoar frost; nearly cloudless but misty at times throughout the day with hoar frost again at night.

Fine but increasingly cloudy until noon with rising temperature throughout the day; overcast from noon with wind rising after 5h. P.M.

Overcast generally until 6h. P.M. with frequent slight rain; brisk wind in morning; nearly cloudless after 6h. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·60 in. at the beginning of the week to 30·15 in. by 3h. A.M. on 20th; decreased to 29·85 in. by 2h. P.M. on 21st; increased to 30·16 in. by 9h. P.M. on 22nd; decreased to 29·58 in. by 1h. P.M. on 24th; and increased to 29·62 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 17th December, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever
WEST.											
Paddington	153,004	-	4	3	-	1	-	-	4	-	-
Kensington	184,635	-	4	6	-	-	-	-	-	-	-
Hammersmith	127,413	-	4	4	-	2	-	-	-	1	-
Fulham	181,282	-	7	1	-	1	-	-	2	-	-
Chelsea	75,457	-	2	1	-	-	-	-	1	-	
City of Westminster ..	167,233	-	2	2	-	-	-	-	1	1	-
NORTH.											
St. Marylebone	125,195	-	3	4	-	-	-	-	1	-	-
Hampstead	95,729	-	2	1	-	-	-	-	1	-	-
St. Pancras	237,792	-	5	3	-	-	-	-	4	2	1
Islington	353,356	-	17	12	-	-	-	-	1	-	-
Stoke Newington	54,838	-	-	-	-	-	-	-	1	1	-
Hackney	239,979	-	16	11	-	3	-	-	4	-	-
CENTRAL.											
Holborn	53,142	-	-	1	-	1	-	-	1	-	-
Finsbury	94,578	-	2	12	-	-	-	-	1	-	-
City of London	17,132	-	1	-	-	-	-	-	2	-	-
EAST.											
Shoreditch	114,387	-	4	3	-	2	-	-	3	-	-
Bethnal Green	131,579	-	1	4	-	1	-	-	4	-	-
Stepney	314,379	-	11	6	-	4	-	-	6	-	-
Poplar	172,432	-	9	3	-	2	-	-	1	-	-
SOUTH.											
Southwark	211,832	-	10	6	-	2	-	-	1	-	-
Bermondsey	127,238	-	9	5	-	-	-	-	1	-	-
Lambeth	327,074	-	10	7	-	1	-	-	5	-	-
Battersea	188,222	-	6	5	-	-	-	-	5	2	-
Wandsworth	305,838	-	13	5	-	-	-	-	6	-	2
Camberwell	286,058	-	14	7	-	4	-	-	6	-	-
Deptford	119,642	-	3	3	-	-	-	-	4	-	-
Greenwich	112,935	-	4	1	-	1	-	-	1	1	-
Lewisham	164,899	-	13	1	-	-	-	-	-	-	-
Woolwich	135,422	-	13	3	-	1	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	189	120	-	26	-	-	69	8	3
Ages 0-1		-	3	4	-	-	-	-	1	-	1
„ 1-5		-	55	51	-	1	-	-	3	-	1
„ 5-		-	81	30	-	6	-	-	5	-	-
„ 10-		-	25	17	-	7	-	-	1	-	-
„ 15-		-	7	5	-	5	-	-	5	-	1
„ 20-		-	8	4	-	1	-	-	5	3	-
„ 25-		-	7	6	-	5	-	-	6	3	-
„ 35-		-	3	3	-	-	-	-	10	2	-
„ 45-		-	-	-	-	-	-	-	14	-	-
„ 55-		-	-	-	-	-	-	-	13	-	-
„ 65 and upwards		-	-	-	-	1	-	-	-	-	-
Age not stated		-	-	-	-	-	-	-	6	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1910.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-SIX OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 52. 1910. VOL. LXXI.] WEEK ENDED SATURDAY, DEC. 31. [Price 1½*d*.

General Register Office, Somerset House,
January 2nd, 1911.

SEVENTY-SEVEN GREAT TOWNS.*

The deaths registered last week in SEVENTY-SEVEN GREAT TOWNS of England and Wales corresponded to an annual rate of 14·1 per 1000 of their aggregate population, which is estimated † at 16,940,895 persons in the middle of this year. In the preceding three weeks the rates had been 16·8, 15·2, and 14·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 18·0 in Rhondda, 18·1 in Newcastle on Tyne, 18·5 in Warrington, 18·8 in Oldham, 20·4 in Dewsbury, 22·0 in Rotherham, 23·1 in Huddersfield, and 24·0 in Tynemouth; from *measles*, 1·6 in Tottenham, 1·8 in Bury and in Oldham, 2·1 in Grimsby, 2·4 in Brighton, and 4·7 in Rotherham; from *diphtheria*, 1·1 in Walthamstow, 1·4 in Ipswich, and 1·5 in West Bromwich; from *whooping-cough*, 1·3 in Newcastle on Tyne and 1·6 in Rotherham; and from *enteric fever*, 1·3 in Preston. No death from *small-pox* was registered in any of the seventy-seven towns.

LONDON.* (The Administrative County and the City of London.)

In LONDON 1956 BIRTHS and 1358 DEATHS were registered. Allowing for increase of population, the births were 181 above and the deaths 141 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-six other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(18534—41.) Wt. 91—429. 700. 1/11. D & S. G. 31. Sch. 4. 3 F

weeks of the previous five years. The annual death-rate from all causes, which had been 18·2, 15·5, and 14·0 per 1000 in the preceding three weeks, was 14·5 last week. The death-rate in the four weeks ended last Saturday averaged 15·6 per 1000, being 1·0 per 1000 below the mean rate in the corresponding periods of the five years 1905–9.

The 1358 deaths included 84 from measles, 3 from scarlet fever, 14 from diphtheria, 15 from whooping-cough, 5 from enteric fever, and 19 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 140 deaths were referred, being 36 above the corrected average number in the fifty-second week of the preceding five years.

The deaths from *measles*, which had been 66, 83, and 90 in the preceding three weeks, were 84 last week, and were 50 above the corrected average; 9 deaths belonged to the Borough of Islington, 8 to Finsbury, 7 to Bermondsey, 7 to Lambeth, 6 to Southwark, and 5 each to Fulham, Shoreditch, and Battersea. The deaths from *scarlet fever*, which had been 0, 2, and 1 in the preceding three weeks, were 3 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 10, 16, and 16 in the preceding three weeks, were 14 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 15, 11, and 15 in the preceding three weeks, were again 15 last week, and were 9 below the corrected average; 3 deaths belonged to Lambeth. The deaths from *enteric fever*, which had been 0, 6, and 7 in the preceding three weeks, were 5 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 12, 24, and 23 in the preceding three weeks, declined to 19 last week, but were 3 above the corrected average. Of the 19 deaths from diarrhœa, 13 were those of children under 2 years of age; 3 other deaths at this age were certified as due to *enteritis*, and 6 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 16, having been 27, 17, and 15 in the preceding three weeks.

Different forms of violence caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 46 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, twelve to burns or scalds, two to drowning, and ten, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1594 cases of scarlet fever, 835 of diphtheria, and 88 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 140 cases, against 169, 156, and 167; of diphtheria, 92 cases, against 107, 101, and 89; and of enteric fever, 6 cases, against 13, 13, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended December 24th, 1910.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

GREATER LONDON (comprising London and the "Outer Ring," *i.e.*, the remainder of the Metropolitan Police District).

In Greater London 2988 births and 1897 deaths were registered. Allowing for increase of population, the births are 232 above and the deaths 243 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from measles, 5 from diphtheria, 3 from whooping-cough, and 1 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·88 inches, and that of the Thermometer 38°·8, the latter being equal to the week's average in the 65 years ended 1905. The general direction of the wind was Northerly, the horizontal movement of the air being 10 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 3·8 hours; the measured rainfall amounted to 0·13 of an inch.

TABLE 1.—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 31st December, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 10th Dec., 1910.	17th Dec., 1910.	24th Dec., 1910.	31st Dec., 1910.	Rate from Diseases in Cols. 11-17. Week ended 31st Dec., 1910.	Registered during the Week ended 31st Dec., 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
77 TOWNS	**16,940,895**	**16·8**	**15·2**	**14·2**	**14·1**	**1·2**	**6915**	**4591**	**966**	**1408**	-	**185**	**21**	**55**	**54**	**25**	**51**	**186**	**451**	**1296**	**41**	**77 TOWNS.**
LONDON	4,872,702	18·2	15·5	14·0	14·5	1·5	1956	1358	236	427	-	84	3	14	15	5	19	58	167	583	1	LONDON.
CROYDON	164,485	13·0	11·4	11·7	8·6	1·0	60	27	10	4	-	1	-	-	1	-	1	-	3	4	-	CROYDON.
WILLESDEN ..	166,088	10·0	11·9	9·1	11·3	0·3	60	36	12	11	-	-	-	-	-	-	1	3	5	5	-	WILLESDEN.
HORNSEY	98,561	14·3	7·4	10·1	7·9	2·6	17	15	5	5	-	1	-	-	2	-	2	1	2	-	-	HORNSEY.
TOTTENHAM ..	132,803	13·0	16·1	13·7	12·2	2·4	57	31	7	8	-	4	-	2	-	-	-	1	4	6	-	TOTTENHAM.
WEST HAM ..	328,585	13·2	12·1	10·9	12·5	1·6	125	79	15	19	-	9	-	1	-	-	-	6	7	20	-	WEST HAM.
EAST HAM.. ..	156,208	10·0	5·7	10·7	10·0	-	68	30	6	11	-	-	-	-	-	-	-	1	3	4	-	EAST HAM.
LEYTON	133,436	9·4	12·9	10·2	13·3	1·2	51	34	3	15	-	-	1	2	-	-	-	-	1	11	-	LEYTON.
WALTHAMSTOW	141,748	12·9	11·8	9·9	9·6	1·1	45	26	8	8	-	-	-	3	-	-	-	-	3	5	-	WALTHAMSTOW.
HASTINGS	68,520	13·7	13·7	9·9	14·5	-	17	19	-	11	-	-	-	-	-	-	-	-	1	5	-	HASTINGS.
BRIGHTON	131,900	21·7	17·4	15·8	13·4	3·6	36	34	5	13	-	6	-	1	1	-	1	-	1	10	-	BRIGHTON.
PORTSMOUTH ..	217,989	18·9	14·6	13·9	16·3	1·0	121	68	11	24	-	2	-	-	-	2	-	-	4	15	2	PORTSMOUTH.
BOURNEMOUTH ..	73,947	15·5	8·5	12·0	16·9	-	21	24	4	15	-	-	-	-	-	-	-	-	1	5	-	BOURNEMOUTH.
SOUTHAMPTON ..	127,157	13·1	17·6	13·5	16·4	0·8	53	40	4	17	-	1	-	-	-	1	-	3	7	10	-	SOUTHAMPTON.
READING	84,355	11·1	9·3	11·1	9·3	-	26	15	2	7	-	-	-	-	-	-	-	-	-	5	-	READING.
NORTHAMPTON ..	99,113	13·2	11·0	7·9	10·0	0·5	50	19	5	9	-	-	-	-	-	1	-	1	2	5	-	NORTHAMPTON.
IPSWICH	75,936	12·4	8·9	13·7	11·0	1·4	24	16	2	3	-	-	-	2	-	-	-	-	2	4	-	IPSWICH.
GREAT YARMOUTH	53,715	12·6	17·5	15·5	15·5	2·9	22	16	3	5	-	-	-	1	-	-	2	-	2	2	-	GREAT YARMOUTH.
NORWICH	125,446	13·3	13·3	11·2	14·5	2·5	47	35	13	6	-	-	2	1	3	-	-	1	2	7	-	NORWICH.
PLYMOUTH	126,266	19·8	15·7	20·6	13·6	1·7	46	33	6	9	-	3	-	-	-	1	-	1	2	7	-	PLYMOUTH.
DEVONPORT	84,695	14·2	14·8	11·1	11·7	0·6	48	19	3	7	-	-	-	1	-	-	-	1	2	4	-	DEVONPORT.
BRISTOL	382,550	13·4	14·2	15·4	12·0	0·4	104	88	10	46	-	-	-	-	2	-	1	2	13	19	-	BRISTOL.
STOKE ON TRENT ..	245,726	18·7	17·8	21·6	12·5	1·3	94	59	17	11	-	-	1	2	3	-	-	2	3	7	-	STOKE ON TRENT.
BURTON ON TRENT	54,977	13·3	10·4	12·3	14·2	-	17	15	-	6	-	-	-	-	-	-	-	2	2	1	-	BURTON ON TRENT.
WOLVERHAMPTON..	105,962	16·2	15·3	14·3	15·7	-	44	32	9	12	-	-	-	-	-	-	-	5	8	5	-	WOLVERHAMPTON.
WALSALL	101,035	13·4	12·9	12·4	10·8	-	51	21	7	7	-	-	-	-	-	-	-	1	2	3	-	WALSALL.
HANDSWORTH (STAFFS.) ..	72,335	15·1	6·5	9·4	10·8	-	24	15	5	7	-	-	-	-	-	-	-	-	1	-	-	HANDSWORTH (STAFFS.).
WEST BROMWICH..	71,138	11·0	12·5	10·3	16·9	2·9	37	23	9	7	-	-	1	2	-	-	1	1	1	3	-	WEST BROMWICH.

Towns.	Population estimated to the middle of the Year 1910.*	Death-Rates from all Causes. Week ended 10th Dec., 1910.	17th Dec., 1910.	24th Dec., 1910.	31st Dec., 1910.	Rate from Diseases in Cols. 11–17. Week ended 31st Dec., 1910.	Registered during the Week ended 31st Dec., 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	570,113	16·8	16·6	12·0	13·8	0·8	249	151	45	40	-	7	-	2	-	-	-	10	14	36	4	Birmingham.
Kings Norton ..	84,673	8·6	12·3	12·9	7·4	-	19	12	2	2	-	-	-	-	-	-	-	-	-	-	-	Kings Norton.
Smethwick	72,350	10·8	7·2	8·6	5·0	-	29	7	6	1	-	-	-	-	-	-	-	-	-	-	-	Smethwick.
Aston Manor ..	86,269	15·7	8·5	11·5	7·9	-	32	13	3	4	-	-	-	-	-	-	-	-	-	-	1	Aston Manor.
Coventry	81,449	16·6	16·0	18·6	10·2	0·6	44	16	5	5	-	-	-	1	-	-	-	-	2	2	1	Coventry.
Leicester	248,374	17·4	14·5	12·0	13·0	1·3	66	62	20	13	-	3	-	-	-	1	2	5	5	8	-	Leicester.
Grimsby	74,283	14·0	17·5	20·4	15·4	2·1	42	22	10	4	-	3	-	-	-	-	-	1	1	3	-	Grimsby.
Nottingham ..	266,471	20·4	15·9	15·5	13·9	0·2	101	71	11	26	-	1	-	-	-	-	-	2	5	24	-	Nottingham.
Derby	131,256	18·3	7·9	9·1	12·7	0·4	54	32	7	12	-	1	-	-	-	-	-	-	2	5	-	Derby.
Stockport	105,087	14·4	18·4	15·9	15·9	1·0	57	32	10	10	-	-	-	1	1	-	-	2	4	6	-	Stockport.
Birkenhead ..	122,431	17·5	17·5	17·9	13·6	-	57	32	7	15	-	-	-	-	-	-	-	1	2	10	-	Birkenhead.
Wallasey	73,173	6·4	12·1	10·7	7·8	-	22	11	1	6	-	-	-	-	-	-	-	1	1	3	-	Wallasey.
Liverpool	767,606	19·8	18·7	16·5	16·4	1·6	384	242	52	70	-	8	2	3	3	2	5	12	21	88	10	Liverpool.
Bootle	70,548	17·7	10·3	17·0	14·0	0·7	27	19	1	9	-	-	-	1	-	-	-	-	1	8	-	Bootle.
St. Helens	96,523	16·7	16·2	18·4	14·6	0·5	45	27	8	9	-	1	-	-	-	-	-	-	-	8	2	St. Helens.
Wigan	91,732	22·7	17·6	16·5	10·2	1·1	54	18	5	2	-	-	-	-	1	-	1	1	1	4	-	Wigan.
Warrington ..	73,295	15·7	21·3	12·8	18·5	1·4	30	26	7	9	-	2	-	-	-	-	-	-	-	5	2	Warrington.
Bolton	190,315	14·8	17·0	13·4	12·1	0·8	81	44	2	13	-	-	1	-	1	1	-	2	4	9	1	Bolton.
Bury	59,409	20·2	18·4	19·3	17·6	1·8	21	20	3	8	-	2	-	-	-	-	-	1	3	2	1	Bury.
Manchester ..	716,354	18·6	17·1	15·8	17·4	0·9	298	239	58	66	-	4	2	3	-	2	1	14	28	77	2	Manchester.
Salford	244,636	17·5	13·0	12·8	13·4	1·5	109	63	18	13	-	1	3	-	1	2	-	5	8	16	-	Salford.
Oldham	144,111	18·5	19·2	14·8	18·8	2·2	71	52	13	12	-	5	-	-	-	-	1	4	5	10	-	Oldham.
Rochdale	90,497	20·7	20·2	16·1	17·3	0·6	45	30	2	16	-	-	-	-	-	-	1	1	1	7	1	Rochdale.
Burnley	107,448	18·4	23·3	14·6	13·6	0·5	39	28	5	5	-	1	-	-	-	-	-	1	1	5	2	Burnley.
Blackburn	137,972	12·1	20·4	19·3	16·3	1·9	40	43	3	18	-	2	-	2	-	-	1	-	2	9	-	Blackburn.
Preston	119,253	24·5	13·6	21·4	14·0	1·3	38	32	1	10	-	-	-	-	-	3	-	1	1	7	1	Preston.
Barrow in Furness.	63,689	7·4	10·6	12·3	13·1	0·8	28	16	5	6	-	-	-	-	-	-	1	1	1	-	1	Barrow in Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—77 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 31st December, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1910.*	DEATH-RATES from all Causes. Week ended 10th Dec., 1910.	17th Dec., 1910.	24th Dec., 1910.	31st Dec., 1910.	Rate from Diseases in Cols 11-17. Week ended 31st Dec., 1910.	Registered during the Week ended 31st Dec., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,702	17·1	11·0	13·2	23·1	0·6	40	42	7	14	-	-	1	-	-	-	-	1	3	8	-	HUDDERSFIELD.
HALIFAX	112,818	15·3	15·3	12·0	11·6	0·5	34	25	2	12	-	1	-	-	-	-	-	1	3	3	1	HALIFAX.
BRADFORD	295,865	17·1	14·6	14·6	13·4	1·1	108	76	14	22	-	1	-	2	3	-	-	3	12	17	-	BRADFORD.
LEEDS	490,985	15·6	16·0	14·0	13·2	1·2	192	124	26	35	-	7	-	2	1	1	-	1	10	22	-	LEEDS.
DEWSBURY	51,224	19·3	15·3	25·4	20·4	-	15	20	2	8	-	-	-	-	-	-	-	-	1	3	-	DEWSBURY.
SHEFFIELD	478,763	18·2	14·7	12·6	12·2	1·4	203	112	27	25	-	9	-	-	3	-	1	4	7	27	3	SHEFFIELD.
ROTHERHAM.. ..	66,414	17·3	16·5	25·9	22·0	6·3	35	28	5	4	-	6	-	-	2	-	-	1	1	4	1	ROTHERHAM.
YORK	88,159	16·6	8·9	13·6	11·2	-	33	19	7	5	-	-	-	-	-	-	-	1	6	4	-	YORK.
HULL	280,006	13·8	12·5	12·8	15·8	0·7	128	85	22	23	-	-	-	2	-	2	-	4	12	21	2	HULL.
MIDDLESBROUGH ..	107,014	17·5	19·5	21·0	17·5	1·0	46	36	11	8	-	-	-	2	-	-	-	1	2	9	-	MIDDLESBROUGH.
STOCKTON ON TEES	53,680	16·5	19·4	6·8	13·6	1·0	22	14	4	5	-	-	-	-	-	-	1	-	1	3	-	STOCKTON ON TEES.
WEST HARTLEPOOL	81,814	17·2	19·1	14·0	5·1	-	23	8	4	-	-	-	-	-	-	-	-	-	-	-	-	WEST HARTLEPOOL.
SUNDERLAND ..	161,083	17·8	17·2	17·2	14·6	1·9	77	45	5	13	-	2	1	-	1	-	2	1	3	8	-	SUNDERLAND.
SOUTH SHIELDS ..	119,737	19·6	17·0	14·4	13·9	0·4	57	32	7	7	-	-	-	-	1	-	-	1	2	3	-	SOUTH SHIELDS.
GATESHEAD	133,676	13·3	16·0	17·6	13·3	0·8	51	34	16	10	-	1	-	-	-	-	1	2	2	5	1	GATESHEAD.
NEWCASTLE ON TYNE.	285,951	14·8	21·2	17·3	18·1	2·2	130	99	27	31	-	3	1	1	7	-	-	2	8	18	1	NEWCASTLE ON TYNE.
TYNEMOUTH ..	56,378	24·0	22·2	19·4	24·0	0·9	31	26	6	8	-	-	-	-	-	-	1	1	1	4	-	TYNEMOUTH.
NEWPORT (MON.) ..	79,729	17·7	13·1	9·8	17·0	-	34	26	8	5	-	-	-	-	-	-	-	-	2	8	-	NEWPORT (MON.).
CARDIFF	199,189	12·0	9·2	9·7	15·7	1·0	74	60	13	19	-	-	1	1	-	-	2	3	5	14	-	CARDIFF.
RHONDDA	138,674	16·9	14·3	13·9	18·0	2·3	81	48	14	8	-	3	1	-	-	1	1	2	3	3	-	RHONDDA.
MERTHYR TYDFIL..	79,522	15·7	13·8	19·0	10·5	0·7	43	16	5	5	-	-	-	-	-	-	1	-	-	3	-	MERTHYR TYDFIL.
SWANSEA	98,817	19·0	21·1	15·3	15·3	1·1	55	29	7	7	-	-	-	-	2	-	-	2	3	2	-	SWANSEA.
GREATER LONDON	7,537,196	16·2	14·1	13·0	13·1	1·3	2988	1897	363	616	-	101	4	27	21	5	24	81	222	671	2	GREATER LONDON.
OUTER RING ..	2,664,494	12·5	11·6	11·1	10·5	0·8	1032	539	127	189	-	17	1	13	6	-	5	23	55	88	1	OUTER RING.
8 TOWNS IN OUTER RING	1,321,914	12·0	11·3	10·8	11·0	1·2	483	278	66	81	-	15	1	8	3	-	4	12	28	55	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,342,580	13·0	11·9	11·4	10·1	0·4	549	261	61	108	-	2	-	5	3	-	1	11	27	33	1	REMAINDER OF OUTER RING.
EDINBURGH† ..	360,276	18·2	15·8	11·7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	EDINBURGH.†
GLASGOW†	884,505	16·0	17·2	13·1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GLASGOW.†
DUBLIN (Registration Area).‡	402,928	23·2	19·8	21·3	18·9	1·4	170	146	25	48	-	1	2	-	7	-	1	6	8	53	6	DUBLIN (Registration Area).‡
BELFAST‡	391,167	20·1	17·7	17·6	12·1	0·3	199	91	18	22	-	-	1	-	1	-	-	4	6	21	3	BELFAST.‡

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTY-SECOND Week of each of the Eleven Years, 1900–1910.

	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	Corrected Weekly Average in 5 Years 1905–1909.*	1910
TOTAL **Births** -	1591	1668	1651	2828	2320	1807	1694	1548	1438	2182	1775·3	1956
Males - - -	842	881	868	1454	1200	937	871	824	703	1137	915·8	1025
Females - -	749	787	783	1374	1120	870	823	724	735	1045	859·5	931
TOTAL **Deaths** -	1466	1791	1458	1866	1868	1602	1850	1326	1038	1502	1498·6	1358
Males - - -	751	918	735	957	939	796	909	689	515	773	754·0	656
Females - -	715	873	723	909	929	806	941	637	523	729	744·6	702

The numbers in this column are the average weekly numbers in the Fifty-Second week of the five years 1905-1909, raised by 2·394 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	13 Weeks.
TOTAL **Births** -	2140	2029	2227	2318	2167	2243	2180	1982	1984	2229	2204	2188	1956	27847
TOTAL **Deaths** -	1148	1200	1176	1209	1226	1476	1537	1811	1974	1703	1448	1309	1358	18575
Ages at Death: Under 1 year -	276	271	286	259	276	283	314	320	333	312	263	223	236	3652
1—5 years -	96	120	125	143	155	190	187	213	230	186	172	170	178	2165
5—20 " -	62	68	45	49	51	74	71	87	72	81	84	68	76	888
20—40 " -	141	145	149	141	150	149	154	185	186	188	141	149	162	2040
40—60 " -	241	264	246	252	230	313	315	377	378	305	286	290	279	3776
60 yrs. & upwds.	332	332	325	365	364	467	496	629	775	631	502	409	427	6054
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	18	17	33	44	50	67	85	94	113	66	83	90	84	844
Scarlet Fever - -	3	5	4	2	3	3	8	4	3	-	2	1	3	41
Diphtheria - -	8	6	11	9	6	13	15	12	10	10	16	16	14	145
Whooping-cough -	10	7	7	7	10	7	7	15	6	15	11	15	15	132
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	7	16	9	11	6	8	4	2	4	-	6	7	5	85
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	59	73	69	41	35	29	23	17	16	12	24	23	19	440
All above diseases -	105	123	133	114	110	127	142	144	152	103	142	152	140	1687
Dis. of Resp. System	53	70	81	111	102	150	193	317	370	249	174	121	122	2113
Pneumonia - -	112	92	113	123	144	169	203	241	299	257	181	140	141	2215
Phthisis - - -	105	107	89	114	114	154	120	166	152	146	107	137	122	1633
Dis. of Circ. System -	163	167	153	161	164	206	236	253	263	240	206	181	184	2577
Violence - - -	66	58	42	47	46	41	54	48	45	50	46	70	58	671
Inquest Cases - -	128	139	106	117	121	118	150	156	193	151	132	160	167	1838
Deaths in Institutions	512	557	507	533	533	652	630	704	742	696	665	538	583	7852
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	57·4	53·1	51·4	51·2	42·7	40·8	40·0	34·1	39·2	47·8	48·6	44·8	38·8	45·4
Mean of Highest -	66·0	60·2	57·9	55·9	49·5	49·7	45·4	39·2	43·4	51·5	52·2	49·1	43·1	51·0
Mean of Lowest -	50·4	48·5	45·3	46·7	37·4	32·4	35·0	28·4	35·1	43·8	44·7	38·1	33·8	40·0
Mean Humidity of the Air.	79	85	86	89	83	83	79	89	93	87	86	90	83	86
Rain-fall (in inches) -	0·08	0·61	0·63	0·30	1·03	0·31	0·53	0·62	2·52	0·71	1·38	0·09	0·13	8·94
Registered Sunshine (in hours).	33·6	8·8	14·6	7·3	11·5	24·7	14·5	1·9	0·0	2·9	6·7	6·4	3·8	136·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	1706	1745	1792	1847	1856	1882	1843	1769	1746	1719	1680	1627	1594	1754
Diphtheria - - -	788	835	843	855	861	892	887	877	869	884	894	839	835	858
Typhus - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	163	175	179	170	175	165	146	135	134	123	105	98	88	143

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTY-SECOND Week of the Year 1910.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 52nd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1498·6	1358	236	178	76	162	279	427
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	33·8	84	17	63	4	–	–	–
Scarlet Fever	9·2	3	–	1	2	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	20·9	16	–	3	1	2	2	8
Whooping-cough	24·4	15	6	9	–	–	–	–
Diphtheria	16·8	14	–	11	2	1	–	–
Cerebro-spinal Fever ..	0·4	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·7	5	–	–	–	2	3	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	5·1	5	5	–	–	–	–	–
Diarrhœa, Dysentery ..	10·6	14	6	3	–	1	3	1
Tetanus	0·2	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	6·3	2	–	1	–	–	–	1
Puerperal Septicæmia ..	4·1	3	–	–	–	3	–	–
Puerperal Pyæmia.. .	0·4	–	–	–	–	–	–	–
Puerperal Fever	0·2	1	–	–	–	–	1	–
Infective Endocarditis ..	2·5	4	–	–	1	1	2	–
Pneumonia: Lobar ..	16·6	14	–	1	1	4	6	2
Pneumonia: Broncho ..	94·0	74	32	27	5	1	4	5
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	69·4	53	9	10	4	8	10	12
Erysipelas	4·3	1	–	–	–	–	–	1
Septicæmia (not Puerperal)	2·9	2	–	1	–	–	–	1
Pyæmia (not Puerperal)	1·2	–	–	–	–	–	–	–
Other Infective Processes	4·5	6	1	–	1	1	–	3
Tuberculous Phthisis ..	94·2	89	2	2	8	32	35	10
"*Phthisis*"	52·0	33	–	–	–	14	13	6
Tuberculous Meningitis ..	18·0	15	5	4	4	2	–	–
Tuberculous Peritonitis ..	8·0	5	3	1	–	–	1	–
Tabes Mesenterica	2·9	1	1	–	–	–	–	–
Tuberculous Dis., Other ..	15·2	11	3	3	2	2	1	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	10·6	7	–	–	–	–	7	–
Rheumatic Fever	5·3	7	–	–	5	1	1	–
Gout	2·7	1	–	–	–	–	1	–
Carcinoma	54·3	67	–	–	–	9	25	33
Sarcoma	4·7	6	–	1	–	1	3	1
Cancer (undefined) ..	31·3	26	–	–	1	–	11	14
Diabetes Mellitus	8·6	14	–	–	–	3	5	6
Premature Birth	43·0	38	38	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 52nd week of the 5 years 1905–1909.	1910—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.
Meningitis (not tuberc.)..	12·9	11	3	2	2	2	2
Gen. Par. of Insane, Insanity	14·5	16	–	–	–	6	5
Epilepsy	7·6	4	–	–	–	3	–
Convulsions	14·3	12	10	2	–	–	–
Locomotor Ataxy.. ..	1·2	1	–	–	–	–	–
Paraplegia, Dis. of Cord.	6·1	13	–	–	2	1	4
Nervous Sys., Other Dis.	19·7	18	–	2	1	3	5
Valv. Dis., Endocarditis..	50·8	53	–	–	4	10	21
Cereb. Hæm. Cereb. Emb.	40·1	47	–	–	–	1	13
Apoplexy, Hemiplegia ..	14·1	8	–	–	–	–	1
Aneurysm	4·3	–	–	–	–	–	–
Embolism, Thrombosis (not Cerebral) ..	0·8	–	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	88·1	76	–	1	2	8	14
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–
Bronchitis	180·6	99	14	8	2	2	10
Emphysema, Asthma ..	4·1	6	–	–	–	–	2
Pleurisy	4·3	2	–	–	–	1	–
Respiratory Dis., Other..	12·9	15	5	3	–	3	1
Tonsillitis, Quinsy.. ..	1·6	2	–	1	1	–	–
Enteritis (not Epid.) ..	13·3	4	2	1	–	–	–
Gastro-enteritis	5·1	9	6	2	–	–	–
Peritonitis (not Puerp.) ..	1·8	6	–	–	2	–	2
Cirrhosis of Liver.. ..	10·2	18	–	–	–	2	10
Liver Dis., Other	5·7	4	–	–	–	1	1
Digestive Sys., Other Dis.	33·6	37	5	1	6	7	12
Acute Nephritis	6·8	5	–	–	–	1	3
Bright's Dis., Albuminuria	35·6	40	–	–	–	4	17
Urinary Sys., Other Dis.	9·4	14	–	–	–	3	3
Generative Organs Dis...	4·5	4	–	–	–	1	3
Childbirth (Accid. of) ..	3·9	2	–	–	–	2	–
Old Age	64·1	55	–	–	–	–	–
Other Diseases	81·3	83	51	6	6	3	5
ACCIDENT.							
By Railways	1·4	1	–	–	–	1	–
By Vehicles and Horses..	7·0	7	–	1	2	1	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	1	–	–	–	–	1
In Building Operations..	1·0	1	–	–	–	–	–
In Conflagrations	0·4	–	–	–	–	–	–
By Burns, Scalds, Explosions	8·6	12	1	5	3	1	–
By Drowning	3·7	2	–	–	–	2	–
By Suffocation in Bed ..	11·5	10	10	–	–	–	–
By Poisons or Poisonous Vapours	1·2	–	–	–	–	–	–
Other Deaths by Accident..	17·6	12	1	2	–	1	1
VIOLENCE OTHER THAN ACCIDENTAL.							
Homicide	0·8	1	–	–	–	1	–
Suicide	9·2	11	–	–	2	3	6
Execution	–	–	–	–	–	–	–

* In tables 3 and the information respecting deaths fro n small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

BLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 31st December, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	1956	1358	236	427	-	84	3	14	15	5	19	122	58	167	583	1
WEST DISTRICTS	805,311	276	221	33	82	-	17	-	4	2	1	5	14	5	18	92	-
NORTH DISTRICTS	1,055,908	437	282	43	91	-	23	1	4	4	-	4	27	13	32	125	-
CENTRAL DISTRICTS	209,465	97	58	11	11	-	4	-	1	1	-	2	4	4	14	27	-
EAST DISTRICTS	715,739	399	234	60	62	-	9	-	1	1	-	1	19	18	51	119	-
SOUTH DISTRICTS	1,749,844	747	515	88	166	-	30	-	3	7	4	3	53	18	52	172	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	48	1	15	-	1	2	1	-	-	4	5	-	-	48	-
WEST DISTRICTS.																	
North Paddington *H*	63,603	16	9	2	4	-	-	-	-	-	-	-	1	-	2	1	-
Central Paddington *W,3H*	50,053	28	27	6	10	-	1	-	-	-	-	2	2	2	4	19	-
South Paddington	30,320	4	5	-	2	-	1	-	-	-	-	-	-	-	-	-	-
Kensington South *W,3H*	85,610	21	27	5	13	-	3	-	-	-	-	1	-	-	3	17	-
Kensington Central *W,H*	42,774	9	6	1	1	-	-	-	-	-	-	-	1	-	-	1	-
Kensington North *w*	48,244	24	16	3	7	-	2	-	-	-	-	1	1	-	1	6	-
North Hammersmith *2W,w,H* ..	49,192	33	22	3	10	-	2	-	1	-	1	-	-	-	1	5	-
South Hammersmith *w,2H* ..	63,047	28	15	1	6	-	3	-	-	-	-	-	1	1	2	4	-
North-west Fulham *W*	45,180	24	13	2	5	-	2	-	-	-	-	1	-	-	-	4	-
North-east Fulham *F*	46,405	13	9	2	-	-	2	-	2	1	-	-	-	1	2	2	-
South Fulham *W*	45,704	18	9	1	3	-	-	-	-	-	-	-	1	-	-	-	-
Chelsea North *W,w,3H*	42,514	10	31	-	14	-	-	-	-	-	-	-	5	1	1	25	-
Chelsea South *W,2H*	31,328	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Mayfair and Knightsbridge	28,743	-	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	16	7	1	2	-	-	-	-	-	-	-	-	-	1	3	-
St. Margaret & St. John *6H*	43,698	14	10	2	2	-	1	-	-	1	-	-	2	-	-	2	-
St. James and St. Anne *W,6H* ..	33,081	6	8	2	1	-	-	-	-	-	-	-	-	-	1	3	-
NORTH DISTRICTS.																	
All Souls Marylebone *7H*	35,391	10	13	1	4	-	-	-	-	-	-	-	-	2	2	12	-
St. Mary Marylebone *W,4H* ..	37,948	46	6	-	3	-	-	-	-	-	-	-	1	-	1	-	-
Christchurch Marylebone *H* ..	39,536	18	8	5	1	-	2	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	3	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hampstead *W,F,6H*	81,942	16	30	3	14	-	-	1	1	-	-	1	4	-	1	14	-
West St. Pancras *2H*	60,562	24	7	1	1	-	1	-	-	1	-	-	1	-	-	-	-
South St. Pancras *w,10H*	55,707	16	16	1	7	-	1	-	1	-	-	-	-	1	1	10	-
East St. Pancras *W,H*	60,320	21	11	1	7	-	-	-	-	-	-	-	-	1	1	7	-
North St. Pancras *2W*	58,728	25	20	2	9	-	-	-	-	-	-	-	5	-	-	13	-
Tufnell *W*	31,995	9	19	2	7	-	2	-	-	-	-	1	2	1	3	12	-
Upper Holloway *2W,w,H*	33,978	16	30	5	9	-	8	-	-	-	-	-	1	1	3	27	-
Tollington *2W,w,H*	33,922	11	8	3	1	-	1	-	-	-	-	-	-	-	1	-	-
Lower Holloway	41,424	19	9	3	3	-	-	-	-	-	-	-	1	-	2	-	-
Barnsbury	54,478	21	11	1	2	-	3	-	-	-	-	-	1	1	3	-	-
Islington South-east *F*	75,397	37	10	3	-	-	1	-	-	-	-	-	2	-	1	-	-
Highbury *2H*	63,797	18	10	1	2	-	1	-	-	-	-	-	-	2	3	1	-
Stoke Newington *H*	51,247	13	10	1	4	-	1	-	-	1	-	-	2	-	-	-	-
North Hackney	50,398	25	8	2	3	-	-	-	-	-	-	-	-	3	3	-	-
Central Hackney *2w,F*	50,536	25	13	1	5	-	1	-	2	-	-	-	3	-	1	7	-
South-west Hackney *3H*	59,921	45	21	5	3	-	1	-	-	1	-	2	1	1	2	8	-
South-east Hackney *2W,w,H* ..	58,255	19	17	2	6	-	-	-	-	1	-	-	3	-	4	12	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 31st December, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	26	7	-	3	-	-	-	-	-	-	-	1	1	1	2	-
Strand *W*,4*H*	21,674	2	7	-	3	-	1	-	-	-	-	-	-	-	-	5	-
Strand Union Workhouse, Edmonton	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Holborn *W*,5*H*	29,612	11	18	6	1	-	-	-	-	-	-	2	2	-	3	10	-
Clerkenwell *H*	63,704	28	8	3	2	-	1	-	-	1	-	-	-	1	5	-	-
St. Luke 3*H*,*L*	36,116	27	5	1	1	-	-	-	-	-	-	-	-	-	1	-	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	12	1	1	-	2	-	1	-	-	-	-	2	4	9	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South 3*H*	46,362	26	16	7	4	-	1	-	-	-	-	-	-	1	3	2	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	28	29	7	9	-	3	-	-	-	-	-	2	2	6	13	-
Shoreditch North-East	36,148	20	8	4	2	-	-	-	-	1	-	-	1	1	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	30	41	9	12	-	2	-	-	-	-	-	4	1	5	24	-
Bethnal Green South-West *H* ..	64,542	35	5	3	-	-	-	-	-	-	-	-	-	2	5	1	-
Spitalfields*	40,584	13	3	2	1	-	-	-	-	-	-	1	-	-	-	-	-
Whitechapel* *W*,*H*	38,184	19	40	10	5	-	-	-	1	-	-	-	3	5	10	37	-
St. George and St. John 2*W* ..	49,068	38	10	2	3	-	-	-	-	-	-	-	1	-	3	7	-
Shadwell and Ratcliff *w*,*H* ..	25,568	6	9	3	1	-	1	-	-	-	-	-	-	1	1	6	-
Limehouse *W*	32,369	16	8	2	2	-	-	-	-	-	-	-	-	-	2	-	-
Mile End Old Town South-Western *H*	63,698	48	5	1	2	-	1	-	-	-	-	-	1	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	31	8	2	5	-	-	-	-	-	-	-	1	-	1	5	-
Bow	41,989	24	9	2	4	-	1	-	-	-	-	-	-	1	2	-	-
Bromley 3*w*,*H*	68,319	32	34	5	9	-	-	-	-	-	-	-	5	4	7	22	-
Poplar *W*,*w*	58,514	33	9	1	3	-	-	-	-	-	-	-	1	-	4	2	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* On 1st December, 1910, part of Mile End New Town sub-district was added to Spitalfields sub-district, and Goodman's Fields sub-district was added to the remainder of Mile End New Town sub-district, the area thus formed being entitled Whitechapel sub-district.

BLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ENTERIC FEVER, DIARRHŒA, PHTHISIS, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 31st December, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric (or Typhoid) Fever.	Diarrhœa.	Phthisis.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																	
Christchurch and St. Saviour Southwark *W,2H*	23,319	11	19	3	3	-	1	-	-	1	-	1	3	2	2	15	-
Kent-road	21,904	11	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. George the Martyr West *W,2H,L*	39,094	22	11	2	2	-	4	-	-	-	-	-	-	-	4	2	-
Newington North	49,022	33	10	3	1	-	-	-	-	1	-	-	2	-	-	-	-
Newington South *2W*	72,841	35	11	3	7	-	-	-	-	-	-	-	-	1	3	-	-
St. Olave *2W*	9,817	6	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-
Bermondsey *W*	82,483	46	24	6	6	-	4	-	-	-	-	-	2	1	6	-	-
Rotherhithe *W,F*	38,460	11	24	2	5	-	3	-	-	-	-	-	5	2	3	16	-
Waterloo *2H*	27,440	18	10	2	1	-	2	-	-	-	-	-	2	-	-	2	-
Lambeth Church *H*	27,440	17	20	3	2	-	4	-	-	1	-	-	2	-	-	13	-
Kennington *2W*	52,518	25	26	5	7	-	-	-	-	-	-	-	4	-	1	8	-
Stockwell *HF*	63,826	35	13	4	3	-	1	-	-	-	1	-	-	-	1	2	-
Brixton *H*	73,673	31	10	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Norwood *2WH*	56,998	21	11	1	4	-	-	-	-	2	1	-	-	-	-	3	-
East Battersea *H*	72,203	30	17	2	4	-	3	-	-	-	-	-	2	-	1	-	-
North-west Battersea	49,656	19	17	3	5	-	2	-	-	-	-	1	1	-	3	-	-
South-west Battersea *2W,H*	47,048	16	33	7	14	-	-	-	-	-	-	-	2	3	4	22	-
Clapham *2H*	51,361	19	14	4	5	-	1	-	-	-	-	-	3	-	1	3	-
Streatham *W,2w,2F,2L*	88,019	48	26	1	14	-	1	-	2	-	-	-	1	-	-	9	-
Springfield *2W,L*	27,959	12	4	-	2	-	-	-	-	-	1	-	1	-	1	-	-
Southfields *H*	40,444	15	10	-	3	-	-	-	-	2	-	-	1	-	2	-	-
Putney	24,139	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	16	29	3	13	-	1	-	-	-	1	1	5	-	1	24	-
Camberwell North *W,2L*	65,584	21	28	4	9	-	2	-	-	-	-	-	3	1	2	18	-
St. George	47,331	22	11	6	1	-	1	-	-	-	-		2	1	4	-	-
Peckham North	48,913	19	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	20	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North *F*	49,004	13	11	4	2	-	-	-	-	-	-	-	2	-	1	1	-
Deptford East	29,781	14	7	2	3	-	-	-	-	-	-	-	1	-	-	-	-
Deptford South	38,934	12	6	1	3	-	-	-	-	-	-	-	-	-	-	-	1
Greenwich West *H*	23,456	6	8	-	3	-	-	-	-	-	-	-	1	-	-	1	-
Greenwich East *2W,H*	43,859	19	23	2	9	-	-	-	-	-	-	-	3	2	4	16	-
Eltham *w,H*	7,226	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	31	18	5	10	-	-	-	-	-	-	-	-	1	1	8	-
Sydenham *H*	43,653	12	10	4	2	-	-	-	-	-	-	-	1	-	-	-	-
Charlton *F,2H*	21,134	7	5	-	-	-	-	-	1	-	-	-	1	-	-	3	-
Woolwich *5H*	41,625	17	6	1	2	-	-	-	-	-	-	-	1	1	1	-	-
Plumstead West *W,H*	39,376	12	11	-	6	-	-	-	-	-	-	-	1	1	2	-	-
Plumstead East *2W*	28,951	6	12	1	5	-	-	-	-	-	-	-	1	1	2	5	-
Workhouses:—																	
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																	
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																	
Gore Farm (temporary)	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-
North-Eastern	—	-	3	-	-	-	1	1	1	-	-	-	-	-	-	3	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																	
Children's Infirmary, Carshalton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																	
Caterham	—	-	6	-	4	-	-	-	-	-	-	-	1	-	-	6	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	5	-	2	-	-	-	-	-	-	-	1	-	-	5	-
London County Lunatic Asylums:—																	
Banstead	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	8	-	2	-	-	-	-	-	-	1	2	-	-	8	-
Manor	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Long Grove	—	-	3	1	-	-	-	-	-	-	-	1	-	-	-	3	-
Cane Hill	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	5	-
Dartford Heath	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	6	-	1	-	-	-	-	-	-	1	1	-	-	6	-
Claybury	—	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Bo Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERAT POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 31st December, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
	LONDON—OUTER RING ..	368,603	2,045,135	1032	539	127	189	-	17	1	13	6	-	5	23	55	88
31 : 1	Carshalton 2F,3H	12,228	32,997	12	10	2	5	-	-	-	-	-	-	-	2	4	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	6	5	1	2	-	-	-	1	-	-	-	-	-	2
38 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Coulsdon	11,069	8,166	8	1	-	1	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	16	6	2	1	-	1	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	25	14	5	2	-	-	-	-	1	-	-	1	4	4
4	North Croydon H	2,644	41,698	19	7	3	2	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	8	1	-	1	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	31	7	3	3	-	-	-	-	-	-	-	-	-	-
40 : 1	Wimbledon F,3H	3,221	41,652	16	6	2	-	-	-	-	-	-	-	-	1	2	1
2	Kingston 2W,H	6,224	42,068	28	12	2	5	-	-	-	1	-	-	-	1	1	1
3	Surbiton F,H	3,046	15,017	7	3	1	2	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	5	4	2	1	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	6	5	1	2	-	-	-	-	-	-	-	-	-	-
41 : 1	Richmond W,H	2,491	31,672	13	6	-	2	-	-	-	-	-	-	-	1	1	-
2	Mortlake F	2,513	17,321	9	5	-	4	-	-	-	-	-	-	-	-	-	-
42 : 1	Bromley F,3H	4,696	27,397	8	4	-	1	-	-	-	-	-	-	-	-	-	1
2	Beckenham H	7,832	28,454	5	7	2	3	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	3	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst† w,2H	16,011	17,549	5	6	3	3	-	-	-	-	-	-	-	-	-	-
43 : 1	Bexley† F,H		20,048	11	4	2	1	-	1	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	5	2	-	1	-	-	-	1	-	-	-	-	-	1
3	Dartford W,F, *part of** ..	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2
126 : 1	Sunbury w	11,054	18,683	13	5	2	2	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	2	10	4	4	-	-	-	1	2	-	-	-	-	-
127 : 1	Hillingdon W,F,H	8,035	13,661	8	3	1	1	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	11	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	12	5	-	-	-	-	-	-	-	-	-	-	-	-
128 : 1	Isleworth 3W,3F,H	6,859	50,863	30	13	3	9	-	-	-	-	1	-	-	-	3	4
2	Twickenham F,2H	2,421	26,991	5	7	2	4	-	-	-	-	-	-	-	-	1	-
3	Hanwell w,2H	4,108	11,257	7	7	2	1	-	-	-	-	-	-	-	-	1	-
4	Brentford 3F,2H	4,038	48,202	32	17	6	8	-	-	-	-	-	-	-	-	3	-
5	Chiswick H	1,249	29,809	18	4	-	2	-	-	-	-	-	-	-	-	-	-
6	Acton F,H	2,305	37,744	26	3	-	1	-	-	-	1	-	-	-	-	-	1
129 : 1	Willesden W,F,2H	4,384	114,811	60	35	12	10	-	-	-	-	-	-	1	3	5	4
130 : 1	Harrow F,H	13,809	25,523	13	6	2	4	-	-	-	-	-	-	-	1	1	-
2	Edgware 2F,2H	6,994	4,521	-	1	-	-	-	-	-	-	-	-	-	-	-	1
3	Hendon W,F	8,382	22,450	10	7	1	2	-	-	-	-	-	-	-	-	-	2
131 : 1	South Mimms 2F,H ..	17,755	7,308	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	5	6	-	3	-	-	-	-	-	-	-	1	1	3
3	Finchley F,3H	4,668	33,692	20	10	4	4	-	-	-	-	-	-	1	1	1	2
132 : 1	Hornsey F,H	2,875	72,056	17	15	5	5	-	1	-	-	2	-	2	1	2	-
2	Wood Green H	1,625	34,233	16	7	1	3	-	1	-	-	-	-	-	-	2	-
3	West Tottenham	995	48,741	27	9	4	-	-	2	-	-	-	-	-	-	1	-
4	East Tottenham 2H ..	2,019	53,962	30	17	3	7	-	1	-	1	-	-	-	1	3	1
5	Edmonton W,w,2F	7,491	61,892	44	23	2	8	-	1	-	-	-	-	-	-	3	4
6	Enfield 2W,F,H	12,661	42,738	24	8	3	4	-	-	-	-	-	-	-	-	-	-
7	Waltham Abbey F	11,017	6,549	5	1	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	7	1	-	1	-	-	-	-	-	-	-	-	-	-
138 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 : 1	Bushey, *part of** 2H ..	9,195	7,051	2	1	1	-	-	-	-	-	-	-	-	1	1	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 : 1	Stratford H	1,091	52,974	22	9	1	2	-	-	-	-	-	-	-	2	2	1
2	Forest Gate	787	52,745	14	10	2	6	-	-	-	-	-	-	-	1	1	-
3	Plaistow F,2H	1,249	90,921	50	18	4	5	-	1	-	1	-	-	-	-	1	3
4	Canning Town H	1,556	70,718	39	26	8	1	-	8	-	-	-	-	-	2	2	-
5	South East Ham 2F ..	1,991	37,342	36	11	2	3	-	-	-	-	-	-	-	1	2	-
6	North East Ham w,H ..	1,333	58,666	32	15	4	5	-	-	-	-	-	-	-	-	1	-
7	Wanstead F	1,679	9,170	5	1	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	21	13	1	8	-	-	-	-	-	-	-	-	-	5
9	North Leyton 2W,w,F ..	1,963	48,445	30	38	2	14	-	-	1	2	-	-	-	1	2	23
10	Walthamstow 2H L ..	6,504	108,929	47	24	8	7	-	-	-	1	-	-	-	-	3	-
189 : 1	Chigwell 2F,3H	11,778	16,397	6	4	1	1	-	-	-	2	-	-	-	-	-	2
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191 : 1	Romford, *part of** W,2F ..	6,556	6,091	2	6	2	2	-	-	-	-	-	-	-	-	-	4
2	Ilford F,L	8,496	41,244	20	9	-	3	-	-	-	-	-	-	-	-	-	3
3	Barking Town F	3,805	21,547	18	4	2	1	-	-	-	-	-	-	-	1	1	-
	London County Lunatic Asylum (Long Grove), Epsom.	—	—	-	2	-	1	-	-	-	-	-	-	1	-	-	2
	London County Lunatic Asylum, Colney Hatch.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2
	Essex County Lunatic Asylum, Brentwood.	—	—	-	5	-	3	-	-	-	-	-	-	-	-	-	5

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—31 : 2, excepting Ashtead parish; 38 : 1, Warlingham and Farley parishes; 40 : 4, excepting Esher parish; 42 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 138 : 1, Northaw parish; 140 : 1, excepting the part in Watford Rural parish; 140 : 2, Oxhey parish; 191 : 1, Dagenham parish. Deaths belonging to the Outer Ring in Workhouses and Infectious Diseases Hospitals situated outside that area in 38 : 1, 43 : 3, 138 : 1, 140 : 2, 189 : 2, and 191 : 1, and in the Croydon Mental Hospital in 38 : 1 are also included.

† On 1st December, 1910, the boundary between these sub-districts was altered.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping-cough.	Enteric Fever.	Diarrhœal Diseases.
ONDON* - -	4,872,702	December 31	1956	1358	14·5	-	84	3	14	15	5	22
ALCUTTA - -	1,009,008	December 3	-	597‡	30·7	1	1	-	3	1	4	10
OMBAY - -	977,822	" 13	434	599‡	31·8	2	10	-	-	-	2	41
ADRAS - -	509,346	" 3	405	463	47·2	2	-	?	?	?	-	23
ARIS* - -	2,772,467	" 17	918	830	15·7	-	2	-	5	3	2	25
RUSSELS* -	720,030	" 24	227	188	13·6	-	-	-	3	-	4	14
NTWERP* - -	317,171	" 24	142	73	12·0	-	6	-	-	-	-	7
MSTERDAM* -	574,987	" 24	268	150	13·6	-	1	-	2	3	1	4
OPENHAGEN -	455,000	" 24	190	125	14·3	-	-	1	1	6	-	2
OCKHOLM -	341,816	" 17	181	92	14·0	-	-	-	3	-	1	4
HRISTIANIA -	240,178	" 24	134	49	10·6	-	-	-	1	1	-	1
. PETERSBURG	1,620,000	" 10	983	693‡	22·3	3	4	18	10	5	11	34
OSCOW - -	1,493,600	" 10	-	784	27·4	1	8	32	28	6	5	60
ERLIN - -	2,066,417	" 10	828	630	15·9	-	2	15	12	4	1	17
AMBURG - -	911,500	" 17	-	268	15·6	-	2	2	11	3	1	13
RESLAU - -	509,992	" 17	-	181	18·5	-	-	1	-	3	-	17
UNICH - -	595,000	" 17	264	211	18·4	-	12	-	-	1	1	20
IENNA* - -	2,107,981	" 17	748	590	14·4	-	9	2	2	2	2	26
RAGUE* - -	508,310	" 3	158	162	16·6	-	-	1	1	-	2	5
UDAPEST* -	833,703	" 17	407	336	21·0	-	1	7	2	-	2	18
RIESTE* - -	223,521	" 24	136	92	21·4	-	-	-	1	2	1	1
OME - - -	589,425	October 15	262	147‡	13·0	-	-	-	2	1	3	20
ENICE - -	183,224	November 12	78	65	18·5	-	-	-	1	-	-	10
		" 19	74	66	18·8	-	-	-	-	-	1	3
UCAREST - -	297,643	December 3	155	125	21·9	-	-	6	2	-	4	2
EW YORK* -	4,803,264	" 10	2374	1434	15·6	-	4	7	26	4	16	38
HICAGO* - -	2,185,283	" 10	-	604	14·4	-	2	9	24	1	7	27
HILADELPHIA*	1,598,400	October 29	-	424	13·8	-	1	1	11	7	7	30
IO DE JANEIRO	842,822	November 27	-	320‡	19·8	-	7	-	-	1	1	?
AIRO :—*												
Egyptians -	620,443	" 25	677	350	29·3	-	4	-	17	-	4	49
Foreigners -	62,510	" 25	5	16	13·3	-	-	-	-	-	1	4
LEXANDRIA :—*												
Egyptians -	319,087	" 25	289	151	24·6	-	-	-	1	-	3	26
Foreigners -	68,829	" 25	5	10	7·6	-	-	-	-	-	-	-

* The deaths from diarrhœal diseases in these cities include those from *enteritis* and *gastro-enteritis*, and relate to hildren under two years of age.

† Excluding deaths from croup in the Indian Cities.

‡ Including 10 deaths from *plague* in Calcutta, 7 in Bombay, and 1 in Rio de Janeiro, and from *Asiatic cholera*, 41 deaths Calcutta, 9 in Bombay, 2 in St. Petersburg, and 1 in Rome.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 31st December, 1910.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
ONDON (Greenwich)	46·0	27·1	38·4	0·13	BRADFORD - -	45·1	26·1	37·9	0·18
RIGHTON - -	48·9	30·1	40·6	0·01	YORK - - -	47·0	27·0	38·0	0·32
ORTSMOUTH - -	48·0	30·0	40·6	0·02	HULL - - -	46·0	28·0	37·3	0·25
ORWICH - -	44·8	27·2	37·9	0·63	TYNEMOUTH - -	47·0	28·0	37·9	0·35
LYMOUTH - -	50·3	30·0	44·3	0·16	CARDIFF - - -	48·0	27·2	41·4	0·16
RISTOL - - -	49·0	25·1	40·5	0·06	EDINBURGH - -	-	-	-	-
IRMINGHAM - -	48·6	27·5	39·6	0·37	GLASGOW - -	-	-	-	-
OTTINGHAM - -	46·0	27·0	39·2	0·18	DUBLIN Phœnix Park.	47·7	25·9	40·9	0·13
IVERPOOL OBSERVATORY.	51·0	34·0	42·4	0·49	DUBLIN Fitzwilliam Square.†	47·3	30·2	42·3	0·15
ANCHESTER -	45·8	27·8	39·1	0·77					
URNLEY - -	44·5	23·0	38·1	0·76					
UDDERSFIELD -	44·7	28·0	38·6	0·39	BELFAST - - -	48·0	28·0	43·0	0·47

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to he seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The orrection applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the bove was 0°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 31st December, 1910.

[*Under the Superintendence of the Astronomer Royal.*]

1910. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 25	..	29·578	46·0	40·8	5·2	43·2	+ 4·8	37·3	5·9	8·8	1·8	80	54·0	34·1	46·40	WNW. & NW.	NW. & W.	3·3	0·0	0·4	459	+178	0·00	0·0
MONDAY - 26	..	29·421	43·5	39·7	3·8	41·8	+ 3·2	36·4	5·4	7·5	3·7	81	46·2	34·2	46·37	WNW. & NW.	NW., W. & NNW.	6·3	0·0	0·5	480	+188	0·13	1·0
TUESDAY - 27	..	29·603	41·2	32·3	8·9	35·1	− 3·7	28·9	6·2	10·1	3·7	78	42·0	26·7	46·08	NNE. & N.	NNE.	5·7	0·0	0·7	420	+113	0·00	3·0
WEDNESDAY 28	Apogee	30·069	38·6	27·1	11·5	32·6	− 6·3	28·2	4·4	7·6	0·0	83	38·8	20·0	45·70	NNE., N. & WSW.	W. & WSW.	2·0	0·0	0·1	242	− 77	0·00	0·0
THURSDAY - 29	..	30·041	46·0	38·0	8·0	42·4	+ 3·4	37·1	5·3	8·6	0·4	82	49·0	33·0	45·10	W. & WNW.	NW., WNW. & W.	2·0	0·0	0·1	355	+ 30	0·00	0·0
FRIDAY - 30	..	30·159	44·3	30·6	13·7	38·7	− 0·2	35·2	3·5	5·9	2·8	87	47·0	22·7	44·70	W., WNW. & NW.	NNE. & calm.	1·1	0·0	0·1	237	− 90	0·00	0·0
SATURDAY - 31	Gr. Dec. S. New	30·276	41·8	28·1	13·7	37·6	− 1·1	34·3	3·3	5·4	0·5	88	41·7	21·9	44·48	WSW. & W.	W.	1·0	0·0	0·0	200	−123	0·00	1·5
MEANS - -		29·878	43·1	33·8	9·3	38·8	0·0	33·9	4·9	7·7	1·8	83	45·5	27·5	45·55	WNW. & NNE.		..	..	..	Sum 2393	Sum +219	Sum 0·13	0·8
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY - 25	w. P. till 9h. A.M.; then m. P. generally.	1·7	7·8	Fine with variable amounts of cloud.
MONDAY - 26	w. P. generally till 9h. A.M.; m. P. till 8h. P.M.; v. P. and v. N. afterwards.	0·0	7·8	Generally overcast; rain between 6h. and 11h. 30m. P.M.; brisk wind at night.
TUESDAY - 27	w. P. till 7h. A.M.; m. P. till 10h. A.M.; s. P. afterwards.	0·3	7·8	Very fine generally till 10h. A.M.; cloudy till 5h. P.M. then nearly cloudless; hoar frost in morning and at night.
WEDNESDAY 28	s. P. till 9h. P.M.; then m. P.	1·7	7·8	Nearly cloudless with hoar frost in morning then variably cloudy; slight fog prevalent between 7h. A.M. and 2h. P.M.
THURSDAY - 29	m. P. till 2h. A.M.; w. P. generally till 10h. A.M.; s. P. afterwards.	0·1	7·8	Generally overcast till 7h. A.M.; then fine with variable amounts of cloud; slight fog at times between 9h. A.M. and noon.
FRIDAY - 30	m. P. till 9h. A.M.; s. P. generally afterwards.	0·0	7·8	Fine but cloudy till evening; cloudless with hoar frost at night.
SATURDAY - 31	s. P. till 6h. A.M.; m. P. till 9h. A.M.; s. P. generally afterwards.	0·0	7·8	Overcast and dull generally; slight fog prevalent till afternoon.
		Sum 3·8	Sum 54·6	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·62 in. at the beginning of the week to 29·23 in. by 11h. P.M. on the 26th; increased to 30·10 in. by 10h. A.M. on the 28th; decreased to 29·98 in. by 5h. A.M. on the 29th; increased to 30·32 in. by 10h. A.M. on the 31st; and decreased to 30·20 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 24th December, 1910.*

BOROUGHS.	Estimated Population in the middle of 1910.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	153,004	-	7	1	-	3	-	-	1	-	-
Kensington	184,635	-	2	3	-	-	-	-	6	1	-
Hammersmith	127,413	-	2	2	-	2	-	-	1	-	-
Fulham	181,282	-	15	4	-	-	-	-	2	-	-
Chelsea	75,457	-	2	-	-	-	-	-	-	-	-
City of Westminster ..	167,233	-	1	2	-	1	-	-	1	-	-
NORTH.											
St. Marylebone	125,195	-	9	5	-	-	-	-	4	-	-
Hampstead	95,729	-	3	1	-	-	-	-	1	-	-
St. Pancras	237,792	-	8	4	-	1	-	-	3	-	-
Islington	353,356	-	12	12	-	2	-	-	9	-	-
Stoke Newington	54,838	-	4	-	-	-	-	-	5	-	-
Hackney	239,979	-	13	2	-	1	-	-	14	-	-
CENTRAL.											
Holborn	53,142	-	2	2	-	1	-	-	5	-	-
Finsbury	94,578	-	1	2	-	-	-	-	3	-	-
City of London	17,132	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,387	-	1	1	-	1	-	-	1	-	-
Bethnal Green	131,579	-	2	9	-	3	-	-	4	-	-
Stepney	314,379	-	7	7	-	1	-	-	11	1	-
Poplar	172,432	-	8	4	-	4	-	-	4	-	-
SOUTH.											
Southwark	211,832	-	7	4	-	1	-	-	5	-	-
Bermondsey	127,238	-	3	3	-	-	-	-	1	-	-
Lambeth	327,074	-	9	5	-	1	-	-	5	-	-
Battersea	188,222	-	6	5	-	1	-	-	4	-	-
Wandsworth	305,838	-	8	10	-	3	-	-	3	1	-
Camberwell	286,058	-	16	6	-	4	-	-	3	-	-
Deptford	119,642	-	2	4	-	-	-	-	3	-	-
Greenwich	112,935	-	4	2	-	-	-	-	-	-	-
Lewisham	164,899	-	10	6	-	-	-	-	-	-	-
Woolwich	135,422	-	12	1	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	1	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,872,702	-	177	107	-	31	-	-	99	3	-
Ages 0-1		-	1	2	-	-	-	-	4	-	-
„ 1-5		-	53	42	-	2	-	-	4	-	-
„ 5-		-	80	33	-	4	-	-	1	-	-
„ 10-		-	24	19	-	5	-	-	8	-	-
„ 15-		-	5	5	-	2	-	-	6	-	-
„ 20-		-	6	2	-	6	-	-	5	-	-
„ 25-		-	7	4	-	4	-	-	10	1	-
„ 35-		-	1	-	-	5	-	-	20	2	-
„ 45-		-	-	-	-	2	-	-	20	-	-
„ 55-		-	-	-	-	1	-	-	11	-	-
„ 65 and upwards		-	-	-	-	-	-	-	8	-	-
Age not stated		-	-	-	-	-	-	-	2	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1911.